



# Physical activity for general health benefits in disabled children and disabled young people: evidence review: Appendix 5 – list of excluded studies

Published 16 February 2022

## Contents

Reason 1: Wrong study type, including review articles .....	1
Reason 2: No (disaggregated) data on populations of interest .....	9
Reason 3: Incorrect intervention/domain, including clinical treatment and therapy papers.....	18
Reason 4: No data on health outcomes from physical activity .....	22
Reason 5: Report not published in English .....	24

## Reason 1: Wrong study type, including review articles

Arbour-Nicitopoulos KP, Grassmann V, Orr K, McPherson AC, Faulkner GE, Wright FV. A scoping review of inclusive out-of-school time physical activity programs for children and youth with physical disabilities. *Adapt Physical Activ Q.* 2018;35(1):111-138.

Archer T, Kostrzewa RM. Physical Exercise Alleviates ADHD Symptoms: regional Deficits and Development Trajectory. *Neurotox Res.* 2012;21(2):195-209.

Armstrong EL, Spencer S, Kentish MJ, Horan SA, Carty CP, Boyd RN. Efficacy of cycling interventions to improve function in children and adolescents with cerebral palsy: a systematic review and meta-analysis. *Clin Rehabil.* 2019;33(7):1113-1129.

Ash T, Bowling A, Davison K, Garcia J. Physical Activity Interventions for Children with Social, Emotional, and Behavioral Disabilities-A Systematic Review. *J Dev Behav Pediatr.* 2017;38(6):431-445.

Ashdown-Franks G, Firth J, Carney R, Carvalho AF, Hallgren M, Koyanagi A, et al. Exercise as medicine for mental and substance use disorders: a meta-review of the benefits for neuropsychiatric and cognitive outcomes. *Sports Med.* 2020;50(1):151-70.

Berwid OG, Halperin JM. Emerging support for a role of exercise in Attention-Deficit/Hyperactivity Disorder intervention planning. *Curr Psychiatry Rep.* 2012;14(5):543-551.

Brunton LK, Rice CL. Fatigue in cerebral palsy: a critical review. *Dev Neurorehabil.* 2012;15(1):54-62.

Bustamante EE, Santiago-Rodriguez ME, Ramer JD, Balbim GM, Mehta TG, Frazier SL. Physical activity and ADHD evidence on developmental trajectories, transient and durable neurocognitive effects, and real-world applications. *Pensar En Movimiento-Revista De Ciencias Del Ejercicio Y La Salud.* 2019;17(1):4-31.

Butler JM, Scianni A, Ada L. Effect of cardiorespiratory training on aerobic fitness and carryover to activity in children with cerebral palsy: a systematic review. *Int J Rehabil Res.* 2010;33(2):97-103.

Cameron KL, Albeshar RA, McGinley JL, Allison K, Cheong JLY, Spittle AJ. Movement-based interventions for preschool-age children with, or at risk of, motor impairment: a systematic review. *Dev Med Child Neurol.* 2020;62(3):290-296.

Chappell A, Gibson N, Morris S, Williams G, Allison GT. Running in people with cerebral palsy: a systematic review. *Physiother Theory Pract.* 2019;35(1):15-30.

Chen YP, Fanchiang HD, Howard A. Effectiveness of virtual reality in children with cerebral palsy: a systematic review and meta-analysis of randomized controlled trials. *Phys Ther.* 2018;98(1):63-77.

Chiang HM, Wineman I. Factors associated with quality of life in individuals with autism spectrum disorders: a review of literature. *Res Autism Spectr Disord.* 2014;8(8):974-986.

Clutterbuck G, Auld M, Johnston L. Active exercise interventions improve gross motor function of ambulant/semi-ambulant children with cerebral palsy: a systematic review. *Disabil Rehabil.* 2019;41(10):1131-1151.

Conrad E, Knowlden AP. A systematic review of obesity interventions targeting anthropometric changes in youth with intellectual disabilities. *J Intellect Disabil.* 2020;24(3):398-417.

Cooper T, Williams JM. Does an exercise programme integrating the Nintendo Wii-Fit Balance Board improve balance in ambulatory children with cerebral palsy? *Phys Ther Rev.* 2017;22(5-6):229-237.

Dagenais LM, Lahay ER, Stueck KA, White E, Williams L, Harris SR. Effects of electrical stimulation, exercise training and motor skills training on strength of children with meningomyelocele: a systematic review. *Phys Occup Ther Pediatr.* 2009;29(4):445-463.

Dahan-Oliel N, Shikako-Thomas K, Majnemer A. Quality of life and leisure participation in children with neurodevelopmental disabilities: a thematic analysis of the literature. *Qual Life Res.* 2012;21(3):427-439.

Dail T, Smith C. Swimming and children with attention-deficit hyperactive disorder: a winning combination. *J Phys Educ Recreat Dance.* 2016;87(8):16-20.

Den Heijer AE, Groen Y, Tucha L, Fuermaier ABM, Koerts J, Lange KW, et al. Sweat it out? The effects of physical exercise on cognition and behavior in children and adults with ADHD: a systematic literature review. *J Neural Transm.* 2017;124:S3-S26.

Deutsch JE, Guarrera-Bowlby P, Myslinski MJ, Kafri M. Is there evidence that active videogames increase energy expenditure and exercise intensity for people poststroke and with cerebral palsy? *Games Health J.* 2015;4(1):31-37.

Dewar R, Love S, Johnston LM. Exercise interventions improve postural control in children with cerebral palsy: a systematic review. *Dev Med Child Neurol.* 2015;57(6):504-520.

Diaz R, Miller EK, Kraus E, Fredericson M. Impact of adaptive sports participation on quality of life. *Sports Med Arthrosc Rev.* 2019;27(2):73-82.

Fang Q, Aiken CA, Fang C, Pan ZJ. Effects of exergaming on physical and cognitive functions in individuals with autism spectrum disorder: a systematic review. *Games Health J.* 2019;8(2):74-84.

Fernández-Vivó M, Cordero-Morales I. Stand up paddle board for people with visual impairments. *Palaestra.* 2015;29(1):32-36.

Fleeton JRM, Sanders RH, Fornusek C. Strength training to improve performance in athletes with cerebral palsy: a systematic review of current evidence. *J Strength Cond Res.* 2020;34(6):1774-1789.

Fragala-Pinkham MA, Ball AL, Jeffries LM. Efficacy of lower extremity cycling interventions for youth with intellectual disabilities: a systematic review. *Phys Occup Ther in Pediatr.* 2020:1-19.

Gapin JI, Labban JD, Etnier JL. The effects of physical activity on attention deficit hyperactivity disorder symptoms: the evidence. *Prev Med.* 2011;52:S70-S74.

Gibson N. Critically appraised paper: a program of functional electrical stimulation cycling, goal-directed training and adapted cycling improves gross motor function in children with cerebral palsy [commentary]. *J Physiother* 2021;67(1):63.

Gillett JG, Boyd RN, Carty CP, Barber LA. The impact of strength training on skeletal muscle morphology and architecture in children and adolescents with spastic cerebral palsy: a systematic review. *Res Dev Disabil.* 2016;56:183-196.

González-Agüero A, Vicente-Rodríguez G, Moreno LA, Guerra-Balic M, Ara I, Casajús JA. Health-related physical fitness in children and adolescents with Down syndrome and response to training. *Scand J Med Sci Sports.* 2010;20(5):716-724.

Graf AN, Krzak J, Harris GF. Response to Balance Perturbation: A Strategy for Pediatric Assessment. In: Harris GF, Smith PA, Marks RM, editors. *Foot and Ankle Motion Analysis: Clinical Treatment and Technology.* London: CRC Press, 2008:173-193.

Graham N, Nye C, Mandy A, Clarke C, Morriss-Roberts C. The meaning of play for children and young people with physical disabilities: a systematic thematic synthesis. *Child Care Health Dev.* 2018;44(2):173-182.

Hardee JP, Feters L. The effect of exercise intervention on daily life activities and social participation in individuals with Down Syndrome: a systematic review. *Res Dev Disabil.* 2017;62:81-103.

Hassan NM, Landorf KB, Shields N, Munteanu SE. Effectiveness of interventions to increase physical activity in individuals with intellectual disabilities: a systematic review of randomised controlled trials. *J Intellect Disabil Res.* 2019;63(2):168-191.

Hickman R, Popescu L, Manzanares R, Morris B, Lee SP, Dufek JS. Use of active video gaming in children with neuromotor dysfunction: a systematic review. *Dev Med Child Neurol.* 2017;59(9):903-911.

Hocking DR, Farhat H, Gavrilu R, Caeyenberghs K, Shields N. Do active video games improve motor function in people with developmental disabilities? a meta-analysis of randomized controlled trials. *Arch Phys Med Rehabil.* 2019;100(4):769-781.

Johnson CC. The benefits of physical activity for youth with developmental disabilities: a systematic review. *Am J Health Promot.* 2009;23(3):157-167.

Kamp CF, Sperlich B, Holmberg HC. Exercise reduces the symptoms of attention-deficit/hyperactivity disorder and improves social behaviour, motor skills, strength and neuropsychological parameters. *Acta Paediatrica.* 2014;103(7):709-714.

Kandola A, Stubbs B. Exercise and Anxiety. In: Xiao J, editor. *Physical Exercise for Human Health: Advances in Experimental Medicine and Biology.* Singapore: Springer, 2020:345-352.

Kapsal NJ, Dicke T, Morin AJS, Vasconcellos D, Maiano C, Lee J, et al. Effects of physical activity on the physical and psychosocial health of youth with intellectual disabilities: a systematic review and meta-analysis. *J Phys Act Health.* 2019;16(12):1187-1195.

Keawutan P, Bell K, Davies PSW, Boyd RN. Systematic review of the relationship between habitual physical activity and motor capacity in children with cerebral palsy. *Res Dev Disabil.* 2014;35(6):1301-1309.

Lai B, Lee EB, Kim Y, Matthews C, Swanson-Kimani E, Davis D, et al. Leisure-time physical activity interventions for children and adults with cerebral palsy: a scoping review. *Dev Med Child Neurol.* 2021;63(2):162-171.

Lambez B, Harwood-Gross A, Golumbic EZ, Rassovsky Y. Non-pharmacological interventions for cognitive difficulties in ADHD: a systematic review and meta-analysis. *J Psychiatr Res.* 2020;120:40-55.

Lang R, Koegel LK, Ashbaugh K, Regester A, Ence W, Smith W. Physical exercise and individuals with autism spectrum disorders: a systematic review. *Res Autism Spectr Disord.* 2010;4(4):565-576.

Lee D, Psotta R, Vagaja M. Motor skills interventions in children with developmental coordination disorder: a review study. *Eur J Adapt Phys Act.* 2016;9(2):20-29.

Li CX, Chen SH, How YM, Zhang AL. Benefits of physical exercise intervention on fitness of individuals with Down Syndrome: a systematic review of randomized-controlled trials. *Int J Rehabil Res.* 2013;36(3):187-195.

Lloyd MC, Burghardt A, Ulrich DA, Angulo-Barroso RM. Relationship between early physical activity and motor milestone achievement in infants with Down Syndrome. *J Sport Exerc Psychol.* 2007;29:S39.

Lopez-Ortiz C, Gaebler-Spira DJ, McKeeman SN, McNish RN, Green D. Dance and rehabilitation in cerebral palsy: a systematic search and review. *Dev Med Child Neurol.* 2019;61(4):393-398.

Ma Y, Wang L, Li M, Wang TZ. Meta-analysis of the effects of exercise programs in improving the balance ability of children with intellectual disabilities. *J Intellect Dev Disabil.* 2020;45(2):144-154.

Maiano C, Hue O, April J. Effects of motor skill interventions on fundamental movement skills in children and adolescents with intellectual disabilities: a systematic review. *J Intellect Disabil Res.* 2019;63(9):1163-1179.

Maiano C, Hue O, Lepage G, Morin AJS, Tracey D, Moullec G. Do exercise interventions improve balance for children and adolescents with down syndrome? a systematic review. *Phys Ther.* 2019;99(5):507-518.

Maiano C, Hue O, Morin AJS, Lepage G, Tracey D, Moullec G. Exercise interventions to improve balance for young people with intellectual disabilities: a systematic review and meta-analysis. *Dev Med Child Neurol.* 2019;61(4):406-418.

Maiano C, Normand CL, Aime A, Begarie J. Lifestyle interventions targeting changes in body weight and composition among youth with an intellectual disability: a systematic review. *Res Dev Disabil.* 2014;35(8):1914-1926.

Mak C, Whittingham K, Cunnington R, Boyd RN. Efficacy of mindfulness-based interventions for attention and executive function in children and adolescents-a systematic review. *Mindfulness.* 2018;9(1):59-78.

Martin L, Baker R, Harvey A. A systematic review of common physiotherapy interventions in school-aged children with cerebral palsy. *Phys Occup Ther Pediatr.* 2010;30(4):294-312.

May T, Chan ES, Lindor E, McGinley J, Skouteris H, Austin D, et al. Physical, cognitive, psychological and social effects of dance in children with disabilities: systematic review and meta-analysis. *Disabil Rehabil.* 2021;43(1):13-26.

McPherson AC, Keith R, Swift JA. Obesity prevention for children with physical disabilities: a scoping review of physical activity and nutrition interventions. *Disabil Rehabil.* 2014;36(19):1573-1587.

Mehren A, Reichert M, Coghill D, Muller HHO, Braun N, Philipsen A. Physical exercise in attention deficit hyperactivity disorder - evidence and implications for the treatment of borderline personality disorder. *Border Pers Disord Emot*. 2020;7(1):11-11.

Melo RS, Tavares-Netto AR, Delgado A, Wiesiolek CC, Ferraz KM, Belian RB. Does the practice of sports or recreational activities improve the balance and gait of children and adolescents with sensorineural hearing loss? A systematic review. *Gait Posture*. 2020;77:144-155.

Merrells J, Buchanan A, Waters R. The experience of social inclusion for people with intellectual disability within community recreational programs: a systematic review. *J Intellect Dev Disabil*. 2018;43(4):381-391.

Myrhaug HT, Ostensjo S, Larun L, Odgaard-Jensen J, Jahnsen R. Intensive training of motor function and functional skills among young children with cerebral palsy: a systematic review and meta-analysis. *BMC Pediatr*. 2014;14:1-19.

Neville RD. Physical activity and sport studies in childhood and adolescence at the 24th annual meeting of the European College of Sport Science. *Sportscience*. 2019:1-5.

Oblak VP, Karpljuk D, Vodincar J, Simenko J. Inclusion of people with intellectual disabilities in judo: a systematic review of literature. *Arch Budo*. 2020;16:245-260.

Page ZE, Barrington S, Edwards J, Barnett LM. Do active video games benefit the motor skill development of non-typically developing children and adolescents: a systematic review. *J Sci Med Sport*. 2017;20(12):1087-1100.

Paravlic A, Aleksandrovic M, Zivkovic D, Radovanovic D, Madic D, Djordjevic S, et al. The effects of exercise programs on visually impaired children: a systematic review study. *Facta Universitatis: Series Phys Educ Sport*. 2015;13(2):193-201.

Pascoe MC, Bailey AP, Craike M, Carter T, Patten R, Stepto NK, et al. Exercise interventions for mental disorders in young people: a scoping review. *BMJ Open Sport Exerc Med*. 2020;6(1):e000678.

Piva da Cunha Furtado OL, Allums-Featherston K, Lieberman LJ, Gutierrez GL. Physical activity interventions for children and youth with visual impairments. *Adap Phys Act Q*. 2015;32(2):156-176.

Reedman S, Boyd RN, Sakzewski L. The efficacy of interventions to increase physical activity participation of children with cerebral palsy: a systematic review and meta-analysis. *Dev Med Child Neurol*. 2017;59(10):1011-1018.

Riner WF, Sellhorst SH. Physical activity and exercise in children with chronic health conditions. *J Sport Health Sci.* 2013;2(1):12-20.

Rogers A, Furler BL, Brinks S, Darrah J. A systematic review of the effectiveness of aerobic exercise interventions for children with cerebral palsy: an AACPD evidence report. *Dev Med Child Neurol.* 2008;50(11):808-814.

Roostaei M, Baharlouei H, Azadi H, Fragala-Pinkham MA. Effects of aquatic intervention on gross motor skills in children with cerebral palsy: a systematic review. *Phys Occup Ther Pediatr.* 2017;37(5):496-515.

Runciman P, Tucker R, Ferreira S, Albertus-Kajee Y, Derman W. Effects of exercise training on performance and function in individuals with cerebral palsy: a critical review. *S Afr J Res Sport Phys Educ Recreat.* 2016;38(3):177-193.

Sahlin KB, Lexell J. Impact of organized sports on activity, participation, and quality of life in people with neurologic disabilities. *Phys Med Rehabil.* 2015;7(10):1081-1088.

Saitta M, Devan H, Boland P, Perry MA. Park-based physical activity interventions for persons with disabilities: a mixed-methods systematic review. *Disabil Health J.* 2019;12(1):11-23.

Scianni A, Butler JM, Ada L, Teixeira-Salmela LF. Muscle strengthening is not effective in children and adolescents with cerebral palsy: a systematic review. *Aust J Physiother.* 2009;55(2):81-87.

Thomas A, Bedini LA. Let Me Play! Girls with Disabilities and Physical Activity. *Women Sport Phys Act J.* 2011;20(2):104-106.

Tint A, Thomson K, Weiss JA. A systematic literature review of the physical and psychosocial correlates of Special Olympics participation among individuals with intellectual disability. *J Intellect Disabil Res.* 2017;61(4):301-324.

Tow S, Gober J, Nelson MR. Adaptive sports, arts, recreation, and community engagement. *Phys Medicine Rehabil Clinic N Am.* 2020;31(1):143-1583.

Tsoi WSE, Zhang LA, Wang WY, Tsang KL, Lo SK. Improving quality of life of children with cerebral palsy: a systematic review of clinical trials. *Child Care Health Dev.* 2012;38(1):21-31.

Valentin-Gudiol M, Bagur-Calafat C, Girabent-Farres M, Hadders-Algra M, Mattern-Baxter K, Angulo-Barroso R. Treadmill interventions with partial body weight support in children under six years of age at risk of neuromotor delay: a report of a Cochrane systematic review and meta-analysis. *Eur J Phys Rehab Med.* 2013;49(1):67-91.



Vancampfort D, Firth J, Correll CU, Solmi M, Siskind D, De Hert M, et al. The impact of pharmacological and non-pharmacological interventions to improve physical health outcomes in people with schizophrenia: a meta-review of meta-analyses of randomized controlled trials. *World Psychiatr.* 2019;18(1):53-66.

Varigonda AL, Edgcomb JB, Zima BT. The impact of exercise in improving executive function impairments among children and adolescents with ADHD, autism spectrum disorder, and fetal alcohol spectrum disorder: a systematic review and meta-analysis. *Arch Clin Psychiatry.* 2020;47(5):146-156.

Verschuren O, Darrah J, Novak I, Ketelaar M, Wiart L. Health-enhancing physical activity in children with cerebral palsy: more of the same is not enough. *Phys Ther.* 2014;94(2):297-305.

Verschuren O, Ketelaar M, Takken T, Helders PJM, Gorter JW. Exercise programs for children with cerebral palsy: a systematic review of the literature. *Am J Phys Med Rehabil.* 2008;87(5):404-417.

Verschuren O, Peterson MD, Balemans ACJ, Hurvitz EA. Exercise and physical activity recommendations for people with cerebral palsy. *Dev Med Child Neurol.* 2016;58(8):798-808.

Vysniauske R, Verburgh L, Oosterlaan J, Molendijk ML. The effects of physical exercise on functional outcomes in the treatment of adhd: a meta-analysis. *J Atten Disor.* 2020;24(5):644-654.

Young AJ, Silliman-French L, Crawford L. Yoga for young children with down syndrome. *Palaestra.* 2017;31(3):18-25.

Zang Y. Impact of physical exercise on children with attention deficit hyperactivity disorders: evidence through a meta-analysis. *Med.* 2019;98(46):e17980.

Zhang MQ, Liu Z, Ma HT, Smith DM. Chronic physical activity for Attention Deficit Hyperactivity Disorder and/or Autism Spectrum Disorder in children: a meta-analysis of randomized controlled trials. *Front Behav Neurosci.* 2020;14:564886.

## **Reason 2: No (disaggregated) data on populations of interest**

Anderson R, Warren N, Misajon R, Lee S. You need the more relaxed side, but you also need the adrenaline: promoting physical health as perceived by youth with vision impairment. *Disabil Rehabil.* 2020;42(6):841-848.

Aujla I, Needham-Beck S. Subjective well-being among young dancers with disabilities. *Int J Disabil Dev Educ.* 2020;67(5):563-570.

Bania TA, Dodd KJ, Baker RJ, Graham HK, Taylor NF. The effects of progressive resistance training on daily physical activity in young people with cerebral palsy: a randomised controlled trial. *Disabil Rehabil.* 2016;38(7):620-626.

Barboza Seron B, Modesto EL, Reeberg Stanganelli LC, Oliveira de Carvalho EM, Greguol M. Effects of aerobic and resistance training on the cardiorespiratory fitness of young people with Down Syndrome. *Braz J Kinathrop Hum Perform.* 2017;19(4):385-394.

Bardid F, Deconinck FJA, Descamps S, Verhoeven L, De Pooter G, Lenoir M, et al. The effectiveness of a fundamental motor skill intervention in pre-schoolers with motor problems depends on gender but not environmental context. *Res Dev Disability.* 2013;34(12):4571-4581.

Barfield JP, Newsome L, Malone LA. Exercise intensity during power wheelchair soccer. *Arch Phys Med Rehabil.* 2016;97(11):1938-1944.

Bar-Haim S, Aviram R, Rabani AS, Amro A, Nammourah I, Al-Jarrah M, et al. Effects of exercise interventions on habitual physical activity and sedentary behavior in adolescents with cerebral palsy. *Pediatr Exerc Sci.* 2019;31(4):416-424.

Baria MR, Terry MJ, Driscoll SW, Andrews KL, Soma DB, Prideaux CC. Wrestlers with limb deficiencies: a descriptive study. *Am J Phys Med Rehabil.* 2015;94(12):1052-1057.

Bolster EAM, Balemans ACJ, de Groot V, Buize AI, Dallmeijer AJ. Fatigue in children and young adults with physical disabilities: relation with energy demands of walking and physical fitness. *Pediatr Phys Ther.* 2020;32(3):202-209.

Boonman AJN, Schroeder EC, Hopman MTE, Fernhall B, Hilgenkamp TIM. Cardiopulmonary profile of individuals with intellectual disability. *Med Sci Sports Exerc.* 2019;51(9):1802-1808.

Briere III DE, Siegle D. The effects of the Unified Sports Basketball Programme on special education students' self-concepts: four students' experiences. *Teaching Except Child Plus.* 2008;5(1):n1.

Brunton LK, McPhee PG, Gorter JW. Self-reported factors contributing to fatigue and its management in adolescents and adults with cerebral palsy. *Disabil and Rehabil.* 2021;43(7):929-935.

Chen CC, Ringenbach SDR, Crews D, Kulinna PH, Amazeen EL. The association between a single bout of moderate physical activity and executive function in young adults with Down Syndrome: a preliminary study. *J Intellect Disabil Res.* 2015;59(7):589-598.

Chen CC, Ryuh Y, Hardwick H, Shirley R, Brinkley B, Lim S, et al. Psychological benefits of inclusive soccer program in young adults with and without intellectual disabilities. *J Dev Phys Disabil.* 2019;31(6):847-861.

Chen CC, Ryuh YJ, Fang Q, Lee Y, Kim ML. The effects of inclusive soccer program on motor performance and sport skill in young adults with and without intellectual disabilities. *J Dev Phys Disabil.* 2019;31(4):487-499.

Chera-Ferrario B. Opportunities for psycho-motor skills development in children with down syndrome - adapted swimming. *Sport Soc.* 2012;12(2):190-195.

Chrysagis N, Skordilis EK, Stavrou N, Grammatopoulou E, Koutsouki D. The effect of treadmill training on gross motor function and walking speed in ambulatory adolescents with cerebral palsy: a randomized controlled trial. *Am J Phys Med Rehabil.* 2012;91(9):747-760.

Cleary SL, Taylor NF, Dodd KJ, Shields N. An aerobic exercise program for young people with cerebral palsy in specialist schools: a phase I randomized controlled trial. *Dev Neurorehabil.* 2017;20(6):331-338.

Cleary SL, Taylor NF, Dodd KJ, Shields N. A qualitative evaluation of an aerobic exercise program for young people with cerebral palsy in specialist schools. *Dev Neurorehabil.* 2017;20(6):339-346.

Crawford C, Burns J, Fernie BA. Psychosocial impact of involvement in the Special Olympics. *Res Dev Disabil.* 2015;45-46:93-102.

Demuth SK, Knutson LM, Fowler EG. The PEDALS stationary cycling intervention and health-related quality of life in children with cerebral palsy: a randomized controlled trial. *Dev Med Child Neurol.* 2012;54(7):654-661.

Drzewowska I, Sobera M, Sikora A. Posture control after 5 months body balance training in Down syndrom children and youth. *Physiother.* 2013;21(3):3-15.

Eken MM, Houdijk H, Doorenbosch CAM, Kiezebrink FEM, van Bennekom CAM, Harlaar J, et al. Relations between muscle endurance and subjectively reported fatigue, walking capacity, and participation in mildly affected adolescents with cerebral palsy. *Dev Med Child Neurol.* 2016;58(8):814-821.

Elmahgoub SS, Calders P, Lambers S, Stegen SM, Van Laetham C, Cambier DC. The effect of combined exercise training in adolescents who are overweight or obese with intellectual disability: the role of training frequency. *J Strength Cond Res*. 2011;25(8):2274-2282.

Everett J, Lock A, Boggis A, Georgiadis E. Special Olympics: athletes' perspectives, choices and motives. *Br J Learn Disabil*. 2020;48(4):332-339.

Fowler EG, Knutson LM, DeMuth SK, Siebert KL, Simms VD, Sugi MH, et al. Pediatric endurance and limb strengthening (PEDALS) for children with cerebral palsy using stationary cycling: a randomized controlled trial. *Phys Ther*. 2010;90(3):367-381.

Frumberg D, Gerk A, Autruong P, Flynn K, Zhaoxing P, Chang F. Adaptive skiing/snowboarding affects the quality of life of children with disabilities. *Palaestra*. 2019;33(3):21-26.

Gibson N, Chappell A, Blackmore AM, Morris S, Williams G, Bear N, et al. The effect of a running intervention on running ability and participation in children with cerebral palsy: a randomized controlled trial. *Disabil Rehabil*. 2018;40(25):3041-3049.

Gonzalez-Aguero A, Matute-Llorente A, Gomez-Cabello A, Casajus JA, Vicente-Rodriguez G. Effects of whole body vibration training on body composition in adolescents with Down Syndrome. *Res Dev Disabil*. 2013;34(5):1426-1433.

Hammond J, Jones V, Hill EL, Green D, Male I. An investigation of the impact of regular use of Wii Fit to improve motor and psychosocial outcomes in children with movement difficulties: a pilot study. *Child: Care, Health Dev*. 2014;40(2):165-170.

Han A, Kim J, Kim J. Coping strategies, social support, leisure activities, and physical disabilities. *Am J Health Behav*. 2019;43(5):937-949.

Haney K, Messiah SE, Arheart KL, Hanson E, Diego A, Kardys J, et al. Park-based afterschool program to improve cardiovascular health and physical fitness in children with disabilities. *Disabil Health J*. 2014;7(3):335-342.

Hetz SP, Latimer AE, Ginis KAM. Activities of daily living performed by individuals with SCI: relationships with physical fitness and leisure time physical activity. *Spinal Cord*. 2009;47(7):550-554.

Hjalmarsson E, Fernandez-Gonzalo R, Lidbeck C, Palmcrantz A, Jia A, Kvist O, et al. RaceRunning training improves stamina and promotes skeletal muscle hypertrophy in young individuals with cerebral palsy. *BMC Musculoskelet Disord*. 2020;21(1):1-9.

Hoza B, Smith AL, Shoulberg EK, Linnea KS, Dorsch TE, Blazo JA, et al. A randomized trial examining the effects of aerobic physical activity on attention-deficit/hyperactivity disorder symptoms in young children. *J Abnorm Child Psychol* 2015;43(4):655-667.

Hrytsiuk I, Koshyrets V, Khvorost K, Mushkevych M, Duchiminska T, Mahdysiuk L, et al. The influence of moderate physical activities on the psychophysical state of children with minimal brain dysfunctions. *J Phys Educ Sport*. 2018;18:1912-1918.

Izquierdo-Gomez R, Martinez-Gomez D, Villagra A, Fernhall B, Veiga OL, Up, et al. Associations of physical activity with fatness and fitness in adolescents with Down Syndrome: The UP&DOWN study. *Res Dev Disabil*. 2015;36:428-436.

Jeffress MS, Brown WJ. Opportunities and benefits for powerchair users through power soccer. *Adapt Phys Act Q*. 2017;34(3):235-255.

Kim J, Kim M, Han A. Exploring the relationship between types of leisure activities and life satisfaction, health perception, and social support among Korean individuals with physical disabilities. *Am J Health Behav*. 2018;42(4):34-44.

King G, Gibson BE, Mistry B, Pinto M, Goh F, Teachman G, et al. An integrated methods study of the experiences of youth with severe disabilities in leisure activity settings: the importance of belonging, fun, and control and choice. *Disabil and Rehabil*. 2014;36(19):1626-1635.

Lannem AM, Sorensen M, Frosli KF, Hjeltnes N. Incomplete spinal cord injury, exercise and life satisfaction. *Spinal Cord*. 2009;47(4):295-300.

Lee K, Lee M, Song C. Balance training improves postural balance, gait, and functional strength in adolescents with intellectual disabilities: single-blinded, randomized clinical trial. *Disabil Health J*. 2016;9(3):416-22.

Luiselli JK, Woods KE, Keary P, Parenteau RE. Practitioner attitudes and beliefs about exercise, athletic, and recreational activities for children and youth with intellectual and developmental disabilities. *J Dev Phys Disabil*. 2013;25(5):485-492.

McNeill J, Howard SJ, Vella SA, Santos R, Cliff DP. Physical activity and modified organized sport among preschool children: associations with cognitive and psychosocial health. *Mental Health Phys Act*. 2018;15:45-52.

Merrick D, Hillman K, Wilson A, Labbe D, Thompson A, Ben Mortenson W. All aboard: users' experiences of adapted paddling programs. *Disabil Rehabil*. 2020:1-7.

Messiah SE, D'Agostino EM, Patel HH, Hansen E, Mathew MS, Arheart KL. Changes in cardiovascular health and physical fitness in ethnic youth with intellectual disabilities

participating in a park-based afterschool programme for two years. *J appl Res Intellect Disabil.* 2019;32(6):1478-1489.

Nemček D. Quality of life of people with disabilities from sport participation point of view. *Acta Facultatis Educationis Physicae Universitatis Comenianae.* 2016;56(2):77-92.

Oriel KN, Marchese VG, Shirk A, Wagner L, Young E, Miller L. The psychosocial benefits of an inclusive community-based aquatics program. *Pediatr Phys Ther.* 2012;24(4):361-367.

Palisano RJ, Orlin M, Chiarello LA, Oeffinger D, Polansky M, Maggs J, et al. Determinants of intensity of participation in leisure and recreational activities by youth with cerebral palsy. *Arch Phys Med Rehabil.* 2011;92(9):1468-1476.

Pan CC, McNamara S. The impact of adapted physical education on physical fitness of students with intellectual disabilities: a three-year study. *Int J Disabil Dev Educ.* 2020:1-16.

Perez-Cruzado D, Cuesta-Vargas AI. Changes on quality of life, self-efficacy and social support for activities and physical fitness in people with intellectual disabilities through multimodal intervention. *Eur J Spec Needs Educ.* 2016;31(4):553 - 564.

Pona AA, Gillette MLD, Stough CO, Gerling JK, Sweeney BR. Long-term outcomes of a multidisciplinary weight management intervention for youth with disabilities. *Child Obes.* 2017;13(6):455-461.

Puce L, Marinelli L, Girtler NG, Pallecchi I, Mori L, Simonini M, et al. Self-perceived psychophysical well-being of young competitive swimmers with physical or intellectual impairment. *Percept Mot Ski.* 2019;126(5):862-885.

Purohit S, Pradhan B. Effect of yoga program on executive functions of adolescents dwelling in an orphan home: a randomized controlled study. *J Tradit Complement Med.* 2016;7(1):99-105.

Rommel AS, Lichtenstein P, Rydell M, Kuja-Halkola R, Asherson P, Kuntsi J, et al. Is physical activity causally associated with symptoms of Attention-Deficit/Hyperactivity Disorder? *J Am Acad Child Adolesc Psychiatr.* 2015;54(7):565-570.

Ross SA, Yount M, Ankarstad S, Bock S, Orso B, Perry K, et al. Effects of participation in sports programs on walking ability and endurance over time in children with cerebral palsy. *Am J Phys Med Rehabil.* 2017;96(12):843-851.

Ryan JM, Lavelle G, Theis N, Noorkoiv M, Kilbride C, Korff T, et al. Progressive resistance training for adolescents with cerebral palsy: the STAR randomized controlled trial. *Dev Med Child Neurol.* 2020;62(11):1283-1293.

Sandstedt E, Fasth A, Eek MN, Beckung E. Muscle strength, physical fitness and well-being in children and adolescents with juvenile idiopathic arthritis and the effect of an exercise programme: a randomized controlled trial. *Pediatr Rheumatol*. 2013;11(1):1-11.

Shapiro DR, Martin JJ. Multidimensional physical self-concept of athletes with physical disabilities. *Adapt Phys Act Q*. 2010;27(4):294-307.

Shapiro DR, Martin JJ. Athletic identity, affect, and peer relations in youth athletes with physical disabilities. *Disabil Health J*. 2010;3(2):79-85.

Shields N, Taylor NF. A student-led progressive resistance training program increases lower limb muscle strength in adolescents with Down Syndrome: a randomised controlled trial. *J Physiother*. 2010;56(3):187-193.

Shields N, Taylor NF, Wee E, Wollersheim D, O'Shea SD, Fernhall B. A community-based strength training programme increases muscle strength and physical activity in young people with Down Syndrome: a randomised controlled trial. *Res Dev Disabil*. 2013;34(12):4385-4394.

Shikako-Thomas K, Shevell M, Lach L, Law M, Schmitz N, Poulin C, et al. Picture me playing: a portrait of participation and enjoyment of leisure activities in adolescents with cerebral palsy. *Res Dev Disabil*. 2013;34(3):1001-1010.

Short KR, Teague AM, Klein JC, Malm-Buatsi E, Frimberger D. The effect of handcycle ergometer exercise on glucose tolerance in ambulatory and non-ambulatory adolescents. *Pediatr Exerc Sci*. 2017;29(1):63-72.

Siperstein GN, McDowell ED, Jacobs HE, Stokes JE, Cahn AL. Unified extracurricular activities as a pathway to social inclusion in high schools. *Am J Intellect Dev Disabil*. 2019;124(6):568-582.

Slaman J, Roebroek M, Dallmijer A, Twisk J, Stam H, Van Den Berg-Emons R, et al. Can a lifestyle intervention programme improve physical behaviour among adolescents and young adults with spastic cerebral palsy? A randomized controlled trial. *Dev Med Child Neurol*. 2015;57(2):159-166.

Slaman J, Roebroek M, van der Slot W, Twisk J, Wensink A, Stam H, et al. Can a lifestyle intervention improve physical fitness in adolescents and young adults with spastic cerebral palsy? A randomized controlled trial. *Arch Phys Med Rehabil*. 2014;95(9):1646-1655.

Slaman J, van den Berg-Emons HJG, van Meeteren J, Twisk J, van Markus F, Stam HJ, et al. A lifestyle intervention improves fatigue, mental health and social support among

adolescents and young adults with cerebral palsy: focus on mediating effects. *Clinic Rehabil.* 2015;29(7):717-727.

Stahlhut M, Downs J, Wong K, Bisgaard AM, Nordmark E. Feasibility and effectiveness of an individualized 12-week "uptime" Participation (U-PART) intervention in girls and women with rett syndrome. *Phys Ther.* 2020;100(1):168-179.

Stanish HI, Temple VA. Efficacy of a peer-guided exercise programme for adolescents with intellectual disability. *J Appl Res Intellect Dis.* 2012;25(4):319-328.

Stojanović M, Aleksandrović M, Aleksić-Veljković A. The effects of an exercise program on the balance of young people with intellectual disabilities. *Facta Universitatis: Series Phys Educ Sport.* 2018;16(1):221-228.

Strahle J, Geh N, Selzer BJ, Bower R, Himedan M, Strahle M, et al. Sports participation with Chiari I malformation. *J Neurosurg Pediatr.* 2016;17(4):403-409.

Tan JL, Siafarikas A, Rantalainen T, Hart NH, McIntyre F, Hands B, et al. Impact of a multimodal exercise program on tibial bone health in adolescents with Development Coordination Disorder: an examination of feasibility and potential efficacy. *J Musculoskeletal Neuronal Interact.* 2020;20(4):445-471.

Te Velde SJ, Lankhorst K, Zwinkels M, Verschuren O, Takken T, de Groot J, et al. Associations of sport participation with self-perception, exercise self-efficacy and quality of life among children and adolescents with a physical disability or chronic disease-a cross-sectional study. *Sports Med Open.* 2018;4(1):1-11

Telles S, Singh N, Bhardwaj AK, Kumar A, Balkrishna A. Effect of yoga and physical exercise on physical cognitive and emotional measures in children: a randomized controlled trial. *Child Adolesc Psychiatr Mental Health.* 2014;7(1):1-16.

Tsai LC, Ren YP, Gaebler-Spira DJ, Revivo GA, Zhang LQ. Effects of an off-axis pivoting elliptical training program on gait function in persons with spastic cerebral palsy a preliminary study. *Am J Phys Med Rehabil.* 2017;96(7):515-522.

Tsigkanos C, Chrysagis N, Nikopoulos M, Koutsouki D. Static bicycle training of adolescents with cerebral palsy. *Biol Exerc.* 2013;9(1):31-43.

Unnithan VB, Katsimanis G, Evangelinou C, Kosmas C, Kandrali I, Kellis E. Effect of strength and aerobic training on children with cerebral palsy. *Med Sci Sport Exerc.* 2007;39(11):1902-1909.



Verschuren O, Ketelaar M, Gorter JW, Helders PJM, Uiterwaal C, Takken T. Exercise training program in children and adolescents with cerebral palsy. *Arch Pediatr Adolesc Med.* 2007;161(11):1075-1081.

Vila-Nova F, Oliveira R, Cordovil R. Participation in leisure activities by portuguese children with cerebral palsy. *Percept Mot Ski.* 2020;127(6):1051-1067.

Walowska J, Bolach B, Bolach E. The influence of Pilates exercises on body balance in the standing position of hearing impaired people. *Disabil Rehabil.* 2018;40(25):3061-3069.

Wong MYC, Ka Man L. Effects of sitting light volleyball intervention on physical fitness among Hong Kong students with physical disabilities: a pilot quasi-experimental study. *Asian J Sports Med.* 2020;11(1):1-8.

Wouters M, Evenhuis HM, Hilgenkamp TIM. Physical fitness of children and adolescents with moderate to severe intellectual disabilities. *Disabil and Rehabil.* 2020;42(18):2542-2552.

Wymbs FA, Wymbs B, Margherio S, Burd K. The effects of high intensity versus low intensity exercise on academic productivity, mood, and behavior among youth with and without ADHD. *J Child Fam Stud.* 2021;30(2):460-473.

Yildirim N, Erbahceci F, Ergun N, Pitetti KH, Beets MW. The effect of physical fitness training on reaction time in youth with intellectual disabilities. *Percept Mot Ski.* 2010;111(1):178-186.

Zwinkels M, Ketelaar M, Nijboer T, Verschuren O, te Velde S, de Groot J, et al. Effects of a school-based sports program on psychosocial health and attention in youth with physical disabilities. *J Pediatric Rehab Med.* 2020;13(1):37-46.

Zwinkels M, Verschuren O, Balemans A, Lankhorst K, te Velde S, van Gaalen L, et al. Effects of a school-based sports program on physical fitness, physical activity, and cardiometabolic health in youth with physical disabilities: data from the sport-2-stay-fit study. *Front Pediatr.* 2018;6:75.

Zwinkels M, Verschuren O, de Groot JF, Backx FJG, Wittink H, Visser-Meily A, et al. Effects of high-intensity interval training on fitness and health in youth with physical disabilities. *Pediatr Phys Ther.* 2019;31(1):84-93.

## **Reason 3: Incorrect intervention/domain, including clinical treatment and therapy papers**

Adamo EK, Wu J, Wolery M, Hemmeter ML, Ledford JR, Barton EE. Using video modeling, prompting, and behavior-specific praise to increase moderate-to-vigorous physical activity for young children with down syndrome. *J Early Interv.* 2015;37(4):270-285.

Afzal F, Mazoor S, Afzal A. Strength training by using universal exercise unit to improve the motor functions in cerebral palsy. *Rawal Med J.* 2018;43(1):120-123.

Alloway TP, Warner C. Task-specific training, learning, and memory for children with developmental coordination disorder: a pilot study. *Percept Mot Ski.* 2008;107(2):473-480.

Armstrong EL, Boyd RN, Horan SA, Kentish MJ, Ware RS, Carty CP. Functional electrical stimulation cycling, goal-directed training, and adapted cycling for children with cerebral palsy: a randomized controlled trial. *Dev Med Child Neurol.* 2020;62(12):1406-1413.

Atasavun Uysal S, Baltaci G. Effects of Nintendo Wii training on occupational performance, balance, and daily living activities in children with spastic hemiplegic cerebral palsy: a single-blind and randomized trial. *Games for Health Journal.* 2015;5(5):311-317.

Balemans ACJ, van Wely L, Becher JG, Dallmeijer AJ. Longitudinal relationship among physical fitness, walking-related physical activity, and fatigue in children with cerebral palsy. *Phys Ther.* 2015;95(7):996-1005.

Bar-Haim S, Harries N, Al-Oraibi S, Lahat E, Waddah M, Loeppky JA, et al. Repeatability of net mechanical efficiency during stair climbing in children with cerebral palsy. *Pediatr Phys Ther.* 2009;21(4):320-324.

Bergendiová F, Čierna D. The impact of sport on the overall standard of satisfaction of students with physical disabilities. *Acta Facultatis Educationis Physicae Universitatis Comenianae.* 2017;57(1):48-58.

Burnfield JM, Cesar GM, Buster TW, Irons SL, Pfeifer CM. Walking and fitness improvements in a child with diplegic cerebral palsy following motor-assisted elliptical intervention. *Pediatr Phys Ther.* 2018;30(4):E1-E7.

Campbell SK, Cole W, Boynewicz K, Zawacki LA, Clark A, Gaebler-Spira D, et al. Behavior during tethered kicking in infants with periventricular brain injury. *Pediatr Phys Ther.* 2015;27(4):403-412.

- Casey AF, Pickard V, Ullrich C, MacNeil Z. An adapted walking intervention for a child with Pitt Hopkins syndrome. *Disabil Rehabil Assist Technol.* 2018;13(1):25-30.
- Cesar GM, Buster TW, Burnfield JM. Cardiorespiratory fitness, balance and walking improvements in an adolescent with cerebral palsy (GMFCS II) and autism after motor-assisted elliptical training. *Eur J Physiother.* 2020;22(3):124-132.
- Cho C, Hwang W, Hwang S, Chung Y. Treadmill training with virtual reality improves gait, balance, and muscle strength in children with cerebral palsy. *Tohoku J Exp Med.* 2016;238(3):213-218.
- Choi JW, Han DH, Kang KD, Jung HY, Renshaw PF. Aerobic exercise and attention deficit hyperactivity disorder: brain research. *Med Sci Sports Exerc.* 2015;47(1):33-39.
- Conklin A, Simonds AH. Outcomes of an 8-week treadmill training program for a toddler with williams syndrome: a case report. *Pediatr Phys Ther.* 2021;33(1):E10-E14.
- Damcott M, Blochlinger S, Foulds R. Effects of passive versus dynamic loading interventions on bone health in children who are nonambulatory. *Pediatr Phys Ther.* 2013;25(3):248-255.
- Damiano DL, Stanley CJ, Ohlrich L, Alter KE. Task-specific and functional effects of speed-focused elliptical or motor-assistive cycle training in children with bilateral cerebral palsy: randomized clinical trial. *Neurorehabil Neural Repair.* 2017;31(8):736-745.
- Dieruf K, Burtner PA, Provost B, Phillips J, Bernitsky-Beddingfield A, Sullivan KJ. A pilot study of quality of life in children with cerebral palsy after intensive body weight-supported treadmill training. *Pediatr Phys Ther.* 2009;21(1):45-52.
- EI-Shamy SM. Effect of whole-body vibration on muscle strength and balance in diplegic cerebral palsy: a randomized controlled trial. *Am J Phys Med Rehabil.* 2014;93(2):114-121.
- Elvrum AKG, Braendvik SM, Saether R, Lamvik T, Vereijken B, Roeleveld K. Effectiveness of resistance training in combination with botulinum toxin-A on hand and arm use in children with cerebral palsy: a pre-post intervention study. *BMC Pediatr.* 2012;12:1-9.
- Fauzi AA, Khayat MM, Sabirin S, Haron N, Mohamed MNA, Davis GM. Structured home-based exercise program for improving walking ability in ambulant children with cerebral palsy. *J Pediatr Rehab Med.* 2019;12(2):161-169.
- Fiorilli G, di Cagno A, Iuliano E, Aquino G, Calcagnile G, Calcagno G. Special Olympics swimming: positive effects on young people with Down Syndrome. *Sport Sci Health.* 2016;12(3):339-346.

Fosdahl MA, Jahnsen R, Kvalheim K, Holm I. Stretching and progressive resistance exercise in children with cerebral palsy: a randomized controlled trial. *Pediatr Phys Ther.* 2019;31(3):264-71.

Gapin J, Etnier JL. The relationship between physical activity and executive function performance in children with Attention-Deficit Hyperactivity Disorder. *J Sport Exerc Psychol.* 2010;32(6):753-763.

Gapin JI, Etnier JL. Parental perceptions of the effects of exercise on behavior in children and adolescents with ADHD. *J Sport Health Sci.* 2014;3(4):320-325.

Germain AM, Blackmore AM, Gibson N, Newell B, Williams SA. Effects of adaptive bungee trampolining for children with cerebral palsy: a single-subject study. *Pediatr Phys Ther.* 2019;31(2):165-174.

Hinckson EA, Dickinson A, Water T, Sands M, Penman L. Physical activity, dietary habits and overall health in overweight and obese children and youth with intellectual disability or autism. *Res Dev Disabil.* 2013;34(4):1170-1178.

Hsieh HC. Preliminary study of the effect of training with a gaming balance board on balance control in children with cerebral palsy: a randomized controlled trial. *Am J Phys Med Rehabil.* 2020;99(2):142-148.

Hussein ZA, Abd-Elwahab MS, El-Shennawy SA. Effect of arm cycling on gait of children with hemiplegic cerebral palsy. *Egypt J Med Hum Genet.* 2015;15(3):273-279.

Johnston TE, Modlesky CM, Betz RR, Lauer RT. Muscle changes following cycling and/or electrical stimulation in pediatric spinal cord injury. *Arch Phys Med Rehabil.* 2011;92(12):1937-1943.

Johnston TE, Smith BT, Mulcahey MJ, Betz RR, Lauer RT. A randomized controlled trial on the effects of cycling with and without electrical stimulation on cardiorespiratory and vascular health in children with spinal cord injury. *Arch Phys Med Rehabil.* 2009;90(8):1379-1388.

Johnston TE, Smith BT, Oladeji O, Betz RR, Lauer RT. Outcomes of a home cycling program using functional electrical stimulation or passive motion for children with spinal cord injury: a case series. *J Spinal Cord Med.* 2008;31(2):215-21.

Johnston TE, Watson KE, Ross SA, Gates PE, Gaughan JP, Lauer RT, et al. Effects of a supported speed treadmill training exercise program on impairment and function for children with cerebral palsy. *Dev Med Child Neurol.* 2011;53(8):742-750.

- Kiluk BD, Weden S, Culotta VP. Sport Participation and Anxiety in Children With ADHD. *J Atten Disord*. 2009;12(6):499-506.
- Liang-Ching T, Yupeng R, Gaebler-Spira DJ, Revivo GA, Li-Qun Z. Effects of an off-axis pivoting elliptical training program on gait function in persons with spastic cerebral palsy: a preliminary study. *Am J Phys Med Rehabil*. 2017;96(7):515-522.
- Looper J, Ulrich DA. Effect of treadmill training and supramalleolar orthosis use on motor skill development in infants with Down Syndrome: a randomized clinical trial. *Phys Ther*. 2010;90(3):382-390.
- Maher CA, Williams MT, Olds T, Lane AE. An internet-based physical activity intervention for adolescents with cerebral palsy: a randomized controlled trial. *Dev Med Child Neurol*. 2010;52(5):448-455.
- Mattern-Baxter K. Effects of Partial Body Weight Supported Treadmill Training on Children with Cerebral Palsy. *Pediatr Phys Ther*. 2009;21(1):12-22.
- Mattern-Baxter K. Effects of a group-based treadmill program on children with neurodevelopmental impairment who are not yet ambulating. *Pediatr Phys Ther*. 2016;28(3):312-319.
- McConkey R, Dowling S, Hassan D, Menke S. Promoting social inclusion through Unified Sports for youth with intellectual disabilities: a five-nation study. *J Intellect Disabil Res*. 2013;57(10):923-935.
- Medina JA, Netto TLB, Muszkat M, Medina AC, Botter D, Orbetelli R, et al. Exercise impact on sustained attention of ADHD children, methylphenidate effects. *ADHD*. 2010;2(1):49-58.
- Owens M, Silkwood-Sherer D. Informal dance intervention improves BMI and functional gait in an adolescent with cerebral palsy: a case report. *Pediatr Phys Ther*. 2019;31(4):E26-E31.
- Pandey DP, Tyagi V. Effect of functional strength training on functional motor performance in young children with cerebral palsy. *Indian J Physiother Occup Ther*. 2011;5(1):52-55.
- Patterson C, Grosse S. Swimming for individuals with severe multiple impairments: a fitness imperative. *Palaestra*. 2013;27(1):30-35.
- Ramer JD, Davis CL, Frazier SL, Marquez DX, Bustamante EE. Physical activity influence on behavior of children with ADHD and DBD during instruction using classroom observation. *Med Sci Sports Exerc*. 2018;50(55):693.

Shema-Shiratzky S, Brozgol M, Cornejo-Thumm P, Geva-Dayan K, Rotstein M, Leitner Y, et al. Virtual reality training to enhance behavior and cognitive function among children with attention-deficit/hyperactivity disorder: brief report. *Dev Neurorehabil.* 2019;22(6):431-436.

Siebert KL, DeMuth SK, Knutson LM, Fowler EG. Stationary cycling and children with cerebral palsy: case reports for two participants. *Phys Occup Ther Pediatr.* 2010;30(2):125-138.

Stopka C. Increasing student flexibility: the Ultra-Stretch way! *Palaestra.* 2009;24(4):31-35.

Tiwari D, Daly C, Alsalaheen B. Home-based circuit training program for an adolescent female with severe traumatic brain injury: a case report. *Physiother Theory Pract.* 2018;34(2):137-145.

Urgen M, Akbayrak T, Gunel M, Cankaya O, Guchan Z, Turkyilmaz E. Investigation of the effects of Nintendo Wii-Fit training on balance and advanced motor performance in children with spastic hemiplegic cerebral palsy: a randomized controlled trial. *Int J Ther Rehabil Res.* 2016;5:146.

Van Wely L, Balemans ACJ, Becher JG, Dallmeijer AJ. The effectiveness of a physical activity stimulation programme for children with cerebral palsy on social participation, self-perception and quality of life: a randomized controlled trial. *Clinic Rehabil.* 2014;28(10):972-982.

Van Wely L, Balemans ACJ, Becher JG, Dallmeijer AJ. Physical activity stimulation program for children with cerebral palsy did not improve physical activity: a randomised trial. *J Physiother.* 2014;60(1):40-49.

Willoughby KL, Dodd KJ, Shields N, Foley S. Efficacy of partial body weight-supported treadmill training compared with overground walking practice for children with cerebral palsy: a randomized controlled trial. *Arch Phys Med Rehabil.* 2010;91(3):333-339.

Zahl T, Steinsbekk S, Wichstrom L. Physical activity, sedentary behavior, and symptoms of major depression in middle childhood. *Pediatrics.* 2017;139(2):320161711.

## **Reason 4: No data on health outcomes from physical activity**

Bahrami F, Movahedi A, Marandi SM, Sorensen C. The effect of karate techniques training on communication deficit of children with autism spectrum disorders. *J Autism Dev Disord.* 2016;46(3):978-986.

Chung PJ, Vanderbilt DL, Soares NS. Social behaviors and active videogame play in children with autism spectrum disorder. *Games Health J*. 2015;4(3):225-234.

Davis K, Hodson P, Zhang G, Boswell B, Decker J. Providing physical activity for students with intellectual disabilities: the Motivate, Adapt, and Play Program. *J Phys Educ Recreat Dance*. 2010;81(5):23-28.

Gannotti ME, Fuchs RK, Roberts DE, Hobbs N, Cannon IM. Health benefits of seated speed, resistance, and power training for an individual with spastic quadriplegic cerebral palsy: a case report. *J Pediatr Rehabil Med*. 2015;8(3):251-257.

Garcia JM, Leahy N, Rivera P, Renziehausen J, Samuels J, Fukuda DH et al. Brief report: preliminary efficacy of a judo program to promote participation in physical activity in youth with autism spectrum disorder. *J Autism Dev Disord*. 2020;50(4):1418-1424.

Ing C, Mills JP. 'Hey, look at me': An autoethnographic account of experiencing ADHD symptoms within sport. *Qual Res Sport Exerc Health*. 2019;11(2):274-283.

Jin J, Yun J, Agiovlasitis S. Impact of enjoyment on physical activity and health among children with disabilities in schools. *Disabil Health J*. 2018;11(1):14-19.

Kanagasabai PS, Mulligan H, Hale LA, Mirfin-Veitch B. "I do like the activities which I can do ..." Leisure participation experiences of children with movement impairments. *Disabil Rehabil*. 2018;40(14):1630-1638.

Keawutan P, Bell KL, Oftedal S, Davies PSW, Ware RS, Boyd RN. Relationship between habitual physical activity, motor capacity, and capability in children with cerebral palsy aged 4-5 years across all functional abilities. *Disabil Health J* 2018;11(4):632-636.

Ledford JR, Lane JD, Shepley C, Kroll SM. Using Teacher-Implemented Playground Interventions to Increase Engagement, Social Behaviors, and Physical Activity for Young Children With Autism. *Focus Autism Dev Disabil*. 2016;31(3):163-173.

Lloyd M, Burghardt A, Ulrich DA, Angulo-Barroso R. Physical activity and walking onset in infants with down syndrome. *Adapt Phys Act Q*. 2010;27(1):1-16.

Maher C, Crettenden A, Evans K, Thiessen M, Toohey M, Watson A, et al. Fatigue is a major issue for children and adolescents with physical disabilities. *Dev Med Child Neurol*. 2015;57(8):742-747.

McMahon DD, Barrio B, McMahon AK, Tutt K, Firestone J. Virtual reality exercise games for high school students with intellectual and developmental disabilities. *J Spec Educ Technol*. 2020;35(2):87-96.

Messler CF, Holmberg HC, Sperlich B. Multimodal therapy involving high-intensity interval training improves the physical fitness, motor skills, social behavior, and quality of life of boys with ADHD: a randomized controlled study. *J Atten Disord.* 2018;22(8):806-812.

Parent A, Pouliot-Laforte A, Dal Maso F, Cherni Y, Marois P, Ballaz L. Muscle fatigue during a short walking exercise in children with cerebral palsy who walk in a crouch gait. *Gait Posture.* 2019;72:22-27.

Parent A, Pouliot-Laforte A, Maso FD, Cherni Y, Marois P, Ballaz L. Muscle fatigue occurs during a short walking exercise in children with cerebral palsy who walk in a crouch gait. *Gait Posture.* 2017;57:32-33.

Reid A, Imrie H, Brouwer E, Clutton S, Evans J, Russell D, et al. "If I Knew Then What I Know Now": parents' reflections on raising a child with cerebral palsy. *Phys Occup Ther Pediatr.* 2011;31(2):169-183.

Wieczorek M, Sadziak A, KarÁSková V. Emotions related to physical education lessons in students with intellectual disabilities. *Trend Sport Sci.* 2018;25(1):29-34.

## **Reason 5: Report not published in English**

Lee W. The study of the impact on the balance of core strength exercise for the moderate retarded children. *J Beijing Sport Univ.* 2013;26(2):55-65.