

Chemical name
Cobalt
Metaldehyde (ISO); 2,4,6,8-tetramethyl- 1,3,5,7-tetraoxacyclooctane
Methylmercuric chloride
Benzo[rst]pentaphene
Dibenzo[b,def]chrysene; dibenzo[a,h]pyrene
Ethanol, 2,2'-iminobis-, N- (C13-15-branched and linear alkyl) derivs.
Cyflumetofen (ISO); 2-methoxyethyl (RS)-2- (4-tert-butylphenyl)-2-cyano-3-oxo-3-( $\alpha,\alpha,\alpha$ -trifluoro-o-tolyl)propionate
Diisohexyl phthalate
Halosulfuron-methyl (ISO); methyl 3-chloro-5-{{[(4,6- dimethoxypyrimidin-2-yl) carbamoyl]sulfamoyl}-1- methyl-1H-pyrazole-4- carboxylate
2-methylimidazole
Metaflumizone (ISO); (EZ)-2'-[2-(4-cyanophenyl)-1-( $\alpha,\alpha,\alpha$ -trifluoro-m- tolyl)ethylidene]-[4-(trifluoromethoxy)phenyl] carbanilohydrazide [E-isomer $\geq$ 90 %, Z-isomer $\leq$ 10 % relative content]; [1]
Dibutylbis(pentane-2,4- dionato-O,O')tin
Silicon carbide fibres (with diameter < 3 $\mu\text{m}$ , length > 5 $\mu\text{m}$ and aspect ratio $\geq$ 3:1)
Tris(2-methoxyethoxy) vinylsilane; 6-(2-methoxyethoxy)- 6-vinyl-2,5,7,10-tetraoxa-6-silaundecane
Diocetyl tin dilaurate; [1] stannane, dioctyl-, bis (coco acyloxy) derivs. [2]
Dibenzo[def,p]chrysene; dibenzo[a,l]pyrene
Ipconazole (ISO); (1RS,2SR,5RS;1RS,2SR,5SR)-2-(4-chlorobenzyl)-5-isopropyl-1- (1H-1,2,4-triazol-1- ylmethyl)cyclopentanol
Bis(2-(2-methoxyethoxy)ethyl)ether; tetraglyme
Paclobutrazol (ISO); (2RS,3RS)-1-(4-chlorophenyl)-4,4-dimethyl- 2-(1H-1,2,4-triazol-1- yl)pentan-3-ol
2,2-bis(bromomethyl) propane-1,3-diol
2-(4-tert-butylbenzyl) propionaldehyde
Diisoctyl phthalate
2-methoxyethyl acrylate
Sodium N-(hydroxymethyl)glycinate; [formaldehyde released from sodium N-(hydroxymethyl)glycinate] If the maximum theoretical concentration of releasable formaldehyde, irrespective of the source, in the mixture as placed on the market is $\geq$ 0,1 % w/w
Pyrithione zinc; (T-4)- bis[1-(hydroxy-.kappa.O)pyridine-2(1H)- thionato-.kappa.S]zinc
Flurochloridone (ISO); 3-chloro-4-(chloromethyl)-1-[3-(trifluoromethyl)phenyl]pyrrolidin-2-one
3-(difluoromethyl)-1- methyl-N-(3',4',5'-trifluorobiphenyl-2-yl) pyrazole-4-carboxamide; fluxapyroxad
N-(hydroxymethyl)acrylamide; methylolacrylamide; [NMA]
5-fluoro-1,3-dimethyl-N-[2-(4- methylpentan-2-yl) phenyl]-1H-pyrazole- 4-carboxamide; 2'- [(RS)-1,3-dimethylbutyl]-5-fluoro-1,3-dimethylpyrazole-4-carboxanilide; penflufen
Iprovalicarb (ISO); isopropyl [(2S)-3- methyl-1-{[1-(4- methylphenyl)ethyl] amino}-1-oxobutan-2- yl]carbamate

Dichlorodioctylstannane
Mesotriione (ISO); 2-[4-(methylsulfonyl)- 2-nitrobenzoyl]-1,3- cyclohexanedione
Hymexazol (ISO); 3-hydroxy-5-methylisoxazole
Imiprothrin (ISO); reaction mass of: [2,4- dioxo-(2-propyn-1-yl) imidazolidin-3-yl] methyl(1R)-cis-chrysanthemate; [2,4-dioxo-(2-propyn-1-yl) imidazolidin-3-yl] methyl(1R)-trans-chrysanthemate
Bis( $\alpha,\alpha$ -dimethylbenzyl) peroxide
Water-soluble zinc salts with the exception of zinc 4- hydroxy-benzenesulphonate (entry 25) and zinc pyrithione (Annex II, entry X)