



Maritime &
Coastguard
Agency

MERCHANT SHIPPING NOTICE

MSN 1874 (M+F) Amendment 7 Marine Equipment – United Kingdom conformity assessment procedures for marine equipment, Other Approval and Standards

Notice to all:

- Manufacturers and Distributors of Marine Equipment
- Masters, Officers and Skippers of: Merchant Ships, Fishing Vessels, Small Commercial Vessels and Pleasures Vessels
- Ship: Builders, Designers, Operators, Owners and Managers
- Marine Consultants, Recognised Organisations, Certifying Authorities, and Approved and Nominated Bodies

This Notice should be read with the Merchant Shipping (Marine Equipment) Regulations 2016 SI 2016/1025 as amended by the Merchant Shipping (Marine Equipment) (Amendment etc.) (EU Exit) Regulations 2019 SI 2019/470 and the Merchant Shipping (Marine Equipment) (Amendment) (UK and US Mutual Recognition Agreement) (EU Exit) Regulations 2019 SI 2019/1304 (“the Regulations”), MIN 590 Amendment 5 – United Kingdom conformity assessment procedures for marine equipment following the transition period and relevant UK carriage requirement instruments.

This Notice replaces MSN 1874 (M+F) amendment 6.

Summary

This Notice has been given force of law by Statute (SI 2016/1025) as amended.

The objective of the Regulations is to enhance safety at sea and prevention of pollution to the marine environment through the uniform application of the relevant international instruments relating to equipment to be placed on board ships registered with the UK.

This Notice gives technical information and guidance about the procedures for obtaining type approval in conformity with the Regulations. It also gives information regarding the United Kingdom's policy for enforcing these requirements, and other standards to be applied to equipment on board United Kingdom ships.

This Notice replaces Merchant Shipping Notice 1874 (M+F) amendment 6 in view of amendments to the Regulations to address failures of the Regulations (as originally enacted) to operate effectively and other deficiencies arising from the withdrawal of the United Kingdom from the European Union.

1. Introduction

1.1 The Merchant Shipping (Marine Equipment) Regulations 2016 SI 2016/1025 as amended ("the Regulations") and this Notice sets out performance and testing standards to be met by marine equipment placed or to be placed on board a UK ship in accordance with the UK's conformity assessment procedures, as detailed in Part I of this Notice.

1.2 This Notice also sets out type approval procedures for equipment placed or to be placed on board UK ships which is outside the scope of the UK's conformity assessment procedures for marine equipment, but which requires conformity approval by various UK instruments. Such type approvals are carried out by nominated bodies in accordance with the procedures in Part II of this Notice.

1.3 Further, this Notice sets out the technical standards for equipment not requiring conformity assessment of type approval, before being placed on board a UK ship and for which the carriage requirement does not provide for a specific standard of equipment.

1.4 This Notice is split into three parts, covering three overarching categories of equipment:

1.4.1 Part I, sets out the equipment within the scope of the UK's conformity assessment procedures for marine equipment and the associated technical requirements to which equipment must be approved by an approved body;

1.4.2 Part II, sets out the requirements for equipment that falls outside the scope of the UK's conformity assessment procedures for marine equipment but nonetheless requires approval of the Maritime & Coastguard Agency ("MCA") as the flag administration for UK ships under the international instruments, and equipment required to be approved in accordance with other UK domestic instruments; and

1.4.3 Part III, sets out technical standards and arrangements for other equipment, where there is no specified standard for such equipment in existing UK instruments.

1.5 Interpretation:

In this Notice:

1.5.1 “The Regulations” shall mean the Merchant Shipping (Marine Equipment) Regulations 2016 SI 2016/1025 as amended by the Merchant Shipping (Marine Equipment) (Amendment etc.) (EU Exit) Regulations 2019 SI 2019/470.

1.5.2 Where a specific regulation is cited, unless specifically stated otherwise, this shall be construed as reference to a regulation within the Regulations.

1.5.3 Where the term “Part” is used in relation to Part I, II or III of this Notice, this refers to the respective part of this Notice.

1.5.4 Unless expressly stated otherwise, a term used in this Notice shall have the same meaning as defined in regulation 2 of the Regulations.

PART I – Equipment within the scope of the UK conformity assessment procedures for marine equipment

2. Scope of equipment approval according to the UK conformity assessment procedures for marine equipment

2.1 Equipment within the scope of Part I is that which is required by the international instruments and must be approved by the flag State administration of the relevant ship, as provided for in regulation 5(1).

2.2 Equipment to which Part I applies must be approved by one or more approved bodies. For more information regarding the approval procedure and/or the application of requirements of such equipment, an approved body which may assess the relevant equipment should be contacted. A full list of approved bodies can be found in paragraph 5.3 of this Part.

2.3 Manufacturers with existing approval certificates in accordance with the Marine Equipment Directive (Directive 2014/90/EU on marine equipment) (“MED”) were, until 1 January 2023, able to make their equipment available to the UK market and be placed on board UK ships as provided for in regulation 5 (provided MED and UK standards remained equivalent). However, from 1 January 2023, this is no longer accepted – except for the circumstances outlined in paragraphs 2.5 and 2.6 below.

2.4 MED approved marine equipment placed on board a UK flagged vessel before 1 January 2023 can remain on board for the duration of its operational life and only when items are replaced, after 1 January 2023, must they be replaced with UK approved marine equipment in accordance with the requirements in this MSN. This means that MED approved equipment that is on board a UK flagged vessel prior to the 1 January 2023 can remain on board until the end of the equipment’s operational life. For example, if a piece of MED approved equipment was on board a UK flagged vessel prior to 1 January 2023,

and then reached the end of its operational life after 1 January 2023; it would need to be replaced with UK approved marine equipment thereafter.

2.5 Equipment that is defined as a 'spare' part can continue to be placed on board a United Kingdom ship, this includes after 1 January 2023. A 'spare' is defined as: '*Spare*s are replacements of Wheelmarked or Red Ensign marked products which ensure continued functionality (i.e., via maintenance or repair) of a wider product or system on board a United Kingdom ship.'

2.6 Additionally, EU-approved marine equipment that has been manufactured **before 1 January 2023** can continue to be placed on board United Kingdom ships as if it was a United Kingdom approved piece of marine equipment, subject to the timeframes around placing on board outlined elsewhere in this notice. If such equipment has been manufactured after 1 January 2023, then it must be UK approved.

3. Requirements for equipment to be placed on board a UK Ship

3.1 Equipment placed on board a UK ship to which this Part applies must meet the design, construction and performance requirements of the international instruments detailed in Annex 1 of this Notice applicable at the time when that equipment is placed on board in accordance with regulation 5(1)

3.2 Unless there is a change in the applicable standards specified in Annex 1 of this Notice for equipment already placed on board a UK ship, existing approval will continue to be accepted providing equipment continues to operate in accordance with its existing approval. If equipment is replaced, it must be replaced with equipment which complies with the Regulations.

4. Domestic Passenger Ships and Large Fishing Vessels

4.1 As required by regulation 5(2), where equipment is specified in Annex 1 of this Notice, a domestic passenger ship or fishing vessel must carry equipment that complies with applicable international standards, except where a carriage requirement provides for an alternative standard. The carriage requirements are listed in Annex 4 of this Notice.

4.2 Regulation 5(2)(c) provides an exception to regulation 5(2) detailed above, such that equipment voluntarily placed on board must meet the standard(s) specified by the Secretary of State. This provision is to allow flexibility while ensuring a minimum standard of safety. Such specified standards will be agreed by a ship's appointed MCA surveyor where it is proven that the equipment complying with applicable international standards does not offer a practicable solution for reasons of size of the equipment/ integration with the ship or vessel etc.

5. UK Approved Bodies

5.1 The MCA has designated organisations listed below as approved bodies for the purpose of carrying out approvals of equipment to undertake the examination, testing and certification of the equipment specified in Annex 1 of this Notice.

5.2 For information regarding the equipment types and modules of conformity an approved

body may perform, the specific body must be contacted.

5.3 Please see paragraph 6 for information regarding provisionally appointed UK Approved Bodies, including a definition.

<p>Apragaz (<i>provisionally appointed UK Approved Body</i>)</p> <p>31 Chertsey Street Guilford Surrey GU1 4HD</p> <p>Email: B.Neve@apragaz.com</p>	<p>BSI Group</p> <p>Kitemark Court Davy Avenue Knowlhill, Milton Keynes MK5 8PP Tel: +44 (0) 845 080 9000 Email: Richard.Gurney@bsigroup.com</p>
<p>Shirley Technologies Limited Trading as BTTG</p> <p>Unit 6 Wheel Forge Way Trafford Park Manchester M17 1EH Tel: +44 (0)161 876 4211 Fax: +44 (0)161 872 0294 Email: Certification@bttg.co.uk</p>	<p>BRE Global Ltd</p> <p>Bucknalls Lane Garston WD25 9XX Tel: +44 (0)333 321 8811</p> <p>Email: enquiries@bregroup.com</p>
<p>Bureau Veritas (<i>provisionally appointed UK Approved Body</i>)</p> <p>Bureau Veritas 206 Fort Dunlop Fort Parkway Birmingham B24 9FD</p> <p>Email: MarineEquipment.Paris@bureauveritas.com</p>	<p>DBI Certification-UK Ltd. (<i>provisionally appointed UK Approved Body</i>)</p> <p>Unit 1 & 2, Northcot Park Station Road Blockley Gloucestershire GL56 9LH Email: info@dbicertification.co.uk</p>

<p>Centexbel International Ltd.</p> <p>8 Northumberland Avenue London WC2N 5BY</p> <p>www.centexbelinternational.co.uk</p> <p>Email: info@centexbelinternational.co.uk</p>	<p>DBI Certification-UK Ltd <i>(provisionally appointed UK Approved Body)</i></p> <p>Unit 1 & 2, Northcot Park Station Road Blockley Gloucestershire GL56 9LH</p> <p>Email: info@dbicertification.co.uk</p>
<p>DNV UK Ltd <i>(provisionally appointed UK Approved Body)</i></p> <p>Technical Manager for DNV UK Ltd: Andrew.Derbyshire@DNV.com</p> <p>Service Area Responsible: Klaus.Peter.Kolander@DNV.com</p> <p>Marine Equipment Practice Responsible(s): Christine.Mydlak@DNV.com</p> <p>Oyvind.Hoff@DNV.com</p> <p>Vivo Building 30 Stamford Street London SE1 9LQ</p>	<p>Fleetwood Test House</p> <p>Blackpool & the Flyde College, Fleetwood Nautical Campus, Broadwater</p> <p>Fleetwood FY7 8JZ UK</p> <p>Tel: +44 (0) 1253 504725</p> <p>Email: Brooke.Schofield@blackpool.ac.uk</p>
<p>KIWA Limited <i>(provisionally appointed UK Approved Body)</i></p> <p>Kiwa House, Malvern View Business Park, Stella Way, Bishops Cleeve Cheltenham Gloucestershire GL52 7DQ</p> <p>Tel: +44(0)1242 677877</p> <p>Email: uk.enquiries@kiwa.com</p>	<p>Lloyd's Register Marine Ltd.</p> <p>Lloyd's Register Marine Ltd. Global Technology Centre Hampshire House Hampshire Corporate Park Southampton SO53 3RY Tel: +44(0)330 414 0425</p> <p>Email: TASS@lr.org</p>

<p>TUV SUD BABT Unlimited Octagon House, Concorde Way, Segensworth North Fareham P015 5RL Hampshire Tel: 01489 558100</p> <p>Email: babt@tuvsud.com</p>	<p>UL International (UK) Ltd Unit 1 – 3 Horizon Kingsland Business Park Wade Road Basingstoke Hampshire RG24 8AH Tel: +44 (0) 01256 312100 Email: Neil.Friggi@ul.com Michael.Kirkland@ul.com</p>
<p>Warringtonfire Testing and Certification Ltd Suite 302 Genesis Centre Birchwood Warrington Cheshire WA3 7BH Tel: +44 (0) 1925 646 671 Tel: +44 (0) 1925 655 116 Email: Stacey.Deeming@warringtonfire.com</p>	

5.4 Approved Bodies must meet the requirements of Schedule 3 of the Regulations and will be assessed at least once every 2 years to confirm compliance with these requirements. The United Kingdom Accreditation Services (UKAS) as the national accreditation body is delegated this assessment responsibility. Further information and guidance is available for conformity assessment bodies wishing to be designated as an approved body in Marine Guidance Note 554 as amended.

5.5 The MCA is responsible for designating approved bodies on behalf of the Secretary of State. For this purpose, the MCA can be contacted at the following address:

UK Technical Services Ship Standards
 Maritime and Coastguard Agency
 Bay 2/21
 Spring Place
 105 Commercial Road
 Southampton
 SO15 1EG
 United Kingdom

Email: MEQA@mcga.gov.uk

6. Provisionally appointed UK Approved Bodies

- 6.1 The MCA has provisionally designated organisations listed as approved bodies for the purpose of carrying out approvals of equipment to undertake the examination, testing and certification of the equipment specified in Annex 1 of this Notice. These are specified in the Approved Bodies table in section 5 above, on pages 6 – 8 of this Notice.
- 6.2 Provisionally appointed UK Approved Bodies must meet the requirements of Schedules 3 and 4 of the Merchant Shipping (Marine Equipment) Regulations 2016 as amended, and must successfully complete accreditation with the United Kingdom Accreditation Service (UKAS) before 30th June 2023. Provisionally appointed UK Approved Bodies cannot approve marine equipment under the terms of the UK-US Mutual Recognition Agreement for marine equipment. This means they cannot issue the USCG mark for these items of equipment. Once provisionally appointed UK Approved Bodies become fully accredited and appointed as UK Approved Bodies, they will be able to approve items under the terms of the UK-US Mutual Recognition Agreement for marine equipment.
- 6.3 For information regarding the equipment types and modules of conformity an approved body may perform, the specific body must be contacted. Alternatively, please see the information on the UKMCAB database:

https://www.gov.uk/uk-market-conformity-assessment-bodies?uk_market_conformity_assessment_body_legislative_area%5B%5D=marine-equipment

7. UK Market Surveillance

- 7.1 The MCA, on behalf of the Secretary of State for Transport, is the market surveillance authority for equipment and is required to carry out market surveillance. Approved Bodies, manufacturers and manufacturers' authorised representatives must cooperate with MCA market surveillance inspectors as indicated in this Part and in accordance with the Regulations. Market surveillance seeks to ensure the safety of products offered for supply to the UK market and UK ships. Such market surveillance will take into consideration the conformity assessment procedures applicable to equipment and the responsibilities of the flag State administrations in the international instruments.
- 7.2 Market surveillance may include the inspection of documents supplied with equipment to confirm its compliance as well as checks of equipment specified in regulation 5(1), whether or not it has been placed on board a UK ship. Where checks are carried out on equipment placed on board a UK ship, such checks will be limited to examinations that can be carried out while the equipment remains fully functional on board.
- 7.3 When the MCA has received evidence to suggest equipment specified in Part I may not be in compliance with the international instruments and/or poses a risk to the safety of persons on board UK ships or the marine environment it may seek further evidence by carrying out sample checks of such equipment. Accordingly, the MCA may request the manufacturer to provide the necessary samples at the manufacturer's own cost or give on-the-spot access to the samples at the manufacturer's premises.

- 7.4 Where the MCA has sufficient reason to believe that equipment to which this Part is applicable presents a risk to maritime safety, to health or to the environment, it may carry out an evaluation in relation to the equipment concerned covering all the requirements for such equipment. The relevant economic operators must cooperate as necessary with the MCA in accordance with the Regulations. Additionally, the MCA may inform the public on the potential risk via the publication of safety bulletins etc.
- 7.5 Where the MCA finds that, subject to the evaluation in 6.4, the equipment does not comply with the requirements in this Part, the MCA may without delay require the relevant economic operator to take all appropriate corrective actions to bring the equipment into compliance with those requirements, using existing powers in the Merchant Shipping Act 1995 by way of an Improvement or Prohibition Notice. This will be commensurate with the nature and extent of the risk which the MCA considers is posed by the equipment, as it may prescribe, or any other corrective measure justified by the MCA. The MCA will inform the relevant approved body accordingly. Where the economic operator does not carry out such corrective measures within the timeframe specified by the MCA, the MCA may initiate such appropriate measures as are necessary to prohibit or restrict non-compliant equipment from being supplied to the UK market or placed on board UK ships.
- 7.6 Where it is considered that non-compliance may not be limited to the UK market, the MCA may inform other parties to the international instruments flag administrations and international organisations to include the nature of the non-compliance and the corrective actions which has been implemented.

PART II – Approved equipment outside the scope of the UK’s conformity assessment procedures but requiring approval under international instruments or other UK domestic instruments

8. Scope of Approval

8.1 Equipment to which this Part applies is that equipment outside the scope the UK’s conformity assessment procedures for marine equipment, but nonetheless requires approval by the MCA as a UK ship’s flag administration under international instruments. Part II also applies to equipment that requires approval by other UK domestic instruments and are specified in Annex 2 of this Notice. This equipment must be type approved by the UK nominated bodies.

8.2 Where equipment within the scope of this Part is of a novel nature or subject to significant design changes or the specifications or testing requirements are not considered to be sufficiently developed or experience of their usage is limited, the MCA must be contacted regarding the undertaking of the necessary approval procedure. For this purpose, the MCA contact details in paragraph 5.5 above should be used. This is in addition to also contacting a relevant Nominated Body.

9. Requirements for Equipment

9.1 Equipment which is placed on board a UK ship to which this Part applies must hold a valid type approval certificate issued by a nominated body at the time when that equipment is placed on board.

9.2 The performance and testing standards of equipment within the scope of this Part are specified in Annex 2 of this Notice. In consultation with the MCA, a nominated body may waive the requirements for any test specifically cited in a performance standard providing it is satisfied that the sample has met the criteria of a specification superior to that of the prescribed test.

9.3 Existing type approval certificates for equipment within the scope of this Part will remain valid before the certificate’s expiry date, or until cancelled. Upon the expiry date of the certificate, manufacturers must re-apply for renewal of their certificate to a nominated body. If requirements have not changed a new certificate will be issued. All certificates of type approval will be valid for up to 5 years.

9.4 Unless there is a change in the required standards specified in Annex 2 of this Notice applicable to equipment already placed on board a UK ship, existing approval will continue to be accepted providing the equipment operates satisfactorily. If it needs to be replaced, then it must be replaced with equipment for which a current type approval certificate is in force.

10. Domestic Passenger Ships and Large Fishing Vessels

10.1 As required by regulation 5(2), where equipment is specified in Annex 2 of this Notice, a domestic passenger ship or fishing vessel must carry equipment that has been approved

by a nominated body, except where a carriage requirement provides for an alternative standard to be met. The carriage requirements are listed in Annex 4 of this Notice.

10.2 Regulation 5(2)(c) provides an exception to regulation 5(2) detailed above, such that equipment voluntarily placed on board must meet the standard(s) specified by the Secretary of State. This provision is to allow flexibility while ensuring a minimum standard of safety. Such specified standards will be agreed by a ship's appointed MCA surveyor where it is proven that the equipment complying with applicable international standards does not offer a practicable solution for reasons of size of the equipment/ integration with the ship or vessel etc.

11. Application for Type Approval

11.1 A manufacturer or person wishing to obtain type approval of equipment specified in Annex 2 of this Notice must submit an application to a nominated body, in accordance with Part 4 of the Regulations. The application must include:

11.1.1 The name and address of the manufacturer and, if the application is lodged by an authorised representative, their name and address;

11.1.2 A written declaration that the same or a similar application has not been lodged with another nominated body;

11.1.3 The technical documentation described in 11.3 below; and

11.1.4 The applicant must place at the disposal of the nominated body sufficient specimens representative of the production envisaged. The nominated body may request further specimens if needed for carrying out the test programme.

11.2 The technical documentation must enable a nominated body to assess conformity of the product with the requirements and testing standards specified in Annex 2 of this Notice. It must cover the design, build standards, manufacture and functioning of the equipment, as far as relevant for conformity assessment.

11.3 The technical documentation must contain all relevant data or means used by the manufacturer to ensure that the equipment complies with the essential requirements relating to it. It must also enable understanding of the design, manufacture and operation of the product and assessment of conformity with the relevant requirements.

11.4 The documentation shall contain so far as is relevant for assessment:

11.4.1 A general description of the equipment;

11.4.2 Conceptual design and manufacturing drawings and schemes of components and relevant supporting drawings;

11.4.3 Descriptions and explanations necessary for the understanding of the drawings and schemes including operation of the equipment;

11.4.4 Results of design calculations made, impartial examinations carried out etc;

11.4.5 Impartial test reports; and

11.4.6 Manuals for installation, use and maintenance.

11.5 Where appropriate, the design documentation must contain the following elements:

11.5.1 Attestations relating to the equipment incorporated in the appliance;

11.5.2 Attestations and certificates relating to the methods of manufacture and/or inspections and/or monitoring of the appliance; and

11.5.3 Any other document making it possible for the nominated body to improve its assessment.

12. Assessment of Type Approval

12.1 On receipt of an application for type approval in accordance with paragraph 11 above, a nominated body must:

12.1.1 Examine the technical documentation and verify that the equipment has been manufactured in conformity with the technical documentation;

12.1.2 Agree with the applicant the location where the examination and necessary tests are to be carried out; and

12.1.3 Perform or have performed the appropriate examination and necessary tests to check whether the relevant requirements specified in Annex 2 are complied with.

12.2 Type approval tests must be conducted at a laboratory accredited for such tests by the UKAS or equivalent national accreditation body. However, if no such laboratory is available, a laboratory recognised by the nominated body as offering suitable and satisfactory guarantee of technical and professional competence, quality procedures and autonomy with particular reference to the application of ISO/IEC 17025 (2017), as amended may be used.

12.3 Where the equipment meets the provisions of the relevant requirements specified in Annex 2 of this Notice and test and performance standards, the nominated body must issue a certificate of type approval to the applicant. The certificate must contain the name and address of the manufacturer, details of the equipment, conclusions of the examination, conditions for its validity and the necessary data for identification of the approved type.

12.4 A list of the relevant parts of the technical documentation including drawings and instructions must be annexed to the certificate and a copy kept by the nominated body.

12.5 If the manufacturer is refused a certificate of type approval, the nominated body must provide detailed reasons for such refusal in writing, to the applicant for type approval.

12.6 Where an application is rejected after completion of the type approval procedure, the

manufacturer must modify the equipment to take account of the reasons for rejection before making a new submission to the nominated body. In the manufacturer's application to the nominated body they must include:

12.6.1 the original examination and test results;

12.6.2 the detailed reasons provided by the nominated body for the previous refusal; and

12.6.3 details of all modifications made to the equipment since the previous application.

12.7 Upon receipt of the re-submission of the application for type approval, the nominated body must re-open the approval procedure.

12.8 The applicant must inform the nominated body that holds the technical documentation concerning the certificate of type approval of all modifications to the approved product which must receive additional approval where such changes may affect the conformity with the requirements or the prescribed conditions for use of the equipment. This additional approval must be given in the form of an addition to the original certificate of type approval.

13. Issue of Type Approval

13.1 Providing that a nominated body is satisfied that the equipment complies in all respects with the requirements in Annex 2 of this Notice and any specifications laid down by the MCA and subject to the provisions below, the nominated body must issue a certificate of type approval stating the terms and conditions of approval and period of validity which must be up to 5 years.

13.2 A certificate of type approval refers only to equipment identical to that assessed. It is also a condition of issue of the certificate that a manufacturer must consult with the nominated body prior to any alteration to the approved standard of the equipment, hardware, software or firmware.

13.3 The nominated body may require further testing and assessment to be undertaken in the event of a modification, or series of modifications, being considered to constitute sufficient departure from the approved standard of the equipment hardware, software or firmware for which the certificate of type approval was originally issued.

13.4 The certificates of type approval and/or their additions and annexes to the certificates, technical documentation, other documentary evidence used to type approve the equipment must be kept at the disposal of the MCA and other nominated bodies for a period of not less than 10 years after the last product has been manufactured.

13.5 The manufacturer or his authorised representative shall keep with the technical documentation copies of certificates of type approval and their additions for a period of at least 10 years after the last product has been manufactured.

14. Nominated Bodies

14.1 Nominated bodies are those bodies which have been designated by the Secretary of State to carry out type approval of equipment placed on board UK ships under regulation 4 of the Regulations. The designated UK nominated bodies are listed below along with the equipment types they are designated to approve.

<p>Bureau Veritas</p> <p>Bureau Veritas 206 Fort Dunlop Fort Parkway Birmingham B24 9FD</p> <p>Email: marineequipment.paris@bureauveritas.com</p>	<p>DNV UK Ltd</p> <p>Vivo Building 30 Stamford Street London SE1 9LQ Tel: 020 3816 4000</p> <p>Technical Manager for DNV UK Ltd – Andrew.Derbyshire@DNV.com MER Mailbox: UKMER@DNV.com</p>
<p>Lloyd's Register</p> <p>Global Technology Centre Hampshire House Hampshire Corporate Park Southampton SO53 3RY Tel: +44(0)330 414 0425</p> <p>Email: TASS@lr.org</p>	<p>RINA Services S.p.A.</p> <p>North Wing, 1st Floor 2 Charlotte Place 29-31 Kingston Crescent Southampton SO14 0TB Tel: +44 (0)2380 332271 Fax: +44 (0)2380 331 744 Email: southampton.office@rina.org</p>
<p>TUV SUD BAPT Unlimited</p> <p>Octagon House, Concorde Way, Segensworth North Fareham PO15 5RL Hampshire Tel: +44 (0)1489 558100 Email: babt.tuvsud.com</p>	

The nominated bodies listed in Column 1 of Table A below may undertake type approval of any of the categories of equipment listed in Column 2 of Table A.

The nominated bodies listed in Column 1 of Table B below may undertake type approval only of the categories of equipment listed in Column 2 of Table B.

TABLE A

Column 1	Column 2
NOMINATED BODY	EQUIPMENT CATEGORY
Bureau Veritas DNV UK Ltd Lloyd's Register RINA Services S.p.A	Life-Saving appliances Marine Pollution prevention equipment Fire Protection Equipment Marine Engineering equipment Crew accommodation equipment Equipment required under COLREG 72 Bulk carrier safety equipment SOLAS Chapter II-1 equipment

TABLE B

Column 1	Column 2
NOMINATED BODY	EQUIPMENT CATEGORY
TUV SUD BABT Unlimited	Navigation Equipment Radiocommunication Equipment Life-saving appliances (Radar reflector for liferafts)

14.2 Each nominated body must provide upon request to the MCA and other nominated bodies the relevant information concerning the certificates of type approval and additions issued and withdrawn.

PART III – Other Equipment Standards

15. Scope of Equipment Standards and Requirements

15.1 Equipment within this Part is equipment required by UK instruments and specified in Annex 3 of this Notice, but where no standard for such equipment is specified to provide an acceptable level of safety to domestic ships outside the scope of the international conventions. This equipment may not be of an approved type and in all cases must comply with the relevant standard specified in Annex 3 of this Notice.

16. Requirements for Equipment

16.1 Equipment specified in Annex 3 of this Notice and placed on board a UK ship to which this Part applies in accordance with regulation 5(3) must meet the design, construction and performance requirements of the standards in Annex 3 valid at the time when that equipment is placed on board. Annex 3 of this Notice also sets out the ship type to which each specified standard is applicable.

More information

UK Technical Services Ship Standards
Maritime and Coastguard Agency
Bay 2/21
Spring Place
105 Commercial Road
Southampton
SO15 1EG

Telephone: +44 (0)203 81 72000

Email: MEQA@mcga.gov.uk

Website: www.gov.uk/mca

General enquiries: infoline@mcga.gov.uk

Please note that all addresses and telephone numbers are correct at time of publishing.

Published: March 2023

© Crown Copyright 2023

Annex 1

This annex sets out in full the design, construction and performance requirements and testing standards for marine equipment to which approval by an approved body is required in accordance with regulation 5.

The requirements below replace those in Merchant Shipping Notice 1874 (M+F) amendment 4.

General note: references to 'SOLAS' Regulations refer to the provisions of the International Convention for the Safety of Life at Sea, as amended.

List of acronyms used

A.1, Amendment 1 concerning Standard Documents other than IMO.
A.2, Amendment 2 concerning Standard Documents other than IMO.
AC, Amending Corrigendum concerning Standard Documents other than IMO.
CAT, Category for radar equipment as defined in section 1.3 of IEC 62388 Circ., Circular.
COLREG, Convention on the International Regulations for Preventing Collisions at Sea, 1972.
COMSAR, IMO's Sub-Committee on Radiocommunications and Search and Rescue.
EN, European Standard.
ETSI, European Telecommunication Standardisation Institute.
FSS, International Code for Fire Safety Systems.
FTP, International Code for Application of Fire Test Procedures.
HSC, High Speed Craft Code.
IBC, International Bulk Chemical Code.
ICAO, International Civil Aviation Organization.
IEC, International Electrotechnical Commission.
IGC, International Code for the Construction and Equipment of Ships Carrying Liquefied Gases in Bulk.
IMO, International Maritime Organization.
ISO, International Organisation for Standardization.
ITU, International Telecommunication Union.
LSA, Life saving appliance.
MARPOL, International Convention for the Prevention of Pollution from Ships
"The Regulations" shall mean the Merchant Shipping (Marine Equipment) Regulations 2016 SI 2016/1025 as amended
MEPC, Marine Environment Protection Committee.
MSC, IMO's Maritime Safety Committee.
NOx, Nitrogen Oxides.
O₂/HC systems: Oxygen Hydro Carbon systems.
SOLAS, International Convention for the Safety of Life at Sea, 1974.
SOx, Sulphur Oxides.
Reg., Regulation.
Res., Resolution.

Notes applicable to the whole of this Annex

(a) General: In addition to the testing standards specifically referred to in this Annex, type-

examination (type approval) requires compliance with the applicable requirements of the international conventions and the relevant resolutions and circulars of the IMO. Such compliance is referred to in the modules for conformity assessment in the Regulations.

- (b) Column 3: Where two sets of testing standards are separated by 'or', each set fulfils all the testing requirements to meet IMO Performance Standards; thus testing to one of those sets is sufficient to demonstrate compliance with the requirements of the relevant international instruments. On the contrary, when other separators (such as comma) are used all the listed references apply.
- (c) Column 6: In order to take into consideration timeframes for shipbuilding, depending on the characteristics of the specific marine equipment, the following meanings of 'placing on board' (indicated in brackets behind the dates) apply:
 - I : first installation of the equipment in its functional position on board a UK ship;
 - II : first installation of the equipment in its functional position or stowing in its functional position on board a UK ship;
 - III: delivery of the equipment to the shipyard if this takes place within 30 months before the first installation of the equipment in its functional position.
- (d) Where there are two rows for one marine equipment entry (e.g. UK/3.12), the second (lower) row contains the updated requirements of the international instruments in respect to the ones shown in the first (upper) row.
- (e) In the situations referred to in point (d) where no date is given in columns 5 and 6, this indicates that there has been no change in the testing standards and that the marine equipment item concerned shall comply with the requirements indicated in the (second) lower row.
- (f) Where there are three rows for one marine equipment entry (such as UK/3.51a), the third (lowest) row contains the updated requirements of the international instruments in respect to the ones shown in the first two (upper) rows.

1. Life-saving appliances

Number and item designation	Regulations of SOLAS 74, as amended, and the relevant resolutions and circulars of the IMO, as applicable	Testing standards	Modules for conformity assessment	First placing on the market	Last placing on board
1	2	3	4	5	6
UK/1.1 Lifebuoys Row 1 of 1	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3. <hr/> <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/7, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) II, — IMO Res.MSC.97(73)-(2000 HSC Code) 8. — IMO MSC.1/Circ.1628 	— IMO Res. MSC.81(70), as amended.	B+D B+E B+F		

<p>UK/1.2a</p> <p>Position-indicating lights for life-saving appliances: for survival craft and rescue boats.</p> <p>Row 1 of 3</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3. 	<p>— IMO Res. MSC.81(70), as amended.</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>		<p>13.9.2022</p> <p>(II)</p>
	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) II, — IMO Res.MSC.48(66)-(LSA Code) IV, — IMO Res.MSC.97(73)-(2000 HSC Code) 8. 				
<p>UK/1.2a</p> <p>Position-indicating lights for life-saving appliances: for survival craft and rescue boats.</p> <p>Row 2 of 3</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3. 	<p>— IMO Res.MSC.81(70), as amended,</p> <p>— EN 60945:2002 incl. IEC 60945 Corr. 1:2008.</p> <p>Or:</p> <p>— IMO Res.MSC.81(70), as amended,</p> <p>— IEC 60945:2002 incl. IEC 60945 Corr. 1:2008.</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>13.9.2019</p>	<p>12.8.2023</p> <p>(II)</p>
	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) IV, — IMO Res.MSC.97(73)-(2000 HSC Code) 8. 				

<p>UK/1.2a</p> <p>Position-indicating lights for life-saving appliances: for survival craft and rescue boats.</p> <p>Row 3 of 3</p> <p>Note: EN 60945's and IEC 60945's Electromagnetic Compatibility tests are excluded and only those referred to at IMO Res. MSC 81(70) Clause 10.4 shall be carried out.</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3. <hr/> <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) IV, — IMO Res.MSC.97(73)-(2000 HSC Code) 8. — IMO MSC.1/Circ.1628 	<ul style="list-style-type: none"> — IMO Res.MSC.81(70), as amended, — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — ISO 24408: 2005. <p>Or:</p> <ul style="list-style-type: none"> — IMO Res.MSC.81(70), as amended, — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — ISO 24408: 2005 	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>12.8.2020</p>	
<p>UK/1.2b</p> <p>Position-indicating lights for life-saving appliances: for lifebuoys.</p> <p>Row 1 of 3</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3. <hr/> <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/7, — SOLAS 74 Reg. III/22, — SOLAS 74 Reg. III/32, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, 	<ul style="list-style-type: none"> — IMO Res. MSC.81(70), as amended. 	<p>B+D</p> <p>B+E</p> <p>B+F</p>		<p>13.9.2022</p> <p>(II)</p>

	<ul style="list-style-type: none"> — IMO Res.MSC.48(66)-(LSA Code) II, — IMO Res.MSC.97(73)-(2000 HSCCode) 8. 				
UK/1.2b Position-indicating lights for life-saving appliances: for lifebuoys. Row 2 of 3	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3. <hr/> <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/7, — SOLAS 74 Reg. III/22, — SOLAS 74 Reg. III/32, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) II, — IMO Res.MSC.97(73)-(2000 HSC Code) 8. 	<ul style="list-style-type: none"> — IMO Res.MSC.81(70), as amended, — EN 60945:2002 incl. IEC 60945 Corr. 1:2008. <p>Or:</p> <ul style="list-style-type: none"> — IMO Res.MSC.81(70), as amended, — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008. 	<p>B+D</p> <p>B+E</p> <p>B+F</p>	13.9.2019	12.8.2023 (II)
UK/1.2b Position-indicating lights for life-saving appliances: for lifebuoys.	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3. 	<ul style="list-style-type: none"> — IMO Res.MSC.81(70), as amended, — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — ISO 24408: 2005. 	<p>B+D</p> <p>B+E</p> <p>B+F</p>	12.8.2020	

<p>Row 3 of 3</p> <p>Note: EN 60945's and IEC 60945's Electromagnetic Compatibility tests are excluded and only those referred to at IMO Res. MSC 81(70) Clause 10.4 shall be carried out.</p>	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/7, — SOLAS 74 Reg. III/22, — SOLAS 74 Reg. III/32, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) II, — IMO Res.MSC.97(73)-(2000 HSC Code) 8. — IMO MSC.1/Circ.1628 	<p>Or:</p> <ul style="list-style-type: none"> — IMO Res.MSC.81(70), as amended, — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — ISO 24408: 2005. 			
<p>UK/1.2c</p> <p>Position-indicating lights for life-saving appliances: for lifejackets.</p> <p>Row 1 of 3</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3. <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/7, — SOLAS 74 Reg. III/22, — SOLAS 74 Reg. III/26, — SOLAS 74 Reg. III/32, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, 	<p>— IMO Res. MSC.81(70), as amended.</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>		<p>13.9.2022</p> <p>(II)</p>

	<ul style="list-style-type: none"> — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) II, — IMO Res.MSC.97(73)-(2000 HSC Code) 8. 				
UK/1.2c Position-indicating lights for life-saving appliances: for lifejackets. Row 2 of 3	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3. <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/7, — SOLAS 74 Reg. III/22, — SOLAS 74 Reg. III/26, — SOLAS 74 Reg. III/32, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) II, — IMO Res.MSC.97(73)-(2000 HSC Code) 8. 	<ul style="list-style-type: none"> — IMO Res. MSC.81(70), as amended, — EN 60945:2002 incl. IEC 60945 Corr. 1:2008. <p>Or:</p> <ul style="list-style-type: none"> — IMO Res.MSC.81(70), as amended, — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008. 	B+D B+E B+F	13.9.2019	12.8.2023 (II)
UK/1.2c Position-indicating lights for life-saving appliances:	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3. 	<ul style="list-style-type: none"> — IMO Res. MSC.81(70), as amended, — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, 	B+D B+E B+F	12.8.2020	

<p>for lifejackets.</p> <p>Row 3 of 3</p> <p>Note: EN 60945's and IEC 60956's Electromagnetic Compatibility tests are excluded and only those referred to at IMO Res. MSC 81(70) clause 10.4 shall be carried out.</p>	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/7, — SOLAS 74 Reg. III/22, — SOLAS 74 Reg. III/26, — SOLAS 74 Reg. III/32, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) II, — IMO Res.MSC.97(73)-(2000 HSC Code) 8. — IMO MSC.1/Circ.1628 	<ul style="list-style-type: none"> — ISO 24408: 2005. <p>Or:</p> <ul style="list-style-type: none"> — IMO Res.MSC.81(70), as amended, — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — ISO 24408: 2005. 			
<p>UK/1.3</p> <p>Lifebuoys self-activating smoke signals</p> <p>Row 1 of 2</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3. 	<p>— IMO Res. MSC.81(70), as amended.</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>		<p>12.8.2023</p> <p>(II)</p>
<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/7, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, —IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) II, 					

	— IMO Res.MSC.97(73)-(2000 HSC Code) 8.				
UK/1.3 Lifebuoys self-activating smoke signals Row 2 of 2	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3. <hr/> <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/7, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) II, — IMO Res.MSC.97(73)-(2000 HSC Code) 8. <p>— IMO MSC.1/Circ.1628</p>	<ul style="list-style-type: none"> — IMO Res. MSC.81(70), as amended, — ISO 15736: 2006. 	<p>B+D</p> <p>B+E</p> <p>B+F</p>	12.8.2020	
UK/1.4 Lifejackets Row 1 of 1	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3. 	— IMO Res. MSC.81(70), as amended.	<p>B+D</p> <p>B+E</p> <p>B+F</p>		

	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/7, — SOLAS 74 Reg. III/22, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) II, — IMO Res.MSC.97(73)-(2000 HSC Code) 8, — IMO MSC/Circ.922, — IMO MSC.1/Circ.1304, — IMO MSC.1/Circ.1470. — IMO MSC.1/Circ.1628 				
<p>UK/1.5a</p> <p>Immersion suits and anti-exposure suits designed to be worn in conjunction WITH a lifejacket:</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3. 	<p>— IMO Res. MSC.81(70), as amended.</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>		

<p>immersion suit without inherent insulation.</p> <p>Row 1 of 1</p>	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/7, — SOLAS 74 Reg. III/22, — SOLAS 74 Reg. III/32, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) II, — IMO Res.MSC.97(73)-(2000 HSC Code) 8, — IMO MSC/Circ.1046. — IMO MSC.1/Circ.1628 				
<p>UK/1.5b</p> <p>Immersion suits and anti-exposure suits designed to be worn in conjunction WITH a lifejacket:</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3. 	<p>— IMO Res. MSC.81(70), as amended.</p>	<p>B+D</p> <p>B+E</p>		

<p>immersion suit with inherent insulation.</p> <p>Row 1 of 1</p>	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/7, — SOLAS 74 Reg. III/22, — SOLAS 74 Reg. III/32, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) II, — IMO Res.MSC.97(73)-(2000 HSC Code) 8, — IMO MSC/Circ.1046. — IMO MSC.1/Circ.1628 		<p>B+F</p>		
<p>UK/1.5c</p> <p>Immersion suits and anti-exposure suits designed to be worn in conjunction WITH a lifejacket:</p> <p>anti-exposure suits.</p> <p>Row 1 of 1</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3. 	<p>— IMO Res. MSC.81(70), as amended.</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>		
<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/7, — SOLAS 74 Reg. III/22, — SOLAS 74 Reg. III/32, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, 					

	<ul style="list-style-type: none"> — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) II, — IMO Res.MSC.97(73)-(2000 HSC Code) 8, — IMO MSC/Circ.1046. — IMO MSC.1/Circ. 1628 				
UK/1.6a Immersion suits and anti-exposure suits designed to be worn WITHOUT a life jacket: immersion suit without inherent insulation. Row 1 of 1	Type approval requirements <ul style="list-style-type: none"> — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3. 	— IMO Res. MSC.81(70), as amended.	B+D B+E B+F		
	Carriage and performance requirements <ul style="list-style-type: none"> — SOLAS 74 Reg. III/7, — SOLAS 74 Reg. III/22, — SOLAS 74 Reg. III/32, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) II, — IMO Res.MSC.97(73)-(2000 HSC Code) 8, — IMO MSC/Circ.1046. — IMO MSC.1/Circ.1628 				

<p>UK/1.6b</p> <p>Immersion suits and anti-exposure suits designed to be worn WITHOUT a life jacket:</p> <p>immersion suit with inherent insulation.</p> <p>Row 1 of 1</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3. <hr/> <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/7, — SOLAS 74 Reg. III/22, — SOLAS 74 Reg. III/32, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) II, — IMO Res.MSC.97(73)-(2000HSC Code) 8, — IMO MSC/Circ.1046. — IMO MSC.1/Circ.1628. 	<p>— IMO Res. MSC.81(70), as amended.</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>		
<p>UK/1.6c</p> <p>Immersion suits and anti-exposure suits designed to be worn WITHOUT a life jacket:</p> <p>anti-exposure suits.</p> <p>Row 1 of 1</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3. <hr/> <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/7, — SOLAS 74 Reg. III/22, 	<p>— IMO Res. MSC.81(70), as amended.</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>		

	<ul style="list-style-type: none"> — SOLAS 74 Reg. III/32, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) II, — IMO Res.MSC.97(73)-(2000 HSC Code) 8, — IMO MSC/Circ.1046. — IMO MSC.1/Circ.1628 				
UK/1.7 Thermal protective aids Row 1 of 1	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3. <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/22, — SOLAS 74 Reg. III/32, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) II, — IMO Res.MSC.97(73)-(2000HSC Code) 	— IMO Res. MSC.81(70), as amended.	B+D B+E B+F		

	8, — IMO MSC/Circ.1046. — IMO MSC.1/Circ.1628				
UK/1.8 Rocket parachute flares (pyrotechnics) Row 1 of 2	Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3. Carriage and performance requirements - SOLAS 74 Reg. III/6, - SOLAS 74 Reg. III/34, - IMO Res.MSC.36(63)-(1994 HSC Code) 8, - IMO Res.MSC.48(66)-(LSA Code) I, - IMO Res.MSC.48(66)-(LSA Code) III, - IMO Res.MSC.97(73)-(2000 HSC Code) 8.	— IMO Res. MSC.81(70), as amended.	B+D B+E B+F		12.8.2023 (II)
UK/1.8 Rocket parachute flares (pyrotechnics) Row 2 of 2	Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3.	— IMO Res. MSC.81(70), as amended, — ISO 15736: 2006.	B+D B+E B+F		12.8.2020 (II)

	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> - SOLAS 74 Reg. III/6, - SOLAS 74 Reg. III/34, - IMO Res.MSC.36(63)-(1994 HSC Code) 8, - IMO Res.MSC.48(66)-(LSA Code) I, - IMO Res.MSC.48(66)-(LSA Code) III, - IMO Res.MSC.97(73)-(2000 HSC Code) 8. - IMO MSC.1/Circ.1629 				
<p>UK/1.9 Hand flares (pyrotechnics) Row 1 of 2</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3. 	<p>— IMO Res. MSC.81(70),as amended.</p>	<p>B+D B+E B+F</p>		<p>12.8.2023 (II)</p>
	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) III, — IMO Res.MSC.97(73)-(2000 HSC Code) 8. 				

UK/1.9 Hand flares (pyrotechnics) Row 2 of 2	Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3.	— IMO Res. MSC.81(70), as amended, — ISO 15736: 2006.	B+D B+E B+F	12.8.2020	
	Carriage and performance requirements — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) III, — IMO Res.MSC.97(73)-(2000 HSC Code) 8. — IMO MSC.1/Circ.1629				
UK/1.10 Buoyant smoke signals (pyrotechnics) Row 1 of 2	Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3.	— IMO Res. MSC.81(70), as amended.	B+D B+E B+F		12.8.2023 (II)
	Carriage and performance requirements — SOLAS 74 Reg. III/34, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) III.				

UK/1.10 Buoyant smoke signals (pyrotechnics) Row 2 of 2	Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3.	— IMO Res. MSC.81(70), as amended, — ISO 15736: 2006.	B+D B+E B+F	12.8.2020	
UK/1.11 Line-throwing appliances Row 1 of 2	Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3.	— IMO Res. MSC.81(70), as amended.	B+D B+E B+F		12.8.2023 (II)
UK/1.11 Line-throwing appliances Row 2 of 2	Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3.	— IMO Res. MSC.81(70), as amended, — ISO 15736: 2006.	B+D B+E B+F	12.8.2020	
	Carriage and performance requirements — SOLAS 74 Reg. III/34, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) III. — IMO MSC.1/Circ.1629				
	Carriage and performance requirements — SOLAS 74 Reg. III/18, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) VII, — IMO Res.MSC.97(73)-(2000HSC Code) 8.				

	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/18, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) VII, — IMO Res.MSC.97(73)-(2000 HSC Code) 8. — IMO MSC.1/Circ.1633 				
<p>UK/1.12</p> <p>Inflatable liferafts</p> <p>Row 1 of 1</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3. <hr/> <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/13, — SOLAS 74 Reg. III/21, — SOLAS 74 Reg. III/26, — SOLAS 74 Reg. III/31, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) IV, — IMO Res.MSC.97(73)-(2000 HSC Code) 8, 	<ul style="list-style-type: none"> — IMO Res.MSC.81(70), as amended. <p>And for extended service intervals:</p> <ul style="list-style-type: none"> — IMO MSC.1/Circ.1328. 	<p>B+D</p> <p>B+E</p> <p>B+F</p>		

	<ul style="list-style-type: none"> — IMO MSC/Circ.811, — IMO MSC.1/Circ.1328. — IMO MSC.1/Circ. 1630 				
UK/1.13 Rigid liferafts Row 1 of 1	Type approval requirements <ul style="list-style-type: none"> — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3. 	— IMO Res. MSC.81(70), as amended,	B+D B+E B+F		
	Carriage and performance requirements <ul style="list-style-type: none"> — SOLAS 74 Reg. III/21, — SOLAS 74 Reg. III/26, — SOLAS 74 Reg. III/31, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) IV, — IMO Res.MSC.97(73)-(2000 HSC Code) 8. — IMO MSC.1/Circ. 1630 				
UK/1.14a Automatically self-righting liferafts: inflatable.	Type approval requirements <ul style="list-style-type: none"> — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3. 	— IMO Res. MSC.81(70), as amended. And for extended service intervals: — IMO MSC.1/Circ.1328.	B+D B+E B+F		

<p>Row 1 of 1</p>	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/26, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) IV, — IMO Res.MSC.97(73)-(2000HSC Code) 8, — IMO MSC/Circ.809, — IMO MSC/Circ.811, — IMO MSC.1/Circ.1328. — IMO MSC.1/1630 				
<p>UK/1.14b</p> <p>Automatically self-righting liferafts: rigid.</p> <p>Row 1 of 1</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3. 	<p>— IMO Res. MSC.81(70), as amended.</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>		
<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/26, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) IV, — IMO Res.MSC.97(73)-(2000HSC Code) 					

	8, — IMO MSC/Circ.809, — IMO MSC/Circ.811, — IMO MSC.1/Circ.1328. — IMO MSC.1/1630				
UK/1.15 Canopied reversible liferafts Row 1 of 1	Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3.	— IMO Res.MSC.81(70), as amended. And for extended service intervals: — IMO MSC.1/Circ.1328.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. III/26, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) IV, — IMO Res.MSC.97(73)-(2000HSC Code) 8, — IMO MSC/Circ.809, — IMO MSC/Circ.811, — IMO MSC.1/Circ.1328. — IMO MSC.1/Circ.1630				

<p>UK/1.16</p> <p>Float-free arrangements for liferafts (hydrostatic release units)</p> <p>Row 1 of 1</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3. 	<p>— IMO Res.MSC.81(70), as amended.</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>		
<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/13, — SOLAS 74 Reg. III/26, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) IV, — IMO Res.MSC.97(73)-(2000 HSC Code) 8, — IMO MSC/Circ.811. — IMO MSC.1/Circ.1630 					
<p>UK/1.17a</p> <p>Lifeboats</p> <p> Davit-launched lifeboats:</p> <ul style="list-style-type: none"> — partially enclosed, — totally enclosed. <p>Row 1 of 1</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3. 	<p>— IMO Res.MSC.81(70), as amended,</p> <p>— IMO MSC/Circ.1006.</p>	<p>B+D</p> <p>B+F</p> <p>G</p>		
<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/21, — SOLAS 74 Reg. III/31, — SOLAS 74 Reg. III/34, 					

	<ul style="list-style-type: none"> — IMO Res.MSC.36(63)-(1994 HSC Code) 8 — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) IV, — IMO Res.MSC.97(73)-(2000 HSC Code) 8, — IMO MSC.1/Circ.1423. — IMO MSC.1/Circ.1630 				
UK/1.17b Lifeboats Free-fall lifeboats. Row 1 of 1	Type approval requirements <ul style="list-style-type: none"> — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3. Carriage and performance requirements <ul style="list-style-type: none"> — SOLAS 74 Reg. III/21, — SOLAS 74 Reg. III/31, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) IV, — IMO Res.MSC.97(73)-(2000 HSC Code) 8, — IMO MSC.1/Circ.1423. — IMO MSC.1/Circ.1630 	<ul style="list-style-type: none"> — IMO Res.MSC.81(70), as amended, — IMO MSC/Circ.1006. 	B+D B+F G		
UK/1.17c Davit-launched lifeboats used as a rescue boat: - Partially enclosed	Type approval requirements: <ul style="list-style-type: none"> — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3. 	<ul style="list-style-type: none"> — IMO Res. MSC.81(70), as amended, — IMO MSC/Circ.1006 	B+D B+F	29.03.2023	

<p>- Totally enclosed</p> <p>Note: New item inserted by MSN 1874 amendment 7</p> <p>Row 1 of 1</p>	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/21 — SOLAS 74 Reg. III/31 — SOLAS 74/Reg. III/34 — IMO Res. MSC.36(63) - (1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) IV, — IMO Res.MSC.48(66)-(LSA Code)_V, — IMO Res.MSC.97(73)-(2000 HSC Code) 8, — IMO MSC.1/Circ.1423. — IMO MSC.1/Circ.1630 — IMO MSC.1/Circ.1631 		G		
<p>UK/1.18</p> <p>Rigid rescue boats</p> <p>Row 1 of 1</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3. 	<ul style="list-style-type: none"> — IMO Res.MSC.81(70), as amended, — IMO MSC/Circ.1006. 	<p>B+D</p> <p>B+F</p> <p>G</p>		
<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/21, — SOLAS 74 Reg. III/31, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, 					

	<ul style="list-style-type: none"> — IMO Res.MSC.48(66)-(LSA Code)V, — IMO Res.MSC.97(73)-(2000 HSC Code) 8. — IMO MSC.1/Circ.1631 				
UK/1.19 Inflated rescue boats Row 1 of 1	Type approval requirements <ul style="list-style-type: none"> — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3. 	<ul style="list-style-type: none"> — IMO Res.MSC.81(70), as amended, — ISO 15372:2000. 	B+D B+F G		
	Carriage and performance requirements <ul style="list-style-type: none"> — SOLAS 74 Reg. III/21, — SOLAS 74 Reg. III/31, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code)V, — IMO Res.MSC.97(73)-(2000 HSC Code) 8. — IMO MSC.1/Circ.1631 				

<p>UK/1.20a</p> <p>Fast rescue boats: inflated.</p> <p>Row 1 of 1</p>	<p>Type approval requirements</p> <p>— SOLAS 74 Reg. III/4.</p>	<p>— IMO Res.MSC.81(70), as amended, — ISO 15372:2000.</p>	<p>B+D</p> <p>B+F</p> <p>G</p>		
<p>Carriage and performance requirements</p> <p>— SOLAS 74 Reg. III/26, — SOLAS 74 Reg. III/34, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) V, — IMO MSC/Circ.1016, — IMO MSC/Circ.1094. — IMO MSC.1/Circ.1631</p>					
<p>UK/1.20b</p> <p>Fast rescue boats: rigid.</p> <p>Row 1 of 1</p>	<p>Type approval requirements</p> <p>— SOLAS 74 Reg. III/4.</p>	<p>— IMO Res.MSC.81(70), as amended, — IMO MSC/Circ.1006.</p>	<p>B+D</p> <p>B+F</p> <p>G</p>		

	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/26, — SOLAS 74 Reg. III/34, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) V, — IMO MSC/Circ.1016, — IMO MSC/Circ.1094. — IMO MSC.1/Circ.1631 				
<p>UK/1.20c</p> <p>Fast rescue boats:</p> <p>rigid-inflated.</p> <p>Row 1 of 1</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/4. 	<ul style="list-style-type: none"> — IMO Res.MSC.81(70), as amended, — IMO MSC/Circ.1006, — ISO 15372:2000. 	<p>B+D</p> <p>B+F</p> <p>G</p>		
	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/26, — SOLAS 74 Reg. III/34, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) V, — IMO MSC/Circ.1016, — IMO MSC/Circ.1094. — IMO MSC.1/Circ.1631 				
<p>UK/1.21</p> <p>Launching appliances using falls (davits)</p> <p>Row 1 of 1</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3. 	<ul style="list-style-type: none"> — IMO Res.MSC.81(70), as amended. 	<p>B+D</p> <p>B+E</p> <p>B+F</p>		

	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/23, — SOLAS 74 Reg. III/33, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) VI, — IMO Res.MSC.97(73)-(2000 HSC Code) 8. — IMO MSC.1/Circ.1632 		G		
Item UK/1.22, Float-free launching appliances for survival craft, - moved to UK /9/1.3.					
<p>UK/1.23</p> <p>Launching appliances for free-fall lifeboats</p> <p>Row 1 of 1</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3. <hr/> <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/16, — SOLAS 74 Reg. III/23, — SOLAS 74 Reg. III/33, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, 	— IMO Res.MSC.81(70), as amended.	<p>B+D</p> <p>B+E</p> <p>B+F</p> <p>G</p>		

	<ul style="list-style-type: none"> — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) VI, — IMO Res.MSC.97(73)-(2000 HSC Code) 8. — IMO MSC.1/Circ.1632 				
UK/1.24 Liferaft launching appliances (Davits) Row 1 of 1	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3. <hr/> <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/12, — SOLAS 74 Reg. III/16, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) VI, — IMO Res.MSC.97(73)-(2000 HSC Code) 8. — IMO MSC.1/Circ.1632 	— IMO Res.MSC.81(70), as amended.	<p>B+D</p> <p>B+E</p> <p>B+F</p> <p>G</p>		
UK/1.25 Fast rescue boat launching appliances (Davits) Row 1 of 1	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/4. 	— IMO Res.MSC.81(70), as amended.	<p>B+D</p> <p>B+E</p> <p>B+F</p> <p>G</p>		

	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/26, — SOLAS 74 Reg. III/34, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) VI. — IMO MSC.1/Circ.1632 				
<p>UK/1.26a</p> <p>Release mechanism for: lifeboats and rescue boats (launched by a fall or falls).</p> <p>Row 1 of 1</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3. 	<p>— IMO Res.MSC.81(70), as amended.</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>		
	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/16, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) IV, — IMO Res.MSC.97(73)-(2000 HSC Code) 8, — IMO MSC.1/Circ.1419. — IMO MSC.1/Circ.1630 				
<p>UK/1.26b</p> <p>Release mechanism for: liferrafts (launched by a fall or falls).</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3. 	<p>— IMO Res.MSC.81(70), as amended.</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>		

Row 1 of 1	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/16, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) IV, — IMO Res.MSC.97(73)-(2000 HSC Code) 8, — IMO MSC.1.Circ.1632 				
<p>UK/1.26c Release mechanism for: free fall lifeboats. Row 1 of 1</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3. <hr/> <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/16, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) IV, — IMO Res.MSC.97(73)-(2000 HSC Code) 8, — IMO MSC.1/Circ.1630 	— IMO Res.MSC.81(70), as amended.	<p>B+D B+E B+F</p>		

UK/1.27 Marine evacuation systems Row 1 of 1	Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3.	— IMO Res.MSC.81(70), as amended.	B+D B+F G		
	Carriage and performance requirements — SOLAS 74 Reg. III/15, — SOLAS 74 Reg. III/26, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) VI, — IMO Res.MSC.97(73)-(2000 HSC Code) 8. — IMO MSC.1/Circ.1632				
UK/1.28 Means of rescue Row 1 of 1	Type approval requirements — SOLAS 74 Reg. III/4.	— IMO Res.MSC.81(70), as amended,	B+D B+F		
	Carriage and performance requirements — SOLAS 74 Reg. III/26, — SOLAS 74 Reg. III/34, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) VI. — IMO MSC.1/Circ.1632				

<p>UK/1.29 Embarkation ladders Row 1 of 1</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. III/11, — SOLAS 74 Reg. X/3. 	<p>— IMO Res.MSC.81(70), as amended, — ISO 5489:2008.</p>	<p>B+D B+E B+F</p>		
<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/11, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code), — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) VI, — IMO Res.MSC.97(73)-(2000 HSC Code), — IMO MSC.1/Circ.1285. — IMO MSC.1/Circ.1630 					
<p>UK/1.30 Retro-reflective materials Row 1 of 2</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3. 	<p>— IMO Res. A.658(16), as amended.</p>	<p>B+D B+E B+F</p>		<p>15.8.2025</p>

	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.97(73)-(2000 HSC Code) 8. 				
<p>UK/1.30 Retro-reflective materials Row 2 of 2 (NEW ROW)</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3. 	<p>— IMO Res. MSC.481(102)</p>	<p>B+D B+E B+F</p>	<p>29.03.2023</p>	
	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Red. III/34 — IMO Res. MSC.36(63) - (1994 HSC Code) 8 — IMO Res. MSC.48(66)- (LSA Code) I — IMO Res. MSC.97(73) - (2000 HSC Code) 8 — IMO MSC.1/Circ.1628 				
<p>Item UK/1.31, Survival craft two-way VHF radio telephone apparatus, - moved to UK/5.17 and UK/5.18.</p>					
<p>Item UK/1.32, 9 GHz SAR transponder (SART), - moved to UK/4.18.</p>					
<p>UK/1.33 Radar reflector for lifeboats and rescue boats (passive) Row 1 of 1</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3. 	<p>— EN ISO 8729:1998,</p> <p>—EN 60945:2002 incl. IEC 60945 Corr. 1:2008.</p> <p>Or:</p> <p>—EN ISO 8729:1998,</p>	<p>B+D B+E B+F</p>		

	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/34, — IMO Res.A.384(X), — IMO Res.MSC.36(63)-(1994Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) IV, — IMO Res.MSC.48(66)-(LSA Code) V, — IMO Res. MSC.97(73)-(2000 HSC Code) 8, — IMO Res.MSC.164(78). 	<p>— IEC 60945:2002 incl. IEC 60945 Corr. 1:2008.</p> <p>Or:</p> <p>—ISO 8729-1:2010,</p> <p>—EN 60945:2002 incl. IEC 60945 Corr. 1:2008.</p> <p>Or:</p> <p>—ISO 8729-1:2010,</p> <p>—IEC 60945:2002 incl. IEC Corr. 1:2008</p>			
Item UK/1.34, Magnetic compass Class B for lifeboats and rescue boats, - moved to UK/4.23.					
Item UK/1.35, Portable fire-extinguishing equipment for lifeboats and rescue boats - moved to UK/3.38.					
<p>UK/1.36</p> <p>Lifeboat/rescue boat propulsion engine</p> <p>Row 1 of 1</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3. 	<p>— IMO Res.MSC.81(70), as amended.</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>		
	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/34, — IMO Res.MSC.48(66)-(LSA Code) IV, — IMO Res.MSC.48(66)-(LSA Code) V. — IMO MSC.1/Circ.1630 				

<p>UK/1.37 Rescue boat propulsion engine - outboard motor Row 1 of 1</p>	<p>Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3.</p>	<p>— IMO Res.MSC.81(70), as amended.</p>	<p>B+D B+E B+F</p>		
<p>Carriage and performance requirements — SOLAS 74 Reg. III/34, — IMO Res.MSC.48(66)-(LSA Code) V. — IMO MSC.1/Circ. 1631</p>					
<p>UK/1.38 Searchlights for use in lifeboats and rescue boats Row 1 of 2</p>	<p>Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3.</p>	<p>— IMO Res.MSC.81(70), as amended.</p>	<p>B+D B+E B+F</p>		<p>13.9.2022 (II)</p>
<p>Carriage and performance requirements — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) IV, — IMO Res.MSC.48(66)-(LSA Code) V, — IMO Res.MSC.97(73)-(2000 HSC Code) 8.</p>					

<p>UK/1.38 Searchlights for use in lifeboats and rescue boats</p> <p>Row 2 of 2</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3. 	<ul style="list-style-type: none"> — IMO Res.MSC.81(70), as amended, — EN 60945:2002 incl. IEC 60945 Corr. 1:2008. <p>Or:</p> <ul style="list-style-type: none"> — IMO Res.MSC.81(70), as amended, — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008. 	<p>B+D B+E B+F</p>	<p>13.9.2019</p>	
<p>UK/1.39 Open reversible liferafts</p> <p>Row 1 of 1</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3. 	<ul style="list-style-type: none"> — IMO Res.MSC.36(63)-(1994 HSC Code) Annex 10, — IMO Res.MSC.97(73)-(2000 HSC Code) Annex 11. 	<p>B+D B+F</p>		

	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.36(63)-(1994 HSC Code) Annex 10, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.97(73)-(2000 HSC Code) 8, — IMO Res.MSC.97(73)-(2000 HSC Code) Annex 11, — IMO MSC.1/Circ.1328. 	<p>And for extended service intervals:</p> <ul style="list-style-type: none"> — IMO MSC.1/Circ.1328. 			
<p>Item UK/1.40, Mechanical pilot hoist, - moved to UK/4.48.</p>					
<p>UK/1.41a</p> <p>Winches for survival craft and rescue boats:</p> <p>davit launched lifeboats.</p> <p>Row 1 of 1</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3. 	<ul style="list-style-type: none"> — IMO Res.MSC.81(70), as amended. 	<p>B+D</p> <p>B+E</p> <p>B+F</p> <p>G</p>		

	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/16, — SOLAS 74 Reg. III/23, — SOLAS 74 Reg. III/24, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) VI, — IMO Res.MSC.97(73)-(2000 HSC Code) 8. — IMO MSC.1/Circ.1632 				
<p>UK/1.41b Winches for survival craft and rescue boats: free-fall lifeboats. Row 1 of 1</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3. 	<p>— IMO Res.MSC.81(70), as amended.</p>	<p>B+D B+E B+F G</p>		
	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/16, — SOLAS 74 Reg. III/23, — SOLAS 74 Reg. III/24, — SOLAS 74 Reg. III/34, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) VI. — IMO MSC.1/Circ.1632 				

<p>UK/1.41c Winches for survival craft and rescue boats: liferrafts. Row 1 of 1</p>	<p>Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3.</p>	<p>— IMO Res.MSC.81(70), as amended.</p>	<p>B+D B+E B+F G</p>		
<p>Carriage and performance requirements — SOLAS 74 Reg. III/16, — SOLAS 74 Reg. III/17, — SOLAS 74 Reg. III/23, — SOLAS 74 Reg. III/24, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) VI, — IMO Res.MSC.97(73)-(2000 HSC Code) 8. — IMO MSC.1/Circ.1632</p>					
<p>UK/1.41d Winches for survival craft and rescue boats: rescue boats.</p>	<p>Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3.</p>	<p>— IMO Res.MSC.81(70), as amended.</p>	<p>B+D B+E B+F</p>		

Row 1 of 1	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/16, — SOLAS 74 Reg. III/17, — SOLAS 74 Reg. III/23, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) VI, — IMO Res.MSC.97(73)-(2000 HSC Code) 8. — IMO MSC.1/Circ.1632 		G		
UK/1.41e Winches for survival craft and rescue boats: fast rescue boats.	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3. 	— IMO Res.MSC.81(70), as amended.	B+D B+E B+F		
Row 1 of 1	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/16, — SOLAS 74 Reg. III/17, — SOLAS 74 Reg. III/23, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) VI, — IMO Res.MSC.97(73)-(2000 HSC Code) 8. — IMO MSC.1/Circ.1632 		G		

Item UK/1.42, Pilot ladder, - moved to UK/4.49.					
UK/1.43 Rigid-inflated rescue boats Row 1 of 2	Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3.	— IMO Res.MSC.81(70), as amended, — IMO MSC/Circ.1006, — ISO 15372:2000.	B+D B+F G		
	Carriage and performance requirements — SOLAS 74 Reg. III/21, — SOLAS 74 Reg. III/31, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) V, — IMO Res.MSC.97(73)-(2000 HSC Code) 8.				
UK/1.43 Rigid-inflated rescue boats Row 2 of 2 (NEW ROW)	Type approval requirements — SOLAS 74 Reg. III/4 — SOLAS 74 Reg. X/3	— IMO Res. MSC.81(70), as amended — IMO MSC/Circ.1006 — ISO 15372:2000 + A1:2021	B+D B+F G	29.03.2023	
	Carriage and performance requirements — SOLAS 74 Reg. III/21 — SOLAS 74 Reg. III/31 — SOLAS 74 Reg. III 34 — IMO Res. MSC.36(63) - (1994 HSC Code) 8 — IMO Res. MSC.48(66)-(LSA Code) I — IMO Res. MSC 48(66)-(LSA Code) V — IMO Res. MSC.97(73)-(2000 HSC Code) 8				

	— IMO MSC.1/Circ.1631				
UK/1.44a Public Address and General Alarm Systems (PAGA) - Control and distribution system (When used as fire alarm device item UK/3.53 shall apply.) Note; The certificate shall specify for which of the following categories of ship and systems the equipment is suitable: Ship: - Cargo ship - Passenger ship (excluding Safe Return to Port) - Passenger ship (including Safe Return to Port) Systems: - General Alarm (GA) systems - Public Address (PA) systems - Public Address and General Alarm (PAGA) systems New item inserted by MSN 1874 amendment 7 (moved from UK/9/1.5) Row 1 of 1	Type approval requirements — SOLAS 74 Reg. III/4 — SOLAS 74 Reg. X/3 — IMO Res.MSC.36(63)-(1994 HSC Code) 4 — IMO Res.MSC.36(63)-(1994-HSC Code) 8 — IMO Res.MSC.97(73)-(2000 HSC Code) 4 — IMO Res.MSC.97(73)-(2000 HSC Code) 8 Carriage and performance requirements — SOLAS 74 Reg. II-2/12 — SOLAS 74 Reg. II-2/21 — SOLAS 74 Reg. II-2/22 — SOLAS 74 Reg. III/6 — IMO Res. A.1021(26) 5 — IMO Res.48(66)-(LSA Code) VII — IMO Res. MSC.36(63)-(1994 HSC Code) 4, — IMO Res. MSC.36(63)-(1994 HSC Code) 8, — IMO Res. MSC.97(73)-(2000 HSC Code) 4, — IMO Res. MSC.97(73)-(2000 HSC Code) 8, — IMO Res. MSC.302(87), — IMO MSC.1/Circ.808, — IMO MSC.1/Circ.1369/Add.1.	— EN 50695:2021, — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010 +A2:2014 IEC 61162-450:2018, EN IEC 62288:2022, EN 62923-1:2018, EN 62923-2:2018. Or: — EN 50695:2021, — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, — IEC 62288 Ed. 3.0:2021, — IEC 62923-1:2018, — IEC 62923-2:2018.	B+D B+E B+F G	29.03.2023	

<p>UK/1.44b</p> <p>Public Address and General Alarm Systems (PAGA)</p> <ul style="list-style-type: none"> - Speakers <p>(When used as fire alarm device item UK/3.53 shall apply)</p> <p>Note: The certificate shall specify for which of the following categories of ship and systems the equipment is suitable:</p> <p>Ship:</p> <ul style="list-style-type: none"> - Cargo ship - Passenger ship (excluding Safe Return to Port) - Passenger ship (including Safe Return to Port) <p>Systems:</p> <ul style="list-style-type: none"> - General Alarm (GA) systems - Public Address (PA) SYSTEMS <p>New item inserted by MSN 1874 amendment 7 (moved from UK/9/1.5)</p> <p>Row 1 of 1</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/4 — SOLAS 74 Reg. X/3 — IMO Res.MSC.36(63)-(1994 HSC Code) 4 — IMO Res.MSC.36(63)-(1994-HSC Code) 8 — IMO Res.MSC.97(73)-(2000 HSC Code) 4 — IMO Res.MSC.97(73)-(2000 HSC Code) 8 	<ul style="list-style-type: none"> — EN 50695:2021 — EN 60945:2002 incl. IEC 60945 Corr. 1:2008 <p>Or</p> <ul style="list-style-type: none"> — EN 50695:2021 — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008 	<p>B+D B+E B+F G</p>	<p>29.03.2023</p>	
<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-1/12 — SOLAS 74 Reg. II-2/21 — SOLAS 74 II-2/22 — SOLAS 7 4Reg. III/6 — Imo Res. A1021(26) 5 — IMO MSC.48(66)-(LSA Code) VII — IMO Res. MSC.36(63)-(1994 HSC Code) 4 — IMO Res. MSC.36(63)-(1994 HSC Code) 8 — IMO Res. MSC.97(73)-(2000 HSC Code) 4 — IMO Res. MSC.97(73)-(2000 HSC Code) 8 — IMO MSC.1/Circ.808 — IMO MSC.1/Circ.1369/Add.1 					

2. Marine pollution prevention

Number and item designation	Regulations of Marpol 73/78, as amended, and the relevant resolutions and circulars of the IMO, as applicable	Testing standards	Modules for conformity assessment	First placing on the market	Last placing on board
1	2	3	4	5	6
UK/2.1 Oil-filtering equipment (for an oil content of the effluent not exceeding 15 p.p.m.) Row 1 of 1	Type approval requirements — MARPOL 73/78 Annex I, Reg. 14.	— IMO Res.MEPC.107(49), as amended, — IMO MEPC.1/Circ. 643.	B+D B+E B+F		
	Carriage and performance requirements — MARPOL 73/78 Annex I, Reg. 14, — IMO MEPC.1/Circ. 643.				
UK/2.2 Oil/water interface detectors Row 1 of 1	Type approval requirements — MARPOL 73/78 Annex I, Reg. 32.	— IMO Res.MEPC.5(XIII).	B+D B+E B+F		
	Carriage and performance requirements — MARPOL 73/78 Annex I, Reg. 32.				
UK/2.3 Oil-content meters	Type approval requirements — MARPOL 73/78 Annex I, Reg. 14.	— IMO Res.MEPC.107(49), as amended, — IMO MEPC.1/Circ. 643.	B+D B+E		

Row 1 of 1	Carriage and performance requirements — MARPOL 73/78 Annex I, Reg. 14, — IMO MEPC.1/Circ. 643.		B+F		
Item UK/2.4, Process units intended for attachment to existing oil/water separating equipment (for an oil content of the effluent not exceeding 15 p.p.m., - has been deliberately left blank.					
UK/2.5 Oil discharge monitoring and control system for oil tankers Row 1 of 1	Type approval requirements — MARPOL 73/78 Annex I, Reg. 31, — IMO MEPC.1/Circ.858. Carriage and performance requirements — MARPOL 73/78 Annex I, Reg. 31.	— IMO Res. MEPC.108(49), as amended.	B+D B+E B+F		
UK/2.6a Sewage systems (for use by passenger ships in all areas, including a MARPOL Annex IV special area). Row 1 of 1	Type approval requirements — MARPOL 73/78 Annex IV, Reg. 9. Carriage and performance requirements — MARPOL 73/78 Annex IV, Reg. 9.	— IMO Res.MEPC.227(64), including section 4.2.	B+D B+E B+F G	16.3.2017	
UK/2.6b Sewage systems (for use by ships, other than passenger ships, in all areas and by passenger ships outside MARPOL Annex IV special areas).	Type approval requirements — MARPOL 73/78 Annex IV, Reg. 9.	— IMO Res.MEPC.227(64), not including section 4.2.	B+D B+E B+F G	16.3.2017	

Row 1 of 1	Carriage and performance requirements — MARPOL 73/78 Annex IV, Reg. 9.				
UK/2.7 Shipboard incinerators (Incinerator plants with capacities up to 4 000 kW) Row 1 of 1	Type approval requirements — MARPOL 73/78 Annex VI, Reg. 16. Carriage and performance requirements — MARPOL 73/78 Annex VI, Reg. 16.	— IMO Res. MEPC.244(66).	B+D B+E B+F G	16.3.2017	
UK/2.8 NOx analyser permanently placed on board and for use on board as per NOx Technical Code 2008 Row 1 of 1	Type approval requirements — IMO Res. MEPC.176(58) - (Revised MARPOL Annex VI, Reg. 13). Carriage and performance requirements — IMO Res. MEPC.176(58) - (Revised MARPOL Annex VI, Reg. 13), — IMO Res. MEPC.177(58) - (NOx Technical Code 2008), — IMO Res. MEPC.198(62).	— IMO Res. MEPC.177(58) - (NOx Technical code 2008), as amended.	B+D B+E B+F G		
Item UK/2.9, Equipment using technological methods to limit SOx emissions, - moved to UK/9/2.4.					

UK/2.10 On board exhaust gas cleaning systems Row 1 of 2	Type approval requirements — IMO Res. MEPC.176(58) - (Revised MARPOL Annex VI, Reg. 4), — IMO Res.MEPC.259 (68).	— IMO Res.MEPC.259(68).	Scheme A: B+F G Scheme B: G	19.6.2018	01.06.2023 (III)
UK/2.10 On board exhaust gas cleaning systems Row 2 of 2 (NEW ROW)	Type approval requirements — IMO Res. MEPC.328(76) - (Revised MARPOL Annex VI, Reg. 4), — IMO Res.MEPC.259 (68).	— IMO Res. MEPC.340(77)	Scheme A: B+F G Scheme B: G	29.03.2023	
	Carriage and performance requirements - IMO Res. MEPC.328(76) – (Revised MARPOL Annex VI, Reg. 4)				

3. Fire protection equipment

Number and item designation	Regulation SOLAS 74 as amended, and the relevant resolutions and circulars of the IMO, as applicable	Testing standards	Modules for conformity assessment	First placing on the market	Last placing on board
1	2	3	4	5	6
UK/3.1 Primary deck coverings Row 1 of 1	Type approval requirements — SOLAS 74 Reg. II-2/4, — SOLAS 74 Reg. II-2/6, — SOLAS 74 Reg. X/3. Carriage and performance requirements — SOLAS 74 Reg. II-2/4, — SOLAS 74 Reg. II-2/6, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7.	— IMO Res.MSC.307(88)-(2010 FTP Code), as amended.	B+D B+E B+F		
UK/3.2 Portable fire extinguishers Row 1 of 2	Type approval requirements — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSSCode) 4. Carriage and performance requirements — SOLAS 74 Reg. II-2/4, — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. II-2/18, — SOLAS 74 Reg. II-2/19,	—EN 3-7:2004 incl. A1:2007, —EN 3-8:2006 incl. AC:2007, —EN 3-9:2006 incl. AC:2007, —EN 3-10:2009.	B+D B+E B+F		15.08.2025 (II)

	<ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/20, — IMO Res.A.951(23), — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 4, — IMO Res.MSC.391(95)-(IGF Code) 11, — IMO MSC/Circ.1239, — IMO MSC/Circ.1275. 				
UK/3.2 Portable fire extinguishers Row 2 of 2 (NEW ROW)	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSSCode) 4. <p>Carriage and performance requirements</p> <p>SOLAS 74 Reg. II-2/4,</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. II-2/18, — SOLAS 74 Reg. II-2/19, — SOLAS 74 Reg. II-2/20, — IMO Res.A.951(23), — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 4, — IMO Res.MSC.391(95)-(IGF Code) 11, — IMO MSC/Circ.1239, — IMO MSC/Circ.1275. 	<ul style="list-style-type: none"> —EN 3-7:2004 incl. A1:2007, —EN 3-8:2021, —EN 3-9:2006 incl. AC:2007, —EN 3-10:2009. 	B+D B+E B+F	29.03.2023	

<p>UK/3.3a</p> <p>Fire-fighter's outfit: protective clothing (close proximity clothing):</p> <p>Protective non reflective clothing for fire-fighting.</p> <p>Row 1 of 2</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 3. 	<p>— EN 469:2005 incl. A1:2006 and AC:2006</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>		<p>25.08.2024</p> <p>(II)</p>
<p>Row 2 of 2</p>	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/10, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 3. 				
<p>UK/3.3a</p> <p>Fire-fighter's outfit: protective clothing (close proximity clothing):</p> <p>Protective non reflective clothing for fire-fighting.</p> <p>Row 2 of 2</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 3. 	<p>— EN 469:2020</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>25.8.2021</p>	

	<ul style="list-style-type: none"> — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 3. 				
UK/3.3b Fire-fighter's outfit: protective clothing (close proximity clothing): Protective clothing for firefighting: Reflective clothing for specialised fire-fighting. Row 1 of 1	Type approval requirements <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 3. Carriage and performance requirements <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/10, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 3. 	— EN 1486:2007.	B+D B+E B+F		
UK/3.3c Fire-fighter's outfit: protective clothing (close proximity clothing): Protective clothing for firefighting: Protective clothing with a reflective outer	Type approval requirements <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 3. 	— ISO 15538:2001. Note: Level 2.	B+D B+E B+F		

<p>surface. Row 1 of 1</p>	<p>Carriage and performance requirements — SOLAS 74 Reg. II-2/10, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 3.</p>				
<p>UK/3.4 Fire-fighter's outfit: boots Row 1 of 1</p>	<p>Type approval requirements — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 3.</p>	<p>— EN 15090:2012.</p>	<p>B+D B+E B+F</p>		

	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. II-2/15, — IMO Res.MSC.4(48)-(IBC Code) 11, — IMO Res.MSC.5(48)-(IGC Code) 11 — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 3. 				
<p>UK/3.5</p> <p>Fire-fighter's outfit: gloves</p> <p>Row 1 of 1</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 3. 	<p>— EN 659:2003 incl. AC: 2008 and AC:2009.</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>		
	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. II-2/15, — IMO Res.MSC.4(48)-(IBC Code) 11, — IMO Res.MSC.5(48)-(IGC Code) 11, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 3. 				

<p>UK/3.6 Fire-fighter's outfit: helmet Row 1 of 1</p>	<p>Type approval requirements — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 3.</p>	<p>— EN 443:2008.</p>	<p>B+D B+E B+F</p>		
<p>Carriage and performance requirements — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. II-2/15, — IMO Res.MSC.4(48)-(IBC Code) 11, — IMO Res.MSC.5(48)-(IGC Code) 11, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 3.</p>					
<p>UK/3.7 Self-contained compressed-air- operated breathing apparatus Note: For use in accidents involving dangerous goods a positive pressure type mask is required. (Refer to item 7.1)</p>	<p>Type approval requirements — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 3.</p>	<p>— ISO 23269-2:2011 (firefighting - maritime use only). Type 1 mask shall not be used in either UK/3.7 or UK/7.1. Note: Associated fireproof lifeline requested by ISO 23269 § 4.28 shall be UK certified as item UK 3.44 and used in conjunction with the breathing apparatus and capable</p>	<p>B+D B+E B+F</p>		

Row 1 of 1	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. II-2/15, — SOLAS 74 Reg. II-2/19, — IMO Res.MSC.4(48)-(IBC Code) 11, — IMO Res.MSC.5(48)-(IGC Code) 11, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 3, — IMO MSC.1/Circ.1499, — IMO MSC.1/Circ.1555. 	<p>of being attached by means of a snap-hook to the harness of the apparatus or to a separate belt in order to prevent the breathing apparatus becoming detached when the lifeline is operated.</p> <p>The breathing apparatus module B shall indicate the UK fireproof lifeline as mandatory combined component.</p>			
------------	---	---	--	--	--

<p>UK/3.8 Compressed air line breathing apparatus Row 1 of 2</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, <p>Note: This equipment is only for high speed craft built under provisions of the 1994 HSC Code.</p>	<p>— EN 14593-1:2005.</p> <p>Or:</p> <p>— EN 14594:2005 incl. AC:2005.</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>		<p>13.3.2021 (II)</p>
<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — IMO Res.MSC.36(63)-(1994 HSC Code) 7, 					
<p>UK/3.8 Compressed air line breathing apparatus Row 2 of 2</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, <p>Note: This equipment is only for high speed craft built under provisions of the 1994 HSC Code.</p>	<p>— EN 14593-1:2018.</p> <p>Or:</p> <p>— EN 14594:2018.</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>13.9.2019</p>	
<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — IMO Res.MSC.36(63)-(1994 HSC Code) 7, 					

<p>UK/3.9</p> <p>Sprinkler systems components for accommodation spaces, service spaces and control stations equivalent to that referred to in SOLAS 74 Reg. II-2/12 (limited to nozzles and their performance).</p> <p>(Nozzles for fixed sprinkler systems, for high speed craft (HSC) are included under this item).</p> <p>Note: For products used as spare parts of existing installations the relevant standards at the time of placing on board can still be applied.</p> <p>Row 1 of 1</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 8. 	<p>— IMO Res. A.800(19), as amended.</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>		
<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. II-2/9, — SOLAS 74 Reg. II-2/10, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.44(65), — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 8, — IMO MSC/Circ.912, — IMO MSC/Circ. 1556. 					

<p>UK/3.10</p> <p>Nozzles for fixed pressure water spraying fire extinguishing systems for machinery spaces and cargo pump-rooms</p> <p>Note: For products used as spare parts of existing installations the relevant standards at the time of placing on board can still be applied.</p> <p>Row 1 of 1</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 7. 	<p>— IMO MSC/Circ.1165, as amended.</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>		
<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/10, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 7, — IMO Res.MSC.391(95)-(IGF Code) 11), — IMO MSC.1/Circ.1313. 					
<p>UK/3.11a</p> <p>'A' & 'B' Class divisions fire integrity:</p> <p>'A' class divisions.</p> <p>Row 1 of 2</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/3.2, — IMO MSC/Circ.1120. 	<p>— IMO Res.MSC.307(88)-(2010 FTP Code), as amended,</p> <p>— IMO MSC.1/Circ.1435.</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>		<p>15.8.2025 (III)</p>

	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/3.2. — SOLAS 74 Reg. II-2/9, — IMO MSC/Circ.1120, — IMO MSC.1/Circ.1434. — IMO MSC.1/Circ.1616 				
<p>UK/3.11a</p> <p>'A' and 'B' Class divisions fire integrity:</p> <p>'A' class division</p> <p>Row 2 of 2</p> <p>(NEW ROW)</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/3.2, — IMO MSC/Circ.1120. 	<ul style="list-style-type: none"> — IMO Res. MSC.307(88)-(2010 FTP Code), as amended — IMO MSC.1/Circ.1435 	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>29.03.2023</p>	
	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/3.2 — SOLAS 74 Reg. II-2/9 — IMO MSC/Circ.1120 — IMO MSC.1/Circ.1434 — IMO MSC.1/Circ.1616 — IMO MSC.1/Circ.1621 				
<p>UK/3.11b</p> <p>'A' & 'B' Class divisions fire integrity:</p> <p>'B' class divisions.</p> <p>Note: Where a B class bulkhead has been</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/3.4, — IMO MSC/Circ.1120. 	<ul style="list-style-type: none"> — IMO Res.MSC.307(88)-(2010 FTP Code), as amended. 	<p>B+D</p> <p>B+E</p> <p>B+F</p>		

<p>tested from only one side and has been designed to be installed with the untested side adjacent to the untested side of another B class bulkhead, the type-examination certificate shall include the conditions under which it can be installed onboard ensuring that the level of protection indicated in the relevant fire integrity tables included in SOLAS Chapter II-2/Reg.9.2 Thermal and Structural Boundaries is always fulfilled.</p> <p>Row 1 of 1</p>	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/3.4, — SOLAS 74 Reg. II-2/9, — IMO MSC/Circ.1120, — IMO MSC.1/Circ.1581. 				
<p>UK/3.12a</p> <p>Devices to prevent the passage of flame into the cargo tanks in tankers:</p> <ul style="list-style-type: none"> — P/V valves <p>Row 1 of 2</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/4, — SOLAS 74 Reg. II-2/16. 	<ul style="list-style-type: none"> — IMO MSC/Circ.677, as amended, — EN ISO 16852:2016, — ISO 15364:2016. 	B+F	19.6.2018	25.8.2024 (III)
<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/4, — SOLAS 74 Reg. II-2/16. — IMO Res. MSC.98(73)-(FSS Code) 15. 					
<p>UK/3.12a</p> <p>Devices to prevent the passage of flame into the cargo tanks in tankers:</p> <ul style="list-style-type: none"> — P/V valves <p>Row 2 of 2</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/4, — SOLAS 74 Reg. II-2/16. 	<ul style="list-style-type: none"> — IMO MSC/Circ.677, (as amended), — EN ISO 16852:2016, — ISO 15364:2021. 	B+F	25.8.2021	
<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/4, — SOLAS 74 Reg. II-2/16. 					

	— IMO Res. MSC.98(73)-(FSS Code) 15.				
UK/3.12b Devices to prevent the passage of flame into the cargo tanks in tankers: — flame arresters Row 1 of 1	Type approval requirements — SOLAS 74 Reg. II-2/4, — SOLAS 74 Reg. II-2/16. Carriage and performance requirements — SOLAS 74 Reg. II-2/4, — SOLAS 74 Reg. II-2/16. — IMO Res. MSC.98(73)-(FSS Code) 15.	— IMO MSC/Circ.677, as amended, — EN ISO 16852:2016.	B+D B+E B+F	19.6.2018	
UK/3.12c Devices to prevent the passage of flame into the cargo tanks in tankers: — Detonation flame arresters Row 1 of 1	Type approval requirements — SOLAS 74 Reg. II-2/4, — SOLAS 74 Reg. II-2/16. Carriage and performance requirements — SOLAS 74 Reg. II-2/4, — SOLAS 74 Reg. II-2/16. — IMO Res. MSC.98(73)-(FSS Code) 15.	— IMO MSC/Circ.677, as amended. — EN ISO 16852:2016.	B+D B+E B+ F	19.6.2018	

<p>UK/3.12d</p> <p>Devices to prevent the passage of flame into the cargo tanks in tankers:</p> <ul style="list-style-type: none"> — High velocity vent valves <p>Row 1 of 2</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/4, — SOLAS 74 Reg. II-2/16. 	<ul style="list-style-type: none"> — IMO MSC/Circ.677, as amended, — EN ISO 16852:2016, — ISO 15364:2016. 	<p>B+F</p>	<p>19.6.2018</p>	<p>25.8.2024 (III)</p>
<p>Row 2 of 2</p>	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/4, — SOLAS74 Reg. II-2/16. — IMO Res. MSC.98(73)-(FSS Code) 15. 				
<p>UK/3.12d</p> <p>Devices to prevent the passage of flame into the cargo tanks in tankers:</p> <ul style="list-style-type: none"> — High velocity vent valves <p>Row 2 of 2</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/4, — SOLAS 74 Reg. II-2/16. 	<ul style="list-style-type: none"> — IMO MSC/Circ.677, as amended, — EN ISO 16852:2016, — ISO 15364:2021. 	<p>B+F</p>	<p>25.8.2021</p>	
<p>Row 2 of 2</p>	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/4, — SOLAS74 Reg. II-2/16. — IMO Res. MSC.98(73)-(FSS Code) 15. 				
<p>UK/3.13</p> <p>Non-combustible materials</p> <p>Row 1 of 1</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/3, — SOLAS 74 Reg. X/3. 	<ul style="list-style-type: none"> — IMO Res.MSC.307(88)-(2010 FTP Code), as amended. 	<p>B+D</p> <p>B+E</p> <p>B+F</p>		

	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/3, — SOLAS 74 Reg. II-2/5, — SOLAS 74 Reg. II-2/9, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7. 				
UK/3.14, Materials other than steel for pipes penetrating "A" and "B" Class divisions – Item included in UK/3.26 and UK/3.27.					
<p>UK/3.15a</p> <p>Materials other than steel for pipes conveying oil or fuel oil:</p> <ul style="list-style-type: none"> — plastic pipes and fittings. <p>Row 1 of 1</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/4, — SOLAS 74 Reg. X/3. 	<ul style="list-style-type: none"> — IMO Res.A.753(18), as amended, — IMO Res.MSC.307(88)-(2010 FTP Code), as amended. 	<p>B+D</p> <p>B+E</p> <p>B+F</p>		
	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/4, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.36(63)-(1994 HSC Code) 10, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 10, — IMO MSC/Circ.1120. 				

<p>UK/3.15b</p> <p>Materials other than steel for pipes conveying oil or fuel oil:</p> <ul style="list-style-type: none"> — valves <p>Row 1 of 1</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/4, — SOLAS 74 Reg. X/3. <hr/> <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/4, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.36(63)-(1994 HSC Code) 10, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 10, — IMO MSC/Circ.1120. 	<p>— EN ISO 10497:2010.</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>		
<p>UK/3.15c</p> <p>Materials other than steel for pipes conveying oil or fuel oil:</p> <ul style="list-style-type: none"> — flexible pipe assemblies and 	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/4, — SOLAS 74 Reg. X/3. 	<p>—ISO 15540:2016,</p> <p>—ISO 15541:2016</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>19.06.2018</p>	

<p>compensators.</p> <p>Row 1 of 1</p>	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/4, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.36(63)-(1994 HSC Code) 10, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 10, — IMO MSC/Circ.1120. 				
<p>UK/3.15d</p> <p>Materials other than steel for pipes conveying oil or fuel oil:</p> <ul style="list-style-type: none"> — metallic pipe components with resilient and elastomeric seals. <p>Note: For products used as spare parts of existing installations the relevant standards at the time of placing on board can still be applied.</p> <p>Row 1 of 1</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/4, — SOLAS 74 Reg. X/3. <hr/> <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/4, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.36(63)-(1994 HSC Code) 10, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 10, — IMO MSC/Circ.1120, 	<ul style="list-style-type: none"> — ISO 19921:2005, — ISO 19922:2005. 	<p>B+D</p> <p>B+E</p> <p>B+F</p>		

	— IMO MSC/Circ.1527.				
UK/3.16 Fire Doors Note: Fire door control system components are subject to conformity assessment according to item UK/3.17. Row 1 of 1	Type approval requirements — SOLAS 74 Reg. II-2/9. Carriage and performance requirements — SOLAS 74 Reg. II-2/9, — IMO MSC.1/Circ.1511.	— IMO Res.MSC.307(88)-(2010 FTP Code), as amended, — IMO MSC.1/Circ.1319	B+D B+E B+F		
UK/3.17 Fire door control systems components. Note: When the term "system components" is used it may be that a single component, a group of components or a whole system needs to be tested to ensure that the international requirements are fulfilled. Note: For products used as spare parts of existing installations the relevant standards at the time of placing on board can still be applied. Row 1 of 1	Type approval requirements — SOLAS 74 Reg. II-2/9, — SOLAS 74 Reg. X/3. Carriage and performance requirements — SOLAS 74 Reg. II-2/9, — IMO Res.MSC.97(73)-(2000 HSC Code) 7.	— IMO Res.MSC.307(88)-(2010 FTP Code), as amended.	B+D B+EB+ F		

<p>UK/3.18a</p> <p>Surface materials and floor coverings with low flame-spread characteristics:</p> <ul style="list-style-type: none"> — decorative veneers. <p>Row 1 of 1</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/3, — SOLAS 74 Reg. II-2/5, — SOLAS 74 Reg. II-2/6, — SOLAS 74 Reg. X/3. 	<p>— IMO Res.MSC.307(88)-(2010 FTP Code), as amended.</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>		
<p>UK/3.18b</p> <p>Surface materials and floor coverings with low flame-spread characteristics:</p> <ul style="list-style-type: none"> — paint systems. <p>Row 1 of 1</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/3, — SOLAS 74 Reg. II-2/5, — SOLAS 74 Reg. II-2/6, — SOLAS 74 Reg. X/3. 	<p>— IMO Res.MSC.307(88)-(2010 FTP Code), as amended.</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>		

	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/3, — SOLAS 74 Reg. II-2/5, — SOLAS 74 Reg. II-2/6, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO MSC/Circ.1120. 				
<p>UK/3.18c</p> <p>Surface materials and floor coverings with low flame-spread characteristics:</p> <ul style="list-style-type: none"> — floor coverings. <p>Row 1 of 1</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/3, — SOLAS 74 Reg. II-2/5, — SOLAS 74 Reg. II-2/6, — SOLAS 74 Reg. X/3. 	<p>— IMO Res.MSC.307(88)-(2010 FTP Code), as amended.</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>		
	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/3, — SOLAS 74 Reg. II-2/5, — SOLAS 74 Reg. II-2/6, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO MSC/Circ.1120. 				

<p>UK/3.18d</p> <p>Surface materials and floor coverings with low flame-spread characteristics:</p> <ul style="list-style-type: none"> — pipe insulation covers. <p>Row 1 of 1</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/3, — SOLAS 74 Reg. II-2/5, — SOLAS 74 Reg. X/3. <hr/> <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/3, — SOLAS 74 Reg. II-2/5, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO MSC/Circ.1120. 	<p>— IMO Res.MSC.307(88)-(2010 FTP Code), as amended.</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>		
<p>UK/3.18e</p> <p>Surface materials and floor coverings with low flame-spread characteristics:</p> <ul style="list-style-type: none"> — adhesives used in the construction of 'A', 'B' & 'C' class divisions. <p>Row 1 of 1</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/3, — SOLAS 74 Reg. II-2/5, — SOLAS 74 Reg. II-2/9, — SOLAS 74 Reg. X/3. 	<p>— IMO Res.MSC.307(88)-(2010 FTP Code), as amended.</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>		

	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/3, — SOLAS 74 Reg. II-2/5, — SOLAS 74 Reg. II-2/9, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO MSC/Circ.1120. 				
<p>UK/3.18f</p> <p>Surface materials and floor coverings with low flame-spread characteristics:</p> <ul style="list-style-type: none"> — combustible ducts membrane. <p>Row 1 of 1</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/3, — SOLAS 74 Reg. II-2/5, — SOLAS 74 Reg. II-2/9, — SOLAS 74 Reg. X/3. 	<p>— IMO Res.MSC.307(88)-(2010 FTP Code), as amended.</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>		

	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/3, — SOLAS 74 Reg. II-2/5, — SOLAS 74 Reg. II-2/9, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO MSC/Circ.1120. 				
<p>UK/3.19</p> <p>Draperies, curtains and other suspended textile materials and films</p> <p>Row 1 of 1</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/3, — SOLAS 74 Reg. II-2/9, — SOLAS 74 Reg. X/3. 	<ul style="list-style-type: none"> — IMO Res.MSC.307(88)-(2010 FTP Code), as amended, — IMO MSC.1/Circ.1456, as amended. 	<p>B+D</p> <p>B+E</p> <p>B+F</p>		
<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/3, — SOLAS 74 Reg. II-2/9, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7. 					

<p>UK/3.20</p> <p>— Upholstered furniture</p> <p>Row 1 of 1</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/3, — SOLAS 74 Reg. II-2/5, — SOLAS 74 Reg. II-2/9, — SOLAS 74 Reg. X/3. 	<p>— IMO Res.MSC.307(88)-(2010 FTP Code), as amended.</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>		<p>12.8.2023</p> <p>(I)</p>
<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/3, — SOLAS 74 Reg. II-2/5, — SOLAS 74 Reg. II-2/9, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7. 					
<p>UK/3.20a</p> <p>Upholstered furniture:</p> <ul style="list-style-type: none"> — complete piece of furniture (including cover material, filling material and non-combustible rack). <p>Row 1 of 1</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/3, — SOLAS 74 Reg. II-2/5, — SOLAS 74 Reg. II-2/9, — SOLAS 74 Reg. X/3. 	<p>— IMO Res.MSC.307(88)-(2010 FTP Code), as amended.</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>12.8.2020</p>	

	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/3, — SOLAS 74 Reg. II-2/5, — SOLAS 74 Reg. II-2/9, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7. 				
<p>UK/3.20b</p> <p>Upholstered furniture:</p> <ul style="list-style-type: none"> — cover material for any filling material. <p>Row 1 of 1</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/3, — SOLAS 74 Reg. II-2/5, — SOLAS 74 Reg. II-2/9, — SOLAS 74 Reg. X/3. 	<p>— IMO Res.MSC.307(88)-(2010 FTP Code), Annex 1 Part 8 Appendix 3, as amended.</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>12.8.2020</p>	
	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/3, — SOLAS 74 Reg. II-2/5, — SOLAS 74 Reg. II-2/9, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, 				

<p>UK/3.20c</p> <p>Upholstered furniture:</p> <ul style="list-style-type: none"> — cover material for flame-retardant filling material (tested in specific combination as intended for further application). <p>Row 1 of 1</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/3, — SOLAS 74 Reg. II-2/5, — SOLAS 74 Reg. II-2/9, — SOLAS 74 Reg. X/3. 	<p>— IMO Res.MSC.307(88)-(2010 FTP Code), Annex 1 Part 8 Appendix 3, as amended.</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>12.8.2020</p>	
<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/3, — SOLAS 74 Reg. II-2/5, — SOLAS 74 Reg. II-2/9, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7. 					
<p>UK/3.20d</p> <p>Upholstered furniture:</p> <ul style="list-style-type: none"> — flame-retardant filling material. <p>Row 1 of 1</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/3, — SOLAS 74 Reg. II-2/5, — SOLAS 74 Reg. II-2/9, — SOLAS 74 Reg. X/3. 	<p>— IMO Res.MSC.307(88)-(2010 FTP Code), Annex 1 Part 8 Appendix 3, as amended.</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>12.8.2020</p>	
<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/3, 					

	<ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/5, — SOLAS 74 Reg. II-2/9, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7. 				
UK/3.21 Bedding components Note: For products used as spare parts of existing installations the relevant standards at the time of placing on board can still be applied. Row 1 of 1	Type approval requirements <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/3, — SOLAS 74 Reg. II-2/9, — SOLAS 74 Reg. X/3. <hr/> Carriage and performance requirements <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/3, — SOLAS 74 Reg. II-2/9, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7. 	— IMO Res.MSC.307(88)-(2010 FTP Code), as amended.	B+D B+E B+F		
UK/3.22 Fire dampers Row 1 of 1	Type approval requirements <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/9. <hr/> Carriage and performance requirements <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/9. 	— IMO Res.MSC.307(88)-(2010 FTP Code), as amended.	B+D B+E B+F		

Item UK/3.23, Non-combustible duct penetrations through 'A' class divisions - Item deliberately left blank.					
Item UK/3.24, Electric cable transits through 'A' class divisions — Item deliberately left blank.					
UK/3.25 "A" and "B" class fire proof windows and side scuttles Row 1 of 1	Type approval requirements — SOLAS 74 Reg. II-2/9. Carriage and performance requirements — SOLAS 74 Reg. II-2/9, — IMO Res.MSC.5(48)-(IGC Code) 3, — IMO MSC/Circ.1120.	— IMO Res.MSC.307(88)-(2010 FTP Code), as amended.	B+D B+E B+F		
UK/3.26a Penetrations through 'A' class divisions: electric cable transits. Row 1 of 1	Type approval requirements — SOLAS 74 Reg. II-2/9. Carriage and performance requirements — SOLAS 74 Reg. II-2/9.	— IMO Res.MSC.307(88)-(2010 FTP Code), as amended, — IMO Res.MSC.1/Circ. 1488.	B+D B+E B+F		
UK/3.26b Penetrations through 'A' class divisions: pipe, duct, trunk, etc. penetrations. Row 1 of 1	Type approval requirements — SOLAS 74 Reg. II-2/9. Carriage and performance requirements — SOLAS 74 Reg. II-2/9, — IMO MSC.1/Circ. 1276.	— IMO Res.MSC.307(88)-(2010 FTP Code), as amended, — IMO MSC.1/Circ. 1488.	B+D B+E B+F		

<p>UK/3.26c</p> <p>Penetrations through 'A' class divisions:</p> <ul style="list-style-type: none"> - busbar trunking penetration systems <p>Row 1 of 1</p> <p>New item inserted by MSN 1874 amendment 7</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> - SOLAS 74 Reg. 11-2/9. <hr/> <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> - SOLAS 74 Reg. II-2/9. 	<ul style="list-style-type: none"> - IMO Res. MSC.307(88)-(2010 FTP Code), as amended, - IMO MSC.1/Circ.1488. 	<p>B+D</p> <p>B+E</p> <p>B+F</p>		
<p>UK/3.27a</p> <p>Penetrations through 'B' class divisions:</p> <ul style="list-style-type: none"> - electric cable transits, <p>Row 1 of 1</p>	<p>Type approval requirements</p> <p>— SOLAS 74 Reg. II-2/9.</p> <hr/> <p>Carriage and performance requirements</p> <p>— SOLAS 74 Reg. II-2/9.</p>	<p>— IMO Res.MSC.307(88)-(2010 FTP Code), as amended.</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>		
<p>UK/3.27b</p> <p>Penetrations through 'B' class divisions:</p> <ul style="list-style-type: none"> - pipe, duct, trunk, etc. penetrations. <p>Row 1 of 1</p>	<p>Type approval requirements</p> <p>— SOLAS 74 Reg. II-2/9.</p> <hr/> <p>Carriage and performance requirements</p> <p>— SOLAS 74 Reg. II-2/9.</p>	<p>— IMO Res.MSC.307(88)-(2010 FTP Code), as amended.</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>		

<p>UK/3.28 Sprinkler systems (limited to sprinkler heads). (Nozzles for fixed sprinkler systems, for high speed craft (HSC) are included under this item).</p> <p>Note: For products used as spare parts of existing installations the relevant standards at the time of placing on board can still be applied.</p> <p>Row 1 of 2</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. X/3. <hr/> <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. II-2/10, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.44(65), — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 8, — IMO MSC/Circ.912, — IMO MSC.1/Circ.1556. 	<p>— ISO 6182-1:2014.</p> <p>Or:</p> <ul style="list-style-type: none"> — EN 12259-1:1999 incl. A1:2001, A2:2004 and A3:2006. 	<p>B+D</p> <p>B+E</p> <p>B+F</p>		
<p>UK/3.28 Sprinkler systems (limited to sprinkler heads) (Nozzles for fixed sprinkler systems, for high speed craft (HSC) are included under this</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> - SOLAS 74 Reg. II-2/7, - SOLAS 74 Reg. II-2/10, - SOLAS 74 Reg. X/3. 	<ul style="list-style-type: none"> - ISO 6182-1:2021, <p>Or:</p> <ul style="list-style-type: none"> - EN 12259-1:1999 incl. A1:2001, A2:2004 and A3:2006 	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>29.03.2023</p>	

<p>item).</p> <p>Note: For products used as spare parts of existing installations the relevant standards at the time of placing on board can still be applied</p> <p>Row 2 of 2</p> <p>(NEW ROW)</p>	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> - SOLAS 74 Reg. II-2/7, - SOLAS 74 Reg. II-2/10, - IMO Res. MSC.36(63)-(1994 HSC Code) 7, - IMO Res. MSC.44(65), - IMO Res. MSC.97(73)-(2000 HSC Code) 7, - IMO Res. MSC.98(73)-(FSS Code) 8, - IMO MSC/Circ.912, - IMO MSC.1/Circ.1556 				
<p>UK/3.29</p> <p>Fire-fighting hoses:</p> <p>Non-percolating lay flat firefighting hoses (range of the inside diameter from 25 mm to 52 mm).</p> <p>Row 1 of 1</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. X/3. <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/10, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7. 	<p>— EN 14540:2014.</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>		

<p>UK/3.30a</p> <p>Portable oxygen analysis and gas detection equipment:</p> <p>category 1: (safe area)</p> <p>Row 1 of 2</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/4, — SOLAS 74 Reg. VI/3, — SOLAS 74 Reg. XI-1/7. 	<ul style="list-style-type: none"> — EN 50104:2010, — EN 60079-29-1:2016, — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, or IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 60092-504:2016, — IEC 60533:2015. 	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>12.8.2020</p>	<p>25.8.2024</p> <p>(II)</p>
<p>UK/3.30a</p> <p>Portable oxygen analysis and gas detection equipment:</p> <ul style="list-style-type: none"> — category 1: (safe area) <p>Row 2 of 2</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> SOLAS 74 Reg. II-2/4, SOLAS 74 Reg. VI/3, SOLAS 74 Reg. XI-1/7. 	<ul style="list-style-type: none"> — EN 50104:2019, — EN 60079-29-1:2016, — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, or IEC 60945:2002 incl. IEC 60945 Corr. 1 :2008, — IEC 60092-504:2016, — IEC 60533:2015, 	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>25.8.2021</p>	

	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/4, — SOLAS 74 Reg. VI/3, — SOLAS 74 Reg. XI-1/7. — IMO Res.MSC.98(73)-(FSS Code) 15, — IMO MSC.1/Circ.1477, — IMO MSC.1/Circ.1581. 				
<p>UK/3.30b</p> <p>Portable oxygen analysis and gas detection equipment</p> <ul style="list-style-type: none"> — category 2: (explosive gas atmospheres) <p>Row 1 of 3</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/4, — SOLAS 74 Reg. VI/3, — SOLAS 74 Reg. XI-1/7. 	<ul style="list-style-type: none"> — EN 50104:2010, — EN 60079-29-1:2016, — EN IEC 60079-0:2018, — EN 60079-1:2014, — EN 60079-10-1:2015, — EN 60079-11:2012, — EN 60079-15:2010, — EN 60079-26:2015. — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, or IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 60092-504:2016, — IEC 60533:2015. 	<p>B+D</p> <p>B+E</p> <p>B+F</p>	12.8.2020	25.8.2024 (II)
	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/4, — SOLAS 74 Reg. VI/3, — SOLAS 74 Reg. XI-1/7. — IMO Res.MSC.98(73)-(FSS Code) 15, — IMO MSC.1/Circ.1477, — — IMO MSC.1/Circ.1581. 				

<p>UK/3.30b</p> <p>Portable oxygen analysis detection equipment:</p> <ul style="list-style-type: none"> — category 2: (explosive gas atmospheres) <p>Row 2 of 3</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/4, — SOLAS 74 Reg. VI/3, — SOLAS 74 Reg. XI-1/7. 	<ul style="list-style-type: none"> - EN 50104:2019 - EN 60079-29-1:2016, - EN IEC 60079-0:2018, incl. AC:2020, - EN 60079-1:2014, - EN 60079-10-1:2015 - EN 60079-11:2012 - EN 60079-15:2010, - EN 60079-26:2015. - EN 60945:2002 incl. IEC 60945 Corr. 1:2008, or IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, - IEC 60092-504:2016, - IEC 60533:2015. 	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>25.8.2021</p>	<p>15.8.2025</p> <p>(II)</p>
<p>UK/3.30b</p> <p>Portable oxygen analysis and/or gas detection equipment:</p> <ul style="list-style-type: none"> - category 2: (explosive gas atmospheres) <p>Row 3 of 3</p> <p>(NEW ROW)</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> - SOLAS 74 Reg. II-2/4, - SOLAS 74 Reg. VI/3, - SOLAS 74 Reg. XI-1(7). 	<ul style="list-style-type: none"> - EN 50104:2019, - EN 60079-29-1:2016, - EN IEC 60079-0:2018, incl. AC:2020, - EN 60079-1:2014, incl.AC:2018-09, - EN 60079-10-1:2021, - EN 60079-11:2012, - EN 60079-15:2010, - EN 60079-26:2015, - EN 60945:2002 incl. IEC 60945 Corr. 1:2008, or IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, - IEC 60092-504:2016, - IEC 60533:2015. 	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>29.03.2023</p>	
<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> - SOLAS 74 Reg. II-2/4, - SOLAS 74 Reg. VI/3, - SOLAS 74 Reg. XI-1/7, - IMO Res. MSC.98(73)-(FSS Code) 15, - IMO MSC.1/Circ.1477, - IMO MSC.1/Circ.1581. 					

	- IMO MSC.1/Circ.1581.				
Item UK/3.31, Nozzles for fixed sprinkler systems for high speed craft ((HSC), deleted as it is covered by UK/3.9 and UK/3.28.					
UK/3.32 Fire restricting materials (except furniture) for high speed craft Row 1 of 1	Type approval requirements — SOLAS 74 Reg. X/3. Carriage and performance requirements — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO MSC.1/Circ.1457.	— IMO Res.MSC.307(88)-(2010 FTP Code), as amended.	B+D B+E B+F		
UK/3.33 Fire restricting materials for furniture for high speed craft Row 1 of 1	Type approval requirements — SOLAS 74 Reg. X/3. Carriage and performance requirements — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7.	— IMO Res.MSC.307(88)-(2010 FTP Code), as amended.	B+D B+E B+F		

<p>UK/3.34</p> <p>Fire resisting divisions for high speed craft</p> <p>Row 1 of 1</p>	<p>Type approval requirements</p> <p>— SOLAS 74 Reg. X/3.</p>	<p>— IMO Res.MSC.307(88)-(2010 FTP Code), as amended.</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>		
<p>Carriage and performance requirements</p> <p>— IMO Res.MSC.36(63)-(1994 HSC Code) 7,</p> <p>— IMO Res.MSC.97(73)-(2000 HSC Code) 7,</p> <p>— IMO MSC.1/Circ.1457.</p>					
<p>UK/3.35</p> <p>Fire doors on high speed craft</p> <p>Row 1 of 1</p> <p>Note: Fire door control system components are subject to conformity assessment according to item UK/3.17.</p>	<p>Type approval requirements</p> <p>— SOLAS 74 Reg. X/3.</p>	<p>— IMO Res.MSC.307(88)-(2010 FTP Code), as amended.</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>		
<p>Carriage and performance requirements</p> <p>— IMO Res.MSC.36(63)-(1994 HSC Code) 7,</p> <p>— IMO Res.MSC.97(73)-(2000 HSC Code) 7.</p>					
<p>UK/3.36</p> <p>Fire dampers on high speed craft</p>	<p>Type approval requirements</p> <p>— SOLAS 74 Reg. X/3.</p>	<p>— IMO Res.MSC.307(88)-(2010 FTP Code), as amended.</p>	<p>B+D</p> <p>B+E</p>		

Row 1 of 1	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7. 		B+F		
<p>UK/3.37a</p> <p>Penetrations through fire resisting divisions on high speed craft:</p> <p>electric cable transits.</p> <p>Row 1 of 1</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. X/3. 	<p>— IMO Res.MSC.307(88)-(2010 FTP Code), as amended.</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>		
	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7. 				
<p>UK/3.37b</p> <p>Penetrations through fire resisting divisions on high speed craft:</p> <p>pipe, duct, trunk etc. penetrations.</p> <p>Row 1 of 1</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. X/3. 	<p>—IMO Res.MSC.307(88)-(2010 FTP Code), as amended.</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>		
	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7. 				

<p>UK/3.38 Portable fire-extinguishing equipment for lifeboats and rescue boats</p> <p>Row 1 of 2</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3. 	<ul style="list-style-type: none"> — EN 3-7:2004 incl. A1: 2007 — EN 3-8: 2006 incl. AC:2007 — EN 3-9:2006 incl. AC: 2007 — EN 3-10:2009. 	<p>B+D</p> <p>B+E</p> <p>B+F</p>		<p>15.08.2025 (II)</p>
<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/34, — IMO Res.A.951(23), — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) IV, — IMO Res.MSC.48(66)-(LSA Code) V, — IMO Res.MSC.97(73)-(2000 HSC Code) 8. 					
<p>UK/3.38 Portable fire-extinguishing equipment for lifeboats and rescue boats</p> <p>Row 2 of 2 (NEW ROW)</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3. 	<ul style="list-style-type: none"> — EN 3-7:2004 incl. A1: 2007 — EN 3-8: 2021 — EN 3-9:2006 incl. AC: 2007 — EN 3-10:2009. 	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>29.03.2023</p>	
<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/34, — IMO Res.A.951(23), — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) IV, — IMO Res.MSC.48(66)-(LSA Code) V, — IMO Res.MSC.97(73)-(2000 HSC Code) 8. 					

<p>UK/3.39</p> <p>Nozzles for equivalent water-mist fire extinguishing systems for machinery spaces and cargo pump rooms</p> <p>Row 1 of 1</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 7. <hr/> <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/10, — IMO Res.MSC.36(63)-(1994 HSC Code) 7 — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 7, — IMO MSC.1/Circ.1313, — IMO MSC.1/Circ.1458. 	<p>— IMO MSC/Circ.1165, as amended.</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>		
<p>UK/3.40</p> <p>Low-location lighting systems (components only)</p> <p>Note: For products used as spare parts of existing installations the relevant standards at the time of placing on board can still be applied.</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/13, — IMO Res.MSC.98(73)-(FSS Code) 11. <hr/> <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/13, 	<p>—IMO Res.A.752(18),</p> <p>— ISO 15370:2010.</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>		<p>25.8.2024</p> <p>(II)</p>

Row 1 of 2	<ul style="list-style-type: none"> — IMO Res.A.752(18), — IMO Res.MSC.98(73)-(FSS Code) 11. 				
UK/3.40 Low-location lighting systems (components only) Note: For products used as spare parts of existing installations the relevant standards at the time of placing on board can still be applied. Row 2 of 2	Type approval requirements <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/13, — IMO Res.MSC.98(73)-(FSS Code) 11. <hr/> Carriage and performance requirements <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/13, — IMO Res.A.752(18), — IMO Res.MSC.98(73)-(FSS Code) 11. 	—IMO Res.A.752(18), — ISO 15370:2021.	B+D B+E B+F	25.8.2021	
UK/3.41a	Type approval requirements <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/13. 	— ISO 23269-1:2008, — EN 402:2003.	B+D B+E		

<p>Emergency escape breathing devices (EEBD):</p> <ul style="list-style-type: none"> — Self-contained open-circuit compressed air breathing apparatus with full mask or mouthed piece assembly for escape <p>Row 1 of 1</p>	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/13, — IMO Res.MSC.98(73)-(FSS Code) 3, — IMO MSC/Circ.849. 		<p>B+F</p>		
<p>UK/3.41b</p> <p>Emergency escape breathing devices (EEBD):</p> <ul style="list-style-type: none"> — Self-contained open-circuit compressed air breathing apparatus with a hood for escape <p>Row 1 of 1</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/13. <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/13, — IMO Res.MSC.98(73)-(FSS Code) 3, — IMO MSC/Circ.849. 	<ul style="list-style-type: none"> — ISO 23269-1:2008, — EN 1146:2005. 	<p>B+D</p> <p>B+E</p> <p>B+F</p>		
<p>UK/3.41c</p> <p>Emergency escape breathing devices (EEBD):</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/13. 	<ul style="list-style-type: none"> — ISO 23269-1:2008, — EN 13794:2002 	<p>B+D</p> <p>B+E</p> <p>B+F</p>		

<p>— Self-contained open-circuit compressed air breathing apparatus</p> <p>Row 1 of 1</p>	<p>Carriage and performance requirements</p> <p>— SOLAS 74 Reg. II-2/13,</p> <p>— IMO Res.MSC.98(73)-(FSS Code) 3,</p> <p>— IMO MSC/Circ.849.</p>				
<p>UK/3.42a</p> <p>Inert gas systems: Whole system.</p> <p>Row 1 of 1</p>	<p>Type approval requirements</p> <p>— SOLAS 74 Reg. II-2/4.</p> <hr/> <p>Carriage and performance requirements</p> <p>— SOLAS 74 Reg. II-2/4,</p> <p>— IMO Res.A.567(14),</p> <p>— IMO Res.MSC.98(73)-(FSS Code) 15,</p> <p>— IMO MSC/Circ.353,</p> <p>— IMO MSC/Circ.485,</p> <p>— IMO MSC/Circ.731,</p> <p>— IMO MSC/Circ.1120.</p>	<p>— IMO MSC/Circ.353, as amended.</p>	<p>G</p>	<p>12.8.2020</p>	
<p>UK/3.42b</p> <p>Inert gas system:</p>	<p>Type approval requirements</p> <p>— SOLAS 74 Reg. II-2/4.</p>	<p>— IMO MSC/Circ.353, as amended.</p>	<p>B+D</p> <p>B+E</p>		

<p>— Single components:</p> <p>— inert gas scrubbers</p> <p>Note: For products used as spare parts of existing installations the relevant standards at the time of placing on board can still be applied.</p> <p>Row 1 of 1</p>	<p>Carriage and performance requirements</p> <p>— SOLAS 74 Reg. II-2/4,</p> <p>— IMO Res.A.567(14),</p> <p>— IMO Res.MSC.98(73)-(FSS Code) 15,</p> <p>— IMO MSC/Circ.353,</p> <p>— IMO MSC/Circ.485,</p> <p>— IMO MSC/Circ.731,</p> <p>— IMO MSC/Circ.1120.</p>		<p>B+F</p> <p>G</p>		
<p>UK/3.42c</p> <p>Inert gas system:</p> <p>— Single components:</p> <p>— inert gas blowers</p> <p>Note: For products used as spare parts of existing installations the relevant standards at the time of placing on board can still be applied.</p> <p>Row 1 of 1</p>	<p>Type approval requirements</p> <p>— SOLAS 74 Reg. II-2/4.</p> <hr/> <p>Carriage and performance requirements</p> <p>— SOLAS 74 Reg. II-2/4,</p> <p>— IMO Res.A.567(14),</p> <p>— IMO Res.MSC.98(73)-(FSS Code) 15,</p> <p>— IMO MSC/Circ.353,</p> <p>— IMO MSC/Circ.485,</p> <p>— IMO MSC/Circ.731,</p> <p>— IMO MSC/Circ.1120.</p>	<p>— IMO MSC/Circ.353, as amended.</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p> <p>G</p>		

<p>UK/3.43</p> <p>Nozzles for deep fat cooking equipment fire extinguishing systems (automatic or manual type).</p> <p>Note: For products used as spare parts of existing installations the relevant standards at the time of placing on board can still be applied.</p> <p>Row 1 of 2</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/1, — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. X/3. <hr/> <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/1, — SOLAS 74 Reg. II-2/10, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO MSC.1/Circ.1433. 	<p>— ISO 15371:2009.</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>		<p>15.11.2018 (II)</p>
<p>UK/3.43</p> <p>Nozzles for deep fat cooking equipment fire extinguishing systems (automatic or manual type).</p> <p>Note: For products used as spare parts of existing installations the relevant standards at the time of placing on board can still be applied.</p> <p>Row 2 of 2</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/1, — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. X/3. <hr/> <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/1, — SOLAS 74 Reg. II-2/10, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO MSC.1/Circ.1433. 	<p>— ISO 15371:2015.</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>16.3.2017</p>	

<p>UK/3.44 Fire-fighters outfit - lifeline Row 1 of 2</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 3. 	<p>— IMO Res.MSC.98(73)-(FSS Code) 3, as amended, — IMO Res.MSC.307(88)-(2010 FTP Code), as amended.</p>	<p>B+D B+E B+F</p>		<p>3.9.2022 (II)</p>
<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/10, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 3. 					
<p>UK/3.44 Fire-fighters outfit - lifeline Lifelines for breathing apparatus approved under item UK/3.7 and item UK/7.1 Row 2 of 2</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 3. 	<p>— IMO Res.MSC.98(73)-(FSS Code) 3, as amended, — IMO Res.MSC.307(88)-(2010 FTP Code), as amended, — ISO 23269-2:2011.</p>	<p>B+D B+E B+F</p>	<p>13.9.2019</p>	
<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/10, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 3. 					

<p>UK/3.45</p> <p>Equivalent fixed gas fire extinguishing systems components (extinguishing medium, head valves and nozzles) for machinery spaces and cargo pump rooms</p> <p>Note: For products used as spare parts of existing installations the relevant standards at the time of placing on board can still be applied.</p> <p>Row 1 of 2</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 5. <hr/> <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/10, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 5, — IMO MSC/Circ.848, — IMO MSC.1/Circ.1313. 	<p>— IMO MSC/Circ.848, as amended.</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>		<p>15.08.2025</p>
<p>UK/3.45</p> <p>Equivalent fixed as fire extinguishing systems components (extinguishing medium, head valves and nozzles) for machinery spaces and cargo pump rooms</p> <p>Note: For products used as spare parts of existing installations the relevant standards at the time of placing on board can still be applied.</p> <p>Row 2 of 2</p> <p>(NEW ROW)</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> - SOLAS 74 Reg. II-2/10, - SOLAS 74 Reg. X/3, - IMO Res.MSWC.98(73)-(FSS Code) 5. <hr/> <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> - SOLAS 74 Reg. II-2/10, - IMO Res.MSC.36(63)-(1994 HSC Code) 7, - IMO Res. MSC.97(73)-(2000 HSC Code) 7, - IMO Res. MSC. 98(73)-(FSS Code) 5, - IMO Res MSC. 391(95)-(IGF Code) 	<p>- IMO MSC/Circ.848, as amended.</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>29.03.2023</p>	

	<p>11</p> <ul style="list-style-type: none"> - IMO MSC.1/Circ.1313 				
<p>UK/3.46</p> <p>Equivalent fixed gas fire extinguishing systems for machinery spaces (aerosol systems)</p> <p>Row 1 of 2</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 5. <hr/> <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/10, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 5, — IMO MSC/Circ.1270 incl. Corr.1, — IMO MSC.1/Circ.1313. 	<p>— IMO MSC/Circ.1270 incl. Corr.1, as amended.</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>		<p>15.8.2025 (III)</p>
<p>UK/3.46</p> <p>Equivalent fixed gas fire extinguishing systems for machinery spaces (aerosol systems)</p> <p>Row 2 of 2</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> - SOLAS 74 Reg. II-2/10, - SOLAS 74 Reg. X/3, - IMO Res. MSC.98(73)-(FSS Code) 5. 	<p>- IMO MSC/Circ.1270 incl. Corr.1, as amended</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>29.03.2023</p>	

(NEW ROW)	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> - SOLAS 74 Reg.II-2/10, - IMO Res. MSC.36(63)-(1994 HSC Code) 7, - IMO Res. MSC. 97(73)-(2000 HSC Code) 7, - IMO Res. MSC.98(73)-(FSS Code) 5, - IMO Res. MSC.291(95)-(IGF Code)_11, - IMO MSC.1/Circ.1270 INCL. Corr.1 - IMO MSC.1/Circ.1313 				
<p>UK/3.47</p> <p>Concentrate for fixed high expansion foam fire extinguishing systems for machinery spaces and cargo pump rooms.</p> <p>Note: The fixed high expansion foam fire extinguishing system (including those systems which use inside air from their working spaces for their intended performance), for machinery spaces and cargo pump rooms must still be tested with the approved concentrate to the satisfaction of the Administration.</p> <p>Row 1 of 2</p>	<p>Type approval requirements</p> <p>— SOLAS 74 Reg. II-2/10.</p> <hr/> <p>Carriage and performance requirements</p> <p>— SOLAS 74 Reg. II-2/10,</p> <p>— IMO Res.MSC.98(73)-(FSS Code) 6.</p>	<p>— IMO MSC/Circ.670.</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>		<p>15.8.2025 (III)</p>
<p>UK/3.47</p> <p>Concentrate for fixed high expansion foam fire extinguishing systems for machinery spaces and cargo pump rooms.</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> - SOLAS 74 Reg. II-2/10. 	<p>- IMO MSC/Circ.670.</p>	<p>B+D</p> <p>B+E</p>	<p>29.03.2023</p>	

<p>Note: The fixed high expansion foam fire extinguishing system (including those systems which use inside air from their working spaces for their intended performance), for machinery spaces and cargo pump rooms must still be tested with the approved concentrate to the satisfaction of the Administration.</p> <p>Row 2 of 2</p> <p>(NEW ROW)</p>	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> - SOLAS 74 Reg. II-2/10 - IMO Res. MSC.98(73)-(FSS Code) 6, - IMO Res. MSC.391(95)-(IGF Code) 11. 		<p>B+F</p>		
<p>UK/3.48</p> <p>Fixed water based local application fire-fighting systems components for use in category A machinery spaces</p> <p>(Nozzles and performance tests).</p> <p>Note: For products used as spare parts of existing installations the relevant standards at the time of placing on board can still be applied.</p> <p>Row 1 of 1</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. X/3. <hr/> <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/10, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7. 	<p>— IMO MSC.1/Circ.1387.</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>		

<p>UK/3.49a</p> <p>Fixed water-based fire-fighting systems for rooro spaces, vehicle spaces and special category spaces:</p> <p>Prescriptive-based systems as per IMO MSC.1/Circ.1430.</p> <p>Row 1 of 3</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/19, — SOLAS 74 Reg. II-2/20, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 7. 	<p>— IMO MSC.1/Circ.1430.</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>		<p>01.01.2021</p> <p>(III)</p>
<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/19, — SOLAS 74 Reg. II-2/20, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 7. 					
<p>UK/3.49a</p> <p>Fixed water-based fire-fighting systems for rooro spaces, vehicle spaces and special category spaces:</p> <p>Prescriptive-based systems as per IMO MSC.1/Circ.1430, Revision 1.</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/19, — SOLAS 74 Reg. II-2/20, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 7. 	<p>— IMO MSC.1/Circ.1430, Revision 1.</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>12.8.2020</p>	<p>15.08.2025</p> <p>(III)</p>

Row 2 of 3	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/19, — SOLAS 74 Reg. II-2/20, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 7. 				
<p>UK/3.49a</p> <p>Fixed water-based fire-fighting systems for ro-ro spaces, vehicle spaces and special category spaces:</p> <p>Prescriptive-based systems as per IMO MSC.1/Circ.1430, Revision 2.</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/19, — SOLAS 74 Reg. II-2/20, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 7. <hr/> <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/19, — SOLAS 74 Reg. II-2/20, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 7. 	<p>- IMO MSC.1/Circ.1430, Revision 2.</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>01.07.2022</p>	
Row 3 of 3					

<p>UK/3.49b</p> <p>Fixed water-based firefighting systems for ro-ro spaces, vehicle spaces and special category spaces:</p> <p>Performance-based systems as per IMO MSC.1/Circ. 1430,</p> <p>Row 1 of 3</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/19, — SOLAS 74 Reg. II-2/20, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 7. 	<p>— IMO MSC.1/Circ.1430.</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>		<p>01.01.2021</p> <p>(III)</p>
<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/19, — SOLAS 74 Reg. II-2/20, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 7. 					

<p>UK/3.49b</p> <p>Fixed water-based firefighting systems for ro-ro spaces, vehicle spaces and special category spaces:</p> <p>Performance-based systems as per IMO MSC.1/Circ. 1430, Revision 1.</p> <p>Row 2 of 3</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/19, — SOLAS 74 Reg. II-2/20, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 7. 	<p>— IMO MSC.1/Circ.1430, Revision 1.</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>12.8.2020</p>	<p>15.8.2025 (III)</p>
<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/19, — SOLAS 74 Reg. II-2/20, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 7. 					
<p>UK/3.49b</p> <p>Fixed water-based firefighting systems for ro-ro spaces, vehicle spaces and special category spaces:</p> <p>Performance-based systems as per IMO MSC.1/Circ. 1430, Revision 2.</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/19, — SOLAS 74 Reg. II-2/20, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 7. 	<p>— IMO MSC.1/Circ.1430, Revision 2.</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>01.07.2022</p>	

Row 3 of 3	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/19, — SOLAS 74 Reg. II-2/20, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 7. 				
UK/3.50, Protective clothing resistant to chemical attack, - item moved to UK/9/3.9.					
<p>UK/3.51a</p> <p>Fixed fire detection and fire alarm systems components for control stations, service spaces, accommodation spaces, cabin balconies, machinery spaces and unattended machinery spaces:</p> <p>Control and indicating equipment</p> <p>Note: For products used as spare parts of existing installations the relevant standards at the time of placing on board can still be applied.</p> <p>Row 1 of 2</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 9. <hr/> <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/7, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 9, — IMO Res.MSC.391(95)-(IGF Code) 11, 	<p>Electrical installations in ships:</p> <ul style="list-style-type: none"> — EN 54-2:1997 incl. AC:1999 and A1:2006. <p>And, as applicable, electrical and electronic installations in ships:</p> <ul style="list-style-type: none"> — IEC 60092-504:2016, — IEC 60533:2015. 	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>19.6.2018</p>	<p>15.8.2025 (III)</p>

	<ul style="list-style-type: none"> — IMO MSC.1/Circ.1242, — IMO MSC.1/Circ.1487, — IMO MSC.1/Circ.1528. 				
<p>UK/3.51a</p> <p>Fixed fire detection and fire alarm systems components for control stations, service spaces, accommodation spaces, cabin balconies, machinery spaces and unattended machinery spaces:</p> <p>Control and indicating equipment</p> <p>Note: For products used as spare parts of existing installations the relevant standards at the time of placing on board can still be applied.</p> <p>Row 2 of 2</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 9. <hr/> <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/7, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 9, — IMO Res. MSC.302(87) — IMO Res.MSC.391(95)-(IGF Code) 11, — IMO MSC.1/Circ.1242, — IMO MSC.1/Circ.1487, — IMO MSC.1/Circ.1528. 	<p>Electrical installations in ships:</p> <ul style="list-style-type: none"> — EN 54-2:1997 incl. AC:1999 and A1:2006. — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN IEC 6923-1:2018, — EN IEC 62923-2:2018. <p>Or,</p> <ul style="list-style-type: none"> — EN 54-2:1997 incl. AC:1999 and A1:2006. — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 62923-1:2018, — IEC 62923-2:2018. <p>And, as applicable, electrical and electronic installations in ships:</p> <ul style="list-style-type: none"> — IEC 60092-504:2016, — IEC 60533:2015. 	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>01.07.2022</p>	

<p>UK/3.51b</p> <p>Fixed fire detection and fire alarm systems components for control stations, service spaces, accommodation spaces, cabin balconies, machinery spaces and unattended machinery spaces:</p> <p>Power supply equipment.</p> <p>Note: For products used as spare parts of existing installations the relevant standards at the time of placing on board can still be applied.</p> <p>Row 1 of 1</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 9. <hr/> <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/7, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 9, — IMO Res.MSC.391(95)-(IGF Code) 11, — IMO MSC.1/Circ.1242, — IMO MSC.1/Circ.1554. 	<p>— EN 54-4:1997 incl. AC:1999, A1:2002 and A2:2006.</p> <p>And, as applicable, electrical and electronic installations in ships:</p> <ul style="list-style-type: none"> — IEC 60092-504:2016, — IEC 60533:2015. 	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>19.6.2018</p>	
<p>UK/3.51c</p> <p>Fixed fire detection and fire alarm systems components for control stations, service spaces, accommodation spaces, cabin balconies, machinery spaces and unattended machinery spaces:</p> <p>Heat detectors - Point detectors.</p> <p>Note: For products used as spare parts of existing installations the relevant standards at the time of placing on board can still be applied.</p> <p>Row 1 of 2</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 9. <hr/> <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/7, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, 	<p>— EN 54-5:2017.</p> <p>And, as applicable, electrical and electronic installations in ships:</p> <ul style="list-style-type: none"> — IEC 60092-504:2016, — IEC 60533:2015. 	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>19.6.2018</p>	<p>31.8.2022</p> <p>(III)</p>

	<ul style="list-style-type: none"> — IMO Res.MSC.98(73)-(FSS Code) 9, — IMO MSC.1/Circ.1242. 				
<p>UK/3.51c</p> <p>Fixed fire detection and fire alarm systems components for control stations, service spaces, accommodation spaces, cabin balconies, machinery spaces and unattended machinery spaces:</p> <p>Heat detectors - Point detectors.</p> <p>Note: For products used as spare parts of existing installations the relevant standards at the time of placing on board can still be applied.</p> <p>Row 2 of 2</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 9. <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/7, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 9, — IMO Res.MSC.391-(IGF Code) 11, — IMO MSC.1/Circ.1242. 	<p>— EN 54-5:2017 incl. A1:2018.</p> <p>And, as applicable, electrical and electronic installations in ships:</p> <ul style="list-style-type: none"> — IEC 60092-504:2016, — IEC 60533:2015. 	<p>B+D</p> <p>B+E</p> <p>B+F</p>	12.8.2020	
<p>UK/3.51d</p> <p>Fixed fire detection and fire alarm systems components for control stations, service spaces, accommodation spaces, cabin balconies, machinery spaces and unattended machinery spaces:</p> <p>Smoke detectors: Point detectors using</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 9. 	<p>— EN 54-7:2000 incl. A1:2002 and A2:2006.</p> <p>And, as applicable, electrical and electronic installations in ships:</p> <ul style="list-style-type: none"> — IEC 60092-504:2001 incl. IEC 60092-504 Corr.1:2011, 	<p>B+D</p> <p>B+E</p> <p>B+F</p>		<p>31.8.2022</p> <p>(III)</p>

<p>scattered light, transmitted light or ionization.</p> <p>Note: For products used as spare parts of existing installations the relevant standards at the time of placing on board can still be applied.</p> <p>Row 1 of 2</p>	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/7, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 9, — IMO MSC.1/Circ.1242. 	<p>— IEC 60533:1999.</p>			
<p>UK/3.51d</p> <p>Fixed fire detection and fire alarm systems components for control stations, service spaces, accommodation spaces, cabin balconies, machinery spaces and unattended machinery spaces:</p> <p>Smoke detectors: Point detectors using scattered light, transmitted light or ionization.</p> <p>Note: For products used as spare parts of existing installations the relevant standards at the time of placing on board can still be applied.</p> <p>Row 2 of 2</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 9. <hr/> <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/7, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 9, — IMO Res.MSC.391(95)-(IGF Code) 11, — IMO MSC.1/Circ.1242. 	<p>— EN 54-7:2018.</p> <p>And, as applicable, electrical and electronic installations in ships:</p> <ul style="list-style-type: none"> — IEC 60092-504:2016, — IEC 60533:2015. 	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>13.9.2019</p>	

<p>UK/3.51e</p> <p>Fixed fire detection and fire alarm systems components for control stations, service spaces, accommodation spaces, cabin balconies, machinery spaces and unattended machinery spaces:</p> <p>Flame detectors: Point detectors.</p> <p>Note: For products used as spare parts of existing installations the relevant standards at the time of placing on board can still be applied.</p> <p>Row 1 of 1</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 9. <hr/> <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/7, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 9, — IMO Res.MSC.391(95)-(IGF Code) 11, — IMO MSC.1/Circ.1242. 	<p>— EN 54-10:2002 incl. A1:2005,</p> <p>And, as applicable, electrical and electronic installations in ships:</p> <ul style="list-style-type: none"> — IEC 60092-504:2016, — IEC 60533:2015. 	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>19.6.2018</p>	
<p>UK/3.51f</p> <p>Fixed fire detection and fire alarm systems components for control stations, service spaces, accommodation spaces, cabin balconies, machinery spaces and unattended machinery spaces:</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 9. 	<p>— EN 54-11:2001 incl. A1:2005.</p> <p>And, as applicable, electrical and electronic installations in ships:</p> <ul style="list-style-type: none"> — IEC 60092-504:2016, — IEC 60533:2015. 	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>19.6.2018</p>	

<p>Manual call points.</p> <p>Note: For products used as spare parts of existing installations the relevant standards at the time of placing on board can still be applied.</p> <p>Row 1 of 1</p>	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/7, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 9, — IMO Res.MSC.391(95)-(IGF Code) 11, — IMO MSC.1/Circ.1242. 				
<p>UK/3.51g</p> <p>Fixed fire detection and fire alarm systems components for control stations, service spaces, accommodation spaces, cabin balconies, machinery spaces and unattended machinery spaces:</p> <p>Short circuit isolators.</p> <p>Note: For products used as spare parts of existing installations the relevant standards at the time of placing on board can still be applied.</p> <p>Row 1 of 1</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 9. <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/7, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 9, — IMO Res.MSC.391(95)-(IGF Code) 11, — IMO MSC.1/Circ.1242. 	<p>— EN 54-17:2005 incl. AC:2007.</p> <p>And, as applicable, electrical and electronic installations in ships:</p> <ul style="list-style-type: none"> — IEC 60092-504:2016, — IEC 60533:2015. 	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>19.6.2018</p>	

<p>UK/3.51h</p> <p>Fixed fire detection and fire alarm systems components for control stations, service spaces, accommodation spaces, cabin balconies, machinery spaces and unattended machinery spaces:</p> <p>Input/output devices.</p> <p>Note: For products used as spare parts of existing installations the relevant standards at the time of placing on board can still be applied.</p> <p>Row 1 of 1</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 9. <hr/> <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/7, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 9, — IMO Res.MSC.391(95)-(IGF Code) 11, — IMO MSC.1/Circ.1242. 	<p>— EN 54-18:2005 incl. AC:2007.</p> <p>And, as applicable, electrical and electronic installations in ships:</p> <ul style="list-style-type: none"> — IEC 60092-504:2016, — IEC 60533:2015. 	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>19.6.2018</p>	
<p>UK/3.51i</p> <p>Fixed fire detection and fire alarm systems components for control stations, service spaces, accommodation spaces, cabin balconies, machinery spaces and unattended machinery spaces:</p> <p>Cables.</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 9. 	<p>— EN 60332-1-2:2004 incl. A1:2015,</p> <p>— IEC 60092-376:2017.</p> <p>And, as applicable, electrical and electronic installations in ships:</p> <ul style="list-style-type: none"> — IEC 60092-504:2016, 	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>19.6.2018</p>	<p>28.3.2021</p> <p>(III)</p>

<p>Note: For products used as spare parts of existing installations the relevant standards at the time of placing on board can still be applied.</p> <p>Row 1 of 3</p>	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/7, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 9, — IMO Res.MSC.391(95)-(IGF Code) 11, — IMO MSC.1/Circ.1242. 	<ul style="list-style-type: none"> — IEC 60533:2015, — IEC 60332-1-2:2004 incl. A1:2015. <p>And/or:</p> <p>Fire Resistant Cables:</p> <ul style="list-style-type: none"> — IEC 60092-376:2017, — IEC 60331-1:2009 or IEC 60331-2:2009. <p>And, as applicable, electrical and electronic installations in ships:</p> <ul style="list-style-type: none"> — IEC 60092-504:2016, — IEC 60533:2015, — IEC 60332-1-2:2004 incl. A1:2015. 			
<p>UK/3.51i</p> <p>Fixed fire detection and fire alarm systems components for control stations, service spaces, accommodation spaces, cabin balconies, machinery spaces and unattended machinery spaces:</p> <p>Cables.</p> <p>Note: For products used as spare parts of</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 9. 	<ul style="list-style-type: none"> — EN 60332-1-2:2004 incl. A1:2015 and A11:2016, — IEC 60092-376:2017. <p>And, as applicable, electrical and electronic installations in ships:</p> <ul style="list-style-type: none"> — IEC 60092-504:2016, — IEC 60533:2015. 	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>13.9.2019</p>	<p>15.8.2025 (III)</p>

<p>existing installations the relevant standards at the time of placing on board can still be applied.</p> <p>Row 2 of 3</p>	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/7, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 9, — IMO Res.MSC.391(95)-(IGF Code) 11, — IMO MSC.1/Circ.1242. 	<ul style="list-style-type: none"> — IEC 60332-1-2:2004 incl. A1:2015. <p>And/or:</p> <p>Fire Resistant Cables:</p> <ul style="list-style-type: none"> — IEC 60092-376:2017, — IEC 60331-1:2018 or IEC 60331-2:2018. <p>And, as applicable, electrical and electronic installations in ships:</p> <ul style="list-style-type: none"> — IEC 60092-504:2016, — IEC 60533:2015, — IEC 60332-1-2:2004 incl. A1:2015. 			
<p>UK/3.51i</p> <p>Fixed fire detection and fire alarm systems components for control stations, service spaces, accommodation spaces, cabin balconies, machinery spaces and unattended machinery spaces:</p> <p>Cables.</p> <p>Note: For products used as spare parts of existing installations the relevant standards at the time of placing on board can still be applied.</p> <p>Row 3 of 3</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 9. <hr/> <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/7, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 9, — IMO Res.MSC.391(95)-(IGF Code) 11, 	<ul style="list-style-type: none"> — EN 60332-1-2:2004 incl. A1:2015, A11:2016 and A12:2020 — IEC 60092-376:2017. <p>And, as applicable, electrical and electronic installations in ships:</p> <ul style="list-style-type: none"> — IEC 60092-504:2016, — IEC 60533:2015. <ul style="list-style-type: none"> — IEC 60332-1-2-2004 incl. A1:2015, A11:2016 and A12:2020. <p>And/or:</p> <p>Fire Resistant Cables:</p> <ul style="list-style-type: none"> — IEC 60092-376:2017, — IEC 60331-1:2018 or IEC 60331-2:2018. 	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>01.07.2022</p>	

	<ul style="list-style-type: none"> — IMO MSC.1/Circ.1242. 	<p>And, as applicable, electrical and electronic installations in ships:</p> <ul style="list-style-type: none"> — IEC 60092-504:2016, — IEC 60533:2015, — IEC 60332-1-2:2004 incl. A1:2015. 			
<p>UK/3.52</p> <p>Non-portable and transportable fire extinguishers</p> <p>Row 1 of 2</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. X/3. 	<ul style="list-style-type: none"> — EN1866-1:2007, — EN1866-2:2014. <p>Or:</p> <ul style="list-style-type: none"> — EN1866-1:2007, — EN1866-3:2013. <p>Or:</p> <ul style="list-style-type: none"> — ISO 11601:2008. 	<p>B+D</p> <p>B+E</p> <p>B+F</p>		<p>1.7.2020</p> <p>(III)</p>
	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/4, — SOLAS 74 Reg. II-2/10, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7. 				
<p>UK/3.52</p> <p>Non-portable and transportable fire extinguishers</p> <p>Row 2 of 2</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. X/3. 	<ul style="list-style-type: none"> — EN1866-1:2007, — EN1866-2:2014. <p>Or:</p> <ul style="list-style-type: none"> — EN1866-1:2007, 	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>13.9.2019</p>	

	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/4, — SOLAS 74 Reg. II-2/10, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7. 	<p>— EN1866-3:2013.</p> <p>Or:</p> <p>— ISO 11601:2017.</p>			
<p>UK/3.53</p> <p>Fire alarm devices - Sounders</p> <p>Row 1 of 2</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 9. <hr/> <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/7, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 9. — IMO MSC.1/Circ.1242, — IMO MSC.1/Circ.1487. 	<p>— EN 54-3:2014,</p> <p>— IEC 60092-504:2016,</p> <p>— IEC 60533:2015.</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>16.3.2017</p>	<p>12.8.2023</p> <p>(III)</p>

<p>UK/3.53</p> <p>Fire alarm devices – Sounders</p> <p>Row 2 of 2</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 9. 	<ul style="list-style-type: none"> — EN 54-3:2014 incl. A1:2019, — IEC 60092-504:2016, — IEC 60533:2015. 	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>12.8.2020</p>	
<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/7, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 9. — IMO MSC.1/Circ.1242, — IMO MSC.1/Circ.1487. 					
<p>UK/3.54a</p> <p>Fixed oxygen analysis and gas detection equipment</p> <ul style="list-style-type: none"> — Category 4: (safe area) <p>Row 1 of 2</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/4, — SOLAS 74 Reg. VI/3. 	<ul style="list-style-type: none"> — EN 50104:2010, — IEC 60092-504:2016, — IEC 60533:2015. <p>For combined O₂/HC systems, additionally:</p> <ul style="list-style-type: none"> — IMO MSC.1/Circ.1370. 	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>12.8.2020</p>	<p>25.8.2024</p> <p>(III)</p>
<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/4, 					

	<ul style="list-style-type: none"> — SOLAS 74 Reg. VI/3, — IMO Res.MSC.98(73)-(FSS Code) 15, for combined O₂/HC systems additionally: — IMO MSC.1/Circ.1370. 				
UK/3.54a Fixed oxygen analysis and gas detection equipment — Category 4: (safe area) Row 2 of 2	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/4, — SOLAS 74 Reg. VI/3. <hr/> <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/4, — SOLAS 74 Reg. VI/3, — IMO Res.MSC.98(73)-(FSS Code) 15, for combined O₂/HC systems additionally: — IMO MSC.1/Circ.1370. 	<ul style="list-style-type: none"> — EN 50104:2019, — IEC 60092-504:2016, — IEC 60533:2015. <p>For combined O₂/HC systems, additionally:</p> <ul style="list-style-type: none"> — IMO MSC.1/Circ.1370. 	B+D B+E B+F	25.8.2021	
UK/3.54b Fixed oxygen analysis and gas detection equipment — Category 3: (explosive gas atmospheres) Row 1 of 3	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/4, — SOLAS 74 Reg. VI/3. <hr/> <p>Carriage and performance requirements</p>	<ul style="list-style-type: none"> — EN 50104:2010, — EN 60079-0:2012 incl. A11:2013, — EN 60079-29-1:2016 — IEC 60092-504:2016 — IEC 60533:2015. <p>For combined O₂/HC systems, additionally:</p>	B+D B+E B+F	19.6.2018	12.8.2023 (II)

	<ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/4, — SOLAS 74 Reg. VI/3, — IMO Res.MSC.98(73)-(FSS Code) 15, <p style="text-align: center;">for combined O₂/HC systems additionally:</p> <ul style="list-style-type: none"> — IMO MSC.1/Circ.1370. 	<ul style="list-style-type: none"> — IMO MSC.1/Circ.1370. 			
UK/3.54b Fixed oxygen analysis and gas detection equipment <ul style="list-style-type: none"> — Category 3: (explosive gas atmospheres) Row 2 of 3	Type approval requirements <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/4, — SOLAS 74 Reg. VI/3. 	<ul style="list-style-type: none"> — EN 50104:2010, — EN 60079-0:2018, — EN 60079-29-1:2016 — IEC 60092-504:2016 — IEC 60533:2015. 	B+D B+E B+F	12.8.2020	25.8.2024
	Carriage and performance requirements <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/4, — SOLAS 74 Reg. VI/3, — IMO Res.MSC.98(73)-(FSS Code) 15, <p style="text-align: center;">for combined O₂/HC systems additionally:</p> <ul style="list-style-type: none"> — IMO MSC.1/Circ.1370. 	For combined O ₂ /HC systems, additionally: <ul style="list-style-type: none"> — IMO MSC.1/Circ.1370. 			
UK/3.54b Fixed oxygen analysis and gas detection equipment <ul style="list-style-type: none"> — Category 3: (explosive gas atmospheres) 	Type approval requirements <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/4, — SOLAS 74 Reg. VI/3. 	<ul style="list-style-type: none"> — EN 50104:2019, — EN 60079-0:2018 incl. AC:2020, — EN 60079-29-1:2016 — IEC 60092-504:2016 	B+D B+E B+F	25.8.2021	

Row 3 of 3	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/4, — SOLAS 74 Reg. VI/3, — IMO Res.MSC.98(73)-(FSS Code) 15, <p>for combined O₂/HC systems additionally:</p> <ul style="list-style-type: none"> — IMO MSC.1/Circ.1370. 	<ul style="list-style-type: none"> — IEC 60533:2015. <p>For combined O₂/HC systems, additionally:</p> <ul style="list-style-type: none"> — IMO MSC.1/Circ.1370. 			
------------	--	--	--	--	--

<p>UK/3.55a</p> <p>Dual purpose type nozzles (spray/jet type):</p> <ul style="list-style-type: none"> — Hand-held branch pipes for fire service use – Combination branch pipes PN 16 <p>Row 1 of 2</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. X/3. 	<ul style="list-style-type: none"> — EN 15182-1:2007 incl. A1:2009, — EN 15182-2:2007 incl. A1:2009. 	<p>B+D</p> <p>B+E</p> <p>B+F</p>		<p>12.8.2023</p> <p>(III)</p>
<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/10, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7. 					

<p>UK/3.55a</p> <p>Dual purpose type nozzles (spray/jet type)</p> <p>— Hand-held branch pipes for fire service use – Combination branch pipes PN 16</p> <p>Row 2 of 2</p>	<p>Type approval requirements</p> <p>— SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. X/3.</p>	<p>— EN 15182-1:2019, — EN 15182-2:2019.</p>	<p>B+D B+E B+F</p>	<p>12.8.2020</p>	
<p>UK/3.55b</p> <p>Dual purpose type nozzles (spray/jet type)</p> <p>— Hand-held branch pipes for fire service use – Smooth bore jet and/or one fixed spray jet angle branch pipes PN 16</p> <p>Row 1 of 2</p>	<p>Type approval requirements</p> <p>— SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. X/3.</p>	<p>— EN 15182-1:2007 incl. A1:2009, — EN 15182-3:2007 incl. A1:2009.</p>	<p>B+D B+E B+F</p>		<p>12.8.2023 (III)</p>
<p>UK/3.55b</p> <p>Dual purpose type nozzles (spray/jet type)</p>	<p>Type approval requirements</p> <p>— SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. X/3.</p>	<p>— EN 15182-1:2019, — EN 15182-3:2019.</p>	<p>B+D B+E B+F</p>	<p>12.8.2020</p>	

<p>— Hand-held branch pipes for fire service use – Smooth bore jet and/or one fixed spray jet angle branch pipes PN 16</p> <p>Row 2 of 2</p>	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/10, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7. 				
<p>UK/3.56</p> <p>Fixed firefighting hose systems</p> <p>Hose reels with semi-rigid hose</p> <p>Row 1 of 1</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. X/3. 	<p>— EN 671-1:2012.</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>		
<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/10, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7. 					
<p>UK/3.57</p> <p>Medium Expansion Foam Fire Extinguishing Systems components - Fixed Deck Foam for Tankers</p> <p>Note: For products used as spare parts of existing installations the relevant standards at the time of placing on board can still be applied.</p> <p>Row 1 of 1</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/10. 	<p>— IMO MSC/Circ.798.</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>		
<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/10.8.1, — IMO Res.MSC.98(73)-(FSS Code) 14, — IMO MSC/Circ.1239, IMO MSC.1/Circ.1276. 					

<p>UK/3.58</p> <p>Fixed Low Expansion Foam Fire Extinguishing Systems Components for Machinery Spaces and Tanker Deck Protection</p> <p>Note: For products used as spare parts of existing installations the relevant standards at the time of placing on board can still be applied.</p> <p>Row 1 of 1</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/10. <hr/> <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/10, — IMO Res.MSC.98(73)-(FSS Code) 6, — IMO Res.MSC.98(73)-(FSS Code) 14, — IMO MSC/Circ.1239, — IMO MSC.1/Circ.1276. 	<ul style="list-style-type: none"> — IMO MSC.1/Circ.1312, — IMO MSC.1/Circ.1312/Corr.1. 	<p>B+D</p> <p>B+E</p> <p>B+F</p>		
<p>UK/3.59</p> <p>Expansion Foam for Fixed Fire Extinguishing Systems for Chemical Tankers</p> <p>Row 1 of 1</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/1, — IMO Res.MSC.4(48)-(IBC Code) 11. <hr/> <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — IMO Res.MSC.4(48)-(IBC Code) 11, — IMO MSC/Circ.553. 	<ul style="list-style-type: none"> — IMO MSC.1/Circ.1312, — IMO MSC.1/Circ.1312/Corr.1. 	<p>B+D</p> <p>B+E</p> <p>B+F</p>		
<p>UK/3.60</p> <p>Nozzles for fixed pressure water-spraying fire-extinguishing systems for cabin balconies</p> <p>Row 1 of 1</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/10, — IMO Res.MSC.98(73)-(FSS Code) 7. 	<ul style="list-style-type: none"> — IMO MSC.1/Circ.1268. 	<p>B+D</p> <p>B+E</p> <p>B+F</p>		

	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/10, — IMO Res.MSC.98(73)-(FSS Code) 7, — IMO MSC.1/Circ.1313. 				
<p>UK/3.61a</p> <p>Inside air high expansion foam systems for the protection of machinery spaces, cargo pump rooms, vehicle and ro-ro spaces, special category spaces and cargo spaces</p> <p>Note: Inside/Outside air high expansion foam systems for the protection of machinery spaces, cargo pump rooms, vehicle and ro-ro spaces, special category spaces and cargo spaces shall be tested with the approved concentrate to the satisfaction of the Administration.</p> <p>Row 1 of 1</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/10. <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/10, — IMO Res.MSC.98(73)-(FSS Code) 6, — IMO MSC.1/Circ.1528. 	<p>— IMO MSC.1/Circ.1384.</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>		
<p>UK/3.61b</p> <p>Outside air high expansion foam systems for the protection of machinery spaces, cargo pump rooms, vehicle and ro-ro spaces, special category spaces and cargo spaces</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/10. 	<p>— IMO MSC.1/Circ.1384.</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>		

<p>Note: Inside/Outside air high expansion foam systems for the protection of machinery spaces, cargo pump rooms, vehicle and ro-ro spaces, special category spaces and cargo spaces shall be tested with the approved concentrate to the satisfaction of the Administration.</p> <p>Row 1 of 1</p>	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/10, — IMO Res.MSC.98(73)-(FSS Code) 6, — IMO MSC.1/Circ.1528. 				
<p>UK/3.62</p> <p>Dry chemical powder extinguishing systems</p> <p>Row 1 of 1</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/1. 	<p>— IMO MSC.1/Circ.1315.</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>		
<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/1. — IMO Res.MSC.5(48)-(IGC Code) 11, — IMO Res.MSC.391(95)-(IGF Code) 11, — IMO MSC.1/Circ. 1617 (new provision). 					

<p>UK/3.63a</p> <p>Sample extraction smoke detection systems components</p> <ul style="list-style-type: none"> — Control and indicating equipment. Electrical installations in ships. <p>Note: For products used as spare parts of existing installations the relevant standards at the time of placing on board can still be applied.</p> <p>Row 1 of 3</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. II-2/19, — SOLAS 74 Reg. II-2/20. <hr/> <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. II-2/19, — SOLAS 74 Reg. II-2/20, — IMO Res.MSC.98(73)-(FSS Code) 10. 	<ul style="list-style-type: none"> — IMO Res.MSC.98(73)-(FSS Code) 10. — EN 54-2:1997 incl. AC:1999 and A1:2006. <p>And, as applicable, electrical and electronic installations in ships:</p> <ul style="list-style-type: none"> — IEC 60092-504:2016, — IEC 60533:2015. <p>And, as applicable for explosive atmospheres:</p> <ul style="list-style-type: none"> — EN 60079-0:2012 incl. A11:2013. 	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>19.6.2018</p>	<p>12.8.2023</p> <p>(III)</p>
<p>UK/3.63a</p> <p>Sample extraction smoke detection systems components</p> <ul style="list-style-type: none"> — Control and indicating equipment. Electrical installations in ships. <p>Note: For products used as spare parts of existing installations the relevant standards at the time of placing on board can still be applied.</p> <p>Row 2 of 3</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. II-2/19, — SOLAS 74 Reg. II-2/20. <hr/> <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. II-2/19, — SOLAS 74 Reg. II-2/20, — IMO Res.MSC.98(73)-(FSS Code) 10. 	<ul style="list-style-type: none"> — IMO Res.MSC.98(73)-(FSS Code) 10. — EN 54-2:1997 incl. AC:1999 and A1:2006. <p>And, as applicable, electrical and electronic installations in ships:</p> <ul style="list-style-type: none"> — IEC 60092-504:2016, — IEC 60533:2015. <p>And, as applicable for explosive atmospheres:</p> <ul style="list-style-type: none"> — EN IEC 60079-0:2018. 	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>12.8.2020</p>	<p>25.8.2024</p> <p>(III)</p>

<p>UK/3.63a</p> <p>Sample extraction smoke detection systems components</p> <ul style="list-style-type: none"> — Control and indicating equipment. Electrical installations in ships. <p>Note: For products used as spare parts of existing installations the relevant standards at the time of placing on board can still be applied.</p> <p>Row 3 of 3</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. II-2/19, — SOLAS 74 Reg. II-2/20. 	<ul style="list-style-type: none"> — IMO Res.MSC.98(73)-(FSS Code) 10. — EN 54-2:1997 incl. AC:1999 and A1:2006. <p>And, as applicable, electrical and electronic installations in ships:</p> <ul style="list-style-type: none"> — IEC 60092-504:2016, — IEC 60533:2015. <p>And, as applicable for explosive atmospheres:</p> <ul style="list-style-type: none"> — EN IEC 60079-0:2018 incl. AC:2020 	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>25.8.2021</p>	
<p>UK/3.63b</p> <p>Sample extraction smoke detection systems components</p> <ul style="list-style-type: none"> — Power supply equipment <p>Note: For products used as spare parts of existing installations the relevant standards at the time of placing on board can still be applied.</p> <p>Row 1 of 3</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. II-2/19, — SOLAS 74 Reg. II-2/20. 	<ul style="list-style-type: none"> — IMO Res. MSC.98(73)-(FSS Code) 10, — EN 54-4:1997 inc. AC:1999, A1:2002 and A2:2006. <p>And, as applicable, electrical and electronic installations in ships:</p> <ul style="list-style-type: none"> — IEC 60092-504:2016, — IEC 60533:2015. <p>And, as applicable for explosive atmospheres:</p> <ul style="list-style-type: none"> — EN IEC 60079-0:2012 incl. A11:2013 	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>19.6.2018</p>	<p>12.8.2023 (III)</p>
<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. II-2/19, — SOLAS 74 Reg. II-2/20, — IMO Res.MSC.98(73)-(FSS Code) 10. 					

<p>UK/3.63b</p> <p>Sample extraction smoke detection systems components</p> <ul style="list-style-type: none"> — Power supply equipment <p>Note: For products used as spare parts of existing installations the relevant standards at the time of placing on board can still be applied.</p> <p>Row 2 of 3</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. II-2/19, — SOLAS 74 Reg. II-2/20. <hr/> <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. II-2/19, — SOLAS 74 Reg. II-2/20, — IMO Res.MSC.98(73)-(FSS Code) 10. 	<ul style="list-style-type: none"> — IMO Res. MSC.98(73)-(FSS Code) 10, — EN 54-4:1997 incl. AC:1999, A1:2002 and A2:2006. <p>And, as applicable, electrical and electronic installations in ships:</p> <ul style="list-style-type: none"> — IEC 60092-504:2016, — IEC 60533:2015. <p>And, as applicable for explosive atmospheres:</p> <ul style="list-style-type: none"> — EN IEC 60079-0:2018. 	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>12.8.2020</p>	<p>25.8.2024</p> <p>(III)</p>
<p>UK/3.63b</p> <p>Sample extraction smoke detection systems components</p> <ul style="list-style-type: none"> — Power supply equipment <p>Note: For products used as spare parts of existing installations the relevant standards at the time of placing on board can still be applied.</p> <p>Row 3 of 3</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. II-2/19, — SOLAS 74 Reg. II-2/20. <hr/> <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. II-2/19, — SOLAS 74 Reg. II-2/20, — IMO Res.MSC.98(73)-(FSS Code) 10. 	<ul style="list-style-type: none"> — IMO Res. MSC.98(73)-(FSS Code) 10, — EN 54-4:1997 inc. AC:1999, A1:2002 and A2:2006. <p>And, as applicable, electrical and electronic installations in ships:</p> <ul style="list-style-type: none"> — IEC 60092-504:2016, — IEC 60533:2015. <p>And, as applicable for explosive atmospheres:</p> <ul style="list-style-type: none"> — EN IEC 60079-0:2018 incl. AC:2020. 	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>25.8.2021</p>	

<p>UK/3.63c</p> <p>Sample extraction smoke detection systems components</p> <ul style="list-style-type: none"> — Aspiring smoke detectors <p>Note: For products used as spare parts of existing installations the relevant standards at the time of placing on board can still be applied.</p> <p>Row 1 of 3</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. II-2/19, — SOLAS 74 Reg. II-2/20. 	<ul style="list-style-type: none"> — IMO Res. MSC.98(73)-(FSS Code) 10, — EN 54-20:2006 incl. AC:2008. <p>And, as applicable, electrical and electronic installations in ships:</p> <ul style="list-style-type: none"> — IEC 60092-504:2016, — IEC 60533:2015. 	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>19.6.2018</p>	<p>12.8.2023</p> <p>(III)</p>
<p>UK/3.63c</p> <p>Sample extraction smoke detection systems components</p> <ul style="list-style-type: none"> — Aspiring smoke detectors <p>Note: For products used as spare parts of existing installations the relevant standards at the time of placing on board can still be applied.</p> <p>Row 2 of 3</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. II-2/19, — SOLAS 74 Reg. II-2/20. 	<ul style="list-style-type: none"> — IMO Res. MSC.98(73)-(FSS Code) 10, — EN 54-20:2006 incl. AC:2008. <p>And, as applicable, electrical and electronic installations in ships:</p> <ul style="list-style-type: none"> — IEC 60092-504:2016, — IEC 60533:2015. 	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>12.8.2020</p>	<p>25.8.2024</p> <p>(III)</p>
<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. II-2/19, — SOLAS 74 Reg. II-2/20, — IMO Res.MSC.98(73)-(FSS Code) 10. 	<p>And, as applicable for explosive atmospheres:</p> <ul style="list-style-type: none"> — EN IEC 60079-0:2012 incl. A11:2013. 				
<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. II-2/19, — SOLAS 74 Reg. II-2/20, — IMO Res.MSC.98(73)-(FSS Code) 10. 	<p>And, as applicable for explosive atmospheres:</p> <ul style="list-style-type: none"> — EN IEC 60079-0:2018. 				

<p>UK/3.63c</p> <p>Sample extraction smoke detection systems components</p> <ul style="list-style-type: none"> — Aspiring smoke detectors <p>Note: For products used as spare parts of existing installations the relevant standards at the time of placing on board can still be applied.</p> <p>Row 3 of 3</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. II-2/19, — SOLAS 74 Reg. II-2/20. <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. II-2/19, — SOLAS 74 Reg. II-2/20, — IMO Res.MSC.98(73)-(FSS Code) 10. 	<ul style="list-style-type: none"> — IMO Res. MSC.98(73)-(FSS Code) 10, — EN 54-20:2006 incl. AC:2008. <p>And, as applicable, electrical and electronic installations in ships:</p> <ul style="list-style-type: none"> — IEC 60092-504:2016, — IEC 60533:2015. <p>And, as applicable for explosive atmospheres:</p> <ul style="list-style-type: none"> — EN IEC 60079-0:2018 incl. AC:2020. 	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>25.8.2021</p>	
<p>UK/3.64</p> <p>C class divisions</p> <p>Row 1 of 1</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/3.10. <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/3.10, — SOLAS 74 Reg. II-2/3.33, — SOLAS 74 Reg. II-2/9, — IMO MSC/Circ.1120. 	<ul style="list-style-type: none"> — IMO Res.MSC.307(88)-(2010 FTP Code), as amended. 	<p>B+D</p> <p>B+E</p> <p>B+F</p>		
<p>UK/3.65</p> <p>Fixed hydrocarbon gas detection system</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/4. 	<ul style="list-style-type: none"> — IMO MSC.1/Circ.1370, — EN 60079-0:2012 incl. A11:2013, 	<p>B+D</p> <p>B+E</p>	<p>19.6.2018</p>	<p>12.8.2023</p> <p>(III)</p>

Row 1 of 3	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/4, — IMO Res.MSC.98(73)-(FSS Code) 16, — IMO MSC.1/Circ.1370, — IMO MSC.1/Circ.1527. 	<ul style="list-style-type: none"> — EN 60079-29-1:2016, — IEC 60092-504:2016, — IEC 60533:2015. 	B+F		
UK/3.65 Fixed hydrocarbon gas detection system Row 2 of 3	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/4. 	<ul style="list-style-type: none"> — IMO MSC.1/Circ.1370, — EN IEC 60079-0:2018, — EN 60079-29-1:2016, — IEC 60092-504:2016, — IEC 60533:2015. 	B+D B+E B+F	12.8.2020	25.8.2024 (II)
UK/3.65 Fixed hydrocarbon gas detection system Row 3 of 3	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/4. 	<ul style="list-style-type: none"> — IMO MSC.1/Circ.1370, — EN IEC 60079-0:2018 incl. AC:2020 — EN 60079-29-1:2016, — IEC 60092-504:2016, — IEC 60533:2015. 	B+D B+E B+F	25.8.2021	
	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/4, — IMO Res.MSC.98(73)-(FSS Code) 16, — IMO MSC.1/Circ.1370, — IMO MSC.1/Circ.1527. 				

<p>UK/3.66</p> <p>Evacuation guidance systems used as an alternative to low-location lighting systems</p> <p>Row 1 of 1</p>	<p>Type approval requirements</p> <p>— SOLAS 74 Reg. II-2/13.</p> <hr/> <p>Carriage and performance requirements</p> <p>— SOLAS 74 Reg. II-2/13,</p> <p>— IMO MSC.1/Circ.1168.</p>	<p>— IMO MSC.1/Circ.1168.</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>		
<p>UK/3.67</p> <p>Helicopter facility foam fire-fighting appliances</p> <p>Row 1 of 2</p>	<p>Type approval requirements</p> <p>— SOLAS 74 Reg. II-2/18.</p> <hr/> <p>Carriage and performance requirements</p> <p>— SOLAS 74 Reg. II-2/18,</p> <p>— IMO MSC.1/Circ.1431.</p>	<p>— EN 13565-1:2003 incl. A1:2007.</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>16.3.2017</p>	<p>12.8.2023</p> <p>(II)</p>
<p>UK/3.67</p> <p>Helicopter facility foam fire-fighting appliances</p> <p>Row 2 of 2</p>	<p>Type approval requirements</p> <p>— SOLAS 74 Reg. II-2/18.</p> <hr/> <p>Carriage and performance requirements</p> <p>— SOLAS 74 Reg. II-2/18,</p> <p>— IMO Res.MSC.98(73)-(FSS Code) 17.</p>	<p>— EN 13565-1:2019.</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>12.8.2020</p>	

<p>UK/3.68</p> <p>Galley Exhaust Duct Fixed Fire Extinguishing Systems components</p> <p>Note: For products used as spare parts of existing installations the relevant standards at the time of placing on board can still be applied.</p> <p>Row 1 of 1</p>	<p>Type approval requirements</p> <p>— SOLAS 74 Reg. II-2/9.</p>	<p>— ISO 15371:2015.</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>16.3.2017</p>	
<p>Carriage and performance requirements</p> <p>— SOLAS 74 Reg. II-2/9.</p>					
<p>UK/3.69</p> <p>Mobile water monitor for ships constructed on or after 1 January 2016 designed to carry five or more tiers of containers on or above the weather deck</p> <p>Row 1 of 2</p>	<p>Type approval requirements</p> <p>— SOLAS 74 Reg.II-2/10.</p>	<p>— IMO MSC.1/Circ.1472.</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>		
<p>Carriage and performance requirements</p> <p>— SOLAS 74 Reg.II-2/10,</p> <p>— SOLAS 74 Reg.II-2/19,</p> <p>— IMO MSC.1/Circ.1472,</p> <p>— IMO MSC.1/Circ.1550.</p>					

<p>UK/3.69</p> <p>Mobile water monitor for ships constructed on or after 1 January 2016 designed to carry five or more tiers of containers on or above the weather deck</p> <p>Row 2 of 2</p>	<p>Type approval requirements</p> <p>— SOLAS 74 Reg.II-2/10.</p> <hr/> <p>Carriage and performance requirements</p> <p>— SOLAS 74 Reg.II-2/10,</p> <p>— SOLAS 74 Reg.II-2/19,</p> <p>— IMO Res.MSC.98(73)-(FSS Code) 12,</p> <p>— IMO MSC.1/Circ.1472,</p> <p>— IMO MSC.1/Circ.1550.</p>	<p>— IMO MSC.1/Circ.1472.</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>		
<p>UK/3.70</p> <p>Fire-fighting hoses</p> <p>(Semi-rigid hoses for fixed systems)</p> <p>Row 1 of 1</p>	<p>Type approval requirements</p> <p>— SOLAS 74 Reg. II-2/10,</p> <p>— SOLAS 74 Reg. X/3.</p> <hr/> <p>Carriage and performance requirements</p> <p>— SOLAS 74 Reg. II-2/10,</p> <p>— IMO Res.MSC.36(63)-(1994 HSC Code) 7,</p> <p>— IMO Res.MSC.97(73)-(2000 HSC Code) 7.</p>	<p>— EN 694:2014.</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>		

UK/3.71 Fixed firefighting hose systems — Hose systems with lay-flat hose Row 1 of 1	Type approval requirements — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. X/3.	— EN 671-2:2012.	B+D B+E B+F	16.3.2017	
	Carriage and performance requirements — SOLAS 74 Reg. II-2/10, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7.				

4. Navigation equipment

Number and item designation	Regulation SOLAS 74, as amended, and the relevant resolutions and circulars of the IMO, as applicable	Testing standards	Modules for conformity assessment	First placing on the market	Last placing on board
UK/4.1 Magnetic compass Class A for ships Note: IMO Res.MSC.302(87) only applies when the equipment can raise and electronically send (an) alert(s) to a third piece of equipment. Row 1 of 2	Type approval requirements — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3,	— ISO 1069:1973, — ISO 25862:2009, — EN 60945:2002 incl. IEC 60945 Corr. 1:2008. Or:	B+D B+E B+F G	13.9.2019	12.8.2023 (I)
	Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.382(X), — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13, — IMO Res.MSC.302(87).	— ISO 1069:1973, — ISO 25862:2009, — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008. Note: And where IMO Res.MSC.302(87) is applicable: — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN IEC 61162-450:2018, — EN IEC 62923-1:2018, — EN IEC 62923-2:2018. Or: — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, — IEC 62923-1:2018,			

		<ul style="list-style-type: none"> — IEC 62923-2:2018. <p>End of Note on IMO Res.MSC.302(87)</p>			
<p>UK/4.1</p> <p>Magnetic compass</p> <p>Class A for ships</p> <p>Note: IMO Res.MSC.302(87) only applies when the equipment can raise and electronically send (an) alert(s) to a third piece of equipment.</p> <p>Row 2 of 2</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, <hr/> <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/19, — IMO Res.A.382(X), — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13, — IMO Res.MSC.302(87). 	<ul style="list-style-type: none"> — ISO 1069:1973, — ISO 25862:2019, — EN 60945:2002 incl. IEC 60945 Corr. 1:2008. <p>Or:</p> <ul style="list-style-type: none"> — ISO 1069:1973, — ISO 25862:2019, — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008. <p>Note: And where IMO Res.MSC.302(87) is applicable:</p> <ul style="list-style-type: none"> — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN IEC 61162-450:2018, — EN IEC 62923-1:2018, — EN IEC 62923-2:2018. <p>Or:</p> <ul style="list-style-type: none"> — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, 	<p>B+D</p> <p>B+E</p> <p>B+F</p> <p>G</p>	<p>12.8.2020</p>	

		<ul style="list-style-type: none"> — IEC62923-1:2018, — IEC62923-2:2018. <p>End of Note on IMO Res.MSC.302(87)</p>			
UK/4.2 Transmitting heading device THD (magnetic method) Row 1 of 2	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. V/19, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13, — IMO Res.MSC.116(73), — IMO Res.MSC.191(79), — IMO Res.MSC.302(87). 	<ul style="list-style-type: none"> — ISO 22090-2:2014, — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN IEC 61162-450:2018, — EN 62288:2014, — EN IEC 62923-1:2018, — EN IEC 62923-2:2018. <p>Or:</p> <ul style="list-style-type: none"> — ISO 22090-2:2014, — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, — IEC 62288 Ed. 2.0:2014-07, — IEC62923-1:2018, — IEC62923-2:2018. 	<p>B+D</p> <p>B+E</p> <p>B+F</p> <p>G</p>	13.9.2019	01.07.2025 (I)

<p>UK/4.2</p> <p>Transmitting heading device THD (magnetic method)</p> <p>Row 2 of 2</p> <p>(NEW ROW)</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> - SOLAS 74 Reg. V/18, - SOLAS 74 Reg. V/19, - SOLAS 74 Reg. X/3, - IMO Res. MSC.36(63)-(1994 HSC Code) 13, - IMO Res. MSC.97(73)-(2000 HSC Code) 13. 	<ul style="list-style-type: none"> - ISO 22090-2:2014, - EN 60945:2002 incl. IEC 60945 Corr.1:2008, - EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010 + A2:2014 EN IEC 61162-450:2018, EN IEC 62288:2022, EN IEC 62923-1:2018 EN IEC 62923-2:2018. 	<p>B+D</p> <p>B+E</p> <p>B+F</p> <p>G</p>	<p>01.11.2022</p>	
	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> - SOLAS 74 Reg. V/19, - IMO Res. A.694(17), - IMO Res. 36(63)-(1994 HSC Code) 13, - IMO Res. 97(73)-(2000 HSC Code) 13, - IMO Res. MSC.116(73), - IMO Res.191(79), - IMO Res. 302(87). 	<p>Or:</p> <ul style="list-style-type: none"> - ISO 22090-2:2014, - IEC 60945:2002 incl. IEC 60945 Corr.1:2008, - IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed. 1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014:07 IEC 61162-450:2018, - IEC 62288 Ed. 3.0:2021, - IEC 62923-1:2018, - IEC 62923-2:2018. 			

<p>UK/4.3 Gyro compass Row 1 of 2</p>	<p>Type approval requirements</p> <p>— SOLAS 74 Reg. V/18.</p>	<p>— ISO 8728:2014,</p> <p>— EN 60945:2002 incl. IEC 60945 Corr. 1:2008,</p> <p>— EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN IEC 61162-450:2018,</p> <p>— EN 62288:2014,</p> <p>— EN IEC 62923-1:2018,</p> <p>— EN IEC 62923-2:2018.</p> <p>Or:</p> <p>— ISO 8728:2014,</p> <p>— IEC 60945:2002 incl. IEC 60945 Corr. 1:2008,</p> <p>— IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018,</p> <p>— IEC 62288 Ed. 2.0:2014-07,</p> <p>— IEC 62923-1:2018,</p> <p>— IEC 62923-2:2018.</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p> <p>G</p>	<p>13.9.2019</p>	
<p>UK/4.3 Gyro compass</p>	<p>Type approval requirements</p> <p>For new certificates refer to item UK/4.65</p>	<p>Testing Standards</p> <p>For new certificates refer to item UK/4.65</p>	<p>For new certificates refer to item UK/4.65</p>	<p>25.8.2021</p>	

<p>Moved to UK/4.65</p> <p>Row 2 of 2</p>	<p>Carriage and performance requirements</p> <p>For new certificates refer to item UK/4.65</p>				
<p>UK/4.4, Radar equipment – item moved to UK/4.34, UK/4.35 and UK/4.36.</p>					
<p>UK/4.5, Automatic radar plotting aid (ARPA) – item moved to UK/4.34.</p>					
<p>UK/4.6</p> <p>Echo-sounding equipment</p> <p>Row 1 of 2</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/19, — IMO Res.A.224(VII), — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC 	<ul style="list-style-type: none"> — EN ISO 9875:2001 incl. ISO Technical Corr. 1:2006, — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN IEC 61162-450:2018, — EN 62288:2014, — EN IEC 62923-1:2018, — EN IEC 62923-2:2018. <p>Or:</p> <ul style="list-style-type: none"> — ISO 9875:2000 incl. ISO Technical Corr. 1:2006, 	<p>B+D</p> <p>B+E</p> <p>B+F</p> <p>G</p>	<p>13.9.2019</p>	<p>01.07.2025 (I)</p>

	<p>Code) 13,</p> <ul style="list-style-type: none"> — IMO Res.MSC.191(79), — IMO Res.MSC.74(69) Annex 4, — IMO Res.MSC.302(87). 	<ul style="list-style-type: none"> — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. With A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, — IEC 62288 Ed. 2.0:2014-07, — IEC62923-1:2018, — IEC62923-2:2018. 			
<p>UK/4.6</p> <p>Echo-sounding equipment</p> <p>Row 2 of 2</p> <p>(NEW ROW)</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> - SOLAS 74 Reg. V/18, - SOLAS 74 Reg. X/3, - IMO Res. MSC.36(63)-(1994 HSC Code) 13, - IMO Res. MSC.97(73)-(2000 HSC Code) 13. 	<ul style="list-style-type: none"> - EN ISO 9875:2001 incl. ISO Technical Corr. 1:2006, - EN 60945:2002 incl. IEC 60945 Corr. 1:2008, - EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010 +A2:2014 EN IEC 61162-450:2018, 	<p>B+D</p> <p>B+E</p> <p>B+F</p> <p>G</p>	01.11.2022	
	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> - SOLAS 74 Reg. V/19, - IMO Res. A224(VII), - IMO Res. 694(17), 	<ul style="list-style-type: none"> - EN IEC 62288:2022, - EN IEC 62923-1:2018, - EN IEC 62923-2:2018. <p>Or:</p>			

	<ul style="list-style-type: none"> - IMO Res. MSC.36(63)-(1994 HSC Code) 13, - IMO Res. MSC.97(73)-(2000 HSC Code) 13, - IMO Res. MSC.191(79), - IMO Res. MSC.74(69) Annex 4, - IMO Res. MSC.302(87). 	<ul style="list-style-type: none"> - ISO 9875:2000 incl. ISO Technical Corr. 1:2006, - IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, - IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, — IEC 62288 Ed. 3.0:2021, — IEC 62923-1:2018, — IEC 62923-2:2018. 			
--	--	---	--	--	--

UK/4.7 Speed and distance measuring equipment (SDME) Row 1 of 2	Type approval requirements — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13.	— EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61023:2007, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN IEC 61162-450:2018, — EN 62288:2014,	B+D B+E B+F G	13.9.2019	01.07.2025 (I)
---	---	---	------------------------	-----------	----------------

	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.A.824(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13, — IMO Res.MSC.191(79), — IMO Res.MSC.302(87). 	<ul style="list-style-type: none"> — EN IEC 62923-1:2018, — EN IEC 62923-2:2018. <p>Or:</p> <ul style="list-style-type: none"> — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61023:2007, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, — IEC 62288 Ed. 2.0:2014-07, — IEC62923-1:2018, — IEC62923-2:2018. 			
<p>UK/4.7</p> <p>Speed and distance measuring equipment (SDME)</p> <p>Row 2 of 2</p> <p>(NEW ROW)</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> - SOLAS 74 Reg. V/18, - SOLAS 74 Reg. X/3, - IMO Res. MSC.36(63)-(1994 HSC Code) 13, - IMO Res. MSC.97(73)-(2000 HSC Code) 13. 	<ul style="list-style-type: none"> - EN 60945:2002 incl. IEC 60945 Corr. 1:2008, - EN 61023:2007, - EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010 +A2:2014 EN IEC 61162-450:2018, 	<p>B+D B+E B+F G</p>	<p>01.11.2022</p>	

	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> - SOLAS 74 Reg. V/19, - IMO Res. A694(17) - IMO Res. A.824(19), - IMO Res. MSC.36(63)-(1994 HSC Code) 13, - IMO Res. MSC.191(79), - IMO Res. MSC. 302(87). 	<p>EN IEC 62288:2022, EN IEC 62923-1:2018, EN IEC 62923-2:2018.</p> <p>Or:</p> <ul style="list-style-type: none"> - IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, - IEC 61023:2007, - IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, - IEC 62288 Ed. 3.0:2021, - IEC 62923-1:2018, - IEC 62923-2:2018. 			
UK/4.8, Rudder angle, rpm, pitch indicator – item moved to UK/4.20, UK/4.21 and UK/4.22.					
<p>UK/4.9</p> <p>Rate-of-turn indicator</p> <p>Row 1 of 2</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. 	<ul style="list-style-type: none"> — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN IEC 61162-450:2018, — ISO 20672:2007 incl. Corr. 1:2008, 	<p>B+D</p> <p>B+E</p> <p>B+F</p> <p>G</p>	13.9.2019	01.07.2025 (I)

	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/19, — IMO Res.A.526(13), — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13, — IMO Res.MSC.191(79), — IMO Res.MSC.302(87). 	<ul style="list-style-type: none"> — EN 62288:2014, — EN IEC 62923-1:2018, — EN IEC 62923-2:2018. <p>Or:</p> <ul style="list-style-type: none"> — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, — ISO 20672:2007 incl Corr 1:2008, — IEC 62288 Ed. 2.0:2014-07, — IEC 62923-1:2018, — IEC 62923-2:2018. 			
<p>UK/4.9</p> <p>Rate-of-turn indicator</p> <p>Row 2 of 2</p> <p>(NEW ROW)</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> - SOLAS 74 Reg. V/18, - SOLAS 74 Reg. X/3 - IMO Res. MSC.36(63)-(1994 HSC Code) 13, - IMO Res. MSC.97(73)-(2000 HSC Code) 13. 	<ul style="list-style-type: none"> - EN 60945:2002 incl. IEC 60945 Corr. 1:2008, - EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010 +A2:2014 EN IEC 61162-450:2018, 	<p>B+D B+E B+F G</p>	<p>01.11.2022</p>	

	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> - SOLAS 74 Reg. V/19, - IMO Res.A.526(13), - IMO Res.A.694(17), - IMO Res.MSC.36(63)-(1994 HSC Code) 13, - IMO Res.MSC.97(73)-(2000 HSC Code) 13, - IMO Res.MSC.191(79), - IMO Res.MSC.302(87). 	<ul style="list-style-type: none"> - ISO 20672:2022, - EN IEC 62288:2022, - EN IEC 62923-1:2018, - EN IEC 62923-2:2018. <p>Or:</p> <ul style="list-style-type: none"> - IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, - IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, - ISO 20672:2022, - IEC 62288 Ed. 3.0:2021, - IEC 62923-1:2018, - IEC 62923-2:2018. 			
Item UK/4.10, Direction finder, - Item deliberately left blank					
Item UK/4.11, Loran equipment, - Item deliberately left blank.					
Item UK/4.12, Chaika equipment, - Item deliberately left blank.					
Item UK/4.13, Decca navigator equipment, - Item deliberately left blank.					

<p>UK/4.14</p> <p>GPS equipment</p> <p>Row 1 of 2</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. 	<ul style="list-style-type: none"> — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61108-1:2003, — EN 61162 series: <ul style="list-style-type: none"> EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN IEC 61162-450:2018, 	<p>B+D</p> <p>B+E</p> <p>B+F</p> <p>G</p>	<p>13.9.2019</p>	<p>01.07.2025 (I)</p>
	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13, — IMO Res.MSC.112(73), — IMO Res.MSC.191(79), — IMO Res.MSC.302(87). 	<ul style="list-style-type: none"> — EN 62288:2014, — EN IEC 62923-1:2018, — EN IEC 62923-2:2018. Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61108-1 Ed. 2.0: 2003, — IEC 61162 series: <ul style="list-style-type: none"> IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, — IEC 62288 Ed. 2.0:2014-07, — IEC 62923-1:2018, — IEC 62923-2:2018, 			

<p>UK/4.14</p> <p>GPS Equipment</p> <p>Moved to UK/4.63.</p> <p>Row 2 of 2</p>	<p>Type approval requirements</p> <p>For new certificates refer to item UK/4.63</p>	<p>Testing Standards</p> <p>For new certificates refer to item UK/4.63</p>	<p>For new certificates refer to item UK/4.63</p>	<p>25.8.2021</p>	
<p>UK/4.15</p> <p>GLONASS equipment</p> <p>Row 1 of 2</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. 	<ul style="list-style-type: none"> — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61108-2:1998, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN IEC 61162-450:2018, — EN 62288:2014, 	<p>B+D</p> <p>B+E</p> <p>B+F</p> <p>G</p>	<p>13.9.2019</p>	<p>01.07.2025 (I)</p>
<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13, 	<ul style="list-style-type: none"> — EN IEC 62923-1:2018, — EN IEC 62923-2:2018. <p>Or:</p> <ul style="list-style-type: none"> — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61108-2 Ed. 1.0:1998, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, 				

	<ul style="list-style-type: none"> — IMO Res.MSC.113(73), — IMO Res.MSC.191(79), — IMO Res.MSC.302(87). 	<ul style="list-style-type: none"> — IEC 62288 Ed. 2.0:2014-07, — IEC62923-1:2018, — IEC62923-2:2018. 			
UK/4.15 GLONASS equipment Moved to UK/4.63. Row 2 of 2	Type approval requirements For new certificates refer to item UK/4.63	Testing Standards For new certificates refer to item UK/4.63	For new certificates refer to item UK/4.63	25.8.2021	
	Carriage and performance requirements For new certificates refer to item UK/4.63				
UK/4.16 Heading control system (HCS) Row 1 of 2	Type approval requirements — SOLAS 74 Reg. V/18.	<ul style="list-style-type: none"> — ISO 11674:2019, — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN IEC 61162-450:2018, — EN 62288:2014, — EN IEC 62923-1:2018, — EN IEC 62923-2:2018. Or: <ul style="list-style-type: none"> — ISO 11674:2019, — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, 	B+D B+E B+F G	12.8.2020	01.07.2025 (I)
	Carriage and performance requirements <ul style="list-style-type: none"> — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. V/19, — IMO Res.A.342(IX), — IMO Res.A.694(17), — IMO Res.MSC.191(79), — IMO Res.MSC.64(67) Annex 3, — IMO Res.MSC.302(87). 				

		<ul style="list-style-type: none"> — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, — IEC 62288 Ed. 2.0:2014-07, — IEC62923-1:2018, — IEC62923-2:2018. 			
UK/4.16 Heading control system (HCS) Row 2 of 2 (NEW ROW)	<p>Type approval requirements</p> <ul style="list-style-type: none"> - SOLAS 74 Reg. V/18. <hr/> <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> - SOLAS 74 Reg. V/18, - SOLAS 74 Reg. V/19, - IMO Res. A342(IX), - IMO Res. 694(17), - IMO Res.MSC.191(79), - IMO Res.MSC.64(67) Annex 3, - IMO Res. MSC.302(87). 	<ul style="list-style-type: none"> - ISO 11674:2019, - EN 60945:2002 incl. IEC 60945 Corr. 1:2008, - EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010 +A2:2014 EN IEC 61162-450:2018, EN IEC 62288:2022, EN IEC 62923-1:2018, EN IEC 62923-2:2018. Or: - ISO 11674:2019, - IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, - IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, - IEC 62288 Ed. 3.0:2021, 	B+D B+E B+F G	01.11.2022	

		<ul style="list-style-type: none"> - IEC 62923-1:2018, - IEC 62923-2:2018. 			
Item UK/4.17, Mechanical pilot hoist, - moved to UK/4.48					
UK/4.18 Search and rescue locating devices (SRLD): 9 GHz SAR transponder (SART) Row 1 of 1	Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13.	— EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61097-1:2007. Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61097-1: 2007.	B+D B+E B+F G		

	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/6, — SOLAS 74 Reg. IV/7, — SOLAS 74 Reg. III/26, — IMO Res.A.530(13), — IMO Res.A.802(19), — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 8, — IMO Res.MSC.97(73)-(2000 HSC Code) 14, — ITU-R M.628-5 (03/2012). 				
Item UK/4.19, Radar equipment for high speed craft, - moved to UK /4.37.					
<p>UK/4.20</p> <p>Rudder angle indicator</p> <p>Row 1 of 2</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. 	<ul style="list-style-type: none"> — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: <ul style="list-style-type: none"> EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010 + A2:2014 EN IEC 61162-450:2018, — EN 62288:2014, 	<p>B+D</p> <p>B+E</p> <p>B+F</p> <p>G</p>	<p>13.9.2019</p>	<p>01.07.2025 (I)</p>

	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13, — IMO Res.MSC.191(79), — IMO Res.MSC.302(87). 	<ul style="list-style-type: none"> — EN IEC 62923-1:2018, — EN IEC 62923-2:2018, — ISO 20673:2007. <p>Or:</p> <ul style="list-style-type: none"> — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61162 series: <ul style="list-style-type: none"> IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, — IEC 62288 Ed. 2.0:2014-07, — IEC 62923-1:2018, — IEC 62923-2:2018, — ISO 20673:2007. 			
<p>UK/4.20</p> <p>Rudder angle indicator</p> <p>Row 2 of 2</p> <p>(NEW ROW)</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> - SOLAS 74 Reg. V/18, - SOLAS 74 Reg. X/3, - IMO Res.MSC.36(63)-(1994 HSC Code) 13, - IMO Res.MSC.97(73)-(2000 HSC Code) 13. 	<ul style="list-style-type: none"> - EN 60945:2002 incl. IEC 60945 Corr. 1:2008, - EN 61162 series: <ul style="list-style-type: none"> EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010 +A2:2014 EN IEC 61162-450:2018, - EN IEC 62288:2022, - EN IEC 62923-1:2018, - EN IEC 62923-2:2018, - ISO 20673:2022. <p>Or:</p> <ul style="list-style-type: none"> - IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, - IEC 61162 series: <ul style="list-style-type: none"> IEC 61162-1:2016 	<p>B+D B+E B+F G</p>	<p>01.11.2022</p>	
	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> - SOLAS 74 Reg. V/19, - IMO Res. A.694(17), - IMO Res.MSC.36(63)-(1994 HSC Code) 13, - IMO Res.MSC.97(73)-(2000 HSC Code) 13. 				

	<p>Code) 13,</p> <ul style="list-style-type: none"> - IMO Res. MSC.191(79), - IMO Res. MSC.302(87). 	<p>IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, IEC 62288 Ed. 3.0:2021, IEC 62923-1:2018, IEC 62923-2:2018,</p> <ul style="list-style-type: none"> - ISO 20673:2022 			
<p>UK/4.21 Propeller revolution indicator Row 1 of 2</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res. MSC.36(63)-(1994 HSC Code) 13, — IMO Res. MSC.97(73)-(2000 HSC Code) 13. 	<ul style="list-style-type: none"> — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN IEC 61162-450:2018, — EN 62288:2014, — EN IEC 62923-1:2018, — EN IEC 62923-2:2018, — ISO 22554:2015. <p>Or:</p> <ul style="list-style-type: none"> — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, — IEC 62288 Ed. 2.0:2014-07, — IEC 62923-1:2018, — IEC 62923-2:2018, 	<p>B+D B+E B+F G</p>	<p>13.9.2019</p>	<p>01.07.2025 (I)</p>
	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/19, — IMO Res. A.694(17), — IMO Res. MSC.36(63)-(1994 HSC Code) 13, — IMO Res. MSC.97(73)-(2000 HSC Code) 13, — IMO Res. MSC.191(79), — IMO Res. MSC.302(87). 				

		— ISO 22554:2015.			
UK/4.21 Propeller revolution indicator Row 2 of 2 (NEW ROW)	<p>Type approval requirements</p> <ul style="list-style-type: none"> - SOLAS 74 Reg. V/18 - SOLAS 74 Reg. X/3, - IMO Res. MSC.36(63)-(1994 HSC Code) 13, - IMO Res. MSC.97(73)-(2000 HSC Code) 13. <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> - SOLAS 74 Reg. V/19, - IMO Res. A.694(17), - IMO Res. MSC.36(63)-(1994 HSC Code) 13, - IMO Res. 97(73)-(2000 HSC Code) 13, - IMO Res. MSC.191(79), - IMO Res. MSC.302(87). 	<ul style="list-style-type: none"> - EN 60945:2002 incl. IEC 60945 Corr. 1:2008, - EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010 +A2:2014 EN IEC 61162-450:2018, - EN IEC 62288:2022, - EN IEC 62923-1:2018, - EN IEC 62923-2:2018, - ISO 22554:2015. Or: - IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, - IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, - IEC 62288 Ed. 3.0:2021, - IEC 62923-1:2018, - IEC 62923-2:2018, - ISO 22554:2015. 	B+D B+E B+F G	01.11.2022	

<p>UK/4.22 Pitch indicator Row 1 of 2</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. 	<ul style="list-style-type: none"> — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN IEC 61162-450:2018, — EN 62288:2014, — EN IEC 62923-1:2018, — EN IEC 62923-2:2018, — ISO 22555:2007. 	<p>B+D B+E B+F G</p>	<p>13.9.2019</p>	<p>01.07.2025 (I)</p>
	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13, — IMO Res.MSC.191(79), — IMO Res.MSC.302(87). 	<p>Or:</p> <ul style="list-style-type: none"> — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, — IEC 62288 Ed. 2.0:2014-07, — IEC 62923-1:2018, — IEC 62923-2:2018, — ISO 22555:2007. 			
<p>UK/4.22 Pitch indicator Row 2 of 2</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> - SOLAS 74 Reg. V/18, - SOLAS 74 Reg. X/3, - IMO Res. MSC.36(63)-(1994 HSC Code) 13, - IMO Res. MSC.97(73)-(2000 HSC 	<ul style="list-style-type: none"> - EN 60945:2002 incl. IEC 60945 Corr. 1:2008, - EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010 	<p>B+D B+E B+F G</p>	<p>01.11.2022</p>	

(NEW ROW)	Code) 13.	+A2:2014 EN IEC 61162-450:2018, EN IEC 62288:2022, EN IEC 62923-1:2018, EN IEC 62923-2:2018, ISO 22555:2022. Or: - IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, - IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. With A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, - IEC 62288 Ed. 3.0:2021, - IEC 62923-1:2018, - IEC 62923-2:2018, - ISO 22555:2022.			
	Carriage and performance requirements - SOLAS 74 Reg. V/19, - IMO Res. A.694(17), - IMO Res. MSC.36(63)-(1994 HSC Code) 13, - IMO Res. MSC.97(73)-(2000 HSC Code) 13, - IMO Res. MSC.191(79), - IMO Res. MSC.302(87).				
UK/4.23 Magnetic compass: - Class B for lifeboats and rescue boats Row 1 of 2	Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code)13.	— ISO 1069:1973, — ISO 25862:2009, — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008.	B+D B+E B+F G		12.8.2023 (II)

	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/34, — IMO Res.MSC.48(66)-(LSA Code) IV, — IMO Res.MSC.48(66)-(LSA Code) V, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 8, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. 				
<p>UK/4.23 Magnetic compass</p> <ul style="list-style-type: none"> - Class B for lifeboats and rescue boats <p>Row 2 of 2</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. 	<ul style="list-style-type: none"> — ISO 1069:1973, — ISO 25862:2009, — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008. 	<p>B+D B+E B+F G</p>	<p>12.8.2020</p>	

	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/34, — IMO Res.MSC.48(66)-(LSA Code) IV, — IMO Res.MSC.48(66)-(LSA Code) V, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 8, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. 				
<p>Item UK/4.24, Automatic radar plotting aid (ARPA) for high speed craft, - moved to UK/4.37.</p>					
<p>Item UK/4.25, Automatic tracking aid (ATA), - moved to UK/4.35.</p>					
<p>Item UK/4.26, Automatic tracking aid (ATA) for high speed craft, - moved to UK/4.38.</p>					
<p>Item UK/4.27, Electronic plotting aid, - moved to UK/4.36.</p>					
<p>Item UK/4.28, Integrated bridge system, - moved to UK/4.30.</p>					

<p>UK/4.29 Voyage data recorder (VDR) Row 1 of 2</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. 	<ul style="list-style-type: none"> — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN IEC 61162-450:2018, — EN 61996-1:2013 incl. IEC 61996-1 Corr. 1:2014, 	<p>B+D B+E B+F G</p>	<p>13.9.2019</p>	<p>30.06.2022</p>
	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/20, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13, — IMO Res.MSC.191(79), — IMO Res.MSC.302(87), — IMO Res.MSC.333(90). 	<ul style="list-style-type: none"> — EN 62288:2014, — EN IEC 62923-1:2018, — EN IEC 62923-2:2018. <p>Or:</p> <ul style="list-style-type: none"> — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, — IEC 61996-1 Ed. 2.0: 2013-05 incl. IEC 61996-1 Corr. 1:2014, — IEC 62288 Ed. 2.0:2014-07, — IEC 62923-1:2018, — IEC 62923-2:2018. 			

<p>UK/4.29</p> <p>Voyage data recorder (VDR) Row 2 of 2</p> <p>(Correction MSN 1874 amendment 7 to include IEC 62288 Ed.3.0:2021 and EN IEC 62288:2022, which was previously omitted in MSN 1874 amendment 6)</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. 	<ul style="list-style-type: none"> — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN IEC 61162-450:2018, — EN 61996-1:2013+A1:2021 	<p>B+D</p> <p>B+E</p> <p>B+F</p> <p>G</p>	<p>01.07.2022</p>	
	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/20, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13, — IMO Res.MSC.191(79), — IMO Res.MSC.302(87), — IMO Res.MSC.333(90). 	<p>— EN 62288:2014,</p> <p>Correction: — EN IEC 62288:2022</p> <ul style="list-style-type: none"> — EN IEC 62923-1:2018, — EN IEC 62923-2:2018. <p>Or:</p> <ul style="list-style-type: none"> — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, — IEC 61996-1 Ed. 2.0:2013+A1:2021 — IEC 62288 Ed. 2.0:2014-07, <p>Correction: — IEC 62288 Ed. 3.0:2021,</p> <ul style="list-style-type: none"> — IEC 62923-1:2018, — IEC 62923-2:2018. 			

<p>UK/4.30</p> <p>Electronic chart display and information system (ECDIS) with backup, and raster chart display system (RCDS)</p> <p>Row 1 of 2</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. V/27, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. 	<ul style="list-style-type: none"> — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN IEC 61162-450:2018, — EN 61174:2015, — EN IEC 62288:2014, — EN IEC 62923-1:2018, — EN IEC 62923-2:2018. 	<p>B+D</p> <p>B+E</p> <p>B+F</p> <p>G</p>	<p>13.9.2018</p>	<p>01.01.2024 (I)</p>
<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13, — IMO Res.MSC.191(79), — IMO Res.MSC.232(82), — IMO Res.MSC.302(87), — IMO MSC.1/Circ.1503. Rev.1. <p>[ECDIS back-up and RCDS are only applicable when this functionality is included in the ECDIS. The module B certificate shall indicate whether these options were tested].</p>	<p>Or:</p> <ul style="list-style-type: none"> — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, — IEC 61174 Ed. 4.0: 2015, — IEC 62288 Ed. 2.0:2014-07, — IEC 62923-1:2018, — IEC 62923-2:2018. 				

<p>UK/4.30</p> <p>Electronic chart display and information system (ECDIS) with backup, and raster chart display system (RCDS)</p> <p>Row 2 of 2</p> <p>(Update MSN 1874 amendment 7 to include IEC 62288 Ed.3.0:2021 and IEC 62288:2022, which was previously omitted in MSN 1874 amendment 6)</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> - SOLAS 74 Reg. V/18, - SOLAS 74 Reg. V/27, - SOLAS 74 Reg. X/3, - IMO Res. MSC.36(63)-(1994 HSC Code) 13, - IMO Res. MSC.97(73)-(2000 HSC Code) 13 <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13, — IMO Res.MSC.191(79), — IMO Res.MSC.232(82), — IMO Res.MSC.302(87), — IMO MSC.1/Circ.1503. Rev.1. <p>[ECDIS back-up and RCDS are only applicable when this functionality is included in the ECDIS. The module B certificate shall indicate whether these options were tested].</p>	<ul style="list-style-type: none"> — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN IEC 61162-450:2018, — EN 61174:2015, — EN 62288:2014, — Correction: EN 62288:2022, — EN IEC 62923-1:2018, — EN IEC 62923-2:2018. <p>Note: Annex S (normative of EN 61174 may additionally be tested in accordance to IEC PAS 61174-1:2021.</p> <p>Or:</p> <ul style="list-style-type: none"> — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, — IEC 61174 Ed. 4.0: 2015, — IEC 62288 Ed. 2.0:2014-07, <p>Correction: IEC 62288 Ed. 3.0:2021,</p> <ul style="list-style-type: none"> — IEC62923-1:2018, — IEC62923-2:2018. <p>Note: Annex S (normative of EN 61174 may</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p> <p>G</p>	<p>01.07.2022</p>	
--	--	--	---	-------------------	--

		additionally be tested in accordance to IEC PAS 61174-1:2021.			
UK/4.31 Gyro compass for high-speed craft Row 1 of 2	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — IMO Res.A.694(17), — IMO Res.A.821(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13, — IMO Res.MSC.191(79), — IMO Res.MSC.302(87), — IMO MSC.1/Circ.1349. 	<ul style="list-style-type: none"> — ISO 16328:2014, — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN IEC 61162-450:2018, — EN 62288:2014, — EN IEC 62923-1:2018, — EN IEC 62923-2:2018. <p>Or:</p> <ul style="list-style-type: none"> — ISO 16328:2014, — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, — IEC 62288 Ed. 2.0:2014-07, — IEC 62923-1:2018, — IEC 62923-2:2018. 	<p>B+D</p> <p>B+E</p> <p>B+F</p> <p>G</p>	13.9.2018	01.07.2025 (I)

<p>UK/4.31</p> <p>Gyro compass for high-speed craft</p> <p>Moved to UK/4.65</p> <p>Row 2 of 2</p>	<p>Type approval requirements</p> <p>For new certificates refer to item UK/4.65</p> <hr/> <p>Carriage and performance requirements</p> <p>For new certificates refer to item UK/4.65</p>	<p>Testing Standards</p> <p>For new certificates refer to item UK/4.65</p>	<p>For new certificates refer to item UK/4.65</p>	<p>25.8.2021</p>	
<p>UK/4.32</p> <p>Universal automatic identification system equipment (AIS)</p> <p>Row 1 of 2</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. <hr/> <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13, — IMO Res.MSC.74(69), — IMO Res.MSC.191(79), — IMO Res.MSC.302(87), — ITU-RM-1371-5 (02-2014) Note: ITU- 	<p>— EN 60945:2002 incl. IEC 60945 Corr. 1:2008,</p> <p>— EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN IEC 61162-450:2018,</p> <p>— IEC 61993-2:2018,</p> <p>— EN 62288:2014,</p> <p>— EN IEC 62923-1:2018,</p> <p>— EN IEC 62923-2:2018.</p> <p>Or:</p> <p>— IEC 60945:2002 incl. IEC 60945 Corr. 1:2008,</p> <p>— IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018,</p> <p>— IEC 61993-2:2018,</p> <p>— IEC 62288 Ed. 2.0:2014-07,</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p> <p>G</p>	<p>13.9.2019</p>	<p>01.07.2025 (I)</p>

	RM 1371-5 (02-2014) shall only be applicable in accordance with requirements of IMO Res.MSC.74(69).	<ul style="list-style-type: none"> — IEC62923-1:2018, — IEC62923-2:2018. 			
UK/4.32 Universal automatic identification system equipment (AIS) Row 2 of 2 (NEW ROW)	<p>Type approval requirements</p> <ul style="list-style-type: none"> - SOLAS 74 Reg. V/18, - SOLAS 74 Reg. X/3, - IMO Res. MSC.36(63)-(1994 HSC Code) 13, - IMO Res. MSC.97(73)-(2000 HSC Code) 13. 	<ul style="list-style-type: none"> - EN 60945:2002 incl. IEC 60945 Corr. 1:2008, - EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010 +A2:2014 EN IEC 61162-450:2018, - EN IEC 61993-2:2018, - EN IEC 62288:2022, - EN IEC 62923-1:2018, - EN IEC 62923-2:2018. 	B+D B+E B+F G	01.11.2022	
	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> - SOLAS 74 Reg. V/19, - IMO Res. A.694(17), - IMO Res. MSC.36(63)-(1994 HSC Code) 13, - IMO Res. MSC.97(73)-(2000 HSC Code) 13, - IMO Res. MSC.74(69), - IMO Res. MSC.191(79), - IMO Res. MSC.302(87), - ITU-RM-1371-5 (02-2014) Note: ITU-RM 1371-5 (02-2014) shall only be applicable in accordance with requirements of IMO Res. MSC.74(69). 	<ul style="list-style-type: none"> - EN IEC 61993-2:2018, - EN IEC 62288:2022, - EN IEC 62923-1:2018, - EN IEC 62923-2:2018. <p>Or:</p> <ul style="list-style-type: none"> - IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, - IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. With A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, - IEC 61993-2:2018, - IEC 62288 Ed. 3.0:2021, - IEC 62923-1:2018, - IEC 62923-2:2018 			

<p>UK/4.33</p> <p>Track control system</p> <p>(working at ship's speed from minimum manoeuvring speed up to 30 knots)</p> <p>Row 1 of 2</p>	<p>Type approval requirements</p> <p>— SOLAS 74 Reg. V/18.</p>	<p>— EN 60945:2002 incl. IEC 60945 Corr. 1:2008,</p> <p>— EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN IEC 61162-450:2018,</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p> <p>G</p>	<p>13.9.2019</p>	<p>01.07.2025 (I)</p>
	<p>Carriage and performance requirements</p> <p>— SOLAS 74 Reg. V/19,</p> <p>— IMO Res.A.694(17),</p> <p>— IMO Res.MSC.74(69),</p> <p>— IMO Res.MSC.191(79),</p> <p>— IMO Res.MSC.302(87).</p>	<p>— EN 62065:2014,</p> <p>— EN 62288:2014,</p> <p>— EN IEC 62923-1:2018,</p> <p>— EN IEC 62923-2:2018.</p> <p>Or:</p> <p>— IEC 60945:2002 incl. IEC 60945 Corr. 1:2008,</p> <p>— IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018,</p> <p>— IEC 62065 Ed. 2.0:2014-02,</p> <p>— IEC 62288 Ed. 2.0:2014-07,</p> <p>— IEC62923-1:2018,</p> <p>— IEC62923-2:2018.</p>			
<p>UK/4.33</p> <p>Track control system</p>	<p>Type approval requirements</p> <p>- SOLAS 74 Reg. V/18.</p>	<p>- EN 60945:2002 incl. IEC 60945 Corr. 1:2008,</p> <p>- EN 61162 series: EN 61162-1:2016</p>	<p>B+D</p> <p>B+E</p>	<p>01.11.2022</p>	

<p>(working at ship's speed from minimum manoeuvring speed up to 30 knots)</p> <p>Row 2 of 2</p> <p>(NEW ROW)</p>	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> - SOLAS 74 Reg. V/19, - IMO Res. A.694(17), - IMO Res. MSC.74(69), - IMO Res. MSC.191(79), - IMO Res. MSC.302(87). 	<p>EN 61162-2:1998 EN 61162-3:2008 +A1:2010 +A2:2014 EN IEC 61162-450:2018,</p> <ul style="list-style-type: none"> - EN 62065:2014, - EN IEC 62288:2022, - EN IEC 62923-1:2018, - EN IEC 62923-2:2018. <p>Or:</p> <ul style="list-style-type: none"> - IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, - IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, - IEC 62065 Ed. 2.0:2014-02, - IEC 62288 Ed. 3.0:2021, - IEC 62923-1:2018, - IEC 62923-2:2018. 	<p>B+F</p> <p>G</p>		
<p>UK/4.34</p> <p>Radar equipment CAT 1</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/18. 	<ul style="list-style-type: none"> — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 	<p>B+D</p> <p>B+E</p>	<p>13.9.2019</p>	<p>01.01.2024 (I)</p>

Row 1 of 2	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/19, — IMO Res.A.278(VIII), — IMO Res.A.694(17), — IMO Res.MSC.191(79), — IMO Res.MSC.192(79), — IMO Res.MSC.302(87), — ITU-R M.1177-4 (04/11). 	<p>EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN IEC 61162-450:2018,</p> <ul style="list-style-type: none"> — EN 62288:2014, — EN 62388:2013, — EN IEC 62923-1:2018, — EN IEC 62923-2:2018. <p>Or:</p> <ul style="list-style-type: none"> — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, — IEC 62288 Ed. 2.0:2014-07, — IEC 62388 Ed. 2.0: 2013-06, — IEC62923-1:2018, — IEC62923-2:2018. 	B+F G		
UK/4.34 Radar equipment CAT 1 Moved to UK/4.64 Row 2 of 2	Type approval requirements For new certificates refer to UK/4.64 <hr/> Carriage and performance requirements For new certificates refer to UK/4.64	Testing Standards For new certificates refer to UK/4.64	For new certificates refer to UK/4.64	25.8.2021	

<p>UK/4.35 Radar equipment CAT 2 Row 1 of 2</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/18. 	<ul style="list-style-type: none"> — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN IEC 61162-450:2018, 	<p>B+D B+E B+F G</p>	<p>13.9.2018</p>	<p>01.01.2024 (I)</p>
	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/19, — IMO Res.A.278(VIII), — IMO Res.A.694(17), — IMO Res.MSC.191(79), — IMO Res.MSC.192(79), — IMO Res.MSC.302(87), — ITU-R M.1177-4 (04/11). 	<ul style="list-style-type: none"> — EN 62388:2013, — EN 62288:2014, — EN IEC 62923-1:2018, — EN IEC 62923-2:2018. <p>Or:</p> <ul style="list-style-type: none"> — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, — IEC 62388 Ed. 2.0: 2013-06, — IEC 62288 Ed. 2.0:2014-07, — IEC62923-1:2018, — IEC62923-2:2018. 			

UK/4.35 Radar equipment CAT 2 Moved to UK/4.64 Row 2 of 2	Type approval requirements For new certificates refer to item UK/4.64 Carriage and performance requirements For new certificates refer to item UK/4.64	Testing Standards For new certificates refer to item UK/4.64	For new certificates refer to item UK/4.64	25.8.2021	
UK/4.36 Radar equipment CAT 3 Row 1 of 2	Type approval requirements — SOLAS 74 Reg. V/18. Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.278(VIII), — IMO Res.A.694(17), — IMO Res.MSC.191(79), — IMO Res.MSC.192(79), — IMO Res.MSC.302(87), — ITU-R M.1177-4 (04/11).	— EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN IEC 61162-450:2018, — EN 62288:2014, — EN 62388:2013, — EN IEC 62923-1:2018, — EN IEC 62923-2:2018. Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, — IEC 62288 Ed. 2.0:2014-07, — IEC 62388 Ed. 2.0: 2013-06, — IEC62923-1:2018, — IEC62923-2:2018.	B+D B+E B+F G	13.9.2019	01.01.2024 (I)

UK/4.36 Radar equipment CAT 3 Row 2 of 2	Type approval requirements For new certificates refer to item UK/4.64	Testing Standards For new certificates refer to item UK/4.64	For new certificates refer to item UK/4.64	25.8.2021	
	Carriage and performance requirements For new certificates refer to item UK/4.64				
UK/4.37 Radar equipment for high speed craft applications (CAT 1H and CAT 2H) Row 1 of 2	Type approval requirements — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13.	— EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN IEC 61162-450:2018, — EN 62288:2014, — EN 62388:2013, — EN IEC 62923-1:2018, — EN IEC 62923-2:2018.	B+D B+E B+F G	13.9.2019	01.01.2024 (I)
	Carriage and performance requirements — IMO Res.A.278(VIII), — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.191(79), — IMO Res.MSC.192(79), — IMO Res.MSC.302(87),	Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, — IEC 62288 Ed. 2.0:2014-07,			

	<ul style="list-style-type: none"> — IMO MSC.1/Circ.1349, — ITU-R M.1177-4 (04/11). 	<ul style="list-style-type: none"> — IEC 62388 Ed. 2.0: 2013-06, — IEC62923-1:2018, — IEC62923-2:2018. 			
UK/4.37 Radar equipment for high speed craft applications (CAT 1H and CAT 2H) Moved to UK/4.64 Row 2 of 2	Type approval requirements For new certificates refer to item UK/4.64 <hr/> Carriage and performance requirements For new certificates refer to item UK/4.64	Testing Standards For new certificates refer to item UK/4.64	For new certificates refer to item UK/4.64	25.8.2021	
UK/4.38a Radar equipment approved with a chart option, namely: CAT 1C. Row 1 of 3	Type approval requirements <ul style="list-style-type: none"> — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. <hr/> Carriage and performance requirements <ul style="list-style-type: none"> — IMO Res.A.278(VIII), — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC 	<ul style="list-style-type: none"> — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 IEC 61162-450:2018, — EN 62288:2014, — EN 62388:2013, — IEC62923-1:2018, — IEC62923-2:2018. Or: <ul style="list-style-type: none"> — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61162 series: 	B+D B+E B+F G	13.9.2019	12.8.2023 (I)

	<p>Code) 13,</p> <ul style="list-style-type: none"> — IMO Res.MSC.191(79), — IMO Res.MSC.192(79), — IMO Res.MSC.302(87), — ITU-R M.1177-4 (04/11). 	<p>IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018,</p> <ul style="list-style-type: none"> — IEC 62288 Ed. 2.0:2014-07, — IEC 62388 Ed. 2.0: 2013-06, — IEC62923-1:2018, — IEC62923-2:2018. 			
<p>UK/4.38a</p> <p>Radar equipment approved with a chart option, namely:</p> <p>CAT 1C.</p> <p>Row 2 of 3</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/18. 	<ul style="list-style-type: none"> — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN IEC 61162-450:2018, — EN 62288:2014, — EN 62388:2013, — EN IEC 62923-1:2018, — EN IEC 62923-2:2018. <p>Or:</p> <ul style="list-style-type: none"> — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 	<p>B+D</p> <p>B+E</p> <p>B+F</p> <p>G</p>	12.8.2020	01.01.2024 (I)
	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — IMO Res.A.278(VIII), — IMO Res.A.694(17), — IMO Res.MSC.191(79), — IMO Res.MSC.192(79), — IMO Res.MSC.302(87), — ITU-R M.1177-4 (04/11). 				

		<p>IEC 61162-450:2018,</p> <p>— IEC 62288 Ed. 2.0:2014-07,</p> <p>— IEC 62388 Ed. 2.0: 2013-06,</p> <p>— IEC62923-1:2018,</p> <p>— IEC62923-2:2018.</p>			
<p>UK/4.38a</p> <p>Radar equipment approved with a chart option namely:</p> <p>CAT 1C.</p> <p>Note: New certification shall be carried out according to UK/4.64 CAT 1.</p> <p>Row 3 of 3</p>	<p>Type approval requirements</p> <p>For new certificates refer to item UK/4.64</p> <hr/> <p>Carriage and performance requirements</p> <p>For new certificates refer to item UK/4.64</p>	<p>Testing Standards</p> <p>For new certificates refer to item UK/4.64</p>	<p>For new certificates refer to item UK/4.64</p>	<p>25.8.2021</p>	
<p>UK/4.38b</p> <p>Radar equipment approved with a chart option, namely:</p> <p>CAT 2C.</p> <p>Row 1 of 3</p>	<p>Type approval requirements</p> <p>— SOLAS 74 Reg. X/3,</p> <p>— IMO Res.MSC.36(63)-(1994 HSC Code) 13,</p> <p>— IMO Res.MSC.97(73)-(2000 HSC Code) 13.</p> <hr/> <p>Carriage and performance requirements</p> <p>— IMO Res.A.278(VIII),</p> <p>— IMO Res.A.694(17),</p> <p>— IMO Res.MSC.36(63)-(1994 HSC Code) 13,</p> <p>— IMO Res.MSC.97(73)-(2000 HSC</p>	<p>— EN 60945:2002 incl. IEC 60945 Corr. 1:2008,</p> <p>— EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 IEC 61162-450:2018,</p> <p>— EN 62288:2014,</p> <p>— EN 62388:2013,</p> <p>— IEC62923-1:2018,</p> <p>— IEC62923-2:2018.</p> <p>Or:</p> <p>— IEC 60945:2002 incl. IEC 60945 Corr. 1:2008,</p> <p>— IEC 61162 series:</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p> <p>G</p>	<p>13.9.2019</p>	<p>12.8.2023</p> <p>(I)</p>

	Code) 13, — IMO Res.MSC.191(79), — IMO Res.MSC.192(79), — IMO Res.MSC.302(87), — ITU-R M.1177-4 (04/11).	IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, — IEC 62288 Ed. 2.0:2014-07, — IEC 62388 Ed. 2.0: 2013-06, — IEC62923-1:2018, — IEC62923-2:2018.			
UK/4.38b Radar equipment approved with a chart option, namely: CAT 2C. Row 2 of 3	Type approval requirements — SOLAS 74 Reg. V/18. Carriage and performance requirements — IMO Res.A.278(VIII), — IMO Res.A.694(17), — IMO Res.MSC.191(79), — IMO Res.MSC.192(79), — IMO Res.MSC.302(87), — ITU-R M.1177-4 (04/11).	— EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN IEC 61162-450:2018, — EN 62288:2014, — EN 62388:2013, — EN IEC 62923-1:2018, — EN IEC 62923-2:2018. Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, — IEC 62288 Ed. 2.0:2014-07,	B+D B+E B+F G	12.8.2020	01.01.2024 (I)

		<ul style="list-style-type: none"> — IEC 62388 Ed. 2.0: 2013-06, — IEC62923-1:2018, — IEC62923-2:2018. 			
UK/4.38b Radar equipment approved with a chart option, namely: CAT 2C. Note: New certification shall be carried out according to UK/4.64 CAT 2. Row 3 of 3.	Type approval requirements For new certificates refer to item UK/4.64	Testing Standards For new certificates refer to item UK/4.64	For new certificates refer to item UK/4.64	25.8.2021	
	Carriage and performance requirements For new certificates refer to item UK/4.64				
UK/4.38c Radar equipment for high speed craft applications approved with a chart option, namely: CAT 1HC. Row 1 of 2	Type approval requirements <ul style="list-style-type: none"> — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. 	<ul style="list-style-type: none"> — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN IEC 61162-450:2018, — EN 62288:2014, — EN 62388:2013, — EN IEC 62923-1:2018, — EN IEC 62923-2:2018. Or: <ul style="list-style-type: none"> — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61162 series: 	B+D B+E B+F G	13.9.2019	01.01.2024 (I)
	Carriage and performance requirements <ul style="list-style-type: none"> — IMO Res.A.278(VIII), — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC 				

	<p>Code) 13,</p> <ul style="list-style-type: none"> — IMO Res.MSC.191(79), — IMO Res.MSC.192(79), — ITU-R M.1177-4 (04/11), — IMO Res.MSC.302(87), — IMO MSC.1/Circ.1349. 	<p>IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018,</p> <ul style="list-style-type: none"> — IEC 62288 Ed. 2.0:2014-07, — IEC 62388 Ed. 2.0: 2013-06, — IEC62923-1:2018, — IEC62923-2:2018. 			
<p>UK/4.38c</p> <p>Radar equipment approved with a chart option, namely:</p> <p>CAT 1HC.</p> <p>Note: New certification shall be carried out according to UK/4.64 CAT 1H.</p> <p>Row 2 of 2</p>	<p>Type approval requirements</p> <p>Refer to item UK.4.64</p>	<p>Testing Standards</p> <p>For new certificates refer to item UK/4.64</p>	<p>For new certificates refer to item UK/4.64</p>	<p>25.8.2021</p>	
	<p>Carriage and performance requirements</p> <p>For new certificates refer to item UK/4.64</p>				
<p>UK/4.38d</p> <p>Radar equipment for high speed craft applications approved with a chart option, namely:</p> <p>CAT 2HC.</p> <p>Row 1 of 2</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. 	<ul style="list-style-type: none"> — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN IEC 61162-450:2018, — EN 62288:2014, — EN 62388:2013, 	<p>B+D</p> <p>B+E</p> <p>B+F</p> <p>G</p>	<p>13.9.2019</p>	<p>01.01.2024 (I)</p>

	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — IMO Res.A.278(VIII), — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13, — IMO Res.MSC.191(79), — IMO Res.MSC.192(79), — IMO Res.MSC.302(87), — IMO MSC.1/Circ.1349, — ITU-R M.1177-4 (04/11). 	<ul style="list-style-type: none"> — EN IEC 62923-1:2018, — EN IEC 62923-2:2018. <p>Or:</p> <ul style="list-style-type: none"> — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, — IEC 62288 Ed. 2.0:2014-07, — IEC 62388 Ed. 2.0: 2013-06, — IEC62923-1:2018, — IEC62923-2:2018. 			
<p>UK/4.38d</p> <p>Radar equipment approved with a chart option, namely: CAT 2HC.</p> <p>Note: New certification shall be carried out according to UK/4.64 CAT 2H.</p> <p>Row 2 of 2</p>	<p>Type approval requirements</p> <p>For new certificates refer to item UK/4.64</p> <hr/> <p>Carriage and performance requirements</p> <p>For new certificates refer to item UK/4.64</p>	<p>Testing Standards</p> <p>For new certificates refer to item UK/4.64</p>	<p>For new certificates refer to item UK/4.64</p>	<p>25.8.2021</p>	

<p>UK/4.39 Radar reflector - passive type Row 1 of 1</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. 	<ul style="list-style-type: none"> — ISO 8729-1:2010, — EN 60945:2002 incl. IEC 60945 Corr. 1:2008. <p>Or:</p> <ul style="list-style-type: none"> — ISO 8729-1:2010, — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008. 	<p>B+D B+E B+F G</p>		
<p>UK/4.40 Heading control system for high speed craft Row 1 of 2</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. 	<ul style="list-style-type: none"> — ISO 16329:2003, — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN IEC 61162-450:2018, — EN 62288:2014, — EN IEC 62923-1:2018, — EN IEC 62923-2:2018. <p>Or:</p>	<p>B+D B+E B+F G</p>	<p>13.9.2019</p>	<p>01.07.2025 (I)</p>
<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — IMO Res.A.694(17), — IMO Res.A.822(19), 					

	<ul style="list-style-type: none"> — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13, — IMO Res.MSC.191(79), — IMO Res.MSC.302(87), — IMO MSC.1/Circ.1349. 	<ul style="list-style-type: none"> — ISO 16329:2003, — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, — IEC 62288 Ed. 2.0:2014-07, — IEC62923-1:2018, — IEC62923-2:2018. 			
UK/4.40 Heading control system for high-speed craft Row 2 of 2 (NEW ROW)	Type approval requirements <ul style="list-style-type: none"> - SOLAS 74, Reg. X/3, - IMO Res. MSC.36(63)-(1994 HSC Code) 13, - IMO Res. MSC.97(73)-(2000 HSC Code) 13. 	<ul style="list-style-type: none"> - ISO 16329:2003, - EN 60945:2002 incl. IEC 60945 Corr. 1:2008, - EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010 +A2:2014 EN IEC 61162-450:2018, - EN IEC 62288:2022, - EN IEC 62923-1:2018, - EN IEC 62923-2:2018. 	B+D B+E B+F G	01.11.2022	
	Carriage and performance requirements <ul style="list-style-type: none"> - IMO Res. A.694(17), - IMO Res. A.822(19), - IMO Res. MSC.36(63)-(1994 HSC Code) 13, - IMO Res. MSC.97(73)-(2000 HSC Code) 13, - IMO Res. MSC.302(87), - IMO MSC.1/Circ.1349 	<ul style="list-style-type: none"> - ISO 16329:2003, - IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, - IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 			

		IEC 61162-450:2018, IEC 62288 Ed. 3.0:2021, - IEC 62923-1:2018, - IEC 62923-2:2018.			
UK/4.41 Transmitting heading device THD (GNSS method) Row 1 of 2	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. <hr/> <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13, — IMO Res.MSC.116(73), — IMO Res.MSC.191(79), — IMO Res.MSC.302(87). 	<ul style="list-style-type: none"> — ISO 22090-3:2014, — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998, — EN 62288:2014, — EN IEC 62923-1:2018, — EN IEC 62923-2:2018. <p>Or:</p> <ul style="list-style-type: none"> — ISO 22090-3:2014, — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09, — IEC 62288 Ed. 2.0:2014-07, — IEC62923-1:2018, — IEC62923-2:2018. <p>And as applicable:</p> <ul style="list-style-type: none"> — EN 61162 series: EN 61162-3:2008 +A1:2010+A2:2014 IEC 61162-450:2018. 	B+D B+E B+F G	13.9.2019	01.07.2025 (I)

		<p>Or:</p> <ul style="list-style-type: none"> — IEC 61162 series: IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018. 			
<p>UK/4.41</p> <p>Transmitting heading device THD (GNSS method)</p> <p>Row 2 of 2</p> <p>(NEW ROW)</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> - SOLAS 74 Reg. V/18, - SOLAS 74 Reg. X/3, - IMO Res. MSC.36(63)-(1994 HSC Code) 13, - IMO Res. MSC.97(73)-(2000 HSC Code) 13. 	<ul style="list-style-type: none"> - ISO 22090-3:2014, - EN 60945:2002 incl. IEC 60945 Corr. 1:2008, - EN 61162 series: EN 61162-1:2016 EN 61162-2:1998, - EN IEC 62288:2022, - EN IEC 62923-1:2018, - EN IEC 62923-2:2018. <p>Or:</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p> <p>G</p>	01.11.2022	
	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> - SOLAS 74 Reg. V/19, - IMO Res. A.694(17), - IMO Res. MSC.36(63)-(1994 HSC Code) 13, - IMO Res. MSC.97(73)-(2000 HSC Code) 13, - IMO Res. MSC.116(73), - IMO Res. MSC.191(79), - IMO Res. MSC.302(87). 	<ul style="list-style-type: none"> - ISO 22090-3:2014, - IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, - IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09, - IEC 62288 Ed. 3.0:2021, - IEC 62923-1:2018, - IEC 62923-2:2018. <p>And as applicable:</p> <ul style="list-style-type: none"> - EN 61162 series: EN 61162-3:2008 A1:2010+A2:2014 - IEC 61162-450:2018. <p>Or:</p> <ul style="list-style-type: none"> - IEC 61162 series: IEC 61162-3 Ed.1.2 Consol. With A1 Ed. 1.0:2010-11 and A2 Ed. 			

		1.0:2014-07 - IEC 61162-450:2018.			
UK/4.42 Searchlight for high speed craft Row 1 of 1	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. <hr/> <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. 	<ul style="list-style-type: none"> — ISO 17884:2004, — EN 60945:2002 incl. IEC 60945 Corr. 1:2008. <p>Or:</p> <ul style="list-style-type: none"> — ISO 17884:2004, — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008. 	B+D B+E B+F G		
UK/4.43 Night vision equipment for high speed craft Row 1 of 2	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. 	<ul style="list-style-type: none"> — ISO 16273:2003, — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 62288:2014. <p>Or:</p> <ul style="list-style-type: none"> — ISO 16273:2003, 	B+D B+E B+F G		01.07.2025 (I)

	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.94(72), — IMO Res.MSC.97(73)-(2000 HSC Code) 13, — IMO Res.MSC.191(79). 	<ul style="list-style-type: none"> — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 62288 Ed. 2.0:2014-07. 			
<p>UK/4.43</p> <p>Night vision equipment for high speed craft</p> <p>(Update MSN 1874 amendment 7 to include IEC 62288 Ed.3.0:2021 and IEC 62288:2022, which was previously omitted in MSN 1874 amendment 6)</p> <p>Row 2 of 2</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.94(72), — IMO Res.MSC.97(73)-(2000 HSC Code) 13, — IMO Res.MSC.191(79). 	<ul style="list-style-type: none"> —ISO 16273:2020 — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 62288:2014. - Correction : EN IEC 62288:2022. <p>Or:</p> <ul style="list-style-type: none"> —ISO 16273:2020, — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 62288 Ed. 2.0:2014-07. Correction:-IEC 62288 Ed. 3.0:2021. 	<p>B+D</p> <p>B+E</p> <p>B+F</p> <p>G</p>	<p>01.07.2022</p>	

<p>UK/4.44</p> <p>Differential beacon receiver for DGPS and DGLONASS Equipment</p> <p>Row 1 of 2</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. <hr/> <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13, — IMO Res.MSC.114(73). 	<ul style="list-style-type: none"> — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61108-4:2004, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN IEC 61162-450:2018 <p>Or:</p> <ul style="list-style-type: none"> — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61108-4:2004, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018. 	<p>B+D</p> <p>B+E</p> <p>B+F</p> <p>G</p>	<p>13.9.2019</p>	<p>01.07.2025</p> <p>(I)</p>
<p>UK/4.44</p> <p>Differential beacon receiver for DGPS and DGLONASS Equipment</p> <p>Moved to UK/4.63</p> <p>Row 2 of 2</p>	<p>Type approval requirements</p> <p>For new certificates refer to item UK/4.63.</p> <hr/> <p>Carriage and performance requirements</p> <p>For new certificates refer to item UK/4.63.</p>	<p>Testing Standards</p> <p>For new certificates refer to item UK/4.63.</p>	<p>For new certificates refer to item UK/4.63.</p>	<p>25.8.2021</p>	
<p>Item UK/4.45, Chart facilities for shipborne radar, - item deleted, as it is covered by UK/4.38.</p>					

<p>UK/4.46 Transmitting heading device THD (Gyroscopic method) Row 1 of 2</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. 	<ul style="list-style-type: none"> — ISO 22090-1:2014, — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN IEC 61162-450:2018, — EN 62288:2014, — EN IEC 62923-1:2018, — EN IEC 62923-2:2018. 	<p>B+D B+E B+F G</p>	<p>13.9.2019</p>	<p>01.07.2025 (I)</p>
<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13, — IMO Res.MSC.116(73), — IMO Res.MSC.191(79), — IMO Res.MSC.302(87). 	<p>Or:</p> <ul style="list-style-type: none"> — ISO 22090-1:2014, — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, — IEC 62288 Ed. 2.0:2014-07, — IEC 62923-1:2018, — IEC 62923-2:2018. 				

<p>UK/4.46</p> <p>Transmitting heading device THD (Gyroscopic method)</p> <p>Row 2 of 2 (NEW ROW)</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> - SOLAS 74 Reg. V/18, - SOLAS 74 Reg. X/3, - IMO Res. MSC.36(63)-(1994 HSC Code) 13, - IMO Res. MSC.97(73)-(2000 HSC Code) 13. 	<ul style="list-style-type: none"> - ISO 22090-1:2014, - EN 60945:2002 incl. IEC 60945 Corr. 1:2008, - EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010 +A2:2014 EN IEC 61162-450:2018, - EN IEC 62288:2022, - EN IEC 62923-1:2018, - EN IEC 62923-2:2018. - Or: - ISO 22090-1:2014, - IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, - IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, - IEC 62288 Ed. 3.0:2021, - IEC 62923-1:2018, - IEC 62923-2:2018. 	<p>B+D B+E B+F G</p>	<p>01.11.2022</p>	
<p>UK/4.47</p> <p>Simplified voyage data recorder (S-VDR)</p> <p>Row 1 of 2</p>	<p>Type approval requirements</p> <p>— SOLAS 74 Reg. V/20.</p>	<p>— EN 60945:2002 incl. IEC 60945 Corr. 1:2008,</p> <p>— EN 61162 series:</p>	<p>B+D B+E</p>	<p>13.9.2019</p>	<p>01.07.2025 (I)</p>

	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/20, — IMO Res.A.694(17), — IMO Res.MSC.163(78), — IMO Res.MSC.191(79), — IMO Res.MSC.302(87). 	<p>EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN IEC 61162-450:2018,</p> <ul style="list-style-type: none"> — EN 61996-2:2008, — EN 62288:2014, — EN IEC 62923-1:2018, — EN IEC 62923-2:2018. <p>Or:</p> <ul style="list-style-type: none"> — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, — IEC 61996-2: 2007, — IEC 62288 Ed. 2.0:2014-07, — IEC 62923-1:2018, — IEC 62923-2:2018. 	<p>B+F G</p>		
<p>UK/4.47 Simplified voyage data recorder (S-VDR)</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> - SOLAS 74 Reg. V/20. 	<ul style="list-style-type: none"> - EN 60945:2002 incl. IEC 60945 Corr. 1:2008, 	<p>B+D</p>	<p>29.03.2023</p>	

<p>Row 2 of 2 (NEW ROW)</p>	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> - SOLAS 74 Reg. V/20, - IMO Res. A.694(17), - IMO Res. MSC.163(78) - IMO Res. MSC.191(79), - IMO Res. MSC.302(87). 	<ul style="list-style-type: none"> - EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010 +A2:2014 EN IEC 61162-450:2018, - EN 61996-2:2008, - EN IEC 62288:2022, - EN IEC 62923-1:2018, - EN IEC 62923-2:2018. <p>Or:</p> <ul style="list-style-type: none"> - IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, - IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, - IEC 61996-2: 2007, - IEC 62288 Ed. 3.0:2021, - IEC 62923-1:2018, - IEC 62923-2:2018. 	<p>B+E</p> <p>B+F</p> <p>G</p>		
---------------------------------	---	---	--------------------------------	--	--

Item UK/4.48 "Mechanical pilot hoist" is deliberately left blank (as IMO Res.MSC.308(88), in force on 1 July 2012, quotes: "Mechanical pilot hoists shall not be used").

UK/4.49 Pilot ladder Row 1 of 2	Type approval requirements — SOLAS 74 Reg. V/23, — SOLAS 74 Reg. X/3.	— IMO Res. A.1045(27), as amended, — ISO 799:2004.	B+D B+E B+F G		12.8.2023 (II)
	Carriage and performance requirements — SOLAS 74 Reg. V/23, — IMO Res. A.1045(27), — IMO MSC/Circ.1428.				
UK/4.49 Pilot ladder Row 2 of 2	Type approval requirements — SOLAS 74 Reg. V/23, — SOLAS 74 Reg. X/3.	— IMO Res. A.1045(27), as amended, — ISO 799-1:2019.	B+D B+E B+F G	12.8.2020	
	Carriage and performance requirements — SOLAS 74 Reg. V/23, — IMO Res. A.1045(27), — IMO MSC/Circ.1428.				
UK/4.50 DGPS Equipment Row 1 of 2	Type approval requirements — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13.	— EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61108-1:2003, — EN 61108-4:2004, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN IEC 61162-450:2018,	B+D B+E B+F G	13.9.2019	01.07.2025 (I)

	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13, — IMO Res.MSC.112(73), — IMO Res.MSC.114(73), — IMO Res.MSC.191(79), — IMO Res.MSC.302(87). 	<ul style="list-style-type: none"> — EN 62288:2014, — EN IEC 62923-1:2018, — EN IEC 62923-2:2018. <p>Or:</p> <ul style="list-style-type: none"> — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61108-1: 2003, — IEC 61108-4: 2004, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, — IEC 62288 Ed. 2.0:2014-07, — IEC 62923-1:2018, — IEC 62923-2:2018. 			
<p>UK/4.50</p> <p>DGPS equipment</p> <p>Moved to UK/4.63</p> <p>Row 2 of 2</p>	<p>Type approval requirements</p> <p>For new certificates refer to item UK/4.63</p> <hr/> <p>Carriage and performance requirements</p> <p>For new certificates refer to item UK/4.63</p>	<p>Testing Standards</p> <p>For new certificates refer to item UK/4.63</p>	<p>For new certificates refer to item UK/4.63</p>	<p>25.8.2021</p>	

<p>UK/4.51 DGLONASS Equipment Row 1 of 2</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. 	<ul style="list-style-type: none"> — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61108-2:1998, — EN 61108-4:2004, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN IEC 61162-450:2018, — EN 62288:2014, — EN IEC 62923-1:2018, 	<p>B+D B+E B+F G</p>	<p>13.9.2019</p>	<p>01.07.2025 (I)</p>
	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13, — IMO Res.MSC.113(73), — IMO Res.MSC.114(73), — IMO Res.MSC.191(79), — IMO Res.MSC.302(87). 	<ul style="list-style-type: none"> — EN IEC 62923-2:2018. <p>Or:</p> <ul style="list-style-type: none"> — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61108-2 Ed. 1.0:1998, — IEC 61108-4: 2004, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, — IEC 62288 Ed. 2.0:2014-07, — IEC62923-1:2018, — IEC62923-2:2018. 			
<p>UK/4.51 DGLONASS equipment Moved to UK/4.63</p>	<p>Type of approval requirements For new certificates refer to item UK/4.63</p>	<p>Testing Standards For new certificates refer to item UK/4.63</p>	<p>For new certificates refer to item UK/4.63</p>	<p>25.8.2021</p>	

Row 2 of 2	Carriage and performance requirements For new certificates refer to item UK/4.63				
UK/4.52 Daylight signalling lamp Row 1 of 1	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code), — IMO Res.MSC.97(73)-(2000 HSC Code). <hr/> <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code), — IMO Res.MSC.95(72), — IMO Res.MSC.97(73)-(2000 HSC Code). 	<ul style="list-style-type: none"> — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — ISO 25861:2007. <p>Or:</p> <ul style="list-style-type: none"> — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — ISO 25861:2007. 	<p>B+D</p> <p>B+E</p> <p>B+F</p>		
UK/4.53 Radar target enhancer Row 1 of 1	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. 	<ul style="list-style-type: none"> — ISO 8729-2:2009, — EN 60945:2002 incl. IEC 60945 Corr. 1:2008. <p>Or:</p> <ul style="list-style-type: none"> — ISO 8729-2:2009, — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008. 	<p>B+D</p> <p>B+E</p> <p>B+F</p> <p>G</p>		

	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13, — IMO Res.MSC.164(78), — ITU-R M.1176-1 (02/13). 				
UK/4.54 Compass Bearing Device Row 1 of 2	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/18. 	<ul style="list-style-type: none"> — ISO 25862:2009, — EN 60945:2002 incl. IEC 60945 Corr. 1:2008. <p>Or:</p> <ul style="list-style-type: none"> — ISO 25862:2009, — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008. 	B+D		12.8.2023 (I)
	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/19. 		B+E B+F G		
UK/4.54 Compass Bearing Device Row 2 of 2	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/18. 	<ul style="list-style-type: none"> — ISO 25862:2019, — EN 60945:2002 incl. IEC 60945 Corr. 1:2008. <p>Or:</p> <ul style="list-style-type: none"> — ISO 25862:2019, — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008. 	B+D	12.8.2020	
	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/19. 		B+E B+F G		

<p>UK/4.55</p> <p>Search and rescue locating devices (SRLD):</p> <p>AIS SART equipment</p> <p>Row 1 of 1</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. IV/14. <hr/> <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/6, — SOLAS 74 Reg. III/26, — SOLAS 74 Reg. IV/7, — IMO Res.MSC.246(83), — ITU-RM.1371-5:2014. 	<ul style="list-style-type: none"> — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61097-14:2010. <p>Or:</p> <ul style="list-style-type: none"> — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61097-14:2010. 	<p>B+D</p> <p>B+E</p> <p>B+F</p> <p>G</p>		
<p>UK/4.56</p> <p>Galileo Equipment</p> <p>Row 1 of 2</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. 	<ul style="list-style-type: none"> — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61108-3:2010, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN IEC 61162-450:2018, — EN 62288:2014, 	<p>B+D</p> <p>B+E</p> <p>B+F</p> <p>G</p>	<p>13.9.2019</p>	<p>01.07.2025 (I)</p>

	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13, — IMO Res.MSC.191(79), — IMO Res.MSC.233(82), — IMO Res.MSC.302(87). 	<ul style="list-style-type: none"> — IEC62923-1:2018, — IEC62923-2:2018. <p>Or:</p> <ul style="list-style-type: none"> — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61108-3:2010, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, — IEC 62288 Ed. 2.0:2014-07, — IEC62923-1:2018, — IEC62923-2:2018. 			
<p>UK/4.56</p> <p>Galileo equipment</p> <p>Moved to UK/4.63</p> <p>Row 2 of 2</p>	<p>Type approval requirements</p> <p>For new certificates refer to item UK/4.63</p> <hr/> <p>Carriage and performance requirements</p> <p>For new certificates refer to item UK/4.63</p>	<p>Testing Standards</p> <p>For new certificates refer to item UK/4.63</p>	<p>For new certificates refer to item UK/4.63</p>	<p>25.8.2021</p>	
<p>UK/4.57</p> <p>Bridge Navigational Watch Alarm System (BNWAS)</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/18. 	<ul style="list-style-type: none"> — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 	<p>B+D</p> <p>B+E</p>	<p>13.9.2019</p>	<p>01.07.2025 (I)</p>

Row 1 of 2	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.MSC.128(75), — IMO Res.MSC.191(79), — IMO Res.MSC.302(87), — IMO MSC.1/Circ.1474. 	<p>EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN IEC 61162-450:2018,</p> <ul style="list-style-type: none"> — EN 62288:2014, — EN 62616:2010 incl. IEC 62616 Corr. 1:2012, — EN IEC 62923-1:2018, — EN IEC 62923-2:2018. <p>Or:</p> <ul style="list-style-type: none"> — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, — IEC 62288 Ed. 2.0:2014-07, — IEC 62616:2010 incl. IEC 62616 Corr. 1:2012, — IEC62923-1:2018, — IEC62923-2:2018. 	B+F G		
UK/4.57 Bridge Navigational Watch Alarm System	<p>Type approval requirements</p> <ul style="list-style-type: none"> - SOLAS 74 Reg. V/18. 	<ul style="list-style-type: none"> — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: 	B+D B+E	01.11.2022	

<p>(BNWAS) Row 2 of 2 (NEW ROW)</p>	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> - SOLAS 74 Reg. V/19, - IMO Res. A.694(17), - IMO Res. MSC.128(75), - IMO Res. MSC.191(79), - IMO Res. MSC302(87), - IMO MSC.1/Circ.1474 	<p>EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008+A1:2010+A2:2014 EN IEC 61162-450:2018,</p> <ul style="list-style-type: none"> - EN IEC 62288:2022, - EN 62616:2010 incl. IEC 62616 Corr. 1:2012, - EN IEC 62923-1:2018, - EN IEC 62923-2:2018. <p>Or:</p> <ul style="list-style-type: none"> — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, - IEC 62288 Ed. 3.0:2021, - IEC 62616:2010 incl. IEC 62616 Corr. 1:2012, - IEC 62923-1:2018, - IEC 62923-2:2018. 	<p>B+F G</p>		
--	--	---	-----------------------	--	--

<p>UK/4.58 Sound reception system Row 1 of 2</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code), — IMO Res.MSC.97(73)-(2000 HSC Code). 	<ul style="list-style-type: none"> — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN IEC 61162-450:2018, — EN 62288:2014, 	<p>B+D B+E B+F G</p>	<p>13.9.2019</p>	<p>01.07.2025 (I)</p>
	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code), — IMO Res.MSC.86(70), — IMO Res.MSC.97(73)-(2000 HSC Code), — IMO Res.MSC.191(79), — IMO Res.MSC.302(87). 	<ul style="list-style-type: none"> — EN IEC 62923-1:2018, — EN IEC 62923-2:2018, — ISO 14859:2012. <p>Or:</p> <ul style="list-style-type: none"> — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, — IEC 62288 Ed. 2.0:2014-07, — IEC62923-1:2018, — IEC62923-2:2018, — ISO 14859:2012. 			

<p>UK/4.58</p> <p>Sound reception system</p> <p>Row 2 of 2</p> <p>(NEW ROW)</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> - SOLAS 74 Reg. v/18, - SOLAS 74 Reg. X/3, - IMO Res. MSC.36(63)-(1994 HSC Code), - IMO Res. MSC.97(73)-(2000_Code). 	<ul style="list-style-type: none"> - EN 60945:2002 incl. IEC 60945 Corr. 1:2008, - EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010 +A2:2014 EN IEC 61162-450:2018, 	<p>B+D</p> <p>B+E</p> <p>B+F</p> <p>G</p>	<p>01.11.2022</p>	
<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> - SOLAS 74 Reg. V/19, - IMO Res. A.694(17), - IMO Res. MSC36(63)-(1994 HSC Code), - IMO Res. MSC.86(70), - IMO Res. MSC.97(73)-(2000 HSC Code), - IMO Res. MSC.191(79), - IMO Res. MSC.302(87). 	<ul style="list-style-type: none"> - EN IEC 62288:2022, - EN IEC 62923-1:2018, - EN IEC 62923-2:2018, - ISO 14859:2012. <p>Or:</p> <ul style="list-style-type: none"> - IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, - IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, - IEC 62288 Ed. 3.0:2021, - IEC 62923-1:2018, - IEC 62923-2:2018, - ISO 14859:2012. 				

<p>UK/4.59</p> <p>Integrated navigation system</p> <p>Row 1 of 3</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/15, — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. 	<ul style="list-style-type: none"> — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 IEC 61162-450:2018, — EN 62288:2014, — IEC 61924-2 Ed. 1.0: 2012-12, — IEC62923-1:2018, — IEC62923-2:2018. 	<p>B+D</p> <p>B+E</p> <p>B+F</p> <p>G</p>	<p>13.9.2019</p>	<p>12.8.2023</p> <p>(I)</p>
<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13, — IMO Res.MSC.191(79), — IMO Res.MSC.252(83), — IMO Res. MSC.302(87). 	<p>Or:</p> <ul style="list-style-type: none"> — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, — IEC 62288 Ed. 2.0:2014-07, — IEC 61924-2 Ed. 1.0: 2012-12, — IEC62923-1:2018, — IEC62923-2:2018. 				

<p>UK/4.59 Integrated navigation system Row 2 of 3</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/15, — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. 	<ul style="list-style-type: none"> — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN IEC 61162-450:2018, — EN 62288:2014, — EN 61924-2:2013 incl. IEC 61924-2 Corr. 1:2013, — EN IEC 62923-1:2018, — EN IEC 62923-2:2018. 	<p>B+D B+E B+F G</p>	<p>12.8.2020</p>	<p>01.01.2024 (I)</p>
	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13, — IMO Res.MSC.191(79), — IMO Res.MSC.252(83), — IMO Res. MSC.302(87). 	<p>Or:</p> <ul style="list-style-type: none"> — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, — IEC 62288 Ed. 2.0:2014-07, — IEC 61924-2:2012 incl. IEC 61924-2 Corr. 1:2013, — IEC62923-1:2018, — IEC62923-2:2018. 			

<p>UK/4.59</p> <p>Integrated navigation system</p> <p>Row 3 of 3</p> <p>(Update MSN 1874 amendment 7 to include IEC 62288 Ed.3.0:2021 and IEC 62288:2022, which was previously omitted in MSN 1874 amendment 6)</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/15, — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. 	<p>EN 60945:2002 incl. IEC 60945 Corr. 1:2008,</p> <ul style="list-style-type: none"> — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN IEC 61162-450:2018, — EN 62288:2014, - Correction: EN IEC 62288:2022, — EN IEC 61924-2:2021 	<p>B+D</p> <p>B+E</p> <p>B+F</p> <p>G</p>	<p>01.07.2022</p>	
	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13, — IMO Res.MSC.191(79), — IMO Res.MSC.252(83), — IMO Res. MSC.302(87). 	<ul style="list-style-type: none"> — EN IEC 62923-1:2018, — EN IEC 62923-2:2018. <p>Or:</p> <ul style="list-style-type: none"> — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, - Correction: IEC 62288 Ed. 3.0:2021, — EN IEC 61924-2:2021 — IEC62923-1:2018, — IEC62923-2:2018. 			

<p>UK/4.60 Radar equipment approved with a chart option, namely: CAT 3C. Row 1 of 2</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/18. 	<ul style="list-style-type: none"> — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN IEC 61162-450:2018, 	<p>B+D B+E B+F G</p>	<p>12.8.2020</p>	<p>01.01.2024 (I)</p>
	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — IMO Res.A.278(VIII), — IMO Res.A.694(17), — IMO Res.MSC.191(79), — IMO Res.MSC.192(79), — IMO Res.MSC.302(87), — ITU-R M.1177-4 (04/11). 	<ul style="list-style-type: none"> — EN 62288:2014, — EN 62388:2013, — EN IEC 62923-1:2018, — EN IEC 62923-2:2018. <p>Or:</p> <ul style="list-style-type: none"> — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, — IEC 62288 Ed. 2.0:2014-07, — IEC 62388 Ed. 2.0: 2013-06, — IEC62923-1:2018, — IEC62923-2:2018. 			
<p>UK/4.60 Radar equipment approved with a chart</p>	<p>Type approval requirements</p> <p>For new certificates refer to item UK/4.64</p>	<p>Testing Standards</p> <p>For new certificates refer to item UK/4.64</p>	<p>For new</p>		

<p>option, namely: CAT 3C. Note: New certification shall be carried out according to UK/4.64 CAT 3. Row 2 of 2</p>	<p>Carriage and performance requirements For new certificates refer to item UK/4.64</p>		<p>certificates refer to item UK/4.64</p>	<p>25.8.2021</p>	
<p>UK/4.61 Radar equipment for high speed craft applications CAT 3H</p>	<p>Item removed by MSN 1874 amendment 6</p>				
<p>UK/4.62 Radar equipment for high speed craft applications approved with a chart option, namely: CAT 3HC.</p>	<p>Item removed by MSN 1874 amendment 6</p>				
<p>UK/4.63 GNSS Equipment Incorporating one or more of the following elements: — GPS equipment (Moved from ex UK/4.14)</p>	<p>Type approval requirements — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13</p>	<p>— EN 60945:2002 incl. IEC 60945 Corr. 1:2008, EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008+A1:2010+A2:2014 EN IEC 61162-450:2018, — EN 62288:2014,</p>	<p>B+D B+E B+F G</p>	<p>25.8.2021</p>	<p>01.07.2025 (I)</p>

<ul style="list-style-type: none"> — GLONASS equipment (Moved from ex UK/4.15) — DGPS equipment (Moved from ex UK/4.50) — DGLONASS equipment (Moved from ex UK.4.51) — Galileo equipment (Moved from ex UK/4.56) — Beidou (BDS) 	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13, — IMO Res.MSC.191(79), — IMO Res.MSC.302(87). <p>And for:</p>	<ul style="list-style-type: none"> — EN IEC 62923-1:2018, — EN IEC 62923-2:2018. <p>And for:</p> <p>GPS Equipment:</p> <ul style="list-style-type: none"> — EN 61108-1:2003. <p>GLONASS equipment:</p> <ul style="list-style-type: none"> — EN 61108-2:1998, 			
<p>Row 1 of 2</p>	<p>GPS Equipment:</p> <ul style="list-style-type: none"> — IMO Res.MSC.112(73). <p>GLONASS equipment:</p> <ul style="list-style-type: none"> — IMO Res.MSC.113(73). <p>DGPS Equipment:</p> <ul style="list-style-type: none"> — IMO Res.MSC.112(73), — IMO Res.MSC.114(73). <p>DGLONASS Equipment:</p> <ul style="list-style-type: none"> — IMO Res.MSC.113(73), — IMO Res.MSC.114(73), <p>Galileo Equipment:</p> <ul style="list-style-type: none"> — IMO Res.MSC.233(82). <p>Beidou:</p> <ul style="list-style-type: none"> IMO Res. MSC379(93) 	<p>DGPS Equipment:</p> <ul style="list-style-type: none"> — EN 61108-1:2003, — EN 61108-4:2004. <p>DGLONASS Equipment:</p> <ul style="list-style-type: none"> — EN 61108-2:1998, — EN 61108-4:2004. <p>Galileo Equipment:</p> <ul style="list-style-type: none"> — EN 61108-3:2010. <p>Beidou (BDS)</p> <ul style="list-style-type: none"> — EN IEC 61108-5:2020. <p>Or:</p> <ul style="list-style-type: none"> — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, <p>IEC 61162 series:</p> <ul style="list-style-type: none"> IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 			

		<p>IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11and A2 Ed. 1.0:2014-07 IEC 61162-450:2018 IEC 62288 Ed. 2.0:2014-07, IEC 62923-1:2018, IEC 62923-2:2018.</p> <p>And for:</p> <p>GPS Equipment: — IEC 61108-1 Ed. 2.0: 2003.</p> <p>GLONASS equipment: — IEC 61108-2 Ed. 1.0:1998.</p> <p>DGPS Equipment: — IEC 61108-1 Ed. 2.0: 2003, — IEC 61108-4: 2004.</p> <p>DGLONASS Equipment: — IEC 61108-2 Ed. 1.0:1998, — IEC 61108-4: 2004.</p> <p>Galileo Equipment: — IEC 61108-3:2010.</p> <p>Beidou (BDS): — IEC 61108-5:2020.</p>			
--	--	--	--	--	--

<p>UK/4.63</p> <p>GNSS Equipment</p> <p>Incorporating one or more of the following elements:</p> <ul style="list-style-type: none"> — GPS equipment (Moved from ex UK/4.14) — GLONASS equipment (Moved from ex UK/4.15) — DGPS equipment (Moved from ex UK/4.50) — DGLONASS equipment (Moved from ex UK.4.51) — Galileo equipment (Moved from ex UK/4.56) — Beidou (BDS) 	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13 	<ul style="list-style-type: none"> — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008+A1:2010+A2:2014 EN IEC 61162-450:2018, — EN 62288:2022, — EN IEC 62923-1:2018, — EN IEC 62923-2:2018. 	<p>B+D</p> <p>B+E</p> <p>B+F</p> <p>G</p>	<p>01.11.2022</p>	
<p>Row 2 of 2</p>	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13, — IMO Res.MSC.191(79), — IMO Res.MSC.302(87). <p>And for:</p> <p>GPS Equipment:</p> <ul style="list-style-type: none"> — IMO Res.MSC.112(73). <p>GLONASS equipment:</p> <ul style="list-style-type: none"> — IMO Res.MSC.113(73). <p>DGPS Equipment:</p> <ul style="list-style-type: none"> — IMO Res.MSC.112(73), — IMO Res.MSC.114(73). <p>DGLONASS Equipment:</p> <ul style="list-style-type: none"> — IMO Res.MSC.113(73), — IMO Res.MSC.114(73), <p>Galileo Equipment:</p> <ul style="list-style-type: none"> — IMO Res.MSC.233(82). 	<p>And for:</p> <p>GPS Equipment:</p> <ul style="list-style-type: none"> — EN 61108-1:2003. <p>GLONASS equipment:</p> <ul style="list-style-type: none"> — EN 61108-2:1998, <p>DGPS Equipment:</p> <ul style="list-style-type: none"> — EN 61108-1:2003, — EN 61108-4:2004. <p>DGLONASS Equipment:</p> <ul style="list-style-type: none"> — EN 61108-2:1998, — EN 61108-4:2004. <p>Galileo Equipment:</p> <ul style="list-style-type: none"> — EN 61108-3:2010. <p>Beidou (BDS)</p> <ul style="list-style-type: none"> — EN IEC 61108-5:2020. 			

	<p>Beidou: IMO Res. MSC379(93)</p>	<p>Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008,</p> <p>IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018 IEC 62288 Ed. 3.0:2021, IEC 62923-1:2018, IEC 62923-2:2018.</p> <p>And for:</p> <p>GPS Equipment: — IEC 61108-1 Ed. 2.0: 2003.</p> <p>GLONASS equipment: — IEC 61108-2 Ed. 1.0:1998.</p> <p>DGPS Equipment: — IEC 61108-1 Ed. 2.0: 2003, — IEC 61108-4: 2004.</p> <p>DGLONASS Equipment: — IEC 61108-2 Ed. 1.0:1998, — IEC 61108-4: 2004.</p> <p>Galileo Equipment: — IEC 61108-3:2010.</p> <p>Beidou (BDS):</p>			
--	--	--	--	--	--

		IEC 61108-5:2020.			
UK/4.64 Radar equipment — CAT 1 (Moved from Ex UK/4.34) — CAT 2 (Moved from Ex UK/4.35) — CAT 3 (Moved from Ex UK/4.36) — CAT 1H (Moved from Ex UK/4.37) — CAT 2H (Moved from Ex UK/4.37) Row 1 of 2	Type approval requirements — SOLAS 74 Reg. V/18, And for High Speed Craft: — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.278(VIII), — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.191(79), — IMO Res.MSC.192(79), — IMO Res.MSC.302(87), — IMO MSC.1/Circ.1349, — ITU-R M.1177-4 (04/11).	— EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008+A1:2010+A2:2014 EN IEC 61162-450:2018, — EN 62288:2014, — EN 62388:2013 incl. IEC 62388 Corr 1:2014 — EN IEC 62923-1:2018, — EN IEC 62923-2:2018. Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, — IEC62288 Ed. 2.0:2014-07, — IEC 62388 Ed. 2.0: 2013-06 incl. IEC 62388 Corr 1:2014, — IEC 62923-1:2018, — IEC 62923-2:2018.	B+D B+E B+F G	25.8.2021	01.01.2024 (I)

<p>UK/4.64 Radar equipment</p> <ul style="list-style-type: none"> — CAT 1 (Moved from Ex UK/4.34) — CAT 2 (Moved from Ex UK/4.35) — CAT 3 (Moved from Ex UK/4.36) — CAT 1H (Moved from Ex UK/4.37) — CAT 2H (Moved from Ex UK/4.37) <p>Row 2 of 2 (NEW ROW)</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/18, <p>And for High Speed Craft:</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. 	<ul style="list-style-type: none"> — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008+A1:2010+A2:2014 EN IEC 61162-450:2018, — EN 62288:2022, — EN 62388:2013 incl. IEC 62388 Corr 1:2014 — EN IEC 62923-1:2018, — EN IEC 62923-2:2018. 	<p>B+D B+E B+F G</p>	<p>01.11.2022 (I)</p>	
	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/19, — IMO Res.A.278(VIII), — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.191(79), — IMO Res.MSC.192(79), — IMO Res.MSC.302(87), — IMO MSC.1/Circ.1349, — ITU-R M.1177-4 (04/11). 	<p>Or:</p> <ul style="list-style-type: none"> — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, — IEC62288 Ed. 3.0:2021, — IEC 62388 Ed. 2.0: 2013-06 incl. IEC 62388 Corr 1:2014, — IEC 62923-1:2018, — IEC 62923-2:2018. 			

<p>UK/4.65 Gyro compass (Moved from Ex UK/4.3) (Moved from Ex 4.31) Row 1 of 2</p>	<p>Type approval requirements — SOLAS 74 Reg. V/18. — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13</p>	<p>— EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008+A1:2010+A2:2014 EN IEC 61162-450:2018,</p>	<p>B+D B+E B+F G</p>	<p>25.8.2021</p>	<p>01.07.2025 (I)</p>
	<p>Carriage and performance requirements For gyro compass: — SOLAS 74 Reg. V/19, — IMO Res.A.424(XI), — IMO Res.A.694(17), — IMO Res.MSC.191(79), — IMO Res.MSC.302(87). For gyro compass for HSC: — IMO Res.A.694(17), — IMO Res.A.821(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13, — IMO Res.MSC.191(79), — IMO Res.MSC.302(87), — IMO MSC.1/Circ.1349.</p>	<p>— EN 62288:2014, — EN IEC 62923-1:2018, — EN IEC 62923-2:2018. And additionally for gyro compass: — ISO 8728:2014. And additionally for gyro compass for HSC: — ISO 16328:2014. Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, — IEC62288 Ed. 2.0:2014-07, — IEC 62923-1:2018, — IEC 62923-2:2018. And additionally for gyro compass: — ISO 8728:2014. And additionally for gyro compass HSC: — ISO 16328:2014</p>			

<p>UK/4.65 Gyro compass (Moved from Ex UK/4.3) (Moved from Ex 4.31) Row 2 of 2 (NEW ROW)</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/18. — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13 	<ul style="list-style-type: none"> — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008+A1:2010+A2:2014 EN IEC 61162-450:2018, 	<p>B+D B+E B+F G</p>	<p>01.11.2022 (I)</p>	
	<p>Carriage and performance requirements</p> <p>For gyro compass:</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. V/19, — IMO Res.A.424(XI), — IMO Res.A.694(17), — IMO Res.MSC.191(79), — IMO Res.MSC.302(87). <p>For gyro compass for HSC:</p> <ul style="list-style-type: none"> — IMO Res.A.694(17), — IMO Res.A.821(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13, — IMO Res.MSC.191(79), — IMO Res.MSC.302(87), — IMO MSC.1/Circ.1349. 	<ul style="list-style-type: none"> — EN 62288:2022, — EN IEC 62923-1:2018, — EN IEC 62923-2:2018. <p>And additionally for gyro compass:</p> <ul style="list-style-type: none"> — ISO 8728:2014. <p>And additionally for gyro compass for HSC:</p> <ul style="list-style-type: none"> — ISO 16328:2014. <p>Or:</p> <ul style="list-style-type: none"> — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, — IEC62288 Ed. 3.0:2021, — IEC 62923-1:2018, — IEC 62923-2:2018. <p>And additionally for gyro compass:</p> <ul style="list-style-type: none"> — ISO 8728:2014. <p>And additionally for gyro compass HSC:</p> <ul style="list-style-type: none"> — ISO 16328:2014 			

<p>UK/4.66</p> <p>Electronic record book (ERB)</p> <p>Row 1 of 1</p> <p>New item inserted by MSN 1874 amendment 6</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> - SOLAS 74 Reg. V/18 - SOLAS 74 Reg. X/3 - IMO Res. MSC.36(63)-(1994 HSC Code) 13, - IMO Res. MSC.97(73)-(2000 HSC Code) 13. 	<ul style="list-style-type: none"> - EN 60945:2002 incl. IEC 60945 Corr. 1:2008, - EN 61162 series: <ul style="list-style-type: none"> - EN 61162-1:2016 - EN 61162-2:1998 - EN 61162-3:2008 +A1:2010+A2:2014 - EN IEC 61162-450:2018, - EN 62288:2014, EN IEC 62923-1:2018, - EN IEC 62923-2:2018, - ISO 21745:2019. 	<p>B</p>	<p>01.07.2022</p>	
	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> - IMO Res.A.694(17), - IMO Res. MSC.36(63)-(1994-hsc Code) 13, - IMO Res. MSC.97(73)-(2000 HSC Code) 13, - IMO Res.MSC.191(79), - IMO Res. MSC.302(87). 	<p>Or:</p> <ul style="list-style-type: none"> - IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, - IEC 61162 series: <ul style="list-style-type: none"> - IEC 61162-1:2016 - IEC 61162-2 Ed.1.0:1998-09 - IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 - IEC 61162-450:2018, - IEC 62288 Ed. 2.0:2014-07, - IEC 62923-1:2018, - IEC 62923-2:2018, - ISO 21745:2019. 			

5. Radio-communication equipment

Notes applicable to section 5: Radio-communication equipment.

Column 3: In case of conflicting requirements between IMO MSC/Circ.862 and the product testing standards, the IMO MSC/Circ.862 requirements shall take precedence.

Column 3: In case of conflicting conditions, requirements and tests between Table 5 and Table 6 of IEC 60945 and other listed standards (i.e. ETSI standards), the IEC 60945 conditions, requirements and tests shall take precedence.

Number and item designation	Regulation SOLAS 74, as amended, and the relevant resolutions and circulars of the IMO, as applicable	Testing standards	Modules for conformity assessment	First placing on the market	Last placing on board
1	2	3	4	5	6
UK/5.1 VHF radio capable of transmitting and receiving DSC and radiotelephony Row 1 of 5	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/7, — SOLAS 74 Reg. X/3, — IMO Res.A.385(X), — IMO Res.A.524(13), — IMO Res.A.694(17), — IMO Res.A.803(19), 	<ul style="list-style-type: none"> — IMO MSC/Circ.862, — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN 61162-450:2011+A1:2016, — ETSI EN 300 338-1 V1.4.1:2017-02, — ETSI EN 300 338-2 V1.4.1:2017-02, — ETSI EN 301 843-2 V2.1. 1:2016-03, — ETSI EN 301 925 V1.5.1:2017-10. 	<p>B+D</p> <p>B+E</p> <p>B+F</p>	19.6.2018	29.8.2021 (III)

	<ul style="list-style-type: none"> — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14, — IMO MSC/Circ.862, — IMO MSC.1/Circ.1460, — IMO COMSAR/Circ.32, — ITU-R M.489-2 (10/95), — ITU-R M.493-14(09/15), — ITU-R M.541-10(10/15). 				
UK/5.1 VHF radio capable of transmitting and receiving DSC and radiotelephony Row 2 of 5	Type approval requirements <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. 	<ul style="list-style-type: none"> — IMO MSC/Circ.862, — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 IEC 61162-450:2018, — ETSI EN 300 338-1 V1.4.1:2017-02, 	B+D B+E B+F	13.9.2019	12.8.2023 (III)

	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/7, — SOLAS 74 Reg. X/3, — IMO Res.A.385(X), — IMO Res.A.524(13), — IMO Res.A.694(17), — IMO Res.A.803(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14, — IMO Res. MSC.302(87), — IMO MSC/Circ.862, — IMO MSC.1/Circ.1460, — IMO COMSAR/Circ.32, — ITU-R M.489-2 (10/95), — ITU-R M.493-14(09/15), — ITU-R M.541-10(10/15). 	<ul style="list-style-type: none"> — ETSI EN 300 338-2 V1.4.1:2017-02, — ETSI EN 301 843-2 V2.2. 1:2017-11, — ETSI EN 301 925 V1.5.1:2017-10, — IEC 62923-1:2018, — IEC 62923-2:2018. <p>Or:</p> <ul style="list-style-type: none"> — IMO MSC/Circ.862, — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61097-3: 2017, — IEC 61097-7: 1996 with A1: 2018, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, — IEC 62923-1:2018, — IEC 62923-2:2018. 			
--	--	--	--	--	--

<p>UK/5.1</p> <p>VHF radio capable of transmitting and receiving DSC and radiotelephony</p> <p>Row 3 of 5</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. 	<ul style="list-style-type: none"> — IMO MSC/Circ.862, — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN IEC 61162-450:2018, — ETSI EN 300 338-1 V1.5.1:2019-09, 	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>12.8.2020</p>	<p>25.8.2024</p> <p>(III)</p>
<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/7, — SOLAS 74 Reg. X/3, — IMO Res.A.385(X), — IMO Res.A.524(13), — IMO Res.A.694(17), — IMO Res.A.803(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14, — IMO Res. MSC.302(87), — IMO MSC/Circ.862, — IMO MSC.1/Circ.1460, — IMO COMSAR/Circ.32, — ITU-R M.489-2 (10/95), — ITU-R M.493-15(01/19), 	<ul style="list-style-type: none"> — ETSI EN 300 338-2 V1.4.1:2017-02, — ETSI EN 301 843-2 V2.2. 1:2017-11, — ETSI EN 301 925 V1.5.1:2017-10, — EN IEC 62923-1:2018, — EN IEC 62923-2:2018. <p>Or:</p> <ul style="list-style-type: none"> — IMO MSC/Circ.862, — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61097-3: 2017, — IEC 61097-7: 1996 with A1: 2018, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, — IEC62923-1:2018, — IEC62923-2:2018. 				

	— ITU-R M.541-10(10/15).				
UK/5.1 VHF radio capable of transmitting and receiving DSC and radiotelephony Row 4 of 5	<ul style="list-style-type: none"> — Type approval requirements — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res. MSC.36(63)-(1994 HSC Code) 14, — IMO Res. MSC.97(73)-(2000 HSC Code) 14. <hr/> <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/7, — SOLAS 74 Reg. X/3, — IMO Res. A.385(X), — IMO Res. A.524(13), — IMO Res. A.694(17), — IMO Res. A.803(19), — IMO Res. MSC.36(63)-(1994 HSC Code) 14, — IMO Res. MSC.97(73)-(2000 HSC 	<ul style="list-style-type: none"> — IMO MSC/Circ.862, — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN IEC 61162-450:2018, — ETSI EN 300 338-1 V1.5.1:2019-09, — ETSI EN 300 338-2 V1.5.1:2020-06, — ETSI EN 301 843-2 V2.2. 1:2017-11, — ETSI EN 301 925 V1.6.1:2020-10, — EN IEC 62923-1:2018, — EN IEC 62923-2:2018. <p>Or:</p> <ul style="list-style-type: none"> — IMO MSC/Circ.862, — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61097-3: 2017, 	B+D B+E B+F	25.8.2021	01.01.2024 (III)

	<p>Code) 14,</p> <ul style="list-style-type: none"> — IMO Res. MSC.302(87), — IMO MSC/Circ.862, — IMO MSC.1/Circ.1460, — IMO COMSAR/Circ.32, — ITU-R M.489-2 (10/95), — ITU-R M.493-15 (01/19), — ITU-R M.541-10 (10/15). 	<ul style="list-style-type: none"> — IEC 61097-7: 1996 with A1: 2018, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, — IEC 62923-1:2018, — IEC 62923-2:2018. 			
<p>UK/5.1</p> <p>VHF radio capable of transmitting and receiving DSC and radiotelephony</p> <p>Row 5 of 5</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res. MSC.36(63)-(1994 HSC Code) 14, — IMO Res. MSC.97(73)-(2000 HSC Code) 14. <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/7, — SOLAS 74 Reg. X/3, — IMO Res. A.385(X), — IMO Res. A.524(13), — IMO Res. A.694(17), 	<ul style="list-style-type: none"> — IMO MSC/Circ.862, — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN IEC 61162-450:2018, — ETSI EN 300 338-1 V1.5.1:2019-09, — ETSI EN 300 338-2 V1.5.1:2020-06, — ETSI EN 301 843-2 V2.2. 1:2017-11, — ETSI EN 301 925 V1.6.1:2020-10, — EN IEC 62923-1:2018, — EN IEC 62923-2:2018. <p>Or:</p> <ul style="list-style-type: none"> — IMO MSC/Circ.862, 	<p>B+D</p> <p>B+E</p> <p>B+F</p>	01.07.2022	

	<ul style="list-style-type: none"> — IMO Res. A.803(19), — IMO Res. MSC.36(63)-(1994 HSC Code) 14, — IMO Res. MSC.97(73)-(2000 HSC Code) 14, — IMO Res. MSC.302(87), — IMO MSC/Circ.862, — IMO MSC.1/Circ.1460 Rev. 2 — IMO COMSAR/Circ.32, — ITU-R M.489-2 (10/95), — ITU-R M.493-15 (01/19), — ITU-R M.541-10 (10/15). 	<ul style="list-style-type: none"> — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61097-3: 2017, — IEC 61097-7: 1996 with A1: 2018, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, — IEC 62923-1:2018, IEC 62923-2:2018. 			
UK/5.2 VHF DSC watch-keeping receiver Row 1 of 4	Type approval requirements <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. 	<ul style="list-style-type: none"> — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN 61162-450:2011+A1:2016, — ETSI EN 300 338-1 V1.4.1:2017-02, — ETSI EN 300 338-2 V1.4.1:2017-02, 	B+D B+E B+F	19.6.2018	29.8.2021 (III)

	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/7, — SOLAS 74 Reg. X/3, — IMO Res.A.694(17), — IMO Res.A.803(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14, — IMO COMSAR/Circ.32, — ITU-R M.489-2 (10/95), — ITU-R M.493-14(09/15), — ITU-R M.541-10(10/15). 	<ul style="list-style-type: none"> — ETSI EN 301 033 V1.4.1:2013-09, — ETSI EN 301 843-2 V2.1.1:2016-03. 			
<p>UK/5.2</p> <p>VHF DSC watch-keeping receiver</p> <p>Row 2 of 4</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. 	<ul style="list-style-type: none"> — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 IEC 61162-450:2018, — ETSI EN 300 338-1 V1.4.2:2017-11, — ETSI EN 300 338-2 V1.4.1:2017-02, 	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>13.9.2019</p>	<p>12.8.2023</p> <p>(III)</p>

	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/7, — SOLAS 74 Reg. X/3, — IMO Res.A.694(17), — IMO Res.A.803(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14, — IMO Res. MSC.302(87), — IMO COMSAR/Circ.32, — ITU-R M.489-2 (10/95), — ITU-R M.493-14(09/15), — ITU-R M.541-10(10/15). 	<ul style="list-style-type: none"> — ETSI EN 301 033 V1.4.1:2013-09, — ETSI EN 301 843-2 V2.2.1:2017-11, — IEC62923-1:2018, — IEC62923-2:2018. <p>Or:</p> <ul style="list-style-type: none"> — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61097-3: 2017, — IEC 61097-8:1998, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, — IEC62923-1:2018, — IEC62923-2:2018. 			
<p>UK/5.2</p> <p>VHF DSC watch-keeping receiver</p> <p>Row 3 of 4</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. 	<ul style="list-style-type: none"> — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN IEC 61162-450:2018, — ETSI EN 300 338-1 V1.5.1:2019-09 — ETSI EN 300 338-2 V1.4.1:2017-02, — ETSI EN 301 033 V1.4.1:2013-09, — ETSI EN 301 843-2 V2.2.1:2017-11, — EN IEC 62923-1:2018, — EN IEC 62923-2:2018. <p>Or:</p> <ul style="list-style-type: none"> — IEC 60945:2002 incl. IEC 60945 Corr. 	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>12.8.2020</p>	<p>25.8.2024</p> <p>(III)</p>
	<p>Carriage and performance requirements</p>	<p>Or:</p> <ul style="list-style-type: none"> — IEC 60945:2002 incl. IEC 60945 Corr. 			

	<ul style="list-style-type: none"> — SOLAS 74 Reg. IV/7, — SOLAS 74 Reg. X/3, — IMO Res.A.694(17), — IMO Res.A.803(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14, — IMO Res. MSC.302(87), — IMO COMSAR/Circ.32, — ITU-R M.489-2 (10/95), — ITU-R M.493-15(01/19), — ITU-R M.541-10(10/15). 	<ul style="list-style-type: none"> 1:2008, — IEC 61097-3: 2017, — IEC 61097-8:1998, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, — IEC62923-1:2018, — IEC62923-2:2018. 			
UK/5.2 VHF DSC watch-keeping receiver Row 4 of 4	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res. MSC.36(63)-(1994 HSC Code) 14, — IMO Res. MSC.97(73)-(2000 HSC Code) 14. <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/7, — SOLAS 74 Reg. X/3, — IMO Res. A.694(17), 	<ul style="list-style-type: none"> — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN IEC 61162-450:2018, — ETSI EN 300 338-1 V1.5.1:2019-09, — ETSI EN 300 338-2 V1.5.1:2020-06, — ETSI EN 301033 V1.4.1:2013-09, — ETSI EN 301 843-2 V2.2.1:2017-11, — EN IEC 62923-1:2018, — EN IEC 62923-2:2018. 	B+D B+E B+F	25.8.2021	

	<ul style="list-style-type: none"> — IMO Res. A.803(19), — IMO Res. MSC.36(63)-(1994 HSC Code) 14, — IMO Res. MSC.97(73)-(2000 HSC Code) 14, — IMO Res. MSC.302(87), — IMO COMSAR/Circ.32, — ITU-R M.489-2 (10/95), — ITU-R M.493-15 (01/19), — ITU-R M.541-10 (10/15). 	<p>Or:</p> <ul style="list-style-type: none"> — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61097-3: 2017, — IEC 61097-8:1998, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, — IEC 62923-1:2018, — IEC 62923-2:2018. 			
UK/5.3 NAVTEX receiver Row 1 of 4	Type approval requirements <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. 	<ul style="list-style-type: none"> — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — ETSI EN 300 065-1 V1.2.1:2009-01, — ETSI EN 301 843-4 V2.1.1:2016-03. <p>Or:</p> <ul style="list-style-type: none"> — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61097-6: 2005 	B+D B+E B+F	16.3.2017	1.9.2020 (III)

	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/7, — SOLAS 74 Reg. X/3, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14, — IMO Res.MSC.148(77), — IMO COMSAR/Circ.32, — ITU-R M.540-2 (06/90), — ITU-R M.625-4 (03/12). 				
<p>UK/5.3 NAVTEX receiver Row 2 of 4</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. 	<ul style="list-style-type: none"> — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN 61162-450:2011+A1:2016, — ETSI EN 300 065-1 V1.2.1:2009-01, — ETSI EN 301 843-4 V2.1.1:2016-03. 	<p>B+D B+E B+F</p>	<p>19.6.2018</p>	<p>29.8.2021 (III)</p>

	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/7, — SOLAS 74 Reg. X/3, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14, — IMO Res.MSC.148(77), — IMO COMSAR/Circ.32, — ITU-R M.540-2(06/90), — ITU-R M.625-4(03/12). 	<p>Or:</p> <ul style="list-style-type: none"> — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450 Ed.1.0:2011-06 with A1:2016, — IEC 61097-6: 2005 			
<p>UK/5.3 NAVTEX receiver Row 3 of 4 (Correction MSN 1874 amendment 7 to amend incorrect reference to ETSI EN 301 843-2 V2.2.1:2017-11 to ETSI EN 301 843-4 V2.2.1:2017-11)</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. 	<ul style="list-style-type: none"> — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 IEC 61162-450:2018, — ETSI EN 300 065-1 V1.2.1:2009-01, — ETSI EN 301 843-2 V2.2.1:2017-11, <p>Correction: ETSI EN 301 843-4 V2.2.1:2017-11</p> <ul style="list-style-type: none"> — IEC62923-1:2018, — IEC62923-2:2018. <p>Or:</p>	<p>B+D B+E B+F</p>	<p>13.9.2019</p>	<p>12.8.2023 (III)</p>
	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/7, — SOLAS 74 Reg. X/3, 	<p>Or:</p>			

	<ul style="list-style-type: none"> — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14, — IMO Res.MSC.148(77), — IMO Res. MSC.302(87), — IMO COMSAR/Circ.32, — ITU-R M.540-2 (06/90), — ITU-R M.625-4 (03/12). 	<ul style="list-style-type: none"> — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, — IEC 61097-6: 2005, — IEC62923-1:2018, — IEC62923-2:2018. 			
UK/5.3 NAVTEX receiver Row 4 of 4 (Correction MSN 1874 amendment 7 to amend incorrect reference to ETSI EN 301 843-2 V2.2.1:2017-11 to ETSI EN 301 843-4 V2.2.1:2017-11)	Type approval requirements <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. 	<ul style="list-style-type: none"> — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN IEC 61162-450:2018, — ETSI EN 300 065-1 V1.2.1:2009-01, — ETSI EN 301 843-2 V2.2.1:2017-11, 	B+D B+E B+F	12.8.2020	
	Carriage and performance requirements <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/7, — SOLAS 74 Reg. X/3, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC 	Correction: ETSI EN 301 843-4 V2.2.1:2017-11 <ul style="list-style-type: none"> — EN IEC 62923-1:2018, — EN IEC 62923-2:2018. Or: <ul style="list-style-type: none"> — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 			

	<p>Code) 14,</p> <ul style="list-style-type: none"> — IMO Res.MSC.148(77), — IMO Res. MSC.302(87), — IMO COMSAR/Circ.32, — ITU-R M.540-2 (06/90), — ITU-R M.625-4 (03/12). 	<p>IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018,</p> <ul style="list-style-type: none"> — IEC 61097-6:2012-01+A1:2011+A2: 2019, — IEC62923-1:2018, — IEC62923-2:2018. 			
<p>UK/5.4 EGC receiver Row 1 of 4</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. 	<ul style="list-style-type: none"> — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — ETSI ETS 300 460 Ed.1:1996-05, — ETSI ETS 300 460/A1:1997-11, — ETSI EN 301 843-1 V2.1.1:2016-03. <p>Or:</p> <ul style="list-style-type: none"> — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61097-4:2012. 	<p>B+D B+E B+F</p>	<p>16.3.2017</p>	<p>1.9.2020 (III)</p>
	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/7, — SOLAS 74 Reg. X/3, — IMO Res.A.570(14), — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14, — IMO Res.MSC.306(87), — IMO COMSAR/Circ.32. 				

<p>UK/5.4 EGC receiver Row 2 of 4</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. 	<ul style="list-style-type: none"> — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN 61162-450:2011+A1:2016, — ETSI ETS 300 460 Ed.1:1996-05, — ETSI ETS 300 460/A1:1997-11, — ETSI EN 301 843-1 V2.1.1:2016-03. 	<p>B+D B+E B+F</p>	<p>19.6.2018</p>	<p>29.8.2021 (III)</p>
	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/7, — SOLAS 74 Reg. X/3, — IMO Res.A.570(14), — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14, — IMO Res.MSC.306(87), — IMO COMSAR/Circ.32. 	<p>Or:</p> <ul style="list-style-type: none"> — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61097-4:2012, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450 Ed.1.0:2011-06 with A1:2016. 			

<p>UK/5.4 EGC receiver Row 3 of 4 (Correction MSN 1874 amendment 7 to amend incorrect reference to ETSI EN 301 843-2 V2.2.1:2017-11 to ETSI EN 301 843-1 V2.2.1:2017-11)</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. 	<ul style="list-style-type: none"> — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 IEC 61162-450:2018, — ETSI ETS 300 460 Ed.1:1996-05, — ETSI ETS 300 460/A1:1997-11, 	<p>B+D B+E B+F</p>	<p>13.9.2019</p>	<p>12.8.2023 (III)</p>
	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/7, — SOLAS 74 Reg. X/3, — IMO Res.A.570(14), — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14, — IMO Res. MSC.302(87), — IMO Res.MSC.306(87), — IMO COMSAR/Circ.32. 	<ul style="list-style-type: none"> — ETSI EN 301 843-2 V2.2.1:2017-11, Correction: ETSI EN 301 843-1 V2.2.1:2017-11 — IEC62923-1:2018, — IEC62923-2:2018. Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61097-4 2012, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, — IEC62923-1:2018, — IEC62923-2:2018. 			

<p>UK/5.4 EGC receiver Row 4 of 4 Correction MSN 1874 amendment 7 to amend incorrect reference to ETSI EN 301 843-2 V2.2.1:2017-11 to ETSI EN 301 843-1 V2.2.1:2017-11</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. 	<ul style="list-style-type: none"> — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN IEC 61162-450:2018, — ETSI ETS 300 460 Ed.1:1996-05, — ETSI ETS 300 460/A1:1997-11, — ETSI EN 301 843-2 V2.2.1:2017-11, 	<p>B+D B+E B+F</p>	<p>12.8.2020</p>	
	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/7, — SOLAS 74 Reg. X/3, — IMO Res.A.570(14), — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14, — IMO Res. MSC.302(87), — IMO Res.MSC.306(87), — IMO COMSAR/Circ.32. 	<p>Correction: ETSI EN 301 843-1 V2.2.1:2017-11</p> <ul style="list-style-type: none"> — EN IEC 62923-1:2018, — EN IEC 62923-2:2018. <p>Or:</p> <ul style="list-style-type: none"> — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61097-4:2012 +A1:2016+A2:2019, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, — IEC62923-1:2018, — IEC62923-2:2018. 			

<p>UK/5.5</p> <p>HF marine safety information (MSI) equipment (HF NBDP receiver)</p> <p>Row 1 of 3</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. 	<ul style="list-style-type: none"> — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2011 EN 61162-2:1998 EN 61162-3:2008 EN 61162-450:2011, — ETSI ETS 300 067 Ed.1:1990-11, — ETSI ETS 300 067/A1 Ed.1:1993-10. <p>Or:</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>		<p>1.9.2020</p> <p>(III)</p>
	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/7, — SOLAS 74 Reg. X/3, — IMO Res.A.694(17), — IMO Res.A.699(17), — IMO Res.A.700(17), — IMO Res.A.806(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14, — IMO MSC.1/Circ.1460, — IMO COMSAR/Circ.32, — ITU-R M.492-6 (10/95), — ITU-R M.540-2 (06/90), — ITU-R M.625-4 (03/12), — ITU-R M.688 (06/90). 	<ul style="list-style-type: none"> — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61162 series: IEC 61162-1 Ed.4.0:2010-11 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450 Ed.1.0:2011-06, — ETSI ETS 300 067 Ed.1:1990-11, — ETSI ETS 300 067/A1 Ed.1:1993-10. 			

<p>UK/5.5</p> <p>HF marine safety information (MSI) equipment (HF NBBDP receiver)</p> <p>Row 2 of 3</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. 	<ul style="list-style-type: none"> — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN 61162-450:2011+A1:2016, — ETSI ETS 300 067 Ed.1:1990-11, — ETSI ETS 300 067/A1 Ed.1:1993-10, <p>Or:</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>19.6.2018</p>	<p>29.8.2021</p> <p>(III)</p>
<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/7, — SOLAS 74 Reg. X/3, — IMO Res.A.694(17), — IMO Res.A.699(17), — IMO Res.A.700(17), — IMO Res.A.806(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14, — IMO MSC.1/Circ.1460, — IMO COMSAR/Circ.32, — ITU-R M.492-6 (10/95), — ITU-R M.540-2 (06/90), — ITU-R M.625-4 (03/12), — ITU-R M.688 (06/90). 	<ul style="list-style-type: none"> — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450 Ed.1.0:2011-06 with A1:2016, — ETSI ETS 300 067 Ed.1:1990-11, — ETSI ETS 300 067/A1 Ed.1:1993-10. 				

<p>UK/5.5</p> <p>HF marine safety information (MSI) equipment (HF NBDP receiver)</p> <p>Row 3 of 3</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. 	<ul style="list-style-type: none"> — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN IEC 61162-450:2018, — ETSI ETS 300 067 Ed.1:1990-11, — ETSI ETS 300 067/A1 Ed.1:1993-10, 	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>13.9.2019</p>	
	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/7, — SOLAS 74 Reg. X/3, — IMO Res.A.694(17), — IMO Res.A.699(17), — IMO Res.A.700(17), — IMO Res.A.806(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14, — IMO Res. MSC.302(87), — IMO MSC.1/Circ.1460, — IMO COMSAR/Circ.32, — ITU-R M.492-6 (10/95), — ITU-R M.540-2 (06/90), 	<ul style="list-style-type: none"> — EN IEC 62923-1:2018, — EN IEC 62923-2:2018. <p>Or:</p> <ul style="list-style-type: none"> — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, — ETSI ETS 300 067 Ed.1:1990-11, — ETSI ETS 300 067/A1 Ed.1:1993-10, — IEC62923-1:2018, — IEC62923-2:2018. 			

	<ul style="list-style-type: none"> — ITU-R M.625-4 (03/12), — ITU-R M.688 (06/90). 				
UK/5.6 406 MHz EPIRB (COSPAS-SARSAT) Row 1 of 2	Type approval requirements <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. <hr/> Carriage and performance requirements <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/7, — IMO Res.A.662(16), — IMO Res.A.694(17), — IMO Res.A.696(17), — IMO Res.A.810(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14, — IMO MSC/Circ.862, — IMO COMSAR/Circ.32, — ITU-R M.633-4 (12/10), — ITU-R M.690-3 (03/15). 	<ul style="list-style-type: none"> — IMO MSC/Circ.862, Note: IMO MSC/Circ.862 is applicable only to the optional remote activation device, not to the EPIRB itself. <ul style="list-style-type: none"> — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — ETSI EN 300 066 V1.3.1:2001-01. Or: <ul style="list-style-type: none"> — IMO MSC/Circ.862, Note: IMO MSC/Circ.862 is applicable only to the optional remote activation device, not to the EPIRB itself. <ul style="list-style-type: none"> — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61097-2 ed3.0:2008. 	B+D B+E B+F		30.06.2022

<p>UK/5.6 406 MHz EPIRB (COSPAS-SARSAT) Row 2 of 2 (Correction MSN 1874 amendment 7 to remove reference to ETSI EN 300 066 V1.3.1:2001-01)</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. 	<ul style="list-style-type: none"> — IMO MSC/Circ.862, <p>Note: IMO MSC/Circ.862 is applicable only to the optional remote activation device, not to the EPIRB itself.</p> <ul style="list-style-type: none"> — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — ETSI EN 300 066 V1.3.1:2001-01. <p>Or:</p>	<p>B+D B+E B+F</p>	<p>01.07.2022</p>	
	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/7, — IMO Res.A.662(16), — IMO Res.A.694(17), — IMO Res. MSC.471(101) — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14, — IMO MSC/Circ.862, — IMO COMSAR/Circ.32, — ITU-R M.633-4 (12/10), — ITU-R M.690-3 (03/15) 	<ul style="list-style-type: none"> — IMO MSC/Circ.862, <p>Note: IMO MSC/Circ.862 is applicable only to the optional remote activation device, not to the EPIRB itself.</p> <ul style="list-style-type: none"> — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61097-2 ed4.0:2021. 			
<p>Item UK/5.7, L band EPIRB (INMARSAT), - deliberately left blank.</p>					
<p>Item UK/5.8, MF DSC Receiver, - deliberately left blank.</p>					

Item UK/5.9, Two-tone alarm generator, - deliberately left blank.					
<p>UK/5.10</p> <p>MF radio capable of transmitting and receiving DSC and radiotelephony</p> <p>Note: In line with IMO and ITU decisions, the requirements for Two Tone Alarm generator and transmission on H3E are no longer applicable in the testing standards.</p> <p>Row 1 of 5</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. 	<ul style="list-style-type: none"> — IMO MSC/Circ.862, — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: <ul style="list-style-type: none"> EN 61162-1:2011 EN 61162-2:1998 EN 61162-3:2008 EN 61162-450:2011, — ETSI EN 300 338-1 V1.3.1:2010-02, — ETSI EN 300 338-2 V1.3.1:2010-02, 	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>16.3.2017</p>	<p>1.9.2020 (III)</p>
	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/9, — SOLAS 74 Reg. IV/10, — IMO Res.A.694(17), — IMO Res.A.804(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14, — IMO MSC.1/Circ.1460, — IMO COMSAR/Circ.32, — ITU-R M.493-14 (09/15), — ITU-R M.541-10 (10/15), — ITU-R M.1173-1 (03/12). 	<ul style="list-style-type: none"> — ETSI EN 300 373-1 V1.4.1:2013-09, — ETSI EN 301 843-5 V2.1.1:2016-03. 			

<p>UK/5.10</p> <p>MF radio capable of transmitting and receiving DSC and radiotelephony</p> <p>Note: In line with IMO and ITU decisions, the requirements for Two Tone Alarm generator and transmission on H3E are no longer applicable in the testing standards.</p> <p>Row 2 of 5</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. 	<ul style="list-style-type: none"> — IMO MSC/Circ.862, — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN 61162-450:2011)+A1:2016, 	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>19.6.2018</p>	<p>29.8.2021</p> <p>(III)</p>
	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/9, — SOLAS 74 Reg. IV/10, — SOLAS 74 Reg. X/3, — IMO Res.A.694(17), — IMO Res.A.804(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14, — IMO MSC.1/Circ.1460, — IMO COMSAR/Circ.32, — ITU-R M.493-14(09/15), — ITU-R M.541-10(10/15), — ITU-R M.1173-1(03/12). 	<ul style="list-style-type: none"> — ETSI EN 300 338-1 V1.4.1:2017-02, — ETSI EN 300 338-2 V1.4.1:2017-02, — ETSI EN 300 373-1 V1.4.1:2013-09, — ETSI EN 301 843-5 V2.1.1:2016-03. 			

<p>UK/5.10</p> <p>MF radio capable of transmitting and receiving DSC and radiotelephony</p> <p>Note: In line with IMO and ITU decisions, the requirements for Two Tone Alarm generator and transmission on H3E are no longer applicable in the testing standards.</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. 	<ul style="list-style-type: none"> — IMO MSC/Circ.862, — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 IEC 61162-450:2018, 	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>13.9.2019</p>	<p>12.8.2023</p> <p>(III)</p>
<p>Row 3 of 5</p> <p>(Correction MSN 1874 amendment 7 to amend incorrect reference to ETSI 301 843-2 V2.2.1:2017-11 to ETSI EN 301 843-5 V2.2.1:2017-11)</p>	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/9, — SOLAS 74 Reg. IV/10, — SOLAS 74 Reg. X/3, — IMO Res.A.694(17), — IMO Res.A.804(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14, — IMO Res. MSC.302(87), — IMO MSC.1/Circ.1460, — IMO COMSAR/Circ.32, — ITU-R M.493-14(09/15), — ITU-R M.541-10(10/15), — ITU-R M.1173-1(03/12). 	<ul style="list-style-type: none"> — ETSI EN 300 338-1 V1.4.2:2017-11, — ETSI EN 300 338-2 V1.4.1:2017-02, — ETSI EN 300 373-1 V1.4.1:2013-09, — ETSI EN 301 843-2 V2.2.1:2017-11, <p>Correction: ETSI EN 301 843-5 V2.2.1:2017-11</p> <ul style="list-style-type: none"> — IEC62923-1:2018, — IEC62923-2:2018. <p>Or:</p> <ul style="list-style-type: none"> — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61097-3: 2017, — IEC 61097-9: 1997, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, — IEC62923-1:2018, — IEC62923-2:2018. 			

<p>UK/5.10</p> <p>MF radio capable of transmitting and receiving DSC and radiotelephony</p> <p>Note: In line with IMO and ITU decisions, the requirements for Two Tone Alarm generator and transmission on H3E are no longer applicable in the testing standards.</p> <p>Row 4 of 5</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. 	<ul style="list-style-type: none"> — IMO MSC/Circ.862, — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN IEC 61162-450:2018, — ETSI EN 300 338-1 V1.5.1:2019-09, — ETSI EN 300 338-2 V1.4.1:2017-02, — ETSI EN 300 373-1 V1.4.1:2013-09, 	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>12.8.2020</p>	<p>25.8.2024</p> <p>(III)</p>
<p>(Correction MSN 1874 amendment 7 to amend incorrect reference to ETSI 301 843-2 V2.2.1:2017-11 to ETSI EN 301 843-5 V2.2.1:2017-11)</p>	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/9, — SOLAS 74 Reg. IV/10, — SOLAS 74 Reg. X/3, — IMO Res.A.694(17), — IMO Res.A.804(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14, — IMO Res. MSC.302(87), — IMO MSC.1/Circ.1460, — IMO COMSAR/Circ.32, — ITU-R M.493-15(01/19), — ITU-R M.541-10(10/15), — ITU-R M.1173-1(03/12). 	<ul style="list-style-type: none"> — ETSI EN 301 843-2 V2.2.1:2017-11, Correction: ETSI EN 301 843-5 V2.2.1:2017-11 — EN IEC 62923-1:2018, — EN IEC 62923-2:2018. Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61097-3: 2017, — IEC 61097-9: 1997, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, — IEC62923-1:2018, — IEC62923-2:2018. 			

<p>UK/5.10</p> <p>MF radio capable of transmitting and receiving DSC and radiotelephony</p> <p>Note: In line with IMO and ITU decisions, the requirements for Two Tone Alarm generator and transmission on H3E are no longer applicable in the testing standards.</p> <p>Row 5 of 5</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res. MSC.36(63)-(1994 HSC Code) 14, — IMO Res. MSC.97(73)-(2000 HSC Code) 14. 	<ul style="list-style-type: none"> — IMO MSC/Circ.862, — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN IEC 61162-450:2018, 	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>25.8.2021</p>	
<p>(Correction MSN 1874 amendment 7 to amend incorrect reference to ETSI 301 843-2 V2.2.1:2017-11 to ETSI EN 301 843-5 V2.2.1:2017-11)</p>	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/9, — SOLAS 74 Reg. IV/10, — SOLAS 74 Reg. X/3, — IMO Res. A.694(17), — IMO Res. A.804(19), — IMO Res. MSC.36(63)-(1994 HSC Code) 14, — IMO Res. MSC.97(73)-(2000 HSC Code) 14, — IMO Res. MSC.302(87), — IMO MSC.1/Circ.1460, — IMO COMSAR/Circ.32, — ITU-R M.493-15 (01/19), — ITU-R M.541-10 (10/15), — ITU-R M.1173-1 (03/12). 	<ul style="list-style-type: none"> — ETSI EN 300 338-1 V1.5.1:2019-09, — ETSI EN 300 338-2 V1.5.1:2020-06, — ETSI EN 300 373-1 V1.4.1:2013-09, — ETSI EN 301 843-2 V2.2.1:2017-11, Correction: ETSI EN 301 843-5 V2.2.1:2017-11 — EN IEC 62923-1:2018, — EN IEC 62923-2:2018. Or: — IEC 60945: 2002 incl. IEC 60945 Corr. 1:2008, — IEC 61097-3: 2017, — IEC 61097-9: 1997, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, — IEC 62923-1:2018, 			

		— IEC 62923-2:2018.			
UK/5.11 MF DSC watch-keeping receiver Row 1 of 5	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/9, — SOLAS 74 Reg. IV/10, — SOLAS 74 Reg. X/3, — IMO Res.A.694(17), — IMO Res.A.804(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14, — IMO COMSAR/Circ.32, — ITU-R M.493-14 (09/15), — ITU-R M.541-10(10/15), — ITU-R M.1173-1(03/12). 	<ul style="list-style-type: none"> — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: <ul style="list-style-type: none"> EN 61162-1:2011 EN 61162-2:1998 EN 61162-3:2008 EN 61162-450:2011, — ETSI EN 300 338-1 V1.3.1:2010-02, — ETSI EN 300 338-2 V1.3.1:2010-02, — ETSI EN 301 033 V1.4.1:2013-09, — ETSI EN 301 843-5 V2.1.1:2016-03. 	<p>B+D</p> <p>B+E</p> <p>B+F</p>	16.3.2017	1.9.2020 (III)

<p>UK/5.11 MF DSC watch-keeping receiver Row 2 of 5</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. 	<ul style="list-style-type: none"> — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: <ul style="list-style-type: none"> EN 61162-1 2016, EN 61162-2:1998, EN 61162-3:2008 +A1:2010+A2:2014, EN 61162-450:2011+A1:2016, — ETSI EN 300 338-1 V1.4.1:2017-02, — ETSI EN 300 338-2 V1.4.1:2017-02, — ETSI EN 301 033 V1.4.1:2013-09, — ETSI EN 301 843-5 V2.1.1:2016-03. 	<p>B+D B+E B+F</p>	<p>19.6.2018</p>	<p>29.8.2021 (III)</p>
	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/9, — SOLAS 74 Reg. IV/10, — SOLAS 74 Reg. X/3, — IMO Res.A.694(17), — IMO Res.A.804(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14, — IMO COMSAR/Circ.32, — ITU-R M.493-14(09/15), — ITU-R M.541-10(10/15), — ITU-R M.1173-1(03/12). 				

<p>UK/5.11 MF DSC watch-keeping receiver Row 3 of 5</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. 	<ul style="list-style-type: none"> — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 IEC 61162-450:2018, — ETSI EN 300 338-1 V1.4.2:2017-11, — ETSI EN 300 338-2 V1.4.1:2017-02, — ETSI EN 301 033 V1.4.1:2013-09, — ETSI EN 301 843-5 V2.2.1:2017-11, — IEC62923-1:2018, — IEC62923-2:2018. 	<p>B+D B+E B+F</p>	<p>13.9.2019</p>	<p>12.8.2023 (III)</p>
<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/9, — SOLAS 74 Reg. IV/10, — SOLAS 74 Reg. X/3, — IMO Res.A.694(17), — IMO Res.A.804(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14, — IMO Res. MSC.302(87), — IMO COMSAR/Circ.32, — ITU-R M.493-14(09/15), — ITU-R M.541-10(10/15), — ITU-R M.1173-1(03/12). 	<p>Or:</p> <ul style="list-style-type: none"> — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61097-3: 2017, — IEC 61097-8:1998, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, — IEC62923-1:2018, — IEC62923-2:2018. 				

<p>UK/5.11 MF DSC watch-keeping receiver Row 4 of 5</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. 	<ul style="list-style-type: none"> — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN IEC 61162-450:2018, — ETSI EN 300 338-1 V1.5.1:2019-09, — ETSI EN 300 338-2 V1.4.1:2017-02, — ETSI EN 301 033 V1.4.1:2013-09, — ETSI EN 301 843-5 V2.2.1:2017-11, — EN IEC 62923-1:2018, — EN IEC 62923-2:2018. 	<p>B+D B+E B+F</p>	<p>12.8.2020</p>	<p>25.8.2024 (III)</p>
	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/9, — SOLAS 74 Reg. IV/10, — SOLAS 74 Reg. X/3, — IMO Res.A.694(17), — IMO Res.A.804(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14, — IMO Res. MSC.302(87), — IMO COMSAR/Circ.32, — ITU-R M.493-15(01/19), — ITU-R M.541-10(10/15), — ITU-R M.1173-1(03/12). 	<p>Or:</p> <ul style="list-style-type: none"> — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61097-3: 2017, — IEC 61097-8:1998, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, — IEC62923-1:2018, — IEC62923-2:2018. 			

<p>UK/5.11</p> <p>MF DSC watch-keeping receiver</p> <p>Row 5 of 5</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res. MSC.36(63)-(1994 HSC Code) 14, — IMO Res. MSC.97(73)-(2000 HSC Code) 14. 	<ul style="list-style-type: none"> — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN IEC 61162-450:2018, — ETSI EN 300 338-1 V1.5.1:2019-09, — ETSI EN 300 338-2 V1.5.1:2020-06, 	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>25.8.2021</p>	
<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/9, — SOLAS 74 Reg. IV/10, — SOLAS 74 Reg. X/3, — IMO Res. A.694(17), — IMO Res. A.804(19), — IMO Res. MSC.36(63)-(1994 HSC Code) 14, — IMO Res. MSC.97(73)-(2000 HSC Code) 14, — IMO Res. MSC.302(87), — IMO COMSAR/Circ.32, — ITU-R M.493-15 (01/19), — ITU-R M.541-10 (10/15), — ITU-R M.1173-1 (03/12). 	<ul style="list-style-type: none"> — ETSI EN 301 033 V1.4.1:2013-09, — ETSI EN 301 843-5 V2.2.1:2017-11, — EN IEC 62923-1:2018, — EN IEC 62923-2:2018. <p>Or:</p> <ul style="list-style-type: none"> — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61097-3: 2017, — IEC 61097-8:1998, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, — IEC 62923-1:2018, — IEC 62923-2:2018. 				
<p>UK/5.12 Inmarsat-B SES this item has been deleted as Inmarsat-B SES Service has been discontinued on 31 December 2016.</p>					

<p>UK/5.13 Approved SES Row 1 of 4</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. 	<ul style="list-style-type: none"> — IMO MSC/Circ.862, — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: <ul style="list-style-type: none"> EN 61162-1:2011 EN 61162-2:1998 EN 61162-3:2008 EN 61162-450:2011, 	<p>B+D B+E B+F</p>	<p>16.3.2017</p>	<p>1.9.2020 (III)</p>
	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/10, — SOLAS 74 Reg. X/3, — IMO Res.A.570(14), — IMO Res.A.664(16), <p>Note for Res. A.664(16): applicable only if the Approved SES supports EGC functions.</p> <ul style="list-style-type: none"> — IMO Res.A.694(17), — IMO Res.A.807(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. — IMO Res.MSC.306(87), — IMO MSC/Circ.862, — IMO COMSAR/Circ.32. 	<ul style="list-style-type: none"> — ETSI ETS 300 460 Ed.1:1996-05, — ETSI ETS 300 460/A1:1997-11, — ETSI EN 301 843-1 V2.1.1:2016-03. <p>Or:</p> <ul style="list-style-type: none"> — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61097-4:2012, — IEC 61162 series: <ul style="list-style-type: none"> IEC 61162-1 Ed.4.0:2010-11 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450 Ed.1.0:2011-06. 			

<p>UK/5.13 Approved SES Row 2 of 4</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. 	<ul style="list-style-type: none"> — IMO MSC/Circ.862, — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN 61162-450:2011+A1:2016, 	<p>B+D B+E B+F</p>	<p>19.6.2018</p>	<p>29.8.2021 (III)</p>
	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/10, — SOLAS 74 Reg. X/3, — IMO Res.A.570(14), — IMO Res.A.664(16), Note for Res. A.664(16): applicable only if the Approved SES supports EGC functions. — IMO Res.A.694(17), — IMO Res.A.807(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14, — IMO Res.MSC.306(87), — IMO MSC/Circ.862, — IMO COMSAR/Circ.32. 	<ul style="list-style-type: none"> — ETSI ETS 300 460 Ed.1:1996-05, — ETSI ETS 300 460/A1:1997-11, — ETSI EN 301 843-1 V2.1.1:2016-03. <p>Or:</p> <ul style="list-style-type: none"> — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61097-4:2012, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450 Ed.1.0:2011-06 with A1:2016. 			

UK/5.13 Approved SES Row 3 of 4	Type approval requirements <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. 	<ul style="list-style-type: none"> — IMO MSC/Circ.862, — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 IEC 61162-450:2018, — ETSI ETS 300 460 Ed.1:1996-05, 	B+D B+E B+F		12.8.2023 (III)
	Carriage and performance requirements <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/10, — SOLAS 74 Reg. X/3, — IMO Res.A.570(14), — IMO Res.A.664(16), Note for Res. A.664(16): applicable only if the Approved SES supports EGC functions. <ul style="list-style-type: none"> — IMO Res.A.694(17), — IMO Res.A.807(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14, — IMO Res. MSC.302(87), — IMO Res.MSC.306(87), — IMO MSC/Circ.862, — IMO COMSAR/Circ.32. 	<ul style="list-style-type: none"> — ETSI ETS 300 460/A1:1997-11, — ETSI EN 301 843-1 V2.2.1:2017-11, — IEC62923-1:2018, — IEC62923-2:2018. Or: <ul style="list-style-type: none"> — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61097-4: 2012, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, — IEC62923-1:2018, — IEC62923-2:2018. 			

<p>UK/5.13 Approved SES Row 4 of 4</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. 	<ul style="list-style-type: none"> — IMO MSC/Circ.862, — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN IEC 61162-450:2018, — ETSI ETS 300 460 Ed.1:1996-05, 	<p>B+D B+E B+F</p>	<p>12.8.2020</p>	
	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/10, — SOLAS 74 Reg. X/3, — IMO Res.A.570(14), — IMO Res.A.664(16), <p>Note for Res. A.664(16): applicable only if the approved SES supports EGC functions.</p> <ul style="list-style-type: none"> — IMO Res.A.694(17), — IMO Res.A.807(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14, — IMO Res. MSC.302(87), — IMO Res.MSC.306(87), — IMO MSC/Circ.862, —IMO COMSAR/Circ.32. 	<ul style="list-style-type: none"> — ETSI ETS 300 460/A1:1997-11, — ETSI EN 301 843-1 V2.2.1:2017-11, — EN IEC 62923-1:2018, — EN IEC 62923-2:2018. <p>Or:</p> <ul style="list-style-type: none"> — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61097-4: 2012 +A1:2016+A2:2019, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, — IEC62923-1:2018, — IEC62923-2:2018. 			

<p>UK/5.14</p> <p>MF/HF radio capable of transmitting and receiving DSC, NBDP and radiotelephony</p> <p>Note: In line with IMO and ITU decisions, the requirements for Two Tone Alarm generator and transmission on A3H are no longer applicable in testing standards.</p> <p>Row 1 of 6</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. 	<ul style="list-style-type: none"> — IMO MSC/Circ.862, — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2011 EN 61162-2:1998 EN 61162-3:2008 EN 61162-450:2011, 	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>16.3.2017</p>	<p>1.9.2020</p> <p>(III)</p>
	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/10, — SOLAS 74 Reg. X/3, — IMO Res.A.694(17), — IMO Res.A.806(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14, — IMO MSC/Circ.862, — IMO MSC.1/Circ.1460, — IMO COMSAR/Circ.32, — ITU-R M.476-5 (10/95), — ITU-R M.492-6 (10/95), — ITU-R M.493-14 (09/15), — ITU-R M.541-10 (10/15), — ITU-R M.625-4 (03/12), — ITU-R M.1173-1 (03/12). 	<ul style="list-style-type: none"> — ETSI ETS 300 067 Ed.1:1990-11, — ETSI ETS 300 067/A1 Ed.1:1993-10, — ETSI EN 300 338-1 V1.3.1:2010-02, — ETSI EN 300 338-2 V1.3.1:2010-02, — ETSI EN 300 373-1 V1.4.1:2013-09, — ETSI EN 301 843-5 V2.1.1:2016-03. 			

<p>UK/5.14</p> <p>MF/HF radio capable of transmitting and receiving DSC, NBDP and radiotelephony</p> <p>Note: In line with IMO and ITU decisions, the requirements for Two Tone Alarm generator and transmission on A3H are no longer applicable in testing standards.</p> <p>Row 2 of 6</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. 	<ul style="list-style-type: none"> — IMO MSC/Circ.862, — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: <ul style="list-style-type: none"> EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN 61162-450:2011+A1:2016, — ETSI ETS 300 067 Ed.1:1990-11, — ETSI ETS 300 067/A1 Ed.1:1993-10, — ETSI EN 300 338-1 V1.4.1:2017-02, — ETSI EN 300 338-2 V1.4.1:2017-02, — ETSI EN 300 373-1 V1.4.1:2013-09, — ETSI EN 301 843-5 V2.1.1:2016-03. 	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>19.6.2018</p>	<p>29.8.2021</p> <p>(III)</p>
	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/10, — SOLAS 74 Reg. X/3, — IMO Res.A.694(17), — IMO Res.A.806(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14, — IMO MSC/Circ.862, — IMO MSC.1/Circ.1460, — IMO COMSAR/Circ.32, — ITU-R M.476-5 (10/95), — ITU-R M.492-6 (10/95), — ITU-R M.493-14(09/15), — ITU-R M.541-10(10/15), — ITU-R M.625-4 (03/12), — ITU-R M.1173-1 (03/12). 				

<p>UK/5.14</p> <p>MF/HF radio capable of transmitting and receiving DSC, NBDP and radiotelephony</p> <p>Note: In line with IMO and ITU decisions, the requirements for Two Tone Alarm generator and transmission on A3H are no longer applicable in testing standards.</p> <p>Row 3 of 6</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. 	<ul style="list-style-type: none"> — IMO MSC/Circ.862, — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 IEC 61162-450:2018, — ETSI ETS 300 067 Ed.1:1990-11, 	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>13.9.2019</p>	<p>12.8.2023</p> <p>(III)</p>
	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/10, — SOLAS 74 Reg. X/3, — IMO Res.A.694(17), — IMO Res.A.806(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14, — IMO Res. MSC.302(87), — IMO MSC/Circ.862, — IMO MSC.1/Circ.1460, — IMO COMSAR/Circ.32, — ITU-R M.476-5 (10/95), — ITU-R M.492-6 (10/95), — ITU-R M.493-14 (09/15), — ITU-R M.541-10 (10/15) — ITU-R M.625-4 (03/12), — ITU-R M.1173-1 (03/12). 	<ul style="list-style-type: none"> — ETSI ETS 300 067/A1 Ed.1:1993-10, — ETSI EN 300 338-1 V1.4.2:2017-11, — ETSI EN 300 338-2 V1.4.1:2017-02, — ETSI EN 300 373-1 V1.4.1:2013-09, — ETSI EN 301 843-5 V2.2.1:2017-11, — IEC62923-1:2018, — IEC62923-2:2018. <p>Or:</p> <ul style="list-style-type: none"> — IMO MSC/Circ.862, — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61097-3: 2017, — IEC 61097-9: 1997, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, — IEC62923-1:2018, — IEC62923-2:2018. 			

<p>UK/5.14</p> <p>MF/HF radio capable of transmitting and receiving DSC, NBDP and radiotelephony</p> <p>Note: In line with IMO and ITU decisions, the requirements for Two Tone Alarm generator and transmission on A3H are no longer applicable in testing standards.</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. 	<ul style="list-style-type: none"> — IMO MSC/Circ.862, — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN IEC 61162-450:2018, — ETSI ETS 300 067 Ed.1:1990-11, 	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>12.8.2020</p>	<p>25.5.2024</p> <p>(II)</p>
<p>Row 4 of 6</p>	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/10, — SOLAS 74 Reg. X/3, — IMO Res.A.694(17), — IMO Res.A.806(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14, — IMO Res. MSC.302(87), — IMO MSC/Circ.862, — IMO MSC.1/Circ.1460, — IMO COMSAR/Circ.32, — ITU-R M.476-5 (10/95), — ITU-R M.492-6 (10/95), — ITU-R M.493-15 (01/19), — ITU-R M.541-10 (10/15) — ITU-R M.625-4 (03/12), — ITU-R M.1173-1 (03/12). 	<ul style="list-style-type: none"> — ETSI ETS 300 067/A1 Ed.1:1993-10, — ETSI EN 300 338-1 V1.5.1:2019-09, — ETSI EN 300 338-2 V1.4.1:2017-02, — ETSI EN 300 373-1 V1.4.1:2013-09, — ETSI EN 301 843-5 V2.2.1:2017-11, — EN IEC 62923-1:2018, — EN IEC 62923-2:2018. <p>Or:</p> <ul style="list-style-type: none"> — IMO MSC/Circ.862, — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61097-3: 2017, — IEC 61097-9: 1997, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, — IEC62923-1:2018, — IEC62923-2:2018. 			

<p>UK/5.14</p> <p>MF/HF radio capable of transmitting and receiving DSC, NBDP and radiotelephony</p> <p>Note: In line with IMO and ITU decisions, the requirements for Two Tone Alarm generator and transmission on A4H are no longer applicable in testing standards.</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res. MSC.36(63)-(1994 HSC Code) 14, — IMO Res. MSC.97(73)-(2000 HSC Code) 14. 	<ul style="list-style-type: none"> — IMO MSC/Circ.862, — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN IEC 61162-450:2018, — ETSI ETS 300067 Ed.1:1990-11, 	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>25.8.2021</p>	<p>15.8.2025 (III)</p>
<p>Row 5 of 6</p>	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/10, — SOLAS 74 Reg. X/3, — IMO Res. A.694(17), — IMO Res. A.806(19), — IMO Res. MSC.36(63)-(1994 HSC Code) 14, — IMO Res. MSC.97(73)-(2000 HSC Code) 14, — IMO Res. MSC.302(87), — IMO MSC/Circ.862, — IMO MSC.1/Circ.1460, — IMO COMSAR/Circ.32, — ITU-R M.476-5 (10/95), — ITU-R M.492-6 (10/95), — ITU-R M.493-15 (01/19), — ITU-R M.541-10 (10/15) 	<ul style="list-style-type: none"> — ETSI ETS 300 067/A1 Ed.1:1993-10, — ETSI EN 300 338-1 V1.5.1:2019-09, — ETSI EN 300 338-2 V1.5.1:2020-06, — ETSI EN 300 373-1 V1.4.1:2013-09, — ETSI EN 301 843-5 V2.2.1:2017-11, — EN IEC 62923-1:2018, — EN IEC 62923-2:2018. <p>Or:</p> <ul style="list-style-type: none"> — IMO MSC/Circ.862, — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61097-3: 2017, — IEC 61097-9: 1997, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, 			

	<ul style="list-style-type: none"> — ITU-R M.625-4 (03/12), — ITU-R M.1173-1 (03/12). 	<ul style="list-style-type: none"> — IEC 62923-1:2018, — IEC 62923-2:2018. 			
<p>UK/5.14</p> <p>MF/HF radio capable of transmitting and receiving DSC, NBDP and radiotelephony</p> <p>Note: In line with IMO and ITU decisions, the requirements for Two Tone Alarm generator and transmission on A4H are no longer applicable in testing standards.</p> <p>Row 6 of 6</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res. MSC.36(63)-(1994 HSC Code) 14, — IMO Res. MSC.97(73)-(2000 HSC Code) 14. 	<ul style="list-style-type: none"> — IMO MSC/Circ.862, — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN IEC 61162-450:2018, — ETSI ETS 300067 Ed.1:1990-11, — ETSI ETS 300 067/A1 Ed.1:1993-10, — ETSI EN 300 338-1 V1.6 1:2021-05, — ETSI EN 300 338-2 V1.5.1:2020-06, — ETSI EN 300 373-1 V1.4.1:2013-09, — ETSI EN 301 843-5 V2.2.1:2017-11, — EN IEC 62923-1:2018, — EN IEC 62923-2:2018. <p>Or:</p> <ul style="list-style-type: none"> — IMO MSC/Circ.862, — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61097-3: 2017, — IEC 61097-9: 1997, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 	<p>B+D</p> <p>B+E</p> <p>B+F</p>	01.07.2022	

	<ul style="list-style-type: none"> — ITU-R M.493-15 (01/19), — ITU-R M.541-10 (10/15) — ITU-R M.625-4 (03/12), — ITU-R M.1173-1 (03/12). 	<p>IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018,</p> <ul style="list-style-type: none"> — IEC 62923-1:2018, — IEC 62923-2:2018. 			
<p>UK/5.15 MF/HF DSC scanning watch keeping receiver Row 1 of 6</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/10, — SOLAS 74 Reg. X/3, — IMO Res.A.694(17), — IMO Res.A.806(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14, — IMO COMSAR/Circ.32, — ITU-R M.493-14(09/15), — ITU-R M.541-10(10/15), — ITU-R M.1173-1(03/12). 	<ul style="list-style-type: none"> — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2011 EN 61162-2:1998 EN 61162-3:2008 EN 61162-450:2011, — ETSI EN 300 338-1 V1.3.1:2010-02, — ETSI EN 300 338-2 V1.3.1:2010-02, — ETSI EN 301 033 V1.4.1:2013-09, — ETSI EN 301 843-5 V2.1.1:2016-03. <p>Or:</p> <ul style="list-style-type: none"> — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC61097-3:1994, — IEC61097-8:1998, — IEC 61162 series: IEC 61162-1 Ed.4.0:2010-11 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450 Ed.1.0:2011-06. 	<p>B+D B+E B+F</p>	<p>16.3.2017</p>	<p>1.9.2020 (III)</p>

<p>UK/5.15 MF/HF DSC scanning watch keeping receiver Row 2 of 6</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. 	<ul style="list-style-type: none"> — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN 61162-450:2011+A1:2016, — ETSI EN 300 338-1 V1.4.1:2017-02, — ETSI EN 300 338-2 V1.4.1:2017-02, — ETSI EN 301 033 V1.4.1:2013-09, — ETSI EN 301 843-5 V2.1.1:2016-03. 	<p>B+D B+E B+F</p>	<p>19.6.2018</p>	<p>29.8.2021 (III)</p>
	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/10, — SOLAS 74 Reg. X/3, — IMO Res.A.694(17), — IMO Res.A.806(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14, — IMO COMSAR/Circ.32, — ITU-R M.493-14(09/15), — ITU-R M.541-10(10/15), — ITU-R M.1173-1(03/12). 	<p>Or:</p> <ul style="list-style-type: none"> — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61097-3:1994, — IEC 61097-8:1998, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450 Ed.1.0:2011-06 with A1:2016. 			

<p>UK/5.15 MF/HF DSC scanning watch keeping receiver Row 3 of 6</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. 	<ul style="list-style-type: none"> — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 IEC 61162-450:2018, — ETSI EN 300 338-1 V1.4.2:2017-11, — ETSI EN 300 338-2 V1.4.1:2017-02, 	<p>B+D B+E B+F</p>	<p>13.9.2019</p>	<p>12.8.2023 (III)</p>
	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/10, — SOLAS 74 Reg. X/3, — IMO Res.A.694(17), — IMO Res.A.806(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14, — IMO Res. MSC.302(87), — IMO COMSAR/Circ.32, — ITU-R M.493-14(09/15), — ITU-R M.541-10(10/15), — ITU-R M.1173-1(03/12). 	<ul style="list-style-type: none"> — ETSI EN 301 033 V1.4.1:2013-09, — ETSI EN 301 843-5 V2.2.1:2017-11, — IEC62923-1:2018, — IEC62923-2:2018. <p>Or:</p> <ul style="list-style-type: none"> — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61097-3: 2017, — IEC 61097-8:1998, — IEC 61097-9: 1997, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, — IEC62923-1:2018, — IEC62923-2:2018. 			

<p>UK/5.15 MF/HF DSC scanning watch keeping receiver Row 4 of 6</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. 	<ul style="list-style-type: none"> — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN IEC 61162-450:2018, — ETSI EN 300 338-1 V1.5.1:2019-09, — ETSI EN 300 338-2 V1.4.1:2017-02, 	<p>B+D B+E B+F</p>	<p>12.8.2020</p>	<p>25.8.2024</p>
	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/10, — SOLAS 74 Reg. X/3, — IMO Res.A.694(17), — IMO Res.A.806(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14, — IMO Res. MSC.302(87), — IMO COMSAR/Circ.32, — ITU-R M.493-15(01/19), — ITU-R M.541-10(10/15), — ITU-R M.1173-1(03/12). 	<ul style="list-style-type: none"> — ETSI EN 301 033 V1.4.1:2013-09, — ETSI EN 301 843-5 V2.2.1:2017-11, — EN IEC 62923-1:2018, — EN IEC 62923-2:2018. <p>Or:</p> <ul style="list-style-type: none"> — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61097-3: 2017, — IEC 61097-8:1998, — IEC 61097-9: 1997, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, — IEC62923-1:2018, — IEC62923-2:2018. 			

<p>UK/5.15</p> <p>MF/HF DSC scanning watch keeping receiver</p> <p>Row 5 of 6</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res. MSC.36(63)-(1994 HSC Code) 14, — IMO Res. MSC.97(73)-(2000 HSC Code) 14. 	<ul style="list-style-type: none"> — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN IEC 61162-450:2018, — ETSI EN 300 338-1 V1.5.1:2019-09, — ETSI EN 300 338-2 V1.5.1:2020-06, 	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>25.8.2020</p>	<p>15.08.2025 (II)</p>
<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/10, — SOLAS 74 Reg. X/3, — IMO Res. A.694(17), — IMO Res. A.806(19), — IMO Res. MSC.36(63)-(1994 HSC Code) 14, — IMO Res. MSC.97(73)-(2000 HSC Code) 14, — IMO Res. MSC.302(87), — IMO COMSAR/Circ.32, — ITU-R M.493-15 (01/19), — ITU-R M.541-10 (10/15), — ITU-R M.1173-1 (03/12). 	<ul style="list-style-type: none"> — ETSI EN 301033 V1.4.1:2013-09, — ETSI EN 301 843-5 V2.2.1:2017-11, — EN IEC 62923-1:2018, — EN IEC 62923-2:2018. <p>Or:</p> <ul style="list-style-type: none"> — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61097-3: 2017, — IEC 61097-8:1998, — IEC 61097-9: 1997, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, — IEC 62923-1:2018, — IEC 62923-2:2018. 				

<p>UK/5.15 MF/HF DSC scanning watch keeping receiver Row 6 of 6</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res. MSC.36(63)-(1994 HSC Code) 14, — IMO Res. MSC.97(73)-(2000 HSC Code) 14. 	<ul style="list-style-type: none"> — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN IEC 61162-450:2018, — ETSI EN 300 338-1 V1.6.1:2021-05, — ETSI EN 300 338-2 V1.5.1:2020-06, 	<p>B+D B+E B+F</p>	<p>01.07.2022</p>	
	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/10, — SOLAS 74 Reg. X/3, — IMO Res. A.694(17), — IMO Res. A.806(19), — IMO Res. MSC.36(63)-(1994 HSC Code) 14, — IMO Res. MSC.97(73)-(2000 HSC Code) 14, — IMO Res. MSC.302(87), — IMO COMSAR/Circ.32, — ITU-R M.493-15 (01/19), — ITU-R M.541-10 (10/15), — ITU-R M.1173-1 (03/12). 	<ul style="list-style-type: none"> — ETSI EN 301033 V1.4.1:2013-09, — ETSI EN 301 843-5 V2.2.1:2017-11, — EN IEC 62923-1:2018, — EN IEC 62923-2:2018. <p>Or:</p> <ul style="list-style-type: none"> — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61097-3: 2017, — IEC 61097-8:1998, — IEC 61097-9: 1997, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, — IEC 62923-1:2018, — IEC 62923-2:2018. 			

<p>UK/5.16</p> <p>Aeronautical two-way VHF radio telephone apparatus</p> <p>Ex. UK/9/5.8</p> <p>Row 1 of 1</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74/2009 Reg. IV/7, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14, — IMO Res.MSC.80(70), — IMO COMSAR/Circ.32, — ICAO Convention, Annex 10, Radio Regulations. 	<ul style="list-style-type: none"> — ETSI EN 301 688 V1.2.1:2016-03, — EN 60945:2002 incl. IEC 60945 Corr.1:2008. <p>Or:</p> <ul style="list-style-type: none"> — ETSI EN 301 688 V1.2.1:2016-03, — IEC 60945:2002 incl. IEC 60945 Corr.1:2008. 	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>12.8.2020</p>	
<p>UK/5.17</p> <p>Portable survival craft two-way VHF radiotelephone apparatus</p> <p>Row 1 of 1</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. 	<ul style="list-style-type: none"> — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — ETSI EN 300 225 V1.5.1:2015-12, — ETSI EN 301 843-2 V2.2.1:2017-11. <p>Or:</p> <ul style="list-style-type: none"> — IEC 60945:2002 incl. IEC 60945 Corr.1:2008, 	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>13.9.2019</p>	

	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/6, — IMO Res.A.694(17), — IMO Res.A.809(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 8, — IMO Res.MSC.97(73)-(2000 HSC Code) 14, — IMO Res.MSC.149(77), — ITU-R M.489-2 (10/95). 	<p>— IEC 61097-12: 1996 +A1:2017.</p>			
<p>UK/5.18</p> <p>Fixed survival craft two-way VHF radio-telephone apparatus</p> <p>Row 1 of 1</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. 	<p>— EN 60945:2002 incl. IEC 60945 Corr. 1:2008,</p> <p>— ETSI EN 301 466 V1.2.1:2015-12.</p> <p>Or:</p> <p>— IEC 60945:2002 incl. IEC 60945 Corr. 1:2008,</p> <p>— IEC 61097-12: 1996 + A1:2017.</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>19.6.2018</p>	

	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. III/6, — IMO Res.A.694(17), — IMO Res.A.809(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 8, — IMO Res.MSC.97(73)-(2000 HSC Code) 14, — ITU-R M.489-2 (10/95). 				
<p>UK/5.19 – Item deleted as the Inmarsat F77 service has been discontinued as from 1 December 2020.</p>					
<p>UK/5.20</p> <p>Fire-fighter's two-way radiotelephone apparatus</p> <p>New item inserted by Implementing Regulation 2019/1397</p> <p>Row 1 of 1</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. II-2/2. — SOLAS 74 Reg. II-2/10. 	<ul style="list-style-type: none"> — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — ETSI EN 301 843-1 V2.2.1:2017-11, — ETSI EN 301 843-2 V2.2. 1:2017-11, — ATEX Directive 2014/34/EU or UKEx 	<p>B+D</p> <p>B+E</p> <p>B+F</p>		
	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74/2014 Reg. II-2/10. — IMO Res.A.694(17), — IMO MSC.1Circ 1616, 	<p>(a) UHF portable radios:</p> <ul style="list-style-type: none"> — ETSI EN 300 720 V2.1.1:2017-01, <p>(b) VHF portable radios:</p> <ul style="list-style-type: none"> — ETSI EN 301 178 V.2.2.2 :2017-04. 			

	<ul style="list-style-type: none"> — ITU-R M.489-2 (10/95), — ITU-R M.1174-4 (10/2019) (new provision). 	<p>Or:</p> <ul style="list-style-type: none"> — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — ETSI EN 301 843-1 V2.2.1:2017-11, — ETSI EN 301 843-2 V2.2. 1:2017-11, — ATEX Directive 2014/34/EU or UKEx <p>(a) UHF portable radios:</p> <ul style="list-style-type: none"> — ETSI EN 300 720 V2.1.1:2017-01, <p>(b) VHF portable radios:</p> <ul style="list-style-type: none"> — ETSI EN 301 178 V.2.2.2 :2017-04 			
<p>UK/5.21</p> <p>Integrated communication system (ICS)</p> <p>Row 1 of 3</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3. <hr/> <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.A694(17), — IMO Res. A.811(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14, 	<ul style="list-style-type: none"> — IMO MSC/Circ.862, — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN IEC 61162-450:2018, — EN 62940:2017, — EN 61924-2:2013 incl. IEC 61924-2: Corr. 1:2013, — EN 62288:2014, — EN IEC 62923-1:2018, — EN IEC 62923-2:2018. — For GMDSS functions and units included in the ICS, the test 	<p>B+D</p> <p>B+E</p> <p>B+F</p>		<p>01.07.2025 (1)</p>

	<ul style="list-style-type: none"> — IMO Res.MSC.191(79), — IMO Res.MSC.302(87), — IMO MSC.1/Circ.1389, — IMO COMSAR/Circ.32. — For GMDSS functions and units included in the ICS, the performance requirements for those functions and units apply. 	<p>requirements for those functions and units apply.</p> <p>Or:</p> <ul style="list-style-type: none"> — IMO MSC/Circ.862, — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, — IEC 62940:2016, — IEC 61924-2:2012 incl. IEC 61924-2 Corr. 1:2013, — IEC 62288:2014, — IEC62923-1:2018, — IEC62923-2:2018. — For GMDSS functions and units included in the ICS, the test requirements for those functions and units apply. 			
--	---	--	--	--	--

<p>UK/5.21</p> <p>Integrated communication system (ICS)</p> <p>Row 2 of 3</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3. 	<ul style="list-style-type: none"> — IMO MSC/Circ.862, — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN IEC 61162-450:2018, 	<p>B+D B+E B+F</p>	<p>01.07.2022</p>	
	<p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.A694(17), — IMO Res. A.811(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14, — IMO Res.MSC.191(79), — IMO Res.MSC.302(87), — IMO MSC.1/Circ.1389, — IMO COMSAR/Circ.32. — For GMDSS functions and units included in the ICS, the performance requirements for those functions and units apply. 	<ul style="list-style-type: none"> — EN 62940:2017, — EN IEC 61924-2:2021. — EN 62288:2014, — EN IEC 62923-1:2018, — EN IEC 62923-2:2018. — For GMDSS functions and units included in the ICS, the test requirements for those functions and units apply. Or: — IMO MSC/Circ.862, — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, — IEC 62940:2016, — EN IEC 61924-2:2021. — IEC 62288:2014, — IEC 62923-1:2018, 			

		<ul style="list-style-type: none"> — IEC62923-2:2018. — For GMDSS functions and units included in the ICS, the test requirements for those functions and units apply. 			
UK/5.21 Integrated communication system (ICS) Row 3 of 3 (Update to include IEC 62288 Ed.3.0:2021 and IEC 62288:2022, which was previously omitted in MSN 1874 amendment 6) (NEW ROW)	Type approval requirements <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3. 	<ul style="list-style-type: none"> — IMO MSC/Circ.862, — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN IEC 61162-450:2018, — EN 62940:2017, — EN IEC 61924-2:2021. — EN 62288:2022, — EN IEC 62923-1:2018, — EN IEC 62923-2:2018. — For GMDSS functions and units included in the ICS, the test requirements for those functions and units apply. 	B+D B+E B+F	01.07.2022	
	Carriage and performance requirements <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.A694(17), — IMO Res. A.811(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14, — IMO Res.MSC.191(79), — IMO Res.MSC.302(87), — IMO MSC.1/Circ.1389, — IMO COMSAR/Circ.32. — For GMDSS functions and units included in the ICS, the performance requirements for those functions and units apply. 	<ul style="list-style-type: none"> — EN 62940:2017, — EN IEC 61924-2:2021. — EN 62288:2022, — EN IEC 62923-1:2018, — EN IEC 62923-2:2018. — For GMDSS functions and units included in the ICS, the test requirements for those functions and units apply. Or: <ul style="list-style-type: none"> — IMO MSC/Circ.862, — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 			

		<p>1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018,</p> <p>— IEC 62940:2016,</p> <p>— EN IEC 61924-2:2021.</p> <p>— IEC 62288 Ed. 3.0:2021,</p> <p>— IEC62923-1:2018,</p> <p>— IEC62923-2:2018.</p> <p>— For GMDSS functions and units included in the ICS, the test requirements for those functions and units apply.</p>			
<p>UK/5.22</p> <p>Ship Earth station for use in the GMDSS</p> <p>New item inserted by Implementing Regulation (EU) 2020/1170</p> <p>Ex UK/9/5.9.</p> <p>Row 1 of 3</p>	<p>Type approval requirements</p> <p>— SOLAS 74 Reg. IV/14,</p> <p>— SOLAS 74 Reg. X/3.</p> <hr/> <p>Carriage and performance requirements</p> <p>— SOLAS 74 Reg. IV/10,</p> <p>— IMO Res.A694(17),</p> <p>— IMO Res.MSC.36(63)-(1994 HSC Code) 14,</p> <p>— IMO Res.MSC.97(73)-(2000 HSC Code) 14,</p> <p>— IMO Res.MSC.302(87),</p> <p>— IMO Res.MSC.434(98),</p> <p>— IMO MSC/Circ.862,</p> <p>— IMO COMSAR/Circ.32.</p>	<p>— IMO MSC/Circ.862,</p> <p>— EN 60945:2002 incl. IEC 60945 Corr. 1:2008,</p> <p>— EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN IEC 61162-450:2018,</p> <p>— EN IEC 62923-1:2018,</p> <p>— EN IEC 62923-2:2018,</p> <p>— ETSI EN 301 441 V2.1.1:2016,</p> <p>— IEC 61097-16:2019.</p> <p>Or:</p> <p>— IMO MSC/Circ.862,</p> <p>— EN 60945:2002 incl. IEC 60945 Corr. 1:2008,</p> <p>— ETSI EN 301 441 V2.1.1:2016,</p>	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>12.08.2020</p>	<p>25.8.2024</p> <p>(II)</p>

		<ul style="list-style-type: none"> — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, — IEC 61097-16:2019, — IEC 62923-1:2018, — IEC 62923-2:2018. <p>And additionally, for Approved SES equipment:</p> <ul style="list-style-type: none"> — ETSI ETS 300 460:1996 + A1:1997. 			
<p>UK/5.22</p> <p>Ship Earth station for use in the GMDSS</p> <p>Inmarsat C equipment:</p> <p>Inmarsat Fleet Broad Band (FBB) equipment and Iridium equipment:</p> <p>New item added by MSN 1874 (amendment 5).</p> <p>Ex UK/9/5.9</p> <p>Row 2 of 3</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3. <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/10, — IMO Res. A694(17), — IMO Res. MSC.36(63)-(1994 HSC Code) 14, — IMO Res. MSC.97(73)-(2000 HSC Code) 14, — IMO Res. MSC.302(87), — IMO Res. MSC.434(98), — IMO MSC/Circ.862, — IMO COMSAR/Circ.32. 	<ul style="list-style-type: none"> — IMO MSC/Circ.862, — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN IEC 61162-450:2018, — EN IEC 62923-1:2018, — EN IEC 62923-2:2018, — IEC 61097-16:2019. <p>And additionally, for Inmarsat C equipment:</p> <ul style="list-style-type: none"> — ETSI ETS 300 460:1996 + A1:1997. <p>And additionally, for Inmarsat Fleet Broad Band (FBB) equipment:</p> <ul style="list-style-type: none"> — ETSI EN 301444 V2.1.2:2016. 	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>25.8.2021</p>	<p>15.08.2025 (III)</p>

		<p>And additionally, for Iridium equipment:</p> <ul style="list-style-type: none"> — ETSI EN 301441 V2.1.1:2016. <p>Or:</p> <ul style="list-style-type: none"> — IMO MSC/Circ.862, — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61162 series: <ul style="list-style-type: none"> IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, — IEC 61097-16:2019, — IEC 62923-1:2018, — IEC 62923-2:2018. <p>And additionally, for Inmarsat C equipment:</p> <ul style="list-style-type: none"> — ETSI ETS 300 460:1996 + A1:1997. <p>And additionally, for Inmarsat Fleet Broad Band (FBB)equipment:</p> <ul style="list-style-type: none"> — ETSI EN 301444 V2.1.2:2016. <p>And additionally, for Iridium equipment:</p> <ul style="list-style-type: none"> — ETSI EN 301441 V2.1.1:2016. 			
--	--	--	--	--	--

<p>UK/5.22</p> <p>Ship Earth station for use in the GMDSS</p> <p>Inmarsat C equipment:</p> <p>Inmarsat Fleet Broad Band (FBB) equipment and Iridium equipment:</p> <p>New item added by MSN 1874 (amendment 5).</p> <p>Ex UK/9/5.9</p> <p>Row 3 of 3</p>	<p>Type approval requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3. <hr/> <p>Carriage and performance requirements</p> <ul style="list-style-type: none"> — SOLAS 74 Reg. IV/10, — IMO Res. A694(17), — IMO Res. MSC.36(63)-(1994 HSC Code) 14, — IMO Res. MSC.97(73)-(2000 HSC Code) 14, — IMO Res. MSC.302(87), — IMO Res. MSC.434(98), — IMO MSC/Circ.862, — IMO COMSAR/Circ.32. 	<ul style="list-style-type: none"> — IMO MSC/Circ.862, — EN 60945:2002 incl. IEC 60945 Corr. 1:2008, — EN 61162 series: EN 61162-1:2016 EN 61162-2:1998 EN 61162-3:2008 +A1:2010+A2:2014 EN IEC 61162-450:2018, — EN IEC 62923-1:2018, — EN IEC 62923-2:2018, — IEC 61097-16:2019. <p>And additionally, for Inmarsat C equipment:</p> <ul style="list-style-type: none"> — ETSI ETS 300 460:1996 + A1:1997. <p>And additionally, for Inmarsat Fleet Broad Band (FBB) equipment:</p> <ul style="list-style-type: none"> — ETSI EN 301 444 V2.2.1:2021 <p>And additionally, for Iridium equipment:</p> <ul style="list-style-type: none"> — ETSI EN 301441 V2.1.1:2016. <p>Or:</p> <ul style="list-style-type: none"> — IMO MSC/Circ.862, — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 Ed.1.0:1998-09 IEC 61162-3 Ed.1.2 Consol. with A1 Ed. 1.0:2010-11 and A2 Ed. 1.0:2014-07 IEC 61162-450:2018, 	<p>B+D</p> <p>B+E</p> <p>B+F</p>	<p>01.07.2022</p>	
--	--	--	----------------------------------	-------------------	--

		<ul style="list-style-type: none"> — IEC 61097-16:2019, — IEC 62923-1:2018, — IEC 62923-2:2018. <p>And additionally, for Inmarsat C equipment:</p> <ul style="list-style-type: none"> — ETSI ETS 300 460:1996 + A1:1997. <p>And additionally, for Inmarsat Fleet Broad Band (FBB)equipment:</p> <ul style="list-style-type: none"> — ETSI EN 301 444 V2.2.1:2021 <p>And additionally, for Iridium equipment:</p> <ul style="list-style-type: none"> — ETSI EN 301441 V2.1.1:2016. 			
--	--	---	--	--	--

6. Equipment required under COLREG

Number and item designation	Regulation SOLAS 74, as amended, and the relevant resolutions and circulars of the IMO, as applicable	Testing standards	Modules for conformity assessment	First placing on the market	Last placing on board
UK/6.1 Navigation lights Row 1 of 1	Type approval requirements — COLREG 72 Annex I/14.	— EN 14744:2005 incl. AC:2006, — EN 60945:2002 incl. IEC 60945 Corr. 1:2008. Or:	B+D B+E B+F G		
	Carriage and performance requirements — COLREG 72 Annex I/14, — IMO Res.A.694(17), — IMO Res.MSC.253(83).	— EN 14744:2005 incl. AC:2006, — IEC 60945:2002 incl. IEC 60945 Corr. 1:2008.			

7. Other safety equipment

Number and item designation	Regulation SOLAS 74, as amended, and the relevant resolutions and circulars of the IMO, as applicable	Testing standards	Modules for conformity assessment	First placing on the market	Last placing on board
<p>UK/7.1 Self-contained compressed-air-operated breathing apparatus for entry and work in gas-filled space (New item inserted by Implementing Regulation (EU) 2018/773, refer to item 3.7) Row 1 of 1</p>	<p>Type approval requirements — SOLAS 74 Reg.II-2/10, — IMO Res.MSC.98(73)-(FSS Code) 3.</p> <hr/> <p>Carriage and performance requirements — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. II-2/15, — IMO Res.MSC.98(73)-(FSS Code) 3, — IMO Res.MSC.4(48)-(IBC Code) 14, — IMO Res.MSC.5(48)-(IGC Code) 14, — IMO MSC.1/Circ.1499.</p>	<p>— ISO 23269-3:2011.</p> <p>Note: Associated fireproof lifeline (UK/3.44): The lifeline shall be used in conjunction with the breathing apparatus and capable of being attached by means of a snap-hook to the harness of the apparatus or to a separate belt in order to prevent the breathing apparatus becoming detached when the lifeline is operated. Airbreathing apparatus module B shall indicate the UK fireproof lifeline as mandatory combined component.</p>	<p>B+D B+E B+F G</p>	<p>19.6.2018</p>	

8. Equipment under SOLAS Chapter II-1

Number and item designation	Regulation SOLAS 74, as amended, and the relevant resolutions and circulars of the IMO, as applicable	Testing standards	Modules for conformity assessment	First placing on the market	Last placing on board
UK/8.1 Water level detectors Row 1 of 3	Type approval requirements — SOLAS 74 Reg. II-1/22-1, — SOLAS 74 Reg. II-1/25, — SOLAS 74 Reg. XII/12.	— IEC-60092-504:2016, — IEC 60529 Ed. 2.2:2013, — IMO Res.MSC.188(79), — IMO MSC.1/Circ.1291.	B+D B+E B+F	16.3.2017	13.9.2022 (III)
	Carriage and performance requirements — SOLAS 74 Reg. II-1/25, — SOLAS 74 Reg. XII/12. — IMO Res.A.1021(26), — IMO Res.MSC.188(79), — IMO MSC.1/Circ.1464 Rev.1.				
UK/8.1 Water level detectors Row 2 of 3	Type approval requirements — SOLAS 74 Reg. II-1/22-1, — SOLAS 74 Reg. II-1/25, — SOLAS 74 Reg. XII/12.	— IEC-60092-504:2016, — IEC 60529 Ed. 2.2: 2013 incl. Corr1:2013 and Corr2: 2015, — IMO Res.MSC.188(79), — IMO MSC.1/Circ.1291.	B+D B+E B+F	13.9.2019	
	Carriage and performance requirements — SOLAS 74 Reg. II-1/25, — SOLAS 74 Reg. XII/12. — IMO Res.A.1021(26), — IMO Res.MSC.188(79), — IMO MSC.1/Circ.1572.				

UK/8.1 Water level detectors Row 3 of 3 (NEW ROW)	Type approval requirements	- IEC-60092-504:2016, - IEC 60529 Ed. 2.2:2013 incl. Corr1:2013 and Corr2:2015, - IMO Res. MSC.188(79), - IMO MSC.1/Circ.1291, - EN IEC 62923-1:2018, - EN IEC 62923-2:2018.	B+D B+E B+F	29.03.2023	
	Carriage and performance requirements	- IEC-60092-504:2016, - IEC 60529 Ed. 2.2:2013 incl. Corr1:2013 and Corr2:2015, - IMO Res. MSC.188(79), - IMO MSC.1/Circ.1291, - IEC 62923-1:2018, - IEC 62923-2:2018. Or: - IEC-60092-504:2016, - IEC 60529 Ed. 2.2:2013 incl. Corr1:2013 and Corr2:2015, - IMO Res. MSC.188(79), - IMO MSC.1/Circ.1291, - IEC 62923-1:2018, - IEC 62923-2:2018.			

9. Equipment for which the set of standards for UK certification is not complete

Note applicable to section 9:

A set of standards for UK certification is deemed to be complete where:

IMO Provisions for:

- Type approval,
- Carriage Requirements; and,
- Testing Standards,

are available and appropriate.

1. Life-saving appliances

No	Item designation
UK/9/1.1	Radar reflector for liferafts
UK/9/1.2	Immersion suit materials
UK/9/1.3	Float-free launching appliances for survival craft
UK/9/1.5	Public address & general emergency alarm system (when used as fire alarm device item A.1/3.53 shall apply) – Moved to UK/1.44a and UK/1.44b by MSN 1874 amendment 7.
UK/9/2.3	Equipment using other equivalent methods to reduce on board NOx emissions
UK/9/2.4	Equipment using other technological methods to limit SOx emissions
UK/9/2.5	On board NOx analysers using a measurement method other than the Direct Measurement and Monitoring Method of the NOx Technical Code 2008

2. Marine pollution prevention equipment

No	Item designation
UK/9/2.3	Equipment using other equivalent methods to reduce on board NOx emissions
UK/9/2.4	Equipment using other technological methods to limit SOx emissions
UK/9/2.5	On board NOx analysers using a measurement method other than the Direct Measurement and Monitoring Method of the NOx Technical Code 2008

3. Fire protection equipment

No	Item designation
UK/9/3.8	Electric safety lamp
UK/9/3.9	Protective clothing resistant to chemical attack
UK/9/3.13	Compressed airline breathing apparatus (High Speed Craft)
UK/9/3.21	Paint lockers and flammable liquid lockers fire extinguishing systems components
UK/9/3.24	Portable Foam Applicator Units
UK/9/3.26	Gaseous Fuel Systems Used for Domestic Purposes (components)
UK/9/3.27	Fixed Gas Fire Extinguishing Systems (CO ₂) components.
UK/9/3.31	Water Spraying Hand Operated System
UK/9/3.33	Fire hoses with diameter > 52 mm
UK/9/3.74	Alcohol resistant foam system – Added by MSN 1874 amendment 7
UK/9/3.75	Flexible hoses suitable for methyl/ethyl alcohol for fuel piping systems – Added by MSN 1874 amendment 7
UK/9/3.76	Vapour outlets suitable for methyl/ethyl alcohol fuel tanks – Added by MSN 1874 amendment 7

4. Navigation equipment

No	Item designation
UK/9/4.11	Combined GPS/GLONASS equipment
UK/9/4.20	Track control system for - high-speed craft

UK/9/4.33	Track control system (working at ship's speed from 30 knots and above)
UK/9/4.37	Electronic Inclinator
UK/9/4.66	Nautical publications in digital form as defined by SOLAS V/27

5. Radiocommunication equipment

No	Item designation
UK/9/5.8	Aeronautical two-way VHF radio telephone apparatus - Moved to UK/5.16

6. Equipment required under COLREG 72

No	Item designation
UK/9/6.2	Sound signal appliances
UK/9/6.4	Two-way voice and data communication with a Telemedical Assistance Service (TMAS)
UK/9/6.5	Sound signalling system mounted to face astern to indicate escort and emergency manoeuvres

7. Other safety equipment

No	Item designation
----	------------------

UK/9/7.1	Loading instrument
UK/9/7.2	Water level detectors on bulk carriers – item deleted

8. SOLAS Chapter II-1 equipment

No	Item designation
UK/9/8.1	Cold weather starting of generator sets (starting devices)

Annex 2

This Annex sets out equipment within the scope of part II of this Notice and would previously have been specified in Merchant Shipping Notice 1735 (M+F). This equipment is that requiring approval by a ship's Flag Administration but which is not within the scope of the UK's conformity assessment for marine equipment. The table below sets out the relevant Regulations of the applicable IMO Convention and performance standards and as applicable testing standards. Such equipment is to be type approved by a Nominated Body. Similar to Annex 1, equipment is grouped into categories (Life-Saving Appliances, Pollution Prevention, Fire Protection, Navigation, Radio communication and equipment required by COLREG).

This Annex also specifies other equipment which requires approval which is approved by a Nominated Body.

Note applicable to this entire Annex: Where no testing standard is stated in column 4 of the relevant table for equipment in question, the testing standard is to be agreed between the relevant Nominated Body and the MCA ahead of the type approval regime being agreed with the applicant for type approval.

a. Life-saving appliances

Column 4: IMO MSC/ Circular 980 should apply except when superseded by the specific instruments referred to in Column 3.

Item designation	Regulation SOLAS 74, as amended, where "type approval" is required	Regulations of SOLAS 74, as amended, and the relevant resolutions and circulars of the IMO, as applicable	Testing standards
1	2	3	4
Radar reflector for liferafts	-Reg. III/4, -Reg. III/34, -Reg. X/3.	-IMO Res. MSC.48(66)- (LSA Code).	ISO 8729 standards and SOLAS
Float-free launching appliances for survival craft	-Reg. III/4, -Reg. III/34.	Reg. III/13, -Reg. III/16, -Reg. III/26, -Reg. III/34, -IMO Res. MSC.36(63)- (1994 HSC Code) 8, -IMO Res. MSC.48(66)- (LSA Code) I, IV, VI, -IMO Res. MSC.97(73)- (2000 HSC Code) 8.	

“Public address & general emergency alarm system (when used as fire alarm device item UK/3.53 in Annex 1 shall apply): **item moved to UK/1.44a and UK/1.44b in Annex 1 of this Notice by MSN 1874 amendment 7.**

b. Marine pollution prevention

Item designation	Regulation MARPOL 73/78, as amended, where "type approval" is required	Regulations of MARPOL 73/78, as amended, and the relevant resolutions and circulars of the IMO, applicable	Testing standards
1	3	4	5
Equipment using other equivalent methods to reduce on board NOx emissions	-Annex VI, Reg. 4.	-Annex VI, Reg. 4	
Equipment using other technological methods to limit SOx emissions	- IMO Res. MEPC.176(58) - (Revised MARPOL Annex VI, Reg. 4), -IMO Res. MEPC.184(59).	- IMO Res. MEPC.176(58) - (Revised MARPOL Annex VI, Reg. 4).	
On board NOx analysers using a measurement method other than the Direct Measurement and Monitoring Method of the NOx Technical Code 2008	-IMO Res. MEPC.176(58) - (Revised MARPOL Annex VI, Reg. 4)	-IMO Res. MEPC.176(58) - (Revised MARPOL Annex VI, Reg. 4)	

c. Fire protection equipment

Item designation	Regulation SOLAS 74, as amended, where “type approval” is required	Regulations of SOLAS 74, as amended, and the relevant resolutions and circulars of the IMO, as applicable	Testing standards
1	2	3	4
Electric safety lamp	-Reg. II-2/10, -Reg. X/3, -IMO Res. MSC.98(73)-(FSS Code) 3.	-Reg. II-2/10, -IMO Res. MSC.36(63)-(1994 HSC Code) 7, -IMO Res. MSC.97(73)-(2000 HSC Code) 7, -IMO Res. MSC.98(73)-(FSS Code), 3.	-IEC 60079 series.
Protective clothing resistant to chemical attack	-Reg. II-2/19.	-Reg. II-2/19, -IMO Res. MSC.36(63)-(1994 HSC Code) 7, -IMO Res. MSC.97(73)-(2000 HSC Code) 7.	-EN 943-1 (2002) including AC (2005), -EN 943-2 (2002), -EN ISO 6529 (2001), -EN ISO 6530 (2005), -EN 14605 (2005) including A1(2009), -IMO MSC/Circ.1120.
Paint lockers and flammable liquid lockers fire extinguishing systems components	-Reg. II-2/10.	-Reg. II-2/10, -IMO MSC.1/Circ.1239.	
Portable Foam Applicator Units	-Reg. II-2/10, -Reg. II-2/20, -Reg. X/3.	-Reg. II-2/10, -Reg. II-2/20, -IMO Res. MSC.36(63)-(1994 HSC Code) 7, -IMO Res. MSC.97(73)-(2000 HSC Code) 7, -IMO Res. MSC.98(73)-(FSS Code) 4, -IMO MSC.1/Circ.1239, -IMO MSC.1/Circ.1313.	

Gaseous Fuel Systems Used for Domestic Purposes (components)	-Reg. II-2/4.	-Reg. II-2/4, -IMO MSC.1/Circ.1276.	
Fixed Gas Fire Extinguishing Systems (CO2) components.	-Reg. II-2/10, -Reg. X/3.	-Reg. II-2/10, -Reg. II-2/20, -IMO Res. MSC.36(63)-(1994 HSC Code) 7, -IMO Res. MSC.97(73)-(2000 HSC Code) 7, -IMO Res. MSC.98(73)-(FSS Code) 5, -IMO MSC.1/Circ.1313, -IMO MSC.1/Circ.1318.	Electrical automatic control and delay devices: -EN 12094-1 (2003).
			Non-electrical automatic control and delay devices: -EN 12094-2 (2003).
			Manual triggering and stop devices: -EN 12094-3 (2003).
			Container valve assemblies and their actuators: -EN 12094-4 (2004).
			High and low pressure selector valves and their actuators: -EN 12094-5 (2006).
			Non-electrical disable devices : -EN 12094-6 (2006).
			Nozzles for CO2 systems: -EN 12094-7 (2000) including A1 (2005).
			Connectors: -EN 12094-8 (2006).
			Pressure gauges and pressure switches: -EN 12094-10 (2003).
			Mechanical weighing devices: -EN 12094-11 (2003).
Check valves and non-return valves: -EN 12094-13 (2001) including AC (2002).			
Odorizing devices for CO2 low pressure systems: -EN 12094-16 (2003).			
Water Spraying Hand Operated System	-Reg. II-2/10, -Reg. II-2/19.	-Reg. II-2/10, -Reg. II-2/19.	

<p>Fire hoses with diameter > 52 mm</p>	<p>-Reg. II-2/10, -Reg. X/3.</p>	<p>-Reg. II-2/10, -IMO Res. MSC.36(63)-(1994 HSC Code) 7, -IMO Res. MSC.97(73)-(2000 HSC Code) 7.</p>	<p>BS 6391:2009</p>
<p>Compressed airline breathing apparatus (High Speed Craft)</p>	<p>- Reg X/3</p>	<p>- IMO Res MSC36(63) (1994) HSC Code - IMO Res MSC.97(73)(2000 HSC Code)</p>	

1. Navigation equipment

Notes applicable to section 4: Navigation equipment

Columns 3 and 4: References to SOLAS Chapter V are to SOLAS 1974 as amended by MSC 73 and entering into force on 1 July 2002.

Column 5:

IEC 61162 series refer to the following reference standards for Maritime navigation and radiocommunication equipment and systems - Digital interfaces:

[IEC 61162-1 ed4.0 \(2010-11\)](#) - Part 1: Single talker and multiple listeners

[IEC 61162-2 ed1.0 \(1998-09\)](#) - Part 2: Single talker and multiple listeners, high-speed transmission

[IEC 61162-3 ed1.1 Consol. with am1 \(2010-11\)](#) - Part 3: Serial data instrument network

[IEC 61162-3 ed1.0 \(2008-05\)](#) - Part 3: Serial data instrument network

[IEC 61162-3-am1 ed1.0 \(2010-06\)](#) Amendment 1 - Part 3: Serial data instrument network

[IEC 61162-450 ed1.0 \(2011-06\)](#) - Part 450: Multiple talkers and multiple listeners - Ethernet interconnection

EN 61162 series refer to the following reference standards for Maritime navigation and radiocommunication equipment and systems - Digital interfaces:

[EN 61162-1 \(2011\)](#) - Part 1: Single talker and multiple listeners

[EN 61162-2 \(1998\)](#) - Part 2: Single talker and multiple listeners, high-speed transmission

[EN 61162-3 \(2008\)](#) - Part 3: Serial data instrument network

[EN 61162-3-am1 \(2010\)](#) Amendment 1 - Part 3: Serial data instrument network [EN 61162-450 \(2011\)](#) - Part 450: Multiple talkers and multiple listeners - Ethernet interconnection

Item designation	Regulation SOLAS 74, as amended, where “type approval” is required	Regulations of SOLAS 74, as amended, and the relevant resolutions and circulars of the IMO, as applicable	Testing standards
1	2	3	4
Combined GPS/GLONASS equipment	-Reg. V/18, -Reg. X/3, -IMO Res. MSC.36(63)-(1994 HSC Code), -IMO Res. MSC.97(73)-(2000 HSC Code).	-Reg. V/19, -IMO Res. A.694(17), -IMO Res. MSC.36(63)-(1994 HSC Code), -IMO Res. MSC.97(73)-(2000 HSC Code), -IMO Res. MSC.115(73), -IMO Res. MSC.191(79).	-EN 60945 (2002) including IEC 60945 Corrigendum 1 (2008), -EN 61108-1 (2003), -EN 61108-2 (1998), -EN 61162 series, -EN 62288 (2008). Or, -IEC 60945 (2002) including IEC 60945 Corrigendum 1 (2008), -IEC 61108-1 (2003), -IEC 61108-2 (1998), -IEC 61162 series, -IEC 62288 Ed.1.0(2008).
Magnetic compass for high speed craft	-Reg. X/3, -IMO Res. MSC.36(63)-(1994 HSC Code), -IMO Res. MSC.97(73)-(2000 HSC Code).	-IMO Res. A.382(X), -IMO Res. A.694(17), -IMO Res. MSC.36(63)-(1994 HSC Code), -IMO Res. MSC.97(73)-(2000 HSC Code).	-ISO 1069 (1973), -ISO 25862(2009), -EN 60945 (2002) including IEC 60945 Corrigendum 1 (2008). Or, -ISO 1069 (1973), -ISO 25862(2009), -IEC 60945 (2002) including IEC 60945 Corrigendum 1 (2008).
“Track control system (working at ship’s speed from 30 knots and above”	-Reg. X/3, -IMO Res. MSC.36(63)-(1994 HSC Code), -IMO Res. MSC.97(73)-(2000 HSC Code).	-IMO Res. A.694(17), -IMO Res. MSC.36(63)-(1994 HSC Code), -IMO Res. MSC.97(73)-(2000 HSC Code), -IMO Res. MSC.191(79).	-EN 60945 (2002) including IEC 60945 Corrigendum 1 (2008), -EN 61162 series, -EN 62288 (2008). Or, -IEC 60945 (2002) including IEC 60945 Corrigendum 1 (2008), -IEC 61162 series, -IEC 62288 Ed. 1.0 (2008).

Thrust indicator	-Reg. V/18, -Reg. X/3, -IMO Res. MSC.36(63)-(1994 HSC Code), -IMO Res. MSC.97(73)-(2000 HSC Code).	-Reg. V/19, -IMO Res. A.694(17), -IMO Res. MSC.36(63)-(1994 HSC Code), -IMO Res. MSC.97(73)-(2000 HSC Code), -IMO Res. MSC.191(79).	-EN 60945 (2002) including IEC 60945 Corrigendum 1 (2008), -EN 61162 series, -EN 62288 (2008). Or, -IEC 60945 (2002) including IEC 60945 Corrigendum 1 (2008), -IEC 61162 series, -IEC 62288 Ed. 1.0 (2008).
Lateral thrust, pitch and mode indicators	-Reg. V/18, -Reg. X/3, -IMO Res. MSC.36(63)-(1994 HSC Code), -IMO Res. MSC.97(73)-(2000 HSC Code).	-Reg. V/19, -IMO Res. A.694(17), -IMO Res. MSC.36(63)-(1994 HSC Code), -IMO Res. MSC.97(73)-(2000 HSC Code), -IMO Res. MSC.191(79).	-EN 60945 (2002) including IEC 60945 Corrigendum 1 (2008), -EN 61162 series, -EN 62288 (2008). Or, -IEC 60945 (2002) including IEC 60945 Corrigendum 1 (2008), -IEC 61162 series, -IEC 62288 Ed. 1.0 (2008).
Bridge Equipment and Systems, their Arrangement and Integration (BES)	-Reg. V/18, -Reg. X/3, -IMO Res. MSC.36(63)-(1994 HSC Code) 13, -IMO Res. MSC.97(73)-(2000 HSC Code) 13.	-Reg. V/19, -IMO Res. A.694 (17), -IMO Res. MSC.36(63)-(1994 HSC Code) 15, -IMO Res. MSC.97(73)-(2000 HSC Code) 15, -IMO Res. MSC.191(79), -IMO SN.1/Circ.288.	-EN 60945 (2002) including IEC 60945 Corrigendum 1 (2008), -EN 61162 Series, -EN 62288 (2008). Or, -IEC 60945 (2002) including IEC 60945 Corrigendum 1 (2008), -IEC 61162 Series, -IEC 62288 Ed. 1.0 (2008).
Equipment with Long Range Identification and Tracking (LRIT) capability	-Reg. V/19-1.	-Reg. V/19-1, -IMO Res. A.694(17), -IMO Res. A.813(19), -IMO Res. MSC.202(81), -IMO Res. MSC.211(81), -IMO Res. MSC.263(84), -IMO MSC.1/Circ.1307.	-EN 60945 (2002) including IEC 60945 Corrigendum 1 (2008), -EN 61162 Series. Or, -IEC 60945 (2002) including IEC 60945 Corrigendum 1 (2008), -IEC 61162 Series.

Electronic Inclinometer	Reg. V/18-7	<ul style="list-style-type: none"> -IMO Res. A.694(17), -IMO Res. MSC.191(79), -IMO Res. MSC.333(90), -IMO MSC.1/Circ.982, -IMO MSC.1/Circ.1228, -IMO Report MSC 91-22-Add.2 Annex 28 	<p>EN 60945 (2002) including IEC 60945 Corrigendum 1 (2008),</p> <p>-EN 61162 Series.</p> <p>Or,</p> <p>-IEC 60945 (2002) including IEC 60945 Corrigendum 1 (2008),</p> <p>-IEC 61162 Series.</p>
Loran-C equipment	<ul style="list-style-type: none"> -Reg. V/18, -Reg. X/3, -IMO Res. MSC.36(63)-(1994 HSC Code) 13, -IMO Res. MSC.97(73)-(2000 HSC Code) 13. 	<ul style="list-style-type: none"> Reg. V/19, -IMO Res. A.694(17), -IMO Res. A.818(19), -IMO Res. MSC.36(63)-(1994 HSC Code) 13, -IMO Res. MSC.97(73)-(2000 HSC Code) 13, -IMO Res. MSC.191(79) 	<ul style="list-style-type: none"> -EN 60945 (2002) including IEC 60945 Corrigendum 1 (2008), -EN 61162 series, -IEC 62288 Ed. 2.0 (2014-07). Or, -IEC 60945 (2002) including IEC 60945 Corrigendum 1 (2008), - IEC 61162 series, -IEC 62288 Ed. 2.0 (2014-07).
Chayka equipment	<ul style="list-style-type: none"> Reg. V/18, -Reg. X/3, -IMO Res. MSC.36(63)-(1994 HSC Code) 13, -IMO Res. MSC.97(73)-(2000 HSC Code) 13. 	<ul style="list-style-type: none"> - Reg. IV/7 - Reg. X/3 - IMO Res.A.662(16)- - IMO Res.A.694(17) - IMO Res.A.812(19) - IMO Res.MSC.36(63)-(1994 HSC Code) 14 - IMO Res.MSC.97(73)-(2000 HSC Code) 14 - IMO MSC/Circ.862 - IMO COMSAR Circ.32 - ITU-R M.632-3 (02/97) - ITU-R M.690-1 (10/95) 	<p>ETSI ETS 300 372 ed.1 (1996-05)</p> <p>EN 60945:2002</p> <p>IEC 61097-5 (1997)</p> <p>IMO MSC/Circ.862</p>

5. Radiocommunication equipment

Notes applicable to section 5:

Radiocommunication equipment. Column 5:

IEC 61162 series refer to the following reference standards for Maritime navigation and radiocommunication equipment and systems - Digital interfaces:

[IEC 61162-1 ed4.0 \(2010-11\)](#) - Part 1: Single talker and multiple listeners

[IEC 61162-2 ed1.0 \(1998-09\)](#) - Part 2: Single talker and multiple listeners, high-speed transmission

[IEC 61162-3 ed1.1 Consol. with am1 \(2010-11\)](#) - Part 3: Serial data instrument network

[IEC 61162-3 ed1.0 \(2008-05\)](#) - Part 3: Serial data instrument network

[IEC 61162-3-am1 ed1.0 \(2010-06\)](#) Amendment 1 - Part 3: Serial data instrument network

[IEC 61162-450 ed1.0 \(2011-06\)](#) - Part 450: Multiple talkers and multiple listeners - Ethernet interconnection

EN 61162 series refer to the following reference standards for Maritime navigation and radiocommunication equipment and systems - Digital interfaces:

[EN 61162-1 \(2011\)](#) - Part 1: Single talker and multiple listeners

[EN 61162-2 \(1998\)](#) - Part 2: Single talker and multiple listeners, high-speed transmission

[EN 61162-3 \(2008\)](#) - Part 3: Serial data instrument network

[EN 61162-3-am1 \(2010\)](#) Amendment 1 - Part 3: Serial data instrument network

[EN 61162-450 \(2011\)](#) - Part 450: Multiple talkers and multiple listeners - Ethernet interconnection

Item designation	Regulation SOLAS 74, as amended, where “type approval” is required	Regulations of SOLAS 74, as amended, and the relevant resolutions and circulars of the IMO, as applicable	Testing standards
2	3	4	5
VHF EPIRB	-Reg. IV/14, -Reg. X/3, -IMO Res. MSC.36(63)-(1994 HSC Code), -IMO Res. MSC.97(73)-(2000 HSC Code).	-Reg.IV/8, -IMO Res. A.662(16), -IMO Res. A.694(17), -IMO Res. A.805(19), -IMO Res. MSC.36(63)-(1994 HSC Code), -IMO Res. MSC.97(73)-(2000 HSC Code), -ITU-R M.489-2 (10/95), -ITU-R M.693 (06/90).	-EN 60945 (2002) including IEC 60945 Corrigendum 1 (2008). Or, -IEC 60945 (2002) including IEC 60945 Corrigendum 1 (2008).
Radio reserve source of energy	-Reg. IV/14, -Reg. X/3, -IMO Res. MSC.36(63)-(1994 HSC Code), -IMO Res. MSC.97(73)-(2000 HSC Code).	-Reg. IV/13, -IMO Res. A.694(17), -IMO Res. MSC.36(63)-(1994 HSC Code), -IMO Res. MSC.97(73)-(2000 HSC Code), -IMO COMSAR Circ.16, -IMO COMSAR Circ.32.	-EN 60945 (2002) including IEC 60945 Corrigendum 1 (2008). Or, -IEC 60945 (2002) including IEC 60945 Corrigendum 1 (2008).
Distress panel	-Reg. IV/14, -Reg. X/3, -IMO Res. MSC.36(63)-(1994 HSC Code), -IMO Res. MSC.97(73)-(2000 HSC Code).	-Reg. IV/6, -IMO Res. A.694(17), -IMO Res. MSC.36(63)-(1994 HSC Code), -IMO Res. MSC.97(73)-(2000 HSC Code), -IMO MSC/Circ. 862, -IMO COMSAR Circ.32.	-EN 60945 (2002) including IEC 60945 Corrigendum 1 (2008). Or, -IEC 60945 (2002) including IEC 60945 Corrigendum 1 (2008).

<p>Distress alarm or alert panel</p>	<p>-Reg. IV/14, -Reg. X/3, -IMO Res. MSC.36(63)-(1994 HSC Code), -IMO Res. MSC.97(73)-(2000 HSC Code).</p>	<p>-Reg. IV/6, -IMO Res.A.694(17), -IMO Res. MSC.36(63)-(1994 HSC Code), -IMO Res. MSC.97(73)-(2000 HSC Code), -IMO MSC/Circ.862, -IMO COMSAR Circ.32.</p>	<p>-EN 60945 (2002) including IEC 60945 Corrigendum 1 (2008). Or, -IEC 60945 (2002) including IEC 60945 Corrigendum 1 (2008).</p>
<p>Ship security alert system</p>		<p>-Reg. XI-2/6, -IMO Res. A.694(17), -IMO Res. MSC.147(77), -IMO MSC/Circ.1072.</p>	<p>-EN 60945 (2002) including IEC 60945 Corrigendum 1 (2008), -EN 61162 Series. Or, -IEC 60945 (2002) including IEC 60945 Corrigendum 1 (2008), -IEC 61162 Series.</p>
<p>Aeronautical two way VHF radio telephone apparatus</p>	<p>-Reg. IV/14, -Reg. X/3, -IMO Res. MSC.36(63)-(1994 HSC Code) 14, -IMO Res. MSC.97(73)-(2000 HSC Code) 14.</p>	<p>-Reg. IV/7, -IMO Res. A.694(17), -IMO Res. MSC.36(63)-(1994 HSC Code) 14, -IMO Res. MSC.97(73)-(2000 HSC Code) 14, -IMO Res. MSC.80(70), -IMO COMSAR Circ.32, -ICAO Convention, Annex 10, Radio - Regulations.</p>	<p>-EN 60945 (2002) including IEC 60945 Corrigendum 1 (2008). -ETSI EN 301 688 V1.1.1 (2000-07). Or, -IEC 60945 (2002) including IEC 60945 Corrigendum 1 (2008). -ETSI EN 301 688 V1.1.1 (2000-07).</p>

6. Equipment required under COLREG 72

Item designation	Regulation COLREG 72 where “type approval” is required	Regulations of COLREG and the relevant resolutions and circulars of the IMO, as applicable	Testing standards
1	2	3	4
Sound signal appliances	-COLREG 72 Annex III/3.	- COLREG 72 Annex III/3, -IMO Res. A.694(17).	-EN 60945 (2002) including IEC 60945 Corrigendum 1 (2008), -Whistles - COLREG 72 Annex III/1 (Performance), -Bells or Gongs - COLREG 72 Annex III/2 (Performance). Or, -IEC 60945 (2002) including IEC 60945 Corrigendum 1 (2008), -Whistles - COLREG 72 Annex III/1 (Performance), -Bells or Gongs - COLREG 72 Annex III/2 (Performance).

7. Bulk carrier safety equipment

Item designation	Regulation SOLAS 74, as amended, where “type approval” is required	Regulations of SOLAS 74, as amended, and the relevant resolutions and circulars of the IMO, as applicable	Testing standards
1	2	3	4
Loading instrument	-Reg. XII/11, -1997 SOLAS Conference Res. 5.	-Reg. XII/11, -1997 SOLAS Conference Res. 5.	-IMO MSC.1/Circ 1229.
Water level detectors on bulk carriers	- IMO Res.MSC.188(79)	-SOLAS 74/2004 Reg. XII/12 - IMO Res.MSC.188(79)	IEC 60092-504 (2001) IEC 60529 (2001) IMO Res.MSC.188(79)

8. SOLAS Chapter II-1 equipment

Item designation	Regulation SOLAS 74, as amended, where "type approval" is required	Regulations of SOLAS 74, as amended, and the relevant resolutions and circulars of the IMO, as applicable	Testing standards
2	3	4	5
Cold-weather starting of generator sets (starting devices)	-Reg. II-1/44, -Reg. X/3.	-Reg. II-1/44, -IMO Res. MSC.36(63)-(1994 HSC Code) 12, -IMO Res. MSC.97(73)-(2000 HSC Code) 12.	

9. Other Equipment requiring type approval

Other ~ Life-saving appliances

Item designation
Lifeboat equipment (oars, knives, matches, torches, electrical equipment, etc)
LSA gas inflation system
LSA miscellaneous equipment (emergency life-line etc.)
Lifeboat manual pumps
Emergency equipment lockers
Sea anchors
Survival craft first aid kits
Survival craft rations and water
Non-SOLAS liferafts, rescue boats and inflatable boats
Float free arrangements for Search and Rescue Transponder (SART)
Equipment Requiring Approval in accordance with SI 1999 No. 2721 - The Merchant Shipping (Life-Saving Appliances for Ships other than Ships of Classes III to VI(A)) Regulations, but not specified in Annex 1 of this notice.
Equipment Requiring Approval in accordance with SI 1999 No. 2723 - The Merchant Shipping (Life-Saving Appliances for Passenger Ships of Classes III to VI(A)) Regulations, but not specified in Annex 1 of this notice.

Other ~ Marine Pollution prevention equipment

Item designation
Crude oil washing machines

Other ~ Fire Protection Equipment

Item designation
Hydrants (components)
Fire blankets

Equipment Requiring Approval in accordance with SI 1998 No.1011 – The Merchant Shipping (Fire Protection: Small Ships) Regulations, but not specified in Annex 1 of this notice.
--

Equipment Requiring Approval in accordance with SI 1998 No.1012 – The Merchant Shipping (Fire Protection: Large Ships) Regulations, but not specified in Annex 1 of this notice.
--

Equipment Requiring Approval in accordance with SI 2003 No.2950 – The Merchant Shipping (Fire Protection) Regulations, but not specified in Annex 1 of this notice.

Other ~ Crew accommodation equipment

Item designation

Vacuum discharge piping systems

Thermostatic mixing valves

Plant used to produce drinking and/or fresh water

Annex 3

This annex sets out equipment within the scope of part III of this Notice. This is equipment which does not require approval. This is equipment to which an explicit standard is not cited in UK instruments forming a carriage requirement.

The table below sets out minimum standards for acceptance on board the relevant UK ship listed in column 2. Column 1 states the item designation and column 3 states the minimum standard. When a minimum standard is not indicated, MCA will develop minimum standards through a separate MGN to be included in updates to this Notice. A ship carrying equipment which exceeds these minimum standards will be taken as meeting these standards.

Item Designation	Applicable Ships	Standard
Firefighter's Radios	UK Class I – II(A), VII – VIII(A), as required by SOLAS Regulation II-2 paragraph 10.4	<p>The two-way portable radiotelephone apparatus shall be of an explosion-proof type or intrinsically safe.</p> <p>In order for such equipment to meet the explosion proof or intrinsically safe requirements, the radio telephone apparatus are to be certified in accordance with relevant standards for equipment and protective systems intended for use in potentially explosive atmospheres, and maintained as such, for example:-</p> <p>Directive 94/9/EC (ATEX) - with approval rating such as II2G Ex ib IIA T3; or</p> <p>IEC 60079-0 2009 - Electrical apparatus for explosive gas atmospheres - Classification of areas; or</p> <p>IEC 60092-502 1999 - Electrical installations in ships - Tankers – Special features.</p> <p>Intrinsically safe radios should have a power output of 1 watt or less.</p> <p>The radio telephone apparatus are to be fit for purpose, i.e. they are able to work within the environment to be expected in a fire scenario, that their operating range is sufficient and that they are safe.</p>

Draught Gauge Indicators	UK Class I – II(A) – as required by SI 1998 No. 2514, Regulation 41.	
Lifebuoys-lightweight type (horseshoe)	Small Commercial Vessels ¹	
Means of Recovery	Passenger Ships certificated to MSN 1823 (Cat A-D)	
ORIL	Ships Certificated in accordance with MGN 469	
Radar Reflector	Ships Certificated in accordance with MGN 469	
Flares	Ships Certificated in accordance with MGN 469	
HRUs	Small Commercial Vessels ¹	
TPAs	Small Commercial Vessels ¹	
Hand held orange smoke flare	Small Commercial Vessels ¹	
Line Thrower	Small Commercial Vessels ¹	
VHF	Small Commercial Vessels ¹	
EPIRB	Small Commercial Vessels ¹	
SART	Small Commercial Vessels ¹	
Lifebouy	Inland small Pax code	
Radar Reflector	Fishing 15-24	
Fire Detection	Inland small Pax Code	
Fixed Fire Extinguishing	Inland small Pax Code	
Fixed Fire Extinguishing	Fishing less 15	
EPIRB	Small Commercial Vessels ¹	
VHF DSC	Small Commercial Vessels ¹	
Magnetic Compass	Inland small pax	

Search Light	Large Yacht	
Echo Sounder	Small Commercial Vessels ¹	
GPS	Small Commercial Vessels ¹	
Vessel's Log	Small Commercial Vessels ¹	
Signalling Lamp	Small Commercial Vessels ¹	
SART	Small Commercial Vessels ¹	
Compass/ Bearing Compass	Small Commercial Vessels ¹	
Echo Sounder	Small Commercial Vessels ¹	
GPS	Small Commercial Vessels ¹	
Signalling Lamp	Small Commercial Vessels ¹	
Search Light	Small Commercial Vessels ¹	

¹ Small Commercial Vessels are deemed to be any vessel which has been issued certification in accordance with the Codes of Practice for Vessels in Commercial use for Sport or Pleasure, Workboats and Pilot Boats or MGN 280.

Annex 4 – Carriage Requirements

The following instruments are those mentioned in the Regulations which form carriage requirements for Domestic Passenger Ships and Fishing Vessels to carry equipment which meets a standard other than the applicable international standards.

Instruments Applicable to Domestic Passenger Ships Certificated to Operate on Category C Waters or Seaward of that Limit:

The following Instruments to be read, as amended.

MSN 1823 (M) - The Safety Code for Passenger Ships Operating Solely in UK Categorised Waters – Which is given Legal Force by The Merchant Shipping (Passenger Ships) (Safety Code for UK Categorised Waters) Regulations 2010, SI 2010 No. 680;

MSN 1823 (M) Edition 2 Amendment 1 – The Safety Code for Passenger Ships Operating Solely in UK Categorised Waters, Edition 2, Amendment 1 - Which is given Legal Force by The Merchant Shipping (Passenger Ships) (Safety Code for UK Categorised Waters) Regulations 2010, SI 2010 No. 680;

The Small Sea Going Passenger Ship Code (A Code for Ships of Class VI);

The Merchant Shipping (Passenger Ships on Domestic Voyages) Regulations 2000, SI 2000 No. 2687;

The Merchant Shipping (Life-Saving Appliances for Ships other than Ships of Classes III to VI(A)) Regulations, SI 1999 No. 2721;

The Merchant Shipping (Life-Saving Appliances For Passenger Ships Of Classes III To VI(A)) Regulations 1999 SI 1999 No. 2723;

The Merchant Shipping (Fire Protection: Small Ships) Regulations 1998, SI 1998

No. 1011; The Merchant Shipping (Fire Protection - Large Ships) Regulations, SI

1998 No. 1012;

The Merchant Shipping (Fire Protection) Regulations 2003, SI 2003 No. 2950;

The Merchant Shipping (Prevention of Pollution by Sewage and Garbage from Ships) Regulations 2008, SI 2008 No. 3257;

The Merchant Shipping (Prevention of Air Pollution from Ships) Regulations 2008, SI 2008 No. 2924;

The Merchant Shipping (Prevention of Oil Pollution) Regulations 1996, SI 1996 No. 2154;

The Merchant Shipping (Distress Signals and Prevention of Collisions) Regulations, SI 1996 No. 0075;

The Merchant Shipping (Safety of Navigation) Regulations 2002, SI 2002 No. 1473; The Merchant Shipping (Radio Installations) Regulations 1998, SI 1998 No. 2070;

Instruments Applicable to Fishing Vessels of 24 metres Length or Over:

The following Instruments to be read, as amended.

The "Code of Practice for the Safe Construction and Operation of Fishing Vessels of 24 metres Registered Length and Over";

The Fishing Vessels (Safety Provisions) Rules 1975 (S.I. 1975/330);

The Fishing Vessels (Life-Saving Appliances) Regulations 1988 (S.I.1988/38);

The Fishing Vessels (EC Directive on Harmonised Safety Regime) Regulations 1999 (S.I. 1999/2998) (which give effect to the Torremolinos Protocol (Cmnd.3339) relating to the Torremolinos International Convention for the safety of Fishing Vessels (Cmnd. 7252);

The Merchant Shipping (Distress Signals and Prevention of Collisions) Regulations SI 1996, No. 75;

The Merchant Shipping (Prevention of Oil Pollution) Regulations 1996 S.I. 1996 No. 2154;

SI 1999, No. 2205 The Merchant Shipping and Fishing Vessels (Personal Protective Equipment) Regulations SI 1999, No. 2205;

The Merchant Shipping (Radio)(Fishing Vessels) Regulations SI 1999,

No.3210; The Merchant Shipping (Safety of Navigation) Regulations SI

2002, No 1473;

The Merchant Shipping (Prevention of Air Pollution from Ships) Regulations SI 2008 No 2924; and

The Merchant Shipping (Prevention of Pollution by Sewage and Garbage from Ships) Regulations SI 2008 No.3257.

ANNEX 5 - UK Conformity Mark for Marine Equipment

The UK Conformity Mark must be affixed to marine equipment in accordance with the Regulations and must take the form set out below.

In any event, the UK Conformity mark for marine equipment must:

Be legible and permanently marked on the equipment which is in compliance with the Regulations;

contrast the background it is printed/ stamped etc on such that is either printed on a block white background or transparent background, providing legibility is maintained;

have vertical dimensions of at least 5mm with the ability to waive this for smaller products and/ or where the size of the conformity mark would not provide for legibility due to the size or nature of the product or it is not otherwise practicable to place the mark on the product in which case the mark should be placed on the accompanying paperwork or packaging; and

as per the Regulations, be accompanied by the identification number of the Approved Body which issues the quality assurance module of conformity (Module D, E or F) or if module G is used, the module G certificate as well as the date of affixing the mark as indicated below (where ##### would be the Approved Body Number and YY the year of affixing the conformity mark).



#####/YY

Or

#####/Y

YYY

ANNEX 6 - Equipment in Scope of the UK-US MRA on Marine Equipment

ANNEX II to the Agreement between the United Kingdom of Great Britain and Northern Ireland and the United States of America on the Mutual Recognition of Certificates of Conformity for Marine Equipment

PRODUCT COVERAGE FOR MUTUAL RECOGNITION

General note:

The international conventions apply in their up-to-date version. For the purpose of identifying correctly the relevant standards, test reports, certificates of conformity and declarations of conformity shall identify the specific testing standard applied and its version.

Life-saving appliances

Product item identification	Applicable international instruments for construction, performance and testing requirements ¹	UK technical regulations, item number indicated in Annex I of Merchant Shipping Notice 1874, as amended	US technical regulations and approval guidance
Position-indicating lights for life-saving appliances: (a) for survival craft and rescue boats	<ul style="list-style-type: none"> - IMO Res.MSC.36(63)- (1994 HSC Code) 8 - IMO Res.MSC.48(66)- (LSA Code) I, II, IV - IMO Res.MSC.81(70), as amended 	UK/1.2a	<ul style="list-style-type: none"> - USCG 161.101 - Guidance for Approval of Position-indicating lights for survival craft dated 11 March 1999

¹ "LSA Code" refers to the International Life-Saving Appliance Code adopted on 4 June 1996 (IMO Resolution MSC.48(66)). "Recommendation on Testing" refers to the IMO recommendation on Testing of Life-Saving Appliances adopted on 6 November 1991 (IMO Resolution A.689(17)) as amended on 11 December 1998 (IMO Resolution MSC.81(70)).

<p>Position-indicating lights for life-saving appliances: (b) for lifebuoys</p>	<ul style="list-style-type: none"> - IMO Res.MSC.36(63)- (1994 HSC Code) 8 - IMO Res.MSC.48(66)- (LSA Code) I, II, - IMO Res.MSC.81(70), as amended - IMO Res.MSC.97(73)- (2000 HSC Code) 8 	<p>UK/1.2b</p>	<ul style="list-style-type: none"> - USCG 161.110
<p>Position-indicating lights for life-saving appliances: (c) for lifejackets</p>	<ul style="list-style-type: none"> - IMO Res.MSC.36(63)- (1994 HSC Code) 8 - IMO Res.MSC.48(66)- (LSA Code) I, II - IMO Res.MSC.81(70), as amended - IMO Res.MSC.97(73)- (2000 HSC Code) 8 	<p>UK/1.2c</p>	<ul style="list-style-type: none"> - USCG 161.112 - Lifejacket light approval Guidance (SOLAS) 22 March 1999
<p>Lifebuoy self-activating smoke signals</p> <p>Note: Expiration date not to exceed 48 months after month of manufacture.</p>	<ul style="list-style-type: none"> - IMO Res. MSC.36(63)- (1994 HSC Code) 8 - IMO Res. MSC.48(66)- (LSA Code) I, II - IMO Res. MSC.81(70), as amended - IMO Res. MSC.97(73)- (2000 HSC Code) 8 	<p>UK/1.3</p>	<ul style="list-style-type: none"> - USCG 160.157 - Guidelines for Approval of "SOLAS" Pyrotechnic Signals and Line Throwing Appliances, March 2005.
<p>Rocket parachute flares (pyrotechnics)</p> <p>Note: Expiration date not to exceed 48 months after month of manufacture.</p>	<ul style="list-style-type: none"> - IMO Res. MSC.36(63)- (1994 HSC Code) 8 - IMO Res. MSC.48(66)- (LSA Code) I, III - IMO Res. MSC.81(70), as amended - IMO Res. MSC.97(73)- (2000 HSC Code) 8 	<p>UK/1.8</p>	<ul style="list-style-type: none"> - USCG 160.136 - Guidelines for Approval of "SOLAS" Pyrotechnic Signals and Line Throwing Appliances, March 2005

<p>Hand flares (pyrotechnics)</p> <p>Note: Expiration date not to exceed 48 months after month of manufacture.</p>	<ul style="list-style-type: none"> - IMO Res. MSC.36(63) (1994 HSC Code) 8 - IMO Res. MSC.48(66)-(LSA Code) I, III - IMO Res. MSC.81(70), as amended - IMO Res. MSC.97(73)- (2000 HSC Code) 8 	UK/1.9	<ul style="list-style-type: none"> - USCG 160.121 - Guidelines for Approval of "SOLAS" Pyrotechnic Signals and Line Throwing Appliances, March 2005
<p>Buoyant smoke signals (pyrotechnics)</p> <p>Note: Expiration date not to exceed 48 months after month of manufacture.</p>	<ul style="list-style-type: none"> - IMO Res. MSC.48(66)-(LSA Code) I, III - IMO Res. MSC.81(70), as amended 	UK/1.10	<ul style="list-style-type: none"> - Guidelines for Approval of "SOLAS" Pyrotechnic Signals and Line Throwing Appliances, March 2005
<p>Line-throwing appliances</p> <p>Note: Expiration date not to exceed 48 months after month of manufacture.</p>	<ul style="list-style-type: none"> - IMO Res. MSC.36(63)- (1994 HSC Code) 8 - IMO Res. MSC.48(66)- (LSA Code) I, VII - IMO Res. MSC.81(70), as amended - IMO Res. MSC.97(73)- (2000 HSC Code) 8 	UK/1.11	<ul style="list-style-type: none"> - 46 CFR 160.040 - Guidelines for Approval of "SOLAS" Pyrotechnic Signals and Line Throwing Appliances, March 2005 - MIL- R-45505 A2
<p>Rigid liferafts</p> <p>Note: The emergency pack is not covered by this Agreement</p>	<ul style="list-style-type: none"> - IMO Res. MSC.48(66)-(LSA Code) I, IV - IMO Res. MSC.81(70), as amended - IMO Res. MSC.97(73)- (2000 HSC Code) 8 	UK/1.13	<ul style="list-style-type: none"> - USCG 160.118 - Rigid liferaft – Coast Guard (CG-5214) Review Checklist, 27 July 1998

<p>Automatically self-righting liferafts (rigid liferafts only/inflatable liferafts not covered)</p> <p>Note: The emergency pack is not covered by this Agreement</p>	<ul style="list-style-type: none"> - IMO Res. MSC.36(63)- (1994 HSC Code) 8 - IMO Res. MSC.48(66)- (LSA Code) I, IV - IMO Res. MSC.81(70), as amended - IMO Res. MSC.97(73)- (2000 HSC Code) 8 - IMO MSC Circ.809 - IMO MSC Circ.811 - IMO MSC.1 Circ 1328 	<p>UK/1.14</p>	<ul style="list-style-type: none"> - USCG 160.118 - Rigid liferaft – Coast Guard (CG-5214) Review Checklist, 27 July 1998
<p>Canopied reversible liferafts (rigid liferafts only/inflatable liferafts not covered)</p> <p>Note: The emergency pack is not covered by this Agreement</p>	<ul style="list-style-type: none"> - IMO Res. MSC.36(63)- (1994 HSC Code) 8 - IMO Res. MSC.48(66)- (LSA Code) I, IV - IMO Res. MSC.81(70) as amended - IMO Res. MSC.97(73)- (2000 HSC Code) 8 - IMO MSC Circ.809 - IMO MSC Circ.811 - IMO MSC.1 Circ.1328 	<p>UK/1.15</p>	<ul style="list-style-type: none"> - USCG 160.118 - Rigid liferaft – Coast Guard (CG-5214) Review Checklist, 27 July 1998
<p>Float-free arrangements for liferafts (hydrostatic release units)</p>	<ul style="list-style-type: none"> - IMO Res. MSC.36(63) – (1994 HSC Code 8) - IMO Res. MSC.48(66) – (LSA Code) I, IV - IMO Res. MSC.81(70), as amended - IMO Res. MSC.97(73) – (2000 HSC Code) 8 - IMO MSC Circ.811 	<p>UK/1.16</p>	<ul style="list-style-type: none"> - USCG 160.162 – Interim Guidelines for Approval and Production of Testing of SOLAS Hydrostatic Release Units

<p>Release mechanism for: (a) Lifeboats and rescue boats (launched by a fall or falls)</p> <p>Limited to Davit-launched liferaft automatic release hook</p>	<ul style="list-style-type: none"> - IMO Res. MSC.36(63) – (1994 HSC Code) 8 - IMO Res. MSC.48(66) – LSA Code) I, IV - IMO Res. MSC.81(70), as amended - IMO Res. MSC.97(73)- (2000 HSC Code) 8 - IMO MSC.1/Circ.1419 	<p>UK/1.26(a)</p>	<ul style="list-style-type: none"> - 46 CFR 160.170
<p>Release mechanism for: (b) Liferafts (launched by a fall or falls)</p> <p>Limited to Davit-launched liferaft automatic release hook</p>	<ul style="list-style-type: none"> - IMO Res. MSC.36(63) (1994 HSC Code) 8 - IMO Res. MSC.48(66)-(LSA Code) I, VI - IMO Res. MSC.81(70), as amended - IMO Res. MSC.97(73) – (2000 HSC Code) 8 	<p>UK/1.26(b)</p>	<ul style="list-style-type: none"> - 46 CFR 160.170
<p>Marine evacuation systems</p>	<ul style="list-style-type: none"> - IMO Res. MSC.36(63)- (1994 HSC Code) 8 - IMO Res. MSC.48(66)- (LSA Code) I, VI - IMO Res. MSC.81(70), as amended - IMO Res. MSC.97(73)- (2000 HSC Code) 8 	<p>UK/1.27</p>	<ul style="list-style-type: none"> - USCG 160.175

Embarkation Ladders	<ul style="list-style-type: none"> - IMO Res.MSC.36(63)- (1994 HSC Code) - IMO Res.MSC.48(66)- (LSA Code) I, VI - IMO Res. MSC.81(70), as amended - IMO Res.MSC.97(73)- (2000 HSC Code) - IMO MSC.1/Circ.1285 - ISO 5489:2008 	UK/1.29	<ul style="list-style-type: none"> - USCG 160.117
Retro-reflective materials	<ul style="list-style-type: none"> - IMO Res. A.658(16) - IMO Res. MSC.36(63)- (1994 HSC Code) 8 - IMO Res. MSC.48(66)- (LSA Code) I - IMO Res. MSC.97(73)- (2000 HSC Code) 8 	UK/1.30	<ul style="list-style-type: none"> - 46 CFR 164.018 - NVIC 2-92

FIRE PROTECTION

Product item identification	Applicable international instruments for construction, performance and testing requirements	UK technical regulations, item number indicated in Annex I of Merchant Shipping Notice 1874, as amended	US technical regulations and approval guidance
Primary decks covering	<ul style="list-style-type: none"> - IMO Res. MSC.36(63)-(1994 HSC Code) 7 - IMO Res. MSC.97(73)-(2000 HSC Code) 7 - IMO Res. MSC.307(88) (2010 FTP Code), as amended 	UK/3.1	- 46 CFR 164.106
'A' & 'B' Class divisions fire integrity (a) 'A' class divisions	<ul style="list-style-type: none"> - IMO Res. MSC.307(88) (2010 FTP Code), as amended - IMO MSC/Circ.1120 - IMO MSC.1/Circ.1434 - IMO MSC.1/Circ.1435 - IMO MSC.1/Circ.1616 	UK/3.11(a)	- 46 CFR 164.105 - 46 CFR 164.107
'A' & 'B' Class divisions fire integrity 'B' class divisions. Note: Restricted 'B' Class divisions are not covered by this agreement.	<ul style="list-style-type: none"> - IMO Res. MSC.307(88) (2010 FTP Code), as amended - IMO MSC/Circ. 1120 - IMO MSC.1/Circ. 1581 	UK/3.11(b)	- 46 CFR 164.108 - 46 CFR 164.110
	- IMO Res. MSC.36(63)-		

<p>Non-combustible materials</p>	<ul style="list-style-type: none"> - (1994 HSC Code) 7 - IMO Res. MSC.97(73) – (2000 HSC Code) 7 - IMO Res. MSC.307(88) (2010 FTP Code), as amended 	<p>UK/3.13</p>	<p>- 46 CFR 164.109</p>
<p>Fire doors</p> <p>Limited to fire doors without windows or with total window area no more than 645 cm² in each door leaf.</p> <p>Approval limited to maximum door size tested.</p>	<ul style="list-style-type: none"> - IMO Res. MSC.307(88) – (2010 FTP Code), as amended - IMO MSC.1/Circ.1319 - IMO MSC.1/Circ.1511 	<p>UK/3.16</p>	<p>- 46 CFR 164.136</p>
<p>Fire door control systems components.</p> <p>Note: When the term “system components” is used in column 1 it may be that a single component, a group of components, or a whole system needs to be tested to ensure that the international requirements are fulfilled.</p>	<ul style="list-style-type: none"> - IMO MSC.97(73)- (2000 HSC Code) 7 - IMO MSC.3077(88) – (2010 FTP Code), as amended 	<p>UK/3.17</p>	<p>- 46 CFR 164.146</p>
<p>Surface materials and floor coverings with low flame-spread characteristics</p>	<ul style="list-style-type: none"> - IMO Res. MSC.36(63)- (1994 HSC Code) 7 - IMO Res MSC.97(73)- (2000 HSC Code) 7 - IMO Res. 	<p>UK/3.18(a)</p>	<p>- 46 CFR 164.112</p>

(a) Decorative veneers	<ul style="list-style-type: none"> - MSC.307(88)(2010 FTP Code), as amended - IMO MSC Circ.1120 		
<p>Surface materials and floor coverings with low flame-spread characteristics</p> <p>(b) Paint systems</p>	<ul style="list-style-type: none"> - IMO Res. MSC.36(63)-(1994 HSC Code) 7 - IMO Res. MSC. 97(73)-(2000 HSC Code) 7 - IMO Res. MSC.307(88)(2010 FTP Code), as amended - IMO MSC Circ. 1120 	UK/3.18(b)	- 46 CFR 164.112
<p>Surface materials and floor coverings with low flame- spread characteristics</p> <p>(c) floor coverings.</p>	<ul style="list-style-type: none"> - IMO Res. MSC.36(63)-(1994 HSC Code) 7 - IMO Res.MSC.97(73)-(2000 HSC Code) 7 - IMO Res. MSC.307(88)(2010 FTP Code), as amended - IMO MSC Circ.1120 	UK/3.18(c)	- 46 CFR 164.117
<p>Surface materials and floor coverings with low flame-spread characteristics (f) combustible ducts.</p>	<ul style="list-style-type: none"> - IMO Res. MSC 36(63) – (1994 HSC Code) 7 - IMO Res. MSC.97(73) – (2000 HSC Code) 7 - IMO Res. MSC.307(88)(2010 FTP Code), as amended - IMO MSC Circ. 1120 	UK/3.18(f)	- 46 CFR 164.112
<p>Draperies, curtains and other suspended textile materials and films</p>	<ul style="list-style-type: none"> - IMO Res. MSC.36(63)-(1994 HSC Code) 7 - IMO Res. MSC.97(73)-(2000 HSC Code) 7 - IMO Res. MSC.307(88)(2010FTP Code), as amended - IMO MSC.1 Circ.1456, as amended 	UK/3.19	- 46 CFR 164.111

Upholstered furniture	<ul style="list-style-type: none"> - IMO Res. MSC.36(63)- (1994 HSC Code) 7 - IMO Res. MSC.97(73)- (2000 HSC Code) 7 - IMO Res. MSC.307(88) (2010 FTP Code), as amended 	UK/3.20	- 46 CFR 164.144
Bedding components	<ul style="list-style-type: none"> - IMO Res. MSC.36(63)- (1994 HSC Code) 7 - IMO Res. MSC.97(73)- (2000 HSC Code) 7 - IMO Res. MSC.307(88) (2010 FTP Code), as amended 	UK/3.21	- 46 CFR 164.142
Fire dampers	<ul style="list-style-type: none"> - IMO Res. MSC.307(88) (2010 FTP Code), as amended 	UK/3.22	- 46 CFR 164.139
Penetrations through 'A' class (a) electric cable transits.	<ul style="list-style-type: none"> - IMO Res. MSC.307(88) (2010 FTP Code), as amended - MSC.1/Circ 1488 	UK/3.26(a)	- 46 CFR 164.138
Penetrations through 'A' class (b) pipe, duct, trunk, etc., penetrations	<ul style="list-style-type: none"> - IMO Res. MSC.307(88) (2010 FTP Code), as amended - IMO MSC.1 Circ.1276 - MSC.1/Circ 1488 	UK/3.26(b)	- 46 CFR 164.138
Fire restricting materials (except furniture) for high speed craft	<ul style="list-style-type: none"> - IMO Res. MSC.36(63)- (1994 HSC Code) 7 - IMO Res. MSC.97(73)- (2000 	UK/3.32	- 46 CFR 164.201

	<ul style="list-style-type: none"> - HSC Code) 7 - IMO Res. MSC.307(88)(2010 FTP Code), as amended - IMO MSC.1 Circ.1457 		
Fire resisting materials for high speed craft	<ul style="list-style-type: none"> - IMO Res. MSC.36(63)- (1994 HSC Code) 7 - IMO Res.MSC.97(73)- (2000 HSC Code) 7 - IMO Res. MSC.307(88) (2010 FTP Code), as amended 	UK/3.33	- 46 CFR 164.201
Fire resisting divisions for high speed craft	<ul style="list-style-type: none"> - IMO Res. MSC.36(63)-(1994 HSC Code) - IMO Res. MSC.97(73)- (2000 HSC Code) 7 - IMO Res.307(88) (2010 FTP Code), as amended - IMO MSC.1 Circ.1457 	UK/3.34	- 46 CFR 164.207

NAVIGATION EQUIPMENT

Notes applicable to this section:

1. Resolution A.1021(26) and Resolution MSC.302(87) shall be considered, as applicable, for all the navigation equipment - They refer to “Code on alerts and indicators, 2009,” and to “Adoption of performance standards for bridge alert management,” respectively.

2. **IEC 61162 series refer to the following reference standards for Maritime navigation and radio-communication equipment and systems - Digital interfaces:**

- IEC 61162- 1 (2016) - Part 1: Single talker and multiple listeners □
IEC 61162- 2 ed1.0 (1998- 09) - Part 2: Single talker and multiple listeners,
high- speed transmission
- IEC 61162- 3 ed1.2 Consol. with am1 ed. 1.0 (2010- 11) and am2 ed. 1.0 (2014- 07) - Part 3: Serial data instrument network
- **IEC 61162- 3 ed1.0 (2008- 05) - Part 3: Serial data instrument network**
- IEC 61162- 3- am1 ed1.0 (2010- 06) Amendment 1 - Part 3: Serial data instrument network
- **IEC 61162- 3- am2 ed1.0 (2014- 07) Amendment 2 - Part 3: Serial data instrument network**
- IEC 61162- 450 ed1.0 (2011- 06) with am1 (2016)- Part 450: Multiple talkers and multiple listeners - Ethernet interconnection

Product item identification	Applicable international instruments for construction, performance and testing requirements	UK technical regulations, item number indicated in Annex 1 of Merchant Shipping Notice 1874, as amended	US technical regulations and approval guidance
Magnetic compass Class A for ships	<ul style="list-style-type: none"> - IMO Res. A.382(X) - IMO Res. A.694(17) - IMO Res. MSC.36(63)- (1994 HSC Code) 13 IMO Res. MSC.97(73)- (2000 HSC Code) 13 - IMO Res.MSC.302(87) - ISO 1069 (1973) - ISO 25862 (2009) - IEC 60945 (2002) incl. IEC 60945 Corr.1 (2008) 	UK/4.1	<ul style="list-style-type: none"> - USCG 165.101 - NVIC 8-01, CHANGE 3
Transmitting heading device (THD) magnetic method	<ul style="list-style-type: none"> - IMO Res. A.694(17) - IMO Res. MSC.36(63)- (1994 HSC Code) 13 - IMO Res. MSC.97(73)- (2000 HSC Code) 13 - IMO Res. MSC.116(73) - IMO Res. MSC.191(79) - IMO Res.MSC.302(87) - IEC 60945 (2002) incl. IEC 60945 Corr.1 (2008) IEC 61162 series - IEC 62288 Ed. 2.0 (2014- 07) - ISO 22090- 2 (2014) 	UK/4.2	<ul style="list-style-type: none"> - USCG 165.102 - NVIC 8- 01, CHANGE 3 Note: The use of ISO 11606:2000/Cor 1:2005 is required for Acceptance for USCG Approval under the MRA
Gyro compass	<ul style="list-style-type: none"> - IMO Res. A.424(XI) - IMO Res. A.694(17) - IMO Res. MSC.191(79) - IMO Res.MSC.302(87) - ISO 8728:2014 	UK/4.3	<ul style="list-style-type: none"> - USCG 165.103 - NVIC 8-01, CHANGE 3

	<ul style="list-style-type: none"> - IEC 60945 (2002) incl. IEC 60945 Corr.1 (2008) - IEC 61162 series - IEC 62288 Ed. 2.0 (2014-07). 		
Echo-sounding equipment	<ul style="list-style-type: none"> - IMO Res. A.224(VII) - IMO Res. A.694(17) - IMO Res. MSC.36(63)- (1994 HSC Code) 13 - IMO Res. MSC.74(69) Annex 4 - IMO Res. MSC.97(73)- (2000 HSC Code) 13 - IMO Res. MSC.191(79) - IMO Res. MSC.302(87) - ISO 9875 (2000) - IEC 60945 (2002) incl. IEC 60945 Corr.1 (2008) - IEC 61162 series - IEC 62288 Ed. 2.0 (2014-07) 	UK/4.6	<ul style="list-style-type: none"> - USCG 165.107 - NVIC 8- 01, CHANGE 3
Speed and distance measuring equipment (SDME)	<ul style="list-style-type: none"> - IMO Res. A.694(17) - IMO Res. A. 824(19) - IMO Res. MSC.36(63) – (1994 HSC Code) 13 - IMO Res. MSC.36(63) – (1994 HSC Code) 13 - IMO Res. MSC.97(73) – (2000 HSC Code) 13 - IMO Res. MSC.302(87) - IMO Res. MSC191(79) - IEC 60945 (2002) incl. IEC 60945 Corr.1 (2008) - IEC 61023 (2007) - IEC 61162 series - IEC 62288 Ed. 2.0 (2014 – 07) 	UK/4.7	<ul style="list-style-type: none"> - USCG 165.105 - NVIC 8-01, CHANGE 3
Rate-of-turn indicator	<ul style="list-style-type: none"> - IMO Res. A.526(13) - IMO Res. A.694(17) - IMO MSC.36(63)-(1994 HSC Code) 13 - IMO Res. MSC.97(73)- (2000 HSC Code) 13 	UK/4.9	<ul style="list-style-type: none"> - USCG 165.106 - NVIC 8- 01, CHANGE 3

	<ul style="list-style-type: none"> - IMO Res.MSC.191(79) - IMO Res.MSC.302(87) - IEC 60945 (2002) incl. IEC 60945 Corr.1 (2008) - IEC 61162 series - ISO 20672 (2007) including Corr. 1 (2008) - IEC 62288 Ed. 2.0 (2014- 07) 		
Loran-C equipment	Deliberately left blank.		
Chayka equipment	Deliberately left blank.		
GPS equipment	<ul style="list-style-type: none"> - IMO Res. A.694(17) - IMO Res. MSC.36(63)-(1994 HSC Code) 13 - IMO Res. MSC.97(73)- (2000 HSC Code) 13 - IMO Res. MSC.112(73) - IMO Res. MSC.191(79) - IMO Res.MSC.302(87) - IEC 60945 (2002) incl. IEC 60945 Corr.1 (2008) - IEC 61108- 1 Ed.2.0 (2003) - IEC 61162 series - IEC 62288 Ed. 2.0 (2014- 07) 	UK/4.14	<ul style="list-style-type: none"> - USCG 165.130 - NVIC 8-01, CHANGE 3
GLONASS equipment	<ul style="list-style-type: none"> - IMO Res. A.694(17) - IMO Res. MSC.36(63)- (1994 HSC Code) 13 - IMO Res. MSC.97(73)- (2000 HSC Code) 13 - IMO Res. MSC.113(73) - IMO Res. MSC.191(79) - IMO Res.MSC.302(87) - IEC 60945 (2002) incl. IEC 60945 Corr.1 (2008) - IEC 61108-2 (1998) 	UK/4.15	<ul style="list-style-type: none"> - USCG 165.131 - NVIC 8-01, CHANGE 3

	<ul style="list-style-type: none"> - IEC 61162 series - IEC 62288 Ed. 2.0 (2014- 07) 		
Heading control system (HCS)	<ul style="list-style-type: none"> - IMO Res. A.342(IX) - IMO Res. A.694(17) - IMO Res. MSC.191(79) - IMO Res.MSC.64(67) Annex 3 - IMO Res.MSC.302(87) - IEC 60945 (2002) incl. IEC 60945 Corr.1 (2008) - IEC 61162 series, - IEC 62288 Ed. 2.0 (2014- 07) - ISO 11674 (2006) 	UK/4.16	<ul style="list-style-type: none"> - USCG 165.110 - NVIC 8- 01, CHANGE 3
Rudder Angle Indicator	<ul style="list-style-type: none"> - IMO Res.A.694(17) - IMO Res.MSC.36(63)- (1994 HSC Code) 13 - IMO Res.MSC.97(73)- (2000 HSC Code) 13 - IMO Res.MSC.191(79) - IMO Res.MSC.302(87) - IEC 60945 (2002) incl. IEC 60945 Corr.1 (2008) - IEC 61162 Series - IEC 62288 Ed 2.0(2014- 07) ISO 20673:2007 	UK/4.20	<ul style="list-style-type: none"> - USCG 165.167 - NVIC 8-01, CHANGE 3
Propeller revolution indicator	<ul style="list-style-type: none"> - IMO Res.A.694(17) - IMO Res.MSC.36(63)- (1994 HSC Code) 13 - IMO Res.MSC.97(73)- (2000 HSC Code) 13 - IMO Res.191(79) - IMO Res.MSC.302(87) - IEC 60945 (2002) incl. IEC 60945 Corr.1 (2008) - IEC 61162 Series - IEC 62288 Ed 2.0(2014- 07) - ISO 22554:2015 	UK/4.21	<ul style="list-style-type: none"> - USCG 165.168 - NVIC 8- 01, CHANGE 3

<p>Pitch Indicator</p>	<ul style="list-style-type: none"> - IMO Res.A.694(17) - IMO Res.MSC.36(63)- (1994 HSC Code) 13 - IMO Res.MSC.97(73)- (2000 HSC Code) 13 - IMO Res.191(79) - IMO Res.MSC.302(87) - IEC 60945 (2002) incl. IEC 60945 Corr.1 (2008) - IEC 61162 Series - IEC 62288 Ed 2.0(2014- 07) ISO 22555:2007 	<p>UK/4.22</p>	<ul style="list-style-type: none"> - USCG 165.169 - NVIC 8-01, CHANGE 3
<p>Radar equipment CAT 1</p> <p>(Radar equipment used with ARPA must have separate EU and USA certifications)</p>	<ul style="list-style-type: none"> - IMO Res. A.278(VIII) - IMO Res. A.694(17), - IMO Res. MSC.191(79) - IMO Res. MSC.192(79) - IMO Res.MSC.302(87) - ITU- R M. 1177-4(04/11) - IEC 60945 (2002) incl. IEC 60945 Corr.1 (2008) - IEC 61162 Series - IEC 62288 Ed. 2.0 (2014-07) IEC 62388 Ed. 2.0 (2013- 06) 	<p>UK/4.34</p>	<ul style="list-style-type: none"> - USCG 165.115 - NVIC 8- 01, CHANGE 3 - 47 CFR 80 - 47 CFR 02.100 Subpart B <p>Note: USCG 165.120 has been changed to 165.115 to reflect changes required by MSC.192(79). Certificates previously issued remain valid for existing equipment.</p>
<p>Radar equipment CAT 2</p> <p>(Radar equipment used with ATA must have separate EU and USA certifications)</p>	<ul style="list-style-type: none"> - IMO Res. A.278(VIII) - IMO Res. A.694(17) - IMO Res. MSC.191(79) - IMO Res. MSC.192(79) - IMO Res.MSC.302(87) - ITU- R M. 1177- 4(04/11) - IEC 60945 (2002) incl. IEC 60945 Corr.1 (2008) - IEC 61162 Series - IEC 62288 Ed. 2.0 (2014-07) 	<p>UK/4.35</p>	<ul style="list-style-type: none"> - USCG 165.115 - NVIC 8-01, CHANGE 3 - 47 CFR 80 - 47 CFR 02.100 Subpart B <p>Note: USCG 165.111 has been changed to 165.116 to reflect changes required by MSC.192(79).</p>

	- IEC 62388 Ed. 2.0 (2013- 06)		Certificates previously issued remain valid for existing equipment.
Radar equipment CAT 3 (Radar equipment used with EPA must have separate EU and USA certifications)	- IMO Res. A.278(VIII) - IMO Res. A.694(17) - IMO Res. MSC.191(79) - IMO Res. MSC.192(79) - IMO Res.MSC.302(87) - ITU- R M. 1177- 4(04/11) - IEC 60945 (2002) incl. IEC 60945 Corr.1 (2008) - IEC 61162 Series - IEC 62288 Ed. 2.0 (2014-07) - IEC 62388 Ed. 2.0 (2013- 06)	UK/4.36	- USCG 165.117 - NVIC 8- 01, CHANGE 3 - 47 CFR 80 - 47 CFR 02.100 Subpart B Note: USCG 165.121 has been changed to 165.117 to reflect changes required by MSC.192(79). Certificates previously issued remain valid for existing equipment.
Integrated bridge system	Item deliberately left blank.		
Voyage data recorder (VDR)	- IMO Res. A.694 (17) - IMO Res.MSC.36(63)- (1994 HSC Code) 13 - IMO Res. MSC.97(73)- (2000 HSC Code) 13 - IMO Res. MSC.191(79) - IMO Res.MSC.302(87) - IMO Res. MSC.333(90) - IEC 60945 (2002) incl. IEC 60945 Corr.1 (2008) - IEC 61162 Series - IEC 61996- 1 Ed.2.0 (2013- 05) incl. IEC 61996- 1 Corr.1 (2014) - IEC 62288 Ed. 2.0 (2014- 07)	UK/4.29	- USCG 165.150 - NVIC 8- 01, CHANGE 3

<p>Electronic chart display and information system (ECDIS) with backup, and raster chart display system (RCDS)</p>	<ul style="list-style-type: none"> - IMO Res.A.694(17) - IMO Res.MSC.36(63)-(1994 HSC Code) 13 - IMO Res.MSC.97(73)- (2000 HSC Code) 13 - IMO Res.MSC.191(79) - IMO Res.MSC.232(82) - IMO Res.MSC.302(87) - IMO MSC.1/Circ.1503. Rev.1 - IEC 60945 (2002) incl. IEC 60945 Corr.1 (2008) - IEC 61162 Series - IEC 61174 Ed. 4.0 (2015) - IEC 62288 Ed. 2.0 (2014) <p>[ECDIS back- up and RCDS are only applicable when this functionality is included in the ECDIS. The module B certificate shall indicate whether these options were tested]</p>	<p>UK/4.30</p>	<ul style="list-style-type: none"> - USCG 165.123 - USCG 165.124 - NVIC 8- 01, CHANGE 3
<p>Gyro compass for high-speed craft</p>	<ul style="list-style-type: none"> - IMO Res. A.694(17) - IMO Res. A.821(19) - IMO Res. MSC.36(63)-(1994 HSC Code) 13 - IMO Res. MSC.97(73)- (2000 HSC Code) 13 - IMO Res. MSC.191(79) - IMO Res.MSC.302(87) - IMO MSC.1/Circ. 1349 - ISO 16328 (2014) - IEC 60945 (2002) incl. IEC 60945 Corr.1 (2008) - IEC 61162 Series - IEC 62288 Ed. 2.0 (2014- 07) 	<p>UK/4.31</p>	<ul style="list-style-type: none"> - USCG 165.203 - NVIC 8- 01, CHANGE 3
<p>Universal automatic</p>	<ul style="list-style-type: none"> - IMO Res. A.694 (17) 	<p>UK/4.32</p>	<ul style="list-style-type: none"> - USCG 165.155 - NVIC 8- 01,

<p>identification system equipment (AIS)</p>	<ul style="list-style-type: none"> - IMO Res. MSC.36(63)- (1994 HSC Code) 13 - IMO Res. MSC.74(69) - IMO Res. MSC.97(73)-(2000 HSC Code) 13 - IMO Res.MSC.191(79) - ITU- R M. 1371- 5(2014) - IEC 60945 (2002) incl. IEC 60945 Corr.1 (2008) - IEC 61162 Series - IEC 61993-2(2012) IEC 62288 Ed. 2.0 (2014- 07) 		<p>CHANGE 3 ITU- R M. 1371-3</p>
<p>Track control system (working at ship's speed from minimum manoeuvring speed up to 30 knots)</p>	<ul style="list-style-type: none"> - IMO Res. A.694(17) - IMO Res.MSC.74(69) - IMO Res.MSC.191(79) - IMO Res.MSC.302(87) - IEC 60945 (2002) incl. IEC 60945 Corr.1 (2008) - IEC 61162 Series - IEC 62065 Ed.2.0 (2014-02) - IEC 62288 Ed. 2.0 (2014- 07) 	<p>UK/4.33</p>	<ul style="list-style-type: none"> - USCG 165.112 - NVIC 8-01, CHANGE 3
<p>Radar equipment for high speed craft applications (CAT 1H and CAT 2H)</p>	<ul style="list-style-type: none"> - IMO Res.A.278(VIII) - IMO Res.A.694(17) - IMO Res.MSC.36(63)- (1994 HSC Code) 13 - IMO Res.MSC.97(73)- (2000 HSC Code) 13 - IMO Res.MSC.191(79) - IMO Res.MSC.192(79) - IMO Res.MSC.302(87) - MSC.1/Circ.1349 - ITU- R M.1177- 4 (04/11) - IEC 60945 (2002) incl. IEC 60945 Corr. 1 (2008) - IEC 61162 Series - IEC 62288 Ed.2.0(2014- 07) IEC 62388 Ed. 2.0(2013- 06) 	<p>UK/4.37</p>	<ul style="list-style-type: none"> - USCG 165.216 - USCG 165.217 - NVIC 8- 01, CHANGE 3

Radar reflector passive type	<ul style="list-style-type: none"> - IMO Res. MSC.36(63)- (1994 HSC Code) 13 - IMO Res. MSC.97(73)- (2000 HSC Code) 13 - IMO Res.MSC.164(78) - ISO 8729- 1 (2010) IEC 60945 (2002) incl. IEC 60945 Corr.1 (2008) 	UK/4.39	<ul style="list-style-type: none"> - USCG 165.160 - NVIC 8- 01, CHANGE 3
Heading control system for high speed craft	<ul style="list-style-type: none"> - IMO Res.A.694(17) - IMO Res.A.822(19), - IMO Res.MSC.36(63)-(1994 HSC Code) 13 - IMO Res. MSC.97(73)- (2000 HSC Code) 13 - IMO Res.MSC.191(79) - IMO Res.MSC.302(87) - MSC.1/Circ.1349 - ISO 16329 (2003) - IEC 60945 (2002) incl. IEC 60945 Corr.1 (2008) - IEC 61162 series - IEC 62288 Ed. 2.0 (2014- 07) 	UK/4.40	<ul style="list-style-type: none"> - USCG 165.210 - NVIC 8- 01, CHANGE 3
Transmitting heading device THD (GNSS method)	<ul style="list-style-type: none"> - IMO Res.A.694(17) - IMO Res.MSC.36(63)- (1994 HSC Code) 13 - IMO Res.MSC.97(73)- (2000 HSC Code) 13 - IMO Res.MSC.116(73) - IMO Res.MSC.191(79) - IMO Res.MSC.302(87) - ISO 22090-3:2014 - IEC 60945 (2002) incl. IEC 60945 Corr. 1 (2008) - IEC 61162 Series IEC 62288 Ed.2.0(2014- 07) 	UK/4.41	- USCG 165.102

Searchlight for high speed craft	<ul style="list-style-type: none"> - IMO Res.A.694(17) - IMO Res.MSC.36(63)- (1994 HSC Code) 13 - IMO Res.MSC.97(73)- (2000 HSC Code) 13 - ISO 17884:2004 - IEC 60945 (2002) incl. IEC 60945 Corr. 1 (2008) 	UK/4.42	<ul style="list-style-type: none"> - USCG 165.252 - NVIC 8- 01, CHANGE 3
Night vision equipment for high speed craft	<ul style="list-style-type: none"> - IMO Res.A.694(17) - IMO Res. MSC.36(63)- (1994 HSC Code) 13 - IMO Res. MSC.94(72) - IMO Res. MSC.97(73)-(2000 HSC Code) 13 - IMO Res. MSC.191(79) - ISO 16273 (2003) - IEC 60945 (2002) incl. IEC 60945 Corr. 1 (2008) IEC 62288 Ed. 2.0 (2014- 07) 	UK/4.43	<ul style="list-style-type: none"> - USCG 165.251 - NVIC 8- 01, CHANGE 3 - ISO 60447 - ISO / IEC 9126
Transmitting heading device THD (Gyroscopic method)	<ul style="list-style-type: none"> - IMO Res.A.694(17) - IMO Res.MSC.36(63)-(1994 HSC Code) 13 - IMO Res.MSC.97(73)- (2000 HSC Code) 13 - IMO Res.MSC.116(73) - IMO Res.MSC.191(79) - IMO Res.MSC.302(87) - ISO 22090- 1:2014 - IEC 60945 (2002) incl. IEC 60945 Corr. 1 (2008) - IEC 61162 Series IEC 62288 Ed.2.0(2014- 07) 	UK/4.46	- USCG 165.102
Simplified Voyage data recorder (S-VDR)	<ul style="list-style-type: none"> - IMO Res. A.694(17) - IMO Res. MSC.163(78) - IMO Res. MSC.191(79) - IMO Res.MSC.302(87) 	UK/4.47	<ul style="list-style-type: none"> - USCG 165.151 - NVIC 8-01, CHANGE 3

	<ul style="list-style-type: none"> - IEC 60945 (2002) incl. IEC 60945 Corr. 1 (2008) - IEC 61162 Series - IEC 61996-2(2007) IEC 62288 Ed. 2.0(2014- 07) 		
DGPS Equipment	<ul style="list-style-type: none"> - IMO Res.A.694(17) - IMO Res.MSC.36(63)-(1994 HSC Code) 13 - IMO Res.MSC.97(73)- (2000 HSC Code) 13 - IMO Res.MSC.112(73) - IMO Res.MSC.114(73) - IMO Res.MSC.191(79) - IMO Res.MSC.302(87) - IEC 60945 (2002) incl. IEC 60945 Corr. 1 (2008) - IEC 61108-1 (2003) - IEC 61108-4 (2004) - IEC 61162 Series IEC 62288 Ed.2.0 (2014- 07) 	UK/4.50	<ul style="list-style-type: none"> - USCG 165.132 - NVIC 08- 01 CHANGE 3
DGLONASS Equipment	<ul style="list-style-type: none"> - IMO Res.A.694(17) - IMO Res.MSC.36(63)- (1994 HSC Code) 13 - IMO Res.MSC.97(73)- (2000 HSC Code) 13 - IMO Res.MSC.113(73) - IMO Res.MSC.114(73) - IMO Res.MSC.191(79) - IMO Res.MSC.302(87) - IEC 60945 (2002) incl. IEC 60945 Corr. 1 (2008) - IEC 61108-2 Ed.1.0 (1998) - IEC 61108-4 (2004) - IEC 61162 Series IEC 62288 Ed.2.0(2014- 07) 	UK/4.51	<ul style="list-style-type: none"> - USCG 165.133 - NVIC 08- 01 CHANGE 3
Daylight signalling lamp	<ul style="list-style-type: none"> - IMO Res.A.694(17) - IMO Res.MSC.36(63)-(1994 HSC Code) 	UK/4.52	<ul style="list-style-type: none"> - USCG 165.166 - NVIC 08- 01 CHANGE 3

	<ul style="list-style-type: none"> - IMO Res.MSC.95(72) - IMO Res.MSC.97(73)-(2000 HSC Code) - IEC 60945 (2002) incl. IEC 60945 Corr. 1 (2008) ISO 25861:2007 		
<p>Bridge Navigational Watch Alarm System (BNWAS)</p>	<ul style="list-style-type: none"> - IMO Res.A.694(17) - IMO Res.MSC.128(75) - IMO Res.MSC.191(79) - IMO Res.MSC.302(87) - MSC.1/Circ.1474 - IEC 60945 (2002) incl. IEC 60945 Corr. 1 (2008) - IEC 61162 Series - IEC 62288 Ed.2.0(2014- 07) IEC 62616(2010) incl. IEC 62616 Corr. 1 (2012) 	UK/4.57	<ul style="list-style-type: none"> - USCG 165.142 - NVIC 08- 01, CHANGE 3
<p>Sound reception system</p>	<ul style="list-style-type: none"> - IMO Res.A.694(17) - IMO Res.MSC.36(63)-(1994 HSC Code) - IMORes.MSC.86(70) - IMO Res.MSC.97(73)- (2000 HSC Code) - IMO Res.MSC.191(79) - IMO Res.MSC.302(87) - IEC 60945 (2002) incl. IEC 60945 Corr. 1 (2008) - IEC 61162 Series - IEC 62288 Ed.2.0 (2014- 07) ISO 14859:2012 	UK/4.58	<ul style="list-style-type: none"> - USCG 165.165 - NVIC 8- 01 CHANGE 3