Innovative Research Call 2023 for Explosives and Weapons Detection









Innovative Research Call 2023 for Explosives and Weapons Detection

Goods







Contents

- Goods scenarios definitions (2 slides)
- Threat Items (1 slide)
- General considerations (1 slide)
- Scenario 1 Large vehicle (5 slides)
- Scenario 2 Pallet sized goods (6 slides)
- Scenario 3 Fast throughput (6 slides)







Goods Scenarios

- Screening for a threat item within:
 - Scenario 1: Large vehicle loaded with variable sized consignments
 - Scenario 2: Pallet sized bulk goods

Scenario 3: Fast throughput, small volume

consignments













Goods Scenarios

- Screening for a threat item when:
 - Crossing a border
 - Entering a restricted area
 - Being delivered or sorted
- Border includes:
 - Airports
 - Eurotunnel/Rail Freight
 - Maritime (containers/Ferries)
 - Postal










Threat Items

- Improvised Explosive Devices
- Explosives Precursors
- Weapons
- Undeclared Dangerous Goods (secondary)













General Considerations

- Complex consignments
 - Complex metal and organic clutter
 - Dense contents
- Respond to new threat materials/concealments
 - Concealment in (or as) a legitimate object
- Maintain communications
 - Provide all information on detection (what, where) for resolution search







Scenario 1 – Large Goods Vehicle
















Scenario 1 – Current Capability















Scenario 1 – Capability required

- Screening a whole consignment without removal from delivery vehicle (if quicker than unloading)
- Faster screening of vehicle load areas
- Screening of densely-loaded vehicles or pallets without breaking them down into smaller parts
- Less reliance on human interpretation or intervention
- Maintaining any vehicle security seals







Scenario 1 – Large Goods Vehicle

- Vehicle type
 - Shipping Containers, Flat bed Lorry, Curtain-sided trailer
- Goods type
 - Unlimited variation
- Screening time
 - Entry checkpoint less than 2 minutes
 - Delivery of stores up to 10 minutes per vehicle







Scenario 1 – Large Goods Vehicle

- High probability of detection required
 - High assurance
 - Location and what.
 - A solution requiring multiple search techniques could be proposed
- Acceptable false alarm rate
 - As low as possible
 - A higher rate may be acceptable if alternative resolution techniques are available







Scenario 2 – Palletised goods















Scenario 2 – Current capability

















Scenario 2 – Capability required

- Faster screening of consignments
- Ability to screen dense and/or thick goods
- Ability to screen small areas of high-density in a larger consignment
- Less reliance on human interpretation
- Reduce false-positives and the need to open boxes
- Screen consignments without further breaking down
- Health and safety and insurance considerations (desire to avoid opening)







Scenario 2 – Pallet goods

- Container
 - Typical maximum 1m x 1m x 1.5 m
 - Cardboard boxes, wooden boxes, plastic flight cases, metal barrels, plastic wrapping etc.
- Goods type
 - Highly variable
 - Liquid barrels, combined household goods, machine parts, food deliveries, chilled containers etc.







Scenario 2 – Pallet goods

- Screening time
 - 5 minutes per consignment including any load, unload and positioning.
 - Faster is better
- Probability of Detection
 - High assurance needed before accepting the consignment as cleared
 - Additional resolution techniques could be employed as part of a system







Scenario 2 – Pallet goods

- Acceptable false alarm rate
 - The proposed solution should result in less than 10% of non threat consignments as suspect.
- Resolution of suspect consignments
 - A low percentage (maximum 10%) could be held for a longer period of time to conduct more in depth investigations.
 - A resolution technique could be proposed as part of the solution but is not necessary







Innovative Research Call 2023 for Explosives and Weapons Detection















Innovative Research Call 2023 for Explosives and Weapons Detection

Scenario 3 - Current capability















Scenario 3 - Capability required

- Very fast screening of consignments required
- Screening can be slower if you can pre-screen and select for longer interrogation
- Less reliance on human interpretation
- Less reliance on imaging techniques
- Low false positive rate
- Not opening consignments is desirable







- Packaging
 - From a letter to 1m x 1m
 - Cardboard boxes, plastic wrappings, jiffy bags, etc.
- Goods type
 - Large variety of contents
 - Typically less dense contents than other scenarios, but not always







- Screening time
 - 5s maximum, less than 1s preferred
 - Non-cleared packages to be identified and resolved by a parallel procedure to allow continuous screening
- Probability of Detection
 - High assurance needed before entering a secure building or mode of transport
 - Additional resolution techniques could be employed as part of a system







- Acceptable false alarm rate
 - The proposed solution should result in less than 1% of non threat consignments as suspect.
- Resolution of suspect consignments
 - A low percentage (maximum 1%) could be held for a longer period of time to conduct more in depth investigations.
 - A resolution technique could be proposed as part of the solution but is not necessary







General Constraints

- Footprint of screening equipment
 - Often defined by existing layout and processes
 - Throughput linked to space constraints and the operating environment
 - If integrating into a process, speed must not be a detrement.
- Cost and staffing
 - Technology should not increase staff requirement
 - Energy and maintenance costs will be considered
 - Equipment should be useable by "non-experts"







Final Considerations

- Goods are very diverse
- A solution that applies to only a small proportion of the problem may be acceptable
- Very high up-front cost is difficult to justify unless the process will deliver a major increase in throughput or capability







Innovative Research Call 2023 for Explosives and Weapons Detection

Questions for panel







