

<p>DEFENCE INFRASTRUCTURE ORGANISATION</p>	<p>TECHNICAL ADVISORY SECTION (ROYAL ENGINEERS) (TAS (RE))</p> <p>Headquarters Defence Training Estate Blenheim Hall Land Warfare Centre, Warminster, Wiltshire BA12 0DJ</p> <p>Tel: 01985 222434</p> <p>FAX : 2259</p> <p>Email: DE Ops DTE-HQEstDel8a frank.compton251@mod.uk</p>	
---	---	---

RANGE ADVICE NOTE 4/12

See Distribution

Reference :

Our reference: 28-14-01

A. JSP 403 Vol.2

Date

12 Nov 2012

USE OF COMBAT SHOTGUN ON FIXED RANGES

1. Following questions on this topic it is clear there is a need to clarify the use of combat shotgun on fixed ranges. The current WDA for combat shotgun is set out in Reference A Figure 19-2. However the combat shotgun WDA has no closing angle at the top of the template. To overcome this problem two new WDA Figures will be added to Chapter 19 and reference to shotgun in the Table at Figure 19-2 will be removed.
2. Advance copy of two new Figures for Reference A showing the WDA for combat shotgun slug and shot are attached to the email. For ease of construction these WDA may be curved or straight at the top.
3. Combat shotgun may be used on fixed ranges where provision for the WDA can be applied. This in most cases will impose restrictions on adjacent facilities. The following amendment will be made to JSP 403 Vol.2 at the next change;

Para 1508b – Combat shotgun (slug and buckshot) may be fired ***on GR where the WDA can be applied*** at targets.....




F S Compton
OC TAS (RE)

Distribution:

Information:
Sec DLRSC for RSIT
DTE Dep Comd
LTAR
DTOs

Not to Scale
Not to be Copied

Reference:
Inf Trg PAM




ADH is 1800 ft (650 m)

Figure 19-6 WDA Template for Combat Shotgun (Slug)

Not to Scale
Not to be Copied

Reference:
Inf Trg PAM



ADH is 500 ft on constructed ranges QE < 150 mils
ADH is 1500 ft on LFTTA.

Figure 19-7 WDA Template for Combat Shotgun (buck shot)