

Essence of Care 2010

Benchmarks for Self Care



Document Purpose	Best Practice Guidance
ROCR Ref:	Gateway Ref: 14641
Title	ESSENCE OF CARE 2010
Author	DEPARTMENT OF HEALTH
Publication Date	1ST OCTOBER 2010
Target Audience	PCT CEs, NHS Trust CEs, Care Trust CEs, Foundation Trust CEs , Directors of Nursing, Local Authority CEs, Directors of Adult SSs, PCT PEC Chairs, Special HA CEs, Allied Health Professionals, GPs, Communications Leads, Emergency Care Leads, Directors of Children's SSs, Universities UK, RCN, RCM, AHPF, SHA Lead Nurses, SHA AHP Leads, Patient Organisations
Circulation List	PCT CEs, NHS Trust CEs, Care Trust CEs, Foundation Trust CEs , Directors of Nursing, Local Authority CEs, Directors of Adult SSs, PCT PEC Chairs, Special HA CEs, Allied Health Professionals, GPs, Communications Leads, Emergency Care Leads, Directors of Children's SSs, Voluntary Organisations/NDPBs, Universities UK, RCN, RCM, AHPF, SHA Lead Nurses, SHA AHP Leads, Patient Organisations
Description	Essence of Care 2010 includes all the benchmarks developed since it was first launched in 2001, including the latest on the Prevention and Management of Pain. All the benchmarks have been reviewed to reflect the current views of people requiring care, carers and staff
Cross Ref	Essence of Care 2001, Communication, Promoting Health and Care Environment
Superseded Docs	Essence of Care 2001 Gateway No. 4656 and 8489
Action Required	N/A
Timing	N/A
Contact Details	Gerry Bolger CNO Directorarte - PLT 5E58, Quarry House Quarry Hill, Leeds LS2 7UE 01132546056 www.dh.gov.uk
For Recipient's Use	

Essence of Care 2010

BENCHMARKS FOR THE FUNDAMENTAL ASPECTS OF CARE

Benchmarks for Self Care



Published by TSO (The Stationery Office) and available from:

Online

www.tsoshop.co.uk

Mail, Telephone, Fax & E-mail

TSO

PO Box 29, Norwich, NR3 1GN

Telephone orders/General enquiries: 0870 600 5522

Fax orders: 0870 600 5533

E-mail: customer.services@tso.co.uk

Textphone 0870 240 3701

TSO@Blackwell and other Accredited Agents

Customers can also order publications from:

TSO Ireland

16 Arthur Street, Belfast BT1 4GD

Tel 028 9023 8451 Fax 028 9023 5401

Published with the permission of the Department of Health on behalf of the Controller of Her Majesty's Stationery Office.

© Crown Copyright 2010

All rights reserved.

Copyright in the typographical arrangement and design is vested in the Crown. Applications for reproduction should be made in writing to the Office of Public Sector Information, Information Policy Team, Kew, Richmond, Surrey, TW9 4DU.

First published 2010

ISBN 978 0 11 322884 3

Printed in the United Kingdom for The Stationery Office.

J002352902 cXX 09/10

Contents

Best Practice – General Indicators	4
Factor 1 Choice	9
Factor 2 Assessment, planning, implementation, evaluation and revision of care	10
Factor 3 Risk	12
Factor 4 Knowledge and skills	13
Factor 5 Partnership	15
Factor 6 Access to services and resources	16
Factor 7 Environment	18

Best Practice – General Indicators

The factors and indicators for each set of benchmarks focus on the specific needs, wants and preferences of *people* and carers. However, there are a number of general issues¹ that must be considered with every factor.

These are:

People's experience

- *People* feel that care is delivered at all times with compassion and empathy in a respectful and non-judgemental way
- The best interests of *people* are maintained throughout the assessment, planning, implementation, evaluation and revision of care and development of services
- A system for continuous improvement of quality of care is in place

Diversity and individual needs

- Ethnicity, religion, belief, culture, language, age, gender, physical, sensory, sexual orientation, developmental, mental health, social and environmental needs are taken into account when diagnosing a health or social condition, assessing, planning, implementing, evaluating and revising care and providing equality of access to services

Effectiveness

- The effectiveness of practice and care is continuously monitored and improved as appropriate
- Practice and care are evidence-based, underpinned by research and supported by practice development

Consent and confidentiality

- Explicit or expressed valid consent is obtained and recorded prior to sharing information or providing treatment or care

1 Also see Department of Health (2010) NHS Constitution The NHS belongs to us all. Department of Health: London accessed 07 May 2010 at http://www.dh.gov.uk/prod_consum_dh/groups/dh_digitalassets/@dh/@en/@ps/documents/digitalasset/dh_113645.pdf

- *People's* best interests are maintained where they lack the capacity to make particular decisions.²
- Confidentiality is maintained by all staff members

People, carer and community members' participation

- *People*, carers' and community members' views and choices underpin the development, planning implementation, evaluation and revision of personalised care and services and their input is acted upon
- Strategies are used to involve *people* and carers from isolated or hard to reach communities

Leadership

- Effective leadership is in place throughout the organisation

Education and training

- Staff are competent to assess, plan, implement, evaluate and revise care according to all *people's* and carers' individual needs
- Education and training are available and accessed to develop the required competencies of all those delivering care
- *People* and carers are provided with the knowledge, skills and support to best manage care

Documentation

- Care records are clear, maintained according to relevant guidance and subject to appropriate scrutiny
- Evidence-based policies, procedures, protocols and guidelines for care are up-to-date, clear and utilised

Service delivery

- Co-ordinated, consistent and accessible services exist between health and social care organisations that work in partnership with other relevant agencies

2 Mental Capacity Act 2005 accessed 25 November 2008 at <http://www.legislation.gov.uk/ukpga/2005/9/contents>

- Care is integrated with clear and effective communication between organisations, agencies, staff, *people* and carers
- Resources required to deliver care are available

Safety

- Safety and security of *people*, carers and staff is maintained at all times

Safeguarding

- Robust, integrated systems are in place to identify and respond to abuse, harm and neglect³
- All agencies working with babies, children and young *people* and their families take all reasonable measures to ensure that the risks of harm to babies, children's and young *people's* welfare are minimised.⁴

3 Department of Health (2010) Clinical Governance and Adult Safeguarding – An Integrated Approach Department of Health: London accessed 30 May 2010 at http://www.dh.gov.uk/prod_consum_dh/groups/dh.digitalassets/@dh/@en/@ps/documents/digitalasset/dh_112341.pdf

4 Department of Health (2006) Safeguarding Children. A Summary of the Joint Chief Inspector's Report on Arrangements to Safeguard Children Department of Health: London accessed 30 May 2010 at http://www.dh.gov.uk/en/Publicationsandstatistics/Publications/PublicationsPolicyAndGuidance/DH_4103428

Benchmarks for Self Care

Agreed person-focused outcome

People have control over their care

Definitions

For the purpose of these benchmarks, '**self care**' (or **people caring for themselves**) is:

the choices people make and the actions people take on their own behalf in the interest of maintaining their health and well-being.

People can care for themselves in various ways including managing their:

- health (lifestyle)
- health status information (monitoring and diagnosis)
- care choices (decisions)
- illness (treatment, care and rehabilitation).

For simplicity, **people requiring care** is shortened to *people* (in italics) or omitted from most of the body of the text. **People** includes babies, children, young people under the age of 18 years and adults. **Carers** (for example, members of families and friends) are included as appropriate.

The term **carers** refers to those who 'look after family, partners or friends in need of help because they are ill, frail or have a disability. The care they provide is unpaid' (adapted from Carers UK, 2008). Please note, within these benchmarks it is acknowledged that the term 'carer' can include children and young people aged under 18 years.

The term **staff** refers to any employee, or paid and unpaid worker (for example, a volunteer), who has an agreement to work in that setting and is involved in promoting well-being.

The **care environment** is defined as an area where care takes place. For example, this could be a building or a vehicle.

The **personal environment** is defined as the immediate area in which a person receives care. For example, this can be a person's home, a consulting room, hospital bed space, prison, or any treatment/clinic area.

Agreed person-focused outcome

People have control over their care

Factor	Best practice
1. Choice	<i>People</i> are enabled to make informed choices about caring for themselves and those choices are respected
2. Assessment, planning, implementation, evaluation and revision of care	<i>People's</i> ability to care for themselves is continuously assessed, planned, implemented, evaluated and reviewed to meet their needs
3. Risk	<i>People's</i> care is continuously assessed for risk of harm to themselves and their carers, and is revised to meet their needs
4. Knowledge and skills	<i>People</i> and carers have the knowledge and skills to manage relevant aspects of <i>people's</i> care
5. Partnership	<i>People</i> , carers, staff and/organisations work in partnership to meet care needs
6. Access to services and resources	<i>People</i> and carers can access services and resources to enable them to manage relevant aspects of care
7. Environment	<i>People's</i> environment promotes their ability to care responsibly for themselves

Factor 1

Choice

Please note that this benchmark must be used in conjunction with the *How to use Essence of Care 2010* document

POOR PRACTICE

People are not given a choice on how their care is delivered

BEST PRACTICE

People are enabled to make informed choices about caring for themselves and those choices are respected

Indicators of best practice for factor 1

The following indicators support best practice for caring for themselves:

- a. *general indicators (see page 4) are considered in relation to this factor*
- b. *people* are informed of all options of how care can be delivered, including what care can be provided and what care they can undertake themselves
- c. *people's* options of care delivery are discussed and their choices and preferences obtained, respected and met (where appropriate)
- d. options of care delivery are discussed with carers as appropriate, and their choices and preferences obtained, respected and met (where appropriate)
- e. consistent information is provided by staff
- f. evaluation and revision of care continues to reflect *people's* choices
- g. *add your local indicators here*

Factor 2

Assessment, planning, implementation, evaluation and revision of care

Please note that this benchmark must be used in conjunction with the *How to use Essence of Care 2010* document

POOR PRACTICE

People's ability to care for themselves is not assessed and there is no care plan

BEST PRACTICE

People's ability to care for themselves is continuously assessed, planned, implemented, evaluated and reviewed to meet their needs

Indicators of best practice for factor 2

The following indicators support best practice for caring for themselves:

- a. *general indicators (see page 4) are considered in relation to this factor*
- b. *assessment is undertaken which includes ongoing review and documentation of people's ability to care for themselves*
- c. *assessment is undertaken which includes ongoing review and documentation of the carers' ability to support people caring for themselves*
- d. *staff are competent to assess people's ability and confidence to care for themselves and the carers' ability and confidence to support people*
- e. *assessment informs, and is reflected, in care*

- f. *people's* views are sought and used to inform self-care assessment, planning, implementation and evaluation
- g. care plans are agreed with *people* and carers, and these are used and evaluated
- h. *people* and carers participate as partners in planning and evaluating services
- i. relevant staff, services and agencies are involved in assessing, planning and delivering and evaluating care
- j. *people's* satisfaction is assessed and any complaints or problems addressed in a timely manner
- k. *add your local indicators here*

Factor 3

Risk

Please note that this benchmark must be used in conjunction with the *How to use Essence of Care 2010* document

POOR PRACTICE

There is no assessment of the risk of harm to people caring for themselves, and their carers

BEST PRACTICE

People's care is continuously assessed for risk of harm to themselves and their carers, and is revised to meet their needs

Indicators of best practice for factor 3

The following indicators support best practice for caring for themselves:

- a. *general indicators (see page 4) are considered in relation to this factor*
- b. a current evidence-based tool that incorporates all key risk factors is utilised to assess risk of harm
- c. risk is assessed and reassessed within an appropriate time frame
- d. *people's* and carers' acceptance of risk of harm is documented
- e. education and training concerning risk assessment and acceptability, and special care needs is provided to *people*, carers and staff
- f. risks, incidents, complaints and concerns are recorded, monitored, analysed and results are shared and used to improve care
- g. risk assessment data is used to inform care plans
- h. *add your local indicators here*

Factor 4

Knowledge and skills

Please note that this benchmark must be used in conjunction with the *How to use Essence of Care 2010* document

POOR PRACTICE

People and carers do not have the knowledge and skills to manage self-care

BEST PRACTICE

People and carers have the knowledge and skills to manage relevant aspects of *people's* care

Indicators of best practice for factor 4

The following indicators support best practice for caring for themselves:

- a. *general indicators* (see page 4) are considered in relation to this factor
- b. *people's* and carers knowledge and skills are assessed
- c. education and training needs of *people* and carers are assessed and learning outcomes are identified, agreed and met
- d. education and training are available for *people* and carers to enable them to manage and deliver relevant aspects of self care
- e. the views and expectations of *people* and carers are used to inform education and training programmes
- f. information concerning assistance available when *people* cannot care for themselves or in an emergency, is provided to *people* and carers

- g. information is provided in a format that meets *people's* and carers' individual needs
- h. expert resources are available to enable *people* to develop knowledge and skills, such as the Expert Patients Programme
- i. add your local indicators here

Factor 5

Partnership

Please note that this benchmark must be used in conjunction with the *How to use Essence of Care 2010* document

POOR PRACTICE

People, carers, staff and/ organisations do not work in partnership

BEST PRACTICE

People, carers, staff and/ organisations work in partnership to meet care needs

Indicators of best practice for factor 5

The following indicators support best practice for caring for themselves:

- a. *general indicators (see page 4) are considered in relation to this factor*
- b. *staff and/organisations work and communicate effectively with each other, people and carers*
- c. *documentation enables joint and comprehensive assessment and promotes partnership with people and carers, for example, by having shared contracts*
- d. *opportunities exist for people and carers to engage in partnership meetings*
- e. *efficiency and effectiveness of partnership arrangements are continuously monitored and evaluated*
- f. *people's and carers' views are used in staff education programmes*
- g. *add your local indicators here*

Factor 6

Access to services and resources

Please note that this benchmark must be used in conjunction with the *How to use Essence of Care 2010* document

POOR PRACTICE

People and carers do not know about services that would meet their needs

BEST PRACTICE

People and carers can access services and resources to enable them to manage relevant aspects of care

Indicators of best practice for factor 6

The following indicators support best practice for caring for themselves:

- a. *general indicators* (see page 4) are considered in relation to this factor
- b. a list of local and national services and resources to meet needs within a geographical area or community is available and accessible, this includes, for example, health and social services, voluntary services and/ organisations, trades people and complementary therapies
- c. *people* and carers know how to access services and resources, for example, by using the Citizen's Advice Bureau, NHS Direct etc
- d. *people's* and carers awareness and uptake of service and resources is monitored and evaluated
- e. information of services and resources is evidence-based, up-to-date and available in a language and format that *people* and carers can understand. This includes, for example, large print

- f. arrangements for immediate access to services and resources are in place to enable, for example, an earlier discharge
- g. add your local indicators here

Factor 7

Environment

Please note that this benchmark must be used in conjunction with the *How to use Essence of Care 2010* document

POOR PRACTICE

The environment fails to support *people* in caring for themselves

BEST PRACTICE

People's environment promotes their ability to care responsibly for themselves

Indicators of best practice for factor 7

The following indicators support best practice for caring for themselves:

- a. *general indicators (see page 4) are considered in relation to this factor*
- b. *people, carers and staff work together to identify risk factors, and adaptations required, to enable and encourage people to care for themselves independently (where possible)*
- c. *adaptations are made to the environment (or are offered to people) to enable people to care for themselves*
- d. *infection control arrangements ensure the safety of people and carers*
- e. *add your local indicators here*

Notes

Notes



www.tso.co.uk

