



Department  
for Environment  
Food & Rural Affairs




Department for  
Communities and  
Local Government



Llywodraeth Cymru  
Welsh Government

# Urban and Rural Area Definitions for Policy Purposes in England and Wales: Methodology (v1.0)



**Published on 28<sup>th</sup> August 2013**

**Authors:** Peter Bibby, Department of Town and Regional Planning, University of Sheffield and Paul Brindley, School of Computer Science, University of Nottingham

You may re-use this information (not including logos) free of charge in any format or medium, under the terms of the Open Government Licence. To view this licence, visit [www.nationalarchives.gov.uk/doc/open-government-licence/](http://www.nationalarchives.gov.uk/doc/open-government-licence/) or write to the Information Policy Team, The National Archives, Kew, London TW9 4DU, or e-mail: [psi@nationalarchives.gsi.gov.uk](mailto:psi@nationalarchives.gsi.gov.uk)

With thanks to the Steering Group:

Bill South (ONS), Stephen Hall (Defra), Monika Krzykawska (Defra), Justin Martin (Defra), Simon Roberts (DCLG) and Stuart Neil (Welsh Government).

## Contents

1. Introduction .....	4
2. Overview .....	4
3. Some Urban-Rural Distinctions.....	6
4. Implementing RUC: Settlement Morphology.....	8
5. Implementing RUC: Adding Context.....	21
6. The Classification of Statistical Units.....	22
7. Conclusion. ....	32
8. References .....	33
9. Annex 1: Rules for Identifying Settlement Morphology .....	34

## **1. Introduction**

1.1 In 2012, a Consortium of government agencies comprising the Department for the Environment, Food and Rural Affairs (Defra), the Department of Communities and Local Government (DCLG), the Welsh Government (WG) and the Office of National Statistics (ONS) commissioned the University of Sheffield to update a typology of urban and rural areas, and apply it to classification of small statistical units. The original typology had been developed following the 2001 Census to classify such units (ie Output Areas, Super-Output Areas and Wards) for policy purposes. The updated work classifies the corresponding units for which 2011 Census data are made available. This document outlines both the construction of the original typology and assignment and the minor changes introduced for the update. Much of the discussion of the original methodology provided by Bibby and Shepherd (2004) is reproduced here to ensure that both the original principles and necessary changes may be readily apprehended.


## **2. Overview**

- 2.1 The key principle underlying the Rural-Urban Definition for Small Area Geographies (RUC) in both its original (RUC2001) and updated (RUC2011) forms is its reliance on the identification and characterisation of physical settlements. This principle was explicitly introduced in what is referred to below as the 2001 Review of urban and rural definitions in use by government agencies. The 2001 Review was undertaken in that year for what was then the Department of Transport Local Government and the Regions (now Department of Communities and Local Government). A summary of its key findings is most readily available in DCLG (2006).
- 2.2 The 2001 Review recommended that for consistency in statistical reporting physical settlements with a population of 10,000 or more should be treated as ‘urban’ in the absence of particular reasons for setting a different level. All smaller settlements were to be treated as rural. This carried forward a principle applied since 1981 and allowed for compatibility with other constituent countries of the UK. Alongside this, a particular method was identified as appropriate to the delimitation of urban settlements starting from the identification of ‘..areas of built up land with a minimum area of 20 hectares and an associated population of 1,000’. The challenge of RUC was to develop an approach based on the physical principle but which stretched right down the settlement hierarchy to include small villages, hamlets and isolated dwellings.
- 2.3 The identification of settlements within RUC depends on laying a grid of hectare cells (100m x100m) over England and Wales. Individual residential properties inferred from Royal Mail’s Postcode Address File (PAF) are assigned to cells of this grid providing a representation of dwelling densities that is used as a proxy for residential land use at a high degree of resolution. Residential densities are then calculated for a set of increasing radii around each cell, defining for each a ‘density profile.’ Comparison with standard profiles allows each hectare cell in England and Wales to be assigned to one of a series of settlement types (such as ‘village,’ ‘town’ and ‘urban fringe’). The rules which define the standard profiles are set

out in Appendix 1. This assignment (referred to below as the ‘underlying settlement classification’) having been made, RUC then relies on digital boundaries due to Ordnance Survey to delimit the larger settlements, associating particular cells with specific settlements named by OS. Significant differences between the specifications of the digital boundaries used in RUC2001 and RUC2011 are discussed below.


- 2.4 The next step is to overlay the Census Output Areas (OAs) on the hectare grid. At this stage, the population of each OA is known, and so it is possible to identify cells within physical settlements with an associated population of 10,000 or more. This allows for revision of the settlement classes to which the cells are assigned, identifying those to be treated as ‘urban’ cells, overriding whatever settlement type might have been suggested by the density profiles. This allows the final morphology grid to be constructed. Each Output Area is then itself assigned to a morphological class based upon the mix of settlements types within it. Within RUC2011 (but not RUC2001), density profiles are used to subdivide urban settlements into those forming parts of conurbations and others.
- 2.5 The second dimension of RUC concerns the *context* in which physical settlements are found. Estimation of residential densities at broader geographic scales (10km, 20kms and 30kms) provides the basis for a measure of population ‘sparsity’. Classification of Output Areas by settlement type and context together provides a two level typology of rural areas as shown in Figure1 below:

**Figure 1: RUC2011 Typology Output Area Level: Rural Domain**




2.6 Super Output Areas and wards are in turn classified by reference to their mix of settlement types and by context on the basis of the assignment of OAs which they comprise. The design of these units is such that very few are characterized by predominantly dispersed settlement. For this reason, only five morphological categories are distinguished at these levels. This provides a simpler two-level typology of rural areas as follows:

**Figure 2: RUC2011 Typology Higher Levels: Rural Domain**



2.7 Within RUC2011 the urban domain (at both Output Area and higher reporting levels) is similarly sub-divided as shown in Figure 3. A distinction between major conurbations, lesser conurbations and other urban areas is introduced which was not present in RUC2001. The entire typology at Output Area level is shown in Figure 4.


**Figure 3: RUC2011 Typology: Urban Domain**



### 3. Some Urban-Rural Distinctions

3.1 RUC distinguishes urban and rural milieux, but makes no attempt to identify any broader economic, cultural, or social distinctions. Urban and rural domains are distinguished solely by physical criteria. The question of whether it is any longer valid to try to distinguish

Figure 4: RUC2011 Typology; Output Area Level



between the 'urban' and the 'rural' in any broader sense is not considered further here, although this is not presumed.

- 3.2 Some further comments may be useful in understanding the approach to definition and classification on which RUC depends. Bibby and Shepherd (2004) drew attention to three different senses or dimensions of the term 'urban' (and by extension of the term 'rural') evident in their use by Government agencies in the 2001 Review. The first is the apparently simple distinction between land that is built over and land which is not. Usually, however, this dimension is also associated with some threshold population size, which might serve to distinguish between larger (urban) and smaller (rural) settlements.
- 3.3 The second broad sense of the term 'urban' evident during the 2001 Review had concerned the wider context of particular physically defined settlements. For example, reference might be made to an urban centre within an essentially 'rural' hinterland, leading to the apparently contradictory notion of a 'rural town'. Concern with context might also extend to the broader settlement structure in which a rural place is located: its setting for example within a landscape of nucleated villages or a mix of hamlets and isolated dwellings.
- 3.4 This contextual sense of is of potential significance to policy because it might indicate the costs of delivering key services such as health and education. The importance of context is, for example, reflected in the inclusion of measures of population 'sparsity' in the local government revenue support grant formula. A concern to capture this sense has since been taken forward through Defra's (2005, 2009) Urban-Rural classification of local authorities, which forms a complementary part of the overall Rural Urban Classification
- 3.5 Thirdly, the term 'urban' has traditionally denoted economic separation from the land. This, functional dimension of 'urban' is at least as important as the other two and is dominant within the social sciences. Within government agencies in the 2001 Review it was reflected in the Countryside Agency's classification of rural and urban administrative areas which was based on a range of socio-economic characteristics of the population at local authority and ward levels.
- 3.6 Different physical settlement forms, of course, tend to be associated with different services, although this relationship changes over time. It is for this reason that RUC emphasises firstly the morphology of settlements (i.e. their physical form) and secondly their wider geographic context. This approach ensures that the focus remains clearly on the most enduring – physical - aspects of settlement. An important advantage of this approach is that it allows the functional role of the rural domain to be measured rather than assumed.

#### **4. Implementing RUC : Settlement Morphology**


- 4.1 The process of classification adopted within RUC2001 and continued in RUC2011 begins by identifying physical settlement of whatever size. This is achieved by reference to the precise location of individual dwellings (referred to here as Self Contained Units of Occupation or

SCUOs). A SCUO most frequently takes the form of a single residential property standing on a house plot, but may often be a flat in a block or a self-contained flat in a divided house. A regular grid of cells each 100m x 100m is cast over England and Wales and the number of SCUOs in each cell is estimated on the basis of information provided in Royal Mail's 'Postcode Address File' (PAF). Each cell represents an area of one hectare (ie 10,000 square metres or 2.47 acres). These units are referred to below as 'hectare cells'.


- 4.2 While PAF data were used to form estimates of the number of SCUOs in each hectare cell in both RUC2001 and RUC2011, changes in Royal Mail's operational procedures required detailed modifications to the method. For RUC2001, the number of SCUOs in any area in 2001 was estimated by the number of 'residential delivery points' at any unit (full) postcode recorded within Royal Mail's *Address Manager* (a product derived from PAF) and the associated grid reference. By 2011, however, Royal Mail's practice in many areas was more likely to treat a substantial house divided into self-contained flats as a single delivery point rather than several. Hence the count of 'households' at any delivery point included on PAF by 2011 played an important part in estimating the number of SCUOs in RUC2011.
- 4.3 Nevertheless, in constructing RUC2011, provision had to be made for a range of circumstances in which a PAF 'household' cannot serve as a proxy for a SCUO (eg the count refers to individual residents in a residential institution, or most frequently to individual students in a hall of residence). The SCUO counts for 2011 rest on procedures which attempt to distinguish those delivery points with multiple 'households' which genuinely appear to refer to self-contained units of occupation from others by making adjustments to exclude: student accommodation of various forms, institutions (eg nurses homes, prisons, hostels), homes for the elderly, units on caravan sites, and non-residential units (eg accommodation addresses, units in managed workspace).
- 4.4 The allocation of residential addresses to a regular grid immediately allows examination of the density of SCUOs at the 1ha cell level. A grid based on PAF for the Second Quarter of 2011 version (part of which is illustrated in Figure 5a) shows the distribution of SCUOs at the time of the population Census. This shows a very close relationship to the distribution of households revealed by the 2011 Census as shown in Figure 5b and for many purposes the distribution of SCUOs can be used as a proxy for the distribution of households.
- 4.5 Densities are partly a function of the scale at which they are measured, and this property is critical to the assessment of settlement type within RUC. Density is estimated by dividing a numerator (the number of dwellings) by a denominator (representing the area which they occupy). Most commonly, references to dwelling densities concern the density at which new units are constructed on particular sites, and indeed an emphasis of planning policy through most of the period between the 2001 and 2011 Censuses lay in ensuring that such densities exceeded 30 dwellings to the hectare (dph). This is somewhat different from what might be thought of as the 'ambient' dwelling density within a particular physical settlement (which depends also on other land uses including parks and open spaces) or density across arbitrary administrative areas.

4.6 Having assigned dwellings to the grid (rather than estimating density for administrative or statistical units) it is possible to estimate density across circles of varying radius around any cell. This is referred to below as estimating density *at different scales* by way of shorthand. As the radius around the focal cell changes, the area used in the denominator changes, the character of residential property included changes and estimated density will also change.

**Figure 5a: Distribution of SCUOs from PAF 2011; Second Quarter**




**Figure 5b: Distribution of Households from the 2011 Census of Population**




- 4.7 Importantly, this property - which gives different typical densities at different scales – can be used to identify and classify settlements. Following Bibby and Shepherd (2004), the term ‘density profile’ is used to refer to a series of density measures focused on a given 1ha cell, but calculated at a series of increasing scales. Different settlement forms can be shown to have different typical density ‘profiles’.
- 4.8 Consider, for example, a situation where 50 houses stand on a hectare of land- a single cell in the grid- perhaps constituting a very compact village, with no other dwellings within 1km. If one were to calculate density over a broader area centred on that same cell (say, for 200m radius around the centre of that cell), then the density measure calculated over this wider area would not be 50 dph, but only 4 dph. In this idealized circumstance, if one were to then measure density over an area 400m around the cell, the density would fall by a factor of four, to 1 dwelling per hectare.
- 4.9 The rate at which density changes as the area around the ‘focus’ cell is increased is a function of local settlement structure. Thus, in contrast to the village example discussed above, within a conurbation where densities are sustained at (say) 30 dwellings to the hectare over a broader area, such falls will not occur.
- 4.10 ‘Density profiles’ can thus be created using a series of different areas or radii. Within RUC they are estimated by calculating densities at a series of fixed scales - 200m, 400m, 800m and 1600m - around each cell (Figure 6). Actual settlement patterns, of course, are not composed of compact villages surrounded by entirely undeveloped agricultural land. In practice, as the measurement scale increases, the fall in estimated density around villages is less marked. A ‘village’ as defined for RUC has the following properties: a density of greater than 0.18 dwellings per hectare at the 800m scale, a density at least double that at the 400m scale and a density at the 200m scale at least 1.5 times the density at the 400m scale. This serves as an example of a rule used to identify settlement morphology both in RUC2001 and RUC2011. Classes of larger settlements such as those described as rural ‘towns’ in RUC also have distinct profiles. The nature of the rules is discussed in more detail in Annex 1.

**Figure 6: Areas for Calculating Density**




4.11 Bibby and Shepherd (2004) use the examples of Great Rissington in Gloucestershire (a village) and Henley-in-Arden in Warwickshire (a town) to illustrate how these principles work and their illustrations are reproduced here (see Figures 7 and 8). Great Rissington in 2001 comprised about 170 dwellings, increasing to 175 by 2011. At the 800m scale the typical

**Figure 7: A Compact Village Identified by Density Profiles, RUC2011**



**Figure 8: A Rural Town Identified By Density Profiles, RUC2011**



density for a hectare cell within the village was estimated at 0.73 dph in 2001 (0.89 dph in 2011); while at the 400m scale the corresponding density was 2.94 dph in 2001 and 3.02 dph in 2011. The peak density at the 200m scale exceeded 10dph at the time of both Censuses. While minor change occurred over the decade, the 'village' rule was satisfied by the Great Rissington cells under RUC2011 exactly as under RUC2001.

- 4.12 Rules to identify rural 'towns' depend upon densities at the 400m, 800m and 1600m scales (see Annex 1). Bibby and Shepherd (2004) used Henley-in-Arden in Warwickshire to illustrate this (see Figure 8), and under RUC2011 it satisfies the same rule in a similar manner. Its dwelling stock appeared to increase from 1400 to 1460 dwellings over the intercensal decade. At the 400m scale, cells within Henley typically had a density of 18 dwellings to the hectare both in 2001 and 2011, falling to 7.3 at the 800m scale in 2001 (7.2 in 2011) and to 2.0 at the 1600m scale. Once again, despite minor changes the same rule is satisfied.
- 4.13 The use of profiles including density measures at these specific geographic scales (200m, 400m, 800m and 1600m) can identify a range of elements within the urban and rural settlement structure. Such elements include not only 'towns' and nucleated villages, but also 'envelopes' around villages, an 'urban fringe' (where there are abrupt changes of density between scales), and areas of scattered dwellings. Areas of higher density dispersed settlement around cities also have a distinct 'peri-urban' density profile. This rule-based approach generates most classes within the 'underlying settlement classification' referred to by Bibby and Shepherd (2004). Comparison of Figures 9a and 9b which show this underlying classification for 2001 and 2011 respectively demonstrate the evident stability of this aspect of RUC.
- 4.14 Figures 9a and 9b show alongside the underlying settlement classification the urban areas identified for 2001. The red tone on both Figures includes the 'generalised urban area' approximating the urban areas whose actual definition depends upon OS boundaries. Comparison of Figures 9a and 9b highlights areas of urban expansion most markedly around Swindon and Milton Keynes. Although Bibby and Shepherd (2004) barely mention the 'generalised urban area' identified as part of RUC2001, this class has subsequently proved important in understanding the extent to which changes between RUC2001 and RUC2011 result from physical development as distinct from changes in Ordnance Survey settlement delimitation.
- 4.15 In RUC2011 density profiles are also used for the first time to distinguish conurbations within the urban domain. Reference to the 1600m density (using a cut-off of 3.75 dph) picks out contiguous (or quasi-contiguous) urban agglomerations as a first step (see Figure 10). Recourse to the 10km density serves to distinguish free standing urban areas of greater and lesser size; and reference to densities at the 20km scale serves to distinguish areas of sustained substantial dwelling density of greater extent.

**Figure 9a: South Midlands Morphology: 2001**






Figure 9b: South Midlands Morphology: 2011



**Figure 10: England and Wales: Contiguous Urban Agglomerations**



Quasi contiguous urban agglomerations are defined where dwelling density exceeds 3.75 dph at the 1600m scale. The largest such areas are highlighted in blue.

4.16 All urban agglomerations where dwelling density exceeds 3.75 dph at the 1600m are shown on Figure 10 with the areas of greatest extent highlighted in blue. Their density characteristics at the three scales are summarized in Table 1. Table 1 additionally shows the geographic extent of the areas and a score used to assist assessment of whether they might be considered to represent 'conurbations.' RUC2011 identifies the six major conurbations traditionally considered (eg Freeman 1966). These are London, the West Midlands, West Yorkshire, Tyneside, Merseyside and Greater Manchester (the latter two forming a continuous Mersey Belt using the density rule above). Determining cut-offs for agglomerations to be included as lesser conurbations is not as straightforward. Of the areas listed in Table 1 only Greater Nottingham and South Yorkshire were ultimately included as lesser conurbations within RUC2011.

**Table 1: Areas Considered as Potential Conurbations**


	Area (has)	Mean Densities (dph)			Ranks Area	Density		Score
		10km	20km	Conurbation		10km	20km	
Cardiff	11644	5.5	2.8	10.7	12	10	11	3
Derby	9567	4.4	3.2	12.9	14	14	8	2
Greater Bristol	19731	7.4	3.1	12.8	8	6	9	6
Gtr Nottingham	24793	7.0	4.1	10.3	7	7	6	7
London	202239	16.2	14.0	18.3	1	1	1	10
Mersey Belt	141822	9.0	6.5	11.0	2	3	3	10
North Staffordshire	16137	4.9	2.2	9.8	10	11	14	2.5
Portsmouth	19328	4.9	2.9	10.4	9	12	10	3.5
South Yorkshire	51427	5.6	3.8	9.3	6	9	7	8
Southampton	14174	5.6	2.5	11.5	11	8	12	3.5
Teeside	13951	4.5	2.3	10.9	13	13	13	1
Tyneside	44899	7.5	4.6	10.9	5	4	5	10
West Midlands	80497	9.8	7.0	12.9	3	2	2	10
West Yorkshire	67235	7.4	5.4	10.1	4	5	4	10

4.17 Two further settlement types which are not identified by density profiles also formed part of the underlying settlement classification both in RUC2001 and RUC2011. Use of the textual elements of addresses within PAF allows for elements of the settlement structure to be identified based on historic function. Thus within the broad category of 'dispersed settlements', isolated farmsteads are identified by applying natural language processing. A tiny grammar of noun phrases is used identifying individual building names such as 'X Farm,' 'X Farm Cottage', and 'X Farm Barn,' as pointers to a farmstead, but ignoring terms such as 'Farm Lane Stores', 'Cantrill Farm Housing Office', 'Sewage Farm', 'Bassetts Farm Primary School' or 'Raspberry Hill Health Farm'. Then, in the tradition of rural settlement analysis exemplified by Roberts (1996), hamlets are identified as larger settlement units of 3-8 historic farmsteads within 250m of each other. Where a farmstead or hamlet is found in a cell occupied by a higher order settlement (identified by density profiles), the cell is considered to form part of the higher order settlement.

## **Incorporating Ordnance Survey Settlement Boundaries**

- 4.18 Having produced the underlying settlement classification, the next step in generating the settlement morphology involves reference to Ordnance Survey settlement boundaries. The 2001 Review had explicitly recommended that definitions of urban areas were based on a specific set of physical settlement boundaries – those generated by Ordnance Survey for use with the decennial Census (which prior to the review had been styled ‘urban areas’ and which from 2001 were referred to as ‘urban settlements’). As indicated above, a key motivation for the development of the ‘underlying settlement classification’ described was to provide a consistent supplement to these map-based definitions. Thus in the RUC2001 definition, the underlying settlement classification of hectare cells was overridden by the OS urban settlement definition where the population of the relevant settlement was above the 10,000 threshold.
- 4.19 To support RUC2011, the Consortium commissioned new physical settlement definitions from Ordnance Survey, referred to here as 2011 ‘built-up areas’. In contrast to the hand-digitised vector boundaries used to capture physical settlements for use with the 1981, 1991 and 2001 Censuses, the 2011 built-up areas were algorithmically produced using the OS MasterMap Topography Layer and Named Extents Settlements, supplemented by hand-digitized representations of large industrial areas and areas of mobile homes (OS 2012). Being automatically generated, the rules defining the limits of physical settlements can be strictly and systematically applied. Moreover, updated built-up areas might be readily constructed on a similar basis. A key element of the OS specification carried forward in principle from earlier versions entails that built-up areas will be combined where the distance between them is less than 200m. There are, however, significant differences between the areas admitted as built-up under the earlier and later definitions. Although the aggregate area of the 2011 built-up areas is much greater than that of the 2001 urban settlements, substantial areas of land treated as urban in 2001 are now regarded as rural (see Figure 11).
- 4.20 In generating RUC2011, the ‘built-up area’ boundaries produced by Ordnance Survey were used in precisely the same way as the previous work had used the OS ‘urban settlement’ boundaries for 2001. Thus, the underlying settlement classification based on density profiles was modified wherever a hectare cell fell within the boundary of an OS built-up area with an associated population of 10,000 or more. Although the procedures applied by the University of Sheffield in the update were identical to those used in constructing the RUC2001, the substantive implications of following this procedure are quite different. Many areas previously assigned to the rural domain pass to the urban domain in the updated definition as a result of the change in Ordnance Survey mapping specifications.
- 4.21 Given this difficulty it appears important to distinguish those cells (and subsequently statistical units) which have been assigned to different settlement categories as a result of changes in OS specification from those which result from physical change. To achieve this, hectare cell assignments for 2001 and 2011 were examined to determine firstly whether

**Figure 11: Ordnance Survey Physical Settlements 2001-2011**



numbers of properties in a particular cell and neighbouring cells increased over the decade, and secondly whether a particular cell fell within the generalised urban area (defined on the basis of density profiles) in 2001 and in 2011. This forms the basis for identifying the reasons for change in classification of Output Areas flagged on the RUC2011 assignment.

4.22 On the basis of underlying settlement classification together with the Ordnance Survey settlement boundaries it is possible to provide indicative densities at each scale for the various morphological types settlement types, and to show how they changed over the decade as shown in Table 2. This shows the typical density of SCUOs at each of the key scales and represents the *numerical outcome* of applying the procedures to all hectare cells for England and Wales. It should be stressed that some of the categories shown are not based on the density profile rules (urban areas, isolated farmsteads, hamlets and scattered dwellings (this last being a residual class)). Differences over time reflect a complex combination of effects, but intensification of urban areas over the decade is clear.

**Table 2 Mean Densities at Key Scales for Settlements of Different Morphological Type**

Settlement Form	Density of SCUOs (mean)			
	At 200m	At 400m	At 800m	At 1600m
2001				
Town	8.23	8.99	8.29	5.59
Fringe (urban, town)	6.46	7.21	5.90	4.68
Village	3.81	2.28	0.83	0.58
Peri-urban	0.30	0.59	1.57	2.80
Village envelope	0.94	1.15	1.31	0.59
Village envelope (in peri-urban)	2.96	3.27	1.81	2.13
Hamlet	0.65	0.21	0.13	0.20
Scattered dwellings	0.39	0.17	0.15	0.23
Urban Areas (above 10k)	16.09	15.17	13.78	11.89
2011				
Town	8.16	9.13	8.53	6.34
Fringe (urban, town)	5.90	7.10	6.09	4.68
Village	3.68	2.18	0.79	0.46
Peri-urban	0.36	0.68	1.61	2.80
Village envelope	0.83	1.37	1.57	0.68
Village envelope (in peri-urban)	6.16	2.97	1.67	1.85
Hamlet	0.93	0.29	0.18	0.24
Scattered dwellings	0.47	0.22	0.20	0.26
Urban Areas (above 10k)	16.32	15.38	13.93	11.99

## 5. Implementing RUC: Adding Context

- 5.1 The second dimension of the Rural Urban Classification for small area geographies is ‘context’. This refers to the broader setting in which settlements (including isolated dwellings) are located. In this sense, context may be interpreted in general terms as the wider accessibility of a settlement, the sparsity of population within a broad area and, in a general way, the potential costs of overcoming distance to supply that settlement with various public and private services.
- 5.2 The density of dwellings (SCUOs) at much broader scales forms the basis for characterising aspects of accessibility and population sparsity. RUC2001 and RUC2011 both achieved this by calculating for each 1ha cell the density of dwellings across areas with radii of 10kms, 20kms and 30kms centred on that cell. Use of the 10km scale was intended to reflect typical commuting distances, while the broader scales, were intended to be pertinent to the delivery of ‘high level’ services to rural areas. Maps for the 10km and 30km scales are shown in Figure 12. The relation between the extent of sparsity at the three different scales, and the numbers of dwellings associated with sparsity at each scale is summarised in Table 3. RUC2011 followed RUC2001 in identifying as ‘sparse’ those hectare cells which appear most sparse at all three scales (see Figure 13).

**Table 3 Extent of Sparsity at Different Geographic Scales**

<b>Characteristic</b>	<b>Area sq kms</b>	<b>Dwellings 000s</b>	<b>Figure 13 Assignment</b>
Not Sparse at any scale	87,089	22,234	..
Sparse at 10km only	16,554	447	‘Sparse’ at 10km scale
Sparse at 20km only	1,740	101	‘Sparse’ at 20km scale
Sparse at 30km only	2,558	244	‘Sparse’ at 30km scale
Sparse at 10km and 20km	6,640	172	‘Sparse’ at 20km scale
Sparse at 20km and 30km	3,638	390	‘Sparse’ at 20km and 30km scales
Sparse at 10km and 30km	1,835	32	‘Sparse’ at 30km scale
<b>Sparse at all three scales</b>	<b>34,099</b>	<b>562</b>	<b>‘Sparse’ at 10km, 20km and 30km scales</b>

- 5.3 The overall inertia in the settlement pattern- that is the relatively limited addition to the dwelling stock that typically occurs in a single decade- implies very substantial stability in sparsity measures between 2001 and 2011.

## 6. The Classification of Statistical Units

6.1 Having classified individual cells, the next step within RUC is to categorise the settlement characteristics of statistical units. This is intended to facilitate the use of a range of statistical data, particularly those from the decennial population census. The smallest of the units classified are Census Output Areas. At a broader scale, two levels of Super Output Areas and wards are also classified. Classification depends on identifying the proportion of OAs in each urban/rural class within the area concerned.

### (a) Census Output Areas: Morphological Classes

6.2 At Census Output Area level, within RUC2011 units are assigned to one of six morphological types on the basis of their predominant settlement component:

#### Urban

Major conurbation

Lesser conurbation

City and town

#### Rural

Town and fringe

Village, and

Dispersed (hamlets and isolated dwellings).

6.3 Output Areas are treated as 'urban' or 'rural' simply on the basis of their geographic relationship to settlements of 10,000 or more population. More specifically, the principle deployed derives from the 2001 Review and is that where the majority of the population of an Output Area lives within settlements with a population of more than 10,000 people, that Output Area is treated as urban. All other Output Areas are treated as rural.

6.4 For the purposes of RUC2001, assignment of OAs to the urban domain rested on an allocation of individual dwellings to urban areas by ONS. Where the majority of an OA's population fell within an urban settlement boundary provided by OS whose associated population was above the 10,000 threshold, the OA was treated as urban. For RUC2011, assignment of population to built-up areas depended on the use of population-weighted centroids for OAs estimated by ONS; those OAs whose centroids fell within a built-up area with an associated population above the 10,000 threshold were treated as urban.

6.5 Outside the urban domain, the guiding principle in RUC is that an OA should be assigned to the morphological class most typical of the hectare cells within it. Given the small numbers of dwellings in individual Output Areas and the degree of mixing of morphological types within Output Areas within the rural domain, settlement types may be broadly balanced. Moreover, there are some conceptual difficulties in identifying typicality in a satisfactory

way. On one hand, it might seem consistent with the overall approach to assign an OA to that morphological class which accommodates the majority of its dwellings. On the other, such an approach would not fully capture significant and deeply-rooted distinctions between areas of nucleated and dispersed settlement charted for example in English Heritage's Settlement Atlas (Roberts and Wrathmell 2000; Lowerre 2011) and which remain important within physical planning (Owen and Herlin 2009). Because dwelling densities (at say the 200m scale) in dispersed settlement are only around one eighth of those in villages, assignment by reference to dwellings alone obscures the physical significance of dispersed settlement. RUC, therefore, considers both numbers of dwellings in settlements of different form and the footprint of those settlements.

- 6.6 Within RUC2001 assignment was made by area, but where components were equally balanced a principle of 'hierarchical privileging' was used to assign an OA to the higher order class (eg village rather than dispersed). (The design of OAs with its strong tendency to population equalization is such that those which impinge on rural 'towns' tend to be geographically small and homogenous with respect to settlement type). In preparing RUC2011, the sensitivity of the area-based assignment procedure to recently built scattered dwellings became clear. To offset this, assignment in RUC2011 was based on the weighted mix of hectare cells given over to different settlement types; cells assigned to the village or town category being assigned a weight of four, with those assigned to the dispersed categories assigned a weight of one. This procedure substantially reduced the number of OAs at risk of shifting from the village to dispersed categories. Nevertheless, the question of the most appropriate manner of combining information about dwelling stocks and residential footprint in gauging rural settlement structure remains a matter for further investigation.

#### **(b) Census Output Areas: Sparsity**

- 6.7 On the basis of the three sparsity measures (10kms, 20kms, 30kms) calculated at cell level, it is possible to identify cells where population is 'sparse' at a particular scale. By calculating these three measures for each cell in a 2011 Census Output Area, weighted averages for each OA can be found. (The weights used are the number of SCUOs in a cell). By focusing on the sparsest 5 percent for each measure, three indicators of 'sparsity' are obtained for each OA. Output Areas are classified as 'sparse' if they fall within the sparsest 5 percent of Output Areas at all three scales, and are classified as 'less sparse' if they do not fall within this threshold. The fifth percentile 'cut-offs' used in applying this rule to 2011 data are shown in Table 4 with 2001 values included for comparison.
- 6.8 Overall with the development of new residential property in the inter-censal decade the value of the fifth percentiles in 2011 are higher than those for 2001. In identifying sparse OAs, however, reference has been made to the fifth percentile consistently (ie the relative measure rather than the absolute measure).

Figure 12: Dwelling Densities Calculated at 10km and 30km;2011





Figure 13: Hectare Cells Sparse at all Three Scales (10km, 20km and 30km);2011



**Table 4: Fifth Percentile Measures for Defining ‘Sparsity’**

Category	Fifth Percentile 2001 SCUOs per ha	Fifth Percentile 2011 SCUOs per ha
Sparse at the 10km scale	< 0.393	< 0.432
Sparse at the 20km scale	< 0.410	< 0.450
Sparse at the 30km scale	< 0.422	< 0.473

6.9 Finally, classifications on the ‘morphology’ and ‘context’ dimensions are combined as indicated in the ‘tree diagram’ (Figure 4). The distribution of OAs between categories of the typology of RUC2011 is summarised in Table 5 and mapped as Figure 14.

**Table 5: Distribution of 2011 Census Output Areas between Categories; RUC2011**

OA Class	Frequency	%
Urban: Major Conurbation	59,199	32.6
Urban: Minor Conurbation	6,277	3.5
Urban: City and Town	81,004	44.7
Urban: City and Town in a Sparse Setting	490	0.3
Rural: Town and Fringe	15,850	8.7
Rural: Town and Fringe in a Sparse Setting	1,044	0.6
Rural: Village	9,646	5.3
Rural: Village in a Sparse Setting	1,042	0.6
Rural: Hamlets and Isolated Dwellings	5,969	3.3
Rural: Hamlets and Isolated Dwellings in a Sparse Setting	887	0.5

### (c) Super Output Areas and Census Wards: Morphological classes

6.10 The design of Super Output Areas (both Lower Layer – LSOAs and Middle Layer - MSOAs) and Wards is such that very few are characterized by predominantly dispersed settlement. For this reason, only five morphological categories are distinguished at this level:

#### Urban


- Major conurbation
- Minor conurbation
- City and Town

#### Rural


- Town and fringe
- Village and Dispersed.

**Figure 14: England & Wales; 2011 Census Output Areas: Rural-Urban Typology (RUC2011)**


- Urban major conurbation
- Urban minor conurbation
- Urban city and town
- Urban city and town in a sparse setting
- Rural town and fringe
- Rural town and fringe in a sparse setting
- Rural village
- Rural village in a sparse setting
- Rural hamlets and isolated dwellings
- Rural hamlets or isolated dwellings in a sparse setting




**Figure 15: England & Wales; 2011 LSOAs: Rural-Urban Typology (RUC2011)**



**Figure 16: England & Wales; 2011 MSOAs: Rural-Urban Typology (RUC2011)**



**Figure 17: England & Wales; 2011 Wards: Rural-Urban Typology (RUC2011)**



6.11 Higher level statistical units are assigned to one of these categories on the basis on what might be termed the ‘OA count approach’ that is to say on the basis of the corresponding category occurring most frequently amongst its constituent OAs. Thus:

i) a higher level unit is considered urban if the number of urban OAs it contains is greater than or equal to the number of rural OAs,

ii) remaining higher level statistical units are then classified as being small town/fringe if the number of small town/fringe OAs is greater than or equal to the number of village and dispersed OAs, and then

iii) remaining higher level statistical units are classified as village and dispersed.

**(d) Super Output Areas and Wards: Sparsity**

6.12 Because context measures vary smoothly from one hectare cell to the next, there is little difficulty in estimating measures for higher level statistical units that are consistent with those measured for Output Areas. The OA count approach is used to calculate the context measure higher level units as follows :

i) a higher level statistical unit is less sparse if the number of less sparse OAs it contains is greater than or equal to the number of sparse OAs, and

ii) the remaining level statistical units are classified as sparse.

6.13 Finally, classifications on the ‘morphology’ and ‘context’ dimensions are combined. The distribution of LSOAs between categories of the typology of RUC2011 is summarised in Table 6 and that of MSOAs in Table 7. Assignments to 2011 electoral wards are made on the basis of best fit OAs (provided by ONS (<http://www.ons.gov.uk/ons/guide-method/geography/products/census/lookup/2011/index.html>)). The geographic distribution of LSOA, MSOA and ward assignments is mapped as Figures 15, 16 and 17 respectively.

**Table 6: Distribution of 2011 LSOAs between Categories; RUC2011**

LSOA Class	Frequency	%
Urban: Major Conurbation	11,523	33.16
Urban: Minor Conurbation	1,208	3.48
Urban: City and Town	15,724	45.25
Urban: City and Town in a Sparse Setting	94	0.27
Rural: Town and Fringe	3,189	9.18
Rural: Town and Fringe in a Sparse Setting	197	0.57
Rural: Village and Dispersed	2,490	7.16
Rural: Village and Dispersed in a Sparse Setting	328	0.94

**Table 7: Distribution of 2011 MSOAs between Categories; RUC2011**

MSOA Class	Frequency	%
Urban: Major Conurbation	2,399	33.31
Urban: Minor Conurbation	249	3.46
Urban: City and Town	3,206	44.52
Urban: City and Town in a Sparse Setting	21	0.29
Rural: Town and Fringe	645	8.96
Rural: Town and Fringe in a Sparse Setting	29	0.4
Rural: Village and Dispersed	566	7.86
Rural: Village and Dispersed in a Sparse Setting	86	1.19

## 7. Conclusion

- 7.1 The foregoing discussion demonstrates the possibility of building a typology of statistical units based on the form and context of associated settlement. It reiterates much of the explanation of principles provided by Bibby and Shepherd (2004) and demonstrates the robust nature of what they describe as the ‘underlying settlement classification’.
- 7.2 The principles underlying the methodology of RUC lend the typology and the assignments some important qualities. They can be used in a consistent manner to treat settlements at any level of the hierarchy and at a range of scales from the hectare cell to MSOAs. A user-guide to RUC2011 draws attention to some practical implications of both strengths and limitations deriving from the underlying method.
- 7.3 The methodology is such that the RUC (for small area geographies) takes no explicit account of economic function. While this might be seen as a weakness, its offsetting strength is that it allows the economic function of the rural domain to be explained and measured rather than presumed.
- 7.4 The focus on settlement type to the exclusion of other aspects of land cover implies further strengths and weaknesses which users may find more troublesome in practice. It is particularly important to appreciate that RUC is designed to support the use of social and economic statistics, and the methodology of its construction implies that on its own it is badly suited to support the administration of agro-environment schemes or to analyse their take up.
- 7.5 Updating RUC for use with the 2011 Census has demonstrated the robustness of an approach based on density profiles, and demonstrated that changes in the detailed character of the postal data used have been successfully accommodated by minor changes in method. Re-specification of Ordnance Survey polygons representing the larger physical settlements, however, carries serious implications for the interpretation of shifts between the urban and rural divisions of the typology between 2001 and 2011. Although this implies that such changes in OA assignment cannot be used directly to track physical development, it has proved quite feasible to rely on

other elements of the method (including identification of the generalised urban area) to distinguish changes arising from difference in protocols from those attributable to underlying physical change.

## References

Bibby, P R, Shepherd, JW, 2004, 'Developing a New Classification of Urban and Rural Areas for Policy Purposes – the Methodology' Available at:

[https://www.gov.uk/government/uploads/system/uploads/attachment\\_data/file/137655/rural-urban-definition-methodology-technical.pdf](https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/137655/rural-urban-definition-methodology-technical.pdf) Last Accessed: 5<sup>th</sup> July 2013

Defra, 2005/2009 'Defra Classification of Local Authority Districts and Unitary Authorities in England: An Introductory Guide' Available at:

[https://www.gov.uk/government/uploads/system/uploads/attachment\\_data/file/137661/la-class-updated-technical.pdf](https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/137661/la-class-updated-technical.pdf) Last Accessed: 21st August 2013

DCLG, 2006, 'Urban and Rural Area Definitions: a User Guide', London, Department of Communities and Local Government. Available at

[https://www.gov.uk/government/uploads/system/uploads/attachment\\_data/file/142430/urbanrural-user-guide.pdf](https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/142430/urbanrural-user-guide.pdf) Last Accessed: 5<sup>th</sup> July 2013

Freeman, T.W, 1966, *Conurbations of Great Britain*, 2nd edition, Manchester, Manchester University Press

Lowerre A, 2001, 'The Atlas of Settlement in England GIS'. *English Heritage Research News* 16, 32-35

Ordnance Survey, 2012, Built-up Areas Core Specification v2.0, unpublished

Owen,S; Herlin, I S; 2009, 'A Sustainable Development Framework for a Landscape of Dispersed Historic Settlement', *Landscape Research*,34, 33-54

Roberts, B. K, 1996 , *Landscapes of Settlement: Prehistory to the Present*, New York: Routledge

Roberts, B. K., and Wrathmell, S, 2000, *An Atlas of Rural Settlement in England*, London English Heritage

## **Annex 1: Rules for Identifying Settlement Morphology.**

The settlement morphology element of RUC is derived from the classification of 1ha grid squares according to a set of rules. Many slightly different rule-sets pick out the same features, and a complete illustrative set is provided here.

The rules in this set and similar sets result from empirically adjusted elaborations of principles based on idealised settlement forms (concerned with typical plot densities, neighbourhood densities areal extents and rates of change). The discussion of the idealized village in paras 4.8-4.10 of this document provides an example of the type of elementary thought experiment with which they originate. Once a 'proto-rule' is articulated comparison with settlement features held a hectare grid allow divergences to be observed and additional rules elaborated. These settlement features include for example OS urban areas from 1981, 1991 and 2001 and groups of cells away from urban settlements whose individual residential addresses include the same locality).

The illustrative hectare cell classification rules are applied to all cells in the order given below. For any hectare cell, a rule appearing later in the series is not tested if one appearing earlier in the series is satisfied. Different rules identifying the same class of settlement 'fringe' may have different parameters, but will identify the same settlement type.

Densities are calculated over a series of radii. The density over a 1600m radius around a cell is referred to as the D1600 measure for that cell. The terms 'D800', 'D400', and 'D200' are defined in a similar manner.

### **Rule 1:**

If

$$D800 > 8$$

a cell is deemed to form part of the *generalised urban area*. This category does not appear in the final assignment. Nearly all cells assigned to this class are expected to be re-assigned to the urban category on the basis of OS boundaries.

### **Rule 2:**

If

$$D400 > 8 \text{ and}$$

$$D800 < 4$$

a cell is deemed to form part of a *fringe*.

**Rule 3:**

If

$D800 > 2.5$  and

$D800 > 2.5 * D1600$ ,

a cell is deemed to form part of a *town*.

**Rule 4:**

If

$D800 > 4$  and

$D400 > 4$  and

$D800 < 8$ ,

a cell square is deemed to form part of a *fringe*.

**Rule 5:**

If

$D800 < 8$  and

$D400 > 8$ ,

a cell is deemed to form part of a *town*.

**Rule 6:**

If

$D800 > 0.18$  and

$D400 > 2 * D800$  and

$D200 > 1.5 * D800$ ,

a cell is deemed to form part of a *village*.

**Rule 7:**

If

$D1600 > 1.0$  and

$D400 > 1.5 * D800$  and

$D400 < 2 * D800$  and

$D200 > 0$ ,

a cell is deemed to form part of a *village envelope* (in peri-urban).

**Rule 8:**

If

$D1600 > 1.0$ ,

a cell is deemed to form part of a peri-urban zone.

**Rule 9:**

If

$D1600 \leq 1.0$  and

$D800 \geq 0.5$ ,

a cell is deemed to form part of a *village envelope*.