

Protecting and improving the nation's health

Public health recommendations for asymptomatic contacts of an Ebola case in the UK

Category	Actions
Category 0 (no known contact with Ebola case)	reassureinformation
Category 1 (no direct contact in last 21 days) Household contact of case while case asymptomatic and no direct contact with their body fluids or other potentially infectious material OR UK MoD/NHS Aeromed staff undertaking a controlled patient transfer OR clinical staff if patient in Trexler or other controlled environment OR PHE laboratory staff in level 4 diagnostic laboratory	 reassure (very low risk of exposure) information (category 1 factsheet) if feeling ill take temperature, and if ≥37.5°C phone 111 normal activities (no restrictions)

Category	Actions
Category 2 (direct contact in last 21 days – low risk of exposure)	 reassure (low risk of exposure) information (category 2 factsheet)
Household or other direct contact with Ebola case while symptomatic, but no contact with body fluids (including contact prior to onset of bleeding or vomiting or diarrhoea) OR Direct (close) contact with Ebola cases or their body fluids, but trained and wore appropriate protective equipment/clothing (PPE), and had no known breaches in PPE OR Laboratory staff in non-level 4 facilities who have had no breach of laboratory practice/PPE	 For 21 days following last exposure: self-monitor and record temperature and symptoms x2 daily and report if feel unwell and/or temperature ≥37.5°C travel – no restrictions normal activities except: postpone any non-essential medical or dental treatment (including vaccination), and inform healthcare provider of contact if any essential treatment needed if unwilling to comply with public health recommendations, consider actions on a case-by-case basis

Category	Actions
Category 3 (direct contact in last 21 days – high risk of exposure)	 inform about risk (high risk of exposure) information (category 3 factsheet)
Direct contact with a case at home once symptomatic with potential exposure to body fluids, includes vomit, faeces, kissing and/or sexual contact OR	 For 21 days following last exposure: self-monitor and record temperature and symptoms x2 daily and report to designated person by noon daily. If there is inability to take temperature a face-to-face arrangement will be made with relevant health services
Unprotected sexual contact with a recovered Ebola case within three months of their illness	If willing to comply with public health recommendations, normal activities (while no symptoms) except :
 Direct (close) contact with Ebola cases or their body fluids without effective PPE, or where there has been a breach OR Direct exposure of skin or mucous membranes to potentially infectious blood or body fluids, including on clothing and bedding. This includes: unprotected handling of clinical or laboratory specimens mucosal exposure to splashes needlestick injury 	 local travel only if a HCW – no patient contact for 21 days postpone any non-essential medical or dental treatment (including vaccination) and inform healthcare provider of contact if any essential treatment needed do not share toothbrushes or razors use barrier contraception or avoid unprotected sex for 21 days If unwilling to comply with public health recommendations, consider actions on a case-by-case basis

Published: 9 February 2015

© Crown copyright 2015

Re-use of Crown copyright material (excluding logos) is allowed under the terms of the Open Government Licence, visit http://www.nationalarchives.gov.uk/doc/open-government-licence/version/3/ for terms and conditions.