Supplementary Environmental Statement 2 and Additional Provision 3 Environmental Statement

Volume 2 | Community forum area report map book CFA3 Primrose Hill to Kilburn (Camden)

September 2015

SES2 and AP3 ES 3.2.2.3

SES2 and AP3 ES – VOLUME 2



www.gov.uk/hs2

Supplementary Environmental Statement 2 and Additional Provision 3 Environmental Statement

Volume 2 | Community forum area report map book CFA3 Primrose Hill to Kilburn (Camden)

September 2015

SES2 and AP3 ES 3.2.2.3





High Speed Two (HS2) Limited has been tasked by the Department for Transport (DfT) with managing the delivery of a new national high speed rail network. It is a non-departmental public body wholly owned by the DfT.

A report prepared for High Speed Two (HS2) Limited:



High Speed Two (HS2) Limited, One Canada Square, London E14 5AB

Details of how to obtain further copies are available from HS2 Ltd.

Telephone: 020 7944 4908

General email enquiries: HS2enquiries@hs2.org.uk

Website: www.gov.uk/hs2

Copyright © High Speed Two (HS2) Limited, 2015, except where otherwise stated.

High Speed Two (HS2) Limited has actively considered the needs of blind and partially sighted people in accessing this document. The text will be made available in full via the HS2 website. The text may be freely downloaded and translated by individuals or organisations for conversion into other accessible formats. If you have other needs in this regard please contact High Speed Two (HS2) Limited.



Printed in Great Britain on paper containing at least 75% recycled fibre.

### Contents

Mapping explanatory notes

Data dictionary and definitions

| Map series name  | Map series description  |
|--|---|
|  | These maps show the land potentially required during construction   |
| CT of Construction Phase                                     | requirements and infrastructure associated with construction of the |
| CT-05 – Construction Phase                                   | construction phase arrangements for public access using Public Rig  |
|  | The base mapping shown on the maps is reflective of 2015 Ordnand    |
|  | These maps show permanent features, infrastructure, restored land   |
| CT-o6 – Proposed Scheme                                      | ecological mitigation associated with the Proposed Scheme.          |
|  | The base mapping shown on the maps is reflective of 2015 Ordnand    |
| LV-01 – Photomontages  | Photomontages illustrating the Proposed Scheme during construct     |
| 1)/ an Construction Dhace Significantly Affected Viewpoints  | Maps showing the viewpoint locations from which the Proposed Sc     |
| LV-03 – Construction Phase Significantly Affected Viewpoints | significant effects during the construction phase.                  |

ion, the construction features, access the Proposed Scheme. The maps also show the Rights of Way. ance Survey (OS) data. and, and areas for landscaping, screening and

ance Survey (OS) data.

uction and/or operation.

Scheme has been assessed to give rise to

### Mapping explanatory notes

#### Structure of the HS2 Supplementary Environmental Statement 2 and Additional Provision 3 Environmental Statement

The Supplementary Environmental Statement 2 (SES2) and Additional Provision 3 Environmental Statement (AP3 ES) comprises:

- Non-technical summary (NTS). This provides a summary in non-technical language of the SES2 (Part 1) and AP3 ES (Part 2) and of the likely significant environmental effects, both beneficial and adverse, including those which are new or different to those reported in the High Speed 2 (HS2) Phase One Environmental Statement (ES) submitted to Parliament in November 2013 in support of the hybrid Bill ('the Bill') for Phase One of HS2 (hereafter referred to as 'the main ES'). In the case of community forum areas (CFAs) 4 and 5 and relevant route-wide effects, account is also taken of the Supplementary Environmental Statement and Additional Provision 2 Environmental Statement submitted in July 2015;
- Volume 1: Introduction to the SES2 and the AP3 ES. This introduces the supplementary environmental information and design changes included within the SES2 and amendments which have resulted in the need to amend • the Bill within the AP<sub>3</sub> ES. It also explains any changes to the scope, methodology, assumptions and limitations required for the environmental impact assessment.
- Volume 2: CFA reports and map books. The structure of the CFA reports within Volume 2 vary as follows:
  - CFA1 is split into two parts. Part 1 comprises the SES2 for the Euston station and approach area. Part 2 describes the amendments requiring additional provisions in the Bill within the AP3 ES. Part 1 is further split into Part 1A and Part 1B. Part 1A provides a summary of; new environmental baseline information; a description of the revised scheme for Euston, including a comparison with the original scheme described in the main ES; and a summary of the key changes to the likely residual significant effects arising from the revised scheme compared to the original scheme. Part 1B provides a complete reassessment of the revised scheme for Euston station and approach area, whether or not these are different likely significant environmental effects from those reported in the main ES. This assessment includes the effects of the amendments to the Bill. It should be noted that the SES2 and AP3 ES, Volume 2, CFA1 report therefore replaces the Volume 2, CFA1 report of the main ES;
  - CFAs 2 and 3 report any new or different likely significant environmental effects arising from the SES2 changes and AP3 amendments compared to those reported in the main ES;
  - CFAs 4 and 5 report any new or different likely significant environmental effects arising from the SES2 changes compared to the SES submitted in July 2015 and taking into account any relevant AP2 amendments assessed in the AP<sub>2</sub> ES submitted in July 2015;
- Volume 3: Route-wide effects. This reports new or different likely significant route-wide effects arising from the supplementary environmental information included within the SES2 (Part 1) and amendments within the AP3 ES (Part 2) compared to those reported in the main ES as updated by the SES. The AP2 amendments are taken into account where relevant;
- Volume 5: Appendices and map books. This contains environmental information and associated maps; and •
- Glossary of terms and list of abbreviations. This contains any new or different terms and abbreviations which are not already explained in the main ES. ٠

In the main ES, Volume 4 presented an assessment of the likely significant environmental effects that will occur in locations away from the route (i.e. outside the CFAs). As none of the SES2 design changes or AP3 amendments relate to off-route areas, off-route effects have been scoped out of the assessment. Consequently, the SES2 and AP3 ES does not contain a Volume 4.

#### **Copyright statements**

Copyright statements are presented in the Data dictionary and definitions section at the front of the map book, due to limited space to include this on the individual maps themselves.

#### **Ordnance Survey data**

All maps produced as part of the SES2 and AP3 ES contain Ordnance Survey (OS) data. HS2 Ltd use the most up to date mapping available, where possible, supplied by the OS and as such, we cannot be held responsible for any inaccuracies within this data.

As part of our licence conditions, all digital maps carry a watermark.

#### Chainage

Most of the maps presented as part of the SES2 and AP3 ES have a chainage value shown next to the alignment. Chainage is presented on the maps in black font, in the form of XX+YYY. E.g. 77+000 or 158+500.

Chainage (known as reference chainage) is referenced from Euston Station, which is 0+000, and the value presented is in metres. E.g. 77+000 refers to the point, 77,000m, or 77km, from Euston Station. Chainage values increase in intervals dependant on the map scale. For maps at 1:50,000 scale chainage is shown at 5km intervals. For maps at 1:25,000 scale chainage is shown at 2km intervals. For maps at 1:10,000, 1:5,000 and 1:2,500 scales, chainage is

shown at 1km intervals. Chainage has been included on the maps as a useful tool for comparing different map sets showing the different environmental themes or engineering plans, due to map sets having different scales and therefore showing differing amounts of alignment on the map.

#### Map sheet layout

#### Volume 2 engineering maps

Each map in Volume 2 is presented twice, with the main ES map (published November 2013) on the left hand page and the SES2 and AP3 ES map on the right. For the CT-05 and CT-06 map series, the SES2 and AP3 ES map is annotated with different coloured clouds which highlight the areas of change. The coloured text box provides a brief description of the design change or amendment, and gives the SES<sub>2</sub> and AP<sub>3</sub> ES reference number. Only maps which have been amended as a result of the SES<sub>2</sub> and AP<sub>3</sub>ES are included within the map books. The below table highlights the coloured clouds used, and their description.

| Cloud / text box colour | Description   |
|-------------------------|---|
| Blue                    | Design changes relating to the SES2 (Part 1 of each Volume 2 CFA report).                     |
| Red                     | Proposed amendments relating to AP <sub>3</sub> (Part 2 of each Volume 2 CFA report).         |
| Grey                    | Proposed amendments and design changes relating to AP1, SES, and AP2, provided for reference. |

For CFA1, only amendments requiring additional land outside existing Bill limits are identified on the CT-05 and CT-06 map series. For a description of all amendments and indicative locations, including those not requiring additional land outside existing bill limits, please see Volume 2, Part 2: Additional Provision 3 Environmental Statement. As the SES2 design change comprises the revised design of Euston station, the maps do not have a blue cloud, but instead have a blue text box in the top right hand corner to indicate that the whole map reflects an SES<sub>2</sub> design change.

#### *Volume 2 and 5 environmental maps*

Each Volume 2 and 5 environmental map for CFAs2, 3 and 4 is annotated to describe the change to a receptor or significant effect, and to give the SES2 and AP3 ES reference number. For more detailed information about the SES2 and AP3 ES annotation, refer to the map series legend. Only maps which have been amended as a result of the SES2 and AP3 ES are included within the map book, however for CFA 2, maps that only show receptors that are no longer affected or significant effects that have been removed as a result of the HS1-HS2 Link have not been reproduced.

For CFA1 Volume 2 environmental maps have been reproduced in full. Volume 5 environmental maps have been included where they have been amended as a result of SES2 and AP3 ES however as CFA1 is a new assessment the maps are not annotated with labels to highlight the changes.

#### Map orientation

The majority of the maps presented in these map books are presented with the railway alignment running horizontally across the page. The direction of travel to London would be following the alignment to the right hand side of the page, and the West Midlands to the left. The exception to this, are map series LV-03, LV-04, LV-07 and LV-08, which present the alignment running from bottom to top of the page. This is to allow more of the modelled outputs to be shown at the appropriate map scale. In this instance, the direction of travel to London would be to the bottom of the page, and the West Midlands to the top.

#### Map books

In total there are 4 map books which make up the SES2 and AP3 ES, spread across volumes 2 and 5. A list of the titles is provided below for reference. There are no SES2 design changes or AP3 amendments within CFA4 and CFA5. As a result no Volume 2 map books for these two CFAs have been produced.

| Name   |
|--|
| Volume 2 Community forum area map book: CFA1 Euston – Station and Approach     |
| Volume 2 Community forum area map book: CFA2 Camden Town                       |
| Volume 2 Community forum area map book: CFA3 Primrose Hill to Kilburn (Camden) |
| Volume 5 Technical appendices map book   |

Supplementary Environmental Statement 2 and Additional Provision 3 Environmental Statement

Volume 2 Data dictionary and definitions

SES2 and AP3 ES – VOLUME 2



www.gov.uk/hs2

### Data dictionary and definitions

| Legend features  | Definition   | Source                   | Copyrigh                          |
|--|--|--------------------------|-----------------------------------|
| 5m contours  | A contour line showing points of equal elevation (height) above a reference level, such as mean sea level and therefore gives indication of the topography, showing valleys and hills, and the steepness of slopes. Spaced at intervals of 5m. | High Speed Two (HS2) Ltd |                                   |
| Balancing pond   | The proposed location and extent of balancing ponds for<br>drainage attenuation and infiltration. Outer boundary represents<br>the perimeter.  | High Speed Two (HS2) Ltd |                                   |
| Chainage (known as reference chainage) is referenced from<br>Euston Station, which is o+ooo, and the value presented is in<br>metres. E.g. 77+ooo refers to the point, 77,ooom, or 77km, from<br>Euston Station. Chainage values increase in intervals dependant<br>on the map scale. For maps at 1:50,000 scale chainage is shown<br>at 5km intervals. For maps at 1:25,000 scale chainage is shown at<br>2km intervals. For maps at 1:10,000, 1:5,000 and 1:2,500 scale<br>chainage is shown at 1km intervals.<br>Chainage has been included on the maps as a useful tool for<br>comparing different map sets showing the different<br>environmental themes or engineering plans, due to map sets<br>having different scales and therefore showing differing amounts |  | High Speed Two (HS2) Ltd |                                   |
| Community forum boundary   | of alignment on the map.<br>The Environmental Statement has been split into 26 sections<br>called Community Forum Areas.   | High Speed Two (HS2) Ltd | © Crown<br>Ordnance<br>Publicatio |
| Construction compounds   | See main construction compounds.   | High Speed Two (HS2) Ltd |                                   |
| Construction traffic route   | Public highways which may be used for HGV construction traffic.  | High Speed Two (HS2) Ltd |                                   |
| County boundary  | County boundaries from Ordnance Survey boundary mapping.   | Ordnance Survey          | © Crown<br>Ordnance<br>Publicatio |
| Depot, station, headhouse or portal building   | Extends to cover operational footprint of each depot and station<br>and the footprint of each tunnel vent shaft and headhouse at<br>surface level. Excludes any ancillary buildings associated with<br>these structures.                       | High Speed Two (HS2) Ltd |                                   |
| District/Borough boundary  | Ordnance Survey local authority boundary mapping.  | Ordnance Survey          | © Crown<br>Ordnance<br>Publicatio |
| Ditches – new  | The proposed location and extent of drainage ditches.  | High Speed Two (HS2) Ltd |                                   |
| Ecological mitigation pond   | Ponds whose primary function is to provide ecological mitigation.<br>This could be a standalone pond or part of a wider wetland<br>habitat creation plan.  | High Speed Two (HS2) Ltd |                                   |
| Electricity substation   | Includes all auto-transformers and feeder stations.  | High Speed Two (HS2) Ltd |                                   |
| Engineering earthworks   | Engineering (structural) earthworks which include railway slopes and crossings (roads etc.).   | High Speed Two (HS2) Ltd |                                   |
| Engineering earthworks: Cutting  | ngineering earthworks: Cutting Cuttings created in the construction of the railway and associated works such as highways.  |                          |                                   |
| Engineering earthworks: Embankment   | Embankments created in the construction of the railway and   | High Speed Two (HS2) Ltd |                                   |

#### ight

wn copyright. Reproduced by permission of nce Survey Licence Number 100049190. Year of ation 2015.

wn copyright. Reproduced by permission of nce Survey Licence Number 100049190. Year of ation 2015.

wn copyright. Reproduced by permission of nce Survey Licence Number 100049190. Year of ation 2015.

| Legend features                                  | Definition  | Source                       | Copyrigh  |
|--|---|------------------------------|-----------|
|  | associated works such as highways.  |                              |           |
| Existing public right of way (PRoW)              | See Public Rights of Way.   | See Public Rights of Way.    | See Publi |
| Existing watercourse                             | See Watercourse.  | See Watercourse.             | See Wate  |
|  | A dataset showing large areas of trees that are likely to have an   |                              |           |
| Existing woodland and tree belts                 | impact on whether the scheme is visible during construction and   | High Speed Two (HS2) Ltd     |           |
|  | vegetation. It was used in the ZTV as part of the base models.  |                              |           |
| Grassed areas                                    | Any other area grassed not included in landscaped earthworks or   | High Speed Two (HS2) Ltd     |           |
|  | ecological habitat.   | riigii speed 1 wo (1152) Eta |           |
|  | Soft landscape design that can include any seeded areas for the   |                              |           |
| Grassland habitat creation                       | purpose of creating grassland except for the engineering  | High Speed Two (HS2) Ltd     |           |
|  | earthworks.   |                              |           |
|  | Ecological mitigation to provide new hedgerow planting,   |                              |           |
| Hedgerow habitat creation                        | connectivity enhancements to existing areas and areas for   | High Speed Two (HS2) Ltd     |           |
| reagerow habitat creation                        | ecological management. This level does not include screening  |                              |           |
|  | planting for visual mitigation purposes.  |                              |           |
| HS <sub>2</sub> Access road                      | Access road to HS2 infrastructure such as electricity substations,  | High Speed Two (HS2) Ltd     |           |
|  | balancing ponds and maintenance access points to the railway.   |                              |           |
|  | Provision of land to attenuate or infiltrate overland flows at or   |                              |           |
|  | beyond the HS2 railway boundaries; for example, where existing  |                              |           |
| Land drainage area                               | land drainage systems are altered by the HS2 works, where the   | High Speed Two (HS2) Ltd     |           |
|  | existing landform is reshaped by landscape earthworks or where  | ····g···op····               |           |
|  | surface water from third party land is intercepted by the HS2   |                              |           |
|  | perimeter drainage system.  |                              |           |
|  | Boundary defining the maximum possible extent of construction   |                              |           |
|  | works required to build HS2 as far as the current level of design   |                              |           |
| Land potentially required during construction    | allows. This only covers surface works and includes all tunnel  | High Speed Two (HS2) Ltd     |           |
|  | portals, vent shafts and headhouses, but does not apply to wholly   |                              |           |
|  | tunnelled sections or to air rights. It also encompasses associated   |                              |           |
|  | highway, access, drainage and utility works.  |                              |           |
| Landscape earthworks                             | Landscape earthworks to provide permanent landscape, visual or  | High Speed Two (HS2) Ltd     |           |
| · .  | acoustic mitigation.  |                              |           |
| Landscape mitigation planting (scrub / woodland) | Screening planting, using woodland, for visual mitigation and   | High Speed Two (HS2) Ltd     |           |
|  | landscape integration purposes.   |                              |           |
| Main construction compound                       | Main Construction Compounds in which main contractors offices and welfare facilities will be located.                                 | High Speed Two (HS2) Ltd     |           |
|  |   | -                            |           |
|  | Represents all new major utility installations (included in the hybrid Bill) and also modifications to existing utilities required to |                              |           |
| Main utility works                               | construct the scheme. Includes water, electricity,  | High Speed Two (HS2) Ltd     |           |
|  | telecommunications and gas.   |                              |           |
| New, diverted or realigned PRoW                  | New, realigned or diverted Public Rights of Way (PRoW).   | High Speed Two (HS2) Ltd     |           |
|  | Denotes fence-style barriers provided as part of the noise  |                              |           |
| Noise fence barrier                              | mitigation measures. Note that other noise barriers have also   |                              |           |
|  | been included in the form of landscaping and engineering  | High Speed Two (HS2) Ltd     |           |
|  | cuttings - see the SV map series for more detail on noise   |                              |           |
|  | mitigation.   |                              |           |
|  | Cuttings created in the construction of landscape features and  |                              |           |
| Non engineering earthworks: Cutting              | mitigation measures.  | High Speed Two (HS2) Ltd     |           |
| Non engineering earthworks. Cotting              |   |                              |           |
| Non engineering earthworks: Embankment           | Embankments created in the construction of landscape features   | High Speed Two (HS2) Ltd     |           |

|   | L | • | ÷ |
|---|---|---|---|
| J | I | I | L |

ublic Rights of Way. atercourse.

| Legend features                             | Definition   | Source   | Copyrigh                        |
|---|--|--|---------------------------------|
| Photomontage location                       | otomontage location Shows the locations from which verifiable photomontages have been produced. The locations are based on a fully surveyed point.   |  |                                 |
| Public realm/Replacement community facility | Public realm:   Specifically provided to show areas to be used for public realm.   This layer is mainly associated with station sites and is to be used to indicate general areas for designed soft and hard landscaping.   Replacement community facility:   Area of land for the provision of a permanent replacement community facility, such as a playground, community centre or  | High Speed Two (HS2) Ltd   |                                 |
| Public Rights of Way                        | activity centre.   Public rights of way are highways which can be used for the following purposes:   - Footpaths - pedestrians only   - Bridleways - pedestrians, cyclists and equestrians   - Restricted byways - as bridleways plus non-motorised vehicles   - Byways open to all traffic.   Definitive Map data supplied by surveying authorities (i.e. county councils, London Boroughs and metropolitan borough councils in the West Midlands).                         | City of Westminster<br>London Borough of Brent<br>London Borough of Camden | © Crown<br>Ordnanc<br>Publicati |
| Rail alignment                              | Longitudinal geometry of the tracks consisting of a series of straights and curves.  | High Speed Two (HS2) Ltd   |                                 |
| Rail alignment formation                    | The space required to accommodate the railway infrastructure<br>which typically includes the tracks, overhead line equipment,<br>drainage, lineside access paths and cable routes for electrification<br>and communication systems.  | High Speed Two (HS2) Ltd   |                                 |
| Replacement floodplain storage              | Provision of storage to replace floodplain occupied by the<br>Proposed Scheme. Equivalent storage is provided for events up<br>to the 1 in 100 (1%) annual probability event with an allowance for<br>climate change.  | High Speed Two (HS2) Ltd   |                                 |
| Returned to suitable development use        | Post construction land will be reinstated to enable potential future development.  | High Speed Two (HS2) Ltd   |                                 |
| Route in tunnel<br>Route on surface         | Represents the proposed route of HS2, split into route on surface and tunnelled sections.  | High Speed Two (HS2) Ltd   |                                 |
| Satellite construction compound             | Represents satellite construction compounds which serve local works for major construction elements within a main contract.  | High Speed Two (HS2) Ltd   |                                 |
| Significantly affected viewpoint            | This dataset shows the locations of the visual receptors from<br>which the schemes visual impact has been assessed and shows<br>whether or not the impact is significant or non-significant during<br>construction and operation.  | High Speed Two (HS2) Ltd   |                                 |
| Stopped-up PRoW                             | Public rights of way that will be closed due to construction of the scheme.  | High Speed Two (HS2) Ltd   |                                 |
| Sustainable placement                       | Sustainable placement: the on-site placement for disposal of<br>surplus excavated material to avoid causing environmental<br>effects (e.g. transport) that would otherwise be associated with<br>the off-site disposal of that material. "On-site" in this context<br>means within the land required for the purposes of the Proposed<br>Scheme and "off-site" means external land (or landfill site) which<br>is not specifically required for the purposes of the Proposed | High Speed Two (HS2) Ltd   |                                 |

| 1 | ł | ۱ | 1 | t |
|---|---|---|---|---|
| , | - |   | 1 |   |

own copyright. Reproduced by permission of ance Survey Licence Number 100049190. Year of cation 2015.

| Legend features                           | Definition  | Source                   | Copyrigh                          |
|---|---|--------------------------|-----------------------------------|
|   | Scheme.   |                          |                                   |
| Temporary highway diversion / realignment | Indicative temporary highway diversion layouts during the construction phase.   | High Speed Two (HS2) Ltd |                                   |
| Temporary material stockpile              | Represents temporary stockpiling of topsoil, subsoil and other<br>excavated materials to be used for reinstatement purposes, and<br>also stockpile areas for managing movement of excavated<br>materials during construction.         | High Speed Two (HS2) Ltd |                                   |
| Temporary PRoW diversion / realignment    | Indicative temporary diversions to public rights of way as a result<br>of construction of the scheme. These will vary depending on<br>construction phase and local conditions.  | High Speed Two (HS2) Ltd |                                   |
| Temporary replacement community facility  | Area of land for the provision of a temporary replacement<br>community facility, such as a playground, community centre or<br>activity centre, whilst construction works are in progress.   | High Speed Two (HS2) Ltd |                                   |
| Tunnel portal                             | The footprint of a tunnel portal.   | High Speed Two (HS2) Ltd |                                   |
| Tunnels external extent                   | The external excavated extent of each tunnel bore.  | High Speed Two (HS2) Ltd |                                   |
| Water body                                | Based on Ordnance Survey Vector Map District.   | Ordnance Survey          | © Crown<br>Ordnance<br>Publicatio |
| Watercourse                               | The Detailed River Network (DRN) is the only large-scale,<br>accurate and fully attributed digital river centreline covering<br>England and Wales.  | Environment Agency       | © Enviror<br>2015. All I          |
| Watercourse diversion                     | Includes rivers, streams, ditches and other open channels, diversions to these, together with any new culverts required.  | High Speed Two (HS2) Ltd |                                   |
| Wetland habitat creation                  | Ecological mitigation area to provide new wetland habitat<br>creation, enhancements to existing areas and areas for ecological<br>management. This level does not include screening planting for<br>visual mitigation purposes.       | High Speed Two (HS2) Ltd |                                   |
| Woodland habitat creation                 | Ecological mitigation area to provide new woodland planting,<br>connectivity enhancements to existing areas and areas for<br>ecological management. This level does not include screening<br>planting for visual mitigation purposes. | High Speed Two (HS2) Ltd |                                   |

|   | I. |   |   |
|---|----|---|---|
| ٦ | r  | ٦ | т |
| 1 | •  | • |   |
|   |    |   |   |

wn copyright. Reproduced by permission of nce Survey Licence Number 100049190. Year of ation 2015.

ronment Agency copyright and/or database right All rights reserved.


Supplementary Environmental Statement 2 and Additional Provision 3 Environmental Statement


Volume 2 CT-05 - Construction Phase CT-06 - Proposed Scheme

SES2 and AP3 ES – VOLUME 2



www.gov.uk/hs2





These plans show the land potentially required during construction, the construction features, access requirements and infrastructure associated with construction of the Proposed Scheme. The plans also show the construction phase arrangements for public access using Public Rights of Way.

The base mapping shown on the plans is reflective of 2015 Ordnance Survey (OS) data.

Note: Not all data layers in the legend are represented on every map.




HS2 Ltd accept no responsibility for any circumstances, while arise from the reproduction of this map after alteration, amendment or abbreviation or if it is issued in part or issued incomplete in any way.




Registered in England. Registration number 06791686. Registered office: One Canada Square, London, E14 5AB.

O Crown copyright and database rights 2015 Ordnance Survey Licence Number 100049190. Scale at A3: 1:25,000


Doc Number: C250-ARP-EV-MAP-000-030005-AP3 -P01 Date: 07/08/15








Doc Number: C250-ARP-EV-MAP-000-030002-AP03 -P01


Date: 13/08/15












































Supplementary Environmental Statement 2 and Additional Provision 3 Environmental Statement

Volume 2 | LV-01 - Photomontages

SES2 and AP3 ES – VOLUME 2



www.gov.uk/hs2



Operation Year 1 (2026) - Winter verifiable photomontage




**Technical Information** Location: Viewpoint LVMF 4A.1: Primrose Hill: the summit looking towards St Paul's Cathedral.

Date taken: 01/04/13 Time taken: 07:34 Focal length: 24.16mm

Viewpoint location shown on Map LV-05-03.

This verifiable photomontage provides an illustration of how the Proposed Scheme may look in 2026 (the opening year). The design of the Proposed Scheme may be subject to design development in response to consultation. Design development will not result in any significant adverse change in the environmental effects detailed in the photomontages of the Proposed Scheme. Where new planting is proposed, it has been shown as immature plants which would mature over time to further integrate the Proposed Scheme into the landscape.





HS2 Ltd accept no responsibility for any circumstances, which arise from the reproduction of this map after alteration, amendment or abbreviation or if it is issued in part or issued incomplete in anyway.

Registered in England. Registration number 06791686. Registered office: Eland House, Bressenden Place, London SW1E 50U. © Crown copyright and database rights 2012 Ordnance Survey Licence Number 100049190 **Doc Number:** C250-ARP-EV-PHO-000-001010-P01

Date: 10/10/13








Technical Information Location: Viewpoint LVMF 4A.1: Primrose Hill: the summit looking towards St Paul's Cathedral. Date taken: 26/06/15 Time taken: 14:12 Focal length: 57.296mm AP Reference: SES2 and AP3 Status: Updated

Viewpoint location shown on Map LV-05-003.

This verifiable photomontage provides an illustration of how the Revised Scheme may look in 2026. The design of the Revised Scheme may be subject to design development in response to consultation. Design development will not result in any significant adverse change in the environmental effects detailed in the photomontages of the Revised Scheme. Where new planting is proposed, it has been shown as immature plants which would mature over time to further integrate the Revised Scheme into the landscape.



HS2 Ltd accept no responsibility for any circumstances, which arise from the reproduction of this map after alteration, amendment or abbreviation or if it is issued in part or issued omplete in any way.

ered in England. Registration number 06791686. ered office: One Canada Square, London, E14 5AB. © Crown copyright and database rights 2015 Ordnance Survey Licence Number 100049190 Doc Number: C250-ARP-EV-PHO-000-001010-AP3-P01

Ĉ

Date: 14/08/15


Supplementary Environmental Statement 2 and Additional Provision 3 Environmental Statement


Volume 2 | LV-03 - Construction Phase Significantly Affected Viewpoints

SES2 and AP3 ES – VOLUME 2




www.gov.uk/hs2






Doc Number: C251-ETM-EV-MAP-010-001710-AP03-P01

Date: 01/09/15





### **High Speed Two (HS2) Limited** One Canada Square London E14 5AB

**T** 020 7944 4908 E hs2enquiries@hs2.org.uk

### SES2 and AP3 ES – VOLUME 2

Y12