



KEY TO CODES & ABBREVIATIONS

Action codes

A	routine recall
Rm	early repeat in <i>n</i> months
S	suspend from recall

PROVISIONAL Result codes

Ø *	?glandular neoplasia (non cervical)
G *	?glandular neoplasia (non cervical) (HPV tested)
1	inadequate
2	negative (not HPV tested)
N	negative (HPV tested)
3	low grade dyskaryosis (not HPV tested)
M	low grade dyskaryosis (HPV tested)
4	high grade dyskaryosis (severe)
5	high grade dyskaryosis ?invasive squamous carcinoma
6	?glandular neoplasia of endocervical type
7	high grade dyskaryosis (moderate)
8	borderline change in squamous cells (not HPV tested)
B	borderline change in squamous cells (HPV tested)
9	borderline change in endocervical cells
E	borderline change in endocervical cells (HPV tested)

* non-cervical neoplasia treated as negative for CSP management
 (2) Used to denote both categories of negative result (negative and ?glandular neoplasia (non cervical)) or both categories of borderline result (borderline change in squamous cells and borderline change in endocervical cells.)

Infection codes

Ø (zero)	HPV negative
9 (nine)	HPV positive
U	HPV result inadequate/unreliable

Miscellaneous

NTDD	Next Test Due Date
BLUE	indicates codes used on NHAIS in format Cytology result – HPV infection code – Action code
RED	indicates manual action required to reset NTDD
★	colposcopy referral without HPV test

This publication was withdrawn on 06 April 2016