



UK Health
Security
Agency

Cyclohexane

Incident management

This document provides information needed for response to a chemical incident, such as physicochemical properties, health effects and decontamination advice.

Thank you for visiting the compendium of chemical hazards. Please take our [short survey](#) to help us make improvements.

Contents

Main points.....	3
General.....	3
Health.....	3
Casualty decontamination at the scene.....	3
Environment.....	3
Hazard identification.....	4
Physicochemical properties.....	7
Reported effect levels from authoritative sources.....	8
Published emergency response guidelines.....	9
Exposure standards, guidelines or regulations.....	10
Health effects.....	11
Decontamination at the scene.....	12
Chemical specific advice.....	12
Disrobe.....	12
Improvised decontamination.....	13
Improvised dry decontamination.....	13
Improvised wet decontamination.....	13
Additional notes.....	14
Interim wet decontamination.....	14
Decontamination at the scene references.....	15
Clinical decontamination and first aid.....	16
Important notes.....	16
Clinical decontamination following surface contamination.....	16
Dermal exposure.....	17
Ocular exposure.....	17
Ingestion and Inhalation.....	17
Clinical decontamination and first aid references.....	17
About the UK Health Security Agency.....	19

Main points

General

Cyclohexane is a colourless, flammable liquid with a gasoline or petrol like odour. Cyclohexane quickly evaporates when exposed to air producing a colourless, flammable vapour. Ignition distant from the release point is possible, as the vapour is heavier than air and may travel along the ground. It reacts with strong oxidants.

Cyclohexane emits acrid smoke and fumes when heated to decomposition.

Health

Aspiration of cyclohexane into the lungs causes pneumonitis with choking, coughing, wheeze, breathlessness, cyanosis and fever.

Inhalation may cause headache, dizziness, drowsiness, incoordination, and euphoria.

Ingestion may cause nausea, vomiting and occasionally diarrhoea.

Severe cyclohexane poisoning may also result in pulmonary oedema, drowsiness, convulsions or coma and cardiac arrhythmias.

Skin exposure may cause irritation and drying and cracking due to defatting action may occur after repeated or prolonged contact.

Eye exposure can cause pain, swelling, lacrimation, and photosensitivity.

Casualty decontamination at the scene

Following disrobe, improvised dry decontamination should be considered for an incident involving cyclohexane unless casualties are demonstrating signs or symptoms of exposure to caustic or corrosive substances.


Environment

Cyclohexane is hazardous to the environment; inform the [Environment Agency](#) where appropriate.

Spillages, contaminated fire and decontamination run-off should be prevented from entering drains and surface and groundwaters.

Hazard identification

Table 1. Standard (UK) dangerous goods emergency action codes for cyclohexane

UN		1145	Cyclohexane	
EAC		3YE	<p>Use normal foam: protein based foam that is not alcohol resistant . Wear normal fire kit in combination with breathing apparatus [note 1].</p> <p>Danger that the substance can be violently or explosively reactive.</p> <p>Spillages, contaminated fire and decontamination run-off should be prevented from entering drains and surface and groundwaters.</p> <p>There may be a public safety hazard outside the immediate area of the incident [note 2].</p>	
APP		–	–	
Hazards	Class	3	Flammable liquid and desensitised liquid explosives	
	Sub-risks	–	–	
HIN		33	Highly flammable liquid (flashpoint below 23°C)	

Abbreviations

UN = United Nations number.

EAC = emergency action code.

APP = additional personal protection.

HIN = hazard identification number.

Notes to Table 1







Note 1: Normal firefighting clothing is appropriate: self-contained open circuit positive pressure compressed air breathing apparatus conforming to BS EN 137 worn in combination with fire kit conforming to BS EN 469, fire fighters' gloves conforming to BS EN 659 and firefighters' footwear conforming to BS EN 15090 (Footwear for firefighters) type F3- Hazmat and structural firefighting [CH – marking for chemical resistance] or alternatively firefighters' boots conforming to Home Office Specification A29 (rubber boots) or A30 (leather boots). Leather footwear including those conforming to A30 may not provide adequate chemical resistance therefore caution should be exercised in the use of these boots.

Note 2: People should be warned to stay indoors with all doors and windows closed, preferably in rooms upstairs and facing away from the incident. Ignition sources should be eliminated and ventilation stopped. Effects may spread beyond the immediate vicinity. All non-essential personnel should be instructed to move at least 250m away from the incident.

References

National Chemical Emergency Centre (NCEC), part of Ricardo-AEA. '[Dangerous Goods Emergency Action Code List](#)' 2025 (viewed on 22 January 2025)

Table 2. The GB classification, labelling and packaging (CLP) regulation for cyclohexane

Hazard class and category	Flam. Liq. 2	Flammable liquids, category 2	
	Asp. Tox. 1	Aspiration hazard, category 1	
	Skin Irrit. 2	Skin irritation, category 2	
	STOT SE 3	Specific target organ toxicity following single exposure, category 3	
	Aquatic Acute 1	Acute hazards to the aquatic environment, category 1	
	Aquatic Chronic 1	Chronic hazards to the aquatic environment, category 1	
Hazard statement	H225	Highly flammable liquid and vapour	
	H304	May be fatal if swallowed and enters airways	


	H315	Causes skin irritation
	H336	May cause drowsiness or dizziness
	H400	Very toxic to aquatic life
	H410	Very toxic to aquatic life with long-lasting effects
Signal words	DANGER	

References

The Health and Safety Executive (HSE). '[GB CLP Regulation](#)' (viewed on 22 January 2025).

Physicochemical properties

Table 3. Physicochemical properties

CAS number	110-82-7
Molecular weight	84.2
Empirical formula	C ₆ H ₁₂
Common synonyms	Hexahydrobenzene, hexamethylene, hexanaphthene
State at room temperature	Colourless liquid. It can quickly evaporate to produce a colourless vapour when exposed to air.
Volatility	Vapour pressure: 96.9 mmHg at 25°C
Specific gravity	0.8 (water = 1)
Vapour density	2.9 (air = 1)
Flammability	Highly flammable
Lower explosive limit	1.3%
Upper explosive limit	8.4%
Water solubility	Very poor solubility
Reactivity	Cyclohexane presents a dangerous fire hazard when exposed to heat or flame. Distant ignition is possible as the vapour is heavier than air and may travel along the ground. Reacts with strong oxidants.
Reaction or degradation products	When heated to decomposition, cyclohexane emits acrid smoke and fumes.
Odour	Solvent odour
Structure	

References

World Health Organization. International Programme on Chemical Safety '[International Chemical Safety Card entry for Cyclohexane](#)' ICSC 0242, 2011 (viewed on 27 January 2025)

PubChem. Bethesda (MD): National Library of Medicine (US), National Center for Biotechnology Information. '[PubChem Compound Summary for CID 8078, Cyclohexane](#)' (viewed on 27 January 2025)

Reported effect levels from authoritative sources

No reported effect levels identified.

Published emergency response guidelines

Table 4. Acute exposure guideline levels (AEGLs)

	Concentration				
	10 minutes	30 minutes	60 minutes	4 hours	8 hours
AEGL-1 [note 1]	No values specified				
AEGL-2 [note 2]					
AEGL-3 [note 3]					

Notes to Table 4

Note 1: Level of the chemical in air at or above which the general population could experience notable discomfort.

Note 2: Level of the chemical in air at or above which there may be irreversible or other serious long-lasting effects or impaired ability to escape.

Note 3: Level of the chemical in air at or above which the general population could experience life-threatening health effects or death.

Exposure standards, guidelines or regulations

Table 5. Occupational standards

	LTEL (8-hour reference period)		STEL (15-min reference period)	
	ppm	mg/m ³	ppm	mg/m ³
WEL	100	350	300	1050

Abbreviations

WEL = workplace exposure limit.

LTEL = long-term exposure limit.

STEL = short-term exposure limit.

Reference

Health and Safety Executive (HSE). '[EH40/2005 Workplace Exposure Limits Fourth Edition](#)' 2020 (viewed on 27 January 2025)

Table 6. Public health standards and guidelines

Drinking water standard	No value specified
WHO guideline for drinking water quality	No value specified
UK indoor air quality guideline	No value specified
WHO indoor air quality guideline	No value specified
WHO air quality guideline	No value specified

Health effects

Severe toxicity is unlikely - may be irritating to eyes, skin and mucous membranes.

Table 7. Signs or symptoms of acute exposure

Route	Signs and symptoms
Inhalation	Inhalation may cause headache, dizziness, drowsiness, incoordination and euphoria. Aspiration into the lungs may cause pneumonitis with choking, coughing, wheeze, breathlessness, cyanosis and fever. Rarely pleural effusions or pneumatoceles develop.
Ingestion	Ingestion may cause gastrointestinal upset and diarrhoea. Severe poisoning may result in pulmonary oedema, drowsiness, convulsions or coma and cardiac arrhythmias.
Eyes	May cause pain, swelling, lacrimation and photosensitivity.
Skin	May cause irritation. Skin breakdown due to defatting action may occur after repeated or prolonged contact. There may be pain with erythema, blistering and superficial burns.

Reference

National Poisons Information Service (NPIS). TOXBASE '[cyclohexane](#)' 2024 (viewed on 27 January 2025)

Decontamination at the scene

Chemical specific advice

The approach used for decontamination at the scene will depend upon the incident, location of the casualties and the chemicals involved. Therefore, a risk assessment should be conducted to decide on the most appropriate method of decontamination.

Following disrobe, improvised dry decontamination should be considered for an incident involving cyclohexane unless casualties are demonstrating signs or symptoms of exposure to caustic or corrosive substances.

People who are processed through improvised decontamination should subsequently be moved to a safe location, triaged and subject to health and scientific advice. Based on the outcome of the assessment, they may require further decontamination.

Emergency services and public health professionals can obtain further advice from the UK Health Security Agency (UKHSA) Radiation, Chemicals, Climate and Environmental Hazards Directorate using the 24-hour chemical hotline number: 0344 892 0555.

Disrobe

The disrobe process is highly effective at reducing exposure to HAZMAT/CBRN material when performed within 15 minutes of exposure.

Therefore, disrobe must be considered the primary action following evacuation from a contaminated area.

Where possible, disrobing should be conducted at the scene and by the casualty themselves. Disrobing should be systematic to prevent transfer of contaminant from clothing to skin. Clothing should not be pulled over the head if possible.

Clothing stuck to the casualty by the contaminant should not be forcefully removed, as this risks causing further harm.

Consideration should be given to ensuring the welfare and dignity of casualties as far as possible. Immediately after decontamination the opportunity should be provided to dry and dress in clean robes or clothes.

Improvised decontamination

Improvised decontamination is an immediate method of decontamination prior to the use of specialised resources. This should be performed on all contaminated casualties unless medical advice is received to the contrary. Improvised dry decontamination should be considered for an incident involving chemicals unless the agent appears to be corrosive or caustic.

Unprotected first responders and members of the public should not approach casualties incapacitated by exposure to administer improvised decontamination, as they may be exposed to contaminants and become a casualty themselves.

Important note: Improvised decontamination should continue until a more structured intervention, such as an Interim Operational Response is conducted, or Specialist Operational Response are present.

Improvised dry decontamination

Improvised dry decontamination should be considered for an incident involving cyclohexane unless casualties are demonstrating obvious signs of chemical burns or skin irritation.

Any available dry absorbent material can be used such as kitchen towel, paper tissues (for example blue roll) and clean cloth.

Exposed skin surfaces should be blotted first and then rubbed, starting with the face, head, and neck, and moving down and away from the body.

Blotting and rubbing should not be too aggressive, as it could drive contamination further into the skin.

Casualties should also blow their nose to remove contaminants from the nasal cavities.

All waste material arising from decontamination should be left in situ, and ideally bagged, for disposal at a later stage.

Improvised wet decontamination

Wet decontamination should be used if contamination with a caustic chemical substance is suspected.

Wet decontamination may be performed using copious amounts of water from any available source such as taps, showers, water bottles, fixed installation hose-reels and sprinklers to

gently rinse the affected skin. Other natural sources of water may be considered unless this creates greater risks to the individuals affected. Wet wipes or baby wipes may be used as an effective alternative.

Improvised decontamination should not involve overly aggressive methods to remove contamination as this could further damage affected tissues and drive the contamination further into the skin.

Where appropriate, seek professional advice on how to dispose of contaminated water and prevent run-off going into the water system.

Additional notes

Following improvised decontamination, remain cautious and observe for signs and symptoms in the decontaminated person and in unprotected staff.

If water is used to decontaminate casualties this may be contaminated, and therefore hazardous, and a potential source of further contamination spread.

All materials (paper tissues and so on) used in this process may also be contaminated and, where possible, should not be used on new casualties.

The risk from hypothermia should be considered when disrobe and any form of wet decontamination is carried out.

People who are contaminated should not eat, drink or smoke before or during the decontamination process and should avoid touching their face.

When vulnerable people are affected by a hazardous substance, they may need additional support to remove themselves, their clothing or the substance.

Casualties should remain in the area and should not leave to seek care at a hospital, as this presents a contamination risk. Further care will be administered on site by the appropriate emergency services.

Interim wet decontamination

Interim decontamination is the use of standard Fire and Rescue Service equipment to provide a planned and structured decontamination process prior to the availability of purpose-designed decontamination equipment.

Decontamination at the scene references

Home Office. [‘Initial operational response to a CBRN incident’](#) Version 2.0 2015 (viewed on 27 January 2025)

National Health Service England. [‘Emergency Preparedness, Resilience and Response \(EPRR\): Guidance for the initial management of self-presenters from incidents involving hazardous materials’](#) 2019 (viewed on 27 January 2025)

Joint Emergency Service Interoperability Programme. [‘Initial Operational Response \(IOR\) to Incidents Suspected to Involve Hazardous Substances or CBRN Materials’](#) 2024 (viewed on 27 January 2025)

Clinical decontamination and first aid

Clinical decontamination is the process where trained healthcare professionals, using purpose-designed decontamination equipment, treat contaminated persons individually.

[Detailed information on clinical management](#) can be found on TOXBASE.

Important notes

Once body surface contaminants have been removed or if your patient was exposed by ingestion or inhalation, the risk that secondary care givers may become contaminated is very low. Secondary carers should wear standard hospital PPE as a precaution against secondary contamination from vomit and body fluids.

If the patient has not been decontaminated following surface contamination, secondary carers must wear appropriate NHS PPE for chemical exposure to avoid contaminating themselves.

The area should be well ventilated.

For comprehensive clinical advice consult [TOXBASE](#) directly.

Clinical decontamination following surface contamination

Avoid contaminating yourself.

Carry out decontamination after resuscitation. This should be performed in a well-ventilated area, preferably with its own ventilation system.

Contaminated clothing should be removed, double-bagged, sealed and stored safely.

Decontaminate open wounds first and avoid contamination of unexposed skin.

Any particulate matter adherent to skin should be removed and the patient washed with soap and copious amounts of water under low pressure for at least 10 to 15 minutes.

Pay particular attention to mucous membranes, moist areas such as skin folds, fingernails and ears.

The earlier irrigation begins, the greater the benefit.

Dermal exposure

Decontaminate (as above) the patient following surface contamination.

If features of systemic toxicity are present, manage as per ingestion/inhalation.

Carry out other supportive measures as indicated by the patient's clinical condition.

Ocular exposure

If symptomatic immediately irrigate the affected eye thoroughly.

At home - use lukewarm water, trickled into the eye or in a small cup held over the eye socket. An eye dropper can be used as an alternative.

In hospital - immediately irrigate the affected eye thoroughly with 1000 mL 0.9% saline or equivalent crystalloid (for example via an infusion bag with a giving set) for a minimum of 10 to 15 minutes. A Morgan Lens may be used if anaesthetic has been given.

If symptoms persist seek medical assistance.

Carry out other supportive measures as indicated by the patient's clinical condition.

Ingestion and Inhalation

Maintain a clear airway and ensure adequate ventilation.

Gastric lavage should not be undertaken following ingestion.

Monitor vital signs and check the capillary blood glucose.

Check and record pupil size.

Other measures as indicated by the patient's clinical condition.

Clinical decontamination and first aid references

National Poisons Information Service (NPIS). TOXBASE [‘cyclohexane’](#) 2024 (viewed on 27 January 2025)

National Poisons Information Service (NPIS). TOXBASE [‘eye irritants - features and management’](#) 2024 (viewed on 27 January 2025)

National Poisons Information Service (NPIS). TOXBASE [‘skin decontamination - irritants’](#) 2019
(viewed on 27 January 2025)

About the UK Health Security Agency

UKHSA is responsible for protecting every member of every community from the impact of infectious diseases, chemical, biological, radiological and nuclear incidents and other health threats. We provide intellectual, scientific and operational leadership at national and local level, as well as on the global stage, to make the nation health secure.

UKHSA is an executive agency, sponsored by the Department of Health and Social Care.

This document from the UKHSA Radiation, Chemicals, Climate and Environmental Hazards Directorate reflects understanding and evaluation of the current scientific evidence as presented and referenced here.

© Crown copyright 2025

First published: January 2016

Health Effects, Decontamination at the Scene and Clinical Decontamination and First Aid sections update: November 2016

Full document update: January 2025

For queries relating to this document, please contact chemcompendium@ukhsa.gov.uk or enquiries@ukhsa.gov.uk

Publishing reference: GOV-18165



You may re-use this information (excluding logos) free of charge in any format or medium, under the terms of the Open Government Licence v3.0. To view this licence, visit [OGL](#). Where we have identified any third party copyright information you will need to obtain permission from the copyright holders concerned.



UKHSA supports the Sustainable Development Goals

