











Table 5 (a - 5): Number of STI diagnoses at a single infection site in West Midlands PHEC by gender & sexual risk, 2012 - 2016

Data type: service data

Published 06/06/2017

Midlands & East of England PHER

Rectal infection only\*

Gender	Chlamydia					Gonorrhoea					LGV					NSGI				
	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016
<b>Male (total)</b>	220	279	278	297	398	196	217	207	266	262	6	10	11	4	4	12	4	5	5	5
- Heterosexual	9	13	13	10	14	5	1	4	9	7	0	0	0	0	0	1	0	0	0	5
- MSM	182	257	261	286	376	169	208	200	251	252	6	10	10	4	4	2	3	5	5	0
<b>Female (total)</b>	188	194	210	210	266	31	40	32	42	51	1	0	0	0	0	1	0	0	0	0
- Heterosexual	185	194	209	208	266	30	39	32	42	51	0	0	0	0	0	0	0	0	0	0
- WSW	1	0	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
<b>Total</b>	408	475	489	509	665	227	258	239	309	313	7	10	11	4	4	13	4	5	5	5

Pharyngeal infection only

Gender	Chlamydia					Gonorrhoea					LGV					NSGI				
	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016
<b>Male (total)</b>	11	17	28	25	31	115	106	165	206	177	1	0	0	0	0	-	-	-	-	-
- Heterosexual	2	2	3	1	2	8	11	10	12	13	0	0	0	0	0	-	-	-	-	-
- MSM	8	15	25	24	29	89	92	152	193	163	0	0	0	0	0	-	-	-	-	-
<b>Female (total)</b>	37	49	59	84	151	59	49	56	67	116	0	0	0	0	0	-	-	-	-	-
- Heterosexual	37	48	58	83	150	53	49	55	66	115	0	0	0	0	0	-	-	-	-	-
- WSW	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	-	-	-	-	-
<b>Total</b>	48	66	87	109	183	174	155	222	274	294	1	0	0	0	0	-	-	-	-	-

Genital infection only\*

Gender	Chlamydia					Gonorrhoea					LGV					NSGI				
	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016
<b>Male (total)</b>	4,793	4,942	4,984	5,163	5,533	1,238	1,230	1,408	1,567	1,554	6	3	11	14	7	3,332	2,958	2,941	2,600	2,284
- Heterosexual	3,907	4,408	4,611	4,784	5,169	776	860	1,007	1,076	1,276	1	0	0	0	2	2,725	2,548	2,620	2,322	2,047
- MSM	155	226	297	318	313	209	255	385	461	266	3	3	11	14	5	183	216	264	236	211
<b>Female (total)</b>	4,977	5,180	5,408	5,267	6,072	809	849	1,051	1,064	1,175	0	1	3	1	602	730	561	624	457	
- Heterosexual	4,306	4,906	5,335	5,192	6,021	666	780	1,040	1,058	1,166	0	0	3	1	580	708	549	615	455	
- WSW	7	6	3	7	3	0	1	0	2	2	0	0	0	0	3	7	3	3	1	
<b>Total</b>	9,770	10,122	10,392	10,430	11,605	2,047	2,080	2,459	2,631	2,729	6	4	14	15	8	3,934	3,688	3,502	3,224	2,741

\* Numbers of single rectal and single genital infections may be over reported (please see 'Notes' section for more details).

Table 5 (a - 6): Number of STI diagnoses at a single infection site in North East PHEC by gender & sexual risk, 2012 - 2016

Data type: service data

Published 06/06/2017

North of England PHER

Rectal infection only\*

Gender	Chlamydia					Gonorrhoea					LGV					NSGI				
	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016
<b>Male (total)</b>	137	136	178	169	151	62	83	112	114	117	2	2	1	7	3	5	3	7	4	1
- Heterosexual	9	12	12	11	2	3	3	7	1	5	0	0	0	0	0	0	0	0	0	0
- MSM	126	122	162	149	149	59	79	102	108	112	2	2	1	7	3	5	3	7	4	1
<b>Female (total)</b>	43	58	72	52	39	25	43	42	34	7	0	0	0	0	0	0	0	1	0	0
- Heterosexual	43	58	71	51	38	24	43	41	34	7	0	0	0	0	0	0	0	1	0	0
- WSW	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
<b>Total</b>	180	194	250	221	190	87	126	154	148	124	2	2	1	7	3	5	3	8	4	1

Pharyngeal infection only

Gender	Chlamydia					Gonorrhoea					LGV					NSGI				
	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016
<b>Male (total)</b>	16	44	28	20	19	82	125	132	124	133	0	0	0	0	0	-	-	-	-	-
- Heterosexual	9	35	14	3	6	25	56	49	34	21	0	0	0	0	0	-	-	-	-	-
- MSM	7	9	14	17	13	57	67	80	89	111	0	0	0	0	0	-	-	-	-	-
<b>Female (total)</b>	31	50	42	36	37	17	40	49	47	34	0	0	0	0	0	-	-	-	-	-
- Heterosexual	31	50	41	36	37	16	40	48	42	32	0	0	0	0	0	-	-	-	-	-
- WSW	0	0	0	0	0	1	0	0	2	2	0	0	0	0	0	-	-	-	-	-
<b>Total</b>	47	94	70	56	56	99	165	181	171	167	0	0	0	0	0	-	-	-	-	-

Genital infection only\*

Gender	Chlamydia					Gonorrhoea					LGV					NSGI				
	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016
<b>Male (total)</b>	2,651	2,611	2,504	2,397	2,479	426	485	517	568	650	0	0	1	2	4	1,241	1,142	1,152	1,152	1,039
- Heterosexual	2,555	2,476	2,407	2,297	2,364	335	372	404	442	499	0	0	1	0	1	1,113	971	1,016	999	906
- MSM	90	92	93	94	112	88	102	108	121	148	0	0	0	2	3	126	123	135	150	129
<b>Female (total)</b>	2,734	2,804	2,751	2,457	2,716	376	411	466	461	551	1	0	0	0	0	165	233	172	113	122
- Heterosexual	2,730	2,753	2,742	2,443	2,707	375	400	465	460	548	1	0	0	0	0	163	217	171	112	122
- WSW	3	2	4	5	3	0	0	0	1	1	0	0	0	0	0	1	2	1	1	0
<b>Total</b>	5,385	5,416	5,255	4,855	5,197	802	896	983	1,029	1,201	1	0	1	2	4	1,406	1,375	1,324	1,265	1,161

\* Numbers of single rectal and single genital infections may be over reported (please see 'Notes' section for more details).

Table 5 (a - 7): Number of STI diagnoses at a single infection site in North West PHEC by gender & sexual risk, 2012 - 2016

Data type: service data

Published 06/06/2017

North of England PHER

Rectal infection only\*

Gender	Chlamydia					Gonorrhoea					LGV					NSGI				
	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016
<b>Male (total)</b>	527	478	499	593	652	415	332	519	598	609	23	14	10	27	27	38	63	40	43	45
- Heterosexual	39	23	27	43	42	26	23	16	31	35	1	0	0	2	0	7	17	7	3	6
- MSM	484	450	467	547	593	388	306	494	561	563	22	14	10	25	27	31	46	32	40	39
<b>Female (total)</b>	84	86	78	100	163	30	24	16	14	22	0	0	0	1	0	0	1	0	0	0
- Heterosexual	83	81	76	95	157	30	24	16	14	21	0	0	0	1	0	0	1	0	0	0
- WSW	1	3	1	5	2	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
<b>Total</b>	611	564	577	693	815	445	357	535	612	631	23	14	10	28	27	38	64	40	43	45

Pharyngeal infection only

Gender	Chlamydia					Gonorrhoea					LGV					NSGI				
	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016
<b>Male (total)</b>	47	35	37	48	51	301	256	314	458	450	1	0	0	0	0	-	-	-	-	-
- Heterosexual	4	3	4	12	3	44	28	34	57	43	0	0	0	0	0	-	-	-	-	-
- MSM	43	31	32	36	47	256	227	277	397	398	1	0	0	0	0	-	-	-	-	-
<b>Female (total)</b>	70	51	54	81	71	63	46	38	48	72	0	0	0	1	0	-	-	-	-	-
- Heterosexual	70	51	54	81	70	59	46	37	47	72	0	0	0	1	0	-	-	-	-	-
- WSW	0	0	0	0	0	2	0	1	0	0	0	0	0	0	0	-	-	-	-	-
<b>Total</b>	117	86	91	129	122	364	302	353	506	522	1	0	0	1	0	-	-	-	-	-

Genital infection only\*

Gender	Chlamydia					Gonorrhoea					LGV					NSGI				
	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016
<b>Male (total)</b>	6,598	6,693	6,779	6,101	6,263	1,385	1,365	1,328	1,341	1,321	23	26	21	31	31	4,657	4,635	4,495	3,914	3,273
- Heterosexual	6,075	6,174	6,236	5,646	5,789	896	839	777	810	858	2	0	4	2	4	3,973	4,075	3,890	3,310	2,768
- MSM	408	461	430	371	384	471	515	539	511	452	21	24	16	28	27	636	529	559	575	470
<b>Female (total)</b>	6,843	7,149	7,626	7,145	7,535	949	904	733	740	766	4	3	2	4	1	662	926	2,055	698	352
- Heterosexual	6,624	7,053	7,485	7,033	7,412	931	895	724	733	751	4	3	2	4	1	659	912	2,021	689	346
- WSW	17	7	11	11	9	2	2	2	1	3	0	0	0	0	0	2	9	7	2	2
<b>Total</b>	13,441	13,843	14,405	13,246	13,799	2,335	2,269	2,061	2,081	2,087	27	29	23	35	32	5,319	5,561	6,550	4,612	3,625

\* Numbers of single rectal and single genital infections may be over reported (please see 'Notes' section for more details).

Table 5 (a - 8): Number of STI diagnoses at a single infection site in Yorkshire and the Humber PHEC by gender & sexual risk, 2012 - 2016

Data type: service data

Published 06/06/2017

North of England PHER

Rectal infection only\*

Gender	Chlamydia					Gonorrhoea					LGV					NSGI				
	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016
<b>Male (total)</b>	232	231	289	271	297	92	160	221	234	184	3	1	3	5	9	1	3	7	14	12
- Heterosexual	31	42	45	21	16	14	26	16	24	22	1	0	0	1	1	0	1	3	5	5
- MSM	195	183	240	250	275	76	130	201	207	155	2	1	3	3	8	0	2	4	9	7
<b>Female (total)</b>	35	42	50	122	36	9	12	16	28	18	0	0	0	0	0	0	0	0	0	2
- Heterosexual	26	33	48	119	35	6	9	15	26	17	0	0	0	0	0	0	0	0	0	2
- WSW	0	1	0	3	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
<b>Total</b>	267	273	339	393	333	101	172	238	262	202	3	1	3	5	9	1	3	7	14	14

Pharyngeal infection only

Gender	Chlamydia					Gonorrhoea					LGV					NSGI				
	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016
<b>Male (total)</b>	14	11	26	19	23	65	141	178	214	207	0	0	0	0	0	-	-	-	-	-
- Heterosexual	3	4	7	3	2	18	34	36	20	20	0	0	0	0	0	-	-	-	-	-
- MSM	11	7	19	16	21	47	105	138	191	182	0	0	0	0	0	-	-	-	-	-
<b>Female (total)</b>	5	8	19	20	15	17	37	37	32	37	0	0	0	0	0	-	-	-	-	-
- Heterosexual	3	8	18	20	15	16	36	37	31	36	0	0	0	0	0	-	-	-	-	-
- WSW	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	-	-	-	-	-
<b>Total</b>	19	19	45	39	38	82	179	215	246	244	0	0	0	0	0	-	-	-	-	-

Genital infection only\*

Gender	Chlamydia					Gonorrhoea					LGV					NSGI				
	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016
<b>Male (total)</b>	4,690	4,914	5,357	4,953	5,320	723	913	1,042	1,001	1,022	11	4	4	5	7	2,290	2,125	1,844	1,616	1,469
- Heterosexual	3,842	4,270	4,914	4,603	4,647	458	618	744	726	713	0	2	0	1	1	1,923	1,789	1,698	1,437	1,279
- MSM	204	178	255	198	210	140	214	269	248	246	11	2	4	4	6	153	151	140	153	137
<b>Female (total)</b>	4,775	5,043	6,048	5,584	6,306	588	744	853	709	720	3	2	0	0	1	601	685	661	467	469
- Heterosexual	4,159	4,576	5,771	5,301	5,584	498	670	825	691	680	3	2	0	0	1	488	673	646	457	439
- WSW	2	5	12	6	3	1	2	2	0	0	0	0	0	0	0	0	0	3	0	2
<b>Total</b>	9,466	9,957	11,406	10,539	11,627	1,311	1,657	1,895	1,710	1,742	14	6	4	5	8	2,892	2,811	2,505	2,083	1,938

\* Numbers of single rectal and single genital infections may be over reported (please see 'Notes' section for more details).

Table 5 (a - 9): Number of STI diagnoses at a single infection site in South East PHEC by gender & sexual risk, 2012 - 2016

Data type: service data

Published 06/06/2017

South of England PHER

Rectal infection only\*

Gender	Chlamydia					Gonorrhoea					LGV					NSGI				
	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016
<b>Male (total)</b>	308	350	460	540	523	183	250	338	429	337	8	17	18	15	18	46	25	49	47	40
- Heterosexual	29	36	42	31	24	15	20	21	18	19	0	0	2	1	0	11	3	3	3	6
- MSM	275	300	404	500	487	168	224	311	406	315	8	15	16	14	18	35	22	46	44	34
<b>Female (total)</b>	18	30	26	32	34	4	4	15	18	17	0	0	0	0	0	5	0	1	0	4
- Heterosexual	17	28	25	32	33	4	4	15	18	17	0	0	0	0	0	4	0	0	0	4
- WSW	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
<b>Total</b>	326	380	486	572	557	187	254	353	447	354	8	17	18	15	18	51	25	50	47	44

Pharyngeal infection only

Gender	Chlamydia					Gonorrhoea					LGV					NSGI				
	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016
<b>Male (total)</b>	37	29	43	52	48	215	363	542	694	388	0	0	0	0	0	-	-	-	-	-
- Heterosexual	4	3	9	5	6	19	73	75	88	33	0	0	0	0	0	-	-	-	-	-
- MSM	32	26	33	46	42	193	285	448	595	350	0	0	0	0	0	-	-	-	-	-
<b>Female (total)</b>	2	5	11	14	20	23	19	37	35	37	0	0	0	0	0	-	-	-	-	-
- Heterosexual	2	5	11	13	20	23	18	35	34	37	0	0	0	0	0	-	-	-	-	-
- WSW	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-	-
<b>Total</b>	39	34	54	66	68	238	382	579	729	425	0	0	0	0	0	-	-	-	-	-

Genital infection only\*

Gender	Chlamydia					Gonorrhoea					LGV					NSGI				
	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016
<b>Male (total)</b>	6,091	6,150	6,125	5,965	6,317	989	903	989	1,109	1,021	17	17	11	13	12	6,321	5,542	4,864	4,835	4,357
- Heterosexual	5,635	5,693	5,471	5,490	5,833	607	566	567	614	645	6	2	2	2	2	5,659	4,833	4,096	4,227	3,762
- MSM	405	368	414	402	392	363	315	371	475	367	11	13	9	11	10	622	582	512	562	566
<b>Female (total)</b>	6,403	6,671	6,674	6,651	7,364	454	513	576	554	546	4	7	3	0	1	1,741	1,444	1,206	1,163	1,058
- Heterosexual	6,357	6,508	6,378	6,525	7,123	446	492	549	542	533	4	6	3	0	1	1,736	1,370	1,114	1,129	1,040
- WSW	13	12	7	8	17	2	4	2	1	1	0	0	0	0	0	1	2	3	4	3
<b>Total</b>	12,494	12,821	12,799	12,617	13,681	1,443	1,416	1,565	1,663	1,567	21	24	14	13	13	8,063	6,987	6,070	5,998	5,415

\* Numbers of single rectal and single genital infections may be over reported (please see 'Notes' section for more details).

Table 5 (a - 10): Number of STI diagnoses at a single infection site in South West PHEC by gender & sexual risk, 2012 - 2016

Data type: service data

Published 06/06/2017

South of England PHER

Rectal infection only\*

Gender	Chlamydia					Gonorrhoea					LGV					NSGI				
	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016
<b>Male (total)</b>	190	168	161	258	217	103	137	170	177	115	2	2	5	1	3	11	8	8	10	9
- Heterosexual	15	9	11	21	16	7	6	11	12	7	0	0	0	1	0	1	0	1	4	2
- MSM	172	158	147	233	197	94	130	159	161	107	2	2	5	0	3	9	7	7	6	7
<b>Female (total)</b>	36	26	24	25	24	19	12	12	17	5	0	0	0	0	0	0	1	0	0	0
- Heterosexual	36	24	23	25	20	17	11	12	17	5	0	0	0	0	0	0	1	0	0	0
- WSW	0	2	0	0	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<b>Total</b>	226	194	185	283	241	122	149	182	194	120	2	2	5	1	3	11	9	8	10	9

Pharyngeal infection only

Gender	Chlamydia					Gonorrhoea					LGV					NSGI				
	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016
<b>Male (total)</b>	6	20	22	30	36	78	126	133	196	156	0	0	0	0	0	-	-	-	-	-
- Heterosexual	3	3	2	5	3	10	13	17	13	29	0	0	0	0	0	-	-	-	-	-
- MSM	3	16	20	24	33	68	108	114	180	125	0	0	0	0	0	-	-	-	-	-
<b>Female (total)</b>	3	17	11	4	8	10	23	32	11	13	0	0	0	0	0	-	-	-	-	-
- Heterosexual	3	17	11	4	8	9	22	32	11	13	0	0	0	0	0	-	-	-	-	-
- WSW	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-	-
<b>Total</b>	9	37	33	34	44	88	149	165	207	169	0	0	0	0	0	-	-	-	-	-

Genital infection only\*

Gender	Chlamydia					Gonorrhoea					LGV					NSGI				
	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016
<b>Male (total)</b>	3,813	4,165	4,045	4,005	4,172	538	617	782	879	629	7	5	3	11	8	3,293	3,116	2,806	2,854	2,758
- Heterosexual	3,493	3,784	3,647	3,622	3,813	289	330	392	436	369	1	1	0	0	4	2,978	2,778	2,463	2,530	2,389
- MSM	265	291	307	318	276	239	278	376	435	253	6	4	3	11	4	280	297	301	296	344
<b>Female (total)</b>	3,679	4,182	4,321	4,083	4,336	268	264	431	398	347	1	1	1	0	0	917	971	745	667	537
- Heterosexual	3,615	4,059	4,185	3,974	4,200	262	262	423	386	339	1	1	1	0	0	902	962	740	657	532
- WSW	7	2	1	3	4	1	2	1	1	1	0	0	0	0	0	3	2	1	1	1
<b>Total</b>	7,492	8,347	8,366	8,089	8,508	806	881	1,213	1,277	976	8	6	4	11	8	4,210	4,088	3,551	3,521	3,295

\* Numbers of single rectal and single genital infections may be over reported (please see 'Notes' section for more details).



**Table 5 (b - 1): Number of STI diagnoses at multiple infection sites in England by gender & sexual risk, 2012 - 2016**  
*Data type: service data*

Published 06/06/2017

England

Rectal infection with genital &/or pharyngeal infection

Gender	Chlamydia						Gonorrhoea						LGV						NSGI					
	2012	2013	2014	2015	2016	2016	2012	2013	2014	2015	2016	2016	2012	2013	2014	2015	2016	2016	2012	2013	2014	2015	2016	2016
<b>Male (total)</b>	327	454	541	587	725	845	1,202	1,543	2,070	1,863	5	15	19	3	3	14	16	16	12	12				
- Heterosexual	23	26	42	32	57	55	69	100	148	122	0	0	0	0	0	2	5	0	2	2				
- MSM	290	408	486	533	654	765	1,103	1,393	1,880	1,700	5	15	19	2	3	12	11	16	10	10				
<b>Female (total)</b>	147	335	446	580	636	135	178	211	301	329	0	0	0	0	0	0	1	0	0	2				
- Heterosexual	139	325	436	559	630	133	170	205	293	323	0	0	0	0	0	0	1	0	0	2				
- WSW	1	1	1	7	2	0	4	0	4	4	0	0	0	0	0	0	0	0	0	0				
<b>Total</b>	474	789	987	1,167	1,362	980	1,380	1,754	2,372	2,193	5	15	19	3	3	14	17	16	12	14				

Genital & pharyngeal infections

Gender	Chlamydia						Gonorrhoea						LGV						NSGI					
	2012	2013	2014	2015	2016	2016	2012	2013	2014	2015	2016	2016	2012	2013	2014	2015	2016	2016	2012	2013	2014	2015	2016	2016
<b>Male (total)</b>	29	67	59	70	64	193	304	390	441	417	0	0	0	0	0	-	-	-	-	-				
- Heterosexual	16	40	32	33	18	55	78	100	131	104	0	0	0	0	0	-	-	-	-	-				
- MSM	13	25	24	35	45	129	215	275	302	303	0	0	0	0	0	-	-	-	-	-				
<b>Female (total)</b>	66	144	188	211	297	86	119	156	252	281	0	0	0	0	0	-	-	-	-	-				
- Heterosexual	63	144	186	209	295	80	113	151	248	278	0	0	0	0	0	-	-	-	-	-				
- WSW	0	0	0	1	0	0	0	1	1	0	0	0	0	0	0	-	-	-	-	-				
<b>Total</b>	95	211	248	281	362	279	423	546	693	699	0	0	0	0	0	-	-	-	-	-				

Numbers of multi-site infections may be underreported (please see 'Notes' section for more details).

**Table 5 (b - 2): Number of STI diagnoses at multiple infection sites in London PHEC by gender & sexual risk, 2012 - 2016**  
*Data type: service data*

Published 06/06/2017

London PHER

Rectal infection with genital &/or pharyngeal infection

Gender	Chlamydia						Gonorrhoea						LGV						NSGI					
	2012	2013	2014	2015	2016	2016	2012	2013	2014	2015	2016	2016	2012	2013	2014	2015	2016	2016	2012	2013	2014	2015	2016	2016
<b>Male (total)</b>	164	223	257	264	299	473	677	746	811	770	4	15	19	3	0	3	5	8	4	4				
- Heterosexual	7	7	19	12	21	21	22	36	66	61	0	0	0	0	0	0	1	0	0	0				
- MSM	148	203	231	239	273	439	636	674	722	699	4	15	19	2	0	3	4	8	4	4				
<b>Female (total)</b>	40	75	107	105	81	21	28	20	33	36	0	0	0	0	0	0	0	0	0	1				
- Heterosexual	39	69	104	96	80	21	26	19	29	34	0	0	0	0	0	0	0	0	0	1				
- WSW	0	1	1	3	1	0	1	0	3	2	0	0	0	0	0	0	0	0	0	0				
<b>Total</b>	204	298	364	369	380	494	705	766	845	807	4	15	19	3	0	3	5	8	4	5				

Genital & pharyngeal infections

Gender	Chlamydia						Gonorrhoea						LGV						NSGI					
	2012	2013	2014	2015	2016	2016	2012	2013	2014	2015	2016	2016	2012	2013	2014	2015	2016	2016	2012	2013	2014	2015	2016	2016
<b>Male (total)</b>	13	15	15	22	24	80	136	134	130	129	0	0	0	0	0	-	-	-	-	-				
- Heterosexual	2	2	2	3	3	5	12	14	22	12	0	0	0	0	0	-	-	-	-	-				
- MSM	11	12	10	17	21	70	118	111	105	110	0	0	0	0	0	-	-	-	-	-				
<b>Female (total)</b>	6	10	20	40	68	20	24	32	50	56	0	0	0	0	0	-	-	-	-	-				
- Heterosexual	5	10	19	39	68	19	22	29	47	55	0	0	0	0	0	-	-	-	-	-				
- WSW	0	0	0	1	0	0	0	1	1	0	0	0	0	0	0	-	-	-	-	-				
<b>Total</b>	19	25	35	62	92	100	160	166	180	185	0	0	0	0	0	-	-	-	-	-				

Numbers of multi-site infections may be underreported (please see 'Notes' section for more details).

**Table 5 (b - 3): Number of STI diagnoses at multiple infection sites in East of England PHEC by gender & sexual risk, 2012 - 2016**  
*Data type: service data*

Published 06/06/2017

Midlands & East of England PHER

Rectal infection with genital &/or pharyngeal infection

Gender	Chlamydia						Gonorrhoea						LGV						NSGI					
	2012	2013	2014	2015	2016	2016	2012	2013	2014	2015	2016	2016	2012	2013	2014	2015	2016	2016	2012	2013	2014	2015	2016	2016
<b>Male (total)</b>	8	7	12	16	21	11	16	33	63	48	0	0	0	0	1	1	2	0	1	1				
- Heterosexual	2	0	2	2	2	2	1	3	3	4	0	0	0	0	0	0	0	0	0	1				
- MSM	5	7	10	14	18	8	15	30	59	43	0	0	0	0	1	1	2	0	1	0				
<b>Female (total)</b>	8	14	15	23	21	9	9	8	19	9	0	0	0	0	0	0	0	0	0	0				
- Heterosexual	7	14	15	23	21	9	9	8	18	9	0	0	0	0	0	0	0	0	0	0				
- WSW	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
<b>Total</b>	16	21	27	39	42	20	25	41	82	57	0	0	0	0	1	1	2	0	1	1				

Genital & pharyngeal infections

Gender	Chlamydia						Gonorrhoea						LGV						NSGI					
	2012	2013	2014	2015	2016	2016	2012	2013	2014	2015	2016	2016	2012	2013	2014	2015	2016	2016	2012	2013	2014	2015	2016	2016
<b>Male (total)</b>	1	1	4	4	2	7	17	11	28	12	0	0	0	0	0	-	-	-	-	-				
- Heterosexual	1	0	2	2	0	1	5	3	11	5	0	0	0	0	0	-	-	-	-	-				
- MSM	0	1	2	2	2	6	11	8	16	7	0	0	0	0	0	-	-	-	-	-				
<b>Female (total)</b>	2	2	7	4	6	4	1	2	12	9	0	0	0	0	0	-	-	-	-	-				
- Heterosexual	1	2	7	4	6	4	1	2	12	9	0	0	0	0	0	-	-	-	-	-				
- WSW	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-	-				
<b>Total</b>	3	3	11	8	8	11	18	13	40	21	0	0	0	0	0	-	-	-	-	-				

Numbers of multi-site infections may be underreported (please see 'Notes' section for more details).

**Table 5 (b - 4): Number of STI diagnoses at multiple infection sites in East Midlands PHEC by gender & sexual risk, 2012 - 2016**

Data type: service data

Published 06/06/2017

Midlands & East of England PHER

Rectal infection with genital &/or pharyngeal infection

Gender	Chlamydia						Gonorrhoea						LGV			NSGI						
	2012	2013	2014	2015	2016	2016	2012	2013	2014	2015	2016	2016	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016
<b>Male (total)</b>	11	23	24	21	28	28	24	23	55	78	104	55	0	0	0	0	1	0	0	0	0	0
- Heterosexual	1	3	3	2	1	1	1	6	7	8	3	0	0	0	0	0	0	0	1	0	0	0
- MSM	10	19	21	19	27	27	22	48	67	89	50	0	0	0	0	1	0	0	0	0	0	0
<b>Female (total)</b>	6	31	35	40	50	50	3	15	15	11	10	0	0	0	0	0	0	0	0	0	0	0
- Heterosexual	5	31	35	39	50	50	3	15	15	11	10	0	0	0	0	0	0	0	0	0	0	0
- WSW	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<b>Total</b>	17	54	59	61	78	78	27	70	93	115	65	0	0	0	0	1	0	1	0	0	0	0

Genital & pharyngeal infections

Gender	Chlamydia						Gonorrhoea						LGV			NSGI						
	2012	2013	2014	2015	2016	2016	2012	2013	2014	2015	2016	2016	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016
<b>Male (total)</b>	0	1	3	5	4	4	3	13	24	23	15	0	0	0	0	0	0	-	-	-	-	-
- Heterosexual	0	0	2	4	2	2	1	6	4	12	3	0	0	0	0	0	0	-	-	-	-	-
- MSM	0	1	1	1	2	2	2	7	19	10	11	0	0	0	0	0	0	-	-	-	-	-
<b>Female (total)</b>	3	6	5	15	17	17	2	10	17	12	16	0	0	0	0	0	0	-	-	-	-	-
- Heterosexual	3	6	5	15	17	17	2	10	17	12	16	0	0	0	0	0	0	-	-	-	-	-
- WSW	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-	-
<b>Total</b>	3	7	8	20	21	21	5	23	41	35	31	0	0	0	0	0	0	-	-	-	-	-

Numbers of multi-site infections may be underreported (please see 'Notes' section for more details).

**Table 5 (b - 5): Number of STI diagnoses at multiple infection sites in West Midlands PHEC by gender & sexual risk, 2012 - 2016**

Data type: service data

Published 06/06/2017

Midlands & East of England PHER

Rectal infection with genital &/or pharyngeal infection

Gender	Chlamydia						Gonorrhoea						LGV			NSGI						
	2012	2013	2014	2015	2016	2016	2012	2013	2014	2015	2016	2016	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016
<b>Male (total)</b>	12	7	12	22	30	30	23	11	32	56	69	0	0	0	0	0	0	0	0	1	0	0
- Heterosexual	2	2	1	1	5	5	3	2	4	2	3	0	0	0	0	0	0	0	0	1	0	0
- MSM	7	5	11	19	24	24	16	8	28	54	63	0	0	0	0	0	0	0	0	0	0	0
<b>Female (total)</b>	6	18	31	56	70	70	9	6	6	12	11	0	0	0	0	0	0	0	0	0	0	0
- Heterosexual	6	17	31	53	69	69	8	5	6	12	11	0	0	0	0	0	0	0	0	0	0	0
- WSW	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<b>Total</b>	18	25	43	78	100	100	32	17	38	68	80	0	0	0	0	0	0	0	1	0	0	1

Genital & pharyngeal infections

Gender	Chlamydia						Gonorrhoea						LGV			NSGI						
	2012	2013	2014	2015	2016	2016	2012	2013	2014	2015	2016	2016	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016
<b>Male (total)</b>	0	1	1	0	0	0	3	4	11	17	27	0	0	0	0	0	0	-	-	-	-	-
- Heterosexual	0	0	1	0	0	0	1	1	4	3	5	0	0	0	0	0	0	-	-	-	-	-
- MSM	0	1	0	0	0	0	1	3	7	14	22	0	0	0	0	0	0	-	-	-	-	-
<b>Female (total)</b>	6	1	15	18	42	42	4	4	8	13	27	0	0	0	0	0	0	-	-	-	-	-
- Heterosexual	6	1	15	18	41	41	3	4	8	12	27	0	0	0	0	0	0	-	-	-	-	-
- WSW	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-	-
<b>Total</b>	6	2	16	18	42	42	7	8	19	30	54	0	0	0	0	0	0	-	-	-	-	-

Numbers of multi-site infections may be underreported (please see 'Notes' section for more details).

**Table 5 (b - 6): Number of STI diagnoses at multiple infection sites in North East PHEC by gender & sexual risk, 2012 - 2016**

Data type: service data

Published 06/06/2017

North of England PHER

Rectal infection with genital &/or pharyngeal infection

Gender	Chlamydia						Gonorrhoea						LGV			NSGI						
	2012	2013	2014	2015	2016	2016	2012	2013	2014	2015	2016	2016	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016
<b>Male (total)</b>	25	29	23	22	25	25	49	54	44	98	98	0	0	0	0	0	0	1	0	1	0	0
- Heterosexual	3	2	0	0	1	1	4	7	3	3	2	0	0	0	0	0	0	0	0	0	0	0
- MSM	22	27	23	22	24	24	44	47	41	95	96	0	0	0	0	0	0	1	0	1	0	0
<b>Female (total)</b>	46	97	111	134	123	123	43	50	53	64	75	0	0	0	0	0	0	0	0	0	0	0
- Heterosexual	46	97	110	133	123	123	43	48	52	64	74	0	0	0	0	0	0	0	0	0	0	0
- WSW	0	0	0	1	0	0	0	2	0	0	1	0	0	0	0	0	0	0	0	0	0	0
<b>Total</b>	71	126	134	156	149	149	92	104	97	162	173	0	0	0	0	0	0	1	0	1	0	0

Genital & pharyngeal infections

Gender	Chlamydia						Gonorrhoea						LGV			NSGI						
	2012	2013	2014	2015	2016	2016	2012	2013	2014	2015	2016	2016	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016
<b>Male (total)</b>	12	33	18	16	6	6	29	26	29	15	35	0	0	0	0	0	0	-	-	-	-	-
- Heterosexual	12	32	18	16	6	6	19	21	17	9	22	0	0	0	0	0	0	-	-	-	-	-
- MSM	0	1	0	0	0	0	9	5	12	6	13	0	0	0	0	0	0	-	-	-	-	-
<b>Female (total)</b>	43	80	80	61	76	76	16	26	17	45	37	0	0	0	0	0	0	-	-	-	-	-
- Heterosexual	43	80	80	61	75	75	16	26	17	45	37	0	0	0	0	0	0	-	-	-	-	-
- WSW	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-	-
<b>Total</b>	55	113	99	77	83	83	45	52	46	60	73	0	0	0	0	0	0	-	-	-	-	-

Numbers of multi-site infections may be underreported (please see 'Notes' section for more details).

**Table 5 (b - 7): Number of STI diagnoses at multiple infection sites in North West PHEC by gender & sexual risk, 2012 - 2016**  
 Data type: service data

Published 06/06/2017

North of England PHER

Rectal infection with genital &/or pharyngeal infection

Gender	Chlamydia						Gonorrhoea						LGV						NSGI					
	2012	2013	2014	2015	2016	2016	2012	2013	2014	2015	2016	2016	2012	2013	2014	2015	2016	2016	2012	2013	2014	2015	2016	2016
<b>Male (total)</b>	31	55	59	56	76	77	126	171	269	252	252	252	1	0	0	0	1	1	0	2	2	3	3	3
- Heterosexual	1	2	5	6	8	4	5	15	28	24	24	24	0	0	0	0	0	0	0	1	0	2	0	0
- MSM	30	52	50	49	68	72	119	151	239	225	225	1	0	0	0	1	1	0	1	2	1	3	3	
<b>Female (total)</b>	10	42	58	71	107	29	31	42	55	81	81	0	0	0	0	0	0	0	0	0	0	0	1	
- Heterosexual	10	42	58	70	105	29	30	42	55	81	81	0	0	0	0	0	0	0	0	0	0	0	1	
- WSW	0	0	0	1	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
<b>Total</b>	41	97	117	127	183	106	157	213	324	333	333	1	0	0	0	1	1	0	2	2	3	3	4	

Genital & pharyngeal infections

Gender	Chlamydia						Gonorrhoea						LGV						NSGI					
	2012	2013	2014	2015	2016	2016	2012	2013	2014	2015	2016	2016	2012	2013	2014	2015	2016	2016	2012	2013	2014	2015	2016	2016
<b>Male (total)</b>	1	5	4	4	7	29	26	54	56	45	45	0	0	0	0	0	0	0	0	0	0	0	0	
- Heterosexual	0	0	3	3	3	16	7	17	18	9	9	0	0	0	0	0	0	0	0	0	0	0	0	
- MSM	1	4	1	1	3	13	18	35	37	35	35	0	0	0	0	0	0	0	0	0	0	0	0	
<b>Female (total)</b>	4	22	26	31	60	21	23	26	32	58	58	0	0	0	0	0	0	0	0	0	0	0	0	
- Heterosexual	4	22	26	31	60	19	23	25	32	58	58	0	0	0	0	0	0	0	0	0	0	0	0	
- WSW	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
<b>Total</b>	5	27	30	35	67	50	49	80	88	103	103	0	0	0	0	0	0	0	0	0	0	0	0	

Numbers of multi-site infections may be underreported (please see 'Notes' section for more details).

**Table 5 (b - 8): Number of STI diagnoses at multiple infection sites in Yorkshire and the Humber PHEC by gender & sexual risk, 2012 - 2016**  
 Data type: service data

Published 06/06/2017

North of England PHER

Rectal infection with genital &/or pharyngeal infection

Gender	Chlamydia						Gonorrhoea						LGV						NSGI					
	2012	2013	2014	2015	2016	2016	2012	2013	2014	2015	2016	2016	2012	2013	2014	2015	2016	2016	2012	2013	2014	2015	2016	2016
<b>Male (total)</b>	13	6	30	41	76	38	36	75	145	172	172	0	0	0	0	0	0	0	0	0	0	0	0	
- Heterosexual	2	0	3	1	5	8	9	7	2	7	7	0	0	0	0	0	0	0	0	0	0	0	0	
- MSM	10	6	27	38	70	28	27	68	140	160	160	0	0	0	0	0	0	0	0	0	0	0	0	
<b>Female (total)</b>	10	13	16	59	81	8	15	22	59	58	58	0	0	0	0	0	0	0	0	0	0	0	0	
- Heterosexual	5	10	16	58	79	7	13	21	56	57	57	0	0	0	0	0	0	0	0	0	0	0	0	
- WSW	1	0	0	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
<b>Total</b>	23	19	46	100	157	46	51	97	204	230	230	0	0	0	0	0	0	0	0	0	0	0	0	

Genital & pharyngeal infections

Gender	Chlamydia						Gonorrhoea						LGV						NSGI					
	2012	2013	2014	2015	2016	2016	2012	2013	2014	2015	2016	2016	2012	2013	2014	2015	2016	2016	2012	2013	2014	2015	2016	2016
<b>Male (total)</b>	0	1	3	2	4	6	16	16	41	50	50	0	0	0	0	0	0	0	0	0	0	0	0	
- Heterosexual	0	1	1	0	0	4	5	6	14	15	15	0	0	0	0	0	0	0	0	0	0	0	0	
- MSM	0	0	2	2	4	2	10	10	27	34	34	0	0	0	0	0	0	0	0	0	0	0	0	
<b>Female (total)</b>	1	3	4	12	17	4	14	15	36	36	36	0	0	0	0	0	0	0	0	0	0	0	0	
- Heterosexual	0	3	4	12	17	2	10	15	36	34	34	0	0	0	0	0	0	0	0	0	0	0	0	
- WSW	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
<b>Total</b>	1	4	7	14	21	10	30	31	77	86	86	0	0	0	0	0	0	0	0	0	0	0	0	

Numbers of multi-site infections may be underreported (please see 'Notes' section for more details).

**Table 5 (b - 9): Number of STI diagnoses at multiple infection sites in South East PHEC by gender & sexual risk, 2012 - 2016**  
 Data type: service data

Published 06/06/2017

South of England PHER

Rectal infection with genital &/or pharyngeal infection

Gender	Chlamydia						Gonorrhoea						LGV						NSGI					
	2012	2013	2014	2015	2016	2016	2012	2013	2014	2015	2016	2016	2012	2013	2014	2015	2016	2016	2012	2013	2014	2015	2016	2016
<b>Male (total)</b>	51	88	110	113	131	138	195	312	394	283	283	0	0	0	0	0	0	8	5	5	4	3	3	
- Heterosexual	3	9	9	5	10	12	15	24	27	11	11	0	0	0	0	0	2	1	4	0	0	0		
- MSM	48	74	100	105	115	124	174	283	365	260	260	0	0	0	0	0	6	4	5	4	3	3		
<b>Female (total)</b>	17	28	41	70	72	10	21	40	39	30	30	0	0	0	0	0	0	0	0	0	0	0		
- Heterosexual	17	28	37	67	72	10	21	37	39	30	30	0	0	0	0	0	0	0	0	0	0	0		
- WSW	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
<b>Total</b>	68	116	151	183	203	148	216	352	433	313	313	0	0	0	0	0	8	5	5	4	3	3		

Genital & pharyngeal infections

Gender	Chlamydia						Gonorrhoea						LGV						NSGI					
	2012	2013	2014	2015	2016	2016	2012	2013	2014	2015	2016	2016	2012	2013	2014	2015	2016	2016	2012	2013	2014	2015	2016	2016
<b>Male (total)</b>	2	5	9	14	15	33	53	86	110	73	73	0	0	0	0	0	0	0	0	0	0	0	0	
- Heterosexual	1	2	3	5	4	8	18	30	37	21	21	0	0	0	0	0	0	0	0	0	0	0		
- MSM	1	3	6	9	11	23	33	54	71	52	52	0	0	0	0	0	0	0	0	0	0	0		
<b>Female (total)</b>	0	4	10	20	9	10	14	25	44	31	31	0	0	0	0	0	0	0	0	0	0	0		
- Heterosexual	0	4	9	20	9	10	14	24	44	31	31	0	0	0	0	0	0	0	0	0	0	0		
- WSW	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
<b>Total</b>	2	9	19	34	24	43	67	111	154	104	104	0	0	0	0	0	0	0	0	0	0	0		

Numbers of multi-site infections may be underreported (please see 'Notes' section for more details).

South of England PHER

Rectal infection with genital &/or pharyngeal infection

Gender	Chlamydia						Gonorrhoea						LGV					NSGI				
	2012	2013	2014	2015	2016	2016	2012	2013	2014	2015	2016	2016	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016
<b>Male (total)</b>	12	16	14	32	39	39	12	32	52	130	116	116	0	0	0	0	0	1	0	0	0	0
- Heterosexual	2	1	0	3	4	4	0	2	1	9	7	7	0	0	0	0	0	0	0	0	0	0
- MSM	10	15	13	28	35	35	12	29	51	117	104	104	0	0	0	0	0	1	0	0	0	0
<b>Female (total)</b>	4	17	32	22	31	31	3	3	5	9	19	19	0	0	0	0	0	0	1	0	0	0
- Heterosexual	4	17	30	20	31	31	3	3	5	9	17	17	0	0	0	0	0	0	1	0	0	0
- WSW	0	0	0	1	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0
<b>Total</b>	16	33	46	54	70	70	15	35	57	139	135	135	0	0	0	0	0	1	1	0	0	0

Genital & pharyngeal infections

Gender	Chlamydia						Gonorrhoea						LGV					NSGI				
	2012	2013	2014	2015	2016	2016	2012	2013	2014	2015	2016	2016	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016
<b>Male (total)</b>	0	5	2	3	2	2	3	13	25	21	31	31	0	0	0	0	0	-	-	-	-	-
- Heterosexual	0	3	0	0	0	0	0	3	5	5	12	12	0	0	0	0	0	-	-	-	-	-
- MSM	0	2	2	3	2	2	3	10	19	16	19	19	0	0	0	0	0	-	-	-	-	-
<b>Female (total)</b>	1	16	21	10	2	2	5	3	14	8	11	11	0	0	0	0	0	-	-	-	-	-
- Heterosexual	1	16	21	9	2	2	5	3	14	8	11	11	0	0	0	0	0	-	-	-	-	-
- WSW	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-	-
<b>Total</b>	1	21	23	13	4	4	8	16	39	29	42	42	0	0	0	0	0	-	-	-	-	-

Numbers of multi-site infections may be underreported (please see 'Notes' section for more details).



## Table 5: STI Definitions

STI diagnoses	SHHAPT codes**
<b>Chlamydia</b>	
<i>Genital</i>	C4*
<i>Pharyngeal</i>	C4O*
<i>Rectal</i>	C4R*
<b>Gonorrhoea</b>	
<i>Genital</i>	B*
<i>Pharyngeal</i>	BO*
<i>Rectal</i>	BR*
<b>LGV</b>	
<i>Genital</i>	C2
<i>Pharyngeal</i>	C2O
<i>Rectal</i>	C2R
<b>NSGI</b>	
<i>Genital</i>	C4N
<i>Rectal</i>	C4NR

\* including M & X suffixes

\*\*READ code equivalents are too numerous to include in this list but are available from PHE upon request