



Public Health
England

Table 7: STI diagnoses & partner notification, 2012 - 2016

Data type: service data

Data supplied by

Public Health England

Genito-Urinary Medicine Clinic Activity Dataset v2 (GUMCADv2)

Refer to 'Code Groups' for included conditions

Data prepared by

HIV & Sexually Transmitted Infections Department
Centre for Infectious Disease Surveillance & Control
Public Health England
61 Colindale Avenue
London
NW9 5EQ

Tel: 020-8200-6868

Email: gumcad@phe.gov.uk

Website: www.gov.uk/phe



Table 7: Contents

Important information		Page
Notes:	Information detailing the contents of the data presented	3

Data tables		Page
PHEC:	England	4
	London PHER / PHEC	4
	Midlands & East of England PHER	4
	East of England PHEC	4
	East Midlands PHEC	4
	West Midlands PHEC	4
	North of England PHER	5
	North East PHEC	5
	North West PHEC	5
	Yorkshire & the Humber PHEC	5
	South of England PHER	5
	South East PHEC	5
	South West PHEC	5

Supplementary information		Page
STI Definitions:	Definitions of STI conditions presented	6



Table 7: Notes & glossary

Notes: data type

Service data: Data represent STI diagnoses among people accessing services located in England
i.e. data may include people who are resident in England, Wales, Scotland, Northern Ireland or abroad

Notes: general

- Sexual health services are categorised into levels (1, 2 or 3) based upon the complexity of the services provided (level 3 being the most complex). GUMCADv2 surveillance includes Specialist* (level 3) & Non-Specialist* services (level 2) only.
**Specialist & Non-Specialist services are commonly referred to as GUM and Non-GUM services (respectively).*
Please refer to BASHH guidelines for definitions of service levels (Appendix B): <http://www.medfash.org.uk/uploads/files/p18dtqli8116261rv19i61rh9n2k4.pdf>
- Data are sourced from GUMCADv2 returns for Specialist (level 3) services only.
- PN data for NSGI, trichomoniasis & PID/epididymitis are not available prior to 2015.
- Testing data for for NSGI, trichomoniasis & PID/epididymitis are not collected, therefore data on 'PN Contacts tested' & '% of tested PN contacts diagnosed' cannot be presented.
- Data represent the number of diagnoses reported, not the number of people diagnosed.
- Data presented follow calendar years (Jan-Dec), not financial years (Apr-Mar).
- Data are updated on an annual basis so may differ from previous publications.

Citation:

For citation purposes the following is suggested:
Public Health England, National STI surveillance data tables 2016 - Table 7.

Glossary:

BASHH:	British Association for Sexual Health & HIV
CTAD:	Chlamydia Testing Activity Dataset
GP:	General Practice
GUM:	Genito-urinary Medicine - specialist level 3 sexual health service (including integrated GUM/SRH services)
GUMCADv2:	Genito-urinary Medicine Clinic Activity Dataset v2
KC60:	STI surveillance codes (retired during 2011)
LA:	Local Authority (including unitary authorities)
LA-UT:	Upper Tier Local Authority (including unitary authorities)
MSM:	Men who have Sex with Men
NCSP:	National Chlamydia Screening Programme
NNNG:	Non-NCSP & Non-GUM (chlamydia screening)
Non-GUM:	Non-Genitourinary Medicine - non-specialist level 1 & 2 sexual health service (including SRH, young persons & other sexual health services)
Non-Specialist:	Non-Specialist level 1 & 2 sexual health service (including SRH, young persons & other sexual health services)
ONS:	Office for National Statistics
PHE:	Public Health England
PHEC:	Public Health England Centre
PHER:	Public Health England Region
PN:	Partner Notification
READ:	National clinical terms codes
Region:	Former 'Government Office Region'
SHS:	Sexual Health Services
Specialist:	Specialist level 3 sexual health service (including GUM & integrated GUM/SRH services)
SHHAPT:	Sexual Health & HIV Activity Property Types - STI surveillance codes (introduced during 2011)
SR:	Sexual Risk
SRH:	Sexual & Reproductive Health
STI:	Sexually Transmitted Infection
WRoB:	World Region of Birth
WSW:	Women who have Sex with Women



Table 7 (f): Number of contacts & STI diagnoses made through partner notification at Specialist SHS in North East PHEC, 2012 - 2016

Data type: service data

Published 06/06/2017

Table with 19 columns: Year (2012-2016) for Chlamydia, Gonorrhoea, HIV, Syphilis, Trichomoniasis, NSGI, and PID & epididymitis. Rows include Diagnoses (a), PN contacts (b), PN contacts tested (c), PN contacts diagnosed (d), PN Ratio (b/a), % of tested PN contacts diagnosed (d/c), and % of PN contacts diagnosed (d/b).



Table 7 (g): Number of contacts & STI diagnoses made through partner notification at Specialist SHS in North West PHEC, 2012 - 2016

Data type: service data

Published 06/06/2017

Table with 19 columns: Year (2012-2016) for Chlamydia, Gonorrhoea, HIV, Syphilis, Trichomoniasis, NSGI, and PID & epididymitis. Rows include Diagnoses (a), PN contacts (b), PN contacts tested (c), PN contacts diagnosed (d), PN Ratio (b/a), % of tested PN contacts diagnosed (d/c), and % of PN contacts diagnosed (d/b).



Table 7 (h): Number of contacts & STI diagnoses made through partner notification at Specialist SHS in Yorkshire & the Humber PHEC, 2012 - 2016

Data type: service data

Published 06/06/2017

Table with 19 columns: Year (2012-2016) for Chlamydia, Gonorrhoea, HIV, Syphilis, Trichomoniasis, NSGI, and PID & epididymitis. Rows include Diagnoses (a), PN contacts (b), PN contacts tested (c), PN contacts diagnosed (d), PN Ratio (b/a), % of tested PN contacts diagnosed (d/c), and % of PN contacts diagnosed (d/b).



Table 7 (i): Number of contacts & STI diagnoses made through partner notification at Specialist SHS in South East PHEC, 2012 - 2016

Data type: service data

Published 06/06/2017

Table with 19 columns: Year (2012-2016) for Chlamydia, Gonorrhoea, HIV, Syphilis, Trichomoniasis, NSGI, and PID & epididymitis. Rows include Diagnoses (a), PN contacts (b), PN contacts tested (c), PN contacts diagnosed (d), PN Ratio (b/a), % of tested PN contacts diagnosed (d/c), and % of PN contacts diagnosed (d/b).



Table 7 (j): Number of contacts & STI diagnoses made through partner notification at Specialist SHS in South West PHEC, 2012 - 2016

Data type: service data

Published 06/06/2017

Table with 19 columns: Year (2012-2016) for Chlamydia, Gonorrhoea, HIV, Syphilis, Trichomoniasis, NSGI, and PID & epididymitis. Rows include Diagnoses (a), PN contacts (b), PN contacts tested (c), PN contacts diagnosed (d), PN Ratio (b/a), % of tested PN contacts diagnosed (d/c), and % of PN contacts diagnosed (d/b).

Table 7: STI Definitions

STI diagnoses	SHHAPT codes
Chlamydia	C4 (including O, M & R suffixes)
Gonorrhoea	B (including O, M, R & X suffixes)
HIV: new diagnosis**	H1, H1A, H1B (including X suffix)
Syphilis: primary, secondary & early latent	A1, A2, A3 (including X suffix)
Non-specific genital infection	C4N
Pelvic inflammatory disease (PID) & epididymitis: non-specific **	C5A
Chlamydial PID & epididymitis (included in chlamydia total)	C5A+C4
Gonococcal PID & epididymitis (included in gonorrhoea total)	C5A+B
Trichomoniasis	C6A

** New HIV diagnoses not exclusively transmitted by sexual contact.

Partner notification service	SHHAPT codes
Partner notification: chlamydia	PNC
Partner notification: gonorrhoea	PNG
Partner notification: HIV	PNH
Partner notification: Non-specific genital infection (NSGI)	PNN
Partner notification: PID/epididymitis	PNP
Partner notification: syphilis	PNS
Partner notification: trichomoniasis	PNT