



MOD-83-0000117-A

VITAL POINTS (front)



VITAL POINTS (back)



GREEN/YELLOW
AREAS

GREEN AREAS

YELLOW AREAS

RED AREAS

PRIMARY TARGET AREAS:

LOWER ABDOMEN (10) Calf
Forearm INSTEP (14)
Bullock ACHILLES TENDON (20)
(Back of Heel)
Thigh INSIDE OF WRIST (21)*
SHIN (13) ELBOW JOINT (22)*
BACK OF HAND (23)* WHOLE BODY: Except for
HEAD, NECK and SPINE

UPPER ARM*

* In application of a restraint technique

† In application of a Basic Position and/or Long Extended Two
Hand blocking technique

REASONING: Minimal level of resultant trauma. Injury tends
to be temporary rather than permanent,
however exceptions can occur

SECONDARY TARGET AREAS:

COLLARBONE (8) Shoulder
Upper Arm* ELBOW JOINT (22)*
SHOULDER BLADES (17) Upper Abdomen
INSIDE OF WRIST (21)* BACK OF HAND (23)*
KNEE JOINT (12)

* In application of a striking technique

REASONING: Moderate level of resultant injury. Injury tends
to be more permanent, but may also be
temporary.

FINAL TARGET AREAS:

TEMPLE (1) EARS (2)
EYES (3) BRIDGE OF NOSE (4)
UPPER LIP (5) JAW (6)
HOLLOW BEHIND EAR (16) THROAT (7)
BACK OF NECK (15) SOLAR PLEXUS (9)
GROIN (11) KIDNEY (18)
TAIL BONE (Coccyx) (19) Rib Cage
Spine

REASONING: Highest level of resultant trauma. Injury tends
to be permanent rather than temporary and
may include unconsciousness, serious bodily
injury, shock or death.