



Animal &
Plant Health
Agency

Additional Declaration Guide

Assorted *Citrus* fruits version 1.1 (April 2018)

Contents

	page
<i>Citrus aurantium</i> and <i>Citrus latifolia</i> fruits NOT for juicing or processing	2
<i>Citrus aurantifolia</i> and <i>Citrus limon</i> fruits NOT for juicing or processing	6
<i>Microcitrus</i> , <i>Naringi</i> and <i>Swinglea</i> fruits NOT for juicing or processing	8
<i>Citrus</i> , <i>Fortunella</i> and <i>Poncirus</i> fruits NOT for juicing or processing	10
<i>Citrus aurantium</i> and <i>Citrus latifolia</i> fruits for industrial processing and juicing	17
<i>Citrus aurantifolia</i> and <i>Citrus limon</i> fruits for juicing or processing	21
<i>Microcitrus</i> , <i>Naringi</i> and <i>Swinglea</i> fruits for juicing or processing	23
<i>Citrus</i> , <i>Fortunella</i> and <i>Poncirus</i> fruits NOT for juicing or processing	25

What are Additional Declarations?

The Plant Health Directive and phytosanitary certificates

Directive 2000/29/EC (Plant Health Directive) sets out measures to prevent the introduction and spread of plant pests and diseases into and within the European Union (EU) on plants, seeds and produce also known as controlled plant material. These measures include a requirement that controlled plant material must be accompanied by a phytosanitary certificate (PC) when imported into the EU from third countries.

PC's are issued by the national plant protection organisation (NPPO) in the country of origin or export of the controlled plant material and provide an official statement that it has been officially inspected prior to export and is free from plant pests and diseases of concern to the EU.

Additional Declaration (AD)

Annex IVAI of the Plant Health Directive and Emergency Commission Decisions also include additional phytosanitary measures to prevent the introduction of specific plant pathogens into the EU.

If an item within Annex IVAI or an Emergency Commission Decision includes two or more options the NPPO must be record which option has been complied with in the AD section of the accompanying PC.

Commission Decisions relating to citrus fruits:

Commission Decision (EU) 2016/715 as amended by Commission Implementing Decision 2017/801 and Commission Implementing Decision (EU) 2018/85 – see hyperlink below

https://ec.europa.eu/food/plant/plant_health_biosecurity/legislation/emergency_measures_en

Citrus aurantium and *Citrus latifolia* fruits NOT for juicing or processing

Genus	Origin	PC	AD requirements: • Annex IVAI of Directive 2000/29/EC	AD quarantine pathogens
<i>Citrus aurantium</i> bitter orange	Argentina	Yes	<ul style="list-style-type: none"> • 16.2 (c)² or (d)^{3,5} • 16.3 (a) • ⁶16.5 (a) or (b) or (c) or (d) 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Tephritidae</i> (non European)
<i>Citrus latifolia</i> Persian lime	Australia	Yes	<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • ⁶16.5 (a) or (b) or (c) or (d) 	
	Brazil	Yes	<ul style="list-style-type: none"> • 16.2 (b)¹ or (c)² or (d)^{3,5} • 16.3 (a) • ⁶16.5 (a) or (b) or (c) or (d) 	
	Chile	Yes	<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • 16.5 (a) or (b) or (c) or (d) 	
	China	Yes	<ul style="list-style-type: none"> • 16.2 (c)² or (d)^{3,5} • 16.3 (a) • ⁶16.5 (a) or (b) or (c) or (d) 	

	Columbia	Yes	<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • ⁶16.5 (a) or (b) or (c) or (d) 	
	Ecuador	Yes	<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • ⁶16.5 (a) or (b) or (c) or (d) 	
	Egypt	Yes	<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • ⁶16.5 (a) or (b) or (c) or (d) • 16.6 (a) 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Tephritidae</i> (non European) <i>Thaumatotibia leucotreta</i>
	Israel	Yes	<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • ⁶16.5 (a) or (b) or (c) or (d) • 16.6 (b)¹ or (c)³ or (d)⁴ 	
	Jamaica	Yes	<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • ⁶16.5 (a) or (b) or (c) or (d) 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Tephritidae</i> (non European)

NOTES

- ¹ The name of the pest free area must be recorded on the phytosanitary certificate.
- ² The name of the pest free place of production must be recorded on the phytosanitary certificate.
- ³ The traceability code (PUC) must be recorded on the phytosanitary certificate.
- ⁵ The treatment used to control *Xanthomonas citri* pv. *citri* and *Xanthomonas citri* pv. *aurantifolii* must be recorded on the phytosanitary certificate.
- ⁶ Annex IVA1 item 16.5 is only required from countries where *Tephritidae* (non-European) are known to occur on fruits of *Citrus*, *Fortunella* and *Poncirus*.

***Citrus aurantium* and *Citrus latifolia* fruits NOT for juicing or processing**

Genus	Origin	PC	AD requirements:	AD quarantine pathogens
<i>Citrus aurantium</i> bitter orange	Japan	Yes	<ul style="list-style-type: none"> • Annex IVA1 of Directive 2000/29/EC • 16.2 (c)² or (d)^{3,5} • 16.3 (a) • ⁶16.5 (a) or (b) or (c) or (d) 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Tephritidae</i> (non European)
<i>Citrus latifolia</i> Persian lime	Mexico	Yes	<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • ⁶16.5 (a) or (b) or (c) or (d) 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Tephritidae</i> (non European)
	Morocco	Yes	<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • ⁶16.5 (a) or (b) or (c) or (d) • 16.6 (a) 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Tephritidae</i> (non European) <i>Thaumatotibia leucotreta</i>

	Mozambique	Yes	<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (c) • ⁶16.5 (a) or (b) or (c) or (d) • 16.6 (c)³ or (d)⁴ 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Tephritidae</i> (non European) <i>Thaumatotibia leucotreta</i>
	New Zealand	Yes	<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • ⁶16.5 (a) or (b) or (c) or (d) 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Tephritidae</i> (non European)
	Peru	Yes	<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • ⁶16.5 (a) or (b) or (c) or (d) 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Tephritidae</i> (non European)

NOTES

¹ The name of the pest free area must be recorded on the phytosanitary certificate.

² The name of the pest free place of production must be recorded on the phytosanitary certificate.

³ The traceability code must be recorded on the phytosanitary certificate.

⁴ The treatment(s) used to ensure freedom from *Thaumatotibia leucotreta* must be recorded on the phytosanitary certificate.

⁵ The treatment used to control *Xanthomonas citri* pv. *citri* and *Xanthomonas citri* pv. *aurantifolii* must be recorded on the phytosanitary certificate.

⁶ Annex IVA1 item 16.5 is only required from countries where *Tephritidae* (non-European) are known to occur on fruits of *Citrus*, *Fortunella* and *Poncirus*.

***Citrus aurantium* and *Citrus latifolia* fruits NOT for juicing or processing**

Genus	Origin	PC	AD requirements: • Annex IVA1 of Directive 2000/29/EC	AD quarantine pathogens
<i>Citrus aurantium</i> bitter orange <i>Citrus latifolia</i> Persian lime	Senegal	Yes	<ul style="list-style-type: none"> • 16.2 (c)² or (d)^{3,5} • 16.3 (c) • ⁶16.5 (a) or (b) or (c) or (d) • 16.6 (b)¹ or (c)³ or (d)⁴ 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Tephritidae</i> (non European) <i>Thaumatotibia leucotreta</i>
	South Africa	Yes	<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • ⁶16.5 (a) or (b) or (c) or (d) • 16.6 (b)¹ or (c)³ or (d)⁴ 	
	South Korea	Yes	<ul style="list-style-type: none"> • 16.2 (c)² or (d)^{3,5} • 16.3 (a) • ⁶16.5 (a) or (b) or (c) or (d) 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Tephritidae</i> (non European)

	Swaziland	Yes	<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • 16.5 (a) or (b) or (c) or (d) • 16.6 (b)¹ or (c)³ or (d)⁴ 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Tephritidae</i> (non European) <i>Thaumatotibia leucotreta</i>
	Thailand	Yes	<ul style="list-style-type: none"> • 16.2 (c)² or (d)^{3,5} • 16.3 (a) • ⁶16.5 (a) or (b) or (c) or (d) 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Tephritidae</i> (non European)
	Turkey	Yes	<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • ⁶16.5 (a) or (b) or (c) or (d) 	
	Uruguay	Yes	<ul style="list-style-type: none"> • 16.2 (c)² or (d)^{3,5} • 16.3 (a) • 16.5 (c) 	
	USA	Yes	<ul style="list-style-type: none"> • 16.2 (b)¹ or (c)² or (d)^{3,5} • 16.3 (a) • ⁶16.5 (a) or (b) or (c) or (d) 	

NOTES

¹ The name of the pest free area must be recorded on the phytosanitary certificate.

² The name of the pest free place of production must be recorded on the phytosanitary certificate.

³ The traceability code must be recorded on the phytosanitary certificate.

⁴ The treatment(s) used to ensure freedom from *Thaumatotibia leucotreta* must be recorded on the phytosanitary cert.

⁵ The treatment used to control *Xanthomonas citri* pv. *citri* and *Xanthomonas citri* pv. *aurantifolii* must be recorded on the phytosanitary certificate.

⁶ Annex IVA1 item 16.5 is only required from countries where *Tephritidae* (non-European) are known to occur on fruits of *Citrus*, *Fortunella* and *Poncirus*.

***Citrus aurantium* and *Citrus latifolia* fruits NOT for juicing or processing**

Genus	Origin	PC	AD requirements: • Annex IVA1 of Directive 2000/29/EC	AD quarantine pathogens
<i>Citrus aurantium</i> bitter orange	Uzbekistan		<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • ⁶16.5 (a) or (b) or (c) or (d) 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Tephritidae</i> (non European)
<i>Citrus latifolia</i> Persian lime	Vietnam		<ul style="list-style-type: none"> • 16.2 (c)² or (d)^{3,5} • 16.3 (a) • ⁶16.5 (a) or (b) or (c) or (d) 	
	Zimbabwe		<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (c) • 16.5 (a) or (b) or (c) or (d) • 16.6 (c)³ or (d)⁴ 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Tephritidae</i> (non European) <i>Thaumatotibia leucotreta</i>
	⁸ African countries NOT Egypt	Yes	<ul style="list-style-type: none"> • 16.2 (c)² or (d)^{3,5} • 16.3 (c) • ⁶16.5 (a) or (b) or (c) or (d) • 16.6 (b)¹ or (c)³ or (d)⁴ 	

	Morocco Mozambique Senegal South Africa Swaziland Zimbabwe			
	Other third countries		<ul style="list-style-type: none"> • 16.2 (c)² or (d)^{3,5} • 16.3 (c) • ⁶16.5 (a) or (b) or (c) or (d) 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Tephritidae</i> (non European)

NOTES

- ¹ The name of the pest free area must be recorded on the phytosanitary certificate.
- ² The name of the pest free place of production must be recorded on the phytosanitary certificate (P).
- ³ The traceability code (PUC) must be recorded on the phytosanitary certificate.
- ⁴ The treatment(s) used to ensure freedom from *Thaumatotibia leucotreta* must be recorded on the PC.
- ⁵ The treatment used to control *Xanthomonas citri* pv. *citri* and *Xanthomonas citri* pv. *aurantifolii* must be recorded on the phytosanitary certificate.
- ⁶ Annex IVA1 item 16.5 is only required from countries where *Tephritidae* (non-European) are known to occur on fruits of *Citrus*, *Fortunella* and *Poncirus*.
- ⁸ Countries in continental Africa and neighbouring Atlantic and Indian Ocean island states
Algeria, Angola, Benin, Botswana, Burkina Faso, Burundi, Cape Verde, Cameroon, Central African Republic (CAR), Chad, Comoros, Democratic Republic of the Congo, Republic of the Congo, Cote d'Ivoire, Djibouti, Equatorial Guinea, Eritrea, Ethiopia, Gabon, Gambia, Ghana, Guinea, Guinea-Bissau, Kenya, La Reunion, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Namibia, Niger, Nigeria, Rwanda, Saint Helena, Sao Tome and Principe, Seychelles, Sierra Leone, Somalia, South Sudan, Sudan, Tanzania, Togo, Tunisia, Uganda, Zambia.

***Citrus aurantifolia* and *Citrus limon* fruits NOT for juicing or processing**

Genus	Origin	PC	AD requirements: • Annex IVA1 of Directive 2000/29/EC	AD quarantine pathogens
<i>Citrus aurantifolia</i> <i>Citrus limon</i>	Egypt	Yes	<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • 16.4 (a) • ⁶16.5 (a) or (b) or (c) or (d) 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Phyllosticta citricarpa</i> <i>Tephritidae</i> (non European)
	Israel	Yes	<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • 16.4 (a) • ⁶16.5 (a) or (b) or (c) or (d) 	
	Morocco	Yes	<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • 16.4 (a) • ⁶16.5 (a) or (b) or (c) or (d) 	

	Mozambique	Yes	<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (c) • 16.4 (c)² or (d)³ or (e)⁷ • ⁶16.5 (a) or (b) or (c) or (d) 	
	Senegal	Yes	<ul style="list-style-type: none"> • 16.2 (c)² or (d)^{3,5} • 16.3 (c) • 16.4 (c)² or (d)³ • ⁶16.5 (a) or (b) or (c) or (d) 	
	South Africa	Yes	<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • ⁶16.5 (a) or (b) or (c) or (d) ◦ Article 5 (a), (b) and (c) of Decision 2016/715 EU for <i>Phyllosticta citricarpa</i> 	
	Senegal	Yes	<ul style="list-style-type: none"> • 16.2 (c)² or (d)^{3,5} • 16.3 (c) • 16.4 (c)² or (d)³ • ⁶16.5 (a) or (b) or (c) or (d) 	
	South Africa	Yes	<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • ⁶16.5 (a) or (b) or (c) or (d) ◦ Article 5 (a), (b) and (c) of Decision 2016/715 EU for <i>Phyllosticta citricarpa</i> 	

NOTES

² The name of the pest free place of production must be recorded on the phytosanitary certificate.

³ The traceability code must be recorded on the phytosanitary certificate.

⁵ The treatment used to control *Xanthomonas citri* pv. *citri* and *Xanthomonas citri* pv. *aurantifolii* must be recorded on the phytosanitary certificate.

⁶ Annex IVA1 item 16.5 is only required from countries where *Tephritidae* (non-European) are known to occur on fruits of *Citrus*, *Fortunella* and *Poncirus*.

***Citrus aurantifolia* and *Citrus limon* fruits NOT for juicing or processing**

Genus	Origin	PC	AD requirements: • Annex IVA1 of Directive 2000/29/EC	AD quarantine pathogens
<i>Citrus aurantifolia</i> <i>Citrus limon</i>	Swaziland	Yes	<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • 16.4 (c)² or (d)³ • ⁶16.5 (a) or (b) or (c) or (d) 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Phyllosticta citricarpa</i> <i>Tephritidae</i> (non European)
	Zimbabwe		<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (c) • 16.4 (c)² or (d)³ or (e)⁷ • ⁶16.5 (a) or (b) or (c) or (d) 	
	⁸ African countries NOT	Yes	<ul style="list-style-type: none"> • 16.2 (c)² or (d)^{3,5} • 16.3 (c) • 16.4 (c)² or (d)³ • ⁶16.5 (a) or (b) or (c) or (d) 	

	Egypt Morocco Mozambique Senegal South Africa Swaziland Zimbabwe		•	
--	--	--	---	--

NOTES

² The name of the pest free place of production must be recorded on the phytosanitary certificate.

³ The traceability code must be recorded on the phytosanitary certificate.

⁵ The treatment used to control *Xanthomonas citri* pv. *citri* and *Xanthomonas citri* pv. *aurantifolii* must be recorded on the phytosanitary certificate.

⁶ Annex IVA1 item 16.5 is only required from countries where *Tephritidae* (non-European) are known to occur on fruits of *Citrus*, *Fortunella* and *Poncirus*.

⁷ The following statement must be recorded on the phytosanitary certificate: 'The fruits originate in a site of production subjected to appropriate treatments against *Phyllosticta citricarpa*.'

Microcitrus, Naringi and Swinglea fruits NOT for juicing or processing

Genus	Origin	PC	AD requirements:	AD quarantine pathogens
Microcitrus Naringi Swinglea	Argentina	Yes	• Annex IVA1 of Directive 2000/29/EC	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i>
			• 16.2 (c) ² or (d) ^{3,5}	
	Australia		• 16.2 (a)	
	Brazil		• 16.2 (b) ¹ or (c) ² or (d) ^{3,5}	
	Chile		• 16.2 (a)	
	China		• 16.2 (c) ² or (d) ^{3,5}	
	Columbia		• 16.2 (a)	
	Ecuador		• 16.2 (a)	
	Egypt		• 16.2 (a)	
	Israel		• 16.2 (a)	
	Jamaica		• 16.2 (a)	

Japan	• 16.2 (c) ² or (d) ^{3,5}
Mexico	• 16.2 (a)
Morocco	• 16.2 (a)
Mozambique	• 16.2 (a)
New Zealand	• 16.2 (a)
Peru	• 16.2 (a)
Senegal	• 16.2 (c) ² or (d) ^{3,5}
South Africa	• 16.2 (a)
South Korea	• 16.2 (c) ² or (d) ^{3,5}
Swaziland	• 16.2 (a)
Thailand	• 16.2 (c) ² or (d) ^{3,5}
Turkey	• 16.2 (a)
Uruguay	• 16.2 (c) ² or (d) ^{3,5}
USA	• 16.2 (b) ¹ or (c) ² or (d) ^{3,5}
Uzbekistan	• 16.2 (a)
Vietnam	• 16.2 (c) ² or (d) ^{3,5}
Zimbabwe	• 16.2 (a)

NOTES

¹ The name of the pest free area must be recorded on the phytosanitary certificate.

² The name of the pest free place of production must be recorded on the phytosanitary certificate.

³ The traceability code (PUC) must be recorded on the phytosanitary certificate.

⁵ The treatment used to control *Xanthomonas citri* pv. *citri* and *Xanthomonas citri* pv. *aurantifolii* must be recorded on the phytosanitary certificate.

***Microcitrus*, *Naringi* and *Swinglea* fruits NOT for juicing or processing**

Genus	Origin	PC	AD requirements:	AD quarantine pathogens
<i>Microcitrus</i> <i>Naringi</i> <i>Swinglea</i>	⁷ African countries NOT Egypt Morocco Mozambique Senegal South Africa Swaziland Zimbabwe	Yes	<ul style="list-style-type: none"> Annex IVAI of Directive 2000/29/EC 16.2 (c)² or (d)^{3,5} 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i>

	Other third countries		<ul style="list-style-type: none"> • 16.2 (c)² or (d)^{3,5} 	
NOTES				
<p>² The name of the pest free place of production must be recorded on the phytosanitary certificate.</p> <p>³ The traceability code (PUC) must be recorded on the phytosanitary certificate.</p> <p>⁵ The treatment used to control <i>Xanthomonas citri</i> pv. <i>citri</i> and <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> must be recorded on the phytosanitary certificate.</p> <p>⁷ Countries in continental Africa and neighbouring Atlantic and Indian Ocean island states Algeria, Angola, Benin, Botswana, Burkina Faso, Burundi, Cape Verde, Cameroon, Central African Republic (CAR), Chad, Comoros, Democratic Republic of the Congo, Republic of the Congo, Cote d'Ivoire, Djibouti, Equatorial Guinea, Eritrea, Ethiopia, Gabon, Gambia, Ghana, Guinea, Guinea-Bissau, Kenya, La Reunion, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Namibia, Niger, Nigeria, Rwanda, Saint Helena, Sao Tome and Principe, Seychelles, Sierra Leone, Somalia, South Sudan, Sudan, Tanzania, Togo, Tunisia, Uganda, Zambia.</p>				

Citrus, Fortunella and Poncirus fruits NOT for juicing or processing

Genus	Origin	PC	AD requirements:	AD quarantine pathogens
<i>Citrus</i> <i>Fortunella</i> <i>Poncirus</i>	Argentina	Yes	<ul style="list-style-type: none"> • Annex IVAI of Directive 2000/29/EC ○ Commission Decision • 16.2 (c)² or (d)^{3,5} • 16.3 (a) • ⁶16.5 (a) or (b) or (c) or (d) ○ Article 5 (a), (b) and (c) of Decision 2016/715 EU for <i>Phyllosticta citricarpa</i> 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Phyllosticta citricarpa</i> <i>Tephritidae</i> (non European)
	Australia	Yes	<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • 16.4 (b)¹ or (c)² or (d)³ 	

			<ul style="list-style-type: none"> • ⁶16.5 (a) or (b) or (c) or (d) 	
Brazil	Yes		<ul style="list-style-type: none"> • 16.2 (b)¹ or (c)² or (d)^{3,5} • 16.3 (a) • ⁶16.5 (a) or (b) or (c) or (d) <p>and</p> <ul style="list-style-type: none"> • 16.4 (b) <p>or</p> <ul style="list-style-type: none"> ◦ Article 4 of Decision 2016/715 EU for <i>Phyllosticta citricarpa</i> 	
Chile	Yes		<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • 16.4 (a) • ⁶16.5 (a) or (b) or (c) or (d) 	
China	Yes		<ul style="list-style-type: none"> • 16.2 (c)² or (d)^{3,5} • 16.3 (a) • 16.4 (c)² or (d)³ • ⁶16.5 (a) or (b) or (c) or (d) 	
Columbia	Yes		<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • 16.4 (a) • ⁶16.5 (a) or (b) or (c) or (d) 	
Ecuador	Yes		<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • 16.4 (a) • ⁶16.5 (a) or (b) or (c) or (d) 	

NOTES

¹ The name of the pest free area must be recorded on the phytosanitary certificate.

² The name of the pest free place of production must be recorded on the phytosanitary certificate.

³ The traceability code (PUC) must be recorded on the phytosanitary certificate.

⁵ The treatment used to control *Xanthomonas citri* pv. *citri* and *Xanthomonas citri* pv. *aurantifolii* must be recorded on the phytosanitary certificate.

⁶ Annex IVA1 item 16.5 is only required from countries where *Tephritidae* (non-European) are known to occur on fruits of *Citrus*, *Fortunella* and *Poncirus*.

Citrus, Fortunella and Poncirus fruits NOT for juicing or processing

Genus	Origin	PC	AD requirements:	AD quarantine pathogens
<i>Citrus</i>	Egypt		<ul style="list-style-type: none"> • Annex IVA1 of Directive 2000/29/EC • 16.2 (a) • 16.3 (a) • 16.4 (a) • ⁶16.5 (a) or (b) or (c) or (d) • 16.6 (a) 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Phyllosticta citricarpa</i> <i>Tephritidae</i> (non European) <i>Thaumatotibia leucotreta</i>
<i>Fortunella</i> <i>Poncirus</i>	Egypt		<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i>

			<ul style="list-style-type: none"> • 16.4 (a) • ⁶16.5 (a) or (b) or (c) or (d) 	<i>Cercospora angolensis</i> <i>Phyllosticta citricarpa</i> <i>Tephritidae</i> (non European)
Citrus	Israel		<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • 16.4 (a) • ⁶16.5 (a) or (b) or (c) or (d) • 16.6 (b)¹ or (c)^{2,3} or (d)⁴ 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Phyllosticta citricarpa</i> <i>Tephritidae</i> (non European) <i>Thaumatotibia leucotreta</i>
Fortunella Poncirus	Israel		<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • 16.4 (a) • ⁶16.5 (a) or (b) or (c) or (d) 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Phyllosticta citricarpa</i> <i>Tephritidae</i> (non European)
Citrus Fortunella Poncirus	Jamaica		<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • 16.4 (a) • ⁶16.5 (a) or (b) or (c) or (d) 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Phyllosticta citricarpa</i> <i>Tephritidae</i> (non European)
	Japan		<ul style="list-style-type: none"> • 16.2 (c)² or (d)^{3,5} • 16.3 (a) • 16.4 (a) • ⁶16.5 (a) or (b) or (c) or (d) 	
	Mexico		<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • 16.4 (a) • ⁶16.5 (a) or (b) or (c) or (d) 	

NOTES

¹ The name of the pest free area must be recorded on the phytosanitary certificate.

² The name of the pest free place of production must be recorded on the phytosanitary certificate.

³ The traceability code (PUC) must be recorded on the phytosanitary certificate.

⁴ The treatment(s) used to ensure freedom from *Thaumatotibia leucotreta* must be recorded on the phytosanitary certificate

⁵ The treatment used to control *Xanthomonas citri* pv. *citri* and *Xanthomonas citri* pv. *aurantifolii* must be recorded on the phytosanitary certificate.

⁶ Annex IVA1 item 16.5 is only required from countries where *Tephritidae* (non-European) are known to occur on fruits of *Citrus*, *Fortunella* and *Poncirus*.

Citrus, Fortunella and Poncirus fruits NOT for juicing or processing

Genus	Origin	PC	AD requirements: • Annex IVA1 of Directive 2000/29/EC	AD quarantine pathogens
Citrus	Morocco		<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • 16.4 (a) • ⁶16.5 (a) or (b) or (c) or (d) • 16.6 (a) 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Phyllosticta citricarpa</i> <i>Tephritidae</i> (non European) <i>Thaumatotibia leucotreta</i>
Fortunella Poncirus	Morocco		<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • 16.4 (a) 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i>

			<ul style="list-style-type: none"> • ⁶16.5 (a) or (b) or (c) or (d) 	<i>Cercospora angolensis</i> <i>Phyllosticta citricarpa</i> <i>Tephritidae</i> (non European)
Citrus	Mozambique		<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (c) • 16.4 (c)² or (d)³ • ⁶16.5 (a) or (b) or (c) or (d) • 16.6 (c)³ or (d)⁴ 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Phyllosticta citricarpa</i> <i>Tephritidae</i> (non European) <i>Thaumatotibia leucotreta</i>
Fortunella Poncirus	Mozambique		<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (c) • 16.4 (c)² or (d)³ • ⁶16.5 (a) or (b) or (c) or (d) 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Phyllosticta citricarpa</i> <i>Tephritidae</i> (non European)
Citrus Fortunella Poncirus	New Zealand		<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • 16.4 (a) • ⁶16.5 (a) or (b) or (c) or (d) 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Phyllosticta citricarpa</i> <i>Tephritidae</i> (non European)
	Peru		<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • 16.4 (a) • ⁶16.5 (a) or (b) or (c) or (d) 	
Citrus	Senegal		<ul style="list-style-type: none"> • 16.2 (c)² or (d)^{3,5} • 16.3 (c) • 16.4 (c)² or (d)³ • ⁶16.5 (a) or (b) or (c) or (d) • 16.6 (b)¹ or (c)³ or (d)⁴ 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Phyllosticta citricarpa</i> <i>Tephritidae</i> (non European) <i>Thaumatotibia leucotreta</i>

NOTES

² The name of the pest free place of production must be recorded on the phytosanitary certificate.

³ The traceability code (PUC) must be recorded on the phytosanitary certificate.

⁴ The treatment(s) used to ensure freedom from *Thaumatotibia leucotreta* must be recorded on the phytosanitary certificate.

⁶ Annex IVA1 item 16.5 is only required from countries where *Tephritidae* (non-European) are known to occur on fruits of *Citrus*, *Fortunella* and *Poncirus*.

Citrus, Fortunella and Poncirus fruits NOT for juicing or processing

Genus	Origin	PC	AD requirements:	AD quarantine pathogens
Fortunella Poncirus	Senegal		<ul style="list-style-type: none"> • Annex IVA1 of Directive 2000/29/EC ○ Commission Decision <ul style="list-style-type: none"> • 16.2 (c)² or (d)^{3,5} • 16.3 (c) • 16.4 (c)² or (d)³ • ⁶16.5 (a) or (b) or (c) or (d) 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Phyllosticta citricarpa</i> <i>Tephritidae</i> (non European)

Citrus sinensis cv Valencia	South Africa		<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • ⁶16.5 (a) or (b) or (c) or (d) • 16.6 (b)¹ or (c)³ or (d)⁴ ◦ Article 5 (a), (b), (c) and (d) of Decision 2016/715 EU for <i>Phyllosticta citricarpa</i> 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Tephritidae</i> (non European) <i>Thaumatotibia leucotreta</i> <i>Phyllosticta citricarpa</i>
Citrus	South Africa		<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • ⁶16.5 (a) or (b) or (c) or (d) • 16.6 (b)¹ or (c)³ or (d)⁴ ◦ Article 5 (a), (b) and (c) of Decision 2016/715 EU for <i>Phyllosticta citricarpa</i> 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Tephritidae</i> (non European) <i>Thaumatotibia leucotreta</i> <i>Phyllosticta citricarpa</i>
Fortunella Poncirus	South Africa		<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • ⁶16.5 (a) or (b) or (c) or (d) ◦ Article 5 (a), (b) and (c) of Decision 2016/715 EU for <i>Phyllosticta citricarpa</i> 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Tephritidae</i> (non European) <i>Phyllosticta citricarpa</i>
Citrus Fortunella Poncirus	South Korea		<ul style="list-style-type: none"> • 16.2 (c)² or (d)^{3,5} • 16.3 (a) • 16.4 (c)² or (d)³ • ⁶16.5 (a) or (b) or (c) or (d) 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Phyllosticta citricarpa</i> <i>Tephritidae</i> (non European)

NOTES

- ¹ The name of the pest free area must be recorded on the phytosanitary certificate.
- ² The name of the pest free place of production must be recorded on the phytosanitary certificate (PC).
- ³ The traceability code (PUC) must be recorded on the phytosanitary certificate.
- ⁴ The treatment(s) used to ensure freedom from *Thaumatotibia leucotreta* must be recorded on the PC.
- ⁵ The treatment used to control *Xanthomonas citri* pv. *citri* and *Xanthomonas citri* pv. *aurantifolii* must be recorded on the phytosanitary certificate.
- ⁶ Annex IVA1 item 16.5 is only required from countries where *Tephritidae* (non-European) are known to occur on fruits of *Citrus*, *Fortunella* and *Poncirus*.

Citrus, Fortunella and Poncirus fruits NOT for juicing or processing

Genus	Origin	PC	AD requirements:	AD quarantine pathogens
Citrus	Swaziland		<ul style="list-style-type: none"> • Annex IVA1 of Directive 2000/29/EC ◦ Commission Decision 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Phyllosticta citricarpa</i> <i>Tephritidae</i> (non European)

				<i>Thaumatotibia leucotreta</i>
Fortunella Poncirus	Swaziland		<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • 16.4 (c)² or (d)³ • ⁶16.5 (a) or (b) or (c) or (d) 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Phyllosticta citricarpa</i> <i>Tephritidae</i> (non European)
Citrus Fortunella Poncirus	Thailand		<ul style="list-style-type: none"> • 16.2 (c)² or (d)^{3,5} • 16.3 (a) • 16.4 (c)² or (d)³ • ⁶16.5 (a) or (b) or (c) or (d) 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Tephritidae</i> (non European)
	Turkey		<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • 16.4 (a) • ⁶16.5 (a) or (b) or (c) or (d) 	
Citrus sinensis cv Valencia	Uruguay		<ul style="list-style-type: none"> • 16.2 (c)² or (d)^{3,5} • 16.3 (a) • ⁶16.5 (c) ◦ Article 5 (a), (b), (c) and (d) of Decision 2016/715 EU for <i>Phyllosticta citricarpa</i> 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Tephritidae</i> (non European) <i>Phyllosticta citricarpa</i>
Citrus Fortunella Poncirus	Uruguay		<ul style="list-style-type: none"> • 16.2 (c)² or (d)^{3,5} • 16.3 (a) • ⁶16.5 (c) ◦ Article 5 (a), (b) and (c) of Decision 2016/715 EU for <i>Phyllosticta citricarpa</i> 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Tephritidae</i> (non European) <i>Phyllosticta citricarpa</i>

NOTES

- ¹ The name of the pest free area must be recorded on the phytosanitary certificate.
- ² The name of the pest free place of production must be recorded on the phytosanitary certificate.
- ³ The traceability code (PUC) must be recorded on the phytosanitary certificate.
- ⁴ The treatment(s) used to ensure freedom from *Thaumatotibia leucotreta* must be recorded on the phytosanitary certificate.
- ⁵ The treatment used to control *Xanthomonas citri* pv. *citri* and *Xanthomonas citri* pv. *aurantifolii* must be recorded on the phytosanitary certificate.
- ⁶ Annex IVA1 item 16.5 is only required from countries where *Tephritidae* (non-European) are known to occur on fruits of *Citrus*, *Fortunella* and *Poncirus*.

Citrus, Fortunella and Poncirus fruits NOT for juicing or processing

Genus	Origin	PC	AD requirements:	AD quarantine pathogens
Citrus Fortunella Poncirus	USA		<ul style="list-style-type: none"> • Annex IVA1 of Directive 2000/29/EC • 16.2 (b)¹ or (c)² or (d)^{3,5} • 16.3 (a) • 16.4 (b)¹ or (c)² or (d)³ • ⁶16.5 (a) or (b) or (c) or (d) 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Phyllosticta citricarpa</i>

	Uzbekistan		<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • 16.4 (a) • ⁶16.5 (a) or (b) or (c) or (d) 	<i>Tephritidae</i> (non European)
	Vietnam		<ul style="list-style-type: none"> • 16.2 (c)² or (d)^{3,5} • 16.3 (a) • 16.4 (a) • ⁶16.5 (a) or (b) or (c) or (d) 	
Citrus	Zimbabwe		<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (c) • 16.4 (c)² or (d)³ • ⁶16.5 (a) or (b) or (c) or (d) • 16.6 (c)³ or (d)⁴ 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Phyllosticta citricarpa</i> <i>Tephritidae</i> (non European) <i>Thaumatotibia leucotreta</i>
Fortunella Poncirus	Zimbabwe		<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (c) • 16.4 (c)² or (d)³ • ⁶16.5 (a) or (b) or (c) or (d) 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Phyllosticta citricarpa</i> <i>Tephritidae</i> (non European)

NOTES

¹ The name of the pest free area must be recorded on the phytosanitary certificate.

² The name of the pest free place of production must be recorded on the phytosanitary certificate.

³ The traceability code (PUC) must be recorded on the phytosanitary certificate.

⁴ The treatment(s) used to ensure freedom from *Thaumatotibia leucotreta* must be recorded on the phytosanitary certificate.

⁵ The treatment used to control *Xanthomonas citri* pv. *citri* and *Xanthomonas citri* pv. *aurantifolii* must be recorded on the phytosanitary certificate.

⁶ Annex IVA1 item 16.5 is only required from countries where *Tephritidae* (non-European) are known to occur on fruits of *Citrus*, *Fortunella* and *Poncirus*.

Citrus, Fortunella and Poncirus fruits NOT for juicing or processing

Genus	Origin	PC	AD requirements: • Annex IVA1 of Directive 2000/29/EC	AD quarantine pathogens
Citrus	⁸ African countries NOT Egypt Morocco		<ul style="list-style-type: none"> • 16.2 (c)² or (d)^{3,5} • 16.3 (c) • 16.4 (c)² or (d)³ • ⁶16.5 (a) or (b) or (c) or (d) 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Phyllosticta citricarpa</i>

	Mozambique Senegal South Africa Swaziland Zimbabwe		<ul style="list-style-type: none"> • 16.6 (b)¹ or (c)³ or (d)⁴ 	<i>Tephritidae</i> (non-European) <i>Thaumatotibia leucotreta</i>
Fortunella Poncirus	⁸ African countries NOT Egypt Morocco Mozambique Senegal South Africa Swaziland Zimbabwe		<ul style="list-style-type: none"> • 16.2 (c)² or (d)^{3,5} • 16.3 (c) • 16.4 (c)² or (d)³ • ⁶16.5 (a) or (b) or (c) or (d) 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Phyllosticta citricarpa</i> <i>Tephritidae</i> (non-European)
Citrus Fortunella Poncirus	Other third countries		<ul style="list-style-type: none"> • 16.2 (c)² or (d)^{3,5} • 16.3 (c) • 16.4 (c)² or (d)³ • ⁶16.5 (a) or (b) or (c) or (d) 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Phyllosticta citricarpa</i> <i>Tephritidae</i> (non European)

NOTES

¹ The name of the pest free area must be recorded on the phytosanitary certificate.

² The name of the pest free place of production must be recorded on the phytosanitary certificate.

³ The traceability code must be recorded on the phytosanitary certificate.

⁴ The treatment(s) used to ensure freedom from *Thaumatotibia leucotreta* must be recorded on the phytosanitary certificate.

⁵ The treatment used to control *Xanthomonas citri* pv. *citri* and *Xanthomonas citri* pv. *aurantifolii* must be recorded on the phytosanitary certificate.

⁶ Annex IVA1 item 16.5 is only required from countries where *Tephritidae* (non-European) are known to occur on fruits of *Citrus*, *Fortunella* and *Poncirus*.

⁸ Countries in continental Africa and neighbouring Atlantic and Indian Ocean island states:

Algeria, Angola, Benin, Botswana, Burkina Faso, Burundi, Cape Verde, Cameroon, Central African Republic, Chad, Comoros, Democratic Republic of the Congo, Republic of the Congo, Cote d'Ivoire, Djibouti, Equatorial Guinea, Eritrea, Ethiopia, Gabon, Gambia, Ghana, Guinea, Guinea-Bissau, Kenya, La Reunion, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Namibia, Niger, Nigeria, Rwanda, Saint Helena, Sao Tome and Principe, Seychelles, Sierra Leone, Somalia, South Sudan, Sudan, Tanzania, Togo, Tunisia, Uganda, Zambia.

***Citrus aurantium* and *Citrus latifolia* fruits for industrial processing and juicing**

Genus	Origin	PC	AD requirements:	AD quarantine pathogens
<i>Citrus aurantium</i> bitter orange	Argentina	Yes	<ul style="list-style-type: none"> • Annex IVA1 of Directive 2000/29/EC • 16.2 (c)² or (d)^{3,5} or (e)³ • 16.3 (a) • ⁶16.5 (a) or (b) or (c) or (d) 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i>
	<i>Citrus latifolia</i>	Australia	<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) 	<i>Tephritidae</i> (non European)

Persian lime			<ul style="list-style-type: none"> • ⁶16.5 (a) or (b) or (c) or (d) 	
	Brazil		<ul style="list-style-type: none"> • 16.2 (b)¹ or (c)² or (d)^{3,5} or (e)³ • 16.3 (a) • ⁶16.5 (a) or (b) or (c) or (d) 	
	Chile		<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • ⁶16.5 (a) or (b) or (c) or (d) 	
	China		<ul style="list-style-type: none"> • 16.2 (c)² or (d)^{3,5} or (e)³ • 16.3 (a) • ⁶16.5 (a) or (b) or (c) or (d) 	
	Columbia		<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • ⁶16.5 (a) or (b) or (c) or (d) 	
	Ecuador		<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • ⁶16.5 (a) or (b) or (c) or (d) 	
	Egypt		<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • ⁶16.5 (a) or (b) or (c) or (d) • 16.6 (a) 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Tephritidae</i> (non-European) <i>Thaumatotibia leucotreta</i>
	Israel		<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • ⁶16.5 (a) or (b) or (c) or (d) • 16.6 (b)¹ or (c)² or (d)⁴ 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Tephritidae</i> (non European) <i>Thaumatotibia leucotreta</i>

NOTES

¹ The name of the pest free area must be recorded on the phytosanitary certificate.

² The name of the pest free place of production must be recorded on the phytosanitary certificate.

³ The traceability code (PUC) must be recorded on the phytosanitary certificate.

⁵ The treatment used to control *Xanthomonas citri* pv. *citri* and *Xanthomonas citri* pv. *aurantifolii* must be recorded on the phytosanitary certificate.

⁶ Annex IVA1 item 16.5 is only required from countries where *Tephritidae* (non-European) are known to occur on fruits of *Citrus*, *Fortunella* and *Poncirus*.

***Citrus aurantium* and *Citrus latifolia* fruits for industrial processing and juicing**

Genus	Origin	PC	AD requirements:	AD quarantine pathogens
<i>Citrus aurantium</i> bitter orange	Jamaica		<ul style="list-style-type: none"> • Annex IVA1 of Directive 2000/29/EC • 16.2 (a) • 16.3 (a) • ⁶16.5 (a) or (b) or (c) or (d) 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i>

Citrus latifolia Persian lime				<i>Cercospora angolensis</i> <i>Tephritidae</i> (non European)
	Japan		<ul style="list-style-type: none"> • 16.2 (c)² or (d)^{3,5} or (e)³ • 16.3 (a) • ⁶16.5 (a) or (b) or (c) or (d) 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Tephritidae</i> (non European)
	Mexico		<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • ⁶16.5 (a) or (b) or (c) or (d) 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Tephritidae</i> (non European)
	Morocco		<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • ⁶16.5 (a) or (b) or (c) or (d) • 16.6 (a) 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Tephritidae</i> (non European) <i>Thaumatotibia leucotreta</i>
	Mozambique		<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (c) • ⁶16.5 (a) or (b) or (c) or (d) • 16.6 (c)³ or (d)⁴ 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Tephritidae</i> (non European) <i>Thaumatotibia leucotreta</i>
	New Zealand		<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • ⁶16.5 (a) or (b) or (c) or (d) 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Tephritidae</i> (non European)
	Peru		<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • ⁶16.5 (a) or (b) or (c) or (d) 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Tephritidae</i> (non European)

NOTES

¹ The name of the pest free area must be recorded on the phytosanitary certificate.

² The name of the pest free place of production must be recorded on the phytosanitary certificate (PC).

³ The traceability code (PUC) must be recorded on the phytosanitary certificate.

⁴ The treatment(s) used to ensure freedom from *Thaumatotibia leucotreta* must be recorded on the PC.

⁵ The treatment used to control *Xanthomonas citri* pv. *citri* and *Xanthomonas citri* pv. *aurantifolii* must be recorded on the phytosanitary certificate.

⁶ Annex IV A1 item 16.5 is only required from countries where *Tephritidae* (non-European) are known to occur on fruits of *Citrus*, *Fortunella* and *Poncirus*.

Citrus aurantium and Citrus latifolia fruits for industrial processing and juicing

Genus	Origin	PC	AD requirements:	AD quarantine pathogens
<i>Citrus aurantium</i> bitter orange	Senegal		<ul style="list-style-type: none"> • Annex IV A1 of Directive 2000/29/EC • 16.2 (c)² or (d)^{3,5} or (e)³ • 16.3 (c) • ⁶16.5 (a) or (b) or (c) or (d) 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i>

Citrus latifolia Persian lime			<ul style="list-style-type: none"> • 16.6 (b)¹ or (c)³ or (d)⁴ 	<i>Cercospora angolensis</i> <i>Tephritidae</i> (non European) <i>Thaumatotibia leucotreta</i>
	South Africa		<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • ⁶16.5 (a) or (b) or (c) or (d) • 16.6 (b)¹ or (c)³ or (d)⁴ • 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Tephritidae</i> (non European) <i>Thaumatotibia leucotreta</i>
	South Korea		<ul style="list-style-type: none"> • 16.2 (c)² or (d)^{3,5} or (e)³ • 16.3 (a) • ⁶16.5 (a) or (b) or (c) or (d) 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Tephritidae</i> (non European)
	Swaziland		<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • 16.5 (a) or (b) or (c) or (d) • 16.6 (b)¹ or (c)³ or (d)⁴ 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Tephritidae</i> (non European) <i>Thaumatotibia leucotreta</i>
	Thailand		<ul style="list-style-type: none"> • 16.2 (c)² or (d)^{3,5} or (e)³ • 16.3 (a) • ⁶16.5 (a) or (b) or (c) or (d) 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Tephritidae</i> (non European)
	Turkey		<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • ⁶16.5 (a) or (b) or (c) or (d) 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Tephritidae</i> (non European)
	Uruguay		<ul style="list-style-type: none"> • 16.2 (c)² or (d)^{3,5} or (e)³ • 16.3 (a) • 16.5 (c) 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Tephritidae</i> (non European)
	USA		<ul style="list-style-type: none"> • 16.2 (b)¹ or (c)² or (d)^{3,5} or (e)³ • 16.3 (a) • ⁶16.5 (a) or (b) or (c) or (d) 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Tephritidae</i> (non European)

NOTES

¹ The name of the pest free area must be recorded on the phytosanitary certificate.

² The name of the pest free place of production must be recorded on the phytosanitary certificate (PC).

³ The traceability code (PUC) must be recorded on the phytosanitary certificate.

⁴ The treatment(s) used to ensure freedom from *Thaumatotibia leucotreta* must be recorded on the PC.

⁵ The treatment used to control *Xanthomonas citri* pv. *citri* and *Xanthomonas citri* pv. *aurantifolii* must be recorded on the phytosanitary certificate.

⁶ Annex IV A1 item 16.5 is only required from countries where *Tephritidae* (non-European) are known to occur on fruits of *Citrus*, *Fortunella* and *Poncirus*.

Citrus aurantium and Citrus latifolia fruits for industrial processing and juicing

Genus	Origin	PC	AD requirements:	AD quarantine pathogens
	Uzbekistan	Yes	<ul style="list-style-type: none"> • Annex IV A1 of Directive 2000/29/EC • 16.2 (a) • 16.3 (a) 	<i>Xanthomonas citri</i> pv. <i>citri</i>

Citrus aurantium bitter orange			<ul style="list-style-type: none"> • ⁶16.5 (a) or (b) or (c) or (d) 	<i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Tephritidae</i> (non European)
	Vietnam	Yes	<ul style="list-style-type: none"> • 16.2 (c)² or (d)^{3,5} or (e)³ • 16.3 (a) • ⁶16.5 (a) or (b) or (c) or (d) 	
Citrus latifolia Persian lime	Zimbabwe	Yes	<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (c) • 16.5 (a) or (b) or (c) or (d) • 16.6 (c)³ or (d)⁴ 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Tephritidae</i> (non European) <i>Thaumatotibia leucotreta</i>
	⁷ African countries NOT Egypt Morocco Mozambique Senegal South Africa Swaziland Zimbabwe	Yes	<ul style="list-style-type: none"> • 16.2 (c)² or (d)^{3,5} or (e)³ • 16.3 (c) • ⁶16.5 (a) or (b) or (c) or (d) • 16.6 (b)¹ or (c)³ or (d)⁴ 	
	Other third countries	Yes	<ul style="list-style-type: none"> • 16.2 (c)² or (d)^{3,5} or (e)³ • 16.3 (c) • ⁶16.5 (a) or (b) or (c) or (d) 	

NOTES

- The name of the pest free area must be recorded on the phytosanitary certificate.
- The name of the pest free place of production must be recorded on the phytosanitary certificate.
- The traceability code must be recorded on the phytosanitary certificate.
- The treatment(s) used to ensure freedom from *Thaumatotibia leucotreta* must be recorded on the phytosanitary certificate.
- The treatment used to control *Xanthomonas citri* pv. *citri* and *Xanthomonas citri* pv. *aurantifolii* must be recorded on the phytosanitary certificate.
- Annex IVA1 item 16.5 is only required from countries where *Tephritidae* (non-European) are known to occur on fruits of *Citrus*, *Fortunella* and *Poncirus*.
- Countries in continental Africa and neighbouring Atlantic and Indian Ocean island states
Algeria, Angola, Benin, Botswana, Burkina Faso, Burundi, Cape Verde, Cameroon, Central African Republic (CAR), Chad, Comoros, Democratic Republic of the Congo, Republic of the Congo, Cote d'Ivoire, Djibouti, Equatorial Guinea, Eritrea, Ethiopia, Gabon, Gambia, Ghana, Guinea, Guinea-Bissau, Kenya, La Reunion, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Namibia, Niger, Nigeria, Rwanda, Saint Helena, Sao Tome and Principe, Seychelles, Sierra Leone, Somalia, South Sudan, Sudan, Tanzania, Togo, Tunisia, Uganda, Zambia

Citrus aurantifolia and Citrus limon fruits for juicing or processing

Genus	Origin	PC	AD requirements:	AD quarantine pathogens
<i>Citrus aurantifolia</i>	Egypt	Yes	<ul style="list-style-type: none"> • Annex IVA1 of Directive 2000/29/EC • 16.2 (a) • 16.3 (a) 	<i>Xanthomonas citri</i> pv. <i>citri</i>

Citrus limon			<ul style="list-style-type: none"> • 16.4 (a) • ⁶16.5 (a) or (b) or (c) or (d) 	<i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Phyllosticta citricarpa</i> <i>Tephritidae</i> (non European)
	Israel	Yes	<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • 16.4 (a) • ⁶16.5 (a) or (b) or (c) or (d) 	
	Morocco	Yes	<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • 16.4 (a) • ⁶16.5 (a) or (b) or (c) or (d) 	
	Mozambique	Yes	<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (c) • 16.4 (c)² or (d)³ or (e)⁷ • ⁶16.5 (a) or (b) or (c) or (d) 	
	Senegal	Yes	<ul style="list-style-type: none"> • 16.2 (c)² or (d)^{3,5} • 16.3 (c) • 16.4 (c)² or (d)³ or (e)⁷ • ⁶16.5 (a) or (b) or (c) or (d) 	
	South Africa	Yes	<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • ⁶16.5 (a) or (b) or (c) or (d) <p>and</p> <ul style="list-style-type: none"> ◦ Article 5 (a), (b) and (c) of Decision 2016/715 EU for <i>Phyllosticta citricarpa</i> <p>or</p> <ul style="list-style-type: none"> ◦ Article 9 (a) and (b) of Decision 2016/715 EU for <i>Phyllosticta citricarpa</i> ◦ The identification numbers of the containers and the unique numbers of the labels on the individual packages must be recorded on the PC. <p>The statement:</p> <ul style="list-style-type: none"> ◦ ‘Fruit destined exclusively for industrial processing only into juice.’ 	

NOTES

² The name of the pest free place of production must be recorded on the phytosanitary certificate.

³ The traceability code (PUC) must be recorded on the phytosanitary certificate.

⁵ The treatment used to control *Xanthomonas citri* pv. *citri* and *Xanthomonas citri* pv. *aurantifolii* must be recorded on the phytosanitary certificate.

⁶ Annex IV A1 item 16.5 is only required from countries where *Tephritidae* (non-European) are known to occur on fruits of *Citrus*, *Fortunella* and *Poncirus*.

Citrus aurantifolia and Citrus limon fruits for juicing or processing

Genus	Origin	PC	AD requirements:	AD quarantine pathogens
<i>Citrus aurantifolia</i>	Swaziland	Yes	<ul style="list-style-type: none"> • Annex IV A1 of Directive 2000/29/EC • 16.2 (a) • 16.3 (a) 	<i>Xanthomonas citri</i> pv. <i>citri</i>

Citrus limon			<ul style="list-style-type: none"> • 16.4 (c)² or (d)³ or (e)⁷ • ⁶16.5 (a) or (b) or (c) or (d) 	<i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Phyllosticta citricarpa</i> <i>Tephritidae</i> (non European)
	Zimbabwe		<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (c) • 16.4 (c)² or (d)³ or (e)⁷ • ⁶16.5 (a) or (b) or (c) or (d) 	
	⁸ African countries NOT Egypt Morocco Mozambique Senegal South Africa Swaziland Zimbabwe	Yes	<ul style="list-style-type: none"> • 16.2 (c)² or (d)^{3,5} or (e)³ • 16.3 (c) • 16.4 (c)² or (d)³ or (e)³ • ⁶16.5 (a) or (b) or (c) or (d) 	

NOTES

² The name of the pest free place of production must be recorded on the phytosanitary certificate.

³ The traceability code must be recorded on the phytosanitary certificate.

⁵ The treatment used to control *Xanthomonas citri* pv. *citri* and *Xanthomonas citri* pv. *aurantifolii* must be recorded on the phytosanitary certificate.

⁶ Annex IVA1 item 16.5 is only required from countries where *Tephritidae* (non-European) are known to occur on fruits of *Citrus*, *Fortunella* and *Poncirus*.

⁷ The following statement must be recorded on the phytosanitary certificate - 'The fruits originate in a site of production subjected to appropriate treatments against *Phyllosticta citricarpa*.'

This document is no longer in use and has been withdrawn

***Microcitrus*, *Naringi* and *Swinglea* fruits for industrial processing and juicing**

Genus	Origin	PC	AD requirements:	AD quarantine pathogens
<i>Microcitrus</i>	Argentina	Yes	<ul style="list-style-type: none"> • Annex IVA1 of Directive 2000/29/EC • 16.2 (c)² or (d)^{3,5} or (e)³ 	<i>Xanthomonas citri</i> pv. <i>citri</i>

Naringi Swinglea	Australia	Yes	• 16.2 (a)	<i>Xanthomonas citri</i> pv. <i>aurantifolii</i>
	Brazil	Yes	• 16.2 (b) ¹ or (c) ² or (d) ^{3,5} or (e) ³	
	Chile	Yes	• 16.2 (a)	
	China	Yes	• 16.2 (c) ² or (d) ^{3,5} or (e) ³	
	Columbia	Yes	• 16.2 (a)	
	Ecuador	Yes	• 16.2 (a)	
	Egypt	Yes	• 16.2 (a)	
	Israel	Yes	• 16.2 (a)	
	Jamaica	Yes	• 16.2 (a)	
	Japan	Yes	• 16.2 (c) ² or (d) ^{3,5} or (e) ³	
	Mexico	Yes	• 16.2 (a)	
	Morocco	Yes	• 16.2 (a)	
	Mozambique	Yes	• 16.2 (a)	
	New Zealand	Yes	• 16.2 (a)	
	Peru	Yes	• 16.2 (a)	
	Senegal	Yes	• 16.2 (c) ² or (d) ^{3,5} or (e) ³	
	South Africa	Yes	• 16.2 (a)	
	South Korea	Yes	• 16.2 (c) ² or (d) ^{3,5} or (e) ³	
	Swaziland	Yes	• 16.2 (a)	
	Thailand	Yes	• 16.2 (c) ² or (d) ^{3,5} or (e) ³	
	Turkey	Yes	• 16.2 (a)	
Uruguay	Yes	• 16.2 (c) ² or (d) ^{3,5} or (e) ³		
USA	Yes	• 16.2 (b) ¹ or (c) ² or (d) ^{3,5} or (e) ³		
Uzbekistan	Yes	• 16.2 (a)		
Vietnam	Yes	• 16.2 (c) ² or (d) ^{3,5} or (e) ³		
Zimbabwe	Yes	• 16.2 (a)		

NOTES

¹ The name of the pest free area must be recorded on the phytosanitary certificate.

² The name of the pest free place of production must be recorded on the phytosanitary certificate.

³ The traceability code (PUC) must be recorded on the phytosanitary certificate.

⁵ The treatment used to control *Xanthomonas citri* pv. *citri* and *Xanthomonas citri* pv. *aurantifolii* must be recorded on the phytosanitary certificate.

***Microcitrus*, *Naringi* and *Swinglea* fruits for industrial processing and juicing**

Genus	Origin	PC	AD requirements:	AD quarantine pathogens
			• Annex IVAI of Directive 2000/29/EC	

Microcitrus Naringi Swinglea	⁸ African countries NOT Egypt Morocco Mozambique Senegal South Africa Swaziland Zimbabwe	Yes	• 16.2 (c) ² or (d) ^{3,5} or (e) ³	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i>
	Other third countries	Yes	• 16.2 (c) ² or (d) ^{3,5} or (e) ³	

NOTES

- ² The name of the pest free place of production must be recorded on the phytosanitary certificate.
- ³ The traceability code (PUC) must be recorded on the phytosanitary certificate.
- ⁵ The treatment used to control *Xanthomonas citri* pv. *citri* and *Xanthomonas citri* pv. *aurantifolii* must be recorded on the phytosanitary certificate.
- ⁸ Countries in continental Africa and neighbouring Atlantic and Indian Ocean island states
Algeria, Angola, Benin, Botswana, Burkina Faso, Burundi, Cape Verde, Cameroon, Central African Republic (CAR), Chad, Comoros, Democratic Republic of the Congo, Republic of the Congo, Cote d'Ivoire, Djibouti, Equatorial Guinea, Eritrea, Ethiopia, Gabon, Gambia, Ghana, Guinea, Guinea-Bissau, Kenya, La Reunion, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Namibia, Niger, Nigeria, Rwanda, Saint Helena, Sao Tome and Principe, Seychelles, Sierra Leone, Somalia, South Sudan, Sudan, Tanzania, Togo, Tunisia, Uganda, Zambia.

This document is no longer in use and has been withdrawn

Citrus, Fortunella and Poncirus fruits for industrial processing and juicing

Genus	Origin	PC	AD requirements:	AD quarantine pathogens
			• Annex IVAI of Directive 2000/29/EC	

			○ Commission Decision	
Citrus Fortunella Poncirus for industrial processing	Argentina	Yes	<ul style="list-style-type: none"> ● 16.2 (c)² or (d)^{3,5} or (e)³ ● 16.3 (a) ● ⁶16.5 (a) or (b) or (c) or (d) ○ Article 5(a) para. (a), (b) and (c) of Decision 2016/715 EU for <i>Phyllosticta citricarpa</i>	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Phyllosticta citricarpa</i> <i>Tephritidae</i> (non European)
Citrus Fortunella Poncirus for juicing	Argentina	Yes	<ul style="list-style-type: none"> ● 16.2 (c)² or (d)^{3,5} or (e)³ ● 16.3 (a) ● ⁶16.5 (a) or (b) or (c) or (d) and <ul style="list-style-type: none"> ○ Article 5(a) para. (a), (b) and (c) of Decision 2016/715 EU for <i>Phyllosticta citricarpa</i> or <ul style="list-style-type: none"> ○ Article 9 (a) and (b) of Decision 2016/715 EU for <i>Phyllosticta citricarpa</i> ○ The identification numbers of the containers and the unique numbers of the labels on the individual packages must be recorded on the phytosanitary certificate. The statement: <ul style="list-style-type: none"> ○ 'Fruit destined exclusively for industrial processing only into juice' 	
Citrus Fortunella Poncirus	Australia	Yes	<ul style="list-style-type: none"> ● 16.2 (a) ● 16.3 (a) ● ⁶16.5 (a) or (b) or (c) or (d) 	

NOTES

¹ The name of the pest free area must be recorded on the phytosanitary certificate.

² The name of the pest free place of production must be recorded on the phytosanitary certificate.

³ The traceability code (PUC) must be recorded on the phytosanitary certificate.

⁵ The treatment used to control *Xanthomonas citri* pv. *citri* and *Xanthomonas citri* pv. *aurantifolii* must be recorded on the phytosanitary certificate.

⁶ Annex I A1 item 16.5 is only required from countries where *Tephritidae* (non-European) are known to occur on fruits of *Citrus*, *Fortunella* and *Poncirus*.

Citrus, Fortunella and Poncirus fruits for industrial processing and juicing

Genus	Origin	PC	AD requirements:	AD quarantine pathogens
<i>Citrus</i> <i>Fortunella</i> <i>Poncirus</i> for industrial processing	Brazil	Yes	<ul style="list-style-type: none"> • Annex IVA1 of Directive 2000/29/EC ○ Commission Decision <ul style="list-style-type: none"> • 16.2 (b)¹ or (c)² or (d)^{3,5} or (e)³ • 16.3 (a) • ⁶16.5 (a) or (b) or (c) or (d) ○ Article 4 of Decision 2016/715 EU for <i>Phyllosticta citricarpa</i> <p>The statement: 'No symptoms of <i>Phyllosticta citricarpa</i> have been observed in the place of production since the beginning of the last cycle of vegetation, and that none of the fruits harvested in the place of production has shown, in an appropriate official examination, symptoms of that harmful organism.'</p>	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Phyllosticta citricarpa</i> <i>Tephritidae</i> (non European)
<i>Citrus</i> <i>Fortunella</i> <i>Poncirus</i> for juicing	Brazil	Yes	<ul style="list-style-type: none"> • 16.2 (b)¹ or (c)² or (d)^{3,5} or (e)³ • 16.3 (a) • ⁶16.5 (a) or (b) or (c) or (d) <p>and</p> <ul style="list-style-type: none"> • 16.4 (b) <p>or</p> <ul style="list-style-type: none"> ○ Article 4 of Decision 2016/715 EU for <i>Phyllosticta citricarpa</i> <p>The statement: 'No symptoms of <i>Phyllosticta citricarpa</i> have been observed in the place of production since the beginning of the last cycle of vegetation, and that none of the fruits harvested in the place of production has shown, in an appropriate official examination, symptoms of that harmful organism.'</p> <p>or</p> <ul style="list-style-type: none"> ○ Article 9 (a) and (b) of Decision 2016/715 EU for <i>Phyllosticta citricarpa</i> ○ The identification numbers of the containers and the unique numbers of the labels on the individual packages must be recorded on the PC. <p>The statement:</p> <ul style="list-style-type: none"> ○ 'Fruit destined exclusively for industrial processing only into juice.' 	
<p>NOTES</p> <p>¹ The name of the pest free area must be recorded on the phytosanitary certificate.</p> <p>² The name of the pest free place of production must be recorded on the phytosanitary certificate.</p> <p>³ The traceability code must be recorded on the phytosanitary certificate (PC).</p> <p>⁵ The treatments to control <i>Xanthomonas citri</i> pv. <i>citri</i> and <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> must be recorded on the PC.</p> <p>⁶ Annex IVA1 item 16.5 is only required from countries where <i>Tephritidae</i> (non-European) are known to occur on fruits of <i>Citrus</i>, <i>Fortunella</i> and <i>Poncirus</i>.</p>				

Citrus, Fortunella and Poncirus fruits for industrial processing and juicing

Genus	Origin	PC	AD requirements: • Annex IVAI of Directive 2000/29/EC	AD quarantine pathogens
Citrus Fortunella Poncirus	Chile	Yes	<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • 16.4 (a) • ⁶16.5 (a) or (b) or (c) or (d) 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Phyllosticta citricarpa</i> <i>Tephritidae</i> (non European)
	China	Yes	<ul style="list-style-type: none"> • 16.2 (c)² or (d)^{3,5} or (e)³ • 16.3 (a) • 16.4 (c)² or (d)³ or (e)⁷ • ⁶16.5 (a) or (b) or (c) or (d) 	
	Columbia	Yes	<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • 16.4 (a) • ⁶16.5 (a) or (b) or (c) or (d) 	
	Ecuador	Yes	<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • 16.4 (a) • ⁶16.5 (a) or (b) or (c) or (d) 	
Citrus	Egypt		<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • 16.4 (a) • ⁶16.5 (a) or (b) or (c) or (d) • 16.6 (a) 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Phyllosticta citricarpa</i> <i>Tephritidae</i> (non European) <i>Thaumatotibia leucotreta</i>
Fortunella Poncirus	Egypt		<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • 16.4 (a) • ⁶16.5 (a) or (b) or (c) or (d) 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Phyllosticta citricarpa</i> <i>Tephritidae</i> (non European)

NOTES

¹ The name of the pest free area must be recorded on the phytosanitary certificate.

² The name of the pest free place of production must be recorded on the phytosanitary certificate.

³ The traceability code (PUC) must be recorded on the phytosanitary certificate.

⁵ The treatment used to control *Xanthomonas citri* pv. *citri* and *Xanthomonas citri* pv. *aurantifolii* must be recorded on the phytosanitary certificate.

⁶ Annex IVAI item 16.5 is only required from countries where *Tephritidae* (non-European) are known to occur on fruits of *Citrus*, *Fortunella* and *Poncirus*.

⁷ The following statement must be recorded on the phytosanitary certificate - 'The fruits originate in a site of production subjected to appropriate treatments against *Phyllosticta citricarpa*.'

Citrus, Fortunella and Poncirus fruits for industrial processing and juicing

Genus	Origin	PC	AD requirements: • Annex IVA1 of Directive 2000/29/EC	AD quarantine pathogens
Citrus	Israel		<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • 16.4 (a) • ⁶16.5 (a) or (b) or (c) or (d) • 16.6 (b)¹ or (c)^{2,3} or (d)⁴ 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Phyllosticta citricarpa</i> <i>Tephritidae</i> (non European) <i>Thaumatotibia leucotreta</i>
Fortunella Poncirus	Israel		<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • 16.4 (a) • ⁶16.5 (a) or (b) or (c) or (d) 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Phyllosticta citricarpa</i> <i>Tephritidae</i> (non European)
Citrus Fortunella Poncirus	Jamaica		<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • 16.4 (a) • ⁶16.5 (a) or (b) or (c) or (d) 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Phyllosticta citricarpa</i> <i>Tephritidae</i> (non European)
	Japan		<ul style="list-style-type: none"> • 16.2 (c)² or (d)^{3,5} or (e)³ • 16.3 (a) • 16.4 (a) • ⁶16.5 (a) or (b) or (c) or (d) 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Phyllosticta citricarpa</i> <i>Tephritidae</i> (non European)
	Mexico		<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • 16.4 (a) • ⁶16.5 (a) or (b) or (c) or (d) 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Phyllosticta citricarpa</i> <i>Tephritidae</i> (non European)

NOTES

¹ The name of the pest free area must be recorded on the phytosanitary certificate.

² The name of the pest free place of production must be recorded on the phytosanitary certificate.

³ The traceability code must be recorded on the phytosanitary certificate.

⁴ The treatment(s) used to ensure freedom from *Thaumatotibia leucotreta* must be recorded on the phytosanitary certificate.

⁵ The treatment used to control *Xanthomonas citri* pv. *citri* and *Xanthomonas citri* pv. *aurantifolii* must be recorded on the phytosanitary certificate.

⁶ Annex IVA1 item 16.5 is only required from countries where *Tephritidae* (non-European) are known to occur on fruits of *Citrus*, *Fortunella* and *Poncirus*.

Citrus, Fortunella and Poncirus fruits for industrial processing and juicing

Genus	Origin	PC	AD requirements: • Annex IVAI of Directive 2000/29/EC	AD quarantine pathogens
Citrus	Morocco		<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • 16.4 (a) • ⁶16.5 (a) or (b) or (c) or (d) • 16.6 (a) 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Phyllosticta citricarpa</i> <i>Tephritidae</i> (non European) <i>Thaumatotibia leucotreta</i>
Fortunella Poncirus	Morocco		<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • 16.4 (a) • ⁶16.5 (a) or (b) or (c) or (d) 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Phyllosticta citricarpa</i> <i>Tephritidae</i> (non European)
Citrus	Mozambique		<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (c) • 16.4 (c)² or (d)³ or (e)^{3,7} • ⁶16.5 (a) or (b) or (c) or (d) • 16.6 (c)³ or (d)⁴ 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Phyllosticta citricarpa</i> <i>Tephritidae</i> (non European) <i>Thaumatotibia leucotreta</i>
Fortunella Poncirus	Mozambique		<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (c) • 16.4 (c)² or (d)³ or (e)³ • ⁶16.5 (a) or (b) or (c) or (d) 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Phyllosticta citricarpa</i>
Citrus Fortunella Poncirus	New Zealand		<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • 16.4 (a) • ⁶16.5 (a) or (b) or (c) or (d) 	<i>Tephritidae</i> (non European)
	Peru		<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • 16.4 (a) • ⁶16.5 (a) or (b) or (c) or (d) 	

NOTES

² The name of the pest free place of production must be recorded on the phytosanitary certificate.

³ The traceability code (PUC) must be recorded on the phytosanitary certificate.

⁴ The treatment(s) used to ensure freedom from *Thaumatotibia leucotreta* must be recorded on the phytosanitary certificate.

⁶ Annex IVAI item 16.5 is only required from countries where *Tephritidae* (non-European) are known to occur on fruits of *Citrus*, *Fortunella* and *Poncirus*.

Citrus, Fortunella and Poncirus fruits for industrial processing and juicing

Genus	Origin	PC	AD requirements:	AD quarantine pathogens
<i>Citrus</i>	Senegal	Yes	<ul style="list-style-type: none"> • Annex IVA1 of Directive 2000/29/EC ○ Commission Decision • 16.2 (c)² or (d)^{3,5} or (e)³ • 16.3 (c) • 16.4 (c)² or (d)³ or (e)^{3,7} • ⁶16.5 (a) or (b) or (c) or (d) • 16.6 (b)¹ or (c)³ or (d)⁴ 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Phyllosticta citricarpa</i> <i>Tephritidae</i> (non European) <i>Thaumatotibia leucotreta</i>
<i>Fortunella</i> <i>Poncirus</i>	Senegal	Yes	<ul style="list-style-type: none"> • 16.2 (c)² or (d)^{3,5} or (e)³ • 16.3 (c) • 16.4 (c)² or (d)³ or (e)^{3,7} • ⁶16.5 (a) or (b) or (c) or (d) 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Phyllosticta citricarpa</i> <i>Tephritidae</i> (non European)
<i>Citrus sinensis</i> cv <i>Valencia</i> for processing	South Africa	Yes	<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • ⁶16.5 (a) or (b) or (c) or (d) • 16.6 (b)¹ or (c)³ or (d)⁴ ○ Article 5 (a), (b), (c) and (d) of Decision 2016/715 EU for <i>Phyllosticta citricarpa</i> 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Tephritidae</i> (non European) <i>Thaumatotibia leucotreta</i> <i>Phyllosticta citricarpa</i>
<i>Citrus</i> for processing	South Africa	Yes	<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • ⁶16.5 (a) or (b) or (c) or (d) • 16.6 (b)¹ or (c)³ or (d)⁴ ○ Article 5 (a), (b) and (c) of Decision 2016/715 EU for <i>Phyllosticta citricarpa</i> 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Tephritidae</i> (non European) <i>Thaumatotibia leucotreta</i> <i>Phyllosticta citricarpa</i>
<i>Fortunella</i> <i>Poncirus</i> for processing	South Africa	Yes	<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • ⁶16.5 (a) or (b) or (c) or (d) Article 5 (a), (b) and (c) of Decision 2016/715 EU for <i>Phyllosticta citricarpa</i> 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Tephritidae</i> (non European) <i>Phyllosticta citricarpa</i>

NOTES

¹ The name of the pest free area must be recorded on the phytosanitary certificate.

² The name of the pest free place of production must be recorded on the phytosanitary certificate (PC).

³ The traceability code (PUC) must be recorded on the phytosanitary certificate.

⁴ The treatment(s) used to ensure freedom from *Thaumatotibia leucotreta* must be recorded on the PC.

⁵ The treatment used to control *Xanthomonas citri* pv. *citri* and *Xanthomonas citri* pv. *aurantifolii* must be recorded on the phytosanitary certificate.

⁶ Annex IVA1 item 16.5 is only required from countries where *Tephritidae* (non-European) are known to occur on fruits of *Citrus*, *Fortunella* and *Poncirus*.

⁷ The following statement must be recorded on the phytosanitary certificate - 'The fruits originate in a site of production subjected to appropriate treatments against *Phyllosticta citricarpa*.'

Citrus, Fortunella and Poncirus fruits for industrial processing and juicing

Genus	Origin	PC	AD requirements:	AD quarantine pathogens
<i>Citrus sinensis</i> cv Valencia for juicing	South Africa	Yes	<ul style="list-style-type: none"> • Annex IVA1 of Directive 2000/29/EC ○ Commission Decision <ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • ⁶16.5 (a) or (b) or (c) or (d) • 16.6 (b)¹ or (c)³ or (d)⁴ <p>and</p> <ul style="list-style-type: none"> ○ Article 5 (a), (b), (c) and (d) of Decision 2016/715 EU for <i>Phyllosticta citricarpa</i> <p>or</p> <ul style="list-style-type: none"> ○ Article 9 (a) and (b) of Decision 2016/715 EU for <i>Phyllosticta citricarpa</i> ○ The identification numbers of the containers and the unique numbers of the labels on the individual packages must be recorded on the PC. <p>The statement:</p> <ul style="list-style-type: none"> ○ 'Fruit destined exclusively for industrial Processing only into juice.' 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Tephritidae</i> (non European) <i>Thaumatotibia leucotreta</i> <i>Phyllosticta citricarpa</i>

NOTES

¹ The name of the pest free area must be recorded on the phytosanitary certificate.

² The name of the pest free place of production must be recorded on the phytosanitary certificate (PC).

³ The traceability code (PUC) must be recorded on the phytosanitary certificate.

⁴ The treatment(s) used to ensure freedom from *Thaumatotibia leucotreta* must be recorded on the PC.

⁵ The treatment used to control *Xanthomonas citri* pv. *citri* and *Xanthomonas citri* pv. *aurantifolii* must be recorded on the phytosanitary certificate.

⁶ Annex IVA1 item 16.5 is only required from countries where *Tephritidae* (non-European) are known to occur on fruits of *Citrus*, *Fortunella* and *Poncirus*.

⁷ The following statement must be recorded on the phytosanitary certificate - 'The fruits originate in a site of production subjected to appropriate treatments against *Phyllosticta citricarpa*.'

***Citrus*, *Fortunella* and *Poncirus* fruits for industrial processing and juicing**

Genus	Origin	PC	AD requirements:	AD quarantine pathogens
<i>Citrus</i> for juicing	South Africa		<ul style="list-style-type: none"> • Annex IVA1 of Directive 2000/29/EC ○ Commission Decision <ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • ⁶16.5 (a) or (b) or (c) or (d) • 16.6 (b)¹ or (c)³ or (d)⁴ <p>and</p> <ul style="list-style-type: none"> ○ Article 5 (a), (b) and (c) of Decision 2016/715 EU for <i>Phyllosticta citricarpa</i> <p>or</p> <ul style="list-style-type: none"> ○ Article 9 (a) and (b) of Decision 2016/715 EU for <i>Phyllosticta citricarpa</i> ○ The identification numbers of the containers and the unique numbers of the labels on the individual packages must be recorded on the PC. <p>The statement:</p> <ul style="list-style-type: none"> ○ ‘Fruit destined exclusively for industrial Processing only into juice.’ 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Tephritidae</i> (non European) <i>Thaumatotibia leucotreta</i> <i>Phyllosticta citricarpa</i>

NOTES

¹ The name of the pest free area must be recorded on the phytosanitary certificate.

² The name of the pest free place of production must be recorded on the phytosanitary certificate.

³ The traceability code (PUC) must be recorded on the phytosanitary certificate.

⁴ The treatment(s) used to ensure freedom from *Thaumatotibia leucotreta* must be recorded on the phytosanitary certificate.

⁵ The treatment used to control *Xanthomonas citri* pv. *citri* and *Xanthomonas citri* pv. *aurantifolii* must be recorded on the phytosanitary certificate.

⁶ Annex IVA1 item 16.5 is only required from countries where *Tephritidae* (non-European) are known to occur on fruits of *Citrus*, *Fortunella* and *Poncirus*.

⁷ The following statement must be recorded on the phytosanitary certificate - ‘The fruits originate in a site of production subjected to appropriate treatments against *Phyllosticta citricarpa*.’

Genus	Origin	PC	AD requirements: Annex IVA1 of Directive 2000/29/EC o Commission Decision	AD quarantine pathogens
Fortunella Poncirus fuor juicing	South Africa	Yes	<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • ⁶16.5 (a) or (b) or (c) or (d) <p>and</p> <ul style="list-style-type: none"> o Article 5 (a), (b) and (c) of Decision 2016/715 EU for <i>Phyllosticta citricarpa</i> <p>or</p> <ul style="list-style-type: none"> o Article 9 (a) and (b) of Decision 2016/715 EU for <i>Phyllosticta citricarpa</i> o The identification numbers of the containers and the unique numbers of the labels on the individual packages must be recorded on the phytosanitary certificate. <p>The statement:</p> <ul style="list-style-type: none"> o 'Fruit destined exclusively for industrial processing only into juice.' 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Phyllosticta citricarpa</i> <i>Tephritidae</i> (non European)
Citrus Fortunella Poncirus	South Korea	Yes	<ul style="list-style-type: none"> • 16.2 (c)² or (d)^{3,5} or (e)³ • 16.3 (a) • 16.4 (c)² or (d)³ or (e)^{3,7} • ⁶16.5 (a) or (b) or (c) or (d) 	

NOTES

¹ The name of the pest free area must be recorded on the phytosanitary certificate.

² The name of the pest free place of production must be recorded on the phytosanitary certificate.

³ The traceability code must be recorded on the phytosanitary certificate.

⁴ The treatment(s) used to ensure freedom from *Thaumatotibia leucotreta* must be recorded on the phytosanitary certificate.

⁵ The treatment used to control *Xanthomonas citri* pv. *citri* and *Xanthomonas citri* pv. *aurantifolii* must be recorded on the phytosanitary certificate.

⁶ Annex IVA1 item 16.5 is only required from countries where *Tephritidae* (non-European) are known to occur on fruits of *Citrus*, *Fortunella* and *Poncirus*.

⁷ The following statement must be recorded on the phytosanitary certificate - 'The fruits originate in a site of production subjected to appropriate treatments against *Phyllosticta citricarpa*.'

Citrus, Fortunella and Poncirus fruits for industrial processing and juicing

Genus	Origin	PC	AD requirements: <ul style="list-style-type: none"> • Annex IVA1 of Directive 2000/29/EC ○ Commission Decision 	AD quarantine pathogens
Citrus	Swaziland		<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • 16.4 (c)² or (d)³ or (e)^{3,7} • ⁶16.5 (a) or (b) or (c) or (d) • 16.6 (b)¹ or (c)³ or (d)⁴ 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Phyllosticta citricarpa</i> <i>Tephritidae</i> (non European) <i>Thaumatotibia leucotreta</i>
Fortunella Poncirus	Swaziland		<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • 16.4 (c)² or (d)³ or (e)^{3,7} • ⁶16.5 (a) or (b) or (c) or (d) 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Phyllosticta citricarpa</i> <i>Tephritidae</i> (non European)
Citrus Fortunella Poncirus	Thailand		<ul style="list-style-type: none"> • 16.2 (c)² or (d)^{3,5} or (e)³ • 16.3 (a) • 16.4 (c)² or (d)³ or (e)^{3,7} • ⁶16.5 (a) or (b) or (c) or (d) 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Phyllosticta citricarpa</i> <i>Tephritidae</i> (non European)
	Turkey		<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • 16.4 (a) • ⁶16.5 (a) or (b) or (c) or (d) 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Phyllosticta citricarpa</i> <i>Tephritidae</i> (non European)

NOTES

¹ The name of the pest free area must be recorded on the phytosanitary certificate.

² The name of the pest free place of production must be recorded on the phytosanitary certificate.

³ The traceability code must be recorded on the phytosanitary certificate.

⁴ The treatment(s) used to ensure freedom from *Thaumatotibia leucotreta* must be recorded on the phytosanitary certificate.

⁵ The treatment used to control *Xanthomonas citri* pv. *citri* and *Xanthomonas citri* pv. *aurantifolii* must be recorded on the phytosanitary certificate.

⁶ Annex IVA1 item 16.5 is only required from countries where *Tephritidae* (non-European) are known to occur on fruits of *Citrus*, *Fortunella* and *Poncirus*.

⁷ The following statement must be recorded on the phytosanitary certificate - 'The fruits originate in a site of production subjected to appropriate treatments against *Phyllosticta citricarpa*.'

Citrus, Fortunella and Poncirus fruits for industrial processing and juicing

Genus	Origin	PC	AD requirements:	AD quarantine pathogens
<i>Citrus sinensis</i> cv Valencia	Uruguay	Yes	<ul style="list-style-type: none"> • Annex IV A1 of Directive 2000/29/EC ○ Commission Decision <ul style="list-style-type: none"> • 16.2 (c)² or (d)^{3,5} or (e)³ • 16.3 (a) • ⁶16.5 (c) 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Tephritidae</i> (non European) <i>Thaumatotibia leucotreta</i> <i>Phyllosticta citricarpa</i>
<i>Citrus Fortunella</i> <i>Poncirus</i>	Uruguay		<ul style="list-style-type: none"> • 16.2 (c)² or (d)^{3,5} or (e)³ • 16.3 (a) • ⁶16.5 (c) <p>and</p> <ul style="list-style-type: none"> ○ Article 5 (a), (b), (c) and (d) of Decision 2016/715 EU for <i>Phyllosticta citricarpa</i> <p>or</p> <ul style="list-style-type: none"> ○ Article 9 (a) and (b) of Decision 2016/715 EU for <i>Phyllosticta citricarpa</i> ○ The identification numbers of the containers and the unique numbers of the labels on the individual packages must be recorded on the PC. <p>The statement:</p> <ul style="list-style-type: none"> ○ 'Fruit destined exclusively for industrial processing only into juice.' 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Tephritidae</i> (non European) <i>Thaumatotibia leucotreta</i> <i>Phyllosticta citricarpa</i>

NOTES

¹ The name of the pest free area must be recorded on the phytosanitary certificate.

² The name of the pest free place of production must be recorded on the phytosanitary certificate.

³ The traceability code must be recorded on the phytosanitary certificate.

⁴ The treatment(s) used to ensure freedom from *Thaumatotibia leucotreta* must be recorded on the phytosanitary certificate.

⁵ The treatment used to control *Xanthomonas citri* pv. *citri* and *Xanthomonas citri* pv. *aurantifolii* must be recorded on the phytosanitary certificate.

⁶ Annex IV A1 item 16.5 is only required from countries where *Tephritidae* (non-European) are known to occur on fruits of *Citrus*, *Fortunella* and *Poncirus*.

⁷ The following statement must be recorded on the phytosanitary certificate - 'The fruits originate in a site of production subjected to appropriate treatments against *Phyllosticta citricarpa*.'

Citrus, Fortunella and Poncirus fruits for industrial processing and juicing

Genus	Origin	PC	AD requirements: • Annex IVAI of Directive 2000/29/EC	AD quarantine pathogens
Citrus Fortunella Poncirus	USA	Yes	<ul style="list-style-type: none"> • 16.2 (b)¹ or (c)² or (d)^{3,5} or (e)³ • 16.3 (a) • 16.4 (b)¹ or (c)² or (d)³ or (e)^{3,7} • ⁶16.5 (a) or (b) or (c) or (d) 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Phyllosticta citricarpa</i> <i>Tephritidae</i> (non European)
	Uzbekistan	Yes	<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (a) • 16.4 (a) • ⁶16.5 (a) or (b) or (c) or (d) 	
	Vietnam	Yes	<ul style="list-style-type: none"> • 16.2 (c)² or (d)^{3,5} or (e)³ • 16.3 (a) • 16.4 (a) • ⁶16.5 (a) or (b) or (c) or (d) 	
Citrus	Zimbabwe	Yes	<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (c) • 16.4 (c)² or (d)³ or (e)^{3,7} • ⁶16.5 (a) or (b) or (c) or (d) • 16.6 (c)³ or (d)⁴ 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Phyllosticta citricarpa</i> <i>Tephritidae</i> (non European) <i>Thaumatotibia leucotreta</i>
Fortunella Poncirus	Zimbabwe	Yes	<ul style="list-style-type: none"> • 16.2 (a) • 16.3 (c) • 16.4 (c)² or (d)³ or (e)^{3,7} • ⁶16.5 (a) or (b) or (c) or (d) 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Phyllosticta citricarpa</i> <i>Tephritidae</i> (non European)

NOTES

¹ The name of the pest free area must be recorded on the phytosanitary certificate.

² The name of the pest free place of production must be recorded on the phytosanitary certificate.

³ The traceability code must be recorded on the phytosanitary certificate.

⁴ The treatment(s) used to ensure freedom from *Thaumatotibia leucotreta* must be recorded on the phytosanitary certificate.

⁵ The treatment used to control *Xanthomonas citri* pv. *citri* and *Xanthomonas citri* pv. *aurantifolii* must be recorded on the phytosanitary certificate.

⁶ Annex IVAI item 16.5 is only required from countries where *Tephritidae* (non-European) are known to occur on fruits of *Citrus*, *Fortunella* and *Poncirus*.

⁷ The following statement must be recorded on the phytosanitary certificate - 'The fruits originate in a site of production subjected to appropriate treatments against *Phyllosticta citricarpa*.'

Citrus, Fortunella and Poncirus fruits for industrial processing and juicing

Genus	Origin	PC	AD requirements:	AD quarantine pathogens
Citrus	⁸ African countries NOT Egypt Morocco Mozambique Senegal South Africa Swaziland Zimbabwe	Yes	<ul style="list-style-type: none"> Annex IVA1 of Directive 2000/29/EC 16.2 (c)² or (d)^{3,5} or (e)³ 16.3 (c) 16.4 (c)² or (d)³ or (e)³ ⁶16.5 (a) or (b) or (c) or (d) 16.6 (b)¹ or (c)³ or (d)⁴ 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Phyllosticta citricarpa</i> <i>Tephritidae</i> (non-European) <i>Thaumatotibia leucotreta</i>
Fortunella Poncirus	⁸ African countries NOT Egypt Morocco Mozambique Senegal South Africa Swaziland Zimbabwe	Yes	<ul style="list-style-type: none"> 16.2 (c)² or (d)^{3,5} or (e)³ 16.3 (c) 16.4 (c)² or (d)³ or (e)³ ⁶16.5 (a) or (b) 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Phyllosticta citricarpa</i> <i>Tephritidae</i> (non-European)
Citrus Fortunella Poncirus	Other third countries	Yes	<ul style="list-style-type: none"> 16.2 (c)² or (d)^{3,5} 16.3 (c) 16.4 (c)² or (d)³ ⁶16.5 (a) or (b) or (c) or (d) 	<i>Xanthomonas citri</i> pv. <i>citri</i> <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> <i>Cercospora angolensis</i> <i>Phyllosticta citricarpa</i> <i>Tephritidae</i> (non European)

NOTES

- The name of the pest free area must be recorded on the phytosanitary certificate.
- The name of the pest free place of production must be recorded on the phytosanitary certificate.
- The traceability code (PUC) must be recorded on the phytosanitary certificate (PC).
- The treatment(s) used to ensure freedom from *Thaumatotibia leucotreta* must be recorded on the PC.
- The treatment used to control *Xanthomonas citri* pv. *citri* and *Xanthomonas citri* pv. *aurantifolii* must be recorded on the phytosanitary certificate.
- Annex IVA1 item 16.5 is only required from countries where *Tephritidae* (non-European) are known to occur on fruits of *Citrus*, *Fortunella* and *Poncirus*.
- The following statement must be recorded on the phytosanitary certificate - 'The fruits originate in a site of production subjected to appropriate treatments against *Phyllosticta citricarpa*.'
- Countries in continental Africa and neighbouring Atlantic and Indian Ocean island states:
Algeria, Angola, Benin, Botswana, Burkina Faso, Burundi, Cape Verde, Cameroon, Central African Republic, Chad, Comoros, Democratic Republic of the Congo, Republic of the Congo, Cote d'Ivoire, Djibouti, Equatorial Guinea, Eritrea, Ethiopia, Gabon, Gambia, Ghana, Guinea, Guinea-Bissau, Kenya, La Reunion, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Namibia, Niger, Nigeria, Rwanda, Saint Helena, Sao Tome and Principe, Seychelles, Sierra Leone, Somalia, South Sudan, Sudan, Tanzania, Togo, Tunisia, Uganda, Zambia.



© Crown copyright 2018

You may re-use this information (excluding logos) free of charge in any format or medium, under the terms of the Open Government Licence v.3. To view this licence visit www.nationalarchives.gov.uk/doc/open-government-licence/version/3/ or email PSI@nationalarchives.gsi.gov.uk

This publication is available at www.gov.uk/government/publications

Any enquiries regarding this publication should be sent to us at www.gov.uk/apha

The Animal and Plant Health Agency (APHA) is an executive agency of the Department for Environment, Food & Rural Affairs, and also works on behalf of the Scottish Government and Welsh Government.

This document is no longer in use and has been withdrawn