

Material originating in the European Union that must be accompanied by a phytosanitary certificate when entering the United Kingdom if there is no withdrawal deal.

Contents

Plants	Page 2
Plants that have a stem and/or root collar diameter of 1 cm or more at their thickest point	Page 5
Plants only intended for sale to persons engaged in plant production	Page 6
Plants rooted or with growing medium attached	Page 8
Fruits and Vegetables	Page 8
Bulbs, corms, tubers, rhizomes	Page 9
Seeds	Page 10
Wood	Page 11
Appendix I (<i>Xylella fastidiosa</i> host list).....	Page 13
Appendix II (<i>Araceae</i> family + <i>Marantaceae</i> family).....	Page 17
Appendix III (<i>Solanaceae</i> family).....	Page 17
Appendix IV (<i>Palmae</i> (<i>Araceae</i>) family).....	Page 18

This document outlining the import requirements of plant and plant products to the UK from the EU is correct as of March 2019, but may change in the future as a result of a change in biosecurity risk. It is the responsibility of the importer to check for updates to ensure that their imports comply with legislation.

Plants

Plants, other than seeds, intended for planting, which can only grow in water or soil that is permanently saturated with water (only applies to plant originating within certain regions of Spain).
Live pollen of <i>Actinidia</i>
Plants known to be susceptible to <i>Xylella fastidiosa</i> *(See Appendix I) (Only applies to outbreak areas within the EU – as described at https://ec.europa.eu/food/plant/plant_health_biosecurity/legislation/emergency_measures/xylella-fastidiosa_en)
High risk <i>Xylella fastidiosa</i> host plants <i>Coffea</i> (Coffee) <i>Lavendula dendata</i> (Lavendar) <i>Nerium oleander</i> (Oleander) <i>Oleum europaea</i> (Olive) <i>Polygala myrtifolia</i> (Myrtle-leaf Milkwort) <i>Prunus dulcis</i> (Almond)

Genus	Common name
<i>Abies</i>	Silver Fir
<i>Actinidia</i>	Kiwi
<i>Amalanchier</i>	Snowy Mespilus
<i>Begonia</i>	Begonia
<i>Beta vulgaris</i>	Beet
<i>Camellia</i>	Evergreen shrubs
<i>Casimiroa</i>	Casimiroa
<i>Castanea</i>	Sweet Chestnut
<i>Cedrus</i>	Cedar
<i>Chaenomeles</i>	Japonica
<i>Choisya</i>	Mexican Orange Blossom
<i>Citrus</i>	Orange, Lemon, Lime etc.

<i>Clausena</i>	Clausena
<i>Cotoneaster</i>	Cotoneaster
<i>Cratageus</i>	Hawthorn
<i>Cydonia</i>	Quince
<i>Dipladenia</i>	Dipladenia (only if intended for plant production)
<i>Eriobotrya</i>	Loquat
<i>Euphorbia pulcherrima</i>	Poinsettia (only if intended for plant production)
<i>Ficus</i>	Fig
<i>Fortunella</i>	Kumquat
<i>Hibiscus</i>	Hibiscus (only if intended for plant production)
<i>Humulus lupulus</i>	Hop
<i>Larix</i>	Larch
<i>Malus</i>	Apple
<i>Mandevilla</i>	Mandevilla (only if intended for plant production)
<i>Mespilus</i>	Medlar
<i>Murraya</i>	Curry
<i>Nerium oleander</i>	Oleander (only if intended for plant production)
<i>Palmae</i> with a stem base that has a diameter over 5 cm <i>Areca catechu</i> L. <i>Arenga pinnata</i> <i>Bismarckia</i> <i>Borassus flabellifer</i> <i>Brahea</i> <i>Butia</i> <i>Calamus merrillii</i> <i>Caryota maxima</i> <i>Caryota cumingii</i> <i>Chamaerops</i> <i>Cocos nucifera</i> <i>Copernicia</i> <i>Corypha utan</i> <i>Elaeis guineensis</i> <i>Howea forsteriana</i>	Palms

<i>Jubea</i> <i>Livistona</i> <i>Metroxylon sagu</i> <i>Phoenix</i> <i>Pritchardia</i> <i>Ravenea rivularis</i> <i>Roystonea regia</i> <i>Sabal</i> <i>Syagrus</i> <i>Trachycarpus</i> <i>Trithrinax</i> <i>Washingtonia</i>	
<i>Photinia davidiana</i>	Photinia
<i>Picea</i>	Spruce
<i>Pinus</i>	Pine
<i>Poncirus</i>	Trifoliolate orange
<i>Platanus</i>	Plane
<i>Prunus</i>	Prunus
<i>Pseudotsuga</i>	Douglas Fir
<i>Tsuga</i>	Hemlock
<i>Pyracantha</i>	Firethorn
<i>Pyrus</i>	Pear
<i>Quercus</i> (other than Cork Oak)	Oak
<i>Rhododendron</i>	Ornamental shrubs
<i>Solanum</i> Stolon- or tuber-forming species	Solanum
<i>Sorbus</i>	Mountain Ash, Whitebeam
<i>Ulmus</i>	Elm
<i>Vepris</i>	Vepris
<i>Viburnum</i>	Ornamental shrubs
<i>Vitis</i>	Grape
<i>Zanthoxylum</i>	Zanthoxylum

Plants that have a stem and/or root collar diameter of 1 cm or more at their thickest point

Genus	Common name
<i>Acer</i>	Acer
<i>Aesculus hippocastanum</i>	Horse Chestnut
<i>Alnus</i>	Alder
<i>Betula</i>	Birch
<i>Carpinus</i>	Hornbeam
<i>Cercidiphyllum</i>	Katsura Trees
<i>Citrus</i>	Citrus
<i>Cornus</i>	Dogwood
<i>Corylus</i>	Hazel
<i>Cotoneaster</i>	Cotoneaster
<i>Crataegus</i>	Crataegus
<i>Fagus</i>	Beech
<i>Fraxinus</i>	Ash
<i>Koelreuteria</i>	Koelreuteria
<i>Platanus</i>	Plane
<i>Populus</i>	Populus
<i>Prunus</i> Other than <i>Prunus Laurocerasus</i>	Prunus
<i>Rosa</i>	Rosa
<i>Salix</i>	Willow
<i>Tilia</i>	Lime Tree
<i>Ulmus</i>	Elm

Plants only intended for sale to persons engaged in plant production

Plants marked with an asterisk * also appear in earlier sections

Genus	Common name
<i>Herbaceous species</i> Other than bulbs, corms, rhizomes, seeds or tubers. Not including plants of the family <i>Gramineae</i> .	
<i>Abies*</i>	Silver Fir
<i>Allium porrum</i>	Leeks
<i>Apium graveolens</i>	Celery
<i>Argyranthemum</i>	Marguerite
<i>Asparagus officinalis</i>	Asparagus
<i>Aster</i>	Aster
<i>Brassica</i>	Brassica
<i>Castanea*</i>	Sweet Chestnut
<i>Cucumis</i>	Cucumis
<i>Dendranthema</i>	Chrysanthemum
<i>Dianthus</i>	Dianthus
<i>Exacum</i>	Persian Violet
<i>Fragaria</i>	Strawberry
<i>Gerbera</i>	Gerbera
<i>Gypsophilia</i>	Gypsophilia
<i>Impatiens</i> New Guinea Hybrids	Impatiens
<i>Lactuca</i>	Lettuce
<i>Larix*</i>	Larch
<i>Leucanthemum</i>	Leucanthemum
<i>Lupinus</i>	Lupin
<i>Pelargonium</i>	Geranium
<i>Picea*</i>	Spruce
<i>Pinus*</i>	Pine

<i>Platanus</i>	Plane
<i>Populus</i>	Poplar
<i>Prunus laurocerasus</i>	Cherry Laurel
<i>Prunus lusitanica</i>	Portuguese Laurel
<i>Pseudotsuga</i>*	Douglas Fir
<i>Quercus</i>*	Oak
<i>Rubus</i>	Rubus
<i>Solanaceae</i>	Solanaceae species
<i>Spinacia</i>	Spinach
<i>Tanacetum</i>	Tanacetum
<i>Tsuga</i>*	Hemlock
<i>Ulmus</i>*	Elm
<i>Verbena</i>	Verbena

Plants rooted or with growing medium attached

Genus	Common name
Araceae *(see Appendix II)	Family of monocotyledonous flowering plants
Marantaceae *(See Appendix II)	Marantaceae family
Musaceae *(See Appendix II)	Banana family
Persea	Laurel family
Strelitziaceae	Family of monocotyledonous flowering plants
Palmae with a stem base that has a diameter over 5 cm <i>Brahea</i> <i>Butia</i> <i>Chamaerops</i> <i>Jubaea</i> <i>Livistona</i> <i>Phoenix</i> <i>Sabal</i> <i>Syragrus</i> <i>Trachycarpus</i> <i>Trithrinax</i> <i>Washingtonia</i>	Palms

Fruits and Vegetables

Genus	Common name
Citrus With leaves and peduncles (stem)	Citrus
Fortunella With leaves and peduncles (<i>stem</i>)	Kumquat
Poncirus With leaves and peduncles (<i>stem</i>)	Trifoliolate orange
Solanum tuberosum Tubers <ul style="list-style-type: none"> Originating in Spain, other than the Balearic Islands, and areas of Portugal demarcated as Epitrix outbreak areas (see https://ec.europa.eu/food/plant/plant_health_biosecurity/legislation/emergency_measures_en); Originating in Poland. 	Potatoes

Bulbs, corms, tubers, rhizomes

Genus	Common name
<i>Allium ascalonicum</i>	Shallots
<i>Allium cepa</i>	Onion
<i>Allium schoenoprasum</i>	Chives
<i>Camassia</i>	Camas
<i>Chionodoxa</i>	Glory-of-the-snow
<i>Crocus flavus</i>	Dutch yellow crocus
<i>Dahlia</i>	Dahlia
<i>Galanthus</i>	Snowdrop
<i>Galtonia candicans</i>	Summer Hyacinth
Gladiolus Miniature cultivars such as: <i>Gladiolus callianthus</i> <i>Gladiolus colvillei</i> <i>Gladiolus nanus</i> <i>Gladiolus ramosus</i> <i>Gladiolus tubergenii</i>	Gladiolus
<i>Hyacinthus</i>	Hyacinth
<i>Iris</i>	Iris
<i>Ismene</i>	Spider lilies
<i>Lilium</i>	Lilies
<i>Muscari</i>	Grape Hyacinth
<i>Narcissus</i>	Narcissus
<i>Ornithogalum</i>	Ornithogalum
<i>Puschkinia</i>	Squill
<i>Scilla</i>	Scilla
<i>Tigridia</i>	Tiger/Peacock flowers
<i>Tulipa</i>	Tulips

Seeds

Genus	Common name
<i>Abies</i>	Silver Fir
<i>Allium ascalonicum</i>	Shallots
<i>Allium cepa</i>	Onion
<i>Allium schoenoprasum</i>	Chives
<i>Castanea</i>	Sweet Chestnut
<i>Helianthus annuus</i>	Sunflower
<i>Medicago sativa</i>	Alfalfa
<i>Larix</i>	Larch
<i>Picea</i>	Spruce
<i>Phaseolus</i>	Beans
<i>Pseudotsuga</i>	Douglas Fir
<i>Solanum lycopersicum</i>	Tomato

Wood, except wood packaging material obtained from –

- (i) from *Platanus* (Plane), including wood which has not kept its natural round surface;
- (ii) from conifers, excluding wood which is bark-free;
- (iii) *Castanea* (Sweet Chestnut), excluding wood which is bark-free;

CN Code	Description
4401 11 00	Coniferous fuel wood, in logs, in billets, in twigs, in faggots or in similar forms.
4401 12 00	Non-coniferous fuel wood, in logs, in billets, in twigs, in faggots or in similar forms.
4401 21 00	Coniferous wood, in chips or particles
4401 22 00	Non-coniferous wood, in chips or particles
4401 40 90	4401 40 90 Wood waste and scrap (other than sawdust), not agglomerated
ex 4403 11 00	Coniferous wood in the rough, treated with paint, stains, creosote or other preservatives, not stripped of bark or sapwood, or roughly squared
ex 4403 12 00	Non-coniferous wood in the rough, treated with paint, stains, creosote or other preservatives, not stripped of bark or sapwood, or roughly squared
ex 4403 21	Coniferous wood of pine (<i>Pinus</i> spp.) in the rough, not stripped of bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives, of which any cross-sectional dimension is 15 cm or more
ex 4403 22 00	Coniferous wood of pine (<i>Pinus</i> spp.) in the rough, not stripped of bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives, other than of which any cross-sectional dimension is 15 cm or more
ex 4403 23	Coniferous wood of fir (<i>Abies</i> spp.) and spruce (<i>Picea</i> spp.) in the rough, not stripped of bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives, of which any cross-sectional dimension is 15 cm or more
ex 4403 24 00	Coniferous wood of fir (<i>Abies</i> spp.) and spruce (<i>Picea</i> spp.) in the rough, not stripped of bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives, other than of which any cross-sectional dimension is 15 cm or more
ex 4403 25	Coniferous wood, other than of pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.) or spruce (<i>Picea</i> spp.), in the rough, not stripped of

	bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives, of which any cross-sectional dimension is 15 cm or more
ex 4403 26 00	Coniferous wood, other than of pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.) or spruce (<i>Picea</i> spp.), in the rough, not stripped of bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives, other than of which any cross-sectional dimension is 15 cm or more
ex 4403 99 00	Non-coniferous wood (other than tropical wood, oak (<i>Quercus</i> spp.), beech (<i>Fagus</i> spp.), birch (<i>Betula</i> spp.), poplar and aspen (<i>Populus</i> spp.) or eucalyptus (<i>Eucalyptus</i> spp.)), in the rough, whether or not stripped of bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives
ex 4404	Split poles; piles, pickets and stakes of wood, pointed but not sawn lengthwise
4406	Railway or tramway sleepers (cross-ties) of wood
ex 4407	Coniferous wood, sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm
ex 4407 99	Non-coniferous wood (other than tropical wood, oak (<i>Quercus</i> spp.), beech (<i>Fagus</i> spp.), maple (<i>Acer</i> spp.), cherry (<i>Prunus</i> spp.), ash (<i>Fraxinus</i> spp.), birch (<i>Betula</i> spp.) or poplar and aspen (<i>Populus</i> spp.)), sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm
Isolated bark of <i>Castanea</i> (Sweet chestnut) or conifers	
Wood of conifers which has not retained its round surface or is in the form of beehives or bird nesting boxes, other than sawn wood or logs of <i>Taxus</i> (Yew) or <i>Tsuga</i> (Hemlock) or bark of conifers.	
Wood of <i>Acer</i> spp., <i>Aesculus</i> spp., <i>Alnus</i> spp., <i>Betula</i> spp., <i>Carpinus</i> spp., <i>Cercidiphyllum</i> spp., <i>Corylus</i> spp., <i>Fagus</i> spp., <i>Fraxinus</i> spp., <i>Koelreuteria</i> spp., <i>Platanus</i> spp., <i>Populus</i> spp., <i>Salix</i> spp., <i>Tilia</i> spp. or <i>Ulmus</i> spp., other than wood packaging material, but including wood which has not retained its natural round surface.	
Wood obtained in whole or in part from plants of <i>Prunus</i> spp., other than <i>Prunus laurocerasus</i> L.	

Appendix I

List of plants known to be susceptible to the European and non-European isolates of *Xylella fastidiosa*

Acacia longifolia (Andrews) Willd.
Acacia saligna (Labill.) H. L. Wendl.
Acer
Aesculus
Agrostis gigantea Roth
Albizia julibrissin Durazz.
Alnus rhombifolia Nutt.
Alternanthera tenella Colla
Amaranthus blitoides S. Watson
Ambrosia acanthicarpa Hook.
Ambrosia artemisiifolia L.
Ambrosia trifida L.
Ampelopsis arborea (L.) Koehne
Ampelopsis cordata Michx.
Artemisia douglasiana Hook.
Artemisia vulgaris var. *heterophylla* (H.M. Hall & Clements) Jepson
Avena fatua L.
Baccharis halimifolia L.
Baccharis pilularis DC.
Baccharis salicifolia (Ruiz & Pav.)
Bidens pilosa L.
Brachiaria decumbens (Stapf)
Brachiaria plantaginea (Link) Hitchc.
Brassica
Bromus diandrus Roth
Callicarpa americana L.
Capsella bursa-pastoris (L.) Medik.
Carex Carya illinoensis (Wangenh.) K. Koch
Cassia tora (L.) Roxb.
Catharanthus
Celastrus orbiculata Thunb.
Celtis occidentalis L.
Cenchrus echinatus L.
Cercis canadensis L.
Cercis occidentalis Torr.
Chamaecrista fasciculata (Michx.) Greene
Chenopodium quinoa Willd.
Chionanthus
Chitalpa tashkinensis T. S. Elias & Wisura
Citrus
Coelorachis cylindrica (Michx.) Nash
Coffea
Commelina benghalensis L.
Conium maculatum L.
Convolvulus arvensis L.
Conyza canadensis (L.) Cronquist
Cornus florida L.
Coronopus didymus (L.) Sm.
Cynodon dactylon (L.) Pers.
Cyperus eragrostis Lam.
Cyperus esculentus L.

Cytisus scoparius (L.) Link
Datura wrightii Regel
Digitaria horizontalis Willd.
Digitaria insularis (L.) Ekman
Digitaria sanguinalis (L.) Scop.
Disphania ambrosioides (L.) Mosyakin & Clemants
Duranta erecta L.
Echinochloa crus-galli (L.) P. Beauv.
Encelia farinosa A. Gray ex Torr.
Eriochloa contracta Hitchc.
Erodium
Escallonia montevidensis Link & Otto
Eucalyptus camaldulensis Dehnh.
Eucalyptus globulus Labill.
Eugenia myrtifolia Sims
Euphorbia hirta L.
Fagus crenata Blume
Ficus carica L.
Fragaria vesca L.
Fraxinus americana L.
Fraxinus dipetala Hook. & Arn.
Fraxinus latifolia Benth.
Fraxinus pennsylvanica Marshall
Fuchsia magellanica Lam.
Genista monspessulana (L.) L. A. S. Johnson
Geranium dissectum L.
Ginkgo biloba L.
Gleditsia triacanthos L.
Hedera helix L.
Helianthus annuus L.
Hemerocallis
Heteromeles arbutifolia (Lindl.) M. Roem.
Hibiscus schizopetalus (Masters) J.D. Hooker
Hibiscus syriacus L.
Hordeum murinum L.
Hydrangea paniculata Siebold
Ilex vomitoria Sol. ex Aiton
Ipomoea purpurea (L.) Roth
Iva annua L.
Jacaranda mimosifolia D. Don
Juglans
Juniperus ashei J. Buchholz
Koelreuteria bipinnata Franch.
Lactuca serriola L.
Lagerstroemia indica L.
Lavandula dentata L.
Ligustrum lucidum L.
Lippia nodiflora (L.) Greene
Liquidambar styraciflua L.
Liriodendron tulipifera L.
Lolium perenne L.
Lonicera japonica (L.) Thunb.
Ludwigia grandiflora (Michx.) Greuter & Burdet
Lupinus aridorum McFarlin ex Beckner
Lupinus villosus Willd.
Magnolia grandiflora L.

Malva Marrubium vulgare L.
Medicago polymorpha L.
Medicago sativa L.
Melilotus Melissa officinalis L.
Metrosideros
Modiola caroliniana (L.) G. Don
Montia linearis (Hook.) Greene
Morus
Myrtus communis L.
Nandina domestica Murray
Neptunia lutea (Leavenw.) Benth.
Nerium oleander L.
Nicotiana glauca Graham
Olea europaea L.
Origanum majorana L.
Paspalum dilatatum Poir.
Persea americana Mill.
Phoenix reclinata Jacq.
Phoenix roebelenii O'Brien
Pinus taeda L.
Pistacia vera L.
Plantago lanceolata L.
Platanus Pluchea odorata (L.) Cass.
Poa annua L.
Polygala myrtifolia L.
Polygonum arenastrum Boreau
Polygonum lapathifolium (L.) Delarbre
Polygonum persicaria Gray
Populus fremontii S. Watson
Portulaca
Prunus
Pyrus pyrifolia (Burm. f.) Nakai
Quercus
Ranunculus repens L.
Ratibida columnifera (Nutt.) Wooton & Standl.
Rhamnus alaternus L.
Rhus diversiloba Torr. & A. Gray
Rosa californica Cham. & Schldl.
Rosmarinus officinalis L.
Rubus Rumex crispus L.
Salix
Salsola tragus L.
Salvia mellifera Greene
Sambucus
Sapindus saponaria L.
Schinus molle L.
Senecio vulgaris L.
Setaria magna Griseb.
Silybum marianum (L.) Gaertn.
Simmondsia chinensis (Link) C. K. Schneid.
Sisymbrium irio L.
Solanum americanum Mill.
Solanum elaeagnifolium
Solidago virgaurea L.
Sonchus
Sorghum

Spartium junceum L.
Spermacoce latifolia Aubl.
Stellaria media (L.) Vill.
Tillandsia usneoides (L.) L.
Toxicodendron diversilobum (Torr. & A. Gray) Greene
Trifolium repens L.
Ulmus americana L.
Ulmus crassifolia Nutt.
Umbellularia californica (Hook. & Arn.) Nutt.
Urtica dioica L.
Urtica urens L.
Vaccinium
Verbena litoralis Kunth
Veronica Vicia faba L.
Vinca
Vitis
Westringia fruticosa (Willd.) Druce
Xanthium spinosum L.
Xanthium strumarium L.

Appendix II

Araceae family

<i>Accrus</i>	<i>Callopsi</i>	<i>Lagenarda</i>	<i>Sauromatum</i>
<i>Aglaodorum Aglaonema</i>	<i>Carlephyton</i>	<i>Lasia</i>	<i>Scaphispatha</i>
<i>Alloschemone Alocasia</i>	<i>Cercestis Chlorospatha</i>	<i>Lasimorpha Lysichiton</i>	<i>Schismatoglottis</i>
<i>Ambrosina</i>	<i>Colletogyne Colocasia</i>	<i>Mangonia</i>	<i>Scindapsus</i>
<i>Amorphophallus</i>	<i>Cryptocoryne Culcasia</i>	<i>Monstera Montrichardia</i>	<i>Spathantheum</i>
<i>Amydrium Anadendrum</i>	<i>Cyrtosperma</i>	<i>Nephtytis</i>	<i>Spathicarpa</i>
<i>Anaphyllopsis</i>	<i>Dieffenbachia</i>	<i>Orontium Pedicellarum</i>	<i>Spathiphyllum</i>
<i>Anaphyllum Anchomanes</i>	<i>Dracontioides Dracontium</i>	<i>Peltandra Philodendron</i>	<i>Stenospermatum</i>
<i>Anthurium</i>	<i>Dracunculus Eminium</i>	<i>Phymatarum</i>	<i>Stuednera Stylochaeton</i>
<i>Anubias</i>	<i>Epipremnum Filarum</i>	<i>Pinellia</i>	<i>Symplocarpus</i>
<i>Aridarum</i>	<i>Furtadoa</i>	<i>Piptospatha</i>	<i>Synandrospadix</i>
<i>Ariopsis Arisaema</i>	<i>Gearum</i>	<i>Pistia</i>	<i>Syngonium</i>
<i>Arisarum</i>	<i>Gonotanthus</i>	<i>Podolasia Pothoidium</i>	<i>Taccarum Theiophonum</i>
<i>Arophyton,</i>	<i>Gorgonidium</i>	<i>Pothos</i>	<i>Typhonium Typhondorum</i>
<i>Arum</i>	<i>Gymnostachys Hapaline</i>	<i>Protarum</i>	<i>Ulearum</i>
<i>Asterostigma</i>	<i>Helicodiceros</i>	<i>Pseudodracontim</i>	<i>Urospatha Xanthosoma</i>
<i>Biarum</i>	<i>Heteroaridarum</i>	<i>Pseudohydrosme</i>	<i>Zamioculcas Zantedeschia</i>
<i>Bognera Bucephalandra</i>	<i>Heteropsis Holochlamys</i>	<i>Pycnospatha Remusatia</i>	<i>Zomicarpa Zomicarpell</i>
<i>Caladium</i>	<i>Homalomena Hottarum</i>	<i>Rhaphidophora</i>	
<i>Calla</i>	<i>Jasarum</i>	<i>Rhodospatha</i>	

Marantaceae family

<i>Afrocalathea Ataenidia</i>	<i>Haumania Hylaeante</i>	<i>Monophrynum</i>	<i>Sarcophrynum</i>
<i>Calathea</i>	<i>Hypsepodelpys</i>	<i>Monophyllanthe</i>	<i>Schumannianthus</i>
<i>Comminisia</i>	<i>Ischnosiphon</i>	<i>Monotagma Myrosma</i>	<i>Stromanthe</i>
<i>Ctenanthe</i>	<i>Koernickanthe Maranta</i>	<i>Phacelophrynum</i>	<i>Thalia Thaumatooccus</i>
<i>Donax</i>	<i>Marantochloa</i>	<i>Phrynum Pleiostachya</i>	<i>Thymocarpus</i>
<i>Halopegia</i>	<i>Megaphrynum</i>	<i>Sanblasia Saranthe</i>	<i>Trachyphrynum</i>

Appendix III

Solanaceae family

<i>Acnistus</i>	<i>Capsicum</i>	<i>Grammosolen</i>	<i>Markea</i>
<i>Anisodus</i>	<i>Cestrum</i>	<i>Hawkesiophyton</i>	<i>Melananthus</i>
<i>Anthocercis</i>	<i>Chamaesaracha</i>	<i>Hebecladus</i>	<i>Melissia</i>
<i>Anthotroche</i>	<i>Combera</i>	<i>Hunzikeria</i>	<i>Metternichia</i>
<i>Archiphysalis</i>	<i>Crenidium</i>	<i>Hyoscyamus</i>	<i>Nectouxia</i>
<i>Athenaea</i>	<i>Cuatresia</i>	<i>lochroma</i>	<i>Nicandra</i>
<i>Atrichodendron</i>	<i>Cyphanthera</i>	<i>Jaborosa</i>	<i>Nicotiana</i>
<i>Atropa</i>	<i>Cyphomandra</i>	<i>Jaltomata</i>	<i>Nierembergia</i>
<i>Atropanthe</i>	<i>Datura</i>	<i>Juanulloa</i>	<i>Nola</i>
<i>Aureliana</i>	<i>Deprea</i>	<i>Latua</i>	<i>Nothoestrum</i>
<i>Benthamiella</i>	<i>Discopodium</i>	<i>Leptoglossis</i>	<i>Oryctes</i>
<i>Bouchetia</i>	<i>Dittostigma</i>	<i>Leucophysalis</i>	<i>Pantacantha</i>
<i>Brachistus</i>	<i>Duboisia</i>	<i>Lycianthes</i>	<i>Parabouchetia</i>
<i>Browalia</i>	<i>Dunalia</i>	<i>Lycium</i>	<i>Pauia</i>
<i>Brugmansia</i>	<i>Exodeconus</i>	<i>Lycopersicon</i>	<i>Petunia</i>
<i>Brunfelsia</i>	<i>Fabiana</i>	<i>Mandragora</i>	<i>Phrodus</i>
<i>Calibrachoa</i>	<i>Grabowskia</i>	<i>Margaranthus</i>	<i>Physalis</i>

Physochlaina
Plowmania
Protoschwenckia
Przewalskia
Quincula
Rahowardiana
Reyesia
Salpichroa

Salpiglossis
Saracha
Schizanthus
Schultesianthus
Schwenckia
Schwenckiopsis
Sclerophylax
Scopolia

Sessea
Sesseopsis
Solandra
Solanum
Streptosolen
Symonanthus
Trianaea
Triguera

Tubocapsicum
Vassobia
Vestia
Withania
Witheringii

Appendix IV

Palmae (Aracaceae) family

Acanthophoenix
Acoelorrhaphe
Acrocomia
Actinokentia
Actinorhytis
Adonidia
Aiphanes
Allagoptera
Alloschmidia
Alsmithia
Ammandra
Aphandra
Archontophoenix
Areca
Arenga
Asterogyne
Astrocaryum
Attalea
Bactris
Balaka
Barcella
Basselinia
Beccariophoenix
Bentinckia
Bismarckia
Borassodendron
Borassus
Brahea
Brassiophoenix
Brongniartikentia
Burretiokentia
Butia
Calamus
Calospatha
Calyptrocalyx

Calyptrogryne
Calyptronoma
Campecarpus
Carpentaria
Carpoxylon
Caryota
Ceratolobus
Ceroxylon
Chamaedorea
Chamaerops
Chambeyronia
Chelyocarpus
Chuniophoenix
Clinosperma
Clinostigma
Coccothrinax
Cocos
Colpothrinax
Copernicia
Corypha
Cryosophila
Cyphokentia
Cyphophoenix
Cyphosperma
Cyrtostachys
Daemonorops
Deckenia
Desmoncus
Dictyocaryum
Dictyosperma
Dransfieldia
Drymophloeus
Dypsis
Elaeis
Eleiodoxa

Eremospatha
Eugeissona
Euterpe
Gaussia
Geonoma
Guihaia
Hedyscepe
Hemithrinax
Heterospathe
Howea
Hydriastele
Hyophorbe
Hyospathe
Hyphaene
Iguanura
Iriarteia
Iriartella
Itaya
Johannesteijsmannia
Juania
Jubaea
Jubaeopsis
Kentiopsis
Kerriodoxa
Korthalsia
Laccospadix
Laccosperma
Latania
Lavoixia
Lemurophoenix
Leopoldinia
Lepidocaryum
Lepidorrhachis
Leucothrinax
Licuala

Linospadix
Livistona
Lodoicea
Loxococcus
Lytocaryum
Manicaria
Marojejya
Masoala
Mauritia
Mauritiella
Maxburretia
Medemia
Metroxylon
Moratia
Myrialepis
Nannorrhops
Nenga
Neonicholsonia
Neoveitchia
Nephrosperma
Normanbya
Nypa
Oenocarpus
Oncocalamus
Oncosperma
Orania
Oraniopsis
Parajubaea
Pelagodoxa
Phoenicophorium
Phoenix
Pholidocarpus
Pholidostachys
Physokentia
Phytelephas

Pigafetta
Pinanga
Plectocomia
Plectocomiopsis
Podococcus
Pogonotium
Polyandrocos
Ponapea
Prestoea
Pritchardia
Pritchardiopsis
Pseudophoenix
Ptychococcus
Ptychosperma

Raphia
Ravenea
Reinhardtia
Retispatha
Rhapidophyllum
Rhapis
Rhopaloblaste
Rhopalostylis
Roscheria
Roystonea
Sabal
Salacca
Satakentia
Satranala

Schippia
Sclerosperma
Serenoa
Socratea
Solfia
Sommieria
Syagrus
Synechanthus
Tahina
Tectiphiala
Thrinax
Trachycarpus
Trithrinax
Veillonia

Veitchia
Verschaffeltia
Voanioala
Wallichia
Washingtonia
Welfia
Wendlandiella
Wettinia
Wodyetia
Zombi

