



## Standard Scheme – Preliminary Intended Results Notification

These results are provided for guidance and are determined from the examinations undertaken during quality control testing of the samples. The enumeration results may show minor variations from the final results, which are calculated from the participants' consensus results, and included in the distribution report.

Distribution: **328** Samples: **S0693 and S0694**

Sample Number	<i>Clostridium perfringens</i> (*cfu g <sup>-1</sup> )	<i>Cronobacter</i> spp.	<i>Escherichia coli</i> (*cfu g <sup>-1</sup> )	<i>Listeria</i> spp. (including <i>Listeria monocytogenes</i> )	<i>Listeria monocytogenes</i>	Aerobic colony count (*cfu g <sup>-1</sup> )
<b>S0693</b>	3.9x10 <sup>4</sup>	Detected	7.1x10 <sup>3</sup>	Detected	Detected	4.0x10 <sup>4</sup>
<b>S0694</b>	<10	Detected	<10	Detected	Detected	2.7x10 <sup>4</sup>

\* colony forming units per gram

### Sample contents:

<b>S0693</b>	<i>C. perfringens</i> , <i>C. sakazakii</i> , <i>E. coli</i> , <i>L. monocytogenes</i> and <i>Aerococcus viridans</i>
<b>S0694</b>	<i>C. sakazakii</i> , <i>L. monocytogenes</i> , <i>Listeria seeligeri</i> and <i>Staphylococcus epidermidis</i>

Laboratory identification numbers of participants who did not return results this distribution:
<b>551, 854, 1267, 1486 and 2549</b>

The distribution report providing details of your individual performance and an analysis of all participants' results will be dispatched within three weeks. The report may also include sample specific comments.

**Repeat samples** are available for up to one year from date of this letter for participants who experienced problems with any of the examination. There is no need to wait until you have received the report to order repeat samples.

The next distribution of Standard Scheme samples will be dispatched during the week beginning 31 August 2020.

If you require any technical advice or wish to make comments or suggestions relating to the scheme please contact us.

Validated by:

  
Margaret Njenga  
Laboratory Supervisor

Date: 11 August 2020



0006