IN THE HIGH COURT OF JUSTICE BUSINESS AND PROPERTY COURTS OF ENGLAND AND WALES INTELLECTUAL PROPERTY LIST (ChD) PATENTS COURT

BETWEEN:

## (1) AKEBIA THERAPEUTICS INC. (2) OTSUKA PHARMACEUTICAL COMPANY LIMITED

Claimants in HP-2018-000036

– and –

FIBROGEN, INC.

Defendant in HP-2018-000036

AMENDED STATEMENT OF GROUNDS

**ANNEX A** 

## Unconditional amendments to EP (UK) 1 463 823:

5

10

15

20

- 1. Use of a heterocyclic carboxamide compound selected from the group consisting of pyridine carboxamides, quinoline carboxamides, isoquinoline carboxamides, cinnoline carboxamides, and beta-carboline carboxamides that inhibits hypoxia inducible factor (HIF) prolyl hydroxylase enzyme activity in the manufacture of a medicament for increasing endogenous erythropoietin in the prevention, pretreatment, or treatment of anemia associated with kidney disease.
- 2. A heterocyclic carboxamide compound selected from the group consisting of pyridine carboxamides, quinoline carboxamides, isoquinoline carboxamides, cinnoline carboxamides, and beta-carboline carboxamides that inhibits HIF prolyl hydroxylase enzyme activity for use in increasing endogenous erythropoietin in the prevention, pretreatment, or treatment of anemia associated with kidney disease.
- 3. The use of claim 1, or the compound of claim 2 for the use of claim 2, wherein the anemia is associated with a condition selected from the group consisting of diabetes, cancer, ulcers, kidney disease, immunosuppressive disease, infection, and inflammation.
- <u>4-3</u>. The use of claim 1, or the compound of claim 2 for the use of claim 2, wherein the anemia is associated with <del>polycystic kidney disease,</del> chronic renal failure, <del>diabetes, cancer, ulcers, or AIDS</del>.
- 5. The use of claim 1, or the compound of claim 2 for the use of claim 2, wherein the anemia is associated with microcytic anemia, hypochromic anemia, or aplastic anemia.
- 6. The use of claim 1, or the compound of claim 2 for the use of claim 2, wherein the anemia is associated with radiation therapy, chemotherapy, kidney dialysis, or surgery.
- 7. The use of claim 1, or the compound of claim 2 for the use of claim 2, wherein the anemia is associated with aplastic anemia, autoimmune hemolytic anemia, bone marrow transplantation, Churg-Strauss syndrome, Diamond Blackfan anemia,

Fanconi's anemia, Felty syndrome, graft versus host disease, hematopoietic stem cell transplantation, hemolytic uremic syndrome, myelodysplasic syndrome, nocturnal paroxysmal hemoglobinuria, osteomyelofibrosis, pancytopenia, pure red-cell aplasia, purpura Schoenlein-Henoch, sideroblastic anemia, refractory anemia with excess of blasts, rheumatoid arthritis, Shwachman syndrome, sickle cell disease, thalassemia major, thalassemia minor, thrombocytopenic purpura.

5

10

15

20

- 8. The use of claim 1, or the compound of claim 2 for the use of claim 2, wherein the anemia is associated with blood loss.
- 9 <u>4</u>. The use of claim 1, or the compound of claim 2 for the use of claim 2, wherein the anemia is associated with chronic kidney disease.
- 10. The use of claim 1, or the compound of claim 2 for the use of claim 2, wherein the anemia is of an HIV-infected patient being treated with zidovudine or other reverse transcriptase inhibitors.
- 11. The use of claim 1, or the compound of claim 2 for the use of claim 2, wherein the anemia is of a cancer patient receiving cyclic cisplatin- or non-cisplatin-containing chemotherapy.
- 12. The use of claim 1, or the compound of claim 2 for the use of claim 2, wherein the anemia is of a patient scheduled to undergo elective, noncardiac, nonvascular surgery.
- 13-5. The use according to any one of claims 1 and 3-4 12, or the compound according to any one of claims 2-4 12 for the use of that claim, wherein the medicament or compound is for oral administration.
- 14-6. The use according to any one of claims 1 and 3-5 13, or the compound according to any one of claims 2-5 13 for the use of that claim, wherein the medicament or compound is for transdermal administration.
- <u>15-7</u>. The use according to any one of claims 1 and 3-<u>6-14</u>, or the compound according to any one of claims 2-<u>6-14</u> for the use of that claim, wherein the medicament or compound is to be administered with an iron supplement, vitamin B<sub>12</sub>,

and/or folic acid.

5

10

15

20

16-8. The use of claim <u>7</u>-15, or the compound of claim <u>7</u>-15 for the use of claim <u>7</u>.

15, wherein the iron supplement is ferrous sulfate.

17-9. The use according to any one of claims 1 and 3-6-14, or the compound according to any one of claims 2-6-14 for the use of that claim, wherein the medicament or compound is to be administered in conjunction with administration of exogenous erythropoietin.

18-10. The use of claim 9-17, or the compound of claim 9-17 for the use of claim 9 17, wherein the exogenous erythropoietin is recombinant human erythropoietin. 19-11. The use according to any one of claims 1 and 3-10-18, or the compound according to any one of claims 2-10-18 for the use of that claim, wherein the medicament or compound is to be administered to a human subject.

20-12. The use according to any one of claims 1 and 3-11 19, or the compound according to any one of claims 2-11 19 for the use of that claim, wherein the compound is a compound of formula (I):

$$R^2$$
  $Q-R^4$   $V$   $NH-A-B$   $X$ 

wherein

A is 1,2-arylidene, 1,3-arylidene, 1,4-arylidene; or  $(C_1-C_4)$ -alkylene, optionally substituted by one or two halogen, cyano, nitro, trifluoromethyl,  $(C_1-C_6)$ -alkyl,  $(C_1-C_6)$ -hydroxyalkyl,  $(C_1-C_6)$ -alkoxy,  $-O-[CH_2]_x-C_fH_{(2f+1-g)}Hal_g$ ,  $(C_1-C_6)$ -fluoroalkoxy,  $(C_1-C_8)$ -fluoroalkenyloxy,  $(C_1-C_8)$ -fluoroalkynyloxy,  $-OCF_2CI$ ,  $-O-CF_2-CHFCI$ ;  $(C_1-C_6)$ -alkylmercapto,  $(C_1-C_6)$ -alkylsulfinyl,  $(C_1-C_6)$ -alkylsulfonyl,  $(C_1-C_6)$ -alkylcarbonyl,  $(C_1-C_6)$ -alkylcarbonyl, (C

phenoxy, benzyloxy, anilino, N-methylanilino, phenylmercapto, phenylsulfonyl, phenylsulfinyl, sulfamoyl, N-(C<sub>1</sub>-C<sub>4</sub>)-alkylsulfamoyl, N,N-di-(C<sub>1</sub>-C<sub>4</sub>)-alkylsulfamoyl; or by a substituted (C<sub>6</sub>-C<sub>12</sub>)-aryloxy, (C<sub>7</sub>-C<sub>11</sub>)-aralkyloxy, (C<sub>6</sub>-C<sub>12</sub>)-aryl, (C<sub>7</sub>-C<sub>11</sub>)-aralkyl radical, which carries in the aryl moiety one to five identical or different substituents selected from halogen, cyano, nitro, trifluoromethyl, (C<sub>1</sub>-C<sub>6</sub>)-alkyl, (C<sub>1</sub>-C<sub>6</sub>)-alkoxy, -O-[CH<sub>2</sub>]<sub>x</sub>-C<sub>f</sub>H<sub>(2f+1-g)</sub>Hal<sub>g</sub>, -OCF<sub>2</sub>Cl, -O-CF<sub>2</sub>-CHFCl, (C<sub>1</sub>-C<sub>6</sub>)-alkylmercapto, (C<sub>1</sub>-C<sub>6</sub>)-alkylsulfinyl, (C<sub>1</sub>-C<sub>6</sub>)-alkylsulfonyl, (C<sub>1</sub>-C<sub>6</sub>)-alkylcarbonyl, (C<sub>1</sub>-C<sub>6</sub>)-alkoxycarbonyl, carbamoyl, N-(C<sub>1</sub>-C<sub>4</sub>)-alkylcarbamoyl, N,N-di-(C<sub>1</sub>-C<sub>4</sub>)-alkylcarbamoyl, (C<sub>1</sub>-C<sub>6</sub>)-alkylcarbonyloxy, (C<sub>3</sub>-C<sub>8</sub>)-cycloalkyl, sulfamoyl, N-(C<sub>1</sub>-C<sub>4</sub>)-alkylsulfamoyl, N,N-di-(C<sub>1</sub>-C<sub>4</sub>)-alkylsulfamoyl; or wherein A is -CR<sup>5</sup>R<sup>6</sup> and R<sup>5</sup> and R<sup>6</sup> are each independently selected from hydrogen, (C<sub>1</sub>-C<sub>6</sub>)-alkyl, (C<sub>3</sub>-C<sub>7</sub>)-cycloalkyl, aryl, or a substituent of the α-carbon atom of an α-amino acid, wherein the amino acid is a natural L-amino acid or its D-isomer.

B is -CO<sub>2</sub>H, -NH<sub>2</sub>, -NHSO<sub>2</sub>CF<sub>3</sub>, tetrazolyl, imidazolyl, 3-hydroxyisoxazolyl, CONHCOR''', -CONHSOR''', CONHSO<sub>2</sub>R''', where R''' is aryl, heteroaryl, (C<sub>3</sub>-C<sub>7</sub>)cycloalkyl, or (C<sub>1</sub>-C<sub>4</sub>)-alkyl, optionally monosubstituted by (C<sub>6</sub>-C<sub>12</sub>)-aryl, heteroaryl,
OH, SH, (C<sub>1</sub>-C<sub>4</sub>)-alkyl, (C<sub>1</sub>-C<sub>4</sub>)-alkoxy, (C<sub>1</sub>-C<sub>4</sub>)-thioalkyl, (C<sub>1</sub>-C<sub>4</sub>)-sulfinyl, (C<sub>1</sub>-C<sub>4</sub>)sulfonyl, CF<sub>3</sub>, CI, Br, F, I, NO2, -COOH, (C<sub>2</sub>-C<sub>5</sub>)-alkoxycarbonyl, NH<sub>2</sub>, mono-(C<sub>1</sub>-C<sub>4</sub>alkyl)-amino, di-(C<sub>1</sub>-C<sub>4</sub>-alkyl)-amino, or (C<sub>1</sub>-C<sub>4</sub>)-perfluoroalkyl; or wherein B is a CO<sub>2</sub>G carboxyl radical, where G is a radical of an alcohol G-OH in which G is selected
from (C<sub>1</sub>-C<sub>20</sub>)-alkyl radical, (C<sub>3</sub>-C<sub>8</sub>) cycloalkyl radical, (C<sub>2</sub>-C<sub>20</sub>)-alkenyl radical, (C<sub>3</sub>-C<sub>8</sub>)cycloalkenyl radical, retinyl radical, (C<sub>2</sub>-C<sub>20</sub>)-alkynyl radical, (C<sub>4</sub>-C<sub>20</sub>)-alkenynyl
radical, where the alkenyl, cycloalkenyl, alkynyl, and alkenynyl radicals contain one
or more multiple bonds; (C<sub>6</sub>-C<sub>16</sub>)-carbocyclic aryl radical, (C<sub>7</sub>-C<sub>16</sub>)-carbocyclic aralkyl
radical, heteroaryl radical, or heteroaralkyl radical, wherein a heteroaryl radical or
heteroaryl moiety of a heteroaralkyl radical contains 5 or 6 ring atoms; and wherein
radicals defined for G are substituted by one or more hydroxyl, halogen, cyano,
trifluoromethyl, nitro, carboxyl, (C<sub>1</sub>-C<sub>12</sub>)-alkyl, (C<sub>3</sub>-C<sub>8</sub>)-cycloalkyl, (C<sub>5</sub>-C<sub>8</sub>)-cycloalkenyl,

 $(C_6-C_{12})$ -aryl,  $(C_7-C_{16})$ -aralkyl,  $(C_2-C_{12})$ -alkenyl,  $(C_2-C_{12})$ -alkynyl,  $(C_1-C_{12})$ -alkoxy,  $(C_1-C_1)$ -alkoxy,  $(C_1-C_1)$ -alkoxy,  $(C_1-C_1)$ -alkoxy,  $(C_1-C_1)$ -alkoxy,  $(C_1-C_1)$ -alkoxy,  $(C_1-C_1)$ - $C_{12}$ )-alkoxy- $(C_1-C_{12})$ -alkyl,  $(C_1-C_{12})$ -alkoxy- $(C_1-C_{12})$ -alkoxy,  $(C_6-C_{12})$ -aryloxy,  $(C_7-C_{16})$ aralkyloxy,  $(C_1-C_8)$ -hydroxyalkyl,  $-O-[CH_2]_x-C_fH_{(2f+1-q)}-F_q$ ,  $-OCF_2CI$ ,  $-OCF_2-CHFCI$ ,  $(C_1-C_8)$ -hydroxyalkyl,  $-O-[CH_2]_x-C_fH_{(2f+1-q)}-F_q$ ,  $-OCF_2CI$ ,  $-OCF_2-CHFCI$ ,  $(C_1-C_8)$ -hydroxyalkyl,  $-O-[CH_2]_x-C_fH_{(2f+1-q)}-F_q$ ,  $-OCF_2CI$ ,  $-OCF_2-CHFCI$ ,  $-OCF_$  $C_{12}$ )-alkylcarbonyl, ( $C_3$ - $C_8$ )-cycloalkylcarbonyl, ( $C_6$ - $C_{12}$ )-arylcarbonyl, ( $C_7$ - $C_{16}$ )-5 aralkylcarbonyl, cinnamoyl, (C2-C12)-alkenylcarbonyl, (C2-C12)-alkynylcarbonyl, (C1- $C_{12}$ )-alkoxycarbonyl, ( $C_1$ - $C_{12}$ )-alkoxy-( $C_1$ - $C_{12}$ )-alkoxycarbonyl, ( $C_6$ - $C_{12}$ )aryloxycarbonyl, (C<sub>7</sub>-C<sub>16</sub>)-aralkoxycarbonyl, (C<sub>3</sub>-C<sub>8</sub>)-cycloalkoxycarbonyl, (C<sub>2</sub>-C<sub>12</sub>)alkenyloxycarbonyl,  $(C_2-C_{12})$ -alkynyloxycarbonyl, acyloxy,  $(C_1-C_{12})$ alkoxycarbonyloxy,  $(C_1-C_{12})$ -alkoxy- $(C_1-C_{12})$ -alkoxycarbonyloxy,  $(C_6-C_{12})$ -10 aryloxycarbonyloxy, (C<sub>7</sub>-C<sub>16</sub>) aralkyloxycarbonyloxy, (C<sub>3</sub>-C<sub>8</sub>)-cycloalkoxycarbonyloxy, (C<sub>2</sub>-C<sub>12</sub>)-alkenyloxycarbonyloxy, (C<sub>2</sub>-C<sub>12</sub>)-alkynyloxycarbonyloxy, carbamoyl, N-(C<sub>1</sub>-C<sub>12</sub>)-alkylcarbamoyl, N.N-di(C<sub>1</sub>-C<sub>12</sub>)-alkylcarbamoyl, N-(C<sub>3</sub>-C<sub>8</sub>)-cycloalkyl-carbamoyl,  $N-(C_6-C_{16})$ -arylcarbamoyl,  $N-(C_7-C_{16})$ -aralkylcarbamoyl,  $N-(C_1-C_{10})$ -alkyl- $N-(C_6-C_{16})$ arylcarbamoyl, N-(C<sub>1</sub>-C<sub>10</sub>)-alkyl-N-(C<sub>7</sub>-C<sub>16</sub>)-aralkylcarbamoyl, N-((C<sub>1</sub>-C<sub>10</sub>)-alkoxy-(C<sub>1</sub>-15  $C_{10}$ )-alkyl)-carbamoyl, N-(( $C_6$ - $C_{12}$ )-aryloxy-( $C_1$ - $C_{10}$ )alkyl)-carbamoyl, N-(( $C_7$ - $C_{16}$ )aralkyloxy- $(C_1-C_{10})$ -alkyl)-carbamoyl, N- $(C_1-C_{10})$ -alkyl-N- $((C_1-C_{10})$ -alkoxy- $(C_1-C_{10})$ alkyl)-carbamoyl,  $N-(C_1-C_{10})$ -alkyl- $N-((C_6-C_{16})$ -aryloxy- $(C_1-C_{10})$ -alkyl)-carbamoyl, N- $(C_1-C_{10})$ -alkyl-N- $((C_7-C_{16})$ -aralkyloxy- $(C_1-C_{10})$ -alkyl)-carbamoyl, carbamoyloxy, N- $(C_1-C_{10})$ -alkyl-N- $(C_1-C_1)$ -C<sub>12</sub>)-alkylcarbamoyloxy, N.N-di-(C<sub>1</sub>-C<sub>12</sub>)-alkylcarbamoyloxy, N-(C<sub>3</sub>-C<sub>8</sub>)-20 cycloalkylcarbamoyloxy, N-(C<sub>6</sub>-C<sub>12</sub>)-arylcarbamoyloxy, N-(C<sub>7</sub>-C<sub>16</sub>)aralkylcarbamoyloxy, N-(C<sub>1</sub>-C<sub>10</sub>)-alkyl-N-(C<sub>6</sub>-C<sub>12</sub>)-arylcarbamoyloxy, N(C<sub>1</sub>-C<sub>10</sub>)-alkyl- $N-(C_7-C_{16})$ -aralkylcarbamoyloxy,  $N-((C_1-C_{10})$ -alkyl)-carbamoyloxy,  $N-((C_6-C_{12})$ aryloxy- $(C_1-C_{10})$ -alkyl)-carbamoyloxy, N- $((C_7-C_{16})$ -aralkyloxy- $(C_1-C_{10})$ -alkyl)carbamoyloxy, N-(C<sub>1</sub>-C<sub>10</sub>)-alkyl-N-((C<sub>1</sub>-C<sub>10</sub>)-alkoxy-(C<sub>1</sub>-C<sub>10</sub>)-alkyl)-carbamoyloxy, N-25  $(C_1-C_{10})$ -alkyl-N- $((C_6-C_{12})$ -aryloxy- $(C_1-C_{10})$ -alkyl)-carbamoyloxy, N- $(C_1-C_{10})$ -alkyl-N- $((C_7-C_{16})-aralkyloxy-(C_1-C_{10})-alkyl)-carbamoyloxy, amino, <math>(C_1-C_{12})-alkylamino, di-(C_1-C_{10})-alkyl)-carbamoyloxy$ C<sub>12</sub>)-alkylamino, (C<sub>3</sub>-C<sub>8</sub>)-cycloalkylamino, (C<sub>2</sub>-C<sub>12</sub>)-alkenylamino, (C<sub>2</sub>-C<sub>12</sub>)alkynylamino, N-(C<sub>6</sub>-C<sub>12</sub>)-arylamino, N-(C-C<sub>11</sub>)-aralkylamino, N-alkyl-aralkylamino, N- alkyl-arylamino, (C<sub>1</sub>-C<sub>12</sub>)-alkoxyamino, (C<sub>1</sub>-C<sub>12</sub>)-alkoxy-N-(C<sub>1</sub>-C<sub>10</sub>)-alkylamino, (C<sub>1</sub>- $C_{12}$ )-alkylcarbonylamino, ( $C_3$ - $C_8$ )-cycloalkylcarbonylamino, ( $C_6$ - $C_{12}$ ) arylcarbonylamino, (C<sub>7</sub>-C<sub>16</sub>)-aralkylcarbonylamino, (C<sub>1</sub>-C<sub>12</sub>)-alkylcarbonyl-N-(C<sub>1</sub>-C<sub>10</sub>)alkylamino, (C<sub>3</sub>-C<sub>8</sub>)-cycloalkylcarbonyl-N-(C<sub>1</sub>-C<sub>10</sub>)-alkylamino, (C<sub>6</sub>-C<sub>12</sub>)-arylcarbonyl- $N-(C_1-C_{10})$ alkylamino,  $(C_7-C_{11})$ -aralkylcarbonyl- $N-(C_1-C_{10})$ -alkylamino,  $(C_1-C_{12})$ alkylcarbonylamino-(C<sub>1</sub>-C<sub>8</sub>)-alkyl, (C<sub>3</sub>-C<sub>8</sub>)-cycloalkylcarbonylamino-(C<sub>1</sub>-C<sub>8</sub>)alkyl, (C<sub>6</sub>- $C_{12}$ )-arylcarbonylamino- $(C_1-C_8)$ -alkyl,  $(C_7-C_{12})$ -aralkylcarbonylamino $(C_1-C_8)$ -alkyl, amino- $(C_1-C_{10})$ -alkyl, N- $(C_1-C_{10})$  alkylamino- $(C_1-C_{10})$ -alkyl, N.N-di- $(C_1-C_{10})$ alkylamino- $(C_1-C_{10})$ -alkyl,  $(C_3-C_8)$ cycloalkylamino- $(C_1-C_{10})$ -alkyl,  $(C_1-C_{12})$ alkylmercapto, (C<sub>1</sub>-C<sub>12</sub>)-alkylsulfinyl, (C<sub>1</sub>-C<sub>12</sub>)-alkylsulfonyl, (C<sub>6</sub>-C<sub>16</sub>)-arylmercapto,  $(C_6-C_{16})$ -arylsulfinyl,  $(C_6-C_{12})$ -arylsulfonyl,  $(C_7-C_{16})$ -aralkylmercapto,  $(C_7-C_{16})$ aralkylsulfinyl, (C<sub>7</sub>-C<sub>16</sub>)-aralkylsulfonyl, sulfamoyl, N-(C<sub>1</sub>-C<sub>10</sub>)-alkylsulfamoyl, N.Ndi(C<sub>1</sub>-C<sub>10</sub>)-alkylsulfamoyl, (C<sub>3</sub>-C<sub>8</sub>)-cycloalkylsulfamoyl, N-(C<sub>6</sub>-C<sub>12</sub>)-alkylsulfamoyl, N- $(C_7-C_{16})$ -aralkylsulfamoyl, N- $(C_1-C_{10})$ -alkyl-N- $(C_6-C_{12})$ -arylsulfamoyl, N- $(C_1-C_{10})$ -alkyl- $N-(C_7-C_{16})$ -aralkylsulfamoyl,  $(C_1-C_{10})$ -alkylsulfonamido,  $N-((C_1-C_{10})$ -alkyl)- $(C_1-C_{10})$ alkylsulfonamido,  $(C_7-C_{16})$ -aralkylsulfonamido, or N- $((C_1-C_{10})$ -alkyl- $(C_7-C_{16})$ aralkylsulfonamido; wherein radicals which are aryl or contain an aryl moiety, may be substituted on the aryl by one to five identical or different hydroxyl, halogen, cyano, trifluoromethyl, nitro, carboxyl, (C<sub>1</sub>-C<sub>12</sub>)-alkyl, (C<sub>3</sub>-C<sub>8</sub>)-cycloalkyl, (C<sub>6</sub>-C<sub>12</sub>)-aryl, (C<sub>7</sub>- $C_{16}$ )-aralkyl,  $(C_1-C_{12})$ -alkoxy,  $(C_1-C_{12})$ -alkoxy- $(C_1-C_{12})$ -alkoxy- $(C_1$  $C_{12}$ )alkoxy,  $(C_6-C_{12})$ -aryloxy,  $(C_7-C_{16})$ -aralkyloxy,  $(C_1-C_8)$ -hydroxyalkyl,  $(C_1-C_{12})$ alkylcarbonyl, (C<sub>3</sub>-C<sub>8</sub>)-cycloalkyl-carbonyl, (C<sub>6</sub>-C<sub>12</sub>)-arylcarbonyl, (C<sub>7</sub>-C<sub>16</sub>) aralkylcarbonyl,  $(C_1-C_{12})$ -alkoxycarbonyl,  $(C_1-C_{12})$ -alkoxy- $(C_1-C_{12})$ -alkoxycarbonyl,  $(C_6-C_{12})$ -aryloxycarbonyl,  $(C_7-C_{16})$ -aralkoxycarbonyl,  $(C_3-C_8)$ -cycloalkoxycarbonyl,  $(C_2-C_{12})$ -alkenyloxycarbonyl,  $(C_2-C_{12})$ -alkynyloxycarbonyl,  $(C_1-C_{12})$ -alkylcarbonyloxy,  $(C_3-C_8)$ -cycloalkylcarbonyloxy,  $(C_6-C_{12})$ -arylcarbonyloxy,  $(C_7-C_{16})$ -aralkylcarbonyloxy, cinnamoyloxy, (C<sub>2</sub>-C<sub>12</sub>)-alkenylcarbonyloxy, (C<sub>2</sub>-C<sub>12</sub>)-alkynylcarbonyloxy, (C<sub>1</sub>-C<sub>12</sub>)alkoxycarbonyloxy,  $(C_1-C_{12})$ -alkoxy- $(C_1-C_{12})$ -alkoxycarbonyloxy,  $(C_6-C_{12})$ -

5

10

15

20

aryloxycarbonyloxy, (C<sub>7</sub>-C<sub>16</sub>)-aralkyloxycarbonyloxy, (C<sub>3</sub>-C<sub>8</sub>)-cycloalkoxycarbonyloxy, (C<sub>2</sub>-C<sub>12</sub>)-alkenyloxycarbonyloxy, (C<sub>2</sub>-C<sub>12</sub>)-alkynyloxycarbonyloxy, carbamoyl, N-(C<sub>1</sub>-C<sub>12</sub>)-alkylcarbamoyl, N.N-di-(C<sub>1</sub>-C<sub>12</sub>)-alkylcarbamoyl, N-(C<sub>3</sub>-C<sub>8</sub>)-cycloalkylcarbamoyl,  $N-(C_6-C_{12})$ -arylcarbamoyl,  $N-(C_7-C_{16})$ -aralkylcarbamoyl,  $N-(C_1-C_{10})$ -alkyl- $N-(C_6-C_{12})$ arylcarbamoyl,  $N-(C_1-C_{10})$ -alkyl- $N-(C_7-C_{16})$ -aralkylcarbamoyl,  $N-((C_1-C_{10})$ -alkoxy- $(C_1-C_{10})$ -aralkylcarbamoyl,  $N-((C_1-C_{10})$ -aralkylc  $C_{10}$ )-alkyl)-carbamoyl,  $N-((C_6-C_{12})$ -aryloxy- $(C_1-C_{10})$ -alkyl)-carbamoyl,  $N-((C_7-C_{16})$ aralkyloxy- $(C_1-C_{10})$ -alkyl)-carbamoyl, N- $(C_1-C_{10})$ -alkyl-N- $((C_1-C_{10})$ -alkoxy- $(C_1-C_{10})$ alkyl)-carbamoyl, N-( $C_1$ - $C_{10}$ )-alkyl-N-(( $C_6$ - $C_{12}$ )-aryloxy-( $C_1$ - $C_{10}$ )-alkyl)-carbamoyl, N- $(C_1-C_{10})$ -alkyl-N- $((C_7-C_{16})$ -aralkyloxy- $(C_1-C_{10})$ -alkyl)-carbamoyl, carbamoyloxy, N- $(C_1-C_{10})$ -alkyl-N- $((C_1-C_{10})$ -Alkyl-N- $((C_1-C_1)$ -Alkyl-N-C<sub>12</sub>)-alkylcarbamoyloxy, N.N-di-(C<sub>1</sub>-C<sub>12</sub>)-alkylcarbamoyloxy, N-(C<sub>3</sub>-C<sub>8</sub>)cycloalkylcarbamoyloxy, N-(C<sub>6</sub>-C<sub>12</sub>)-arylcarbamoyloxy, N-(C<sub>7</sub>-C<sub>16</sub>)aralkylcarbamoyloxy,  $N-(C_1-C_{10})$ -alkyl- $N-(C_6-C_{12})$ -arylcarbamoyloxy,  $N(C_1-C_{10})$ -alkyl- $N-(C_7-C_{16})$ -aralkylcarbamoyloxy,  $N-((C_1-C_{10})$ -alkyl)-carbamoyloxy,  $N-((C_6-C_{12})$ aryloxy- $(C_1-C_{10})$ -alkyl)-carbamoyloxy, N- $((C_7-C_{16})$ -aralkyloxy- $(C_1-C_{10})$ -alkyl)carbamoyloxy,  $N-(C_1-C_{10})$ -alkyl- $N-((C_1-C_{10})$ -alkoxy- $(C_1-C_{10})$ -alkyl)-carbamoyloxy,  $N-(C_1-C_{10})$ -alkyl- $N-(C_1-C_{10})$ -alkyl- $N-(C_1-C_{10})$ -alkyl- $N-(C_1-C_1)$ -alky  $(C_1-C_{10})$ -alkyl-N- $((C_6-C_{12})$ -aryloxy- $(C_1-C_{10})$ -alkyl)-carbamoyloxy, N- $(C_1-C_{10})$ -alkyl-N-((C<sub>7</sub>-C<sub>16</sub>)-aralkyloxy-(C<sub>1</sub>-C<sub>10</sub>)-alkyl)-carbamoyloxy, amino, (C<sub>1</sub>-C<sub>12</sub>)-alkylamino, di-(C<sub>1</sub>-C<sub>12</sub>)-alkylamino, (C<sub>3</sub>-C<sub>8</sub>)-cycloalkylamino, (C<sub>3</sub>-C<sub>12</sub>)-alkenylamino, (C<sub>3</sub>-C<sub>12</sub>)alkynylamino, N-(C<sub>6</sub>-C<sub>12</sub>)-arylamino, N-(C<sub>7</sub>-C<sub>11</sub>)-aralkylamino, N-alkylaralkylamino, Nalkyl-arylamino,  $(C_1-C_{12})$ -alkoxyamino,  $(C_1-C_{12})$ -alkoxy-N- $(C_1-C_{10})$ -alkylamino,  $(C_1-C_{12})$ -alkoxy-N- $(C_1-C_{10})$ -alkylamino,  $(C_1-C_{12})$ -alkoxy-N- $(C_1-C_{12})$ -alkylamino,  $(C_1-C_{12})$ -alkoxy-N- $(C_1-C_{12})$ -alkylamino,  $(C_1-C_{12})$ C<sub>12</sub>)-alkylcarbonylamino, (C<sub>3</sub>-C<sub>8</sub>)-cycloalkylcarbonylamino, (C<sub>6</sub>-C<sub>12</sub>)arylcarbonylamino, (C<sub>7</sub>-C<sub>16</sub>)-alkylcarbonylamino, (C<sub>1</sub>-C<sub>12</sub>)-alkylcarbonyl-N-(C<sub>1</sub>-C<sub>10</sub>)alkylamino, (C<sub>3</sub>-C<sub>8</sub>)-cycloalkylcarbonyl-N-(C<sub>1</sub>-C<sub>10</sub>)-alkylamino, (C<sub>6</sub>-C<sub>12</sub>)-arylcarbonyl- $N-(C_1-C_{10})$ -alkylamino,  $(C_7-C_{11})$ -aralkylcarbonyl- $N-(C_1-C_{10})$ -alkylamino,  $(C_1-C_{12})$ alkylcarbonylamino-(C<sub>1</sub>-C<sub>8</sub>)-alkyl, (C<sub>3</sub>-C<sub>8</sub>)-cycloalkylcarbonylamino-(C<sub>1</sub>-C<sub>8</sub>)-alkyl, (C<sub>6</sub>- $C_{12}$ )-arylcarbonylamino- $(C_1-C_8)$ -alkyl,  $(C_7-C_{16})$ -aralkylcarbonylamino- $(C_1-C_8)$ -alkyl, amino- $(C_1-C_{10})$ -alkyl, N- $(C_1-C_{10})$ -alkylamino- $(C_1-C_{10})$ alkyl, N.N-di- $(C_1-C_{10})$ -alkylamino- $(C_1-C_{10})$ -alkyl,  $(C_3-C_8)$ -cycloalkylamino- $(C_1-C_{10})$ -alkyl,  $(C_1-C_{12})$ -alkylmercapto,  $(C_1-C_{10})$ -alkyl,  $(C_1-C_{12})$ -alkylmercapto,  $(C_1-C_{10})$ -alkyl

5

10

15

20

 $C_{12}$ )-alkylsulfinyl, ( $C_1$ - $C_{12}$ )-alkylsulfonyl, ( $C_6$ - $C_{12}$ )-arylmercapto, ( $C_6$ - $C_{12}$ )-arylsulfinyl, ( $C_7$ - $C_{16}$ )-aralkylmercapto, ( $C_7$ - $C_{16}$ )-aralkylsulfinyl, or ( $C_7$ - $C_{16}$ )-aralkylsulfonyl;

X is O or S;

5 Q is O, S, NR', or a bond;

where, if Q is a bond, R<sup>4</sup> is halogen, nitrile, or trifluoromethyl;

or where, if Q is O, S, or NR', R<sup>4</sup> is hydrogen,  $(C_1-C_{10})$ -alkyl radical,  $(C_2-C_{10})$ -alkenyl radical,  $(C_2-C_{10})$ -alkynyl radical, wherein alkenyl or alkynyl radical contains one or two C-C multiple bonds; unsubstituted fluoroalkyl radical of the formula -[CH<sub>2</sub>]<sub>x</sub>-C<sub>f</sub>H<sub>(2f+1-g)</sub>-F<sub>g</sub>,  $(C_1-C_8)$ -alkoxy- $(C_1-C_6)$ -alkyl radical,  $(C_1-C_6)$ -alkoxy- $(C_1-C_4)$ -alkoxy- $(C_1-C_4)$ -alkyl radical, aryl radical, heteroaryl radical,  $(C_7-C_{11})$ -aralkyl radical, or a radical of the formula Z

$$-[CH_2]_v-[O]_w-[CH_2]_t-E$$
 (Z)

where

10

E is a heteroaryl radical, a (C<sub>3</sub>-C<sub>8</sub>)-cycloalkyl radical, or a phenyl radical of the formula F

$$R^7$$
  $R^8$   $R^9$   $R^{11}$   $R^{10}$ 

v is 0-6,

w is 0 or 1,

20 t is 0-3, and

 $R^7$ ,  $R^8$ ,  $R^9$ ,  $R^{10}$ , and  $R^{11}$  are identical or different and are hydrogen, halogen, cyano, nitro, trifluoromethyl,  $(C_1-C_6)$ -alkyl,  $(C_3-C_8)$ -cycloalkyl,  $(C_1-C_6)$ -alkoxy,  $-O-[CH_2]_x-C_fH_{(2f+1-g)}-F_g$ ,  $-OCF_2-CI$ ,  $-O-CF_2-CHFCI$ ,  $(C_1-C_6)$ -alkylmercapto,  $(C_1-C_6)$ -hydroxyalkyl,  $(C_1-C_6)$ -alkoxy- $(C_1-C_6)$ -alkoxy- $(C_1-C_6)$ -alkoxy- $(C_1-C_6)$ -alkyl,  $(C_1-C_6)$ -alkyl,  $(C_1-C_6)$ -alkylsulfinyl,  $(C_1-C_6)$ -alkylsulfinyl

C<sub>6</sub>)-alkylsulfonyl, (C<sub>1</sub>-C<sub>6</sub>)-alkylcarbonyl, (C<sub>1</sub>-C<sub>8</sub>)-alkoxycarbonyl, carbamoyl, N-(C<sub>1</sub>-C<sub>8</sub>)-alkylcarbamoyl, N,N-di-(C<sub>1</sub>-C<sub>8</sub>)-alkylcarbamoyl, or (C<sub>7</sub>-C<sub>11</sub>)-aralkylcarbamoyl, optionally substituted by fluorine, chlorine, bromine, trifluoromethyl, (C<sub>1</sub>-C<sub>6</sub>)-alkoxy, N-(C<sub>3</sub>-C<sub>8</sub>)-cycloalkylcarbamoyl, N-(C<sub>3</sub>-C<sub>8</sub>)-cycloalkyl-(C<sub>1</sub>-C<sub>4</sub>)-alkylcarbamoyl, (C<sub>1</sub>-C<sub>6</sub>)-5 alkylcarbonyloxy, phenyl, benzyl, phenoxy, benzyloxy, NRYRZ wherein Ry and Rz are independently selected from hydrogen, (C<sub>1</sub>-C<sub>12</sub>)-alkyl, (C<sub>1</sub>-C<sub>8</sub>)-alkoxy-(C<sub>1</sub>-C<sub>8</sub>)-alkyl,  $(C_7-C_{12})$ -aralkoxy- $(C_1-C_8)$ -alkyl,  $(C_6-C_{12})$ -aryloxy- $(C_1-C_8)$ -alkyl,  $(C_3-C_{10})$ -cycloalkyl,  $(C_3-C_{10})$ -aryloxy- $(C_1-C_8)$ -alkyl,  $(C_3-C_{10})$ -cycloalkyl,  $(C_3-C_{10})$ -aryloxy- $(C_1-C_8)$ -alkyl,  $(C_1-C_1)$ -aryloxy- $(C_1-C_$  $C_{12}$ )-alkenyl, ( $C_3$ - $C_{12}$ )-alkynyl, ( $C_6$ - $C_{12}$ )-aryl, ( $C_7$ - $C_{11}$ )-aralkyl, ( $C_1$ - $C_{12}$ )-alkoxy, ( $C_7$ - $C_{12}$ )-aryl, ( $C_7$ - $C_{12}$ )aralkoxy, ( $C_1$ - $C_{12}$ )-alkylcarbonyl, ( $C_3$ - $C_8$ )-cycloalkylcarbonyl, ( $C_6$ - $C_{12}$ ) 10 arylcarbonyl, (C<sub>7</sub>-C<sub>16</sub>)-aralkylcarbonyl; or further wherein R<sup>y</sup> and R<sup>z</sup> together are -[CH2]<sub>h</sub>, in which a CH<sub>2</sub> group can be replaced by O, S, N-( $C_1$ - $C_4$ )alkylcarbonylimino, or N-(C<sub>1</sub>-C<sub>4</sub>)-alkoxycarbonylimino; phenylmercapto, phenylsulfonyl, phenylsulfinyl, sulfamoyl, N-(C<sub>1</sub>-C<sub>8</sub>)-alkylsulfamoyl, or N, N-di-(C<sub>1</sub>-C<sub>8</sub>)alkylsulfamoyl; or alternatively R<sup>7</sup> and R<sup>8</sup>, R<sup>8</sup> and R<sup>9</sup>, R<sup>9</sup> and R<sup>10</sup>, or R<sup>10</sup> and R<sup>11</sup>, 15 together are a chain selected from -[CH<sub>2</sub>]<sub>n</sub>- or -CH=CH-CH=CH-, where a CH<sub>2</sub> group of the chain is optionally replaced by O, S, SO, SO<sub>2</sub>, or NR<sup>Y</sup>; and n is 3, 4, or 5; and if E is a heteroaryl radical, said radical can carry 1-3 substituents selected from those defined for R<sup>7</sup>-R<sup>11</sup>, or if E is a cycloalkyl radical, the radical can carry one substituent selected from those defined for R<sup>7</sup>-R<sup>11</sup>; 20 or where, if Q is NR', R4 is alternatively R", where R' and R" are identical or different and are hydrogen,  $(C_6-C_{12})$ -aryl,  $(C_7-C_{11})$ -aralkyl,  $(C_1-C_8)$ -alkyl,  $(C_1-C_8)$ -alkoxy- $(C_1-C_8)$ -alkoxy- $(C_1-C_8)$ -alkoxy- $(C_1-C_8)$ -alkyl,  $(C_1-C_8)$ -alkoxy- $(C_1-C_8)$ -alkyl,  $(C_1-C_8)$ -alkoxy- $(C_1-C_8)$ -alkyl,  $(C_1 C_8$ )-alkyl,  $(C_7-C_{12})$ -aralkoxy- $(C_1-C_8)$ -alkyl,  $(C_6-C_{12})$ -aryloxy- $(C_1-C_8)$ -alkyl,  $(C_1-C_{10})$ -

alkylcarbonyl, optionally substituted (C<sub>7</sub>-C<sub>16</sub>)-aralkylcarbonyl, or optionally substituted C<sub>6</sub>-C<sub>12</sub>)-arylcarbonyl; or R' and R" together are -[CH<sub>2</sub>]<sub>h</sub>, in which a CH<sub>2</sub> group can be replaced by O, S, N-acylimino, or N-(C<sub>1</sub>-C<sub>10</sub>)-alkoxycarbonylimino, and h is 3 to 7.

Y is N or CR<sup>3</sup>;

 $R^1$ ,  $R^2$  and  $R^3$  are identical or different and are hydrogen, hydroxyl, halogen, cyano, trifluoromethyl, nitro, carboxyl,  $(C_1-C_{20})$ -alkyl,  $(C_3-C_8)$ -cycloalkyl,  $(C_3-C_8)$ -cycloalkyl-

 $(C_1-C_{12})$ -alkyl,  $(C_3-C_8)$ -cycloalkoxy,  $(C_3-C_8)$ -cycloalkyl- $(C_1-C_{12})$ -alkoxy,  $(C_3-C_8)$ cycloalkyloxy- $(C_1-C_{12})$ -alkyl,  $(C_3-C_8)$ -cycloalkyloxy- $(C_1-C_{12})$ -alkoxy,  $(C_3-C_8)$ -cycloalkyl- $(C_1-C_8)$ -alkyl- $(C_1-C_6)$ -alkoxy,  $(C_3-C_8)$ -cycloalkyl- $(C_1-C_8)$ -alkoxy- $(C_1-C_6)$ -alkyl,  $(C_3-C_8)$ cycloalkyloxy- $(C_1-C_8)$ -alkoxy- $(C_1-C_6)$ -alkyl,  $(C_3-C_8)$ -cycloalkoxy- $(C_1-C_8)$ -alkoxy- $(C_1-C_8)$ -alky- $(C_1-C_8)$ -alky-( $C_8$ )-alkoxy,  $(C_6-C_{12})$ -aryl,  $(C_7-C_{16})$ -aralkyl,  $(C_7-C_{16})$ -aralkenyl,  $(C_7-C_{16})$ -aralkynyl,  $(C_2-C_{16})$ -aralkynyl,  $(C_7-C_{16})$ -aralkynyl,  $(C_7-C_{$  $C_{20}$ )-alkenyl,  $(C_2-C_{20})$ -alkynyl,  $(C_1-C_{20})$ -alkoxy,  $(C_2-C_{20})$ -alkenyloxy,  $(C_2-C_{20})$ alkynyloxy, retinyloxy,  $(C_1-C_{20})$ -alkoxy- $(C_1-C_{12})$ -alkyl,  $(C_1-C_{12})$ -alkoxy- $(C_1-C_{12})$ -alkoxy,  $(C_1-C_{12})$ -alkoxy- $(C_1-C_8)$ -alkoxy- $(C_1-C_8)$ -alkyl,  $(C_6-C_{12})$ -aryloxy,  $(C_7-C_{16})$ -aralkyloxy,  $(C_6-C_{12})$ -aryloxy- $(C_1-C_6)$ -alkoxy,  $(C_7-C_{16})$ -aralkoxy- $(C_1-C_6)$ -alkoxy,  $(C_1-C_{16})$ hydroxyalkyl,  $(C_6-C_{16})$ -aryloxy- $(C_1-C_8)$ -alkyl,  $(C_7-C_{16})$ -aralkoxy- $(C_1-C_8)$ -alkyl,  $(C_6-C_{12})$ aryloxy- $(C_1-C_8)$ -alkoxy- $(C_1-C_6)$ -alkyl,  $(C_7-C_{12})$ -aralkyloxy- $(C_1-C_8)$ -alkoxy- $(C_1-C_6)$ -alkyl,  $(C_2-C_{20})$ -alkenyloxy- $(C_1-C_6)$ -alkyl,  $(C_2-C_{20})$ -alkynyloxy- $(C_1-C_6)$ -alkyl, retinyloxy- $(C_1-C_6)$ alkyl, -O-[CH<sub>2</sub>]<sub>x</sub>CfH<sub>(2f+1-g)</sub>F<sub>g</sub>, -OCF<sub>2</sub>Cl, -OCF<sub>2</sub>-CHFCl, (C<sub>1</sub>-C<sub>20</sub>)-alkylcarbonyl, (C<sub>3</sub>-C<sub>8</sub>)cycloalkylcarbonyl, (C<sub>6</sub>-C<sub>12</sub>)-arylcarbonyl, (C<sub>7</sub>-C<sub>16</sub>)-aralkylcarbonyl, cinnamoyl, (C<sub>2</sub>- $C_{20}$ )-alkenylcarbonyl, ( $C_2$ - $C_{20}$ )-alkynylcarbonyl, ( $C_1$ - $C_{20}$ )-alkoxycarbonyl, ( $C_1$ - $C_{12}$ )alkoxy- $(C_1-C_{12})$ -alkoxycarbonyl,  $(C_6-C_{12})$ -aryloxycarbonyl,  $(C_7-C_{16})$ -aralkoxycarbonyl, (C<sub>3</sub>-C<sub>8</sub>)-cycloalkoxycarbonyl, (C<sub>2</sub>-C<sub>20</sub>)-alkenyloxycarbonyl, retinyloxycarbonyl, (C<sub>2</sub>- $C_{20}$ )-alkynyloxycarbonyl, ( $C_6$ - $C_{12}$ )-aryloxy-( $C_1$ - $C_6$ )-alkoxycarbonyl, ( $C_7$ - $C_{16}$ )-aralkoxy- $(C_1-C_6)$ -alkoxycarbonyl,  $(C_3-C_8)$ -cycloalkyl- $(C_1-C_6)$ -alkoxycarbonyl,  $(C_3-C_8)$ cycloalkoxy- $(C_1-C_6)$ -alkoxycarbonyl,  $(C_1-C_{12})$ -alkylcarbonyloxy,  $(C_3-C_8)$ cycloalkylcarbonyloxy, (C<sub>6</sub>-C<sub>12</sub>)-arylcarbonyloxy, (C<sub>7</sub>-C<sub>16</sub>)-aralkylcarbonyloxy, cinnamoyloxy, (C<sub>2</sub>-C<sub>12</sub>)-alkenylcarbonyloxy, (C<sub>2</sub>-C<sub>12</sub>)-alkynylcarbonyloxy, (C<sub>1</sub>-C<sub>12</sub>)alkoxycarbonyloxy,  $(C_1-C_{12})$ -alkoxy- $(C_1-C_{12})$ -alkoxycarbonyloxy,  $(C_6-C_{12})$ aryloxycarbonyloxy, (C<sub>7</sub>-C<sub>16</sub>)-aralkyloxycarbonyloxy, (C<sub>3</sub>-C<sub>8</sub>)-cycloalkoxycarbonyloxy, (C<sub>2</sub>-C<sub>12</sub>)-alkenyloxycarbonyloxy, (C<sub>2</sub>-C<sub>12</sub>)-alkynyloxycarbonyloxy, carbamoyl, N-(C<sub>1</sub>-C<sub>12</sub>)-alkylcarbamoyl, N,N-di-(C<sub>1</sub>-C<sub>12</sub>)-alkylcarbamoyl, N-(C<sub>3</sub>-C<sub>8</sub>)-cycloalkylcarbamoyl, N,N-dicyclo- $(C_3-C_8)$ -alkylcarbamoyl, N- $(C_1-C_{10})$ -alkyl-N- $(C_3-C_8)$ -cycloalkylcarbamoyl,  $N-((C_3-C_8)-cycloalkyl-(C_1-C_6)-alkyl)-carbamoyl, N-(C_1-C_6)-alkyl-N-((C_3-C_8)-cycloalkyl-$ 

5

10

15

20

 $(C_1-C_6)\text{-alkyl})\text{-carbamoyl}, \ N\text{-}(+)\text{-dehydroabietylcarbamoyl}, \ N\text{-}(C_1-C_6)\text{-alkyl-N-}(+)\text{-dehydroabietylcarbamoyl}, \ N\text{-}(C_1-C_6)\text{-arylcarbamoyl}, \ N\text{-}(C_7-C_{16})\text{-aralkylcarbamoyl}, \ N\text{-}(C_1-C_{10})\text{-alkyl-N-}(C_7-C_{16})\text{-aralkylcarbamoyl}, \ N\text{-}(C_1-C_{10})\text{-alkyl-N-}(C_7-C_{16})\text{-aralkylcarbamoyl}, \ N\text{-}((C_1-C_{10})\text{-alkyl-N-}(C_1-C_{10})\text{-alkyl-N-}(C_1-C_{10})\text{-alkyl-N-}(C_1-C_{10})\text{-alkyl-N-}(C_1-C_{10})\text{-alkyl-N-}(C_1-C_{10})\text{-alkyl-N-}((C_1-C_{10})\text{-alkyl-N-}((C_1-C_{10})\text{-alkyl-N-}((C_1-C_{10})\text{-alkyl-N-}((C_1-C_{10})\text{-alkyl-N-}((C_1-C_{10})\text{-alkyl-N-}((C_1-C_{10})\text{-alkyl-N-}((C_1-C_{10})\text{-alkyl-N-}((C_1-C_{10})\text{-alkyl-N-}((C_1-C_{10})\text{-alkyl-N-}((C_1-C_1)\text{-alkyl-N-}((C_1-C$ 

$$-CO = \begin{bmatrix} R^{X} \\ R^{V} \\ O \end{bmatrix}_{S} - T \qquad (R)$$

in which

 $R^x$  and  $R^v$  are each independently selected from hydrogen,  $(C_1-C_6)$ -alkyl,  $(C_3-C_7)$ -cycloalkyl, aryl, or the substituent of an  $\alpha$ -carbon of an  $\alpha$ -amino acid, to which the L-and D-amino acids belong,

s is 1-5,

T is OH, or NR\*R\*\*, and R\*, R\*\* and R\*\*\* are identical or different and are selected from hydrogen,  $(C_6-C_{12})$ -aryl,  $(C_7-C_{11})$ -aralkyl,  $(C_1-C_8)$ -alkyl,  $(C_3-C_8)$ -cycloalkyl, (+)-dehydroabietyl,  $(C_1-C_8)$ -alkoxy- $(C_1-C_8)$ -alkyl,  $(C_7-C_{12})$ -aralkoxy- $(C_1-C_8)$ -alkyl,  $(C_6-C_{12})$ -aryloxy- $(C_1-C_8)$ -alkyl,  $(C_1-C_{10})$ -alkanoyl, optionally substituted  $(C_7-C_{16})$ -aralkanoyl, optionally substituted  $(C_6-C_{12})$ -aroyl; or R\* and R\*\* together are -[CH<sub>2</sub>]<sub>h</sub>, in which a CH<sub>2</sub> group can be replaced by O, S, SO, SO<sub>2</sub>, N-acylamino, N- $(C_1-C_{10})$ -alkoxycarbonylimino, N- $(C_1-C_8)$ -alkylimino, N- $(C_3-C_8)$ -cycloalkyl- $(C_1-C_4)$ -alkylimino, N- $(C_6-C_{12})$ -arylimino, N- $(C_7-C_{16})$ -aralkylimino, N- $(C_1-C_1)$ -arylimino, N- $(C_1-C_1)$ -arylimino

25

5

10

15

 $C_4$ )-alkoxy-( $C_1$ - $C_6$ )-alkylimino, and h is from 3 to 7; carbamoyloxy, N-(C<sub>1</sub>-C<sub>12</sub>)-alkylcarbamoyloxy, N,N-di-(C<sub>1</sub>-C<sub>12</sub>)-alkylcarbamoyloxy, N-(C<sub>3</sub>-C<sub>8</sub>)-cycloalkylcarbamoyloxy, N-(C<sub>6</sub>-C<sub>12</sub>)-arylcarbamoyloxy, N-(C<sub>7</sub>-c<sub>16</sub>)aralkylcarbamoyloxy, N- $(C_1-C_{10})$ -alkyl-N- $(C_6-C_{12})$ -arylcarbamoyloxy, N- $(C_1-C_{10})$ -alkyl-5  $N-(C_7-C_{16})$ -aralkylcarbamoyloxy,  $N-((C_1-C_{10})$ -alkyl)-carbamoyloxy,  $N-((C_6-C_{12})$ aryloxy- $(C_1-C_{10})$ -alkyl)-carbamoyloxy, N- $((C_7-C_{16})$ -aralkyloxy- $(C_1-C_{10})$ -alkyl)carbamoyloxy,  $N-(C_1-C_{10})$ -alkyl- $N-((C_1-C_{10})$ -alkoxy- $(C_1-C_{10})$ -alkyl)-carbamoyloxy,  $N-(C_1-C_{10})$ -alkyl- $N-(C_1-C_{10})$ -alkyl- $N-(C_1-C_1)$ -alkyl- $(C_1-C_{10})$ -alkyl-N- $((C_6-C_{12})$ -aryloxy- $(C_1-C_{10})$ -alkyl)-carbamoyloxy, N- $(C_1-C_{10})$ -alkyl-N-10 C<sub>12</sub>)-alkylamino, (C<sub>3</sub>-C<sub>8</sub>)-cycloalkylamino, (C<sub>3</sub>-C<sub>12</sub>)-alkenylamino, (C<sub>3</sub>-C<sub>12</sub>)alkynylamino,  $N-(C_6-C_{12})$ -arylamino,  $N-(C_7-C_{11})$ -aralkylamino, N-alkyl-aralkylamino, N-alkyl-arylamino, (C<sub>1</sub>-C<sub>12</sub>)-alkoxyamino, (C<sub>1</sub>-C<sub>12</sub>)-alkoxy-N-(C<sub>1</sub>-C<sub>10</sub>)-alkylamino, (C<sub>1</sub>-C<sub>12</sub>)-alkoxy-N-(C<sub>1</sub>-C<sub>10</sub>)-alkylamino, (C<sub>1</sub>-C<sub>12</sub>)-alkoxy-N-(C<sub>1</sub>-C<sub>10</sub>)-alkylamino, (C<sub>1</sub>-C<sub>10</sub>)-alkylamino, (C<sub>1</sub>-C<sub>10</sub>-C<sub>10</sub>)-alkylamino, (C<sub>1</sub>-C<sub>10</sub>-C<sub>10</sub>-C<sub>10</sub>-C<sub>10</sub>-C<sub>10</sub>-C<sub>10</sub>-C<sub>10</sub>-C<sub>10</sub>-C<sub>12</sub>)-alkanoylamino, (C<sub>3</sub>-C<sub>8</sub>)-cycloalkanoylamino, (C<sub>6</sub>-C<sub>12</sub>)-aroylamino, (C<sub>7</sub>-C<sub>16</sub>)aralkanoylamino, (C<sub>1</sub>-C<sub>12</sub>)-alkanoyl-N-(C<sub>1</sub>-C<sub>10</sub>)-alkylamino, (C<sub>3</sub>-C<sub>8</sub>)-cycloalkanoyl-N-15  $(C_1-C_{10})$ -alkylamino,  $(C_6-C_{12})$ -aroyl-N- $(C_1-C_{10})$ -alkylamino,  $(C_7-C_{11})$ -aralkanoyl-N- $(C_1-C_{10})$ -alkylamino,  $(C_7-C_{11})$ -aralkanoyl-N- $(C_7-C_{$ C<sub>10</sub>)-alkylamino, (C<sub>1</sub>-C<sub>12</sub>)-alkanoylamino-(C<sub>1</sub>-C<sub>8</sub>)-alkyl, (C<sub>3</sub>-C<sub>8</sub>)-cycloalkanoylamino- $(C_1-C_8)$ -alkyl,  $(C_6-C_{12})$ -aroylamino- $(C_1-C_8)$ -alkyl,  $(C_7-C_{16})$ -aralkanoylamino- $(C_1-C_8)$ alkyl, amino- $(C_1-C_{10})$ -alkyl, N- $(C_1-C_{10})$ -alkylamino- $(C_1-C_{10})$ -alkyl, N,N-di $(C_1-C_{10})$ alkylamino- $(C_1-C_{10})$ -alkyl,  $(C_3-C_8)$ -cycloalkylamino $(C_1-C_{10})$ -alkyl,  $(C_1-C_{20})$ -20 alkylmercapto,  $(C_1-C_{20})$ -alkylsulfinyl,  $(C_1-C_{20})$ -alkylsulfonyl,  $(C_6-C_{12})$ -arylmercapto,  $(C_6-C_{12})$ -arylsulfinyl,  $(C_6-C_{12})$ -arylsulfonyl,  $(C_7-C_{16})$ -aralkylmercapto,  $(C_7-C_{16})$ aralkylsulfinyl, (C<sub>7</sub>-C<sub>16</sub>)-aralkylsulfonyl, (C<sub>1</sub>-C<sub>12</sub>)-alkylmercapto-(C<sub>1</sub>-C<sub>6</sub>)-alkyl, (C<sub>1</sub>-C<sub>12</sub>)alkylsulfinyl-(C<sub>1</sub>-C<sub>6</sub>)-alkyl, (C<sub>1</sub>-C<sub>12</sub>)-alkylsulfonyl-(C<sub>1</sub>-C<sub>6</sub>)-alkyl, (C<sub>6</sub>-C<sub>12</sub>)-arylmercapto- $(C_1-C_6)$ -alkyl,  $(C_6-C_{12})$ -arylsulfinyl- $(C_1-C_6)$ -alkyl,  $(C_6-C_{12})$ -arylsulfonyl- $(C_1-C_6)$ -alkyl, 25  $(C_7-C_{16})$ -aralkylmercapto- $(C_1-C_6)$ -alkyl,  $(C_7-C_{16})$ -aralkylsulfinyl- $(C_1-C_6)$ -alkyl,  $(C_7-C_{16})$ aralkylsulfonyl-(C<sub>1</sub>-C<sub>6</sub>)-alkyl, sulfamoyl, N-(C<sub>1</sub>-C<sub>10</sub>)-alkylsulfamoyl, N,N-di-(C<sub>1</sub>-C<sub>10</sub>)alkylsulfamoyl, (C<sub>3</sub>-C<sub>8</sub>)-cycloalkylsulfamoyl, N-(C<sub>6</sub>-C<sub>12</sub>)-arylsulfamoyl, N-(C<sub>7</sub>-C<sub>16</sub>)aralkylsulfamoyl, N- $(C_1-C_{10})$ -alkyl-N- $(C_6-C_{12})$ -arylsulfamoyl, N- $(C_1-C_{10})$ -alkyl-N- $(C_7-C_{10})$ 

 $C_{16}$ )-aralkylsulfamoyl,  $(C_1-C_{10})$ -alkylsulfonamido,  $N-((C_1-C_{10})$ -alkyl)- $(C_1-C_{10})$ alkylsulfonamido, (C7-C16)-aralkylsulfonamido, and N-((C1-C10)-alkyl-(C7-C16)aralkylsulfonamido; where an aryl radical may be substituted by 1 to 5 substituents selected from hydroxyl, halogen, cyano, trifluoromethyl, nitro, carboxyl, (C<sub>2</sub>-C<sub>16</sub>)-alkyl,  $(C_3-C_8)$ -cycloalkyl,  $(C_3-C_8)$ -cycloalkyl- $(C_1-C_{12})$ -alkyl,  $(C_3-C_8)$ -cycloalkoxy,  $(C_3-C_8)$ cycloalkyl-(C<sub>1</sub>-C<sub>12</sub>)-alkoxy, (C<sub>3</sub>-C<sub>8</sub>)-cycloalkyloxy-(C<sub>1</sub>-C<sub>12</sub>)-alkyl, (C<sub>3</sub>-C<sub>8</sub>)-cycloalkyloxy- $(C_1-C_{12})$ -alkoxy,  $(C_3-C_8)$ -cycloalkyl- $(C_1-C_8)$ -alkyl- $(C_1-C_6)$ -alkoxy,  $(C_3-C_8)$ -cycloalkyl $(C_1-C_8)$ -alkoxy,  $(C_3-C_8)$ -cycloalkyl $(C_1-C_8)$ -alkoxy,  $(C_3-C_8)$ -cycloalkyl $(C_1-C_8)$ -alkoxy,  $(C_3-C_8)$ -alkoxy,  $(C_3-C_8)$ -cycloalkyl $(C_1-C_8)$ -alkoxy,  $(C_3-C_8)$ -a  $C_8$ )-alkoxy- $(C_1-C_6)$ -alkyl,  $(C_3-C_8)$ -cycloalkyloxy- $(C_1-C_8)$ -alkoxy- $(C_1-C_6)$ -alkyl,  $(C_3-C_8)$ cycloalkoxy- $(C_1-C_8)$ -alkoxy- $(C_1-C_8)$ -alkoxy,  $(C_6-C_{12})$ -aryl,  $(C_7-C_{16})$ -aralkyl,  $(C_2-C_{16})$ alkenyl,  $(C_2-C_{12})$ -alkynyl,  $(C_1-C_{16})$ -alkoxy,  $(C_1-C_{16})$ -alkenyloxy,  $(C_1-C_{12})$ -alkoxy- $(C_1-C_{16})$ - $(C_1-C_{16})$ -alkoxy- $(C_1-C_{16})$ - $C_{12}$ )-alkyl,  $(C_1-C_{12})$ -alkoxy- $(C_1-C_{12})$ -alkoxy,  $(C_1-C_{12})$ -alkoxy $(C_1-C_8)$ -alkoxy- $(C_1$ alkyl,  $(C_6-C_{12})$ -aryloxy,  $(C_7-C_{16})$ -aralkyloxy,  $(C_6-C_{12})$ -aryloxy- $(C_1-C_6)$ -alkoxy,  $(C_7-C_{16})$ aralkoxy- $(C_1-C_6)$ -alkoxy,  $(C_1-C_8)$ -hydroxyalkyl,  $(C_6-C_{16})$ -aryloxy- $(C_1-C_8)$ -alkyl,  $(C_7-C_{16})$ aralkoxy- $(C_1-C_8)$ -alkyl,  $(C_6-C_{12})$ -aryloxy- $(C_1-C_8)$ -alkoxy- $(C_1-C_6)$ -alkyl,  $(C_7-C_{12})$ aralkyloxy- $(C_1-C_8)$ -alkoxy- $(C_1-C_6)$ -alkyl,  $-O-[CH_2]_xC_fH_{(2f+1-q)}F_g$ ,  $-OCF_2CI$ ,  $-OCF_2-CHFCI$ , (C<sub>1</sub>-C<sub>12</sub>)-alkylcarbonyl, (C<sub>3</sub>-C<sub>8</sub>)-cycloalkylcarbonyl, (C<sub>6</sub>-C<sub>12</sub>)-arylcarbonyl, (C<sub>7</sub>-C<sub>16</sub>)aralkylcarbonyl,  $(C_1-C_{12})$ -alkoxycarbonyl,  $(C_1-C_{12})$ -alkoxy- $(C_1-C_{12})$ -alkoxycarbonyl,  $(C_6-C_{12})$ -aryloxycarbonyl,  $(C_7-C_{16})$ -aralkoxycarbonyl,  $(C_3-C_8)$ -cycloalkoxycarbonyl,  $(C_2-C_{12})$ -alkenyloxycarbonyl,  $(C_2-C_{12})$ -alkynyloxycarbonyl,  $(C_6-C_{12})$ -aryloxy- $(C_1-C_6)$ alkoxycarbonyl,  $(C_7-C_{16})$ -aralkoxy- $(C_1-C_6)$ -alkoxycarbonyl,  $(C_3-C_8)$ -cycloalkyl- $(C_1-C_6)$ alkoxycarbonyl,  $(C_3-C_8)$ -cycloalkoxy- $(C_1-C_6)$ -alkoxycarbonyl,  $(C_1-C_{12})$ alkylcarbonyloxy, (C<sub>3</sub>-C<sub>8</sub>)-cycloalkylcarbonyloxy, (C<sub>6</sub>-C<sub>12</sub>)-arylcarbonyloxy, (C<sub>7</sub>-C<sub>16</sub>)aralkylcarbonyloxy, cinnamoyloxy, (C<sub>2</sub>-C<sub>12</sub>)-alkenylcarbonyloxy, (C<sub>2</sub>-C<sub>12</sub>)alkynylcarbonyloxy,  $(C_1-C_{12})$ -alkoxycarbonyloxy,  $(C_1-C_{12})$ -alkoxy- $(C_1-C_{12})$ alkoxycarbonyloxy,  $(C_6-C_{12})$ -aryloxycarbonyloxy,  $(C_7-C_{16})$ -aralkyloxycarbonyloxy,  $(C_3-C_{16})$ -aralkyloxycarbonyloxy,  $(C_3-C_{16})$ -aralkyloxycarbonyloxy,  $(C_3-C_{16})$ -aralkyloxycarbonyloxy,  $(C_6-C_{12})$ -aryloxycarbonyloxy,  $(C_7-C_{16})$ -aralkyloxycarbonyloxy,  $(C_8-C_{16})$ -aralkyloxycarbonyloxy  $C_8$ )-cycloalkoxycarbonyloxy, ( $C_2$ - $C_{12}$ )-alkenyloxycarbonyloxy, ( $C_2$ - $C_{12}$ )alkynyloxycarbonyloxy, carbamoyl, N-(C<sub>1</sub>-C<sub>12</sub>)-alkylcarbamoyl, N,N-di(C<sub>1</sub>-C<sub>12</sub>)alkylcarbamoyl, N-(C<sub>3</sub>-C<sub>8</sub>)-cycloalkylcarbamoyl, N,N-dicyclo-(C<sub>3</sub>-C<sub>8</sub>)-alkylcarbamoyl,

5

10

15

20

 $N-(C_1-C_{10})$ -alkyl- $N-(C_3-C_8)$ -cycloalkyl-( $C_1-C_6$ )-cycloalkyl-( $C_1-C_6$ )alkyl)carbamoyl,  $N-(C_1-C_6)$ -alkyl- $N-((C_3-C_8)$ -cycloalkyl- $(C_1-C_6)$ -alkyl)carbamoyl, N-(+)dehydroabietylcarbamoyl, N-(C<sub>1</sub>-C<sub>6</sub>)-alkyl-N-(+)-dehydroabietylcarbamoyl, N-(C<sub>6</sub>-C<sub>12</sub>)arylcarbamoyl, N-(C<sub>7</sub>-C<sub>16</sub>)-aralkylcarbamoyl, N-(C<sub>1</sub>-C<sub>10</sub>)-alkyl-N-(C<sub>6</sub>-C<sub>16</sub>)arylcarbamoyl,  $N-(C_1-C_{10})$ -alkyl- $N-(C_7-C_{16})$ -aralkylcarbamoyl,  $N-((C_1-C_{16})$ -alkoxy- $(C_1-C_{16})$ -aralkylcarbamoyl,  $N-((C_1-C_{16})$ -alkoxy- $(C_1-C_1)$ -aralkylcarbamoyl,  $N-((C_1-C_{16})$ -aralkylcarb  $C_{10}$ )-alkyl)carbamoyl, N-(( $C_6$ - $C_{16}$ )-aryloxy-( $C_1$ - $C_{10}$ )-alkyl)carbamoyl, N-(( $C_7$ - $C_{16}$ )aralkyloxy- $(C_1-C_{10})$ -alkyl)carbamoyl, N- $(C_1-C_{10})$ -alkyl-N- $((C_1-C_{10})$ -alkoxy- $(C_1-C_{10})$ alkyl)carbamoyl,  $N-(C_1-C_{10})$ -alkyl- $N-((C_6-C_{12})$ -aryloxy- $(C_1-C_{10})$ -alkyl)carbamoyl,  $N-(C_1-C_{10})$  $C_{10}$ )-alkyl-N-(( $C_7$ - $C_{16}$ )-aralkyloxy-( $C_1$ - $C_{10}$ )-alkyl)-carbamoyl, CON(CH<sub>2</sub>)<sub>h</sub>, in which a CH<sub>2</sub> group can be replaced by, O, S, N-(C<sub>1</sub>-C<sub>8</sub>)-alkylimino, N-(C<sub>3</sub>-C<sub>8</sub>)-cycloalkylimino,  $N-(C_3-C_8)$ -cycloalkyl- $(C_1-C_4)$ -alkylimino,  $N-(C_6-C_{12})$ -arylimino,  $N-(C_7-C_{16})$ -aralkylimino,  $N-(C_1-C_4)$ -alkoxy- $(C_1-C_6)$ -alkylimino, and h is from 3 to 7; carbamoyloxy,  $N-(C_1-C_{12})$ alkylcarbamoyloxy, N,N-di-(C<sub>1</sub>-C<sub>12</sub>)-alkylcarbamoyloxy, N-(C<sub>3</sub>-C<sub>8</sub>)cycloalkylcarbamoyloxy, N-(C<sub>6</sub>-C<sub>16</sub>)-arylcarbamoyloxy, N-(C<sub>7</sub>-C<sub>16</sub>)aralkylcarbamoyloxy, N-(C<sub>1</sub>-C<sub>10</sub>)-alkyl-N-(C<sub>6</sub>-C<sub>12</sub>)-arylcarbamoyloxy, N-(C<sub>1</sub>-C<sub>10</sub>)-alkyl- $N-(C_7-C_{16})$ -aralkylcarbamoyloxy,  $N-((C_1-C_{10})$ -alkyl)carbamoyloxy,  $N-((C_6-C_{12})$ -aryloxy- $(C_1-C_{10})$ -alkyl)carbamoyloxy,  $N-((C_7-C_{16})$ -aralkyloxy- $(C_1-C_{10})$ -alkyl)carbamoyloxy,  $N-(C_1-C_{10})$ -alkyl)carbamoyloxy,  $N-(C_1-C_1)$  $(C_1-C_{10})$ -alkyl-N- $((C_1-C_{10})$ -alkoxy- $(C_1-C_{10})$ -alkyl)carbamoyloxy, N- $(C_1-C_{10})$ -alkyl-N- $((C_6-C_{12})-aryloxy-(C_1-C_{10})-alkyl)$ carbamoyloxy, N- $(C_1-C_{10})-alkyl-N-((C_7-C_{16})-alkyl)$ aralkyloxy-(C<sub>1</sub>-C<sub>10</sub>)-alkyl)carbamoyloxy, amino, (C<sub>1</sub>-C<sub>12</sub>)-alkylamino, di-(C<sub>1</sub>-C<sub>12</sub>)alkylamino, (C<sub>3</sub>-C<sub>8</sub>)-cycloalkylamino, (C<sub>3</sub>-C<sub>12</sub>)-alkenylamino, (C<sub>3</sub>-C<sub>12</sub>)-alkynylamino, N-(C<sub>6</sub>-C<sub>12</sub>)-arylamino, N-(C<sub>7</sub>-C<sub>11</sub>)-aralkylamino, N-alkyl-aralkylamino, N-alkylarylamino,  $(C_1-C_{12})$ -alkoxyamino,  $(C_1-C_{12})$ -alkoxy-N- $(C_1-C_{10})$ -alkylamino,  $(C_1-C_{12})$ alkanoylamino, (C<sub>3</sub>-C<sub>8</sub>)-cycloalkanoylamino, (C<sub>6</sub>-C<sub>12</sub>)-aroylamino, (C<sub>7</sub>-C<sub>16</sub>)aralkanoylamino, (C<sub>1</sub>-C<sub>12</sub>)-alkanoyl-N-(C<sub>1</sub>-C<sub>10</sub>)-alkylamino, (C<sub>3</sub>-C<sub>8</sub>)-cycloalkanoyl-N- $(C_1-C_{10})$ -alkylamino,  $(C_6-C_{12})$ -aroyl-N- $(C_1-C_{10})$ -alkylamino,  $(C_7-C_{11})$ -aralkanoyl-N- $(C_1-C_{10})$ -C<sub>10</sub>)-alkylamino, (C<sub>1</sub>-C<sub>12</sub>)-alkanoylamino-(C<sub>1</sub>-C<sub>8</sub>)-alkyl, (C<sub>3</sub>-C<sub>8</sub>)-cycloalkanoylamino- $(C_1-C_8)$ -alkyl,  $(C_6-C_{12})$ -aroylamino- $(C_1-C_8)$ -alkyl,  $(C_7-C_{16})$ -aralkanoylamino- $(C_1-C_8)$ -

5

10

15

20

alkyl, amino- $(C_1-C_{10})$ -alkyl, N- $(C_1-C_{10})$ -alkylamino- $(C_1-C_{10})$ -alkyl, N,N-di- $(C_1-C_{10})$ alkylamino- $(C_1-C_{10})$ -alkyl,  $(C_3-C_8)$ -cycloalkylamino- $(C_1-C_{10})$ -alkyl,  $(C_1-C_{12})$ alkylmercapto, (C<sub>1</sub>-C<sub>12</sub>)-alkylsulfinyl, (C<sub>1</sub>-C<sub>12</sub>)-alkylsulfonyl, (C<sub>6</sub>-C<sub>16</sub>)-arylmercapto,  $(C_6-C_{16})$ -arylsulfinyl,  $(C_6-C_{16})$ -arylsulfonyl,  $(C_7-C_{16})$ -aralkylmercapto,  $(C_7-C_{16})$ aralkylsulfinyl, or (C<sub>7</sub>-C<sub>16</sub>)-aralkylsulfonyl; 5 or wherein R<sup>1</sup> and R<sup>2</sup>, or R<sup>2</sup> and R<sup>3</sup> form a chain [CH<sub>2</sub>]<sub>0</sub>, which is saturated or unsaturated by a C=C double bond, in which 1 or 2 CH<sub>2</sub> groups are optionally replaced by O, S, SO, SO<sub>2</sub>, or NR', and R' is hydrogen, (C<sub>6</sub>-C<sub>12</sub>)-aryl, (C<sub>1</sub>-C<sub>8</sub>)-alkyl,  $(C_1-C_8)$ -alkoxy- $(C_1-C_8)$ -alkyl,  $(C_7-C_{12})$ -aralkoxy- $(C_1-C_8)$ -alkyl,  $(C_6-C_{12})$ -aryloxy- $(C_1-C_8)$ -10 alkyl, (C<sub>1</sub>-C<sub>10</sub>)-alkanoyl, optionally substituted (C<sub>7</sub>-C<sub>16</sub>)-aralkanoyl, or optionally substituted (C6-C12)-aroyl; and o is 3, 4 or 5; or wherein the radicals R<sup>1</sup> and R<sup>2</sup>, or R<sup>2</sup> and R<sup>3</sup>, together with the pyridine or pyridazine carrying them, form a 5,6,7,8-tetrahydroisoguinoline ring, a 5,6,7,8tetrahydroquinoline ring, or a 5,6,7,8-tetrahydrocinnoline ring; or wherein R<sup>1</sup> and R<sup>2</sup>, or R<sup>2</sup> and R<sup>3</sup> form a carbocyclic or heterocyclic 5- or 6-15 membered aromatic ring; or where R<sup>1</sup> and R<sup>2</sup>, or R<sup>2</sup> and R<sup>3</sup>, together with the pyridine or pyridazine carrying them, form an optionally substituted heterocyclic ring system selected from thienopyridines, furanopyridines, pyridopyridines, pyrimidinopyridines, 20 imidazopyridines, thiazolopyridines, oxazolopyridines, quinoline, isoquinoline, and cinnoline; or wherein the radicals R<sup>1</sup> and R<sup>2</sup>, together with the pyridine carrying them, form a compound of Formula Id:

$$R^{26}$$
  $R^{25}$ 
 $R^{27}$ 
 $R^{24}$ 
 $Q-R^4$ 
 $NH-A-B$ 

where V is S, O, or  $NR^k$ , and  $R^k$  is selected from hydrogen,  $(C_1-C_6)$ -alkyl, aryl, or benzyl; where an aryl radical may be optionally substituted by 1 to 5 substituents as defined above; and

 $R^{24}$ ,  $R^{25}$ ,  $R^{26}$ , and  $R^{27}$  in each case independently of each other have the meaning of  $R^{1}$ ,  $R^{2}$  and  $R^{3}$ ;

f is 1 to 8;

g is 0 or 1 to (2f+1);

x is 0 to 3; and

10 h is 3 to 7;

or a physiologically active salt derived therefrom.

13. The use of claim 12 or the compound of claim 12 for the use of claim 12, wherein

A is C<sub>1</sub>-alkylene;

15 <u>B is -CO<sub>2</sub>H;</u>

Q is O;

R<sup>4</sup> is hydrogen;

X is 0;

Y is CR3;

20 <u>and R<sup>1</sup>, R<sup>2</sup> and R<sup>3</sup> are as defined above;</u>

including physiologically active salts derived therefrom.

21 14. The use according to claim 20-12 or the compound according to claim 20-12 for the use of claim 20-12, wherein  $R^2$  and  $R^3$ , together with the pyridine carrying

them, form an optionally substituted quinoline of formula (Ia):

$$R^{13}$$
 $R^{14}$ 
 $R^{15}$ 
 $R^{10}$ 
 $Q$ - $R^{4}$ 
 $N$ 

and the substituents  $R^{12}$  to  $R^{15}$  in each case independently of each other have the meaning of  $R^1$ ,  $R^2$  and  $R^3$ .

5 22 15. The use according to claim 20-12 or the compound according to claim 20-12 for the use of claim 20-12, wherein R¹ and R², together with the pyridine carrying them, form an optionally substituted isoquinoline of formula (lb):

and the substituents  $R^{16}$  to  $R^{19}$  in each case independently of each other have the meaning of  $R^1$ ,  $R^2$  and  $R^3$ .

10

 $\frac{23}{16}$ . The use according to claim  $\frac{20-12}{16}$  or the compound according to claim  $\frac{20-12}{16}$  for the use of claim  $\frac{20-12}{16}$ , wherein R<sup>1</sup> and R<sup>2</sup>, together with the pyridazine carrying them, form an optionally substituted cinnoline of formula (Ic):

and the substituents  $R^{20}$  to  $R^{23}$  in each case independently of each other have the meaning of  $R^1$ ,  $R^2$  and  $R^3$ .

17. The use according to any of claims 1, 12 and 13, or the compound according to claim 2, 12 or 13 for the use of claim 2, 12, or 13, wherein the compound is a structural mimetic of 2-oxoglutarate.

24-18. The use according to claim 20-12 or the compound according to claim 20-12 for the use of claim 20-12, wherein the compound is:

[(3-methoxy-pyridine-2-carbonyl)-amino]-acetic acid; or

3-methoxypyridine-2-carboxylic acid N-(((hexadecyloxy)-carbonyl)-methyl)-amide hydrochloride, 3-methoxypyridine-2-carboxylic acid N-(((1-octyloxy)-carbonyl)methyl)-amide, 3-methoxypyridine-2-carboxylic acid N-(((hexyloxy)-carbonyl)methyl)-amide, 3-methoxypyridine-2-carboxylic acid N-(((butyloxy)-carbonyl)-methyl)amide, 3-methoxypyridine-2-carboxylic acid N-(((2-nonyloxy)-carbonyl)-methyl)amide racemate, 3-methoxypyridine-2-carboxylic acid N-(((heptyloxy)-carbonyl)methyl)-amide, 3-benzyloxypyridine-2-carboxylic acid N-(((octyloxy)-carbonyl)methyl)-amide, 3-benzyloxypyridine-2-carboxylic acid N-(((butyloxy)-carbonyl)methyl)-amide, 5-(((3-(1-butyloxy)-propyl)-amino)-carbonyl)-3-methoxypyridine-2carboxylic acid N-((benzyloxycarbonyl)-methyl)-amide, 5-(((3-(1-butyloxy)-propyl)amino)-carbonyl)-3-methoxypyridine-2-carboxylic acid N-(((1-butyloxy)-carbonyl)methyl)-amide, or 5-(((3-lauryloxy)-propyl)amino)-carbonyl)-3-methoxypyridine-2carboxylic acid N-(((benzyloxy)-carbonyl)-methyl)-amide; or 3-hydroxypyridine-2-carboxylic acid N-(((hexadecyloxy)-carbonyl)-methyl)-amide hydrochloride, 3-hydroxypyridine-2-carboxylic acid N-(((1-octyloxy)-carbonyl)methyl)-amide, 3-hydroxypyridine-2-carboxylic acid N-(((hexyloxy)-carbonyl)-methyl)amide, 3-hydroxypyridine-2-carboxylic acid N-(((butyloxy)-carbonyl)-methyl)-amide,

25

5

10

15

20

3-hydroxypyridine-2-carboxylic acid N-(((2-nonyloxy)-carbonyl)-methyl)-amide

racemate, 3-hydroxypyridine-2-carboxylic acid N-(((heptyloxy)-carbonyl)-methyl)-

amide, 5-(((3-(1-butyloxy)-propyl)-amino)-carbonyl)-3-hydroxypyridine-2-carboxylic

acid N-((benzyloxycarbonyl)-methyl)-amide, 5-(((3-(1-butyloxy)-propyl)-amino)-carbonyl)-3-hydroxypyridine-2-carboxylic acid N-(((1-butyloxy)-carbonyl)-methyl)-amide, or 5-(((3-lauryloxy)-propyl)amino)-carbonyl)-3-hydroxypyridine-2-carboxylic acid N-(((benzyloxy)-carbonyl)-methyl)-amide.

5

of claim <u>14</u> <u>24</u>, wherein the compound is N-((6-(1-butyloxy)-3-hydroxyquinolin-2-yl)-carbonyl)-glycine, N-((6-chloro-3-hydroxyquinolin-2-yl)-carbonyl)-glycine, N-((3-hydroxy-6-(2-propyloxy)-quinolin-2-yl)-carbonyl)-glycine, N-((7-chloro-3-hydroxy-quinoline-2-carbonyl)-amino]-acetic acid, [(3-benzyloxy-7-chloro-quinoline-2-

25-19. The use of claim 14 21 or the compound according to claim 14 21 for the use

10

quinoline-2-carbonyl)-amino]-acetic acid, [(3-benzyloxy-7-chloro-quinoline-2-carbonyl)-amino]-acetic acid, [(3-hydroxy-6-isopropoxy-quinoline-2-carbonyl)-amino]-acetic acid, [(3-hydroxy-6-phenoxy-quinoline-2-carbonyl)-amino]-acetic acid, or [(3-hydroxy-6-trifluoromethoxy-quinoline-2-carbonyl)-amino]-acetic acid.

26-20. The use of claim 15 22 or the compound according to claim 15 22 for the use

15

of claim <u>15</u> <u>22</u>, wherein the compound is N-((1-chloro-4-hydroxy-7-(2-propyloxy) isoquinolin-3-yl)-carbonyl)-glycine, N-((7-bromo-4-hydroxy-isoquinoline-3-carbonyl)-amino)-acetic acid, N-((1-chloro-4-hydroxy-6-(2-propyloxy) isoquinolin-3-yl)-carbonyl)-glycine, N-((1-chloro-4-hydroxy-7-methoxyisoquinolin-3-yl)-carbonyl)-glycine, N-((1-chloro-4-hydroxy-6-methoxyisoquinolin-3-yl)-carbonyl)-glycine, [(7-

20

benzyloxy-1-chloro-4-hydroxyisoquinolin -3-yl)-carbonyl)-glycine, N-((6-benzyloxy-1-chloro-4-hydroxyisoquinolin -3-yl)-carbonyl)-glycine, [(1-chloro-4-hydroxy-isoquinoline-3-carbonyl)-amino]-acetic acid, N-((8-chloro-4-hydroxyisoquinolin-3-yl)-carbonyl)-glycine, [(4-hydroxy-7-isopropoxy-isoquinoline-3-carbonyl)-amino]-acetic

butoxy-1-chloro-4-hydroxy-isoquinoline-3-carbonyl)-amino]-acetic acid, N-((7-

acid, or [(7-butoxy-4-hydroxy-isoquinoline-3-carbonyl)-amino]-acetic acid.