


This publication was withdrawn on 3 March 2023.

Items requiring UN3291 certification in lot 2 will need to refer to the clinical waste artwork as described in Appendix C

Item Number	Base Description	Secondary Description	Spot Thickness	Tolerance	Gravimetric Thickness	Tolerance	Tear Resistance		Print Adhesion	Open Width and Length Tolerance	Skirt Depth	Pantone	Tolerance	Opacity	UN Drop weight	Unit of Measure
	To be UN3291 certified						MD - mN	CD - mN		Tolerance		Pantone				
513639	Bag clinical waste polythene orange star sealed	365 x 711 x 980mm 40 microns heavy duty for alternative treatment or incineration. capacity 80l un approved weight 10kg	40μ	minus 28% no upper limit	40μ	minus 10% no upper limit	≥2800	≥6800	Any printing must be permanently fixed; it must not rub off in use	+/- 2%	upto 25mm	164-166	Orange	35% minimum	10kg	Roll/25
Please refer below for additional information																

Any diagrams and images are for illustrative purposes only. The product does not need to be identical to the diagrams although it must meet overall technical & performance and physical details set out.

Diagram Double Gusseted / Star Sealed Bag



This is a double gusseted bag folded down the centre and heat sealed to create the star seal

Diagram Pillow Bag




Diagram Gusseted Bag

