



Department for  
Business, Energy  
& Industrial Strategy

# Delivering a Smart System

## Response to a Consultation on a Smart Meter Policy Framework Post 2020

ANNEX C: Extension to All Reasonable steps – amendments to standard conditions 1, 33 (gas) and 39 (electricity)



**OGL**

© Crown copyright 2020

This publication is licensed under the terms of the Open Government Licence v3.0 except where otherwise stated. To view this licence, visit [nationalarchives.gov.uk/doc/open-government-licence/version/3](https://nationalarchives.gov.uk/doc/open-government-licence/version/3) or write to the Information Policy Team, The National Archives, Kew, London TW9 4DU, or email: [psi@nationalarchives.gsi.gov.uk](mailto:psi@nationalarchives.gsi.gov.uk).

Where we have identified any third-party copyright information you will need to obtain permission from the copyright holders concerned.

Any enquiries regarding this publication should be sent to us at: [enquiries@beis.gov.uk](mailto:enquiries@beis.gov.uk)

---

# Contents

Condition 1: Definitions for Standard Conditions (Gas and Electricity Supply) _____	4
Condition 33: Smart Metering System – Roll-out and Installation (Gas Supply) _____	5
Condition 39: Smart Metering System – Roll-out, Installation and Maintenance (Electricity Supply) _____	14

# Condition 1: Definitions for Standard Conditions (Gas and Electricity Supply)

New definitions<sup>1</sup> as follows:

<b>ARS Specified Date</b>	means 30 June 2021 or such later date as may be specified in a direction issued by the Secretary of State.
---------------------------	--

---

<sup>1</sup> Please note that further changes to standard conditions 1, 33 and 39 have been laid in Parliament in June 2020 which are not shown in this annex.

# Condition 33: Smart Metering System – Roll-out and Installation (Gas Supply)

## PART A - ROLL-OUT DUTY AND EXCEPTIONS TO THE DUTY

### The roll-out duty

- 33.1 The licensee must take all reasonable steps to ensure that a Smart Metering System is installed on or before ~~31 December 2020~~ the ARS Specified Date at each Domestic Premises or Designated Premises in respect of which it is the Relevant Gas Supplier.
- 33.2 The requirement in paragraph 33.1 is subject to paragraphs 33.3, 33.4, 33.5 and 33.6.

### Exception for Domestic and Designated Premises – Large Gas Meters

- 33.3 The requirement in paragraph 33.1 does not apply in respect of any Domestic Premises or Designated Premises at which either:

- (a) the existing Gas Meter is a Large Gas Meter; or
- (b) any New Gas Meter or Replacement Gas Meter installed or arranged to be installed by the licensee is a Large Gas Meter,

and where in either case:

- (c) that Large Gas Meter meets any requirements which apply to it by virtue of paragraph 12.27 or 12.29 of standard condition 12 (Matters relating to Gas Meters).

### Exception for Designated Premises - Advanced Meter Arrangements

- 33.4 The requirement in paragraph 33.1 does not apply in respect of any Designated Premises:

- (a) where:
  - (i) the licensee or any other person has, prior to the Relevant Date, made arrangements for an Advanced Meter to be installed at that Designated Premises; and

- (ii) the obligation under those arrangements to install an Advanced Meter is to be satisfied by a date which is also prior to the Relevant Date; and
- (b) where either:
  - (i) the Relevant Date has not yet occurred; or
  - (ii) the Relevant Date has occurred and the Gas Meter installed at the Designated Premises is an Advanced Meter that was installed prior to that date.

### Exception for Designated Premises - Advanced Meter Contract

33.5 The requirement in paragraph 33.1 does not apply in respect of any Designated Premises:

- (a) where:
  - (i) the licensee or any other person has, prior to 6 April 2016, entered into a contract with the Customer at the Designated Premises to install or arrange the installation of an Advanced Meter at that Designated Premises; and
  - (ii) the obligation under that contract is for the Advanced Meter to be installed ~~prior to 1 January 2021~~ on or before the ARS Specified Date; and
- (b) where either:
  - (i) ~~the date which falls immediately after the ARS Specified Date 1 January 2021~~ has not yet occurred; or
  - (ii) ~~the date which falls immediately after the ARS Specified Date 1 January 2021~~ has occurred and the Gas Meter installed at the Designated Premises is the Advanced Meter that was first installed, pursuant to the contract, ~~prior to that date~~ on or before the ARS Specified Date.

### Exception for Designated Premises – Non-Domestic, Non-Micro Business Consumers

33.6 The requirement in paragraph 33.1 does not apply in respect of any Designated Premises:

- (a) that are Designated Premises of a Non-MB Consumer; and
- (b) where:
  - (i) the licensee or any other person has either made arrangements for an Advanced Meter to be installed at the Designated Premises or entered into a contract with the Non-MB Consumer to install or arrange the installation of an Advanced Meter at the Designated Premises;
  - (ii) the licensee has communicated, in plain and intelligible language, the Relevant Information to the Non-MB Consumer; and
  - (iii) the Non-MB Consumer has chosen not to have a Smart Metering System installed at the Designated Premises.

## PART B - DUTY IN RELATION TO REPLACEMENT METERS AND NEW CONNECTIONS AND EXCEPTIONS FROM THE DUTY

### The duty in relation to replacement meters and new connections

33.7 The licensee must take all reasonable steps to ensure that at each Domestic Premises or Designated Premises in respect of which:

- (a) it is the Relevant Gas Supplier, any Replacement Gas Meter which is installed or is arranged to be installed forms part of a Smart Metering System;
- (b) it is to be the first Relevant Gas Supplier, any New Gas Meter which is installed or is arranged to be installed forms part of a Smart Metering System.

33.8 The requirement in paragraph 33.7 is subject to paragraphs 33.10, 33.11, 33.12 and 33.13.

33.9 The requirement in paragraph 33.7 and paragraphs 33.10, 33.11, 33.12 and 33.13 apply only with effect from any date specified by the Secretary of State in a direction issued to the licensee in accordance with this paragraph.

## Exception for Domestic and Designated Premises – Large Gas Meters

33.10 The requirement in paragraph 33.7 does not apply in respect of any Domestic Premises or Designated Premises at which either:

- (a) the existing Gas Meter is a Large Gas Meter; or
- (b) any New Gas Meter or Replacement Gas Meter installed or arranged to be installed by the licensee is a Large Gas Meter,

and where in either case:

- (c) that Large Gas Meter meets any requirements which apply to it by virtue of paragraph 12.27 or 12.29 of standard condition 12 (Matters relating to Gas Meters).

## Exception for Designated Premises - Advanced Meter Arrangements

33.11 The requirement in paragraph 33.7 does not apply in respect of any Designated Premises where:

- (a) the licensee or any other person has, prior to the Relevant Date, made arrangements for an Advanced Meter to be installed at that Designated Premises;
- (b) the obligation under those arrangements to install an Advanced Meter is to be satisfied by a date which is also prior to the Relevant Date; and
- (c) the Relevant Date has not yet occurred.

## Exception for Designated Premises - Advanced Meter Contract

33.12 The requirement in paragraph 33.7 does not apply in respect of any Designated Premises:

- (a) where:
  - (i) the licensee or any other person has, prior to 6 April 2016, entered into a contract with the Customer at the Designated Premises to install or arrange the installation of an Advanced Meter at that Designated Premises; and



- (ii) the obligation under that contract is for the Advanced Meter to be installed ~~prior to 1 January 2024~~ on or before the ARS Specified Date; and
- (b) where both:
  - (i) the Advanced Meter has not yet been installed at the Designated Premises pursuant to the contract; and
  - (ii) ~~the date which falls immediately after the ARS Specified Date 1 January 2024~~ has not yet occurred.

### Exception for Designated Premises – Non-Domestic, Non-Micro Business Consumers

33.13 The requirement in paragraph 33.7 does not apply in respect of any Designated Premises:

- (a) that are Designated Premises of a Non-MB Consumer; and
- (b) where:
  - (i) the licensee or any other person has either made arrangements for an Advanced Meter to be installed at the Designated Premises or entered into a contract with the Non-MB Consumer to install or arrange the installation of an Advanced Meter at the Designated Premises;
  - (ii) the licensee has communicated, in plain and intelligible language, the Relevant Information to the Non-MB Consumer;
  - (iii) the Non-MB Consumer has chosen not to have, or where there is installed at the Designated Premises a Smart Metering System has chosen not to continue to have, a Smart Metering System installed at the Designated Premises; and
  - (iv) the Replacement Gas Meter or New Gas Meter installed or arranged to be installed at the Designated Premises is an Advanced Meter.

## PART C – DUTIES AFTER INSTALLATION AND DEFINITIONS

### The duties after installation – maintenance and replacement of Smart Metering Systems

33.14 Paragraphs 33.15 to 33.20 apply to the licensee in respect of each Domestic Premises and Designated Premises at which:

- (a) it is the Relevant Gas Supplier; and
  - (b) there is installed a Smart Metering System,
- (the **relevant premises**).

### Maintenance of Smart Metering Systems

33.15 Where this paragraph applies, the licensee must take all reasonable steps to ensure that the Smart Metering System at the relevant premises is maintained so that at all times it satisfies the requirements in the Metering Equipment Section of a Version of the SME Technical Specification which is:

- (a) within its Maintenance Validity Period;
- (b) the same Version in respect of all devices (but excluding for this purpose a Communications Hub) comprised within that Smart Metering System;
- (c) where the Smart Metering System at the premises includes a Communications Hub, Compatible with the Version of the CH Technical Specification in accordance with which that Communications Hub is maintained by the DCC;
- (d) where there is installed at the relevant premises a PPMID, Compatible with the Version of the PPMID Technical Specification in accordance with which that PPMID is maintained by the licensee; and
- (e) where there is provided at the relevant premises an IHD, Compatible with the Version of the IHD Technical Specification in accordance with which that IHD is maintained by the licensee during the period which it is required to be maintained.

33.16 The requirement in paragraph 33.15 is subject to paragraphs 33.17, 33.19 and 33.20.

33.17 Where on any given date a Smart Metering System is maintained by the licensee such that it satisfies the requirements in the Metering Equipment Section of a particular Version of the SME Technical Specification, the licensee must take all reasonable steps to ensure that the Smart Metering System is not subsequently maintained by the licensee so as to satisfy the requirements of an earlier Version (as indicated by a lower Principal Version number and/or a lower Sub-Version number) of the SME Technical Specification notwithstanding that any such earlier Version may otherwise meet the requirements of paragraph 33.15.

## Replacement of Smart Metering Systems

33.18 Paragraph 33.19 applies where:

- (a) paragraph 33.15 applies to the licensee in respect of a Smart Metering System at relevant premises;
- (b) the licensee removes or arranges to remove that Smart Metering System from the relevant premises in its entirety; and
- (c) the licensee installs or arranges to be installed at the relevant premises, by way of replacement (whether in accordance with the requirement of paragraph 33.7(a) or otherwise), a new Smart Metering System.

33.19 Where this paragraph applies the licensee must ensure that any Smart Metering System that is installed or arranged to be installed by it at the relevant premises, by way of replacement, satisfies the requirements in the Metering Equipment Section of a Version of the SME Technical Specification which is:

- (a) the same Version in respect of all devices (but excluding for this purpose a Communications Hub) comprised in the Smart Metering System; and
- (b) compliant with paragraph 33.20.

33.20 A Version of the SME Technical Specification is compliant with this paragraph where it is not earlier than the latest Version in accordance with which the licensee was required to maintain the Smart Metering System previously installed at the relevant premises by virtue of paragraph 33.17 (and, for these purposes, an earlier Version of the SME

Technical Specification is indicated by a lower Principal Version and/or Sub-Version number, and a later Version by a higher Principal Version and/or Sub-Version number).

## Exception

33.21 The requirement in paragraph 33.15 does not apply in respect of any part of a Smart Metering System which consists of a Communications Hub.

## Definitions

33.22 For the purposes of this condition:

<b>Term</b>	<b>Definition</b>
<b>Advanced Meter</b>	means a Gas Meter which satisfies the definition of 'advanced meter' in paragraph 12.22 of standard condition 12 (Matters relating to Gas Meters) but which does not form part of a Smart Metering System.
<b>Domestic Energy Premises</b>	means premises which (with respect to the supply of gas) are Domestic Premises, or (with respect to the supply of electricity) satisfy the definition of 'Domestic Premises' at standard condition 6 of the Electricity Supply Licence
<b>Energy Supplier</b>	means the holder of an Electricity Supply Licence and/or a Gas Supply Licence.
<b>Large Energy Supplier</b>	means an Energy Supplier which is not a Small Energy Supplier.
<b>Micro Business Energy Consumer</b>	means a consumer of gas or electricity (or both) that is a Micro Business Consumer in accordance with:  (a) the meaning given to the term Micro Business Consumer in standard condition 7A (Supply to Micro Business Consumers); or

<b>Term</b>	<b>Definition</b>
	(b) the meaning given to the term Micro Business Consumer in standard condition 7A of the Electricity Supply Licence.
<b>New Gas Meter</b>	means the Gas Meter that is the first Gas Meter to be installed or arranged to be installed at the relevant premises.
<b>Non-MB Consumer</b>	means a Non-Domestic Customer that is not a Micro Business Energy Consumer.
<b>Relevant Date</b>	means:  (a) where the licensee is a Large Energy Supplier, 28 April 2017; and  (b) where the licensee is a Small Energy Supplier, 17 August 2017,  or (in either case) such later date as the Secretary of State may direct.
<b>Relevant Information</b>	means information, which shall be accurate, comprehensive and not misleading, on the factors the Non-MB Consumer should reasonably take into account in deciding whether to have an Advanced Meter or a Smart Metering System installed at the Designated Premises.
<b>Replacement Gas Meter</b>	means a Gas Meter that replaces a Gas Meter previously installed at the relevant premises.
<b>Small Energy Supplier</b>	means an Energy Supplier which supplied (whether with electricity, or gas, or both) fewer than 250,000 (two hundred and fifty thousand) Domestic Energy Premises on 15 February 2015.

# Condition 39: Smart Metering System – Roll-out, Installation and Maintenance (Electricity Supply)

## PART A - ROLL-OUT DUTY AND EXCEPTIONS TO THE DUTY

### The roll-out duty

- 39.1 The licensee must take all reasonable steps to ensure that a Smart Metering System is installed on or before ~~31 December 2020~~ the ARS Specified Date at each Domestic Premises or Designated Premises in respect of which it is the Relevant Electricity Supplier.
- 39.2 The requirement in paragraph 39.1 is subject to paragraphs 39.3, 39.4, 39.5 and 39.6.

### Exception for Domestic and Designated Premises – Current Transformer Meters

- 39.3 The requirement in paragraph 39.1 does not apply in respect of any Domestic Premises or Designated Premises at which either:
- (a) the existing Electricity Meter is a Current Transformer Electricity Meter; or
  - (b) any New Electricity Meter or Replacement Electricity Meter installed or arranged to be installed by the licensee is a Current Transformer Electricity Meter,
- and where in either case:
- (c) that Current Transformer Electricity Meter meets any requirements which apply to it by virtue of paragraph 12.24 or 12.26 of standard condition 12 (Matters relating to Electricity Meters).

### Exception for Designated Premises - Advanced Meter Arrangements

- 39.4 The requirement in paragraph 39.1 does not apply in respect of any Designated Premises:
- (a) where:

- (i) the licensee or any other person has, prior to the Relevant Date, made arrangements for an Advanced Meter to be installed at that Designated Premises; and
  - (ii) the obligation under those arrangements to install an Advanced Meter is to be satisfied by a date which is also prior to the Relevant Date; and
- (b) where either:
- (i) the Relevant Date has not yet occurred; or
  - (ii) the Relevant Date has occurred and the Electricity Meter installed at the Designated Premises is an Advanced Meter that was installed prior to that date.

### Exception for Designated Premises - Advanced Meter Contract

39.5 The requirement in paragraph 39.1 does not apply in respect of any Designated Premises:

- (a) where:
- (i) the licensee or any other person has, prior to 6 April 2016, entered into a contract with the Customer at the Designated Premises to install or arrange the installation of an Advanced Meter at that Designated Premises; and
  - (ii) the obligation under that contract is for the Advanced Meter to be installed ~~prior to 1 January 2024~~ on or before the ARS Specified Date; and
- (b) where either:
- (i) ~~the date which falls immediately after the ARS Specified Date 1 January 2024~~ has not yet occurred; or
  - (ii) ~~the date which falls immediately after the ARS Specified Date 1 January 2024~~ has occurred and the Electricity Meter installed at the Designated Premises is the Advanced Meter that was first installed, pursuant to the contract, ~~prior to that date~~ on or before the ARS Specified Date.

## Exception for Designated Premises – Non-Domestic, Non-Micro Business Consumers

39.6 The requirement in paragraph 39.1 does not apply in respect of any Designated Premises:

- (a) that are Designated Premises of a Non-MB Consumer; and
- (b) where:
  - (i) the licensee or any other person has either made arrangements for an Advanced Meter to be installed at the Designated Premises or entered into a contract with the Non-MB Consumer to install or arrange the installation of an Advanced Meter at the Designated Premises;
  - (ii) the licensee has communicated, in plain and intelligible language, the Relevant Information to the Non-MB Consumer; and
  - (iii) the Non-MB Consumer has chosen not to have a Smart Metering System installed at the Designated Premises.

## PART B - DUTY IN RELATION TO REPLACEMENT METERS AND NEW CONNECTIONS AND EXCEPTIONS FROM THE DUTY

### The duty in relation to replacement meters and new connections

39.7 The licensee must take all reasonable steps to ensure that at each Domestic Premises or Designated Premises in respect of which:

- (a) it is the Relevant Electricity Supplier, any Replacement Electricity Meter which is installed or is arranged to be installed forms part of a Smart Metering System;
- (b) it is to be the first Relevant Electricity Supplier, any New Electricity Meter which is installed or is arranged to be installed forms part of a Smart Metering System.

39.8 The requirement in paragraph 39.7 is subject to paragraphs 39.10, 39.11, 39.12 and 39.13.



39.9 The requirement in paragraph 39.7 and paragraphs 39.10, 39.11, 39.12 and 39.13 apply only with effect from any date specified by the Secretary of State in a direction issued to the licensee in accordance with this paragraph.

### Exception for Domestic and Designated Premises – Current Transformer Meters

39.10 The requirement in paragraph 39.7 does not apply in respect of any Domestic Premises or Designated Premises at which either:

- (a) the existing Electricity Meter is a Current Transformer Electricity Meter; or
- (b) any New Electricity Meter or Replacement Electricity Meter installed or arranged to be installed by the licensee is a Current Transformer Electricity Meter,

and where in either case:

- (c) that Current Transformer Electricity Meter meets any requirements which apply to it by virtue of paragraph 12.24 or 12.26 of standard condition 12 (Matters relating to Electricity Meters).

### Exception for Designated Premises - Advanced Meter Arrangements

39.11 The requirement in paragraph 39.7 does not apply in respect of any Designated Premises where:

- (a) the licensee or any other person has, prior to the Relevant Date, made arrangements for an Advanced Meter to be installed at that Designated Premises;
- (b) the obligation under those arrangements to install an Advanced Meter is to be satisfied by a date which is also prior to the Relevant Date; and
- (c) the Relevant Date has not yet occurred.

### Exception for Designated Premises - Advanced Meter Contract

39.12 The requirement in paragraph 39.7 does not apply in respect of any Designated Premises:

- (a) where:

- (i) the licensee or any other person has, prior to 6 April 2016, entered into a contract with the Customer at the Designated Premises to install or arrange the installation of an Advanced Meter at that Designated Premises; and
  - (ii) the obligation under that contract is for the Advanced Meter to be installed ~~prior to 1 January 2021~~ on or before the ARS Specified Date; and
- (b) where both:
- (i) the Advanced Meter has not yet been installed at the Designated Premises pursuant to the contract; and
  - (ii) ~~the date which falls immediately after the ARS Specified Date 1 January 2021~~ has not yet occurred.

### Exception for Designated Premises – Non-Domestic, Non-Micro Business Consumers

39.13 The requirement in paragraph 39.7 does not apply in respect of any Designated Premises:

- (a) that are Designated Premises of a Non-MB Consumer; and
- (b) where:
  - (i) the licensee or any other person has either made arrangements for an Advanced Meter to be installed at the Designated Premises or entered into a contract with the Non-MB Consumer to install or arrange the installation of an Advanced Meter at the Designated Premises;
  - (ii) the licensee has communicated, in plain and intelligible language, the Relevant Information to the Non-MB Consumer;
  - (iii) the Non-MB Consumer has chosen not to have, or where there is installed at the Designated Premises a Smart Metering System has chosen not to continue to have, a Smart Metering System installed at the Designated Premises; and

- (iv) the Replacement Electricity Meter or New Electricity Meter installed or arranged to be installed at the Designated Premises is an Advanced Meter.

## PART C – DUTIES AFTER INSTALLATION AND DEFINITIONS

### The duties after installation – maintenance and replacement of Smart Metering Systems

39.14 Paragraphs 39.15 to 39.20 apply to the licensee in respect of each Domestic Premises and Designated Premises at which:

- (a) it is the Relevant Electricity Supplier; and
- (b) there is installed a Smart Metering System,

(the **relevant premises**).

### Maintenance of Smart Metering Systems

39.15 Where this paragraph applies, the licensee must take all reasonable steps to ensure that the Smart Metering System at the relevant premises is maintained so that at all times it satisfies the requirements in the Metering Equipment Section of a Version of the SME Technical Specification which is:

- (a) within its Maintenance Validity Period;
- (b) the same Version in respect of all devices (but excluding for this purpose a Communications Hub) comprised within that Smart Metering System;
- (c) where the Smart Metering System at the premises includes a Communications Hub, Compatible with the Version of the CH Technical Specification in accordance with which that Communications Hub is maintained by the DCC;
- (d) where there is installed at the relevant premises a PPMID, Compatible with the Version of the PPMID Technical Specification in accordance with which that PPMID is maintained by the licensee;

- (e) where there is installed at the relevant premises a HCALCS, Compatible with the Version of the HCALCS Technical Specification in accordance with which that HCALCS is maintained by the licensee; and
- (f) where there is provided at the relevant premises an IHD, Compatible with the Version of the IHD Technical Specification in accordance with which that IHD is maintained by the licensee during the period which it is required to be maintained

39.16 The requirement in paragraph 39.15 is subject to paragraphs 39.17, 39.19 and 39.20.

39.17 Where on any given date a Smart Metering System is maintained by the licensee such that it satisfies the requirements in the Metering Equipment Section of a particular Version of the SME Technical Specification, the licensee must take all reasonable steps to ensure that the Smart Metering System is not subsequently maintained by the licensee so as to satisfy the requirements of an earlier Version (as indicated by a lower Principal Version number and/or a lower Sub-Version number) of the SME Technical Specification notwithstanding that any such earlier Version may otherwise meet the requirements of paragraph 39.15.

## Replacement of Smart Metering Systems

39.18 Paragraph 39.19 applies where:

- (a) paragraph 39.15 applies to the licensee in respect of a Smart Metering System at relevant premises;
- (b) the licensee removes or arranges to remove that Smart Metering System from the relevant premises in its entirety; and
- (c) the licensee installs or arranges to be installed at the relevant premises, by way of replacement (whether in accordance with the requirement of paragraph 39.7(a) or otherwise), a new Smart Metering System.

39.19 Where this paragraph applies the licensee must ensure that any Smart Metering System that is installed or arranged to be installed by it at the relevant premises, by way of replacement, satisfies the requirements in the Metering Equipment Section of a Version of the SME Technical Specification which is:

- (a) the same Version in respect of all devices (but excluding for this purpose a Communications Hub) comprised in the Smart Metering System; and

(b) compliant with paragraph 39.20.

39.20 A Version of the SME Technical Specification is compliant with this paragraph where it is not earlier than the latest Version in accordance with which the licensee was required to maintain the Smart Metering System previously installed at the relevant premises by virtue of paragraph 39.17 (and, for these purposes, an earlier Version of the SME Technical Specification is indicated by a lower Principal Version and/or Sub-Version number, and a later Version by a higher Principal Version and/or Sub-Version number).

## Exception

39.21 The requirement in paragraph 39.15 does not apply in respect of any part of a Smart Metering System which consists of a Communications Hub.

## Definitions

39.22 For the purposes of this condition:

<b>Advanced Meter</b>	means an Electricity Meter which satisfies the definition of 'advanced meter' in paragraph 12.19 of standard condition 12 (Matters relating to Electricity Meters) but which does not form part of a Smart Metering System.
<b>Domestic Energy Premises</b>	means premises which (with respect to the supply of electricity) are Domestic Premises, or (with respect to the supply of gas) satisfy the definition of 'Domestic Premises' at standard condition 6 of the Gas Supply Licence.
<b>Energy Supplier</b>	means the holder of an Electricity Supply Licence and/or a Gas Supply Licence.
<b>Large Energy Supplier</b>	means an Energy Supplier which is not a Small Energy Supplier.
<b>Micro Business Energy Consumer</b>	means a consumer of electricity or gas (or both) that is a Micro Business Consumer in accordance with:

- (a) the meaning given to the term Micro Business Consumer in standard condition 7A (Supply to Micro Business Consumers);  
or
  - (b) the meaning given to the term Micro Business Consumer in standard condition 7A of the Gas Supply Licence.
- New Electricity Meter** means the Electricity Meter that is the first Electricity Meter to be installed or arranged to be installed at the relevant premises.
- Non-MB Consumer** means a Non-Domestic Customer that is not a Micro Business Energy Consumer.
- Relevant Date** means:
- (a) where the licensee is a Large Energy Supplier, 28 April 2017; and
  - (b) where the licensee is a Small Energy Supplier, 17 August 2017,
- or (in either case) such later date as the Secretary of State may direct.
- Relevant Information** means information, which shall be accurate, comprehensive and not misleading, on the factors the Non-MB Consumer should reasonably take into account in deciding whether to have an Advanced Meter or a Smart Metering System installed at the Designated Premises.
- Replacement Electricity Meter** means an Electricity Meter that replaces an Electricity Meter previously installed at the relevant premises.

<b>Small Energy Supplier</b>	means an Energy Supplier which supplied (whether with electricity, or gas, or both) fewer than 250,000 (two hundred and fifty thousand) Domestic Energy Premises on 15 February 2015.
------------------------------	---

---

This publication is available from: [www.gov.uk/government/consultations/smart-meter-policy-framework-post-2020](https://www.gov.uk/government/consultations/smart-meter-policy-framework-post-2020)

If you need a version of this document in a more accessible format, please email [enquiries@beis.gov.uk](mailto:enquiries@beis.gov.uk). Please tell us what format you need. It will help us if you say what assistive technology you use.