

**LIST OF DRUGS CURRENTLY CONTROLLED UNDER  
THE MISUSE OF DRUGS LEGISLATION**

The following is a list of the most commonly encountered drugs currently controlled under the misuse of drugs legislation showing their respective classifications under both the Misuse of Drugs Act 1971 and the Misuse of Drugs Regulations 2001. **Although it is extensive, the list is not exhaustive** and, in the event of a substance not being listed below, reference should also be made to the notes in Parts I, II, III and IV of Schedule 2 to the Misuse of Drugs Act 1971 and in Schedules 1 to 5 to the Misuse of Drugs Regulations 2001. Reference may also be made to Home Office Licensing Section [at [licensing\\_enquiry.aadu@homeoffice.gsi.gov.uk](mailto:licensing_enquiry.aadu@homeoffice.gsi.gov.uk)] who hold a more detailed list of drugs in Schedules 1 and 2 and to the Laboratory of the Government Chemist.

<u>Drug</u>	<u>Class</u> <u>(MDA)</u>	<u>Schedule</u> <u>(MDR '01)</u>
Acetorphine	A	2
Acetyldihydrocodeine	B①	2/5②
Acetylihydrocodeinone	A	2
Adanon	A	2
Alfentanil	A	2
Alkylene derivative of mephedrone	B	1
Alkyleneoxy derivative of mephedrone	B	1
Allobarbital	B	3
Allobarbitone	B	3
Allyl(alpha-methyl-3,4-methylenedioxyphenethyl)amine	A	1
Allylprodine	A	2
Alphacetylmethadol	A	2
Alphameprodine	A	2
Alphamethadol	A	2
Alphaprodine	A	2
Alpha-3-Acetoxy-6-Methylanino-4,4-Diphenylheptane	A	2
Alpha Methyl Fentanyl	A	1 (d)
Alpha-Methyl-3,4-methylenedioxyphenethyl(prop-2-ynyl)amine	A	1
Alpha-Methyl-4-(methylthio)phenethylamine (also known as 4-Methylthioamphetamine)	A	1
Alpha-Methylphenethylhydroxylamine (also known as N-Hydroxyamphetamine)	B	2

<u>Drug</u>	<u>Class</u>	<u>Schedule</u>
Alpha,Alpha-Dimethyl-3,4-methylenedioxyphenethylamine	A	1
Alpha,Alpha-Dimethyl-3,4-methylenedioxyphenethyl (methyl)amine	A	1
Alpha-Methylfentanyl	A	1 (d)
Alphacetyl Methadd	A	2
Alphenal (5-Ally-5-Phenylbarbituric Acid)	B	3
Alprazolam	C	4 Pt 1
Amidone	A	2
7-[(10,11-dihydro-5 <i>H</i> -dibenzo[ <i>a,d</i> ]cyclohepten-5-yl)amino]heptanoic acid (Amineptine)	C	2
Amobarbital	(See amylobarbitone)	
Amphetamine	B①	2
Amylobarbitone	B	3
Amylobarbitone Sodium	B	3
Androst-4-ene-3,17-diol	C	4 Pt2
Anhydroecgonine HCL	A	2
Anhydroecgonine Methyl	A	2
Anileridine	A	2
Any 5,5 disubstituted barbituric acid	B	3
Aprobarbital	B	3
Aprobarbitone	B	3
Atamestane	C	4 Pt 2
BDB	A	1
Barbital	B	3
Barbitone	B	3
Barbitone sodium	B	3
Barbituric acid, (any 5,5 disubstituted)	B	3
Benzethidine	A	2
Benzoylecgonine-Isopropyl Ester	A	2
Benzphetamine	C	3
Benzyl(alpha-methyl-3,4-methylenedioxyphenethyl)amine	A	1
Benzylmorphine (3-benzylmorphine)	A	2
Betacetylmethadol	A	2
Betameprodine	A	2

<u>Drug</u>	<u>Class</u>	<u>Schedule</u>
Betamethadol	A	2
Beta,2,5-Trimethoxy-4-methylphenethylamine	A	1
Beta,3,4,5-Tetramethoxyphenethylamine	A	1
Beta-Methoxy-3,4-methylenedioxyphenethylamine	A	1
Betaprodine	A	2
Bezitramide	A	2
Bolandiol	C	4 Pt 2
Bolasterone	C	4 Pt 2
Bolazine	C	4 Pt 2
Boldenone	C	4 Pt 2
Boldione	C	4 Pt2
Bolenol	C	4 Pt 2
Bolmantalate	C	4 Pt 2
Bromazepam	C	4 Pt 1
Bromo-STP TABS	A	1
Bufotenine	A	1
Buprenorphine	C	3
Butalbarbital	B	3
Butalibtal (Fiorinal)	B	3
Butallylonal	B	3
Butethal	B	3
Butobarbital	B	3
Butobarbitone	B	3
Calusterone	C	4 Pt 2
Camazepam	C	4 Pt 1
Cannabinol	B	1
Cannabinol Crystalline	B	1
Cannabinol derivatives ( <b>except</b> dronabinol or its derivatives)	B	1
Cannabis and cannabis resin	B	1
Cannabis oil - derived from herbal cannabis	B	1
Cannabis oil - derived from cannabis resin	B	1

<u>Drug</u>	<u>Class</u>	<u>Schedule</u>
Carbon-14 Labelled Dextropropoxyphene	C	2
Carfentanil	A	2
Cathine	C	3
Cathinone	C	1
Cathinone derivatives	B	1
Cense Dal neal Barbitone	B	3
Chlordiazepoxide	C	4
Chorionic gonadotrophin (HCG)	C	4 Pt 2
Chlorphentermine	C	3
Clenbuterol	C	4 Pt 2
Cliradon	A	2
Clobazam	C	4 Pt 1
Clonazepam	C	4 pt 1
Clonitazene	A	2
Clorazepic acid	C	4 Pt 1
Clostebol	C	4 Pt 2
Clotiazepam	C	4 Pt 1
Cloxazolam	C	4 Pt 1
Coca leaf	A	1
Cocaethylene	A	1
Cocaine	A	2
Codeine	B①	2/5②
Codeine Linctus	B	5
Concentrate of poppy straw	A	1
Co-Proxamol	C	2/5
Cyclobarbital	B	3
Cyclobarbitone	B	3
Cyclobarbitone calcium	B	3
Cyclohexane analogue of mephedrone	B	1
Cyclopentobarbitone	B	3
Cyclopropylmethyl( $\alpha$ -methyl-3,4-methylenedioxyphenethyl)amine	A	1
Danazol	C	4 Pt2
D3-Codeine	B	1

<u>Drug</u>	<u>Class</u>	<u>Schedule</u>
D3-Morphine	A	2 para 1
D-Amphetamine Sulphate	B	2 para 6
D-DL-3-Acetoxy-6-methylamino-4,4-diphenyl heptane	A	2
DL-L-Phenyl-2-Aminopropane	B	2
D-Lysergic Acid Methyl Proplamide	A	1 para a
D-Lysergic Acid N-(Methylopropyl) Amide	A	1
Delorazepam	C	4 Pt 1
Delta-Tetrahydrocannabinol – D3	B	1 para 1(c)
Delta-1-Tetrahydrocannabinol	B	1
Delta-8-Tetrahydrocannabinol (or Delta-8-THC)	B	1
Delta-9-Tetrahydrocannabinol (or Delta-9-THC)	B	1
Deoxyephedrine Hydrochloride	B	2 para 6
Desomorphine	A	2
Desoxymethyltestosterone	C	4 Pt2
Desoxypipradrol (2-diphenylmethyl-piperidine, 2-DPMP)	B	1
Dexedrine	B	2
Dextroamphetamine Sulphate	B	2
Dextromoramide	A	2
Dextropropoxyphene	C	2/5③
Dextrostat [Dextroamphetamine Sulphate]	B	2
Dexyephedrine	B	2
DHEA (dehydroepiandrosterone)	(see prasterone)	
Diacetylmorphine	A	2
Diallylbarbituric Acid	B	3
Diamorphine	A	2
Diapromide	A	2
Diazepam	C	4 Pt 1
1Diethylpropion	C	3
Diethylthiambutene	A	2
Difenoxin (1-3-cyano-3,3-diphenylpropyl -4-phenylpiperidine-4-carboxylic acid)	A	2/5④
Dihydrocodeine	B①	2/5②
Dimethyl(alpha-methyl-3,4-methylenedioxyphenethyl)amine	A	1

<u>Drug</u>	<u>Class</u>	<u>Schedule</u>
Dehydroepiandrosterone	(see prasterone)	
Diclofenac Acid ester of Morphine	A	2
Dihydrocodeinone	A	2
Dihydrocodeinone-0-carboxymethyloxime	A	2
Dihydromorphine	A	2
Dihydromorphine 3,6-Diglucuronide	A	2
Dimenoxadole	A	2
Dimepheptanol	A	2
Dimethyl(alpha-methyl-3,4-methylenedioxyphenethyl)amine	A	1
Dimethylthiambutene	A	2
Dioxaphetyl butyrate	A	2
Diphenoxylate	A	2/5 <sup>5</sup>
Diphenylprolinol (diphenyl-2-pyrrolidinyl-methanol, D2PM)	B	1
Dipipanone	A	2
DI-P-Chloro Methamphetamine	B	1 para 1(c)
DI-P-Chloroamphetamine	B	1 para 1(c)
D-Norpseudoephedrine	C	3
Dronabinol (Delta-9-THC)	B	2
Drotebanol (3,4-dimethoxy-17-methylmorphinan- 6 $\beta$ , 14-diol)	A	2
Drostanolone	C	4 Pt 2
Durogestic Patches	A	2
Durophet (Riker)	B	2
Ecgonine (& any derivative of ecgonine which is convertible to ecgonine or to cocaine)	A	2
Ecstasy (MDMA)	A	1
Enantiomer d-threo-methylphenidate	B	2
Enestebol	C	4 Pt 2
Epitiostanol	C	4 Pt 2
Estazolam	C	4 Pt 1
Ethchlorvynol	C	3
Ethinamate	C	3
Ethnine	B	2/5

<u>Drug</u>	<u>Class</u>	<u>Schedule</u>
Ethyl-1-[2-(2 hydroxyethoxy)ethyl]-4-phenylpiperidine-4-carboxylate	A	2
Ethyl-1-(3-hydroxy-3-phenylpropyl)-4-phenylpiperidine-4-carboxylate	A	2
Ethyl loflazepate	C	4 Pt 1
Ethylmethylthiambutene	A	2
Ethylmorphine (3-ethylmorphine)	B①	2②
Ethyloestrenol	C	4 Pt 2
Eticyclidine	A	1
Etonitazene	A	2
Etorphine	A	2
Etoxadine	A	2
Etryptamine	A	1
Eucodal	A	2
Fencamfamin	C	4 Pt 1
Fenethylamine	C	2
Fenproporex	C	4 Pt 1
Fentanest	A	2
Fentanyl	A	2
Fludiazepam	C	4 Pt 1
Flunitrazepam	C	3
Fluoxymesterone	C	4 Pt 2
Flurazepam	C	4 Pt 1
Formebolone	C	4 Pt 2
Fungus (of any kind) which contains psilocin or an ester of psilocin	A	1
Furazabol	C	4Pt 2
Furethidine	A	2
Gamma-butyrolactone (GBL) (for human ingestion)	C	
Gamma-hydroxybutyrate (GHB)	C	4 Pt1
Gestrinone	C	4 Pt2
Glutethimide	B	2
HBDB N-Methyl-1-(3,4 methylene dioxyphenyl)-2-butanamine-1-(4-bromo-2,5-dimethoxy)-2-ethanamine	A	1(c)

<u>Drug</u>	<u>Class</u>	<u>Schedule</u>
HMMA (4-hydroxy-3-methoxy methamphetamine)	A	1 para 1(c)
Halazepam	C	4 Pt 1
Haloxazolam	C	4 Pt 1
Heptobarbitone	B	3
Hexadeuterated Diamorphine	A	2
Hexethal sodium	B	3
Homoveratrylamine or 2 (3,4-dimethoxyphenyl)	A	1
Hydrocodone (dihydrocodeinone)	A	2
Hydromorphan	A	2
Hydromorphinol	A	2
Hydromorphone	A	2
Hydroxypethidine	A	2
Ibomal	B	3
Isocodeine	B	2
Isomethadone Hydrochloride	A	2
Ketamine	C	4 Pt 1
Ketazolam	C	4 Pt 1
Ketobemidone	A	2
Lefetamine	B	2
Lero-a-acetylmethadol	A	2
Levo-a-acetylmethadol Alpha Methadyl Aceate	A	2
Levomethorphan	A	2
Levomoramide	A	2
Levophenacymorphan	A	2
Levorphanol	A	2
Lofentanil	A	2
Loprazolam	C	4 Pt 1
Lorazepam	C	4 Pt 1
Lormetazepam	C	4 Pt 1
Luminal	B	3
Lysergamide	A	1
Lysergic Acid N-(Methylopropyl) Amide	A	1
Lysergic Acid N, N Methylpropylamide	A	1



<u>Drug</u>	<u>Class</u>	<u>Schedule</u>
Lysergide (& other N-alkyl derivatives of lysergamide)	A	1
Marinol	A	2
Mazindol	C	3
MBDB	A	1 para 1(c)
MDA	A	1
MDEA	A	1
MDMA	A	1
Mebolazine	C	4 Pt 2
Mecloqualone	B	2
Medazepam	C	4 Pt 1
Medicinal opium	A	2/5Ⓞ
Mefenorex	C	4 Pt 1
Meperidine	A	2 para 1
Meperidinic Acid	A	1
Mephentermine	C	3
Mephobarbital	B	3
Mepitiostane	C	4 Pt 2
Meprobamate	C	3
Mesabolone	C	4 Pt 2
Mescaline	A	1
Mestanolone	C	4 Pt 2
Metazocine	A	2
Mesterolone	C	4 Pt 2
Me+A525adate	B	2
Methadone	A	2
Methadyl acetate	A	2
Methamphetamine/Methylamphetamine	A	2
Methandienone	C	4 Pt 2
Methandriol	C	4 Pt 2
Methaqualone	B	2
Methcathinone	A	1
Methenolone	C	4 Pt 2

<u>Drug</u>	<u>Class</u>	<u>Schedule</u>
Methoxydimethyltryptamine	A	1
Methylamphetamine/Methamphetamine	A	2
Methyldesorphine	A	2
Methyldihydromorphine (6-methyldihydromorphine)	A	2
Methylecgonidine	A	2
Methylegonine Base & HCL	A	2
Methylene Dioxythyl Amphetamine	A	1 para 1(c)
Methylene-dioxymethyl-amphetamine (MDMA)	A	1
Methylenedioxy-amphetamine (MDA)	A	1
Methylenedioxy analogue of Naphyrone	B	1
Methylenedioxyethylamphetamine (MDEA)	A	1
Methylphenidate	B①	2
Methylphenobarbitone	B	3
Methyltestosterone	C	4 Pt 2
Methyprylone	C	3
Metopon	A	2
Metribolone	C	4 Pt 2
M-Hydroxybenzylecgonine	A	2
M-Hydroxycocaine, P-Hydroxycocaine	A	2
Mibolerone	C	4 Pt 2
Midazolam	C	3
Morpheridine	A	2
Morphine	A	2/5⑥
Morphine3, 6-diacalte	A	1
Morphine-3-acetate	A	3
Morphine-3-B-D-Glucoride-N-Oxide	A	3
Morphine-3-B-D-Glucuronide	A	2
Morphine-6-acetate	A	3
Morphine-6-B-D-glucuronide-N-oxide	A	3
Morphine-6-Sulphate	A	2 para (4)
Morphine methobromide (& morphine N-oxide & other pentavalent nitrogen morphine derivatives)	A	2

<u>Drug</u>	<u>Class</u>	<u>Schedule</u>
Morpholino analogue of mephedrone	B	1
Morpholinylethylmorphine	B	2/5
Myrophine	A	2
N Methyl Lysergic Acid Diethylamide	A	1
N-(2,5-Dimethoxy-4-propylthiophenethyl)hydroxylamine	A	1
N-(4-Ethylthio-2,5-dimethoxyphenethyl)hydroxylamine	A	1
N-(4-sec-Butylthio-2,5-dimethoxyphenethyl)hydroxylamine	A	1
N-Benzylpethidine	A	1 para(e)
N-ethylamphetamine	C	4 Pt 1
N-Hydroxyamphetamine (also known as Alpha-Methylphenethylhydroxylamine)	B	2
N-hydroxy-tenamphetamine	A	1
N-Hydroxy-Methylenedioxyamphetamine HL	A	1
N-Methylhomoveratrylamine	A	1(C)
N-Methyl analogue of naphyrone	B	1
N-Methyl-N-(alpha-methyl-3,4-methylenedioxyphenethyl) hydroxylamine	A	1
N-Methyl-1-(3-4-Methylenedioxyphenyl)-2-Butanamine	A	1 para 1(c)
N,N-diethyltryptamine	A	1
N,N-Dimethyl-1H-Indole-3-Ethanamine	A	1
N,N-dimethyltryptamine	A	1
N-Omega- Methyltryptamine	A	1(b)
Nabilone	B	2
Nandrolone	C	4 Pt 2
Naphthylpyrovalerone (naphyrone)	B	1
Naphth-1-yl isomer of naphyrone	B	1
Nealbarbitone	B	3
Nicocodine	B①	2/5②
Nicodicodine (6-nicotinoyldihydrocodeine)	B①	2/5②
Nicomorphine (3,6-dinicotinoyl-morphine)	A	2
Nimetazepam	C	4 Pt 1
Nitrazepam	C	4 Pt 1
Non-human chorionic gonadotrophin	C	4 Pt 2

<u>Drug</u>	<u>Class</u>	<u>Schedule</u>
Noracymethadol	A	2
Norboletone	C	4 Pt 2
Norclostebol	C	4 Pt 2
Norcocaine	A	2 para 1
Norcodeine	B①	2/5②
Nordazepam	C	4 Pt 1
Norethandrolone	C	4 Pt 2
Norlevorphanol	A	2
Normeperidine	A	1
Normethadone	A	2
Normorphine	A	2
Normorphine Hemisuccinide	A	2
Norpipanone	A	2
Norpseudoephedrine	C	3
O-Methyl-N-(alpha-methyl-3,4-methylenedioxyphenethyl) hydroxylamine	A	1
Opium:		
- raw	A	1
- prepared or medicinal	A	2/5⑥⑦
Oripavine	C	2
Ovandrotone	C	4 Pt 2
Oxabolone	C	4 Pt 2
Oxandrolone	C	4 Pt 2
Oxazepam	C	4 Pt 1
Oxazolam	C	4 Pt 1
Oxycodone	A	2
Oxymesterone	C	4 Pt 2
Oxymetholone	C	4 Pt 2
Oxymorphone	A	2
Oxymorphone-3-Glucuronide	A	2
P.Bromophenethylamine	A	1 (c)
P-Fluorophenethylamine	A	1 (c)
P-Hydroxybenyleceonine	A	2

<u>Drug</u>	<u>Class</u>	<u>Schedule</u>
Paderyl	B	5
Pemoline	C	4 Pt 1
Pentazocine	B	3
Pentobarbital	B	3
Pentobarbitone	B	3
Pentobarbitone calcium	B	3
Pentobarbitone sodium	B	3
Pethidine	A	2
Pethidine Intermediate A	A	2 para 1
Phanodorm (Cyclobarbitone)	B	3
Phenadoxone	A	2
Phenampromide	A	2
Phenazocine	A	2
Phencyclidine	A	2
Phendimetrazine	C	3
Phenmetrazine	B①	2
Phenobarbital	B	3
Phenobarbitone	B	3
Phenobarbitone sodium	B	3
Phenomorphane	A	2
Phenoperidine	A	2
Phentermine	C	3
Phenylethylamines & Relative Compounds	A	1 1(c)
Phenylmethylbarbituric acid	B	3
Pholcodine	B①	2/5②
Physeptone	A	2
Piminodine	A	2
Pinazepam	C	4 Pt 1
Pipradrol	C	3
Piritramide	A	2
PMS-G (Pregnant Mare Serum-Gonadotrophin)	C	4
Poppy straw	A	N/A
Potassium Clorazepate	C	4 Pt 1

<u>Drug</u>	<u>Class</u>	<u>Schedule</u>
Prasterone	C	4 Pt 2
Prazepam	C	4 Pt 1
Probarbitone calcium	B	3
Probarbitone sodium	B	3
Proheptazine	A	2
Propenidone (1-methyl-4-phenyl-piperidine-4-carboxylic acid isopropyl ester)	A	2
Propetandrol	C	4 Pt 2
Propiram	B	2/5®
Propoxyphene	C	2
Propylbenzoyllecganine	A	2
Prostanazol	C	4 Pt2
Proxibarbitol	B	3
Psilocin	A	1
Pulmo Bailly (cough medicine)	B	5
Pyridine analogue of pyrovalerone	B	1
Pyrovalerone	C	4 Pt 1
Quinalbarbitone	B	2
Quinalbarbitone sodium	B	2
Quinbolone	C	4 Pt 2
Quinoline analogue of naphyrone	B	1
Racemethorphan	A	2
Racemoramide	A	2
Racemorphan	A	2
Raw opium	A	1
Rolicyclidine	A	1
Roxibolone	C	4 Pt 2
Secbutobarbital	B	3
Secbutobarbitone	B	3
Secbutobarbitone sodium	B	3
Secobarbital	(See quinalbarbitone)	
Secobarbitone	(See quinalbarbitone)	
Seconal Mixture	B	2

<u>Drug</u>	<u>Class</u>	<u>Schedule</u>
Silandrone	C	4 Pt 2
Sodium Amytal	B	3
Somatotropin	C	4 Pt 2
Somatrem	C	4 Pt 2
Somatropin	C	4 Pt 2
Stanolone	C	4 Pt 2
Stanozolol	C	4 Pt 2
Stenbolone	C	4 Pt 2
Sufentanil	A	2
Synthetic cannabinoids receptor agonists ( <u>except</u> Nabilone)	B	1
Talbutal	B	3
3-[(1R,2R)-3-(dimethylamino)-1-ethyl-2-methylpropyl]phenol hydrochloride (Tapentadol)	A	2
Temazepam	C	3
Tenocyclidine	A	1
Testosterone	C	4 Pt 2
Tetrahydrocannabinol – THC	B	1
Tetrahydrogestrinone	C	4 Pt2
Tetralin analogue of naphyrone	B	1
Tetrazepam	C	4 Pt 1
Thebacon (acetyldihydrocodeinone)	A	2
Thebaine	A	2
Thiomesterone	C	4 Pt 2
Tilidate	A	2
Tilidinum	A	2
Trenbolone	C	4 Pt 2
Triazolam	C	4 Pt 1
Trimethoxyamphetamine	A	1
Trimeperidine	A	2
Tylenol no3	B	5
Valaron (also known as Tilidinum and Tilidate Hydrochloride)	A	2
Veramon (Barbitone – Amidopyrine comd)	B	3
Vinbarbitone	B	3
Vinbarbitone sodium	B	3

<u>Drug</u>	<u>Class</u>	<u>Schedule</u>
Vinylbital	B	3
Vinylbitone	B	3
Zeranol	C	4 Pt2
Zilpaterol	C	4 Pt2
Ziperol	A	2
1-Androstenediol	C	4 Pt2
1-Androstenedione	C	4 Pt2
1,4 butanediol (1,4 BD) (for human ingestion)	C	
1-benzylpiperazine (BZP)	C	1
1-Benzyl-4-methylpiperazine (BZMP)	C	1
1-(3-chloropropyl)piperazine (CPCPP)	C	4 Pt1
1-(3-Chlorophenyl)piperazine (mCPP)	C	4 Pt1
1-(4-Chlorophenyl)piperazine (pCPP)	C	1
1,4-Dibenzylpiperazine (DBZP)	C	1
03-Monoacetylmorphine Oxalate	A	2
S(1)-3,4-Methylenedioxyamphetamine Hydrochloride	A	1 1(c)
1:3-Dimethyl-4-phenyl-4-propionyloxy-azacycloheptane	A	2
1-(2-Morpholinothethyl)-4-Phenylpiperidine-4-Carboxylic Acid Ethyl Ester	A	2
1-(3,4-Methylenedioxybenzyl)butyl(ethyl)amine	A	1
1-(3,4-Methylenedioxybenzyl)butyl(methyl)amine	A	1
1-(3-Methylphenyl)piperazine (mMPP)	C	1
1-(4-Methoxyphenyl)piperazine (pMeOPP)	C	1
1-(4-Fluorophenyl)piperazine (pFPP)	C	1
1-(4- Methylphenyl)piperazine (pMPP)	C	1
1-methyl-4-phenylpiperidine-4-carboxylic acid	A	2
1-methyl-4-phenyl-piperidine-4-carboxylic acid isopropyl ester (properidine)	A	2
1-phenylpropanecarboxylic acid ethyl ester	A	2
1-3-cyano-3,3-diphenylpropyl-4-phenylpiperidine-4-carboxylic acid (difenoxy)	A	2/5④
1-(3-Trifluoromethylphenyl)piperazine (TFMPP)	C	1
2C-T-7 (2,5-dimethoxy-4-(n)-propylthiophenethylamine) (street name Blue Mystic)	A	1 para 1 (d)



<u>Drug</u>	<u>Class</u>	<u>Schedule</u>
2-(1,4-Dimethoxy-2-naphthyl)ethylamine	A	1
2-(1,4-Dimethoxy-2-naphthyl)-1-methylethylamine	A	1
2-(1,4-Dimethoxy-5,6,7,8-tetrahydro-2-naphthyl)ethylamine	A	1
2-(1,4-Dimethoxy-5,6,7,8-tetrahydro-2-naphthyl)-1-methylethylamine	A	1
2-(1,4-Methano-5,8-dimethoxy-1,2,3,4-tetrahydro-6-naphthyl)ethylamine	A	1
2-(2-Bromo-3,4-Dimethoxyphenyl) ethylamine	A	1 para 1(c)
2-(2-Chloro-3,4-Dimethoxyphenyl) ethylamine	A	1 para 1(c)
2-(2,5-Dimethoxy-4-methylphenyl)cyclopropylamine	A	1
2(3,4-dimethoxyphenyl)ethylamine or Hornoveratrylamine	A	1(c)
2-,3 and 4 Fluorophenethylamine	A	1 para 1 (c)
2,3 and 4 Methoxyphenethylamine	A	1 para 1 (c)
2,3 and 4 Chlorophenethylamine	A	1 para 1 (c)
2-(4-methoxyphenyl)-Ethylamine	A	1 para 1(c)
2-(4,7-Dimethoxy-2,3-dihydro-1H-indan-5-yl)ethylamine	A	1
2-(4,7-Dimethoxy-2,3-dihydro-1H-indan-5-yl)-1-methylethylamine	A	1
2 (2-Methoxyphenyl) Ethylamine	A	1 para 3
2-(5-Methoxy-2-methyl-2,3-dihydrobenzo[beta]furan-6-yl)-1-methylethylamine	A	1
2-(5-Methoxy-2,2-dimethyl-2,3-dihydrobenzo[beta]furan-6-yl)-1-Methylethylamine	A	1
2-(alpha-Methyl-3,4-methylenedioxyphenethylamino)ethanol	A	1
2-(Methylamino) Propiophenone	B	1
2-(p-Chlorophenyl) Ethylamine	A	1 (c)
2-Amino-1-(2,5-dimethoxy-4-methylphenyl)ethanol	A	1
2-Amino-1-(3,4-dimethoxyphenyl)ethanol	A	1
2-Beta-Carbomethoxy-3-Beta-(4-Iodophenyl) Tropane	A	2
2-Bromophenethylamine	A	1 para 1 (c)
2-Chloro-6-fluorophenethylamine	A	1 para 1(d)
2-Methoxyethyl(alpha-methyl-3,4-methylenedioxyphenethyl)amine	A	1
2-(Methylamino) Propiophenone	B	1

<u>Drug</u>	<u>Class</u>	<u>Schedule</u>
2,4-Dichlorophenethylamine	A	1 para 1 (d)
2,5-Dimethoxy-4-Bromoamphetamine	A	1
2,5-Dimethoxy-4-Iodoamphetamine HCL	A	1(c)
2,5-Dimethoxy-4-Methylamphetamine HCL	B	1
2,5-dimethoxy- $\alpha$ , 4-dimethylphenethylamine	A	1
2,5-dimethoxy-4-iodoamphetamine hydrobromide	A	1(c)
2,6-Dichlorophenethylamine	A	1 para 1 (d)
2-diphenylmethylpyrrolidine	B	1
2-Methylamino-1-(3,4-methylenedioxyphenyl)butan-1-one (bk-MBDB/butylone)	B	1
2-Methylamino-1-(3,4-methylenedioxyphenyl)propan-1-one (bk-MDMA/methylone)	B	1
3-(0-Carboxymethyl)Morphine	A	2
-3-(3,4-dichlorophenyl)-8-aza-bicyclo(3.2.1) octane-2-carbaldehyde-0-methyloxime	A	2
3-(3,4-Dichlorophenyl)-8-Methyl-8-Aza-Bicyclo(3.2.1) Octane-2-Carbaldehyde-0-Methyloxime	A	2
3-benzylmorphine (benzylmorphine)	A	2
3-Bromophenethylamine	A	1 para 1 (c)
3-Carboxymethyl Morphine	A	2
3-ethylmorphine (ethylmorphine)	B <sup>①</sup>	2/5 <sup>②</sup>
3-Fluoromethcathinone	B	1
3-Hydroxy-4-methoxyphenethylamine	A	1 para 1 (c)
3-Hydroxy-5 $\alpha$ androstan-17-one	C	4 Pt2
3-Hydroxy-N-methylmorphinan	A	2
3-Hydroxy-N-Methylmorphinain	A	2
3-Hydroxy-N-phenacetylmorphinan	A	2
3-Methoxy-4-ethoxy-alpha-methylphethylamine	A	1 (c)
3-Methoxy-4-Hydroxyamphetamine	A	1 (c)
3-Methoxy-4-Hydroxymethamphetamine	A	1 (c)
3-Methoxy-4-Hydroxyphenethylamine	A	1 para 1 (c)
3-Methyfenatanyl Hydrochloride	A	1 (d)
3,4-Dichlorophenethylamine	A	1 para 1 (d)

<u>Drug</u>	<u>Class</u>	<u>Schedule</u>
3,4-Dimethoxyamphetamine	A	1 (c)
3,4-Di-Methoxyphenethylamine	A	1(c)
3,4-dimethoxy-17-methylmorphinan-6 $\beta$ , 14-diol (drotebanol)	A	2
3,4-methylenedioxy-amphetamine (MDA)	A	1
3,4-methylenedioxy-meth-amphetamine (MDMA)	A	1
3,4-methylenedioxy-N, N-dimethylamphetamine	A	1
3,6-dinicotinoyl-morphine (nicomorphine)	A	2
4-Bromo-Beta,2,5-trimethoxyphenethylamine	A	1
4-Bromo-2,5-Dimethoxyphenethylamine	A	1 (c)
4-bromo-2,5-dimethoxy- $\alpha$ -methylphenethylamine	A	1
4-Bromo-2,5, Dimethoxy Phenethylamine	A	1 para 1 (c)
4-Bromophenethylamine	A	1 para 1 (c)
4-chloromethandienone	C	4 Pt 2
4-cyano-1-methyl-4-phenylpiperidine	A	2
4-cyano-2-dimethylamino-4,4-diphenylbutane	A	2
4-Dimethylamino-1:2-Diphenyl-3-Methy-2-Propionyloxybutane	C	2
4-hydroxy-3-methoxyphenethylamine	A	1 (c)
4-Iodo-2,5-dimethoxy-Alpha-methylphenethyl(dimehtyl)amine	A	1
4-methyl-aminorex	A	1
4-Methylmethcathinone (mephedrone)	B	1
4-Methylthioamphetamine (also known as Alpha-Methyl-4-(methylthio)phenethylamine	A	1
4-Methoxymethcathinone (bk-PMMA/ methedrone)	B	1
4-Methoxyphenethylamine	A	1
4-Methoxythenylethylamine	A	1 para 1 (c)
4-phenylpiperidine-4-carboxylic acid ethyl ester	A	2
5-Androstenedione	C	4 Pt2
5 ethyl-5-n-nonyl barbitonic acid	B	3
5-Methoxydimethyltryptamine	A	1(b)
5 $\alpha$ -Androstane-3,17-diol	C	4 Pt2
6-Acetylmorphine Hydrochloride	A	2
6-Beta-Hydroxytestosterone	C	4 Pt2
6-methyldihydromorphine (methyldihydromorphine)	A	2

<u>Drug</u>	<u>Class</u>	<u>Schedule</u>
6-nicotinoyldihydrocodeine (nicodicodine)	B①	2/5②
7 Alpha, 17 Alpha-Dimethyl-19-Nortesterone	C	4 Pt2
7-bromo-5-(2-chlorophenyl)-1,3-dihydro-2H-1,4-benzodiazepin-2-one (phenazepam)	C	3
14-Hydroxydihydromorphine	A	2
14-Hydroxymorphine	A	2
19-Norandrostenedione	C	4 Pt2
19-Norandrosterone	C	4 Pt2
19-Noretiocholanolone	C	4 Pt2
19-Nortestosterone	C	4 Pt 2

**Drugs subject to a temporary class drug order③**

<u>Drug</u>	<u>Date in Force</u>
2-(ethylamino)-2-(3-methoxyphenyl)cyclohexanone (Methoxetamine)	5 April 2012

**Notes:**

- ① Falls within para 6 of Part I of Schedule 2 of the MDA 1971 (ie Class A) if in a preparation designed for administration by injection.
- ② Falls within Schedule 5 if in a preparation either alone or with one or more of the drugs referring to this note not being a preparation designed for administration by injection, when compounded with one or more active or inert ingredients and containing a total of not more than 100 mg of the substance or substances (calculated as base) per dosage unit or with a total of not more than 2.5% (calculated as base) in undivided preparations.
- ③ Falls within Schedule 5 if in a preparation designed for oral administration, containing not more than 135 mg of dextropropoxyphene (calculated as base) per dosage unit or with a concentration of not more than 2.5% (calculated as base) in undivided preparations.
- ④ Falls within Schedule 5 if in any preparation of difenoxin containing, per dosage unit, not more than 0.5 mg of difenoxin and a quantity of atropine sulphate equivalent to at least 5% of the dose of difenoxin.
- ⑤ Falls within Schedule 5 if in any preparation of diphenoxylate containing, per dosage unit, not more than 2.5 mg of diphenoxylate calculated as base, and a quantity of atropine sulphate equivalent to at least 1% of the dose of diphenoxylate.
- ⑥ Falls within Schedule 5 if in a preparation of medicinal opium or morphine containing (in either case) not more than 0.2% of morphine calculated as anhydrous morphine base, being a preparation compounded with one or more other active or inert ingredients in such a way that the opium or, as the case may be, the morphine, cannot be recovered by readily applicable means or in a yield which would constitute a risk to health.
- ⑦ Falls within Schedule 5 if in any powder of ipecacuanha and opium comprising:
- 10% opium, in powder
  - 10% ipecacuanha root, in powder, well mixed with
  - 80% of any other powdered ingredient containing no controlled drug

⑧ Falls within Schedule 5 if in a preparation containing, per dosage unit, not more than 100 mg of propiram calculated as base and compounded with at least the same amount (by weight) of methylcellulose.

⑨ Drugs subject to a temporary class drug order under Section 2A of the 1971 Act will remain under temporary control for up to 12 months from the date that the order comes into force.