Extract from OT450 owner's manual



OPEN TENDER GENERAL INFORMATION

- Hypatex 2 tone blue and light grey tubes, with 6 grab handles, moulded lifeline holders, lifelines, wear patches, single rubbing strake
- Moulded deck with flush fitting rail system
- Bow eye, 2 transom "U" bolts, 2 clephant trunks, anchor eye, hull drain
- · Bow seat with cushion and locker beneath
- · Paddles, pump, repair kit, owner's manual
- Console options available

TECHNICAL SPECIFICATION

| | OT 400 | OT 450 |
|------------------------|--------|--------|
| Overall Length | 4.00m | 4.50m |
| Internal Length | 3.05m | 3.55m |
| Overall Width | 1.85m | 1.85m |
| Inside Width | 0.99m | 0.99m |
| Tube Diameter | 0.43m | 0.43m |
| Number of air chambers | 3 | 3 |
| Number of Persons | 5 | 6 |
| Maximum payload | 700kg | 800kg |
| Bare boat weight | 205kg | 232kg |
| Maximum power | 40hp | 50hp |
| Engine Shaft | L | L |
| Design Category | C | С |

Category "C" - "Offshore" Craft designed for voyages in coastal waters, large bays, estuaries, takes & rivers, where conditions up to and including wind force 6 and significant wave heights up to and including 2m may be experienced.

Accessories

- 1 man jockey console with underseat storage, screen, rail and steering
- 2 man jockey console with underseat storage, screen, rail and steering
- Backrest for jockey console
- Small upright console with screen and rail
- Standard 2 man wraparound helm seat, fitted on a stowage box.
- A frame with navigation lights
- Laser ski bar
- Bimini cover
- Boarding ladder
- · Overall boat, console and seat covers

Ribeye carries out a continuous program of product improvement and safety awareness. Specifications are subject to change without notice, although all details are correct at the time of going to press. Ribeye products may be produced with a different trim level than originally specified. All dimensions are +/- 3%,

Pieuse note that performance of your boat depends on engine size, propeller selection, trim settings, payload distribution and operating conditions. Refer to sections within this manual and within your engine owner's manual to obtain the best performance from your Ribeye.

Declaration of Conformity

400, 450 Open Tender RIBs are designed and constructed in accordance with RSG Guidelines E3.2 & E3.3 by use of BS EN ISO 6185 and have been assessed to confirm with the requirements of the EU Recreational Craft Directive 94/25/EC. In accordance with this legislation the boats comply with all applicable Essential Safety Requirements listed in schedule 1 of the regulations for use in the design category C.

| | HIN no: | |
|---------|-------------------------|--------|
| Signed: | on behalf of Ribeye Ltd | Dated: |

Boat order form



Boat Order Form

| Manufacturer: Ribeye | CONS | OLE | | Model: | 450 V | 400 | DAME: |
|--|----------|--------|----------|------------------------|------------|----------|-------|
| Order Ref: | | Custom | Her Da | eme: | Del d | fate: | |
| Options and Accessories | | | - | | | | |
| | Part No. | - | | | | Part No. | - |
| Double Jockey Console | RY 4000 | Ment | 1 1 | Overall boat cover Pla | | RY 7030 | - |
| Small Upright Console | RY 4010 | | | Overati boat cover Pt | aytime 450 | RY 7040 | - |
| Single Jackey Console | | | 38 | | | | - |
| | | | COVERS | | | | _ |
| Wraperound seek | RY 1070 | | S | | | | |
| | | | STORAGE | | | | |
| | | | 0 | | | | _ |
| | | | 1 | | | | _ |
| PE P | | | | | | | |
| | | | | | | | |
| , A frame with navigation lights | RY 2050 | | Tarenthi | | | | |
| S Boarding Ladder | RY 3000 | | | | | | |
| Bloarding Ladder | | | | | | | |
| 9 | | | | | | | |
| \$ | | | | | | | |
| | | - | 1 | | | | |
| | | | | | | | |
| Dealer: | | - | - | Account Numb | er. | - | |
| ABERSOCHIA S | GCA AN | +3 | 0 | A | | | |
| MOENSOUTH | 1111 | | | | 1 - / | | |
| Signed: Date: 16 8 07 | | | | | | | |
| For office use: | | | _ | | | | |
| Hull ID number | | | _ | Delivery Date | | | |
| Order Number | | | - | Reference code | 9 | | - |

Please check with the current options list when ordering. All Pre-rigging is for Yamaha outboards.

Please complete all sections and Fax to Ribeye Sales Dept on: 01803 839 090



Collection/delivery note

| BEYE Collection / De | livery in | Ota | |
|--|-------------|----------------|------------|
| TE OF DELIVERY; ASAP | DEALER | ABERSOCH LA | ND & SEA |
| VERY FROM FAULKNERS DEPOT | TO ABERS | OCH LAND & SEA | CHECKED |
| free | | | |
| Absreck Land & Bee | | | |
| Royal German Aboracch Land & Sea Fullies | | | |
| | + | | |
| Geyneds 'LLB3 YAH | | | |
| Tet: 01788 713434 | | 101.00 | |
| | | | |
| | | | - |
| Place deliver from your store: | | | |
| Riboyo Tondor A50 | | | |
| 19sd no: ZA REL 107 46 E 404 | | | 1 |
| gge Double Jockey Cornecie | , X | 1000 | 1 |
| | | | T., |
| Parkets Same & report to | | | 1 |
| - takening | | | |
| | | | |
| | | | 1 |
| BOSTE SHOULD HAVE PURP, PADOLES | REPAIR KIT | , | |
| 57 | | | |
| | | · | |
| WENED BY: | 120 | Print name: | MAULKUM |
| IAEKED BI. | | | VI IS VI E |
| | 1 | | T |
| | 1 | | |
| 1/4 1/ | // | L | ar LIKEAR |


| | ANNEX D |
|---|---------|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| Ribeye boat handover/acceptance procedure | |
| | |
| | |



Ribeye Ltd Collingwood Rd, Townstal, Dartmouth Devon, TQ6 9JY Tel: 01803 832060 Fax: 01803 839090 Email: sales@ribeye.co.uk www.ribeye.co.uk

| | RIBE | YE BOAT HANDOVER / ACCEPTANCE PROCEDURE: | | | | | | | |
|-----------------|----------------------|---|--|--|--|--|--|--|--|
| Custo | mer: | Date: | | | | | | | |
| Mode | el: | HIN No: | | | | | | | |
| 1. | Visua | I check of boat. | | | | | | | |
| 2. | Expla | planation of: | | | | | | | |
| | a. | Engine operation i) Power thrust and tilt - trailer latch. ii) Starting procedure / kill cord etc. iii) Running in (if applicable). iv) Fuel, oil, batteries, isolator switch, bilge pumps. | | | | | | | |
| | b. | Control switches / throttle operation / trim adjustment. | | | | | | | |
| 25 | C. | GPS / VHF / Depth Sounder / Stereo / other accessories. | | | | | | | |
| | d. | Tube inflation / maintenance. | | | | | | | |
| 3. Handover of: | | | | | | | | | |
| | a. | Manuals, inclusive of manufacturer's manuals | | | | | | | |
| | b. | Engine tool kit | | | | | | | |
| | c. | Safety equipment where applicable | | | | | | | |
| | d. | Foot pump / repair kit | | | | | | | |
| 4. | Safety | y: | | | | | | | |
| | a. | Advise given on Safety, see sections in the Owner's Manual | | | | | | | |
| IMPO | RTANT | | | | | | | | |
| | ing in the | e engine - Ensure that you are acquainted with the section "Running In" in the Owner's Manual prior to at. | | | | | | | |
| | irm the ined to r | above has taken place and as such I am satisfied with the handover procedure and all details ne. | | | | | | | |
| Signe | d: | Date: | | | | | | | |
| | . Aut | Powered by WAMAHA | | | | | | | |

Container checklist



Donesal by WYAMAHA

RIBEYE/YAMAHA CONTAINER CHECK! LIST

| DATE OF CIELIVERY: 26.07.04 | DEALER | REEYE STOCK | ···· - |
|--|--|--|-------------------------------|
| ONTENTS OF CONTAINER: R032/04 | | | CHECKED |
| Rib ye Sports 650 | Hin no. | 102 66 E 404 | - |
| RY 4040 Sports console with front seat | h | | - |
| RY 1070 Deli: ce Wraparound helm seat | | | |
| RY 2070 A Frame with Nav lights | | | to Sparte |
| the second of th | | | to their |
| RY 6040 Sculpted rear seat & back rest Sunch | my - | | |
| RY 2035 3 x mar seat head rests | ovil- | 'A Seek ander | |
| RY 7080 Ove all Cover | | On back order | |
| 2 pa: dles & repair kit | | titles there is a second | |
| Steering cable | 4 | | A larger on the second on the |
| | TV2 | | |
| Ribere Playtime 550 | Hin no: | 116 55 F 404 | |
| RY 5160 Odys sey Console with front scat | | | |
| RY1060 Swing Back Helm Seat | | | |
| RY 2060 A Frame with Nev lights | | 1 | |
| RY 5250 Sculpted rear seat & back rest | | | |
| RY 7060 Over ill Boat Cover | stripe of the | On back order | |
| 2 pad fles & repair kit | - | | |
| Steering cable | - ! | 1 | |
| instance in the second | 17.57 | A Continue management | |
| Ribere Playtime 500 | Hin no: | .108 50 E 404 | |
| DV 6405 (2) day ou Connello without front and | | | |
| RY 5165 Odyst ey Console without front seat | | | |
| RY1060 Swin; Back Helm Seat | | | 6. (|
| RY 2060 IA Freine with Nav lights | | 1000 | |
| RY 5250 Sculp ed rear seat & back rest | | On back order | |
| RY 7050 Ovenill Boat Cover | | Oll Dack Order | |
| 2 pacities & repair kit | | | |
| Steering cable | | and production of the Contract | |
| 1 | | 107 45 E 404 | |
| Flibey's Open 450 | Hin no: | 107 45 E 404 | |
| RY 2050 A Frame with Nav lights | | | 100 |
| RY 4000 [loub : Jockey Console | A Company of the Comp | · i- | Deersach |
| Siteering cable | | -1 | |
| 2 pad: les & repair kit | | | |
| - Z pad to di tepan titi | | | |
| Fibey + Open 400 | Hin no: | 121 40 E 404 | |
| RY 4000 Coublit Jockey Console | | | |
| | | | |
| Steering cable | | | |
| 2 pad les & repair kit | | | |
| | | | |
| Speres | - VV- | 1 to Seedel | (n 0 |
| RY 5030 Coubii Jockey Console for Tender | -7.7 | The state | 7 |
| | i | | 4 t to proceed to a to to the |
| | | Delet name | |
| CONTAINER CHECKED BY: | | Print name | |
| A 10 to -1 -1 - 1 A 10 A 10 - 1 A 10 A 10 A 10 | | A COMPANY OF THE PARTY OF THE P | M. menerus |
| PLEASE COMPLETE FORM AND RETURN TO | RISEYS WIT | HIN 24 HAVIER THE DE | LINERA |
| | | | , |
| Ribeye Ltd. Collingwood Road, Townsta | al. Dartmouth | Devon TOB BJY | ,J |
| Tel: 01803 8320: 0 Fax: 01803 830000 e-mail: a | BIASADDITAVA | Co.uk www.ilbeye cot (| 5 |

| | ANNEX |
|--|-------|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| Formula for determining maximum power rating | |

EN ISO 6185 -3 Determination of maximum motor power:

The maximum motor power is determined by the following formula: $P_{\text{max}} = 10 \text{ x } F(d) - 33$ Where:

 P_{max} is the maximum motor power rating in kilowatts F(d) is the dimensional factor = $l \times b$

Where:

l is the overall length of the boat in metres, from the bow to the extremity of the rear float;

b is the overall beam of the boat in metres.

Local regulations for Abersoch Beach

Taflen Wybodaeth Traeth Abersoch

Abersoch Beach Guide



Traeth delfrydol i'r holl deulu

Dilynwch y rheolau isod er mwyn cael diwrnod diogel, pleserus a llawn hwyl

Gweithgareddau Môr:

- *Lansiwch eich cwch / badau dŵr yn yr ardal ddynodedig a chadwch at y cyfyngiad cyflymdra o 4 milltir fôr
- * Mae'n rhaid i bob beic dŵr a chwch pŵer gael eu defnyddio yn gyfrifol a diogel
- * Mae'n rhaid i chi gofrestru eich beic d
 wr gyda Chyngor Gwynedd cyn ei lansio o'r traeth. Mae'n rhaid i chi ddangos tystiolaeth o yswiriant trydydd parti
- * Rhaid talu ffi lansio cyn y cewch lansio o'r traeth
- * Byddwch yn ymwybodol o gychod yn nesau at y lan pan fyddwch yn ymdrochi
- * Cymrwch ofal gyda gwlâu neu deganau gwynt oherwydd gall y cerrynt neu'r gwynt eu cario allan i'r môr

Ar y Traeth:

- * Cadwch i'r cyfyngiad cyflymdra o 5 m.y.a. ar y traeth
- * Byddwch yn wyliadwrus o gerbydau yn troi a symud tra'n cerdded ar y llithrfa neu ar y traeth
- * Peidiwch â mynd â'ch ci i'r ardaloedd gwahardd cŵn na'i adael yn rhydd i faeddu'r traeth - mae bagiau baw cŵn ar gael gan y Cymhorthwyr Traeth
- * Dylai plant gael eu goruchwylio gan oedolyn bob amser, yn enwedig ger y môr
- * Peidiwch â nofio yn syth ar ôl bwyta neu yfed alcohol, neu os ydych yn teimlo'n sâl neu'n flinedig
- * Os ydych yn gweld rhywun mewn trafferthion ffoniwch 999 ar unwaith, a gofynnwch am Wyliwr y Glannau, ac yna cysylltwch ag un o'r Cymhorthwyr Traeth
- * I gael triniaeth i fân anafiadau gofynnwch am gymorth gan un o'r Cymhorthwyr Traeth

Mae'n rhaid i chwi gydymffurfio â'r rheolau sydd wedi eu hamlinellu yn y daflen hon a chydffurfio gyda chyfarwyddiadau y Cymhorthwyr Traeth er diogelwch eich hun ag eraill.

Os ydych angen rhagor o wybodaeth neu gyngor gofynnwch wrth un o'r Cymhorthwyr Traeth neu ffoniwch 01758 704081 / 07831 216043

A glorious beach for all the family

Please abide by the following rules for a safe and enjoyable day

Sea Activities:

- * Launch your boat / personal watercraft in the designated area and keep to the 4-knot speed restriction
- * Please navigate all power driven vessels safely and responsibly
- * All personal watercraft must be registered with Gwynedd Council before launching. You should provide evidence of third party insurance
- * You must pay a launching fee before you can launch from the beach
- * Be vigilant of approaching craft whilst bathing
- * Take care with inflatable beds or toys in the water as currents and winds can take you out to sea

On the Beach:

- * Keep within the 5 m.p.h. speed limit on the beach
- * Be vigilant of manoeuvring vehicles when walking along the slipway or beach
- * Do not take your dog into the dog restriction areas, nor let your dog run free to foul the beach - dog-fouling bags are available from the Beach Supervisors
- * Children need to be supervised by an adult at all times, especially near the sea
- * Don't swim after eating or drinking alcohol, or if you are feeling tired or unwell
- * If you see someone in difficulty dial 999 immediately and ask for the Coastguard, and then contact one of the Beach Supervisors
- * For the treatment of minor injuries please ask one of the Beach Supervisors for assistance

You must comply with the regulations outlined in this leaflet and conform with all instructions given by the Beach Supervisors for your own and others' safety. If you need any further information or advice please ask one of the beach supervisors or phone 01758 704081 / 07831 216043

| | ANNEX H |
|---|---------|
| Local regulations for the use of power driven vessels | |
| | |



Power Vessel Regulation for Gwynedd Harbours and Coast

- Power driven vessels launching on the coast of Gwynedd should provide evidence of third party insurance to a minimum of £1,000,000.
- The 4 Knots speed limit extends to all areas within all harbours, and within 100 metres of the coastline.
- Power driver vessels are prohibited from entering any beach safety zone unless using a designated launch area at the specified speed limit.
- 4. Water skiing without and independent observer will not be permitted.
- Towing "Doughnut" or "Banana" inflatables is not permitted within harbour areas, craft exclusion zones, or within 100 metres of the coastline. A minimum of two people shall be on board the towing vessl at all times.
- Launching Fees will be payable at all launching areas.
- International Regulations for the Prevention of Collisions at Sea must be strictly adhere to at all times, please ask at the Harbour Office if you are unsure of these regulations.
- Vehicles are brought onto the launching areas at the owners risk and the requirements and directions of Gwynedd Council officers must be adhered to at all times.
- A wakeless speed is required within 50 metres of another boat, personal watercraft, dock, pier, swimmer, skier, angler or fishing equipment.
- Gwynedd Council speed limits must be complied within designated areas.
- Where there is no specified speed limit the maximum speed is 4 m.p.h within 100 metres of the coastline (from the low water mark).
- Boating under the influence of drink or drugs shall not be allowed.
- Navigation of power driven vessels in a responsible manner and with due regard to good seamanship is encuraged.
- 14. Navigators of powercraft shall not disturb wildlife, especially Dolphins and Porpoises. Please note that it is a criminal offence to disturb wildlife within the Special Area of Conservation
- 15. Owner / users launching permit will be withdrawn with immediate effect if the navigator of the craft fails to comply with the above conditions.

Special conditions apply at each location and may change each season. Advice from the Harbourmaster must be sought before launching.

Local regulations for the use of PWCs

CTNGGA GWTNEDO COUNCE

Cyngor Gwynedd Council

Maritime Service

- Every Personal Watercaft user that uses / crosses Gwynedd Council owned, or managed coastal areas, shall register the craft with Gwynedd Council.
 - 1.1 To obtain registration, a fee shall be paid, and the registering Officer will ensure Proof of Identity, together with proof of adequate insurance cover.
 - 1.2 Access for Personal Watercraft will not be allowed to any of the Councils harbours or beaches if the owner has not registered the craft with Gwynedd Council, or if the registration has been withdrawn. The 'Datatag' identification number must be visible in **bold** lettering, on **both** sides of the craft. Outline numbers will not be accepted
- Minimum Insurance Cover will be Third Party £2 million.

3. Age Requirements:

- 3.1 Must be at least 18 years of age to operate a Personal Watercraft.
- 3.2 Be 15 to 17, and possess a R.Y.A. Certificate of Competence for Personal Watercraft. The RYA certificate must be available for inspection at all times.
- 3.3 Be 12 to 14, and possess a R.Y.A. Certificate of Competence AND operate under direct adult supervision. The definition of "supervision" is such that the adult is present on the craft. The RYA certificate must be available for inspection at all times.
- 3.4 Under 12 not allowed to operate a Personal Watercraft.

4. Speed Restrictions:

- 4.1 A wakeless speed is compulsory within 50 metres of another Personal Watercraft, boat, dock, swimmer, skier, angler, or fishing equipment.
- 4.2 Gwynedd Council speed restrictions must be complied with in all designated areas. Power craft are not permitted within exclusion zones.
- 4.3 Where there is no specified speed limit, the maximum speed is 4 m.p.h. within 100 metres of the coastline (from the low water mark).
- Boating under the influence of drink, or drugs is not permitted.
- It is an offence to disturb wildlife. Navigators of Personal Watercraft shall not disturb Dolphins, Porpoises, Basking Sharks or other wildlife.
- Launching fees will be payable at all locations.
- The owner/users registration will be withdrawn immediately if the operator fails to comply with the above conditions.