

APPENDIX H-PROPENSITY SCORE MATCHING RESULTS

RADIO SHOW EXPOSURE

Multiple Partners

B2- Multiple partners (past 12 months)
 Variable name: mp1
 Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
mp1	Unmatched	.295384615	.306292646	-.010908031	.017930014	-0.61
	ATT	.295489891	.285369994	.010119897	.020286438	0.50

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
mp1	Unmatched	.269372694	.306292646	-.036919952	.020271845	-1.82
	ATT	.267745953	.273658428	-.005912476	.0249969	-0.24

B4- Multiple partners (past month)

Variable name: mp2
 Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
mp2	Unmatched	.089564503	.102057613	-.01249311	.011938676	-1.05
	ATT	.090606816	.085498329	.005108488	.013704551	0.37

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
mp2	Unmatched	.08961039	.102057613	-.012447224	.013650915	-0.91
	ATT	.089473684	.091425463	-.001951779	.016954271	-0.12

B3- More than one partner within 3 months period (past 12 months)

Variable name: b3r
 Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
b3r	Unmatched	.183017312	.215862633	-.03284532	.016186931	-2.03
	ATT	.184320267	.195470791	-.011150524	.018633768	-0.60

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
b3r	Unmatched	.170795306	.215862633	-.045067326	.018352792	-2.46
	ATT	.170184697	.182877962	-.012693266	.022936084	-0.55

B5- Reports currently having more than one partner

Variable name: cpsr
 Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cpsr	Unmatched	.131795717	.151639344	-.019843628	.014139431	-1.40
	ATT	.1325	.140735518	-.008235518	.016267841	-0.51

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
cpsr	Unmatched	.140077821	.151639344	-.011561523	.016305093	-0.71
	ATT	.140419948	.142681349	-.002261401	.020222951	-0.11

B14- Reports currently having sex with 2 or more recent partners (calendar)

Variable name: cppt

Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
cppt	Unmatched	.125925926	.166393443	-.040467517	.014302099	-2.83
	ATT	.127393838	.150841742	-.023447904	.016513843	-1.42

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
cppt	Unmatched	.133766234	.166393443	-.032627209	.01659497	-1.97
	ATT	.135526316	.147748062	-.012221746	.020617556	-0.59

B8- Wife has other sexual partner (%yes/suspect)

Variable name: w_othp

Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
w_othp	Unmatched	.143426295	.151408451	-.007982156	.030789948	-0.26
	ATT	.144578313	.167527606	-.022949292	.035640682	-0.64

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
w_othp	Unmatched	.133971292	.151408451	-.017437159	.032053946	-0.54
	ATT	.137931034	.183210754	-.04527972	.037776751	-1.20

B9- Husband has other wife (%yes/suspect)

Variable name: h_othw

Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
h_othw	Unmatched	.096359743	.12565445	-.029294707	.021547515	-1.36
	ATT	.095132743	.136394446	-.041261703	.024636987	-1.67

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
h_othw	Unmatched	.098305085	.12565445	-.027349366	.024622371	-1.11
	ATT	.101754386	.145533084	-.043778698	.031127986	-1.41

B9- Husband has other sexual partner (%yes/suspect)

Variable name: h_othp

Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
h_othp	Unmatched	.228144989	.253926702	-.025781712	.029444167	-0.88
	ATT	.226872247	.290742929	-.063870683	.033178447	-1.93

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
h_othp	Unmatched	.199324324	.253926702	-.054602377	.032572106	-1.68
	ATT	.199300699	.302145872	-.102845173	.041071773	-2.50

B20-Received gifts for sex from most recent partner

Variable name: rgifts_p1

Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
rgifts_p1	Unmatched	.181069959	.190632703	-.009562745	.015780924	-0.61
	ATT	.180682764	.195140021	-.014457257	.018020631	-0.80

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
rgifts_p1	Unmatched	.141374838	.190632703	-.049257865	.017325264	-2.84
	ATT	.143232589	.182772047	-.039539458	.021511702	-1.84

B20-Received gifts for sex from 2nd most recent partner

Variable name: rgifts_p2

Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
rgifts_p2	Unmatched	.254794521	.254593176	.000201345	.031953527	0.01
	ATT	.256198347	.262796715	-.006598368	.036381567	-0.18

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
rgifts_p2	Unmatched	.261306533	.254593176	.006713357	.038279589	0.18
	ATT	.266666667	.248687496	.01797917	.047067086	0.38

B21-Gave gifts for sex to most recent partner

Variable name: ggifts_p1

Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
ggifts_p1	Unmatched	.136026381	.15625	-.020223619	.014335356	-1.41
	ATT	.135946622	.151074881	-.015128259	.016438646	-0.92

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
ggifts_p1	Unmatched	.124513619	.15625	-.031736381	.016152474	-1.96
	ATT	.124835742	.14996087	-.025125128	.020064377	-1.25

B21-Gave gifts for sex to 2nd most recent partner

Variable name: ggifts_p2

Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
ggifts_p2	Unmatched	.170798898	.203166227	-.032367329	.028668406	-1.13
	ATT	.171745152	.196186895	-.024441742	.032889579	-0.74

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
ggifts_p2	Unmatched	.211055276	.203166227	.007889049	.035457146	0.22
	ATT	.21025641	.191319686	.018936724	.043793657	0.43

K5-Multiple sexual partners increase HIV risk (%True)

Variable name: k5r

Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k5r	Unmatched	.958185684	.90653009	.051655594	.00926067	5.58
	ATT	.957766643	.933844686	.023921957	.010796994	2.22

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k5r	Unmatched	.961009174	.90653009	.054479085	.011011796	4.95
	ATT	.960556845	.938755636	.021801208	.013477965	1.62

A1-Most married men faithful to wives (%Agree)

Variable name: a1r

Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a1r	Unmatched	.20907158	.285348688	-.076277108	.01582689	-4.82
	ATT	.206156049	.245753999	-.03959795	.018098828	-2.19

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a1r	Unmatched	.225917431	.285348688	-.059431257	.018601869	-3.19
	ATT	.22737819	.254986895	-.027608705	.023128091	-1.19

A2-Can resist temptation of sex with person besides main partner (%Agree)

Variable name: a2r

Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a2r	Unmatched	.771084337	.683098592	.087985746	.016327998	5.39
	ATT	.769506084	.707384523	.062121562	.018736786	3.32

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a2r	Unmatched	.752293578	.683098592	.069194986	.019179525	3.61
	ATT	.752900232	.703659154	.049241078	.023818565	2.07

A3-Need someone to fill gap (%Disagree)

Variable name: a3r

Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a3r	Unmatched	.530120482	.537428023	-.007307541	.018324319	-0.40

ATT		. 531138153	. 544368174	-. 013230021	. 020871984	-0. 63
-----	--	-------------	-------------	--------------	-------------	--------

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a3r	Unmatched	. 518348624	. 537428023	-. 019079399	. 021099522	-0. 90
	ATT	. 519721578	. 531084532	-. 011362954	. 026329882	-0. 43

A5- Men with many women are real men (%Disagree)

Variable name: a5r

Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a5r	Unmatched	. 930545712	. 875800256	. 054745456	. 010887909	5. 03
	ATT	. 930565497	. 912048974	. 018516523	. 01262003	1. 47

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a5r	Unmatched	. 952981651	. 875800256	. 077181395	. 012391661	6. 23
	ATT	. 952436195	. 915709963	. 036726232	. 01515642	2. 42

A6- Men have right to get sex for gifts (%Disagree)

Variable name: a6r

Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a6r	Unmatched	. 632884479	. 623800384	. 009084095	. 017753316	0. 51
	ATT	. 632784538	. 62999834	. 002786199	. 02023116	0. 14

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a6r	Unmatched	. 662844037	. 623800384	. 039043653	. 020308676	1. 92
	ATT	. 6612529	. 626084875	. 035168025	. 025316388	1. 39

CN7- Leaders speak out about risk of HIV if MP (%Strongly agree/agree)

Variable name: cn7r

Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn7r	Unmatched	. 662650602	. 554702495	. 107948107	. 017840838	6. 05
	ATT	. 659269864	. 610438291	. 048831573	. 020405412	2. 39

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn7r	Unmatched	. 721330275	. 554702495	. 16662778	. 020302988	8. 21
	ATT	. 720417633	. 639886328	. 080531306	. 025193349	3. 20

CN9- Leaders discourage multiple partners (%Very often/sometimes)

Variable name: cn9r

Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn9r	Unmatched	. 379432624	. 27831094	. 101121684	. 017125868	5. 90

ATT		.376790831	.322916476	.053874355	.019398469	2.78
-----	--	------------	------------	------------	------------	------

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn9r	Unmatched	.47706422	.27831094	.19875328	.01975525	10.06
	ATT	.476798144	.364378503	.112419641	.024811735	4.53

CN10-Leaders discourage men from having younger partners (%Very often/sometimes)

Variable name: cn10r
Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn10r	Unmatched	.403122782	.275751759	.127371023	.017201281	7.40
	ATT	.400716846	.321851525	.078865321	.019478215	4.05

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn10r	Unmatched	.497129736	.275751759	.221377976	.019737146	11.22
	ATT	.494773519	.369724718	.125048801	.024802084	5.04

B20-Received gifts for sex from any partner

Variable name: get_any
Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
get_any	Unmatched	.209053498	.220853859	-.011800361	.016661668	-0.71
	ATT	.208992506	.225973744	-.016981238	.01902955	-0.89

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
get_any	Unmatched	.176394293	.220853859	-.044459566	.018515102	-2.40
	ATT	.178712221	.214065163	-.035352942	.02300067	-1.54

B21-Gave gifts for sex to any partner

Variable name: give_any
Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
give_any	Unmatched	.145919209	.171875	-.025955791	.01483276	-1.75
	ATT	.145954962	.169728224	-.023773261	.017027082	-1.40

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
give_any	Unmatched	.143968872	.171875	-.027906128	.016918862	-1.65
	ATT	.144546649	.171401769	-.02685512	.021027086	-1.28

Total		10	1,977		1,987
-------	--	----	-------	--	-------

Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
----------	--------	---------	----------	------------	-------	--------

age10any	Unmatched	.114210985	.109158187	.005052798	.013361385	0.38
	ATT	.114739629	.108186329	.0065533	.015097199	0.43

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
age10any	Unmatched	.184100418	.109158187	.074942232	.01657958	4.52
	ATT	.183615819	.120039548	.063576271	.020602728	3.09

10+ age difference between resp. and regular partner

Variable name: age10reg

Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
age10reg	Unmatched	.11305872	.102059925	.010998795	.013204864	0.83
	ATT	.113575865	.100818842	.012757023	.014851008	0.86

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
age10reg	Unmatched	.177871148	.102059925	.075811223	.016296407	4.65
	ATT	.177304965	.1083573	.068947664	.020197676	3.41

Other HIV Risk Factors

A13-Worried about becoming HIV infected (%Worried)

Variable name: a13r

Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a13r	Unmatched	.464100666	.461229947	.00287072	.018719843	0.15
	ATT	.465620329	.499333437	-.033713109	.021289165	-1.58

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a13r	Unmatched	.507263923	.461229947	.046033976	.021640797	2.13
	ATT	.508578431	.512355455	-.003777024	.026802852	-0.14

A14-Likely to be infected now (%High/Med)

Variable name: a14r

Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a14r	Unmatched	.221543163	.195770805	.025772358	.015430204	1.67
	ATT	.220679012	.209221259	.011457753	.017569859	0.65

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a14r	Unmatched	.259305211	.195770805	.063534406	.018073237	3.52
	ATT	.25879397	.231833381	.026960589	.022683843	1.19

K2-STIs decrease HIV infection (%False)

Variable name: k2r

Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k2r	Unmatched	.812898653	.763915547	.048983106	.015009229	3.26
	ATT	.813171081	.831644683	-.018473602	.017171749	-1.08

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k2r	Unmatched	.844036697	.763915547	.08012115	.017067011	4.69
	ATT	.843387471	.836418291	.00696918	.02111933	0.33

K6- TB can't be cured if HIV+ (%False)

Variable name: k6r
Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k6r	Unmatched	.501063076	.492642354	.008420721	.018366161	0.46
	ATT	.501789549	.550880211	-.049090662	.02092096	-2.35

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k6r	Unmatched	.532110092	.492642354	.039467737	.021125598	1.87
	ATT	.533642691	.544592659	-.010949968	.026354979	-0.42

K10 Risk of contracting HIV decreases for a circumcised man

Variable name: k10r
Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k10r	Unmatched	.427253371	.367882278	.059371094	.0179394	3.31
	ATT	.426523297	.426386114	.000137183	.020394284	0.01

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k10r	Unmatched	.469036697	.367882278	.10115442	.020648621	4.90
	ATT	.468677494	.459391405	.009286089	.02581718	0.36

HIV Communication

K11-Knows where to get information about HIV/AIDS

Variable name: k11r
Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k11r	Unmatched	.795180723	.714651312	.080529411	.0157764	5.10
	ATT	.794559771	.806558464	-.011998693	.018098416	-0.66

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k11r	Unmatched	.848623853	.714651312	.133972542	.017785037	7.53
	ATT	.848027842	.829391441	.018636401	.021921504	0.85

B25- Discussed HIV/AIDS with Spouse (%Very often/often)

Variable name: disc_spouse
Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
disc_spouse	Unmatched	.70631068	.543238994	.163071686	.019081972	8.55
	ATT	.705400982	.649114254	.056286728	.021936421	2.57

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
disc_spouse	Unmatched	.784810127	.543238994	.241571133	.021149297	11.42
	ATT	.782051282	.690172524	.091878758	.02618668	3.51

B26- Discussed HIV/AIDS with Kids (%Very often/often)

Variable name: disc_kids

Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
disc_kids	Unmatched	.313131313	.222018349	.091112965	.026203681	3.48
	ATT	.307692308	.261962084	.045730224	.029335791	1.56

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
disc_kids	Unmatched	.371298405	.222018349	.149280057	.028695822	5.20
	ATT	.364896074	.281717714	.08317836	.034298789	2.43

B27- Discussed HIV/AIDS with friends (%Very often/often)

Variable name: disc_friend

Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
disc_friends	Unmatched	.683687943	.517639513	.166048431	.017776768	9.34
	ATT	.684097421	.623303725	.060793696	.02035844	2.99

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
disc_friends	Unmatched	.741972477	.517639513	.224332965	.020235611	11.09
	ATT	.738979118	.658208624	.080770494	.02509594	3.22

Discussed HIV/AIDS with Spouse, Kids, and/or Friends

Variable name: disc_any

Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
disc_any	Unmatched	.843262411	.660691421	.18257099	.015613206	11.69
	ATT	.843123209	.770834019	.07228919	.018081433	4.00

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
disc_any	Unmatched	.865825688	.660691421	.205134267	.018213494	11.26
	ATT	.864269142	.81310873	.051160412	.022364626	2.29

A4- Sex life improves with communication with partner (%Agree)

Variable name: a4r

Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
----------	--------	---------	----------	------------	-------	--------

a4r	Unmatched	.956768249	.900191939	.056576311	.009497371	5.96
	ATT	.956335004	.922918416	.033416587	.011075149	3.02

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a4r	Unmatched	.955275229	.900191939	.055083291	.011422651	4.82
	ATT	.954756381	.93561305	.01914333	.013998104	1.37

B22- Sexually dissatisfied with regular partner (%Very often/often)

Variable name: b22r
Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
b22r	Unmatched	.191374663	.163768116	.027606547	.02023398	1.36
	ATT	.192098093	.168582179	.023515913	.022848699	1.03

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
b22r	Unmatched	.175	.163768116	.011231884	.021757375	0.52
	ATT	.174509804	.175917043	-.001407239	.026318763	-0.05

B23- Sexually satisfied with regular partner (%Very often/often)

Variable name: b23r
Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
b23r	Unmatched	.943472409	.918958032	.024514377	.013329044	1.84
	ATT	.942857143	.918281816	.024575327	.015549344	1.58

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
b23r	Unmatched	.931034483	.918958032	.012076451	.015361711	0.79
	ATT	.9296875	.920613333	.009074167	.018747493	0.48

Condom Use

B7- Condom use at last sex

Variable name: cls
Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cls	Unmatched	.56187548	.519259259	.042616221	.019352171	2.20
	ATT	.559006211	.538130109	.020876103	.021950086	0.95

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cls	Unmatched	.584745763	.519259259	.065486503	.02196641	2.98
	ATT	.584558824	.512448387	.072110437	.027120597	2.66

Condom use at last sex with regular partner

Variable name: clsn_reg

Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
clsn_reg	Unmatched	.541528239	.51814346	.023384779	.020426262	1.14
	ATT	.539495798	.532674301	.006821497	.023254347	0.29

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
clsn_reg	Unmatched	.55026455	.51814346	.03212109	.0232303	1.38
	ATT	.548862115	.510969361	.037892754	.028732656	1.32

Condom use at last sex with casual partner

Variable name: clsn_cas

Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
clsn_cas	Unmatched	.867924528	.714285714	.153638814	.071328067	2.15
	ATT	.867924528	.796778932	.071145596	.092970749	0.77

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
clsn_cas	Unmatched	.808510638	.714285714	.094224924	.077490613	1.22
	ATT	.822222222	.840136107	-.017913885	.108340608	-0.17

Condom use at last sex among those with MP in past year

Variable name: clsmp1

Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
clsmp1	Unmatched	.6875	.671641791	.015858209	.033340459	0.48
	ATT	.689473684	.697650494	-.00817681	.038304739	-0.21

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
clsmp1	Unmatched	.748858447	.671641791	.077216656	.038465928	2.01
	ATT	.748837209	.683248744	.065588466	.047515388	1.38

B19a-Condom use at last sex, most recent partner

Variable name: cls_p1

Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cls_p1	Unmatched	.543209877	.523418242	.019791635	.020236989	0.98
	ATT	.541215654	.543262458	-.002046804	.023071778	-0.09

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cls_p1	Unmatched	.55916775	.523418242	.035749509	.022966544	1.56
	ATT	.558629776	.523659809	.034969967	.028498953	1.23

B19a-Condom use at last sex, 2nd most recent partner

Variable name: cls_p2

Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cls_p2	Unmatched	.790055249	.732804233	.057251016	.031342449	1.83
	ATT	.788888889	.772582012	.016306877	.035838984	0.46

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cls_p2	Unmatched	.814070352	.732804233	.081266119	.037271551	2.18
	ATT	.815384615	.764472332	.050912283	.04521931	1.13

B19a-Condom use at last sex, 3rd most recent partner

Variable name: cls_p3

Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cls_p3	Unmatched	.752873563	.731707317	.021166246	.045239513	0.47
	ATT	.74556213	.772046792	-.026484662	.052145309	-0.51

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cls_p3	Unmatched	.835164835	.731707317	.103457518	.05336712	1.94
	ATT	.847058824	.79027847	.056780353	.066072141	0.86

B19a-Always uses condom with most recent partner

Variable name: fcls_p1

Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
fcls_p1	Unmatched	.338537387	.307881773	.030655614	.01895364	1.62
	ATT	.338320865	.308764461	.029556403	.02153055	1.37

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
fcls_p1	Unmatched	.325097529	.307881773	.017215756	.021393935	0.80
	ATT	.326745718	.278676953	.048068765	.026598947	1.81

B19b-Always uses condom with 2nd most recent partner

Variable name: fcls_p2

Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
fcls_p2	Unmatched	.622589532	.560526316	.062063216	.036061899	1.72
	ATT	.620498615	.615146249	.005352366	.041120502	0.13

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
fcls_p2	Unmatched	.636363636	.560526316	.075837321	.043122138	1.76
	ATT	.634020619	.571822702	.062197916	.052886404	1.18

B19c-Always uses condom with 3rd most recent partner

Variable name: fcls_p3

Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
fcls_p3	Unmatched	.619318182	.567307692	.05201049	.050412572	1.03
	ATT	.614035088	.64270134	-.028666252	.057989661	-0.49

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
fcls_p3	Unmatched	.652173913	.567307692	.084866221	.061513957	1.38
	ATT	.662790698	.695657162	-.032866465	.07807122	-0.42

CN1-Condom use in marriage accepted (%Strongly agree/agree)

Variable name: cn1r

Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn1r	Unmatched	.690290574	.623800384	.06649019	.017415585	3.82
	ATT	.689334288	.638541634	.050792654	.019901924	2.55

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn1r	Unmatched	.731651376	.623800384	.107850992	.01987615	5.43
	ATT	.730858469	.64548196	.085376509	.024682386	3.46

CN2-Women can ask regular partner to use condom (%Strongly agree/agree)

Variable name: cn2r

Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn2r	Unmatched	.708008505	.626120359	.081888146	.01727594	4.74
	ATT	.706513958	.672055406	.034458553	.019755443	1.74

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn2r	Unmatched	.721330275	.626120359	.095209917	.019936702	4.78
	ATT	.720417633	.690860474	.02955716	.024774046	1.19

CN2-Women can ask casual partner to use condom (%Strongly agree/agree)

Variable name: cn2ar

Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn2ar	Unmatched	.711552091	.61484325	.096708841	.017301694	5.59
	ATT	.710808876	.666780944	.044027932	.019799148	2.22

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn2ar	Unmatched	.706422018	.61484325	.091578768	.020114465	4.55
	ATT	.70649652	.684047871	.022448649	.025001266	0.90

HIV Testing

B24- Ever been tested for HIV
 Variable name: evertest
 Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
evertest	Unmatched	.789510985	.628040973	.161470012	.016496507	9.79
	ATT	.788833214	.703486648	.085346566	.018990461	4.49

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
evertest	Unmatched	.84059633	.628040973	.21255357	.018814111	11.30
	ATT	.8387471	.72599384	.112753259	.023160053	4.87

B24b- HIV test in the last 12 months
 Variable name: hivtest
 Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
hivtest	Unmatched	.569296375	.449358974	.119937401	.018255498	6.57
	ATT	.567839196	.510547499	.057291697	.020793365	2.76

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
hivtest	Unmatched	.622273249	.449358974	.172914275	.020859354	8.29
	ATT	.617886179	.528068196	.089817983	.026000746	3.45

B24c- Received results of most recent HIV test
 Variable name: hivresults
 Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
hivresults	Unmatched	.967684022	.955147808	.012536213	.008390529	1.49
	ATT	.967332123	.960321508	.007010615	.009725504	0.72

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
hivresults	Unmatched	.982264666	.955147808	.027116857	.008734564	3.10
	ATT	.982019364	.965851132	.016168232	.011291926	1.43

B24ci- Discussed results of most recent HIV test
 Variable name: results_disc
 Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
results_disc	Unmatched	.854359926	.814300961	.040058965	.016532998	2.42
	ATT	.854596623	.833601153	.02099547	.018922763	1.11

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
results_disc	Unmatched	.877777778	.814300961	.063476817	.018025264	3.52
	ATT	.876056338	.832102498	.04395384	.022953528	1.91

K1-If one spouse positive, the other too (%False)

Variable name: k1r
Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k1r	Unmatched	.585400425	.510556622	.074843803	.018237506	4.10
	ATT	.585540444	.552724687	.032815757	.020793583	1.58

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k1r	Unmatched	.612385321	.510556622	.101828699	.0209475	4.86
	ATT	.61136891	.539178654	.072190255	.026103661	2.77

K7-Pregnant woman should test for HIV (%True)

Variable name: k7r
Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k7r	Unmatched	.953224663	.870761356	.082463307	.010409414	7.92
	ATT	.952755906	.917591292	.035164613	.0121686	2.89

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k7r	Unmatched	.957568807	.870761356	.086807451	.012457042	6.97
	ATT	.957076566	.92387865	.033197916	.015175765	2.19

A10-It is important to know your HIV status (%Agree)

Variable name: a10r
Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a10r	Unmatched	.965272856	.929622521	.035650335	.008237705	4.33
	ATT	.965640659	.947156241	.018484417	.009516117	1.94

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a10r	Unmatched	.973623853	.929622521	.044001332	.009567314	4.60
	ATT	.973317865	.953078898	.020238968	.011675387	1.73

A12-Only way to know status is by blood test (%Agree)

Variable name: a12r
Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a12r	Unmatched	.982282069	.962252079	.02002999	.006074748	3.30
	ATT	.982820329	.968803565	.014016765	.007058018	1.99

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a12r	Unmatched	.979334099	.962252079	.017082019	.007395695	2.31
	ATT	.979094077	.971714349	.007379728	.009093013	0.81

CN5-Leaders encourage HIV testing (%Strongly agree/agree)

Variable name: cn5r
Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn5r	Unmatched	.708717222	.563019834	.145697388	.017511378	8.32
	ATT	.705798139	.602152026	.103646113	.020079374	5.16

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn5r	Unmatched	.747706422	.563019834	.184686588	.020078991	9.20
	ATT	.745939675	.63316825	.112771425	.024885583	4.53

HIV Stigma

A7-When learn that you are HIV+, life is over (%Disagree)

Variable name: a7r
Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a7r	Unmatched	.8929837	.802303263	.090680437	.013178378	6.88
	ATT	.894058697	.870304695	.023754002	.015232619	1.56

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a7r	Unmatched	.910550459	.802303263	.108247196	.015303527	7.07
	ATT	.909512761	.866294724	.043218037	.018786599	2.30

A8-Telling people you are HIV+ doesn't help (%Disagree)

Variable name: a8r
Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a8r	Unmatched	.687455705	.621880998	.065574707	.017444845	3.76
	ATT	.687902649	.662489837	.025412811	.019928053	1.28

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a8r	Unmatched	.686926606	.621880998	.065045607	.020188855	3.22
	ATT	.686774942	.675732641	.011042301	.025127042	0.44

A9-HIV is punishment for sinning (%Disagree)

Variable name: a9r
Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a9r	Unmatched	.671863926	.648112604	.023751322	.01740364	1.36
	ATT	.671438797	.710803246	-.039364448	.019844866	-1.98

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a9r	Unmatched	.745412844	.648112604	.09730024	.019577286	4.97
	ATT	.744779582	.723868188	.020911395	.024306454	0.86

A11-Only promiscuous people get HIV (%Disagree)

Variable name: a11r
Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a11r	Unmatched	.822111977	.752399232	.069712745	.015024918	4.64
	ATT	.822476736	.810641415	.01183532	.017209189	0.69

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a11r	Unmatched	.85206422	.752399232	.099664988	.017161854	5.81
	ATT	.853828306	.826199748	.027628558	.02114755	1.31

CN3-Keep secret if family member has HIV (%Strongly agree/agree)

Variable name: cn3r
Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn3r	Unmatched	.767540751	.72168906	.045851692	.016021073	2.86
	ATT	.765211167	.734966882	.030244285	.018333552	1.65

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn3r	Unmatched	.745412844	.72168906	.023723785	.018762778	1.26
	ATT	.744779582	.715212423	.029567159	.023380704	1.26

HIV Treatment

CN4- People in the community join together to help PLHIV (%Strongly agree/agree)

Variable name: cn4r
Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn4r	Unmatched	.525868179	.442738324	.083129855	.018292108	4.54
	ATT	.523264137	.483824546	.039439591	.020831201	1.89

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn4r	Unmatched	.560779817	.442738324	.118041493	.020997249	5.62
	ATT	.55800464	.502498857	.055505783	.026206097	2.12

PC5- Cared for someone on ART

Variable name: pc5r
Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
pc5r	Unmatched	.255846917	.15674984	.099097077	.014684445	6.75
	ATT	.253400143	.199552839	.053847305	.016513925	3.26

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
pc5r	Unmatched	.318807339	.15674984	.162057499	.017051817	9.50
	ATT	.313225058	.233064856	.080160202	.021547749	3.72

PC6- Willing to Care for Someone on ART
 Variable name: pc6r
 Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
pc6r	Unmatched	.878809355	.754958413	.123850942	.014120358	8.77
	ATT	.878310666	.803907268	.074403398	.016364255	4.55

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
pc6r	Unmatched	.883027523	.754958413	.12806911	.016687263	7.67
	ATT	.881670534	.833232908	.048437625	.020526283	2.36

K3- PLHIV on ART can transmit HIV (%True)
 Variable name: k3r
 Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
k3r	Unmatched	.772501772	.683301344	.089200428	.01630905	5.47
	ATT	.772369363	.717619453	.05474991	.018709878	2.93

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
k3r	Unmatched	.783256881	.683301344	.099955537	.01889641	5.29
	ATT	.780742459	.727987719	.052754741	.023450619	2.25

K4- PLHIV does not need to use condoms because cannot transmit HIV (%False)
 Variable name: k4r
 Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
k4r	Unmatched	.89794472	.83237364	.06557108	.012554783	5.22
	ATT	.899785254	.891120561	.008664693	.014440069	0.60

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
k4r	Unmatched	.911697248	.83237364	.079323607	.014549561	5.45
	ATT	.910672854	.894714085	.015958769	.017912723	0.89

K8a- ARVs prevent MCT during pregnancy
 Variable name: k8ar
 Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
k8ar	Unmatched	.68887314	.639795266	.049077874	.017339452	2.83
	ATT	.689334288	.711372419	-.022038131	.019795876	-1.11

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
k8ar	Unmatched	.730504587	.639795266	.090709322	.019762633	4.59
	ATT	.730858469	.729521465	.001337004	.024543418	0.05

K8b-ARVs prevent MCT during childbirth
 Variable name: k8br
 Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
k8br	Unmatched	.576187101	.572616763	.003570339	.018163125	0.20
	ATT	.575518969	.620778694	-.045259724	.020689723	-2.19

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
k8br	Unmatched	.622706422	.572616763	.050089659	.02076824	2.41
	ATT	.622969838	.633540124	-.010570286	.025881821	-0.41

K8c-ARVs prevent MCT during breastfeeding
 Variable name: k8cr
 Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
k8cr	Unmatched	.593905032	.539987204	.053917828	.018181732	2.97
	ATT	.59341446	.608037108	-.014622648	.020733552	-0.71

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
k8cr	Unmatched	.650229358	.539987204	.110242154	.020753956	5.31
	ATT	.650812065	.618815067	.031996998	.025825894	1.24

K9- People on ART have to stay on treatment for rest of lives
 Variable name: k9r
 Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
k9r	Unmatched	.755492558	.682021753	.073470805	.016494434	4.45
	ATT	.756621331	.783634756	-.027013424	.018868678	-1.43

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
k9r	Unmatched	.826834862	.682021753	.144813109	.018454997	7.85
	ATT	.825986079	.810485134	.015500945	.022777352	0.68

CN6-Leaders encourage HIV treatment (%Strongly agree/agree)
 Variable name: cn6r
 Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
cn6r	Unmatched	.697377746	.550863724	.146514023	.017623232	8.31
	ATT	.694345025	.595897415	.09844761	.020197122	4.87

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
cn6r	Unmatched	.759174312	.550863724	.208310588	.0200258	10.40

ATT | .759860789 .639257113 .120603676 .024766113 4.87

B28- Has ever taken ARVs

Variable name: b28r

Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
b28r	Unmatched	.062367116	.049327354	.013039761	.008410936	1.55
	ATT	.062276306	.053158455	.009117852	.009515355	0.96

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
b28r	Unmatched	.079219288	.049327354	.029891934	.010032497	2.98
	ATT	.078977933	.064710693	.014267239	.012674204	1.13

B29- Ever participated in PMCT program (among ever pregnant)

Variable name: b29r

Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
b29r	Unmatched	.238834951	.111754967	.127079985	.015718973	8.08
	ATT	.238747554	.156717812	.082029742	.017680456	4.64

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
b29r	Unmatched	.231534091	.111754967	.119779124	.016988061	7.05
	ATT	.231654676	.162160964	.069493712	.021355233	3.25

Gender-Based Violence

G1- Forced Sex in the last 12 months

Variable name: gbv_sex12

Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
gbv_sex12	Unmatched	.029766123	.026265215	.003500909	.006054039	0.58
	ATT	.029348604	.025358825	.003989779	.006854013	0.58

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
gbv_sex12	Unmatched	.02293578	.026265215	-.003329435	.006612222	-0.50
	ATT	.023201856	.020834994	.002366863	.008235333	0.29

G2- Physical GBV in the last 12 months

Variable name: gbv_hit12

Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
gbv_hit12	Unmatched	.086463501	.083173385	.003290117	.010229853	0.32
	ATT	.086614173	.073911084	.012703089	.011631454	1.09

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
----------	--------	---------	----------	------------	-------	--------

gbv_hit12	Unmatched	.071100917	.083173385	-.012072467	.011393477	-1.06
	ATT	.070765661	.06407533	.006690331	.014145642	0.47

CN8- Leaders speak out against GBV (%Strongly agree/agree)

Variable name: cn8r
Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
cn8r	Unmatched	.680368533	.546385157	.133983376	.017748261	7.55
	ATT	.677165354	.594169263	.082996091	.020322846	4.08

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
cn8r	Unmatched	.728211009	.546385157	.181825852	.020277961	8.97
	ATT	.72737819	.628712247	.098665943	.025148537	3.92

B6- Number of lifetime partners

Variable name: lifep
Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
lifep	Unmatched	5.77032066	5.84865238	-.078331728	.43056305	-0.18
	ATT	5.78313253	5.68596932	.097163207	.492380666	0.20

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
lifep	Unmatched	5.27184466	5.84865238	-.576807724	.444688777	-1.30
	ATT	5.15479115	6.69585331	-1.54106215	.55083228	-2.80

B1- Age at first sex

Variable name: firstsex
Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
firstsex	Unmatched	17.9117415	17.8095238	.102217719	.123221586	0.83
	ATT	17.9101034	17.8611259	.048977508	.139770436	0.35

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
firstsex	Unmatched	18.4454094	17.8095238	.63588562	.139172711	4.57
	ATT	18.459799	18.1313463	.328452648	.172374437	1.91

Age difference between partner 1 and respondent

Variable name: agediff_p1
Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
agediff_p1	Unmatched	1.50088652	1.00094877	.499937758	.256551688	1.95
	ATT	1.48607367	1.55390079	-.06782712	.289550943	-0.23

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
agediff_p1	Unmatched	1.33239038	1.00094877	.331441615	.312730449	1.06
	ATT	1.40441176	1.19736048	.207051288	.381682931	0.54

Age difference between partner 2 and respondent

Variable name: agediff_p2

Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
agediff_p2	Unmatched	-.665551839	-.156862745	-.508689094	.436601688	-1.17
	ATT	-.703703704	.204713982	-.908417685	.489991146	-1.85

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
agediff_p2	Unmatched	-.054216867	-.156862745	.102645878	.555371117	0.18
	ATT	-.122699387	-.275751108	.153051721	.693572932	0.22

Age difference between partner 3 and respondent

Variable name: agediff_p3

Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
agediff_p3	Unmatched	-.909722222	-.75	-.159722222	.591818865	-0.27
	ATT	-1.05	-1.02106573	-.028934269	.691006472	-0.04

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
agediff_p3	Unmatched	-1.30555556	-.75	-.55555556	.826466999	-0.67
	ATT	-1.74626866	-1.16711817	-.579150489	1.15402647	-0.50

B24a-Lifetime number of HIV tests

Variable name: numtest

Exposure to one show

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
numtest	Unmatched	3.04215976	2.06356488	.978594888	.126946477	7.71
	ATT	3.04179104	2.51889933	.52289171	.144153305	3.63

Exposure to two shows

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
numtest	Unmatched	3.6706302	2.06356488	1.60706533	.16238562	9.90
	ATT	3.62379808	2.74921528	.874582793	.207132993	4.22

RADIO DRAMA

Multiple Partners

B2- Multiple partners (past 12 months)

Variable name: mp1

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
mp1	Unmatched	.285057471	.300580431	-.01552296	.018064848	-0.86
	ATT	.286374134	.291223803	-.004849669	.019207603	-0.25

B4- Multiple partners (past month)

Variable name: mp2

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
mp2	Unmatched	.095238095	.09500446	.000233635	.011979449	0.02
	ATT	.095705521	.089516137	.006189384	.012824138	0.48

B3- More than one partner within 3 months period (past 12 months)

Variable name: b3r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
b3r	Unmatched	.182822086	.197772829	-.014950743	.016167598	-0.92
	ATT	.183723798	.185151372	-.001427574	.017116871	-0.08

B5- Reports currently having more than one partner

Variable name: cpsr

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cpsr	Unmatched	.147741148	.140374332	.007366816	.014268205	0.52
	ATT	.148466258	.136674149	.011792109	.015372753	0.77

B14- Reports currently having sex with 2 or more recent partners (calendar)

Variable name: cppt

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cppt	Unmatched	.145654835	.146613191	-.000958356	.014447617	-0.07
	ATT	.146371464	.140977189	.005394275	.015439094	0.35

B8- Wife has other sexual partner (%yes/suspect)

Variable name: w_othp

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
w_othp	Unmatched	.134529148	.149068323	-.014539175	.02849876	-0.51
	ATT	.135746606	.150593119	-.014846512	.030569519	-0.49

B9- Husband has other wife (%yes/suspect)

Variable name: h_othw

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
h_othw	Unmatched	.101973684	.112801014	-.01082733	.02112064	-0.51
	ATT	.102649007	.120840582	-.018191575	.022059977	-0.82

B9- Husband has other sexual partner (%yes/suspect)
Variable name: h_othp

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
h_othp	Unmatched	.193442623	.243994943	-.05055232	.028346164	-1.78
	ATT	.194719472	.258818999	-.064099527	.029199537	-2.20

B20- Received gifts for sex from most recent partner
Variable name: rgifts_p1

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
rgifts_p1	Unmatched	.135696822	.190093708	-.054396887	.015514684	-3.51
	ATT	.136363636	.193897283	-.057533647	.015773634	-3.65

B20- Received gifts for sex from 2nd most recent partner
Variable name: rgifts_p2

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
rgifts_p2	Unmatched	.251101322	.251819505	-.000718184	.033258537	-0.02
	ATT	.251101322	.260166056	-.009064735	.035614746	-0.25

B21- Gave gifts for sex to most recent partner
Variable name: ggifts_p1

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
ggifts_p1	Unmatched	.123471883	.148660714	-.025188832	.014253701	-1.77
	ATT	.124078624	.153670438	-.029591814	.014812836	-2.00

B21- Gave gifts for sex to 2nd most recent partner
Variable name: ggifts_p2

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
ggifts_p2	Unmatched	.207048458	.184480234	.022568224	.030085419	0.75
	ATT	.207048458	.198640718	.00840774	.032789837	0.26

K5- Multiple sexual partners increase HIV risk (%True)
Variable name: k5r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k5r	Unmatched	.962646745	.929741536	.032905209	.009102148	3.62
	ATT	.962486602	.947997897	.014488705	.008705574	1.66

A1- Most married men faithful to wives (%Agree)
Variable name: a1r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a1r	Unmatched	.220917823	.247816594	-.026898771	.016177476	-1.66
	ATT	.219721329	.244578121	-.024856792	.017018154	-1.46

A2- Can resist temptation of sex with person besides main partner (%Agree)
Variable name: a2r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
----------	--------	---------	----------	------------	-------	--------

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a2r	Unmatched	.748132337	.720058245	.028074092	.016848634	1.67
	ATT	.747052519	.735632583	.011419936	.017805239	0.64

A3-Need someone to fill gap (%Disagree)

Variable name: a3r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a3r	Unmatched	.526147279	.534206696	-.008059417	.018880681	-0.43
	ATT	.52733119	.526244207	.001086983	.020211157	0.05

A5-Men with many women are real men (%Disagree)

Variable name: a5r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a5r	Unmatched	.947705443	.900618857	.047086586	.01065953	4.42
	ATT	.948553055	.921915602	.026637453	.010155563	2.62

A6-Men have right to get sex for gifts (%Disagree)

Variable name: a6r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a6r	Unmatched	.673425827	.625181951	.048243877	.018174005	2.65
	ATT	.673097535	.620610732	.052486803	.019207388	2.73

CN7-Leaders speak out about risk of HIV if MP (%Strongly agree/agree)

Variable name: cn7r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn7r	Unmatched	.70864461	.601164483	.107480127	.018198903	5.91
	ATT	.70846731	.664635232	.043832078	.018908327	2.32

CN9-Leaders discourage multiple partners (%Very often/sometimes)

Variable name: cn9r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn9r	Unmatched	.455709712	.323989807	.131719905	.018006019	7.32
	ATT	.455519829	.390633364	.064886465	.019757746	3.28

CN10-Leaders discourage men from having younger partners (%Very often/sometimes)

Variable name: cn10r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn10r	Unmatched	.486111111	.332483613	.153627499	.018118032	8.48
	ATT	.484978541	.398959655	.086018885	.019854654	4.33

B20-Received gifts for sex from any partner

Variable name: get_any

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
get_any	Unmatched	.16992665	.218554862	-.048628211	.016488755	-2.95
	ATT	.170761671	.222900089	-.052138418	.01701356	-3.06

B21-Gave gifts for sex to any partner
Variable name: give_any

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
give_any	Unmatched	.143031785	.161160714	-.018128929	.014836806	-1.22
	ATT	.143734644	.169763132	-.026028488	.015587393	-1.67

10+ age difference between resp. and any partner
Variable name: age10any

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
age10any	Unmatched	.172141919	.112244898	.059897021	.014153776	4.23
	ATT	.170409511	.128358027	.042051485	.016126809	2.61

10+ age difference between resp. and regular partner
Variable name: age10reg

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
age10reg	Unmatched	.167325428	.107896027	.059429401	.013974564	4.25
	ATT	.165562914	.122314513	.0432484	.015944697	2.71

Other HIV Risk Factors

A13-Worried about becoming HIV infected (%Worried)
Variable name: a13r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a13r	Unmatched	.518058691	.459521095	.058537596	.019375968	3.02
	ATT	.517006803	.494821666	.022185137	.020780868	1.07

A14-Likely to be infected now (%High/Med)
Variable name: a14r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a14r	Unmatched	.268292683	.205607477	.062685206	.01631877	3.84
	ATT	.269230769	.232682527	.036548243	.018192131	2.01

K2-STIs decrease HIV infection (%False)
Variable name: k2r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k2r	Unmatched	.830309498	.787117904	.043191594	.01517322	2.85
	ATT	.830653805	.824018418	.006635387	.015681726	0.42

K6-TB can't be cured if HIV+ (%False)
Variable name: k6r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k6r	Unmatched	.517609392	.5	.017609392	.018917336	0.93
	ATT	.518756699	.531389202	-.012632504	.020238037	-0.62

K10 Risk of contracting HIV decreases for a circumcised man

Variable name: k10r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k10r	Unmatched	.459978655	.39184268	.068135975	.018573368	3.67
	ATT	.461950697	.428360634	.033590063	.020048872	1.68

HIV Communication

K11-Knows where to get information about HIV/AIDS

Variable name: k11r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k11r	Unmatched	.833511206	.750363901	.083147305	.015828677	5.25
	ATT	.83494105	.807406331	.027534719	.015939036	1.73

B25- Discussed HIV/AIDS with Spouse (%Very often/often)

Variable name: disc_spouse

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
disc_spouse	Unmatched	.750898204	.623163354	.12773485	.019034145	6.71
	ATT	.750902527	.703261606	.047640921	.019483089	2.45

B26- Discussed HIV/AIDS with Kids (%Very often/often)

Variable name: disc_kids

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
disc_kids	Unmatched	.351230425	.267307692	.083922733	.025654268	3.27
	ATT	.349099099	.308916672	.040182427	.028052808	1.43

B27- Discussed HIV/AIDS with friends (%Very often/often)

Variable name: disc_friend

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
disc_friends	Unmatched	.71474359	.594023324	.120720266	.018224485	6.62
	ATT	.715665236	.672128678	.043536558	.018856602	2.31

Discussed HIV/AIDS with Spouse, Kids, and/or Friends

Variable name: disc_any

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
disc_any	Unmatched	.844017094	.744448489	.099568605	.015852931	6.28
	ATT	.844420601	.82246949	.021951111	.015783865	1.39

A4- Sex life improves with communication with partner (%Agree)

Variable name: a4r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a4r	Unmatched	.951974386	.926855895	.025118491	.009435985	2.66
	ATT	.951768489	.945772762	.005995727	.009363992	0.64

B22- Sexually dissatisfied with regular partner (%Very often/often)

Variable name: b22r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
----------	--------	---------	----------	------------	-------	--------

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
b22r	Unmatched	.182156134	.171232877	.010923257	.019430914	0.56
	ATT	.18317757	.170748658	.012428912	.020963111	0.59

B23-Sexually satisfied with regular partner (%Very often/often)
Variable name: b23r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
b23r	Unmatched	.931481481	.92851711	.002964371	.01310089	0.23
	ATT	.931098696	.929938372	.001160324	.013939191	0.08

Condom Use

B7-Condom use at last sex
Variable name: cls

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cls	Unmatched	.592045455	.53314239	.058903065	.019542191	3.01
	ATT	.591324201	.528077897	.063246304	.020742476	3.05

Condom use at last sex with regular partner
Variable name: clsn_reg

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
clsn_reg	Unmatched	.55721393	.527941845	.029272086	.020551223	1.42
	ATT	.5575	.519989255	.037510745	.021878199	1.71

Condom use at last sex with casual partner
Variable name: clsn_cas

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
clsn_cas	Unmatched	.782608696	.765517241	.017091454	.071618589	0.24
	ATT	.782608696	.836140208	-.053531512	.084661539	-0.63

Condom use at last sex among those with MP in past year
Variable name: clsmp1

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
clsmp1	Unmatched	.72983871	.683264177	.046574533	.033877998	1.37
	ATT	.72983871	.686380679	.043458031	.035661044	1.22

B19a-Condom use at last sex, most recent partner
Variable name: cls_p1

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cls_p1	Unmatched	.56372549	.531668153	.032057337	.020374281	1.57
	ATT	.564039409	.527271474	.036767935	.021722512	1.69

B19a-Condom use at last sex, 2nd most recent partner
Variable name: cls_p2

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cls_p2	Unmatched	.788546256	.765395894	.023150361	.032215013	0.72
	ATT	.788546256	.779333448	.009212808	.034023161	0.27

B19a-Condom use at last sex, 3rd most recent partner
Variable name: cls_p3

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cls_p3	Unmatched	.803738318	.746478873	.057259445	.047144913	1.21
	ATT	.807692308	.779122911	.028569397	.049478204	0.58

B19a-Always uses condom with most recent partner
Variable name: fcls_p1

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
fcls_p1	Unmatched	.323133415	.322192513	.000940902	.019105156	0.05
	ATT	.323493235	.306579882	.016913353	.020424619	0.83

B19b-Always uses condom with 2nd most recent partner
Variable name: fcls_p2

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
fcls_p2	Unmatched	.60619469	.598540146	.007654544	.037614303	0.20
	ATT	.60619469	.606791659	-.000596969	.040184476	-0.01

B19c-Always uses condom with 3rd most recent partner
Variable name: fcls_p3

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
fcls_p3	Unmatched	.635514019	.592797784	.042716235	.053944925	0.79
	ATT	.644230769	.643311271	.000919498	.05845476	0.02

CN1-Condom use in marriage accepted (%Strongly agree/agree)
Variable name: cn1r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn1r	Unmatched	.710779082	.659024745	.051754337	.017742563	2.92
	ATT	.709539121	.696721781	.01281734	.018668429	0.69

CN2-Women can ask regular partner to use condom (%Strongly agree/agree)
Variable name: cn2r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn2r	Unmatched	.70864461	.665453222	.043191389	.017689674	2.44
	ATT	.707395498	.710442293	-.003046795	.018662515	-0.16

CN2-Women can ask casual partner to use condom (%Strongly agree/agree)
Variable name: cn2ar

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn2ar	Unmatched	.700106724	.66084425	.039262473	.017770023	2.21
	ATT	.698821008	.707452689	-.008631681	.018785007	-0.46

HIV Testing

B24-Ever been tested for HIV
Variable name: evertest

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
evertest	Unmatched	.824973319	.700400437	.124572882	.016633167	7.49
	ATT	.825294748	.768731397	.056563351	.016543492	3.42

B24b-HIV test in the last 12 months
Variable name: hivtest

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
hivtest	Unmatched	.606837607	.507293946	.099543661	.018821301	5.29
	ATT	.606223176	.553737475	.052485701	.01996068	2.63

B24c-Received results of most recent HIV test
Variable name: hivresults

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
hivresults	Unmatched	.971539457	.963097713	.008441744	.007771328	1.09
	ATT	.971428571	.965905068	.005523504	.007961813	0.69

B24ci-Discussed results of most recent HIV test
Variable name: results_disc

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
results_disc	Unmatched	.876165113	.835941716	.040223397	.015535541	2.59
	ATT	.875668449	.854275809	.02139264	.015949026	1.34

K1-If one spouse positive, the other too (%False)
Variable name: k1r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k1r	Unmatched	.597652081	.545487627	.052164454	.018769578	2.78
	ATT	.596998928	.564576962	.032421966	.019967159	1.62

K7-Pregnant woman should test for HIV (%True)
Variable name: k7r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k7r	Unmatched	.958377801	.906841339	.051536462	.010233914	5.04
	ATT	.958199357	.936443564	.021755793	.009532271	2.28

A10-It is important to know your HIV status (%Agree)
Variable name: a10r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a10r	Unmatched	.975453575	.946870451	.028583124	.007901665	3.62
	ATT	.975348339	.956198148	.019150191	.007369885	2.60

A12-Only way to know status is by blood test (%Agree)
Variable name: a12r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
----------	--------	---------	----------	------------	-------	--------

a12r	Unmatched	.978632479	.972343523	.006288956	.006029892	1.04
	ATT	.978540773	.976298398	.002242374	.00614815	0.36

CN5-Leaders encourage HIV testing (%Strongly agree/agree)
Variable name: cn5r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn5r	Unmatched	.734258271	.62845706	.105801211	.017899096	5.91
	ATT	.734190782	.691752765	.042438018	.018486612	2.30

HIV Treatment

PC5-Cared for someone on ART
Variable name: pc5r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
pc5r	Unmatched	.314834578	.196142649	.118691929	.015713189	7.55
	ATT	.312968917	.268272369	.044696549	.017890916	2.50

PC6-Willing to Care for Someone on ART
Variable name: pc6r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
pc6r	Unmatched	.874066169	.811863173	.062202995	.014254036	4.36
	ATT	.874598071	.861061579	.013536492	.01429201	0.95

K3-PLHIV on ART can transmit HIV (%True)
Variable name: k3r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k3r	Unmatched	.780149413	.72489083	.055258583	.016595089	3.33
	ATT	.780278671	.761988386	.018290285	.017233642	1.06

K4-PLHIV does not need to use condoms because cannot transmit HIV (%False)
Variable name: k4r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k4r	Unmatched	.897545358	.864628821	.032916537	.012588288	2.61
	ATT	.899249732	.895812882	.00343685	.012789005	0.27

K8a-ARVs prevent MCT during pregnancy
Variable name: k8ar

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k8ar	Unmatched	.72678762	.662663755	.064123865	.017635138	3.64
	ATT	.726688103	.714177258	.012510845	.018434207	0.68

K8b-ARVs prevent MCT during childbirth
Variable name: k8br

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k8br	Unmatched	.613660619	.576419214	.037241405	.01862898	2.00
	ATT	.613076099	.619249553	-.006173455	.019822364	-0.31

K8c-ARVs prevent MCT during breastfeeding
Variable name: k8cr

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k8cr	Unmatched	.644610459	.565138282	.079472177	.018596604	4.27
	ATT	.645230439	.610667559	.03456288	.01961937	1.76

K9-People on ART have to stay on treatment for rest of lives
Variable name: k9r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k9r	Unmatched	.802561366	.714701601	.087859765	.016595928	5.29
	ATT	.803858521	.774121083	.029737438	.016874793	1.76

CN6-Leaders encourage HIV treatment (%Strongly agree/agree)
Variable name: cn6r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn6r	Unmatched	.737459979	.617540029	.11991995	.017963725	6.68
	ATT	.737406217	.688703101	.048703116	.01848378	2.63

B28-Has ever taken ARVs
Variable name: b28r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
b28r	Unmatched	.076923077	.054260743	.022662334	.008984828	2.52
	ATT	.077253219	.079666853	-.002413634	.010279054	-0.23

B29- Ever participated in PMICT program (among ever pregnant)
Variable name: b29r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
b29r	Unmatched	.224627876	.165208941	.059418935	.016475699	3.61
	ATT	.224184783	.193244492	.03094029	.018510957	1.67

HIV Stigma

A7-When learn that you are HIV+, life is over (%Disagree)
Variable name: a7r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a7r	Unmatched	.89434365	.844978166	.049365484	.01320144	3.74
	ATT	.896034298	.873616922	.022417376	.013198745	1.70

A8-Telling people you are HIV+ doesn't help (%Disagree)
Variable name: a8r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a8r	Unmatched	.673425827	.654294032	.019131795	.017933393	1.07
	ATT	.674169346	.681950375	-.007781029	.019076486	-0.41

A9- HIV is punishment for sinning (%Disagree)
Variable name: a9r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a9r	Unmatched	.728922092	.661935953	.066986138	.017632249	3.80

ATT	.730975348	.693019471	.037955878	.018380659	2.06
-----	------------	------------	------------	------------	------

A11-Only promiscuous people get HIV (%Disagree)
Variable name: a11r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a11r	Unmatched	.834578442	.787481805	.047096637	.01513175	3.11
	ATT	.838156484	.827471461	.010685024	.01550529	0.69

CN3-Keep secret if family member has HIV (%Strongly agree/agree)
Variable name: cn3r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn3r	Unmatched	.748132337	.737991266	.010141071	.016585541	0.61
	ATT	.747052519	.756819744	-.009767225	.017673725	-0.55

CN4-People in the community join together to help PLHIV (%Strongly agree/agree)
Variable name: cn4r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn4r	Unmatched	.537886873	.484716157	.053170716	.018899906	2.81
	ATT	.535905681	.528944423	.006961257	.020209897	0.34

Gender-Based Violence

G1-Forced Sex in the last 12 months
Variable name: gbv_sex12

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
gbv_sex12	Unmatched	.020277481	.028040787	-.007763305	.006028379	-1.29
	ATT	.020364416	.025032649	-.004668233	.006070963	-0.77

G2-Physical GBV in the last 12 months
Variable name: gbv_hit12

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
gbv_hit12	Unmatched	.078975454	.083697234	-.004721781	.010410419	-0.45
	ATT	.079314041	.076409604	.002904436	.011037433	0.26

CN8-Leaders speak out against GBV (%Strongly agree/agree)
Variable name: cn8r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn8r	Unmatched	.707577375	.605895197	.101682178	.018174593	5.59
	ATT	.707395498	.671877956	.035517542	.01890629	1.88

B6-Number of lifetime partners
Variable name: lifep

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
lifep	Unmatched	5.40558659	5.84436702	-.438780423	.41600052	-1.05
	ATT	5.38720539	6.54386272	-1.15665734	.391015442	-2.96

B1-Age at first sex
Variable name: firstsex

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
firstsex	Unmatched	18.2715618	17.8449679	.426593891	.121883739	3.50
	ATT	18.265808	18.0608857	.204922224	.128854905	1.59

Age difference between partner 1 and respondent
Variable name: agediff_p1

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
agediff_p1	Unmatched	1.15086782	1.26524541	-.11437759	.269926687	-0.42
	ATT	1.19623656	1.22740244	-.031165879	.30511064	-0.10

Age difference between partner 2 and respondent
Variable name: agediff_p2

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
agediff_p2	Unmatched	-.063829787	-.401785714	.337955927	.467395615	0.72
	ATT	-.063829787	-.782462696	.718632908	.533265197	1.35

Age difference between partner 3 and respondent
Variable name: agediff_p3

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
agediff_p3	Unmatched	-1.49411765	-.768456376	-.725661271	.694289791	-1.05
	ATT	-1.6626506	-1.36898956	-.293661042	.831336519	-0.35

B24a-Lifetime number of HIV tests
Variable name: numtest

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
numtest	Unmatched	3.5442623	2.51167169	1.03259061	.145574432	7.09
	ATT	3.52689352	2.98574221	.54115131	.174177476	3.11

ANY TELEVISION EXPOSURE

Multiple Partners

B2- Multiple partners (past 12 months)
Variable name: mp1

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
mp1	Unmatched	.322222222	.289845758	.032376464	.022975776	1.41
	ATT	.321428571	.358694874	-.037266303	.02872945	-1.30

B4- Multiple partners (past month)
Variable name: mp2

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
mp2	Unmatched	.114485981	.09103496	.023451021	.015118356	1.55
	ATT	.112676056	.099492608	.013183448	.019535076	0.67

B3- More than one partner within 3 months period (past 12 months)
Variable name: b3r

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
b3r	Unmatched	.235294118	.186721992	.048572126	.020488538	2.37
	ATT	.234042553	.219089293	.01495326	.026091203	0.57

B5- Reports currently having more than one partner
Variable name: cpsr

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
cpsr	Unmatched	.181818182	.136285022	.045533159	.018056532	2.52
	ATT	.180327869	.16524915	.015078719	.023600119	0.64

B14- Reports currently having sex with 2 or more recent partners (calendar)
Variable name: cppt

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
cppt	Unmatched	.160839161	.142165341	.01867382	.018197847	1.03
	ATT	.161592506	.147717274	.013875232	.023151307	0.60

B8- Wife has other sexual partner (%yes/suspect)
Variable name: w_othp

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
w_othp	Unmatched	.130841121	.14159292	-.010751799	.036152313	-0.30
	ATT	.135416667	.109552961	.025863706	.048949717	0.53

B9- Husband has other wife (%yes/suspect)
Variable name: h_othw

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
h_othw	Unmatched	.080882353	.121387283	-.04050493	.029279485	-1.38
	ATT	.084615385	.088890036	-.004274651	.03176326	-0.13

B9- Husband has other sexual partner (%yes/suspect)
Variable name: h_othp

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
h_othp	Unmatched	.233576642	.2375	-.003923358	.038684989	-0.10

ATT | .236641221 .248014407 -.011373186 .045578592 -0.25

B20-Received gifts for sex from most recent partner
Variable name: rgifts_p1

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
rgifts_p1	Unmatched	.188811189	.189338872	-.000527683	.020274317	-0.03
	ATT	.18969555	.178836715	.010858835	.025217063	0.43

B20-Received gifts for sex from 2nd most recent partner
Variable name: rgifts_p2

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
rgifts_p2	Unmatched	.266666667	.268321513	-.001654846	.041095695	-0.04
	ATT	.276923077	.273936638	.002986439	.04795715	0.06

B21-Gave gifts for sex to most recent partner
Variable name: ggifts_p1

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
ggifts_p1	Unmatched	.165501166	.152113652	.013387513	.018673697	0.72
	ATT	.163934426	.159480671	.004453755	.023506526	0.19

B21-Gave gifts for sex to 2nd most recent partner
Variable name: ggifts_p2

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
ggifts_p2	Unmatched	.194029851	.201660735	-.007630885	.037279985	-0.20
	ATT	.186046512	.241052897	-.055006386	.042493947	-1.29

K5-Multiple sexual partners increase HIV risk (%True)
Variable name: k5r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k5r	Unmatched	.977596741	.926836239	.050760502	.01201829	4.22
	ATT	.977505112	.954745167	.022759946	.011961847	1.90

A1-Most married men faithful to wives (%Agree)
Variable name: a1r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a1r	Unmatched	.17107943	.262857143	-.091777713	.020865415	-4.40
	ATT	.171779141	.196019805	-.024240664	.023908995	-1.01

A2-Can resist temptation of sex with person besides main partner (%Agree)
Variable name: a2r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a2r	Unmatched	.708757637	.735067162	-.026309525	.021350613	-1.23
	ATT	.709611452	.711937177	-.002325725	.026528831	-0.09

A3-Need someone to fill gap (%Disagree)
Variable name: a3r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a3r	Unmatched	.509164969	.533142857	-.023977888	.02405457	-1.00
	ATT	.509202454	.510460192	-.001257738	.029528452	-0.04

A5- Men with many women are real men (%Disagree)
Variable name: a5r

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
a5r	Unmatched	.963265306	.898857143	.064408163	.013990886	4.60
	ATT	.963114754	.933832755	.029281999	.014312011	2.05

A6- Men have right to get sex for gifts (%Disagree)
Variable name: a6r

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
a6r	Unmatched	.684317719	.618571429	.06574629	.023292167	2.82
	ATT	.683026585	.661455528	.021571057	.028012895	0.77

CN7- Leaders speak out about risk of HIV if MP (%Strongly agree/agree)
Variable name: cn7r

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
cn7r	Unmatched	.690427699	.618857143	.071570556	.023275144	3.07
	ATT	.689161554	.664162295	.02499926	.027927499	0.90

CN9- Leaders discourage multiple partners (%Very often/sometimes)
Variable name: cn9r

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
cn9r	Unmatched	.435845214	.345241498	.090603716	.023041818	3.93
	ATT	.433537832	.418176489	.015361344	.028810289	0.53

CN10- Leaders discourage men from having younger partners (%Very often/sometimes)
Variable name: cn10r

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
cn10r	Unmatched	.468431772	.355733486	.112698286	.02320024	4.86
	ATT	.466257669	.416090356	.050167313	.029007545	1.73

Other HIV Risk Factors

A13- Worried about becoming HIV infected (%Worried)
Variable name: a13r

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
a13r	Unmatched	.595833333	.465227818	.130605516	.024306605	5.37
	ATT	.594142259	.520721185	.073421074	.029692494	2.47

A14- Likely to be infected now (%High/Med)
Variable name: a14r

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
a14r	Unmatched	.23255814	.216923077	.015635063	.020353518	0.77
	ATT	.233545648	.265490751	-.031945104	.025159378	-1.27

K2- STIs decrease HIV infection (%False)
Variable name: k2r

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
k2r	Unmatched	.908350305	.779714286	.12863602	.019333638	6.65

ATT	.90797546	.881521779	.026453681	.020482057	1.29
-----	-----------	------------	------------	------------	------

K6-TB can't be cured if HIV+ (%False)

Variable name: k6r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k6r	Unmatched	.596741344	.486	.110741344	.024037678	4.61
	ATT	.595092025	.591745842	.003346183	.029238295	0.11

K10 Risk of contracting HIV decreases for a circumcised man

Variable name: k10r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k10r	Unmatched	.551020408	.394112604	.156907805	.023628523	6.64
	ATT	.549180328	.524799766	.024380562	.029233643	0.83

HIV Communication

K11-Knows where to get information about HIV/AIDS

Variable name: k11r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k11r	Unmatched	.892057026	.751714286	.140342741	.020195005	6.95
	ATT	.891615542	.873643406	.017972136	.021629396	0.83

B25-Discussed HIV/AIDS with Spouse (%Very often/often)

Variable name: disc_spouse

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
disc_spouse	Unmatched	.759009009	.643288591	.115720418	.024052843	4.81
	ATT	.757918552	.758684528	-.000765976	.028428684	-0.03

B26-Discussed HIV/AIDS with Kids (%Very often/often)

Variable name: disc_kids

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
disc_kids	Unmatched	.430769231	.277622378	.153146853	.034661281	4.42
	ATT	.429347826	.422709264	.006638562	.045002901	0.15

B27-Discussed HIV/AIDS with friends (%Very often/often)

Variable name: disc_friend

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
disc_friends	Unmatched	.782077393	.605436338	.176641055	.023142107	7.63
	ATT	.781186094	.769850408	.011335686	.026421313	0.43

Discussed HIV/AIDS with Spouse, Kids, and/or Friends

Variable name: disc_any

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
disc_any	Unmatched	.902240326	.753573471	.148666855	.020090453	7.40
	ATT	.901840491	.872723465	.029117025	.021255059	1.37

A4-Sex life improves with communication with partner (%Agree)

Variable name: a4r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a4r	Unmatched	.947046843	.927428571	.019618272	.012307772	1.59

ATT | .946830266 .943323928 .003506338 .014158249 0.25

B22-Sexually dissatisfied with regular partner (%Very often/often)
Variable name: b22r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
b22r	Unmatched	.219607843	.168926554	.050681289	.025456148	1.99
	ATT	.213438735	.186532208	.026906528	.034115048	0.79

B23-Sexually satisfied with regular partner (%Very often/often)
Variable name: b23r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
b23r	Unmatched	.925490196	.933408578	-.007918382	.016821045	-0.47
	ATT	.924901186	.928901686	-.0040005	.022250517	-0.18

Condom Use

B7-Condom use at last sex
Variable name: cls

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cls	Unmatched	.636563877	.536778694	.099785183	.024927438	4.00
	ATT	.634955752	.634299627	.000656125	.03024812	0.02

Condom use at last sex with regular partner
Variable name: clsn_reg

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
clsn_reg	Unmatched	.594272076	.525	.069272076	.026086079	2.66
	ATT	.592326139	.615258694	-.022932555	.032399949	-0.71

Condom use at last sex with casual partner
Variable name: clsn_cas

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
clsn_cas	Unmatched	.886363636	.75308642	.133277217	.069966775	1.90
	ATT	.87804878	.904051981	-.0260032	.080800599	-0.32

Condom use at last sex among those with MP in past year
Variable name: clsmp1

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
clsmp1	Unmatched	.791666667	.675915649	.115751017	.041322233	2.80
	ATT	.784172662	.73985353	.044319132	.045564003	0.97

B19a-Condom use at last sex, most recent partner
Variable name: cls_p1

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cls_p1	Unmatched	.611241218	.527518172	.083723045	.025813957	3.24
	ATT	.609411765	.623206495	-.01379473	.031764726	-0.43

B19a-Condom use at last sex, 2nd most recent partner
Variable name: cls_p2

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cls_p2	Unmatched	.875	.755661502	.119338498	.038614098	3.09

ATT		. 870229008	. 796030329	. 074198678	. 03963398	1. 87
-----	--	-------------	-------------	-------------	------------	-------

B19a-Condom use at last sex, 3rd most recent partner
Variable name: cls_p3

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cls_p3	Unmatched	. 792207792	. 750605327	. 041602465	. 053303933	0. 78
	ATT	. 780821918	. 843614468	-. 06279255	. 062653809	-1. 00

B19a-Always uses condom with most recent partner
Variable name: fcls_p1

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
fcls_p1	Unmatched	. 412587413	. 311072664	. 101514748	. 024161165	4. 20
	ATT	. 412177986	. 38665871	. 025519276	. 030875132	0. 83

B19b-Always uses condom with 2nd most recent partner
Variable name: fcls_p2

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
fcls_p2	Unmatched	. 742647059	. 581450654	. 161196405	. 044953835	3. 59
	ATT	. 732824427	. 620591425	. 112233003	. 049226302	2. 28

B19c-Always uses condom with 3rd most recent partner
Variable name: fcls_p3

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
fcls_p3	Unmatched	. 727272727	. 588095238	. 139177489	. 06027303	2. 31
	ATT	. 712328767	. 667984027	. 04434474	. 069559131	0. 64

CN1-Condom use in marriage accepted (%Strongly agree/agree)
Variable name: cn1r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn1r	Unmatched	. 763747454	. 661428571	. 102318883	. 022536621	4. 54
	ATT	. 762781186	. 736679603	. 026101583	. 026353675	0. 99

CN2-Women can ask regular partner to use condom (%Strongly agree/agree)
Variable name: cn2r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn2r	Unmatched	. 757637475	. 665047156	. 092590318	. 022503727	4. 11
	ATT	. 758691207	. 760808174	-. 002116968	. 026404156	-0. 08

CN2-Women can ask casual partner to use condom (%Strongly agree/agree)
Variable name: cn2ar

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn2ar	Unmatched	. 743380855	. 656	. 087380855	. 022679574	3. 85
	ATT	. 744376278	. 752826214	-. 008449936	. 026760692	-0. 32

HIV Testing

B24-Ever been tested for HIV
Variable name: evertest

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
evertest	Unmatched	.804480652	.722492141	.081988511	.021296134	3.85
	ATT	.805725971	.795300913	.010425058	.024710276	0.42

B24b-HIV test in the last 12 months
Variable name: hivtest

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
hivtest	Unmatched	.570264766	.523768614	.046496152	.024051678	1.93
	ATT	.570552147	.585878887	-.015326739	.029372374	-0.52

B24c-Received results of most recent HIV test
Variable name: hivresults

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
hivresults	Unmatched	.989873418	.95846519	.031408228	.010238208	3.07
	ATT	.989847716	.976733681	.013114035	.00999647	1.31

B24ci-Discussed results of most recent HIV test
Variable name: results_disc

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
results_disc	Unmatched	.879795396	.843169624	.036625772	.019547737	1.87
	ATT	.879487179	.887285746	-.007798567	.022952617	-0.34

K1-If one spouse positive, the other too (%False)
Variable name: k1r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k1r	Unmatched	.694501018	.527428571	.167072447	.023844024	7.01
	ATT	.693251534	.63181027	.061441264	.02821479	2.18

K7-Pregnant woman should test for HIV (%True)
Variable name: k7r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k7r	Unmatched	.967413442	.909714286	.057699156	.01328062	4.34
	ATT	.967280164	.953921974	.01335819	.013549423	0.99

A10-It is important to know your HIV status (%Agree)
Variable name: a10r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a10r	Unmatched	.975560081	.944857143	.030702939	.010629351	2.89
	ATT	.975460123	.94911312	.026347003	.011152155	2.36

A12-Only way to know status is by blood test (%Agree)
Variable name: a12r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a12r	Unmatched	.971486762	.96970563	.001781132	.008232908	0.22
	ATT	.971370143	.980263297	-.008893154	.00997591	-0.89

CN5-Leaders encourage HIV testing (%Strongly agree/agree)

Variable name: cn5r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn5r	Unmatched	.706720978	.647142857	.05957812	.02290308	2.60
	ATT	.705521472	.676304612	.02921686	.027492492	1.06

HIV Treatment

PC5-Cared for someone on ART

Variable name: pc5r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
pc5r	Unmatched	.321792261	.215714286	.106077975	.020177322	5.26
	ATT	.319018405	.299982392	.019036013	.026262934	0.72

PC6-Willing to Care for Someone on ART

Variable name: pc6r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
pc6r	Unmatched	.885947047	.817142857	.06880419	.018258028	3.77
	ATT	.885480573	.897045916	-.011565343	.020586312	-0.56

K3-PLHIV on ART can transmit HIV (%True)

Variable name: k3r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k3r	Unmatched	.843177189	.722285714	.120891475	.021131382	5.72
	ATT	.842535787	.803300588	.039235199	.023702983	1.66

K4-PLHIV does not need to use condoms because cannot transmit HIV (%False)

Variable name: k4r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k4r	Unmatched	.957230143	.860857143	.096373	.015993153	6.03
	ATT	.957055215	.918239784	.038815431	.016042987	2.42

K8a-ARVs prevent MCT during pregnancy

Variable name: k8ar

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k8ar	Unmatched	.651731161	.688857143	-.037125982	.022396998	-1.66
	ATT	.650306748	.698323854	-.048017105	.027853832	-1.72

K8b-ARVs prevent MCT during childbirth

Variable name: k8br

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k8br	Unmatched	.543788187	.598571429	-.054783241	.023675679	-2.31
	ATT	.54192229	.617736987	-.075814697	.029258226	-2.59

K8c-ARVs prevent MCT during breastfeeding

Variable name: k8cr

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k8cr	Unmatched	.566191446	.593714286	-.02752284	.023700982	-1.16

ATT | .564417178 .615266638 -.05084946 .029197467 -1.74

K9- People on ART have to stay on treatment for rest of lives
Variable name: k9r

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
k9r	Unmatched	.843177189	.723142857	.120034332	.021112966	5.69
	ATT	.842535787	.821965509	.020570278	.023691338	0.87

CN6- Leaders encourage HIV treatment (%Strongly agree/agree)
Variable name: cn6r

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
cn6r	Unmatched	.710794297	.637714286	.073080012	.023011686	3.18
	ATT	.709611452	.674831345	.034780107	.027499825	1.26

B28- Has ever taken ARVs
Variable name: b28r

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
b28r	Unmatched	.034693878	.063750715	-.029056837	.011465136	-2.53
	ATT	.034836066	.059210648	-.024374582	.012476289	-1.95

B29- Ever participated in PMCT program (among ever pregnant)
Variable name: b29r

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
b29r	Unmatched	.229281768	.171018757	.058263011	.021375723	2.73
	ATT	.227777778	.25021363	-.022435852	.027188891	-0.83

HIV Stigma

A7- When learn that you are HIV+, life is over (%Disagree)
Variable name: a7r

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
a7r	Unmatched	.949083503	.838	.111083503	.017042336	6.52
	ATT	.948875256	.920307166	.02856809	.017194604	1.66

A8- Telling people you are HIV+ doesn't help (%Disagree)
Variable name: a8r

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
a8r	Unmatched	.731160896	.646857143	.084303753	.022839944	3.69
	ATT	.73006135	.732363734	-.002302384	.027093441	-0.08

A9- HIV is punishment for sinning (%Disagree)
Variable name: a9r

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
a9r	Unmatched	.775967413	.658857143	.117110271	.022532026	5.20
	ATT	.775051125	.732943105	.04210802	.02611865	1.61

A11- Only promiscuous people get HIV (%Disagree)
Variable name: a11r

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
----------	--------	---------	----------	------------	-------	---------

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a11r	Unmatched	.867617108	.782857143	.084759965	.019473625	4.35
	ATT	.867075665	.852989342	.014086323	.021952599	0.64

CN3-Keep secret if family member has HIV (%Strongly agree/agree)

Variable name: cn3r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn3r	Unmatched	.788187373	.732857143	.05533023	.021134227	2.62
	ATT	.789366053	.790216883	-.00085083	.024974476	-0.03

CN4- People in the community join together to help PLHIV (%Strongly agree/agree)

Variable name: cn4r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn4r	Unmatched	.547861507	.493142857	.05471865	.024085971	2.27
	ATT	.54601227	.49823879	.04777348	.029483632	1.62

Gender-Based Violence

G1-Forced Sex in the last 12 months

Variable name: gbv_sex12

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
gbv_sex12	Unmatched	.038696538	.024013722	.014682816	.007641793	1.92
	ATT	.038854806	.032630204	.006224602	.010507756	0.59

G2-Physical GBV in the last 12 months

Variable name: gbv_hit12

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
gbv_hit12	Unmatched	.073319756	.079714286	-.00639453	.0129964	-0.49
	ATT	.073619632	.086460029	-.012840397	.015678059	-0.82

CN8-Leaders speak out against GBV (%Strongly agree/agree)

Variable name: cn8r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn8r	Unmatched	.725050916	.620285714	.104765202	.023171622	4.52
	ATT	.72392638	.665761928	.058164452	.027386551	2.12

B6-Number of lifetime partners

Variable name: lifep

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
lifep	Unmatched	6.59528908	5.54459665	1.05069243	.518052967	2.03
	ATT	6.60215054	7.63260683	-1.03045629	.689122066	-1.50

B1-Age at first sex

Variable name: firstsex

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
firstsex	Unmatched	18.2545045	17.9874047	.267099798	.157935244	1.69
	ATT	18.2443439	17.9579816	.286362279	.192404596	1.49

Age difference between partner 1 and respondent

Variable name: agediff_p1

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
----------	--------	---------	----------	------------	-------	--------

agediff_p1	Unmatched	.865671642	1.2261171	-.360445461	.342145412	-1.05
	ATT	.88	1.12924466	-.249244661	.41052995	-0.61

Age difference between partner 2 and respondent
Variable name: agediff_p2

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
agediff_p2	Unmatched	-.256410256	-.451094891	.194684634	.579227137	0.34
	ATT	-.491071429	-.231465764	-.259605664	.715924611	-0.36

Age difference between partner 3 and respondent
Variable name: agediff_p3

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
agediff_p3	Unmatched	-.696969697	-.997050147	.300080451	.755837735	0.40
	ATT	-.770491803	.169028168	-.939519972	.8021973	-1.17

B24a-Lifetime number of HIV tests
Variable name: numtest

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
numtest	Unmatched	3.48637317	2.64450355	.84186962	.182629805	4.61
	ATT	3.49684211	3.30633028	.190511824	.249727378	0.76

ANY PRINT

Multiple Partners

B2- Multiple partners (past 12 months)
Variable name: mp1

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
mp1	Unmatched	.262526096	.330498177	-.067972081	.015272135	-4.45
	ATT	.262156448	.280951602	-.018795154	.020516192	-0.92

B4- Multiple partners (past month)
Variable name: mp2

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
mp2	Unmatched	.071348941	.120814183	-.049465242	.010137776	-4.88
	ATT	.070621469	.088179989	-.01755852	.014011472	-1.25

B3- More than one partner within 3 months period (past 12 months)
Variable name: b3r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
b3r	Unmatched	.168438724	.221568627	-.053129903	.013717786	-3.87
	ATT	.168367347	.201826207	-.03345886	.018406926	-1.82

B5- Reports currently having more than one partner
Variable name: cpsr

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cpsr	Unmatched	.130362117	.156065574	-.025703457	.012157473	-2.11
	ATT	.130434783	.119450196	.010984586	.016174096	0.68

B14- Reports currently having sex with 2 or more recent partners (calendar)
Variable name: cppt

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cppt	Unmatched	.122141662	.170923379	-.048781717	.012220574	-3.99
	ATT	.123233465	.122725906	.000507559	.016562564	0.03

B8- Wife has other sexual partner (%yes/suspect)
Variable name: w_othp

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
w_othp	Unmatched	.123076923	.152173913	-.02909699	.025163803	-1.16
	ATT	.130136986	.169890171	-.039753185	.036543396	-1.09

B9- Husband has other wife (%yes/suspect)
Variable name: h_othw

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
h_othw	Unmatched	.108781127	.131386861	-.022605734	.019649776	-1.15
	ATT	.109479306	.110916112	-.001436806	.022874332	-0.06

B9- Husband has other sexual partner (%yes/suspect)
Variable name: h_othp

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
h_othp	Unmatched	.244094488	.224096386	.019998103	.025960327	0.77
	ATT	.244652406	.228925094	.015727312	.028895761	0.54

B20-Received gifts for sex from most recent partner

Variable name: rgifts_p1

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
rgifts_p1	Unmatched	.184151786	.195281782	-.011129997	.013647682	-0.82
	ATT	.184954751	.198552969	-.013598218	.017906734	-0.76

B20-Received gifts for sex from 2nd most recent partner

Variable name: rgifts_p2

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
rgifts_p2	Unmatched	.290721649	.245967742	.044753908	.028280187	1.58
	ATT	.293103448	.276332618	.016770831	.036371682	0.46

B21-Gave gifts for sex to most recent partner

Variable name: ggifts_p1

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
ggifts_p1	Unmatched	.137834821	.172685489	-.034850668	.012563716	-2.77
	ATT	.136312217	.141841721	-.005529503	.016756915	-0.33

B21-Gave gifts for sex to 2nd most recent partner

Variable name: ggifts_p2

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
ggifts_p2	Unmatched	.195426195	.205645161	-.010218966	.025650895	-0.40
	ATT	.195652174	.177017373	.018634801	.033291292	0.56

K5-Multiple sexual partners increase HIV risk (%True)

Variable name: k5r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k5r	Unmatched	.957325747	.905901116	.05142463	.007884751	6.52
	ATT	.956793087	.956892204	-.000099117	.011410682	-0.01

A1-Most married men faithful to wives (%Agree)

Variable name: a1r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a1r	Unmatched	.185308057	.325890484	-.140582427	.013581934	-10.35
	ATT	.185220729	.247686228	-.062465498	.018887639	-3.31

A2-Can resist temptation of sex with person besides main partner (%Agree)

Variable name: a2r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a2r	Unmatched	.772037915	.686702128	.085335787	.013988418	6.10
	ATT	.772552783	.752172614	.020380169	.019049252	1.07

A3-Need someone to fill gap (%Disagree)

Variable name: a3r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a3r	Unmatched	.568720379	.486975013	.081745366	.015777362	5.18
	ATT	.569097889	.51461649	.054481398	.021000696	2.59

A5-Men with many women are real men (%Disagree)

Variable name: a5r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a5r	Unmatched	.939810427	.869680851	.070129575	.009156665	7.66
	ATT	.939539347	.92652772	.013011627	.01318916	0.99

A6-Men have right to get sex for gifts (%Disagree)

Variable name: a6r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a6r	Unmatched	.647393365	.603402446	.043990919	.015326194	2.87
	ATT	.644433781	.660095658	-.015661877	.020486325	-0.76

CN7-Leaders speak out about risk of HIV if MP (%Strongly agree/agree)

Variable name: cn7r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn7r	Unmatched	.675829384	.573631047	.102198337	.015248035	6.70
	ATT	.673704415	.650863223	.022841191	.0205436	1.11

CN9-Leaders discourage multiple partners (%Very often/sometimes)

Variable name: cn9r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn9r	Unmatched	.397818872	.30994152	.087877351	.01512891	5.81
	ATT	.39606337	.368626442	.027436928	.019792841	1.39

CN10-Leaders discourage men from having younger partners (%Very often/sometimes)

Variable name: cn10r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn10r	Unmatched	.407109005	.327476038	.079632966	.015264978	5.22
	ATT	.404510557	.392179346	.01233121	.020035846	0.62

B20-Received gifts for sex from any partner

Variable name: get_any

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
get_any	Unmatched	.219743447	.21887287	.000870576	.014416473	0.06
	ATT	.22102883	.225163781	-.004134951	.018801697	-0.22

B21-Gave gifts for sex to any partner

Variable name: give_any

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
give_any	Unmatched	.152901786	.185817466	-.03291568	.01302197	-2.53
	ATT	.15158371	.152614866	-.001031156	.017308295	-0.06

10+ age difference between resp. and any partner

Variable name: age10any

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
age10any	Unmatched	.125074096	.139722019	-.014647923	.012304527	-1.19
	ATT	.124924925	.131396729	-.006471804	.016104438	-0.40

10+ age difference between resp. and regular partner
Variable name: age10reg

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
age10reg	Unmatched	.121356336	.134515891	-.013159555	.012172271	-1.08
	ATT	.121084337	.130603169	-.009518832	.015874741	-0.60

A13-Worried about becoming HIV infected (%Worried)
Variable name: a13r

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
a13r	Unmatched	.489098117	.473303671	.015794446	.016206382	0.97
	ATT	.488208731	.473218554	.014990177	.021430553	0.70

Other HIV Risk Factors

A14-Likely to be infected now (%High/Med)
Variable name: a14r

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
a14r	Unmatched	.226117886	.210826211	.015291675	.013577539	1.13
	ATT	.224794239	.21726481	.007529428	.017836219	0.42

K2-STIs decrease HIV infection (%False)
Variable name: k2r

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
k2r	Unmatched	.84549763	.739500266	.105997365	.012681752	8.36
	ATT	.84452975	.844057627	.000472123	.017672751	0.03

K6-TB can't be cured if HIV+ (%False)
Variable name: k6r

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
k6r	Unmatched	.553554502	.439128123	.114426379	.015755474	7.26
	ATT	.552303263	.541468114	.010835149	.020914887	0.52

K10 Risk of contracting HIV decreases for a circumcised man
Variable name: k10r

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
k10r	Unmatched	.474881517	.344332092	.130549425	.015486535	8.43
	ATT	.472168906	.36142099	.110747915	.020303872	5.45

HIV Communication

K11-Knows where to get information about HIV/AIDS
Variable name: k11r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k11r	Unmatched	.828909953	.701754386	.127155567	.013216455	9.62
	ATT	.827255278	.840758571	-.013503293	.018424196	-0.73

B25-Discussed HIV/AIDS with Spouse (%Very often/often)
Variable name: disc_spouse

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
disc_spouse	Unmatched	.733695652	.570707071	.162988581	.016020372	10.17
	ATT	.730875069	.70776537	.023109699	.021592196	1.07

B26-Discussed HIV/AIDS with Kids (%Very often/often)
Variable name: disc_kids

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
disc_kids	Unmatched	.34537246	.236806495	.108565965	.02259541	4.80
	ATT	.337195829	.319141654	.018054174	.028461783	0.63

B27-Discussed HIV/AIDS with friends (%Very often/often)
Variable name: disc_friend

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
disc_friends	Unmatched	.70398482	.541001065	.162983755	.015128684	10.77
	ATT	.700768492	.681731034	.019037457	.020542415	0.93

Discussed HIV/AIDS with Spouse, Kids, and/or Friends
Variable name: disc_any

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
disc_any	Unmatched	.850165955	.684042553	.166123402	.013050739	12.73
	ATT	.848775804	.818248997	.030526807	.018467837	1.65

A4-Sex life improves with communication with partner (%Agree)
Variable name: a4r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a4r	Unmatched	.942654028	.915470494	.027183534	.008089899	3.36
	ATT	.942898273	.942943147	-.000044874	.011224519	-0.00

B22-Sexually dissatisfied with regular partner (%Very often/often)
Variable name: b22r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
b22r	Unmatched	.18383659	.164627364	.019209226	.017009384	1.13
	ATT	.180090498	.199740263	-.019649765	.021304629	-0.92

B23-Sexually satisfied with regular partner (%Very often/often)
Variable name: b23r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
b23r	Unmatched	.936056838	.927857936	.008198903	.011225091	0.73
	ATT	.935746606	.91553458	.020212026	.014470249	1.40

Condom Use

B7-Condom use at last sex
Variable name: cls

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cls	Unmatched	.577581733	.516954194	.060627539	.016579475	3.66
	ATT	.575932738	.563168657	.01276408	.021927412	0.58

Condom use at last sex with regular partner
Variable name: clsn_reg

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
clsn_reg	Unmatched	.553107345	.511081263	.042026082	.017531855	2.40
	ATT	.550915332	.542204994	.008710338	.022845757	0.38

Condom use at last sex with casual partner
Variable name: clsn_cas

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
clsn_cas	Unmatched	.834862385	.721649485	.113212901	.057412287	1.97
	ATT	.83	.840068229	-.010068229	.095403749	-0.11

Condom use at last sex among those with MP in past year
Variable name: clsmp1

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
clsmp1	Unmatched	.715139442	.670349908	.044789534	.028581993	1.57
	ATT	.713987474	.73742961	-.023442136	.036548561	-0.64

B19a-Condom use at last sex, most recent partner
Variable name: cls_p1

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cls_p1	Unmatched	.560022334	.512786885	.047235449	.017356533	2.72
	ATT	.558007923	.545720354	.01228757	.022730059	0.54

B19a-Condom use at last sex, 2nd most recent partner
Variable name: cls_p2

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cls_p2	Unmatched	.812889813	.732793522	.080096291	.026766543	2.99
	ATT	.815217391	.821473179	-.006255788	.034359419	-0.18

B19a-Condom use at last sex, 3rd most recent partner
Variable name: cls_p3

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cls_p3	Unmatched	.815450644	.704280156	.111170488	.03854208	2.88
	ATT	.817351598	.782741112	.034610486	.049452006	0.70

B19a-Always uses condom with most recent partner
Variable name: fcls_p1

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
fcls_p1	Unmatched	.332961517	.313892529	.019068988	.016303885	1.17
	ATT	.331260599	.34437893	-.013118331	.021159905	-0.62

B19b- Always uses condom with 2nd most recent partner
Variable name: fcls_p2

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
fcls_p2	Unmatched	.657676349	.551515152	.106161197	.031144447	3.41
	ATT	.657266811	.652229659	.005037153	.040217851	0.13

B19c- Always uses condom with 3rd most recent partner
Variable name: fcls_p3

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
fcls_p3	Unmatched	.655319149	.56870229	.086616859	.043744338	1.98
	ATT	.660633484	.638750734	.02188275	.055163629	0.40

CN1- Condom use in marriage accepted (%Strongly agree/agree)
Variable name: cn1r

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
cn1r	Unmatched	.694312796	.651249335	.043063461	.014852172	2.90
	ATT	.69049904	.666098182	.024400858	.019912684	1.23

CN2- Women can ask regular partner to use condom (%Strongly agree/agree)
Variable name: cn2r

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
cn2r	Unmatched	.713744076	.634574468	.079169608	.014788081	5.35
	ATT	.711612284	.673561328	.038050956	.019965144	1.91

CN2- Women can ask casual partner to use condom (%Strongly agree/agree)
Variable name: cn2ar

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
cn2ar	Unmatched	.702843602	.626262626	.076580976	.01490211	5.14
	ATT	.701055662	.674709457	.026346205	.020087407	1.31

HIV Testing

B24- Ever been tested for HIV
Variable name: evertest

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
evertest	Unmatched	.814691943	.640425532	.174266411	.013767186	12.66
	ATT	.813819578	.762937867	.050881711	.019254917	2.64

B24b- HIV test in the last 12 months
Variable name: hivtest

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
hivtest	Unmatched	.60626186	.4432	.16306186	.015636473	10.43
	ATT	.60326609	.544341972	.058924118	.020829282	2.83

B24c- Received results of most recent HIV test
Variable name: hivresults

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
hivresults	Unmatched	.97556719	.944352159	.031215031	.00709947	4.40

ATT	.975235849	.963529124	.011706725	.010320607	1.13
-----	------------	------------	------------	------------	------

B24ci- Discussed results of most recent HIV test
Variable name: results_disc

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
results_disc	Unmatched	.870602266	.81530343	.055298836	.013748013	4.02
	ATT	.868802902	.84358739	.025215512	.018518964	1.36

K1-If one spouse positive, the other too (%False)
Variable name: k1r

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
k1r	Unmatched	.622274882	.464646465	.157628417	.01558757	10.11
	ATT	.619481766	.590692187	.028789578	.02085833	1.38

K7- Pregnant woman should test for HIV (%True)
Variable name: k7r

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
k7r	Unmatched	.953080569	.876129718	.07695085	.00867442	8.87
	ATT	.952975048	.955758202	-.002783154	.012726217	-0.22

A10- It is important to know your HIV status (%Agree)
Variable name: a10r

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
a10r	Unmatched	.957345972	.938862307	.018483664	.006995518	2.64
	ATT	.957773512	.965845858	-.008072346	.009679688	-0.83

A12- Only way to know status is by blood test (%Agree)
Variable name: a12r

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
a12r	Unmatched	.97676624	.96225412	.01451212	.005413085	2.68
	ATT	.976476236	.984629108	-.008152872	.007615369	-1.07

CN5- Leaders encourage HIV testing (%Strongly agree/agree)
Variable name: cn5r

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
cn5r	Unmatched	.690047393	.61456672	.075480674	.015036044	5.02
	ATT	.688099808	.674189715	.013910093	.020237823	0.69

HIV Treatment

PC5- Cared for someone on ART
Variable name: pc5r

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
pc5r	Unmatched	.282938389	.167995747	.114942642	.013198117	8.71
	ATT	.27975048	.253128483	.026621997	.016661614	1.60

PC6- Willing to Care for Someone on ART
Variable name: pc6r

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
----------	--------	---------	----------	------------	-------	---------

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
pc6r	Unmatched	.884834123	.759170654	.125663469	.011869916	10.59
	ATT	.883877159	.842116139	.041761021	.016907777	2.47

K3- PLHIV on ART can transmit HIV (%True)
Variable name: k3r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k3r	Unmatched	.771563981	.698564593	.072999388	.013913877	5.25
	ATT	.770153551	.747264882	.022888668	.018907151	1.21

K4- PLHIV does not need to use condoms because cannot transmit HIV (%False)
Variable name: k4r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k4r	Unmatched	.920379147	.819245082	.101134065	.01044963	9.68
	ATT	.919385797	.884057319	.035328478	.015073582	2.34

K8a- ARVs prevent MCT during pregnancy
Variable name: k8ar

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k8ar	Unmatched	.723696682	.640085061	.083611621	.014683191	5.69
	ATT	.723608445	.719967871	.003640575	.019853004	0.18

K8b- ARVs prevent MCT during childbirth
Variable name: k8br

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k8br	Unmatched	.618483412	.561935141	.056548271	.015563792	3.63
	ATT	.617082534	.614042149	.003040385	.020784508	0.15

K8c- ARVs prevent MCT during breastfeeding
Variable name: k8cr

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k8cr	Unmatched	.627488152	.548644338	.078843814	.015548324	5.07
	ATT	.62571977	.649539543	-.023819774	.020806031	-1.14

K9- People on ART have to stay on treatment for rest of lives
Variable name: k9r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k9r	Unmatched	.799052133	.669324827	.129727305	.013796873	9.40
	ATT	.797024952	.807538895	-.010513943	.019080987	-0.55

CN6- Leaders encourage HIV treatment (%Strongly agree/agree)
Variable name: cn6r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn6r	Unmatched	.686729858	.601807549	.084922309	.015101541	5.62
	ATT	.684740883	.6705524	.014188482	.020340682	0.70

B28- Has ever taken ARVs
Variable name: b28r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
----------	--------	---------	----------	------------	-------	--------

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
b28r	Unmatched	.058767773	.061767838	-.003000066	.007546388	-0.40
	ATT	.05950096	.066063144	-.006562185	.010101483	-0.65

B29- Ever participated in PMICT program (among ever pregnant)
Variable name: b29r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
b29r	Unmatched	.217338217	.133056133	.084282084	.013726832	6.14
	ATT	.214947498	.2686355	-.053688001	.017164586	-3.13

HIV Stigma

A7- When learn that you are HIV+, life is over (%Disagree)
Variable name: a7r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a7r	Unmatched	.91943128	.775651249	.14378003	.011041524	13.02
	ATT	.918426104	.898356755	.020069348	.016160429	1.24

A8- Telling people you are HIV+ doesn't help (%Disagree)
Variable name: a8r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a8r	Unmatched	.709004739	.599149389	.109855351	.014953969	7.35
	ATT	.70681382	.661329511	.045484308	.020255504	2.25

A9- HIV is punishment for sinning (%Disagree)
Variable name: a9r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a9r	Unmatched	.726540284	.613503456	.113036829	.014768595	7.65
	ATT	.726007678	.726549608	-.00054193	.020058591	-0.03

A11- Only promiscuous people get HIV (%Disagree)
Variable name: a11r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a11r	Unmatched	.84549763	.734715577	.110782054	.0127241	8.71
	ATT	.84452975	.849858597	-.005328847	.017755629	-0.30

CN3- Keep secret if family member has HIV (%Strongly agree/agree)
Variable name: cn3r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn3r	Unmatched	.75971564	.717171717	.042543923	.013902379	3.06
	ATT	.75815739	.752204454	.005952935	.018721975	0.32

CN4- People in the community join together to help PLHIV (%Strongly agree/agree)
Variable name: cn4r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn4r	Unmatched	.523222749	.473684211	.049538538	.015839895	3.13
	ATT	.521113244	.52888436	-.007771116	.021034037	-0.37

Gender-Based Violence

G1-Forced Sex in the last 12 months
Variable name: gbv_sex12

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
gbv_sex12	Unmatched	.032701422	.018094731	.014606691	.005026699	2.91
	ATT	.032149712	.02317837	.008971342	.006159448	1.46

G2-Physical GBV in the last 12 months
Variable name: gbv_hit12

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
gbv_hit12	Unmatched	.085308057	.071770335	.013537722	.008549465	1.58
	ATT	.085892514	.071796024	.01409649	.011131238	1.27

CN8-Leaders speak out against GBV (%Strongly agree/agree)
Variable name: cn8r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn8r	Unmatched	.678672986	.582137161	.096535825	.015209804	6.35
	ATT	.676583493	.662989285	.013594209	.020490015	0.66

B6-Number of lifetime partners
Variable name: lifep

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
lifep	Unmatched	5.02398801	6.41976014	-1.39577213	.342224135	-4.08
	ATT	5.03997976	4.9718115	.068168256	.468677531	0.15

B1-Age at first sex
Variable name: firstsex

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
firstsex	Unmatched	17.9947146	18.0541746	-.059460046	.106131898	-0.56
	ATT	17.9727127	18.1170588	-.144346107	.143883259	-1.00

Age difference between partner 1 and respondent
Variable name: agediff_p1

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
agediff_p1	Unmatched	2.1032413	.02027027	2.08297103	.231568971	9.00
	ATT	2.10705596	2.40719679	-.300140826	.30407786	-0.99

Age difference between partner 2 and respondent
Variable name: agediff_p2

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
agediff_p2	Unmatched	.249388753	-1.1221374	1.37152616	.406149969	3.38
	ATT	.138817481	-.180584106	.319401587	.531571258	0.60

Age difference between partner 3 and respondent
Variable name: agediff_p3

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
agediff_p3	Unmatched	-.246153846	-1.6	1.35384615	.554718044	2.44
	ATT	-.351351351	-.925750841	.57439949	.723085881	0.79

B24a-Lifetime number of HIV tests

Variable name: numtest

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
numtest	Unmatched	3.25147929	2.19203492	1.05944437	.119465457	8.87
	ATT	3.23364953	2.9919947	.241654822	.153429368	1.58

MULTI-MEDIA EXPOSURE

Multiple Partners

B2- Multiple partners (past 12 months)

Variable name: mp1

Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
mp1	Unmatched	.318142734	.311868687	.006274047	.021421878	0.29
	ATT	.3183391	.292589176	.025749924	.02519181	1.02

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
mp1	Unmatched	.263019117	.311868687	-.04884957	.019660878	-2.48
	ATT	.261968085	.293811676	-.031843591	.034270193	-0.93

B4- Multiple partners (past month)

Variable name: mp2

Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
mp2	Unmatched	.109563603	.108516484	.001047119	.014969391	0.07
	ATT	.110280374	.099213414	.01106696	.017556841	0.63

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
mp2	Unmatched	.074772886	.108516484	-.033743597	.0127587	-2.64
	ATT	.074753173	.091193455	-.016440281	.023310706	-0.71

B3- More than one partner within 3 months period (past 12 months)

Variable name: b3r

Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
b3r	Unmatched	.199628598	.21875	-.019121402	.019395448	-0.99
	ATT	.2	.211753241	-.011753241	.023200439	-0.51

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
b3r	Unmatched	.171348315	.21875	-.047401685	.017698066	-2.68
	ATT	.172337278	.220664874	-.048327596	.030335078	-1.59

B5- Reports currently having more than one partner

Variable name: cpsr

Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
cpsr	Unmatched	.156424581	.14324693	.013177651	.017164469	0.77
	ATT	.15651359	.12603757	.03047602	.019938072	1.53

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
cpsr	Unmatched	.129189944	.14324693	-.014056986	.015472662	-0.91
	ATT	.128964059	.102865165	.026098894	.026487571	0.99

B14- Reports currently having sex with 2 or more recent partners (calendar)

Variable name: cppt

Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
cppt	Unmatched	.159069767	.16893733	-.009867562	.017697228	-0.56
	ATT	.15917603	.136011314	.023164716	.020904458	1.11

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
cppt	Unmatched	.118181818	.16893733	-.050755512	.015504334	-3.27
	ATT	.118560339	.107630221	.010930118	.028072676	0.39

B8- Wife has other sexual partner (%yes/suspect)

Variable name: w_othp

Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
w_othp	Unmatched	.153846154	.15942029	-.005574136	.033532439	-0.17
	ATT	.147286822	.205086186	-.057799365	.041523699	-1.39

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
w_othp	Unmatched	.121323529	.15942029	-.03809676	.031810186	-1.20
	ATT	.126923077	.140922851	-.013999774	.073987642	-0.19

B9- Husband has other wife (%yes/suspect)

Variable name: h_othw

Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
h_othw	Unmatched	.132625995	.124324324	.00830167	.030229855	0.27
	ATT	.132978723	.133392591	-.000413867	.033350013	-0.01

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
h_othw	Unmatched	.093802345	.124324324	-.030521979	.025366948	-1.20
	ATT	.093696763	.118461826	-.024765063	.039633309	-0.62

B9- Husband has other sexual partner (%yes/suspect)

Variable name: h_othp

Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
h_othp	Unmatched	.268421053	.194594595	.073826458	.038459624	1.92
	ATT	.269129288	.214369548	.05475974	.041059634	1.33

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
h_othp	Unmatched	.221105528	.194594595	.026510933	.034590356	0.77
	ATT	.218057922	.252608419	-.034550497	.047968415	-0.72

B20-Received gifts for sex from most recent partner
 Variable name: rgifts_p1
 Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
rgifts_p1	Unmatched	.169617894	.195088677	-.025470783	.018408516	-1.38
	ATT	.169793621	.21015154	-.040357919	.021946865	-1.84

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
rgifts_p1	Unmatched	.178895877	.195088677	-.0161928	.017618719	-0.92
	ATT	.179830748	.206828084	-.026997337	.03007346	-0.90

B20-Received gifts for sex from 2nd most recent partner
 Variable name: rgifts_p2
 Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
rgifts_p2	Unmatched	.260869565	.225663717	.035205848	.03693835	0.95
	ATT	.25872093	.233252081	.025468849	.043637112	0.58

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
rgifts_p2	Unmatched	.277486911	.225663717	.051823194	.03672854	1.41
	ATT	.27247191	.237348028	.035123882	.055374911	0.63

B21-Gave gifts for sex to most recent partner
 Variable name: ggifts_p1
 Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
ggifts_p1	Unmatched	.137254902	.174863388	-.037608486	.017228486	-2.18
	ATT	.137218045	.180266203	-.043048158	.020769793	-2.07

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
ggifts_p1	Unmatched	.135569532	.174863388	-.039293856	.016160651	-2.43
	ATT	.136107193	.164501467	-.028394274	.02858296	-0.99

B21-Gave gifts for sex to 2nd most recent partner
 Variable name: ggifts_p2
 Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
ggifts_p2	Unmatched	.192419825	.212389381	-.019969555	.034342813	-0.58
	ATT	.192982456	.233649657	-.040667201	.041850051	-0.97

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
ggifts_p2	Unmatched	.186842105	.212389381	-.025547275	.03340899	-0.76
	ATT	.175637394	.202197351	-.026559957	.053178314	-0.50

K5-Multiple sexual partners increase HIV risk (%True)

Variable name: k5r

Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k5r	Unmatched	.946153846	.881731785	.064422062	.0115816	5.56
	ATT	.945820433	.917331822	.028488611	.015263837	1.87

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k5r	Unmatched	.963414634	.881731785	.08168285	.010044072	8.13
	ATT	.963122311	.94113894	.021983371	.021722624	1.01

A1-Most married men faithful to wives (%Agree)

Variable name: a1r

Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a1r	Unmatched	.244427364	.351636748	-.107209384	.019250693	-5.57
	ATT	.24361949	.315208934	-.071589445	.023779791	-3.01

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a1r	Unmatched	.183536585	.351636748	-.168100162	.017247747	-9.75
	ATT	.185003073	.264932939	-.079929865	.032811932	-2.44

A2-Can resist temptation of sex with person besides main partner (%Agree)

Variable name: a2r

Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a2r	Unmatched	.730207533	.653276956	.076930577	.019562521	3.93
	ATT	.730085073	.679902018	.050183055	.023939394	2.10

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a2r	Unmatched	.777439024	.653276956	.124162069	.017923906	6.93
	ATT	.776889982	.691657538	.085232444	.032933011	2.59

A3-Need someone to fill gap (%Disagree)

Variable name: a3r

Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a3r	Unmatched	.505764796	.520591341	-.014826545	.021358752	-0.69
	ATT	.505027069	.514233893	-.009206825	.025619785	-0.36

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a3r	Unmatched	.558536585	.520591341	.037945244	.020319275	1.87
	ATT	.55808236	.52057504	.03750732	.035053294	1.07

A5- Men with many women are real men (%Disagree)

Variable name: a5r

Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
a5r	Unmatched	.913846154	.844772967	.069073187	.013571	5.09
	ATT	.914086687	.886260902	.027825785	.017434371	1.60

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
a5r	Unmatched	.951219512	.844772967	.106446545	.011360277	9.37
	ATT	.950829748	.914604892	.036224856	.024385601	1.49

A6- Men have right to get sex for gifts (%Disagree)

Variable name: a6r

Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
a6r	Unmatched	.611837048	.619852165	-.008015116	.020791521	-0.39
	ATT	.612529002	.63947498	-.026945978	.024914578	-1.08

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
a6r	Unmatched	.659756098	.619852165	.039903933	.019519628	2.04
	ATT	.659496005	.677313084	-.017817079	.033985321	-0.52

CN7- Leaders speak out about risk of HIV if MP (%Strongly agree/agree)

Variable name: cn7r

Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
cn7r	Unmatched	.60876249	.536430834	.072331656	.021048376	3.44
	ATT	.606341841	.581655157	.024686684	.025415841	0.97

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
cn7r	Unmatched	.704878049	.536430834	.168447215	.019276524	8.74
	ATT	.703134604	.62225458	.080880024	.034663136	2.33

CN9- Leaders discourage multiple partners (%Very often/sometimes)

Variable name: cn9r

Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
cn9r	Unmatched	.338201384	.267159451	.071041933	.0196769	3.61
	ATT	.335653519	.312722387	.022931132	.02314564	0.99

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
cn9r	Unmatched	.432580842	.267159451	.165421391	.019466356	8.50
	ATT	.431734317	.355100741	.076633576	.031553001	2.43

CN10-Leaders discourage men from having younger partners (%Very often/sometimes)

Variable name: cn10r

Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn10r	Unmatched	.354391371	.268215417	.086175954	.019828451	4.35
	ATT	.351937984	.318133423	.033804561	.023265743	1.45

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn10r	Unmatched	.448170732	.268215417	.179955315	.019522552	9.22
	ATT	.446834665	.357456627	.089378038	.031607766	2.83

B20-Received gifts for sex from any partner

Variable name: get_any

Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
get_any	Unmatched	.202979516	.212824011	-.009844495	.019419375	-0.51
	ATT	.202436739	.230212032	-.027775294	.022895789	-1.21

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
get_any	Unmatched	.213137666	.212824011	.000313655	.018606218	0.02
	ATT	.212270804	.229181094	-.01691029	.031174499	-0.54

B21-Gave gifts for sex to any partner

Variable name: give_any

Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
give_any	Unmatched	.156862745	.18442623	-.027563484	.017929784	-1.54
	ATT	.156954887	.193304358	-.03634947	.021402769	-1.70

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
give_any	Unmatched	.148148148	.18442623	-.036278081	.016666497	-2.18
	ATT	.14809591	.171506331	-.023410422	.029226884	-0.80

10+ age difference between resp. and any partner

Variable name: age10any

Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
age10any	Unmatched	.1444333	.114467409	.029965891	.017277013	1.73
	ATT	.14530777	.117099872	.028207898	.019546299	1.44

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
age10any	Unmatched	.125	.114467409	.010532591	.015783297	0.67
	ATT	.12471994	.096467785	.028252155	.025812827	1.09

10+ age difference between resp. and regular partner

Variable name: age10reg

Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
age10reg	Unmatched	.140688259	.106451613	.034236646	.01707717	2.00
	ATT	.141547862	.107224054	.034323808	.019161609	1.79

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
age10reg	Unmatched	.121661721	.106451613	.015210108	.015593773	0.98
	ATT	.121348315	.093158759	.028189556	.025129353	1.12

A13-Worried about becoming HIV infected (%Worried)

Variable name: a13r

Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a13r	Unmatched	.4923572	.42699115	.06536605	.021766108	3.00
	ATT	.492718447	.469522594	.023195852	.026184695	0.89

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a13r	Unmatched	.486607143	.42699115	.059615992	.020802397	2.87
	ATT	.484906872	.47348538	.011421493	.03555723	0.32

Other HIV Risk Factors

A14-Likely to be infected now (%High/Med)

Variable name: a14r

Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a14r	Unmatched	.235684647	.18447694	.051207707	.018105057	2.83
	ATT	.234557596	.187983334	.046574262	.021231311	2.19

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a14r	Unmatched	.229057592	.18447694	.044580651	.017243668	2.59
	ATT	.227422544	.185421957	.042000588	.028126513	1.49

K2-STIs decrease HIV infection (%False)

Variable name: k2r

Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k2r	Unmatched	.78170638	.724392819	.05731356	.01827419	3.14
	ATT	.781902552	.816525323	-.034622771	.022411638	-1.54

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k2r	Unmatched	.859756098	.724392819	.135363278	.015787745	8.57
	ATT	.859250154	.874812289	-.015562135	.030593593	-0.51

K6-TB can't be cured if HIV+ (%False)

Variable name: k6r
Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k6r	Unmatched	.467332821	.455121436	.012211385	.021304466	0.57
	ATT	.468677494	.52015902	-.051481525	.025547689	-2.02

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k6r	Unmatched	.562804878	.455121436	.107683442	.020281895	5.31
	ATT	.560540873	.585258161	-.024717288	.034952711	-0.71

K10 Risk of contracting HIV decreases for a circumcised man

Variable name: k10r
Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k10r	Unmatched	.396923077	.307286167	.08963691	.020417704	4.39
	ATT	.395510836	.344737756	.05077308	.024081423	2.11

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k10r	Unmatched	.488102502	.307286167	.180816335	.019849925	9.11
	ATT	.487699877	.353016381	.134683496	.032752525	4.11

HIV Communication

K11-Knows where to get information about HIV/AIDS

Variable name: k11r
Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k11r	Unmatched	.74942352	.669482577	.079940944	.019201743	4.16
	ATT	.748646558	.791731462	-.043084904	.023580742	-1.83

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k11r	Unmatched	.854268293	.669482577	.184785716	.016327637	11.32
	ATT	.854333128	.881499417	-.027166289	.032116375	-0.85

B25-Discussed HIV/AIDS with Spouse (%Very often/often)

Variable name: disc_spouse
Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
disc_spouse	Unmatched	.662162162	.47706422	.185097942	.022770469	8.13
	ATT	.662737987	.580790023	.081947964	.027338953	3.00

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
disc_spouse	Unmatched	.761122519	.47706422	.284058299	.020233968	14.04
	ATT	.758977901	.656441224	.102536676	.036932404	2.78

B26- Discussed HIV/AIDS with Kids (%Very often/often)

Variable name: disc_kids

Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
disc_kids	Unmatched	.276635514	.181547619	.095087895	.029585555	3.21
	ATT	.274661509	.205537233	.069124276	.033539427	2.06

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
disc_kids	Unmatched	.366528354	.181547619	.184980735	.029970655	6.17
	ATT	.362745098	.267843808	.09490129	.045855897	2.07

B27- Discussed HIV/AIDS with friends (%Very often/often)

Variable name: disc_friend

Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
disc_friends	Unmatched	.634052388	.443386243	.190666145	.020881999	9.13
	ATT	.635658915	.554235585	.08142333	.02524665	3.23

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
disc_friends	Unmatched	.735365854	.443386243	.29197961	.018886229	15.46
	ATT	.733866011	.613618051	.12024796	.03442657	3.49

Discussed HIV/AIDS with Spouse, Kids, and/or Friends

Variable name: disc_any

Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
disc_any	Unmatched	.781370285	.58500528	.196365005	.019173209	10.24
	ATT	.783113865	.711162957	.071950909	.024124573	2.98

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
disc_any	Unmatched	.879878049	.58500528	.294872769	.016119608	18.29
	ATT	.878918254	.776807085	.102111169	.033363937	3.06

A4- Sex life improves with communication with partner (%Agree)

Variable name: a4r

Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a4r	Unmatched	.938508839	.889123548	.049385291	.011697702	4.22
	ATT	.938128384	.920340955	.017787429	.015092027	1.18

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a4r	Unmatched	.953658537	.889123548	.064534989	.01033738	6.24
	ATT	.953288261	.91311094	.04017732	.021279684	1.89

B22-Sexually dissatisfied with regular partner (%Very often/often)

Variable name: b22r

Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
b22r	Unmatched	.160475483	.171568627	-.011093145	.023289485	-0.48
	ATT	.161434978	.198370715	-.036935737	.027545686	-1.34

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
b22r	Unmatched	.191750279	.171568627	.020181651	.023219344	0.87
	ATT	.189616253	.224688486	-.035072233	.036759669	-0.95

B23-Sexually satisfied with regular partner (%Very often/often)

Variable name: b23r

Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
b23r	Unmatched	.931851852	.919315403	.012536448	.016298615	0.77
	ATT	.931445604	.915179237	.016266367	.019663399	0.83

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
b23r	Unmatched	.937639198	.919315403	.018323795	.015030257	1.22
	ATT	.93686584	.894998686	.041867154	.026141813	1.60

Condom Use

B7-Condom use at last sex

Variable name: cls

Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cls	Unmatched	.560851064	.476132191	.084718873	.022677362	3.74
	ATT	.558219178	.505507932	.052711246	.026888184	1.96

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cls	Unmatched	.582295082	.476132191	.106162891	.02148635	4.94
	ATT	.582286847	.547034973	.035251875	.036793838	0.96

Condom use at last sex with regular partner

Variable name: clsn_reg

Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
clsn_reg	Unmatched	.537299339	.489391796	.047907543	.024254292	1.98
	ATT	.534220532	.516385903	.017834629	.028503571	0.63

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
clsn_reg	Unmatched	.555949008	.489391796	.066557212	.022948865	2.90
	ATT	.556826305	.568842764	-.012016459	.038521625	-0.31

Condom use at last sex with casual partner
 Variable name: clsn_cas
 Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
clsn_cas	Unmatched	.819672131	.592592593	.227079539	.082544089	2.75
	ATT	.816666667	.701743134	.114923533	.105126745	1.09

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
clsn_cas	Unmatched	.857142857	.592592593	.264550265	.072230972	3.66
	ATT	.852941176	.874621911	-.021680734	.184274737	-0.12

Condom use at last sex among those with MP in past year
 Variable name: clsmp1
 Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
clsmp1	Unmatched	.716216216	.630081301	.086134915	.038221824	2.25
	ATT	.714673913	.668505063	.04616885	.046125935	1.00

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
clsmp1	Unmatched	.716080402	.630081301	.085999101	.037636215	2.29
	ATT	.716981132	.713079616	.003901516	.058831362	0.07

B19a-Condom use at last sex, most recent partner
 Variable name: cls_p1
 Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cls_p1	Unmatched	.546046512	.484972678	.061073834	.023908455	2.55
	ATT	.543071161	.516299083	.026772078	.028133011	0.95

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cls_p1	Unmatched	.56232493	.484972678	.077352252	.022618778	3.42
	ATT	.563250883	.571733	-.008482117	.038347978	-0.22

B19a-Condom use at last sex, 2nd most recent partner
 Variable name: cls_p2
 Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cls_p2	Unmatched	.7696793	.6875	.0821793	.037719795	2.18
	ATT	.769005848	.754251722	.014754126	.046736195	0.32

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cls_p2	Unmatched	.823684211	.6875	.136184211	.034896307	3.90
	ATT	.822535211	.828139888	-.005604676	.059322549	-0.09

B19a-Condom use at last sex, 3rd most recent partner

Variable name: cls_p3

Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cls_p3	Unmatched	.754385965	.680672269	.073713696	.053364564	1.38
	ATT	.763975155	.771650334	-.007675179	.065516862	-0.12

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cls_p3	Unmatched	.808743169	.680672269	.1280709	.050041403	2.56
	ATT	.796178344	.817352129	-.021173785	.083951349	-0.25

B19a-Always uses condom with most recent partner

Variable name: fcls_p1

Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
fcls_p1	Unmatched	.339219331	.270491803	.068727528	.02213924	3.10
	ATT	.338634238	.281932118	.056702119	.025522382	2.22

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
fcls_p1	Unmatched	.33986014	.270491803	.069368337	.021092605	3.29
	ATT	.340860974	.301450091	.039410883	.034392753	1.15

B19b-Always uses condom with 2nd most recent partner

Variable name: fcls_p2

Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
fcls_p2	Unmatched	.611111111	.477876106	.133235005	.042277943	3.15
	ATT	.612903226	.554311525	.0585917	.051276192	1.14

N

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
fcls_p2	Unmatched	.664041995	.477876106	.186165889	.040588623	4.59
	ATT	.653521127	.628037452	.025483675	.065006697	0.39

B19c-Always uses condom with 3rd most recent partner

Variable name: fcls_p3

Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
fcls_p3	Unmatched	.622093023	.483606557	.138486466	.05832721	2.37
	ATT	.639751553	.625198178	.014553375	.070217387	0.21

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
fcls_p3	Unmatched	.659459459	.483606557	.175852902	.05667081	3.10
	ATT	.65408805	.671223929	-.017135879	.08986512	-0.19

CN1-Condom use in marriage accepted (%Strongly agree/agree)

Variable name: cn1r
Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn1r	Unmatched	.671022291	.613516367	.057505923	.020389484	2.82
	ATT	.669760247	.628756939	.041003309	.02471789	1.66

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn1r	Unmatched	.71097561	.613516367	.097459242	.019022387	5.12
	ATT	.71112477	.608409063	.102715706	.033905972	3.03

CN2-Women can ask regular partner to use condom (%Strongly agree/agree)

Variable name: cn2r
Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn2r	Unmatched	.67255957	.596194503	.076365066	.020450273	3.73
	ATT	.671307038	.63763037	.033676668	.024845846	1.36

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn2r	Unmatched	.730487805	.596194503	.134293302	.01884635	7.13
	ATT	.730178242	.636713159	.093465083	.034060558	2.74

CN2-Women can ask casual partner to use condom (%Strongly agree/agree)

Variable name: cn2ar
Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn2ar	Unmatched	.684857802	.575501584	.109356218	.020397428	5.36
	ATT	.683681361	.634237176	.049444185	.024909694	1.98

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn2ar	Unmatched	.714634146	.575501584	.139132562	.019094252	7.29
	ATT	.714812538	.662061125	.052751413	.034346152	1.54

HIV Testing

B24- Ever been tested for HIV

Variable name: evertest
Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
evertest	Unmatched	.727132975	.569767442	.157365533	.019962705	7.88
	ATT	.728538283	.662735048	.065803235	.024659264	2.67

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
evertest	Unmatched	.839634146	.569767442	.269866704	.017088933	15.79
	ATT	.838352797	.70969013	.128662667	.033784287	3.81

B24b-HIV test in the last 12 months

Variable name: hivtest
Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
hivtest	Unmatched	.510015408	.403601695	.106413713	.021226658	5.01
	ATT	.510077519	.476660966	.033416553	.025312738	1.32

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
hivtest	Unmatched	.623931624	.403601695	.220329929	.019895199	11.07
	ATT	.624615385	.524127627	.100487758	.03437097	2.92

B24c-Received results of most recent HIV test

Variable name: hivresults
Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
hivresults	Unmatched	.966173362	.940630798	.025542564	.010946637	2.33
	ATT	.966029724	.941020891	.025008833	.014266575	1.75

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
hivresults	Unmatched	.977487291	.940630798	.036856493	.009025934	4.08
	ATT	.977046672	.957179092	.019867579	.018757855	1.06

B24ci-Discussed results of most recent HIV test

Variable name: results_disc
Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
results_disc	Unmatched	.834792123	.786982249	.047809874	.021355959	2.24
	ATT	.835164835	.811057722	.024107113	.026374965	0.91

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
results_disc	Unmatched	.878157504	.786982249	.091175255	.018328926	4.97
	ATT	.875489428	.798530781	.076958647	.033590774	2.29

K1-If one spouse positive, the other too (%False)

Variable name: k1r
Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k1r	Unmatched	.529592621	.447729673	.081862948	.021296247	3.84
	ATT	.528228925	.503375525	.0248534	.025524403	0.97

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k1r	Unmatched	.643902439	.447729673	.196172766	.019829315	9.89
	ATT	.641671789	.556932989	.084738799	.034763536	2.44

K7-Pregnant woman should test for HIV (%True)

Variable name: k7r

Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k7r	Unmatched	.912375096	.845828933	.066546163	.013594776	4.89
	ATT	.911832947	.916785141	-.004952194	.017438018	-0.28

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k7r	Unmatched	.970731707	.845828933	.124902774	.010469007	11.93
	ATT	.970497849	.948637322	.021860526	.024090787	0.91

A10-It is important to know your HIV status (%Agree)

Variable name: a10r

Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a10r	Unmatched	.95388163	.922914467	.030967163	.010061171	3.08
	ATT	.954369683	.947411011	.006958672	.012870792	0.54

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a10r	Unmatched	.967073171	.922914467	.044158704	.008778635	5.03
	ATT	.968653964	.954289591	.014364373	.018047053	0.80

A12-Only way to know status is by blood test (%Agree)

Variable name: a12r

Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a12r	Unmatched	.976172175	.957761352	.018410824	.007463669	2.47
	ATT	.976024749	.975068672	.000956077	.009651103	0.10

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a12r	Unmatched	.979255644	.957761352	.021494292	.006794784	3.16
	ATT	.979704797	.979186517	.00051828	.013659294	0.04

CN5-Leaders encourage HIV testing (%Strongly agree/agree)

Variable name: cn5r

Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn5r	Unmatched	.645657187	.558606125	.087051062	.020772383	4.19
	ATT	.643464811	.586170889	.057293921	.025196796	2.27

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn5r	Unmatched	.725	.558606125	.166393875	.019004136	8.76
	ATT	.723417333	.589845691	.133571642	.034454568	3.88

HIV Stigma

A7- When learn that you are HIV+, life is over (%Disagree)

Variable name: a7r

Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
a7r	Unmatched	.853189854	.740232313	.112957541	.016742669	6.75
	ATT	.853828306	.838008408	.015819898	.021289448	0.74

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
a7r	Unmatched	.934146341	.740232313	.193914029	.013503697	14.36
	ATT	.93362016	.908516401	.025103759	.029460884	0.85

A8- Telling people you are HIV+ doesn't help (%Disagree)

Variable name: a8r

Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
a8r	Unmatched	.671022291	.569165787	.101856504	.020541767	4.96
	ATT	.672080433	.62772141	.044359023	.025007744	1.77

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
a8r	Unmatched	.706707317	.569165787	.13754153	.019201025	7.16
	ATT	.706207744	.657135088	.049072657	.034436053	1.43

A9- HIV is punishment for sinning (%Disagree)

Variable name: a9r

Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
a9r	Unmatched	.667947733	.596620908	.071326824	.02048326	3.48
	ATT	.666666667	.695498499	-.028831833	.024866937	-1.16

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
a9r	Unmatched	.732317073	.596620908	.135696165	.01881542	7.21
	ATT	.731407498	.78552625	-.054118751	.034050207	-1.59

A11- Only promiscuous people get HIV (%Disagree)

Variable name: a11r

Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
a11r	Unmatched	.793235972	.709609293	.08362668	.018217464	4.59
	ATT	.79350348	.79396496	-.000461479	.02256136	-0.02

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
a11r	Unmatched	.858536585	.709609293	.148927293	.015940323	9.34
	ATT	.858020897	.862654796	-.004633899	.031051555	-0.15

CN3-Keep secret if family member has HIV (%Strongly agree/agree)

Variable name: cn3r

Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn3r	Unmatched	.738662567	.704329461	.034333106	.019084987	1.80
	ATT	.738592421	.724919516	.013672904	.023144827	0.59

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn3r	Unmatched	.768902439	.704329461	.064572978	.017744323	3.64
	ATT	.768285187	.741042998	.027242189	.031752093	0.86

CN4-People in the community join together to help PLHIV (%Strongly agree/agree)

Variable name: cn4r

Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn4r	Unmatched	.481168332	.446673706	.034494626	.02130716	1.62
	ATT	.480278422	.487095252	-.00681683	.025526536	-0.27

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn4r	Unmatched	.548170732	.446673706	.101497025	.020311703	5.00
	ATT	.547019053	.550081229	-.003062175	.03491427	-0.09

HIV Treatment

PC5-Cared for someone on ART

Variable name: pc5r

Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
pc5r	Unmatched	.205995388	.126715945	.079279443	.016062429	4.94
	ATT	.204949729	.173549638	.031400091	.018203312	1.72

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
pc5r	Unmatched	.311585366	.126715945	.184869421	.017152467	10.78
	ATT	.307928703	.20254199	.105386714	.024670168	4.27

PC6-Willing to Care for Someone on ART

Variable name: pc6r

Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
pc6r	Unmatched	.839354343	.702217529	.137136814	.017417913	7.87
	ATT	.838360402	.775340041	.063020361	.022197372	2.84

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
pc6r	Unmatched	.89695122	.702217529	.19473369	.015009389	12.97
	ATT	.896127843	.789085772	.107042071	.030978411	3.46

K3- PLHIV on ART can transmit HIV (%True)
 Variable name: k3r
 Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
k3r	Unmatched	.737893928	.647307286	.090586642	.019494862	4.65
	ATT	.737819026	.682913944	.054905082	.023940707	2.29

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
k3r	Unmatched	.793292683	.647307286	.145985397	.017680669	8.26
	ATT	.792870313	.707788724	.08508159	.032958188	2.58

K4- PLHIV does not need to use condoms because cannot transmit HIV (%False)

Variable name: k4r
 Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
k4r	Unmatched	.866256726	.786694826	.0795619	.015860208	5.02
	ATT	.86774942	.854006895	.013742525	.020001442	0.69

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
k4r	Unmatched	.931707317	.786694826	.145012491	.013024661	11.13
	ATT	.931776275	.896095042	.035681234	.027627347	1.29

K8a- ARVs prevent MCT during pregnancy

Variable name: k8ar
 Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
k8ar	Unmatched	.674096849	.613516367	.060580481	.020361965	2.98
	ATT	.675947409	.68669043	-.010743021	.024684378	-0.44

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
k8ar	Unmatched	.723780488	.613516367	.11026412	.018867117	5.84
	ATT	.722802704	.761498626	-.038695922	.033859984	-1.14

K8b- ARVs prevent MCT during childbirth

Variable name: k8br
 Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
k8br	Unmatched	.570330515	.563885956	.006444559	.021170494	0.30
	ATT	.571539056	.617171832	-.045632776	.02540961	-1.80

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
k8br	Unmatched	.614634146	.563885956	.050748191	.020009373	2.54
	ATT	.612784266	.674988453	-.062204187	.034744804	-1.79

K8c-ARVs prevent MCT during breastfeeding
 Variable name: k8cr
 Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k8cr	Unmatched	.588009224	.512143611	.075865612	.021172099	3.58
	ATT	.589327146	.600607915	-.011280769	.025509408	-0.44

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k8cr	Unmatched	.62804878	.512143611	.115905169	.019983374	5.80
	ATT	.627535341	.679854162	-.052318821	.034957093	-1.50

K9-People on ART have to stay on treatment for rest of lives
 Variable name: k9r
 Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k9r	Unmatched	.730207533	.626187962	.104019571	.019705229	5.28
	ATT	.730085073	.760445374	-.0303603	.024221298	-1.25

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k9r	Unmatched	.818292683	.626187962	.192104721	.017319726	11.09
	ATT	.816840811	.840025771	-.023184959	.033199105	-0.70

CN6-Leaders encourage HIV treatment (%Strongly agree/agree)
 Variable name: cn6r
 Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn6r	Unmatched	.639508071	.541710665	.097797405	.02084824	4.69
	ATT	.637277649	.576826007	.060451642	.025285698	2.39

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn6r	Unmatched	.723780488	.541710665	.182069823	.019046517	9.56
	ATT	.722188076	.57810305	.144085026	.034565425	4.17

B28-Has ever taken ARVs
 Variable name: b28r
 Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
b28r	Unmatched	.066871637	.04973545	.017136187	.010121764	1.69
	ATT	.066511988	.060017868	.006494119	.011650919	0.56

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
b28r	Unmatched	.061012813	.04973545	.011277363	.009462012	1.19
	ATT	.059655597	.050820448	.008835148	.015442486	0.57

B29- Ever participated in PMICT program (among ever pregnant)

Variable name: b29r

Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
b29r	Unmatched	.175025589	.089673913	.085351675	.016735158	5.10
	ATT	.17507724	.135422896	.039654344	.018537016	2.14

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
b29r	Unmatched	.243498818	.089673913	.153824905	.017746092	8.67
	ATT	.244038156	.172122231	.071915924	.024044736	2.99

Gender-Based Violence

G1- Forced Sex in the last 12 months

Variable name: gbv_sex12

Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
gbv_sex12	Unmatched	.023827825	.02010582	.003722005	.006308143	0.59
	ATT	.023975251	.020211173	.003764078	.007393311	0.51

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
gbv_sex12	Unmatched	.032317073	.02010582	.012211253	.006718695	1.82
	ATT	.032575292	.024284112	.00829118	.010219058	0.81

G2- Physical GBV in the last 12 months

Variable name: gbv_hit12

Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
gbv_hit12	Unmatched	.079938509	.077085533	.002852976	.011509388	0.25
	ATT	.079659706	.058220218	.021439488	.013736661	1.56

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
gbv_hit12	Unmatched	.084146341	.077085533	.007060808	.011173873	0.63
	ATT	.083589428	.042830219	.04075921	.018818429	2.17

CN8- Leaders speak out against GBV (%Strongly agree/agree)

Variable name: cn8r

Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn8r	Unmatched	.611068409	.535374868	.075693541	.021037032	3.60
	ATT	.608662026	.578890241	.029771785	.025411011	1.17

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn8r	Unmatched	.714634146	.535374868	.179259278	.019165214	9.35
	ATT	.712968654	.579509766	.133458888	.034631541	3.85

B6-Number of lifetime partners
 Variable name: lifep
 Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
lifep	Unmatched	5.80632091	6.09479769	-.28847678	.465367011	-0.62
	ATT	5.78420195	5.73246685	.051735101	.585687566	0.09

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
lifep	Unmatched	5.32368082	6.09479769	-.771116864	.467127034	-1.65
	ATT	5.33225178	4.97328471	.358967076	.846177807	0.42

B1-Age at first sex
 Variable name: firstsex
 Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
firstsex	Unmatched	18.0193833	17.8903924	.128990838	.153933236	0.84
	ATT	18.0150576	17.802005	.213052619	.178110286	1.20

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
firstsex	Unmatched	18.0633756	17.8903924	.172983162	.133939032	1.29
	ATT	18.0585464	17.9050711	.153475354	.237610925	0.65

Age difference between partner 1 and respondent
 Variable name: agediff_p1
 Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
agediff_p1	Unmatched	.953109072	.128289474	.824819599	.32747842	2.52
	ATT	.958974359	1.07905853	-.120084174	.371694259	-0.32

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
agediff_p1	Unmatched	2.02100525	.128289474	1.89271578	.299437083	6.32
	ATT	1.99469697	2.21060655	-.215909585	.492235275	-0.44

Age difference between partner 2 and respondent
 Variable name: agediff_p2
 Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
agediff_p2	Unmatched	-.486111111	-.74566474	.259553629	.546587845	0.47
	ATT	-.494773519	-.057715643	-.437057876	.610473193	-0.72

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
agediff_p2	Unmatched	-.003144654	-.74566474	.742520086	.50894229	1.46
	ATT	-.156996587	.79180643	-.948803017	.753640031	-1.26

Age difference between partner 3 and respondent
 Variable name: agediff_p3
 Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
agediff_p3	Unmatched	-1.37588652	-1.04081633	-.335070198	.760212519	-0.44
	ATT	-1.56060606	-.871886388	-.688719672	.896043478	-0.77

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
agediff_p3	Unmatched	-.440789474	-1.04081633	.600026853	.726130038	0.83
	ATT	-.361538462	-.741529448	.379990986	1.26423076	0.30

B24a-Lifetime number of HIV tests
 Variable name: numtest
 Exposure to one channel

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
numtest	Unmatched	2.6872494	1.74062165	.946627748	.151272512	6.26
	ATT	2.68442292	2.2024963	.481926627	.160393813	3.00

Exposure to two channels

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
numtest	Unmatched	3.47338403	1.74062165	1.73276238	.146392005	11.84
	ATT	3.4600639	2.64327002	.816793882	.200416712	4.08

ANY SAFAIDS

Multiple Partners

B2- Multiple partners (past 12 months)

Variable name: mp1

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
mp1	Unmatched	.290998767	.29480189	-.003803123	.018207862	-0.21
	ATT	.289962825	.276012539	.013950286	.020430087	0.68

B4- Multiple partners (past month)

Variable name: mp2

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
mp2	Unmatched	.096985583	.093187157	.003798426	.01204699	0.32
	ATT	.097496706	.079936368	.017560338	.013600809	1.29

B3- More than one partner within 3 months period (past 12 months)

Variable name: b3r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
b3r	Unmatched	.191349934	.193422083	-.002072149	.016285408	-0.13
	ATT	.192358366	.165479714	.026878652	.018272352	1.47

B5- Reports currently having more than one partner

Variable name: cpsr

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cpsr	Unmatched	.143979058	.141627543	.002351515	.014403696	0.16
	ATT	.144736842	.120279512	.02445733	.016192698	1.51

B14- Reports currently having sex with 2 or more recent partners (calendar)

Variable name: cppt

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cppt	Unmatched	.135170604	.147380766	-.012210163	.014516688	-0.84
	ATT	.135883905	.124407902	.011476003	.016067726	0.71

B8- Wife has other sexual partner (%yes/suspect)

Variable name: w_othp

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
w_othp	Unmatched	.129411765	.143089431	-.013677666	.030112591	-0.45
	ATT	.13253012	.142506676	-.009976556	.032913273	-0.30

B9- Husband has other wife (%yes/suspect)

Variable name: h_othw

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
h_othw	Unmatched	.162337662	.100461894	.061875769	.021241494	2.91
	ATT	.163398693	.098689224	.064709468	.025063173	2.58

B9- Husband has other sexual partner (%yes/suspect)

Variable name: h_othp

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
h_othp	Unmatched	.304487179	.212716763	.091770416	.027980603	3.28

ATT	.303225806	.226176652	.077049154	.031891591	2.42
-----	------------	------------	------------	------------	------

B20-Received gifts for sex from most recent partner
Variable name: rgifts_p1

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
rgifts_p1	Unmatched	.256880734	.169080235	.087800499	.016093503	5.46
	ATT	.258234519	.151094963	.107139556	.019166121	5.59

B20-Received gifts for sex from 2nd most recent partner
Variable name: rgifts_p2

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
rgifts_p2	Unmatched	.331877729	.248670213	.083207516	.033361586	2.49
	ATT	.333333333	.231431832	.101901501	.039737063	2.56

B21-Gave gifts for sex to most recent partner
Variable name: ggifts_p1

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
ggifts_p1	Unmatched	.187335092	.143918655	.043416438	.014906839	2.91
	ATT	.187002653	.122298042	.064704611	.017355596	3.73

B21-Gave gifts for sex to 2nd most recent partner
Variable name: ggifts_p2

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
ggifts_p2	Unmatched	.205240175	.199197861	.006042314	.030274281	0.20
	ATT	.206140351	.175410765	.030729586	.035037904	0.88

K5-Multiple sexual partners increase HIV risk (%True)
Variable name: k5r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k5r	Unmatched	.96326062	.924655338	.038605282	.0095592	4.04
	ATT	.963091119	.956803652	.006287467	.009539673	0.66

A1-Most married men faithful to wives (%Agree)
Variable name: a1r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a1r	Unmatched	.214695752	.261858974	-.047163222	.016616056	-2.84
	ATT	.214532872	.215324649	-.000791777	.018253053	-0.04

A2-Can resist temptation of sex with person besides main partner (%Agree)
Variable name: a2r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a2r	Unmatched	.752009185	.726194293	.025814892	.016977085	1.52
	ATT	.752018454	.74893534	.003083114	.018918918	0.16

A3-Need someone to fill gap (%Disagree)
Variable name: a3r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
----------	--------	---------	----------	------------	-------	--------

a3r	Unmatched	.491389208	.541025641	-.049636433	.019114957	-2.60
	ATT	.491349481	.549402098	-.058052617	.021601957	-2.69

A5-Men with many women are real men (%Disagree)
Variable name: a5r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a5r	Unmatched	.943742824	.896441167	.047301657	.011120607	4.25
	ATT	.943483276	.932627802	.010855473	.011320356	0.96

A6-Men have right to get sex for gifts (%Disagree)
Variable name: a6r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a6r	Unmatched	.626865672	.626602564	.000263108	.018540933	0.01
	ATT	.62745098	.642596011	-.01514503	.020920996	-0.72

CN7-Leaders speak out about risk of HIV if MP (%Strongly agree/agree)
Variable name: cn7r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn7r	Unmatched	.743972445	.595192308	.148780138	.018380493	8.09
	ATT	.742791234	.66004921	.082742024	.0198336	4.17

CN9-Leaders discourage multiple partners (%Very often/sometimes)
Variable name: cn9r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn9r	Unmatched	.451724138	.329807692	.121916446	.018265026	6.67
	ATT	.451501155	.407955392	.043545763	.021093614	2.06

CN10-Leaders discourage men from having younger partners (%Very often/sometimes)
Variable name: cn10r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn10r	Unmatched	.493685419	.33493744	.158747979	.018333211	8.66
	ATT	.491349481	.41880774	.072541741	.021174783	3.43

B20-Received gifts for sex from any partner
Variable name: get_any

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
get_any	Unmatched	.300131062	.195226917	.104904145	.01697849	6.18
	ATT	.30171278	.179623872	.122088908	.020151863	6.06

B21-Gave gifts for sex to any partner
Variable name: give_any

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
give_any	Unmatched	.212401055	.154868987	.057532068	.015434953	3.73
	ATT	.212201592	.134305102	.077896489	.018097284	4.30

10+ age difference between resp. and any partner
Variable name: age10any

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
age10any	Unmatched	.161064426	.122649573	.038414853	.014442678	2.66
	ATT	.16056338	.142437694	.018125687	.016751897	1.08

10+ age difference between resp. and regular partner
Variable name: age10reg

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
age10reg	Unmatched	.156424581	.118205349	.038219232	.014235056	2.68
	ATT	.155898876	.13667817	.019220706	.016520619	1.16

Other HIV Risk Factors

A13-Worried about becoming HIV infected (%Worried)
Variable name: a13r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a13r	Unmatched	.528985507	.46854083	.060444677	.019604218	3.08
	ATT	.527272727	.4945525	.032720228	.02225163	1.47

A14-Likely to be infected now (%High/Med)
Variable name: a14r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a14r	Unmatched	.256723716	.208261618	.048462098	.016352513	2.96
	ATT	.257668712	.238824986	.018843726	.019114239	0.99

K2-STIs decrease HIV infection (%False)
Variable name: k2r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k2r	Unmatched	.849598163	.780448718	.069149445	.015420793	4.48
	ATT	.848904268	.841587338	.00731693	.016461249	0.44

K6-TB can't be cured if HIV+ (%False)
Variable name: k6r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k6r	Unmatched	.524684271	.492628205	.032056066	.019159355	1.67
	ATT	.524798155	.544227952	-.019429797	.021614549	-0.90

K10 Risk of contracting HIV decreases for a circumcised man
Variable name: k10r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k10r	Unmatched	.415614237	.412764593	.002849644	.018877599	0.15
	ATT	.417531719	.450909447	-.033377728	.021323785	-1.57

HIV Communication

K11-Knows where to get information about HIV/AIDS
Variable name: k11r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k11r	Unmatched	.843857635	.748076923	.095780712	.016085103	5.95
	ATT	.844290657	.838050215	.006240443	.016939108	0.37

B25-Discussed HIV/AIDS with Spouse (%Very often/often)
Variable name: disc_spouse

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
disc_spouse	Unmatched	.752925878	.630885122	.122040755	.019315947	6.32
	ATT	.751633987	.749288129	.002345858	.020777036	0.11

B26-Discussed HIV/AIDS with Kids (%Very often/often)
Variable name: disc_kids

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
disc_kids	Unmatched	.365617433	.272277228	.093340206	.025922216	3.60
	ATT	.362530414	.38942217	-.026891756	.031073706	-0.87

B27-Discussed HIV/AIDS with friends (%Very often/often)
Variable name: disc_friend

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
disc_friends	Unmatched	.743972445	.594542536	.149429909	.018387017	8.13
	ATT	.742791234	.713713099	.029078136	.019841265	1.47

Discussed HIV/AIDS with Spouse, Kids, and/or Friends
Variable name: disc_any

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
disc_any	Unmatched	.866819747	.745349583	.121470164	.015970824	7.61
	ATT	.866205306	.857561132	.008644173	.016433757	0.53

A4-Sex life improves with communication with partner (%Agree)
Variable name: a4r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a4r	Unmatched	.955223881	.92275641	.03246747	.009777023	3.32
	ATT	.955017301	.949602539	.005414762	.010035604	0.54

B22-Sexually dissatisfied with regular partner (%Very often/often)
Variable name: b22r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
b22r	Unmatched	.173038229	.17604712	-.003008891	.019644097	-0.15
	ATT	.174796748	.175141146	-.000344398	.021625373	-0.02

B23-Sexually satisfied with regular partner (%Very often/often)
Variable name: b23r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
b23r	Unmatched	.956	.924688933	.031311067	.012922469	2.42
	ATT	.955555556	.933929499	.021626057	.012999231	1.66

Condom Use

B7-Condom use at last sex
Variable name: cls

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cls	Unmatched	.571078431	.542979943	.028098489	.019800457	1.42
	ATT	.568965517	.576757194	-.007791677	.022259059	-0.35

Condom use at last sex with regular partner
Variable name: clsn_reg

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
clsn_reg	Unmatched	.545938748	.53030303	.015635718	.020755016	0.75
	ATT	.546184739	.560096978	-.013912239	.02312905	-0.60

Condom use at last sex with casual partner
Variable name: clsn_cas

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
clsn_cas	Unmatched	.777777778	.782894737	-.005116959	.065777747	-0.08
	ATT	.76	.860264036	-.100264036	.077729496	-1.29

Condom use at last sex among those with MP in past year
Variable name: clsmp1

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
clsmp1	Unmatched	.690677966	.692212608	-.001534642	.03419198	-0.04
	ATT	.690987124	.72434109	-.033353965	.03887899	-0.86

B19a-Condom use at last sex, most recent partner
Variable name: cls_p1

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cls_p1	Unmatched	.554533509	.533463796	.021069712	.020590841	1.02
	ATT	.554821664	.566297842	-.011476177	.023017914	-0.50

B19a-Condom use at last sex, 2nd most recent partner
Variable name: cls_p2

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cls_p2	Unmatched	.797356828	.764705882	.032650946	.031792052	1.03
	ATT	.796460177	.808770275	-.012310099	.035945496	-0.34

B19a-Condom use at last sex, 3rd most recent partner
Variable name: cls_p3

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cls_p3	Unmatched	.817391304	.738666667	.078724638	.045663312	1.72
	ATT	.821428571	.757555683	.063872889	.051497846	1.24

B19a-Always uses condom with most recent partner
Variable name: fcls_p1

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
fcls_p1	Unmatched	.327653997	.323161189	.004492808	.019315315	0.23

ATT | .329380764 .332614548 -.003233783 .021679725 -0.15

B19b-Always uses condom with 2nd most recent partner
Variable name: fcls_p2

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
fcls_p2	Unmatched	.640350877	.592790387	.04756049	.037000123	1.29
	ATT	.643171806	.640826204	.002345602	.042194714	0.06

B19c-Always uses condom with 3rd most recent partner
Variable name: fcls_p3

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
fcls_p3	Unmatched	.64957265	.597368421	.052204229	.051628177	1.01
	ATT	.649122807	.616447281	.032675526	.060432269	0.54

CN1-Condom use in marriage accepted (%Strongly agree/agree)
Variable name: cn1r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn1r	Unmatched	.733639495	.657371795	.0762677	.017927238	4.25
	ATT	.732410611	.692251924	.040158687	.019692832	2.04

CN2-Women can ask regular partner to use condom (%Strongly agree/agree)
Variable name: cn2r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn2r	Unmatched	.754305396	.654697018	.099608378	.017864214	5.58
	ATT	.753171857	.698626012	.054545845	.019410511	2.81

CN2-Women can ask casual partner to use condom (%Strongly agree/agree)
Variable name: cn2ar

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn2ar	Unmatched	.741676234	.645833333	.095842901	.018004987	5.32
	ATT	.740484429	.699243943	.041240486	.019644522	2.10

HIV Testing

B24-Ever been tested for HIV
Variable name: evertest

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
evertest	Unmatched	.839265212	.702789356	.136475857	.016828695	8.11
	ATT	.838523645	.823217066	.015306579	.017496769	0.87

B24b-HIV test in the last 12 months
Variable name: hivtest

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
hivtest	Unmatched	.611494253	.506585288	.104908965	.019073654	5.50
	ATT	.609699769	.602493662	.007206107	.021318551	0.34

B24c-Received results of most recent HIV test
Variable name: hivresults

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
----------	--------	---------	----------	------------	-------	--------

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
hi vresul ts	Unmatched	.963064295	.962591241	.000473055	.008095251	0.06
	ATT	.962861073	.974544108	-.011683035	.009053708	-1.29

B24ci-Discussed results of most recent HIV test
Variable name: results_disc

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
results_disc	Unmatched	.869318182	.841232227	.028085954	.015611878	1.80
	ATT	.868571429	.864278491	.004292938	.016968866	0.25

K1-If one spouse positive, the other too (%False)
Variable name: k1r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k1r	Unmatched	.592422503	.535576923	.05684558	.01905638	2.98
	ATT	.592848904	.599769474	-.00692057	.021379321	-0.32

K7-Pregnant woman should test for HIV (%True)
Variable name: k7r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k7r	Unmatched	.959816303	.904807692	.055008611	.010550109	5.21
	ATT	.959630911	.948585708	.011045203	.010319444	1.07

A10-It is important to know your HIV status (%Agree)
Variable name: a10r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a10r	Unmatched	.964408726	.944230769	.020177956	.008455495	2.39
	ATT	.964244521	.957413365	.006831156	.008807338	0.78

A12-Only way to know status is by blood test (%Agree)
Variable name: a12r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a12r	Unmatched	.977037887	.967938442	.009099446	.006545556	1.39
	ATT	.976931949	.979884942	-.002952993	.006950049	-0.42

CN5-Leaders encourage HIV testing (%Strongly agree/agree)
Variable name: cn5r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn5r	Unmatched	.776119403	.620512821	.155606582	.018061208	8.62
	ATT	.775086505	.6848971	.090189406	.01923909	4.69

HIV Treatment

PC5-Cared for someone on ART
Variable name: pc5r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
pc5r	Unmatched	.322617681	.202564103	.120053578	.015988346	7.51
	ATT	.320645905	.300414544	.020231361	.019166619	1.06

PC6-Willing to Care for Someone on ART
Variable name: pc6r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
pc6r	Unmatched	.870264064	.813141026	.057123039	.01451686	3.93
	ATT	.869665513	.882543536	-.012878023	.015486498	-0.83

K3-PLHIV on ART can transmit HIV (%True)
Variable name: k3r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k3r	Unmatched	.752009185	.733012821	.018996364	.016870256	1.13
	ATT	.750865052	.782195201	-.031330149	.018876869	-1.66

K4-PLHIV does not need to use condoms because cannot transmit HIV (%False)
Variable name: k4r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k4r	Unmatched	.909299656	.8625	.046799656	.012754355	3.67
	ATT	.910034602	.914870794	-.004836192	.013400511	-0.36

K8a-ARVs prevent MCT during pregnancy
Variable name: k8ar

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k8ar	Unmatched	.725602755	.67275641	.052846345	.017797061	2.97
	ATT	.726643599	.72380444	.002839159	.019677982	0.14

K8b-ARVs prevent MCT during childbirth
Variable name: k8br

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k8br	Unmatched	.645235362	.576923077	.068312285	.018808979	3.63
	ATT	.644752018	.608352893	.036399125	.02096425	1.74

K8c-ARVs prevent MCT during breastfeeding
Variable name: k8cr

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k8cr	Unmatched	.640642939	.576282051	.064360888	.018823164	3.42
	ATT	.640138408	.637806084	.002332324	.021002094	0.11

K9-People on ART have to stay on treatment for rest of lives
Variable name: k9r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k9r	Unmatched	.796785304	.721474359	.075310945	.016815155	4.48
	ATT	.797001153	.813122034	-.016120881	.018190897	-0.89

CN6-Leaders encourage HIV treatment (%Strongly agree/agree)
Variable name: cn6r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn6r	Unmatched	.776119403	.610576923	.16554248	.018134076	9.13
	ATT	.775086505	.672488009	.102598497	.019281828	5.32

B28-Has ever taken ARVs
Variable name: b28r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
b28r	Unmatched	.084959816	.053256336	.03170348	.009103315	3.48
	ATT	.084198385	.086811867	-.002613482	.011189928	-0.23

B29- Ever participated in PMICT program (among ever pregnant)
Variable name: b29r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
b29r	Unmatched	.266362253	.153877888	.112484365	.016702392	6.73
	ATT	.266462481	.232436181	.0340263	.020495704	1.66

HIV Stigma

A7-When learn that you are HIV+, life is over (%Disagree)
Variable name: a7r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a7r	Unmatched	.900114811	.838141026	.061973785	.01358904	4.56
	ATT	.899653979	.895467651	.004186329	.014195653	0.29

A8-Telling people you are HIV+ doesn't help (%Disagree)
Variable name: a8r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a8r	Unmatched	.714121699	.641346154	.072775545	.018157291	4.01
	ATT	.713956171	.681934764	.032021407	.020018795	1.60

A9- HIV is punishment for sinning (%Disagree)
Variable name: a9r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a9r	Unmatched	.707233065	.663782051	.043451014	.017965365	2.42
	ATT	.707035755	.72660938	-.019573624	.019980186	-0.98

A11-Only promiscuous people get HIV (%Disagree)
Variable name: a11r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a11r	Unmatched	.845005741	.778846154	.066159587	.015487199	4.27
	ATT	.846597463	.847697674	-.001100211	.016536868	-0.07

CN3-Keep secret if family member has HIV (%Strongly agree/agree)
Variable name: cn3r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn3r	Unmatched	.794489093	.724358974	.070130119	.016784146	4.18
	ATT	.793540946	.761669343	.031871603	.018230364	1.75

CN4-People in the community join together to help PLHIV (%Strongly agree/agree)
Variable name: cn4r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
----------	--------	---------	----------	------------	-------	--------

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn4r	Unmatched	.59586682	.473076923	.122789897	.019067222	6.44
	ATT	.595155709	.527254683	.067901026	.021376679	3.18

Gender-Based Violence

G1-Forced Sex in the last 12 months

Variable name: gbv_sex12

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
gbv_sex12	Unmatched	.025258324	.025978191	-.000719867	.006079936	-0.12
	ATT	.025374856	.031428095	-.006053239	.006833886	-0.89

G2-Physical GBV in the last 12 months

Variable name: gbv_hit12

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
gbv_hit12	Unmatched	.092996556	.075	.017996556	.010331408	1.74
	ATT	.092272203	.075448519	.016823684	.012102121	1.39

CN8-Leaders speak out against GBV (%Strongly agree/agree)

Variable name: cn8r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn8r	Unmatched	.766934558	.595833333	.171101225	.018274022	9.36
	ATT	.76816609	.674779135	.093386955	.01945025	4.80

B6-Number of lifetime partners

Variable name: lifep

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
lifep	Unmatched	6.05231144	5.56962457	.482686862	.413608814	1.17
	ATT	6.03422983	5.68817052	.346059311	.471561543	0.73

B1-Age at first sex

Variable name: firstsex

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
firstsex	Unmatched	18.130597	17.9887091	.141887945	.125093033	1.13
	ATT	18.1373283	18.2381784	-.100850037	.141849264	-0.71

Age difference between partner 1 and respondent

Variable name: agediff_p1

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
agediff_p1	Unmatched	1.52266289	1.07155323	.451109661	.274695459	1.64
	ATT	1.55049787	1.67143576	-.120937895	.31720237	-0.38

Age difference between partner 2 and respondent

Variable name: agediff_p2

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
agediff_p2	Unmatched	-.319587629	-.455592105	.136004476	.477466715	0.28
	ATT	-.279792746	-.099896893	-.379689639	.551196371	-0.69

Age difference between partner 3 and respondent

Variable name: agediff_p3

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
agediff_p3	Unmatched	-.603960396	-1.0625	.458539604	.644934509	0.71

ATT | -. 479591837 -. 924969436 . 4453776 . 836427457 0. 53

B24a-Lifetime number of HIV tests
 Variable name: numtest

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
numtest	Unmatched	3. 48284024	2. 54277188	. 940068353	. 144957495	6. 49
	ATT	3. 45065398	3. 38206132	. 06859266	. 166350811	0. 41

ANY CMT EXPOSURE

Multiple Partners

B2- Multiple partners (past 12 months)
Variable name: mp1

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
mp1	Unmatched	.33447099	.290322581	.044148409	.027785153	1.59
	ATT	.333333333	.310078149	.023255184	.031184612	0.75

B4- Multiple partners (past month)
Variable name: mp2

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
mp2	Unmatched	.123636364	.091149273	.03248709	.01836375	1.77
	ATT	.124542125	.091823633	.032718491	.022103845	1.48

B3- More than one partner within 3 months period (past 12 months)
Variable name: b3r

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
b3r	Unmatched	.214545455	.190554822	.023990633	.024837716	0.97
	ATT	.216117216	.18902805	.027089166	.028180897	0.96

B5- Reports currently having more than one partner
Variable name: cpsr

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
cpsr	Unmatched	.197841727	.137008914	.060832813	.021863151	2.78
	ATT	.199275362	.144021354	.055254008	.026529154	2.08

B14- Reports currently having sex with 2 or more recent partners (calendar)
Variable name: cppt

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
cppt	Unmatched	.144404332	.144554455	-.000150123	.022079208	-0.01
	ATT	.145454545	.137479476	.007975069	.024194914	0.33

B8- Wife has other sexual partner (%yes/suspect)
Variable name: w_othp

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
w_othp	Unmatched	.123287671	.142857143	-.019569472	.042836558	-0.46
	ATT	.117647059	.115662487	.001984572	.04846436	0.04

B9- Husband has other wife (%yes/suspect)
Variable name: h_othw

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
h_othw	Unmatched	.070588235	.119705341	-.049117105	.036088113	-1.36
	ATT	.071428571	.09363554	-.022206969	.032824839	-0.68

B9- Husband has other sexual partner (%yes/suspect)
Variable name: h_othp

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
h_othp	Unmatched	.294117647	.232323232	.061794415	.047882943	1.29
	ATT	.285714286	.238956561	.046757725	.054127111	0.86

B20- Received gifts for sex from most recent partner
Variable name: rgifts_p1

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
rgifts_p1	Unmatched	.151624549	.19319683	-.041572281	.024608175	-1.69
	ATT	.152727273	.185308729	-.032581457	.02527174	-1.29

B20-Received gifts for sex from 2nd most recent partner
Variable name: rgifts_p2

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
rgifts_p2	Unmatched	.294736842	.265005663	.02973118	.047857967	0.62
	ATT	.304347826	.295545955	.008801871	.056850407	0.15

B21-Gave gifts for sex to most recent partner
Variable name: ggifts_p1

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
ggifts_p1	Unmatched	.129963899	.155702479	-.02573858	.022633424	-1.14
	ATT	.130909091	.161403653	-.030494562	.023575584	-1.29

B21-Gave gifts for sex to 2nd most recent partner
Variable name: ggifts_p2

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
ggifts_p2	Unmatched	.242105263	.194539249	.047566014	.043150666	1.10
	ATT	.239130435	.217853891	.021276544	.0522849	0.41

K5-Multiple sexual partners increase HIV risk (%True)
Variable name: k5r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k5r	Unmatched	.968944099	.929901424	.039042676	.014518366	2.69
	ATT	.96875	.957569778	.011180222	.012351499	0.91

A1-Most married men faithful to wives (%Agree)
Variable name: a1r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a1r	Unmatched	.167701863	.258417739	-.090715875	.025172943	-3.60
	ATT	.165625	.20699792	-.04137292	.024550279	-1.69

A2-Can resist temptation of sex with person besides main partner (%Agree)
Variable name: a2r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a2r	Unmatched	.673913043	.737404162	-.063491119	.025726853	-2.47
	ATT	.671875	.738595004	-.066720004	.029366203	-2.27

A3-Need someone to fill gap (%Disagree)
Variable name: a3r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a3r	Unmatched	.450310559	.537640296	-.087329737	.028985881	-3.01
	ATT	.453125	.527215527	-.074090527	.031570375	-2.35

A5-Men with many women are real men (%Disagree)
Variable name: a5r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a5r	Unmatched	.947204969	.90388828	.043316689	.016841372	2.57
	ATT	.946875	.929761873	.017113127	.015314815	1.12

A6-Men have right to get sex for gifts (%Disagree)
Variable name: a6r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a6r	Unmatched	.649068323	.625787024	.023281299	.028107135	0.83
	ATT	.646875	.664710749	-.017835749	.030384368	-0.59

CN7-Leaders speak out about risk of HIV if MP (%Strongly agree/agree)
Variable name: cn7r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
----------	--------	---------	----------	------------	-------	--------

cn7r	Unmatched	.711180124	.619490829	.091689295	.028083467	3.26
	ATT	.7125	.678118406	.034381594	.029165816	1.18

CN9- Leaders discourage multiple partners (%Very often/sometimes)
Variable name: cn9r

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
cn9r	Unmatched	.434782609	.348028478	.086754131	.027791231	3.12
	ATT	.43125	.413168321	.018081679	.031138332	0.58

CN10- Leaders discourage men from having younger partners (%Very often/sometimes)
Variable name: cn10r

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
cn10r	Unmatched	.50310559	.356438356	.146667234	.027951304	5.25
	ATT	.5	.440033542	.059966458	.031411597	1.91

B20- Received gifts for sex from any partner
Variable name: get_any

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
get_any	Unmatched	.220216606	.219874546	.00034206	.026006585	0.01
	ATT	.221818182	.220944467	.000873715	.028514592	0.03

B21- Gave gifts for sex to any partner
Variable name: give_any

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
give_any	Unmatched	.158844765	.168595041	-.009750276	.023463475	-0.42
	ATT	.16	.176093684	-.016093684	.025306309	-0.64

10+ age difference between resp. and any partner
Variable name: age10any

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
age10any	Unmatched	.160447761	.127613554	.032834207	.021546904	1.52
	ATT	.161654135	.124361674	.037292462	.025286589	1.47

10+ age difference between resp. and regular partner
Variable name: age10reg

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
age10reg	Unmatched	.159090909	.122915156	.036175753	.021381511	1.69
	ATT	.160305344	.118379492	.041925851	.025267521	1.66

Other HIV Risk Factors

A13- Worried about becoming HIV infected (%Worried)

Variable name: a13r

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
a13r	Unmatched	.585987261	.472174412	.113812849	.029389821	3.87
	ATT	.583333333	.522233571	.061099763	.03166687	1.93

A14- Likely to be infected now (%High/Med)

Variable name: a14r

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
a14r	Unmatched	.345276873	.207647059	.137629814	.024550788	5.61
	ATT	.344262295	.22832474	.115937555	.030011235	3.86

K2- STIs decrease HIV infection (%False)

Variable name: k2r

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
k2r	Unmatched	.878881988	.788940597	.089941391	.023378134	3.85
	ATT	.878125	.864327747	.013797253	.02197215	0.63

K6- TB can't be cured if HIV+ (%False)

Variable name: k6r

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
k6r	Unmatched	.559006211	.494388174	.064618037	.029055262	2.22
	ATT	.55625	.549510368	.006739632	.031541769	0.21

K10 Risk of contracting HIV decreases for a circumcised man

Variable name: k10r

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
k10r	Unmatched	.571428571	.399342646	.172085926	.028502945	6.04
	ATT	.56875	.46355865	.10519135	.031325369	3.36

HIV Communication

K11- Knows where to get information about HIV/AIDS

Variable name: k11r

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
k11r	Unmatched	.850931677	.761565836	.089365841	.024473429	3.65
	ATT	.85	.854304451	-.004304451	.02367068	-0.18

B25- Discussed HIV/AIDS with Spouse (%Very often/often)

Variable name: disc_spouse

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
disc_spouse	Unmatched	.764084507	.648544931	.115539576	.029338315	3.94
	ATT	.762411348	.782432914	-.020021567	.029693462	-0.67

B26- Discussed HIV/AIDS with Kids (%Very often/often)

Variable name: disc_kids

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
disc_kids	Unmatched	.446808511	.282903664	.163904847	.040105703	4.09
	ATT	.446808511	.415415912	.031392599	.048190905	0.65

B27- Discussed HIV/AIDS with friends (%Very often/often)

Variable name: disc_friend

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
disc_friends	Unmatched	.788819876	.613760965	.175058911	.027968995	6.26

ATT | .7875 .751126459 .036373541 .027102592 1.34

 Discussed HIV/AIDS with Spouse, Kids, and/or Friends
 Variable name: disc_any

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
disc_any	Unmatched	.866459627	.764448096	.102011531	.024314697	4.20
	ATT	.865625	.875243796	-.009618796	.022893538	-0.42

A4- Sex life improves with communication with partner (%Agree)
 Variable name: a4r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a4r	Unmatched	.953416149	.92800438	.025411769	.014824311	1.71
	ATT	.953125	.9463427	.0067823	.014112142	0.48

B22- Sexually dissatisfied with regular partner (%Very often/often)
 Variable name: b22r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
b22r	Unmatched	.136904762	.179015684	-.042110922	.030653767	-1.37
	ATT	.135802469	.186134557	-.050332088	.031857204	-1.58

B23- Sexually satisfied with regular partner (%Very often/often)
 Variable name: b23r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
b23r	Unmatched	.970238095	.928687196	.041550899	.020253807	2.05
	ATT	.969135802	.922349254	.046786548	.017762361	2.63

Condom Use

B7- Condom use at last sex
 Variable name: cls

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cls	Unmatched	.608843537	.543939394	.064904143	.030272939	2.14
	ATT	.606164384	.623181011	-.017016627	.032720743	-0.52

Condom use at last sex with regular partner
 Variable name: clsn_reg

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
clsn_reg	Unmatched	.550561798	.532393421	.018168377	.031876138	0.57
	ATT	.547169811	.608783427	-.061613616	.034611968	-1.78

Condom use at last sex with casual partner
 Variable name: clsn_cas

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
clsn_cas	Unmatched	.741935484	.787356322	-.045420838	.081026463	-0.56
	ATT	.740740741	.918306497	-.177565756	.106667579	-1.66

Condom use at last sex among those with MP in past year
 Variable name: clsmp1

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
clsmp1	Unmatched	.744897959	.68504772	.059850239	.049068753	1.22
	ATT	.747368421	.727562835	.019805586	.052981717	0.37

B19a- Condom use at last sex, most recent partner
 Variable name: cls_p1

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cls_p1	Unmatched	.56	.536327609	.023672391	.031404825	0.75

ATT | .556776557 .613622509 -.056845952 .034247515 -1.66

B19a-Condom use at last sex, 2nd most recent partner
Variable name: cls_p2

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cls_p2	Unmatched	.831578947	.765108324	.066470624	.045339741	1.47
	ATT	.836956522	.815218203	.021738319	.048357967	0.45

B19a-Condom use at last sex, 3rd most recent partner
Variable name: cls_p3

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cls_p3	Unmatched	.784313725	.752860412	.031453314	.063655167	0.49
	ATT	.791666667	.873310155	-.081643488	.074802269	-1.09

B19a-Always uses condom with most recent partner
Variable name: fcls_p1

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
fcls_p1	Unmatched	.333333333	.323432343	.00990099	.029439855	0.34
	ATT	.328467153	.370502783	-.04203563	.032278049	-1.30

B19b-Always uses condom with 2nd most recent partner
Variable name: fcls_p2

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
fcls_p2	Unmatched	.652631579	.598407281	.054224298	.052851572	1.03
	ATT	.652173913	.681637097	-.029463184	.060151111	-0.49

B19c-Always uses condom with 3rd most recent partner
Variable name: fcls_p3

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
fcls_p3	Unmatched	.62745098	.605855856	.021595125	.072317734	0.30
	ATT	.625	.696085106	-.071085106	.087306208	-0.81

CN1-Condom use in marriage accepted (%Strongly agree/agree)
Variable name: cn1r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn1r	Unmatched	.720496894	.669312894	.051184001	.027255667	1.88
	ATT	.71875	.72673812	-.00798812	.028800492	-0.28

CN2-Women can ask regular partner to use condom (%Strongly agree/agree)
Variable name: cn2r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn2r	Unmatched	.745341615	.669769989	.075571626	.027188863	2.78
	ATT	.74375	.748742254	-.004992254	.028161798	-0.18

CN2-Women can ask casual partner to use condom (%Strongly agree/agree)
Variable name: cn2ar

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn2ar	Unmatched	.742236025	.659731727	.082504297	.027384521	3.01
	ATT	.740625	.740608474	.000016526	.028297631	0.00

HIV Testing

B24-Ever been tested for HIV
Variable name: evertest

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
evertest	Unmatched	.816770186	.725355969	.091414217	.025690284	3.56
	ATT	.815625	.812085693	.003539307	.025448489	0.14

B24b-HIV test in the last 12 months
Variable name: hivtest

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
hivtest	Unmatched	.618012422	.5218107	.096201723	.028984651	3.32
	ATT	.615625	.586824573	.028800427	.031024838	0.93

B24c-Received results of most recent HIV test
Variable name: hivresults

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
hivresults	Unmatched	.97338403	.961872405	.011511626	.012219947	0.94
	ATT	.973180077	.97507963	-.001899554	.011860259	-0.16

B24ci-Discussed results of most recent HIV test
Variable name: results_disc

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
results_disc	Unmatched	.890625	.844191523	.046433477	.023503669	1.98
	ATT	.88976378	.882709633	.007054147	.023144455	0.30

K1-If one spouse positive, the other too (%False)
Variable name: k1r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k1r	Unmatched	.689440994	.53599781	.153443184	.02883408	5.32
	ATT	.690625	.604499297	.086125703	.029829041	2.89

K7-Pregnant woman should test for HIV (%True)
Variable name: k7r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k7r	Unmatched	.962732919	.912674514	.050058405	.016045743	3.12
	ATT	.9625	.951120029	.011379971	.013551487	0.84

A10-It is important to know your HIV status (%Agree)
Variable name: a10r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a10r	Unmatched	.947204969	.948809198	-.001604229	.012830112	-0.13
	ATT	.946875	.958494128	-.011619128	.014165111	-0.82

A12-Only way to know status is by blood test (%Agree)
Variable name: a12r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
a12r	Unmatched	.972049689	.969879518	.002170171	.009910261	0.22
	ATT	.971875	.974103665	-.002228665	.010563594	-0.21

CN5-Leaders encourage HIV testing (%Strongly agree/agree)
Variable name: cn5r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn5r	Unmatched	.677018634	.651793047	.025225587	.02766017	0.91
	ATT	.678125	.714477181	-.036352181	.02974873	-1.22

HIV Treatment

PC5-Cared for someone on ART
Variable name: pc5r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
pc5r	Unmatched	.381987578	.215439365	.166548213	.024286711	6.86
	ATT	.378125	.318410511	.059714489	.029776551	2.01

PC6-Willing to Care for Someone on ART
Variable name: pc6r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
pc6r	Unmatched	.916149068	.817957843	.098191225	.021993266	4.46
	ATT	.915625	.879289246	.036335754	.019336217	1.88

K3-PLHIV on ART can transmit HIV (%True)
Variable name: k3r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k3r	Unmatched	.844720497	.728442376	.116278121	.025506149	4.56
	ATT	.84375	.802519134	.041230866	.024253863	1.70

K4-PLHIV does not need to use condoms because cannot transmit HIV (%False)
Variable name: k4r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k4r	Unmatched	.940993789	.866411169	.07458262	.019360737	3.85
	ATT	.940625	.916106018	.024518982	.016656961	1.47

K8a-ARVs prevent MCT during pregnancy
Variable name: k8ar

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k8ar	Unmatched	.754658385	.67889406	.075764325	.026982578	2.81
	ATT	.753125	.673026078	.080098922	.027850831	2.88

K8b-ARVs prevent MCT during childbirth
Variable name: k8br

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k8br	Unmatched	.683229814	.583903641	.099326173	.028534027	3.48
	ATT	.68125	.586385499	.094864501	.02992691	3.17

K8c-ARVs prevent MCT during breastfeeding
Variable name: k8cr

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
k8cr	Unmatched	.664596273	.583903641	.080692632	.028565115	2.82
	ATT	.6625	.606912098	.055587902	.030262595	1.84

K9- People on ART have to stay on treatment for rest of lives

Variable name: k9r

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
k9r	Unmatched	.779503106	.733917328	.045585777	.025570454	1.78
	ATT	.778125	.813187442	-.035062442	.026719722	-1.31

CN6- Leaders encourage HIV treatment (%Strongly agree/agree)

Variable name: cn6r

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
cn6r	Unmatched	.701863354	.640569395	.061293959	.027797529	2.21
	ATT	.703125	.706220252	-.003095252	.029291822	-0.11

B28- Has ever taken ARVs

Variable name: b28r

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
b28r	Unmatched	.071428571	.059452055	.011976517	.013853705	0.86
	ATT	.071875	.061766676	.010108324	.016080552	0.63

B29- Ever participated in PMICT program (among ever pregnant)

Variable name: b29r

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
b29r	Unmatched	.3203125	.165421558	.154890942	.024842278	6.23
	ATT	.310756972	.225963407	.084793565	.03184018	2.66

HIV Stigma

A7- When learn that you are HIV+, life is over (%Disagree)

Variable name: a7r

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
a7r	Unmatched	.922360248	.845880099	.07648015	.020607852	3.71
	ATT	.921875	.905133028	.016741972	.018468493	0.91

A8- Telling people you are HIV+ doesn't help (%Disagree)

Variable name: a8r

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
a8r	Unmatched	.726708075	.650698056	.076010018	.027579336	2.76
	ATT	.728125	.722875145	.005249855	.028663641	0.18

A9- HIV is punishment for sinning (%Disagree)

Variable name: a9r

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
a9r	Unmatched	.729813665	.668765398	.061048266	.027245136	2.24
	ATT	.728125	.728949471	-.000824471	.028574447	-0.03

A11- Only promiscuous people get HIV (%Disagree)

Variable name: a11r

Variable	Sample	Treated	Controls	Difference	S. E.	T- stat
a11r	Unmatched	.844720497	.788666849	.056053648	.023532928	2.38
	ATT	.846875	.846187429	.000687571	.023535887	0.03

CN3-Keep secret if family member has HIV (%Strongly agree/agree)
Variable name: cn3r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn3r	Unmatched	.773291925	.736654804	.036637121	.025510507	1.44
	ATT	.775	.782444678	-.007444678	.026799676	-0.28

CN4- People in the community join together to help PLHIV (%Strongly agree/agree)
Variable name: cn4r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn4r	Unmatched	.50931677	.498768136	.010548634	.02907286	0.36
	ATT	.5125	.558722549	-.046222549	.031691302	-1.46

Gender-Based Violence

G1-Forced Sex in the last 12 months
Variable name: gbv_sex12

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
gbv_sex12	Unmatched	.034267913	.025191676	.009076237	.009252384	0.98
	ATT	.034482759	.031468731	.003014027	.011247628	0.27

G2-Physical GBV in the last 12 months
Variable name: gbv_hit12

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
gbv_hit12	Unmatched	.065217391	.080481796	-.015264404	.01570479	-0.97
	ATT	.065625	.085015222	-.019390222	.016052389	-1.21

CN8-Leaders speak out against GBV (%Strongly agree/agree)
Variable name: cn8r

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
cn8r	Unmatched	.673913043	.628798248	.045114795	.028025547	1.61
	ATT	.675	.697906873	-.022906873	.029902396	-0.77

B1-Age at first sex
Variable name: firstsex

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
firstsex	Unmatched	17.916955	18.0294304	-.112475362	.190918758	-0.59
	ATT	17.8989547	18.2095146	-.310559918	.214302366	-1.45

Age difference between partner 1 and respondent
Variable name: agediff_p1

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
agediff_p1	Unmatched	.898496241	1.21903712	-.320540878	.409930448	-0.78
	ATT	.890151515	1.13746233	-.247310815	.460270998	-0.54

Age difference between partner 2 and respondent
Variable name: agediff_p2

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
agediff_p2	Unmatched	1.5875	-.610570236	2.19807024	.674307628	3.26
	ATT	1.53846154	-.725693598	2.26415514	.967488541	2.34

Age difference between partner 3 and respondent
 Variable name: agediff_p3

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
agediff_p3	Unmatched	-.045454545	-1.01114206	.965687516	.8837569	1.09
	ATT	-.595238095	-.59904811	.003810015	1.14297522	0.00

B24a-Lifetime number of HIV tests
 Variable name: numtest

Variable	Sample	Treated	Controls	Difference	S. E.	T-stat
numtest	Unmatched	3.80952381	2.65656852	1.15295529	.219652506	5.25
	ATT	3.80830671	3.40989372	.398412992	.304196449	1.31