

**PROBIT REGRESSION RESULTS:  
EXPOSURE TO ONE LOVE**

PART 1:  
EFFECT OF ONE LOVE RADIO PROGRAM EXPOSURE

Multiple Partners: Total Sample

Other Risk Factors: Total Sample

HIV Communication: Total Sample

Condom Use: Total Sample

HIV Testing: Total Sample

HIV Treatment: Total Sample

HIV Stigma: Total Sample

Gender-Based Violence: Total Sample

PART 2:  
EFFECT OF ONE LOVE TV PROGRAM EXPOSURE

PART 3:  
EFFECT OF ONE LOVE BOOKLET EXPOSURE

# PART 4: EFFECT OF ONE LOVE RADIO MULTI-MEDIA EXPOSURE

```

-----
-----
-----
name: <unnamed>
log: D:\Stata data\probit_ol_alltopics_program.smcl
log type: smcl
opened on: 24 Apr 2012, 23:26:18

. drop if safaid~=1
(1939 observations deleted)

.
. log off
name: <unnamed>
log: D:\Stata data\probit_ol_alltopics_program.smcl
log type: smcl
paused on: 24 Apr 2012, 23:26:18
-----
-----
-----
name: <unnamed>
log: D:\Stata data\probit_ol_alltopics_program.smcl
log type: smcl
resumed on: 24 Apr 2012, 23:26:41

.
. foreach x of local mpvars1 {
2. di "`": var label `x'''' _continue
3. matlist results_`x', format(%9.4f) title(Variable name:`x') nodotz border(all)
4. di " "
5. di "-----" _continue
6. di " "
7. }

```

Knows multiple sexual partners increase HIV Rrisk k5r  
Variable name:k5r

	Unexposed		Exposed	
Probability	0.8801	.	0.8694	.
95% CI	0.8560	0.9042	0.8375	0.9012
P-value	.	.	0.5786	.

People Discuss HIV Risk & Multiple Partners  
Variable name:cn8r

	Unexposed		Exposed	
--	-----------	--	---------	--

Probability	0.5227	.	0.5977	.
95% CI	0.4853	0.5600	0.5376	0.6578
P-value	.	.	0.0183	.

Most married men faithful to wives  
Variable name:alr

	Unexposed		Exposed	
Probability	0.3292	.	0.4016	.
95% CI	0.3000	0.3585	0.3424	0.4607
P-value	.	.	0.0286	.

Leaders Discourage Multiple Parnters  
Variable name:cn9r

	Unexposed		Exposed	
Probability	0.3491	.	0.3761	.
95% CI	0.3070	0.3912	0.3173	0.4348
P-value	.	.	0.4019	.

Men with many women are real men  
Variable name:a5r

	Unexposed		Exposed	
Probability	0.0953	.	0.0985	.
95% CI	0.0760	0.1146	0.0659	0.1311
P-value	.	.	0.8441	.

Can resist being unfaithful to main partner  
Variable name:a2r

	Unexposed		Exposed	
Probability	0.7305	.	0.7034	.
95% CI	0.6877	0.7734	0.6502	0.7566
P-value	.	.	0.3842	.

Does not need someone to fill gap  
Variable name:a3r

	Unexposed		Exposed	
Probability	0.6378	.	0.6669	.
95% CI	0.6083	0.6673	0.6092	0.7246
P-value	.	.	0.3830	.

Multiple Partners (Last 12 Months) b2  
 Variable name:mp1

	Unexposed		Exposed	
Probability	0.1725	.	0.1667	.
95% CI	0.1451	0.1998	0.1341	0.1994
P-value	.	.	0.7924	.

Multiple Partners (Last Month)b4  
 Variable name:mp2

	Unexposed		Exposed	
Probability	0.0849	.	0.0759	.
95% CI	0.0694	0.1004	0.0474	0.1043
P-value	.	.	0.5912	.

Self-reported having concurrent partners in the past 12 months b3  
 Variable name:b3r

	Unexposed		Exposed	
Probability	0.1276	.	0.1075	.
95% CI	0.1022	0.1531	0.0813	0.1337
P-value	.	.	0.2688	.

Currently have ore than one sexual partner (past 3 months) b5  
 Variable name:b5r

	Unexposed		Exposed	
Probability	0.1107	.	0.1001	.
95% CI	0.0908	0.1306	0.0718	0.1283
P-value	.	.	0.5811	.

Received gifts or money in exchange for sex with last partner b20  
 Variable name:gifts

	Unexposed		Exposed	
Probability	0.1282	.	0.1546	.
95% CI	0.1017	0.1546	0.1129	0.1962
P-value	.	.	0.2504	.

Received gifts or money in exchange for sex with last partner, if regular  
 Variable name:gifts\_reg



	Unexposed		Exposed	
Probability	0.1416	.	0.1819	.
95% CI	0.1127	0.1705	0.1201	0.2436
P-value	.	.	0.2093	.

Received gifts or money in exchange for sex with last partner, if casual  
Variable name:gifts\_cas

	Unexposed		Exposed	
Probability	0.1234	.	0.1400	.
95% CI	0.0879	0.1588	0.0844	0.1956
P-value	.	.	0.5705	.

Received gifts or money in exchange for sex with next to last partner  
Variable name:gifts\_B

	Unexposed		Exposed	
Probability	0.0901	.	0.0110	.
95% CI	0.0726	0.1076	0.0048	0.0173
P-value	.	.	0.0001	.

Received gifts or money in exchange for sex with next to last partner, if casual  
Variable name:gifts\_cas\_B

	Unexposed		Exposed	
Probability	0.1068	.	0.0134	.
95% CI	0.0953	0.1183	-0.0027	0.0296
P-value	.	.	0.0009	.

Gave gifts or money in exchange for sex with last partner b21  
Variable name:paid

	Unexposed		Exposed	
Probability	0.0949	.	0.1031	.
95% CI	0.0631	0.1267	0.0569	0.1494
P-value	.	.	0.7548	.

Gave gifts or money in exchange for sex with last partner, if regular  
Variable name:paid\_reg

	Unexposed		Exposed	
--	-----------	--	---------	--

Probability	0.0875	.	0.1315	.
95% CI	0.0499	0.1251	0.0741	0.1889
P-value	.	.	0.1271	.

Gave gifts or money in exchange for sex with last partner, if casual  
Variable name:paid\_cas

	Unexposed		Exposed	
Probability	0.0966	.	0.1015	.
95% CI	0.0602	0.1330	0.0465	0.1565
P-value	.	.	0.8632	.

Gave gifts or money in exchange for sex with next to last partner  
Variable name:paid\_B

	Unexposed		Exposed	
Probability	0.1476	.	0.0543	.
95% CI	0.0999	0.1952	0.0157	0.0929
P-value	.	.	0.0145	.

Gave gifts or money in exchange for sex with next to last partner, if casual  
Variable name:paid\_cas\_B

	Unexposed		Exposed	
Probability	0.1363	.	0.0610	.
95% CI	0.0891	0.1835	0.0189	0.1030
P-value	.	.	0.0457	.

```

.
.
. *****
. * Effect of exposure to any One Love TV programs (anytv_ol)
. *****
.
. #delimiter ;
delimiter now ;
. local mpvars1
> "k5r cn8r alr cn9r a5r a2r a3r mp1 mp2 b3r b5r gifts gifts_reg gifts_cas gifts_B
gifts_cas_B paid paid_reg paid_cas paid_B paid_cas_B " ;

. #delimiter cr;
delimiter now cr
.
.
. log off
name: <unnamed>
log: D:\Stata data\probit_ol_alltopics_program.smcl
log type: smcl
paused on: 24 Apr 2012, 23:26:41

```

```

-----
-----
-----
-----
-----
-----
-----
name: <unnamed>
log: D:\Stata data\probit_ol_alltopics_program.smcl
log type: smcl
resumed on: 24 Apr 2012, 23:27:04

```

```

. foreach x of local mpvars1 {
2. di "`x'": var label `x'''' _continue
3. matlist results_`x', format(%9.4f) title(Variable name:`x') nodotz border(all)
4. di " "
5. di "-----" _continue
6. di " "
7. }

```

Knows multiple sexual partners increase HIV Rrisk k5r  
Variable name:k5r

	Unexposed		Exposed	
Probability	0.8761	.	0.8842	.
95% CI	0.8527	0.8996	0.8367	0.9318
P-value	.	.	0.7708	.

People Discuss HIV Risk & Multiple Partners  
Variable name:cn8r

	Unexposed		Exposed	
Probability	0.5182	.	0.6419	.
95% CI	0.4831	0.5533	0.5693	0.7146
P-value	.	.	0.0014	.

Most married men faithful to wives  
Variable name:alr

	Unexposed		Exposed	
Probability	0.3115	.	0.4839	.
95% CI	0.2820	0.3411	0.4178	0.5501
P-value	.	.	0.0000	.

Leaders Discourage Multiple Parnters  
Variable name:cn9r

	Unexposed		Exposed	
Probability	0.3460	.	0.3957	.
95% CI	0.3039	0.3881	0.3389	0.4525
P-value	.	.	0.1149	.

Men with many women are real men  
Variable name:a5r

	Unexposed		Exposed	
Probability	0.0955	.	0.1007	.
95% CI	0.0766	0.1144	0.0570	0.1443
P-value	.	.	0.8116	.

Can resist being unfaithful to main partner  
Variable name:a2r

	Unexposed		Exposed	
Probability	0.7336	.	0.6777	.
95% CI	0.6897	0.7774	0.6330	0.7225
P-value	.	.	0.0639	.

Does not need someone to fill gap  
Variable name:a3r

	Unexposed		Exposed	
Probability	0.6261	.	0.7199	.
95% CI	0.5953	0.6570	0.6443	0.7956
P-value	.	.	0.0481	.

Multiple Partners (Last 12 Months) b2  
Variable name:mp1

	Unexposed		Exposed	
Probability	0.1630	.	0.1983	.
95% CI	0.1356	0.1904	0.1537	0.2429
P-value	.	.	0.2289	.

Multiple Partners (Last Month)b4  
Variable name:mp2

	Unexposed		Exposed	
Probability	0.0727	.	0.1219	.
95% CI	0.0599	0.0855	0.0764	0.1674
P-value	.	.	0.0267	.

Self-reported having concurrent partners in the past 12 months b3

Variable name:b3r

	Unexposed		Exposed	
Probability	0.1189	.	0.1313	.
95% CI	0.0962	0.1415	0.0844	0.1782
P-value	.	.	0.6468	.

Currently have ore than one sexual partner (past 3 months) b5  
Variable name:b5r

	Unexposed		Exposed	
Probability	0.0992	.	0.1375	.
95% CI	0.0847	0.1137	0.0964	0.1785
P-value	.	.	0.0676	.

Received gifts or money in exchange for sex with last partner b20  
Variable name:gifts

	Unexposed		Exposed	
Probability	0.1369	.	0.1303	.
95% CI	0.1108	0.1630	0.0797	0.1809
P-value	.	.	0.8193	.

Received gifts or money in exchange for sex with last partner, if regular  
Variable name:gifts\_reg

	Unexposed		Exposed	
Probability	0.1443	.	0.1866	.
95% CI	0.1101	0.1786	0.1001	0.2732
P-value	.	.	0.4060	.

Received gifts or money in exchange for sex with last partner, if casual  
Variable name:gifts\_cas

	Unexposed		Exposed	
Probability	0.1364	.	0.0915	.
95% CI	0.0970	0.1757	0.0418	0.1412
P-value	.	.	0.2171	.

Received gifts or money in exchange for sex with next to last partner  
Variable name:gifts\_B

	Unexposed		Exposed	
--	-----------	--	---------	--

Probability	0.0733	.	0.0598	.
95% CI	0.0526	0.0941	0.0231	0.0965
P-value	.	.	0.6064	.

Received gifts or money in exchange for sex with next to last partner, if casual  
Variable name:gifts\_cas\_B

	Unexposed		Exposed	
Probability	0.0818	.	0.0417	.
95% CI	0.0505	0.1130	0.0124	0.0710
P-value	.	.	0.1281	.

Gave gifts or money in exchange for sex with last partner b21  
Variable name:paid

	Unexposed		Exposed	
Probability	0.0956	.	0.1046	.
95% CI	0.0627	0.1285	0.0601	0.1490
P-value	.	.	0.7471	.

Gave gifts or money in exchange for sex with last partner, if regular  
Variable name:paid\_reg

	Unexposed		Exposed	
Probability	0.0987	.	0.1007	.
95% CI	0.0548	0.1425	0.0377	0.1638
P-value	.	.	0.9626	.

Gave gifts or money in exchange for sex with last partner, if casual  
Variable name:paid\_cas

	Unexposed		Exposed	
Probability	0.0968	.	0.1031	.
95% CI	0.0565	0.1370	0.0399	0.1663
P-value	.	.	0.8716	.

Gave gifts or money in exchange for sex with next to last partner  
Variable name:paid\_B

	Unexposed		Exposed	
Probability	0.1410	.	0.0559	.
95% CI	0.0929	0.1891	0.0103	0.1016
P-value	.	.	0.0492	.

-----+  
 -----+  
 Gave gifts or money in exchange for sex with next to last partner, if casual  
 Variable name:paid\_cas\_B

	Unexposed		Exposed	
Probability	0.1345	.	0.0586	.
95% CI	0.0860	0.1830	0.0099	0.1073
P-value	.	.	0.0845	.

```

.
.
.
. *****
. * Effect of intensity of exposure to One Love booklets (intbk_ol)
. *****
.
. #delimit ;
delimiter now ;
. local mpvars1
> "k5r cn8r alr cn9r a5r a2r a3r mp1 mp2 b3r b5r gifts gifts_reg gifts_cas gifts_B
gifts_cas_B paid paid_reg paid_cas paid_B paid_cas_B " ;

. #delimit cr;
delimiter now cr
.
.
. log off
  name: <unnamed>
  log: D:\Stata data\probit_ol_alltopics_program.smcl
  log type: smcl
  paused on: 24 Apr 2012, 23:27:04
-----
-----
-----
-----
-----
  name: <unnamed>
  log: D:\Stata data\probit_ol_alltopics_program.smcl
  log type: smcl
  resumed on: 24 Apr 2012, 23:27:35
.
. foreach x of local mpvars1 {
  2. display "`": var label `x'''' _continue
  3. matlist results_`x', format(%9.4f) title(Variable name: `x') nodotz border(all)
  4. display " "
  5. display
"-----"
_continue
  6. display " "
  7. }
Knows multiple sexual partners increase HIV Risk k5r
Variable name: k5r

```

	None		One		Two+	
Probability	0.8595	.	0.8905	.	0.9122	.
95% CI	0.8343	0.8847	0.8498	0.9313	0.8828	0.9416
p-value	.	.	0.2048	.	0.0120	.

People Discuss HIV Risk & Multiple Partners  
Variable name: cn8r

	None		One		Two+	
Probability	0.5653	.	0.4854	.	0.5479	.
95% CI	0.5112	0.6194	0.4244	0.5464	0.4935	0.6023
p-value	.	.	0.0948	.	0.6053	.

Most married men faithful to wives  
Variable name: alr

	None		One		Two+	
Probability	0.3177	.	0.3683	.	0.4030	.
95% CI	0.2838	0.3515	0.2798	0.4569	0.3498	0.4562
p-value	.	.	0.3494	.	0.0136	.

Leaders Discourage Multiple Partners  
Variable name: cn9r

	None		One		Two+	
Probability	0.3512	.	0.3101	.	0.4179	.
95% CI	0.3139	0.3884	0.2523	0.3679	0.3425	0.4932
p-value	.	.	0.1779	.	0.0846	.

Men with many women are real men  
Variable name: a5r

	None		One		Two+	
Probability	0.1094	.	0.0714	.	0.0894	.
95% CI	0.0855	0.1334	0.0458	0.0970	0.0578	0.1210
p-value	.	.	0.0164	.	0.2799	.

Can resist being unfaithful to main partner  
Variable name: a2r

	None		One		Two+	
Probability	0.7355	.	0.7109	.	0.7054	.
95% CI	0.6912	0.7797	0.6579	0.7640	0.6504	0.7605



p-value	.	.	0.3574	.	0.2975	.
---------	---	---	--------	---	--------	---

Does not need someone to fill gap  
Variable name: a3r

	None		One		Two+	
Probability	0.6701	.	0.6229	.	0.6063	.
95% CI	0.6377	0.7025	0.5622	0.6837	0.5490	0.6636
p-value	.	.	0.1706	.	0.0301	.

Multiple Partners (Last 12 Months) b2  
Variable name: mp1

	None		One		Two+	
Probability	0.1681	.	0.1706	.	0.1770	.
95% CI	0.1382	0.1981	0.1172	0.2239	0.1364	0.2177
p-value	.	.	0.9337	.	0.7553	.

Multiple Partners (Last Month)b4  
Variable name: mp2

	None		One		Two+	
Probability	0.0708	.	0.0863	.	0.1113	.
95% CI	0.0540	0.0876	0.0472	0.1255	0.0711	0.1515
p-value	.	.	0.4349	.	0.0805	.

Self-reported having concurrent partners in the past 12 months b3  
Variable name: b3r

	None		One		Two+	
Probability	0.1288	.	0.1070	.	0.1200	.
95% CI	0.1019	0.1558	0.0525	0.1614	0.0745	0.1656
p-value	.	.	0.4919	.	0.7665	.

Currently have ore than one sexual partner (past 3 months) b5  
Variable name: b5r

	None		One		Two+	
Probability	0.0950	.	0.0984	.	0.1508	.
95% CI	0.0745	0.1155	0.0554	0.1413	0.1043	0.1974
p-value	.	.	0.8861	.	0.0428	.

Received gifts or money in exchange for sex with last partner b20  
 Variable name: gifts

	None		One		Two+	
Probability	0.1108	.	0.1953	.	0.1222	.
95% CI	0.0827	0.1388	0.1605	0.2301	0.0821	0.1622
p-value	.	.	0.0000	.	0.6691	.

Received gifts or money in exchange for sex with last partner, if regular  
 Variable name: gifts\_reg

	None		One		Two+	
Probability	0.1022	.	0.2160	.	0.2623	.
95% CI	0.0700	0.1343	0.1234	0.3087	0.1645	0.3602
p-value	.	.	0.0446	.	0.0095	.

Received gifts or money in exchange for sex with last partner, if casual  
 Variable name: gifts\_cas

	None		One		Two+	
Probability	0.1154	.	0.1938	.	0.0838	.
95% CI	0.0760	0.1548	0.1464	0.2411	0.0488	0.1189
p-value	.	.	0.0055	.	0.1792	.

Received gifts or money in exchange for sex with next to last partner  
 Variable name: gifts\_B

	None		One		Two+	
Probability	0.0423	.	0.1502	.	0.0701	.
95% CI	0.0270	0.0576	0.0856	0.2149	0.0260	0.1141
p-value	.	.	0.0106	.	0.2381	.

Received gifts or money in exchange for sex with next to last partner, if casual  
 Variable name: gifts\_cas\_B

	None		One		Two+	
Probability	0.0321	.	0.1500	.	0.1608	.
95% CI	.	.	.	.	.	.
p-value	.	.	.	.	.	.

Gave gifts or money in exchange for sex with last partner b21  
 Variable name: paid

	None		One		Two+	
Probability	0.1108	.	0.1953	.	0.1222	.
95% CI	0.0827	0.1388	0.1605	0.2301	0.0821	0.1622
p-value	.	.	0.0000	.	0.6691	.

	None		One		Two+	
Probability	0.1045	.	0.1020	.	0.0750	.
95% CI	0.0679	0.1412	0.0532	0.1509	0.0388	0.1112
p-value	.	.	0.9312	.	0.2653	.

Gave gifts or money in exchange for sex with last partner, if regular  
Variable name: paid\_reg

	None		One		Two+	
Probability	0.0879	.	0.1071	.	0.1356	.
95% CI	0.0485	0.1273	0.0438	0.1703	0.0493	0.2220
p-value	.	.	0.4966	.	0.3246	.

Gave gifts or money in exchange for sex with last partner, if casual  
Variable name: paid\_cas

	None		One		Two+	
Probability	0.1081	.	0.1043	.	0.0720	.
95% CI	0.0585	0.1577	0.0516	0.1571	0.0341	0.1100
p-value	.	.	0.9135	.	0.1771	.

Gave gifts or money in exchange for sex with next to last partner  
Variable name: paid\_B

	None		One		Two+	
Probability	0.1503	.	0.1006	.	0.0521	.
95% CI	0.0871	0.2136	0.0403	0.1608	0.0015	0.1027
p-value	.	.	0.3075	.	0.0432	.

Gave gifts or money in exchange for sex with next to last partner, if casual  
Variable name: paid\_cas\_B

	None		One		Two+	
Probability	0.1546	.	0.0803	.	0.0436	.
95% CI	0.0908	0.2185	0.0255	0.1351	-0.0030	0.0902
p-value	.	.	0.1441	.	0.0206	.

```

.
.
. *****
. * Effect of One Love Radio multimedia exposure (multimedia_ol)
. *****
.
. #delimit ;

```

```

delimiter now ;
. local mpvars1
> "k5r cn8r alr cn9r a5r a2r a3r mp1 mp2 b3r b5r gifts gifts_reg gifts_cas gifts_B
gifts_cas_B paid paid_reg paid_cas paid_B paid_cas_B " ;

. #delimit cr;
delimiter now cr
.
.
. log off
  name: <unnamed>
  log: D:\Stata data\probit_ol_alltopics_program.smcl
  log type: smcl
  paused on: 24 Apr 2012, 23:27:35

-----

-----

-----

-----

name: <unnamed>
log: D:\Stata data\probit_ol_alltopics_program.smcl
log type: smcl
resumed on: 24 Apr 2012, 23:28:07

.
. foreach x of local mpvars1 {
2. display "`": var label `x'''' _continue
3. matlist results_`x', format(%9.4f) title(Variable name: `x') nodotz border(all)
4. display " "
5. display
"-----"
_continue
6. display " "
7. }
Knows multiple sexual partners increase HIV Risk k5r
Variable name: k5r

```

	None		One		Two+	
Probability	0.8588	.	0.8954	.	0.8851	.
95% CI	0.8319	0.8858	0.8558	0.9351	0.8452	0.9251
p-value	.	.	0.1057	.	0.3172	.

People Discuss HIV Risk & Multiple Partners  
Variable name: cn8r

	None		One		Two+	
Probability	0.5505	.	0.4806	.	0.6214	.
95% CI	0.4877	0.6133	0.4326	0.5285	0.5623	0.6804
p-value	.	.	0.0899	.	0.1097	.

Most married men faithful to wives  
Variable name: alr

	None		One		Two+	
--	------	--	-----	--	------	--

Probability	0.2780	.	0.3537	.	0.4460	.
95% CI	0.2344	0.3217	0.3201	0.3874	0.3571	0.5350
p-value	.	.	0.0187	.	0.0037	.

Leaders Discourage Multiple Parnters  
Variable name: cn9r

	None		One		Two+	
Probability	0.3337	.	0.3567	.	0.3906	.
95% CI	0.2831	0.3844	0.2969	0.4165	0.3297	0.4516
p-value	.	.	0.5172	.	0.1445	.

Men with many women are real men  
Variable name: a5r

	None		One		Two+	
Probability	0.1116	.	0.0745	.	0.1025	.
95% CI	0.0848	0.1384	0.0539	0.0951	0.0594	0.1456
p-value	.	.	0.0169	.	0.6939	.

Can resist being unfaithful to main partner  
Variable name: a2r

	None		One		Two+	
Probability	0.7347	.	0.7389	.	0.6794	.
95% CI	0.6819	0.7875	0.6962	0.7816	0.6321	0.7268
p-value	.	.	0.8759	.	0.0950	.

Does not need someone to fill gap  
Variable name: a3r

	None		One		Two+	
Probability	0.6483	.	0.6416	.	0.6416	.
95% CI	0.6072	0.6895	0.5902	0.6929	0.5827	0.7005
p-value	.	.	0.8461	.	0.8560	.

Multiple Partners (Last 12 Months) b2  
Variable name: mp1

	None		One		Two+	
Probability	0.1698	.	0.1629	.	0.1820	.
95% CI	0.1328	0.2067	0.1133	0.2125	0.1415	0.2226
p-value	.	.	0.8431	.	0.5840	.

Multiple Partners (Last Month)b4  
 Variable name: mp2

	None		One		Two+	
Probability	0.0738	.	0.0875	.	0.0907	.
95% CI	0.0519	0.0957	0.0593	0.1157	0.0552	0.1261
p-value	.	.	0.5231	.	0.4087	.

Self-reported having concurrent partners in the past 12 months b3  
 Variable name: b3r

	None		One		Two+	
Probability	0.1475	.	0.1003	.	0.1131	.
95% CI	0.1099	0.1852	0.0663	0.1343	0.0722	0.1541
p-value	.	.	0.0775	.	0.2887	.

Currently have ore than one sexual partner (past 3 months) b5  
 Variable name: b5r

	None		One		Two+	
Probability	0.1046	.	0.1024	.	0.1177	.
95% CI	0.0782	0.1309	0.0745	0.1303	0.0832	0.1522
p-value	.	.	0.9235	.	0.5437	.

Received gifts or money in exchange for sex with last partner b20  
 Variable name: gifts

	None		One		Two+	
Probability	0.1324	.	0.1154	.	0.1734	.
95% CI	0.0988	0.1661	0.0874	0.1435	0.1200	0.2268
p-value	.	.	0.3248	.	0.1806	.

Received gifts or money in exchange for sex with last partner, if regular  
 Variable name: gifts\_reg

	None		One		Two+	
Probability	0.1214	.	0.1564	.	0.2082	.
95% CI	0.0818	0.1611	0.0913	0.2215	0.1348	0.2816
p-value	.	.	0.4471	.	0.0523	.

Received gifts or money in exchange for sex with last partner, if casual

Variable name: gifts\_cas

	None		One		Two+	
Probability	0.1406	.	0.1014	.	0.1617	.
95% CI	0.0861	0.1952	0.0663	0.1365	0.1055	0.2179
p-value	.	.	0.1086	.	0.6035	.

Received gifts or money in exchange for sex with next to last partner  
Variable name: gifts\_B

	None		One		Two+	
Probability	0.0418	.	0.1523	.	0.0387	.
95% CI	0.0265	0.0571	0.1269	0.1778	0.0222	0.0551
p-value	.	.	0.0007	.	0.8107	.

Received gifts or money in exchange for sex with next to last partner, if casual  
Variable name: gifts\_cas\_B

	None		One		Two+	
Probability	0.0278	.	0.2334	.	0.0708	.
95% CI	.	.	.	.	.	.
p-value	.	.	.	.	.	.

Gave gifts or money in exchange for sex with last partner b21  
Variable name: paid

	None		One		Two+	
Probability	0.0990	.	0.1058	.	0.0836	.
95% CI	0.0549	0.1430	0.0689	0.1426	0.0487	0.1185
p-value	.	.	0.7733	.	0.6023	.

Gave gifts or money in exchange for sex with last partner, if regular  
Variable name: paid\_reg

	None		One		Two+	
Probability	0.0867	.	0.1178	.	0.1034	.
95% CI	0.0459	0.1275	0.0603	0.1753	0.0567	0.1502
p-value	.	.	0.2954	.	0.5661	.

Gave gifts or money in exchange for sex with last partner, if casual  
Variable name: paid\_cas

	None		One		Two+	
--	------	--	-----	--	------	--

Probability	0.0959	.	0.1082	.	0.0860	.
95% CI	0.0369	0.1550	0.0682	0.1482	0.0457	0.1263
p-value	.	.	0.6906	.	0.7838	.

Gave gifts or money in exchange for sex with next to last partner  
Variable name: paid\_B

	None		One		Two+	
Probability	0.1764	.	0.1676	.	0.0269	.
95% CI	0.1000	0.2528	0.1091	0.2261	0.0058	0.0480
p-value	.	.	0.8542	.	0.0005	.

Gave gifts or money in exchange for sex with next to last partner, if casual  
Variable name: paid\_cas\_B

	None		One		Two+	
Probability	0.1770	.	0.1453	.	0.0296	.
95% CI	0.0974	0.2565	0.0882	0.2023	0.0062	0.0530
p-value	.	.	0.5161	.	0.0010	.

```

.
.
. *****
. * RISK VARIABLES (CATEGORICAL)
. *****
.
.
. #delimit ;
delimit now ;
. local riskvars1
> "cnl0r agedif_a1 agedif_b1 agedif_c1";

. #delimit cr;
delimit now cr

.
.
.
. *****
. * Effect of exposure to any One Love radio programs (anyrad_ol)
. *****
.
. log off
      name: <unnamed>
      log: D:\Stata data\probit_ol_alltopics_program.smcl
      log type: smcl
      paused on: 24 Apr 2012, 23:28:08

```



```

-----
-----
name: <unnamed>
log: D:\Stata data\probit_ol_alltopics_program.smcl
log type: smcl
resumed on: 24 Apr 2012, 23:28:12

```

```

. foreach x of local riskvars1 {
2. di "`x': var label `x'''' _continue
3. matlist results_`x', format(%9.4f) title(Variable name:`x') nodotz border(all)
4. di " "
5. di "-----" _continue
6. di " "
7. }

```

Leaders Discourage Multiple Parnters  
Variable name:cn10r

	Unexposed		Exposed	
Probability	0.3131	.	0.3914	.
95% CI	0.2712	0.3551	0.3344	0.4485
P-value	.	.	0.0115	.

10+ year age difference between respondent and last sexual partner  
Variable name:agedif\_a1

	Unexposed		Exposed	
Probability	0.1116	.	0.1114	.
95% CI	0.0887	0.1344	0.0719	0.1509
P-value	.	.	0.9940	.

10+ year age difference between respondent and next to last sexual partner  
Variable name:agedif\_b1

	Unexposed		Exposed	
Probability	0.1841	.	0.1159	.
95% CI	0.1364	0.2317	0.0589	0.1729
P-value	.	.	0.1385	.

10+ year age difference between respondent and third to last sexual partner  
Variable name:agedif\_c1

	Unexposed		Exposed	
Probability	0.1998	.	0.1398	.
95% CI	0.1425	0.2570	0.0838	0.1958
P-value	.	.	0.2066	.



10+ year age difference between respondent and next to last sexual partner  
 Variable name:agedif\_b1

	Unexposed		Exposed	
Probability	0.1976	.	0.0755	.
95% CI	0.1531	0.2422	0.0273	0.1237
P-value	.	.	0.0051	.

10+ year age difference between respondent and third to last sexual partner  
 Variable name:agedif\_c1

	Unexposed		Exposed	
Probability	0.2001	.	0.1313	.
95% CI	0.1523	0.2479	0.0615	0.2012
P-value	.	.	0.1631	.

```

.
.
.
*****
. * Effect of intensity of exposure to One Love booklets (intbk_ol)
*****
.
. #delimit ;
delimiter now ;
. local riskvars1
> "cn10r agedif_a1 agedif_b1 agedif_c1";

. #delimit cr;
delimiter now cr
.
.
.
. log off
      name: <unnamed>
      log: D:\Stata data\probit_ol_alltopics_program.smcl
      log type: smcl
      paused on: 24 Apr 2012, 23:28:16
-----
-----
-----
-----
      name: <unnamed>
      log: D:\Stata data\probit_ol_alltopics_program.smcl
      log type: smcl
      resumed on: 24 Apr 2012, 23:28:22
.
. foreach x of local riskvars1 {
2. display "`": var label `x'"" _continue
3. matlist results_`x', format(%9.4f) title(Variable name: `x') nodotz border(all)
4. display " "

```

```
5. display
```

```

_continue
6. display " "
7. }
```

```
Leaders Discourage Multiple Parnters
Variable name: cn10r
```

	None		One		Two+	
Probability	0.3225	.	0.3078	.	0.3930	.
95% CI	0.2805	0.3645	0.2492	0.3665	0.3298	0.4563
p-value	.	.	0.6820	.	0.0213	.

```
10+ year age difference between respondent and last sexual partner
Variable name: agedif_a1
```

	None		One		Two+	
Probability	0.1015	.	0.1239	.	0.1211	.
95% CI	0.0757	0.1273	0.0879	0.1599	0.0806	0.1615
p-value	.	.	0.3325	.	0.4275	.

```
10+ year age difference between respondent and next to last sexual partner
Variable name: agedif_b1
```

	None		One		Two+	
Probability	0.1967	.	0.1440	.	0.0961	.
95% CI	0.1420	0.2514	0.0690	0.2189	0.0381	0.1541
p-value	.	.	0.3118	.	0.0389	.

```
10+ year age difference between respondent and third to last sexual partner
Variable name: agedif_c1
```

	None		One		Two+	
Probability	0.1973	.	0.3325	.	0.0473	.
95% CI	0.1686	0.2260	0.2594	0.4055	-0.0162	0.1108
p-value	.	.	0.1783	.	0.0079	.

```

.
.
. *****
. * Effect of One Love Radio multimedia exposure (multimedia_ol)
. *****
.
. #delimiter ;
delimiter now ;
. local riskvars1
> "cn10r agedif_a1 agedif_b1 agedif_c1";
```



10+ year age difference between respondent and third to last sexual partner  
 Variable name: agedif\_c1

	None		One		Two+	
Probability	0.2223	.	0.1118	.	0.1773	.
95% CI	0.1355	0.3092	0.0448	0.1788	0.0986	0.2561
p-value	.	.	0.1298	.	0.4665	.

```

.
.
.
. *****
. * HIV COMMUNICATION
. *****
.
. #delimit ;
delimiter now ;
. local hivcomvars
> "disc_spouse disc_kids disc_friends disc_any b22r b23r a4r";

. #delimit cr;
delimiter now cr
.
.
. *****
. * Effect of exposure to any One Love radio programs (anyrad_ol)
. *****
.
. log off
  name: <unnamed>
  log: D:\Stata data\probit_ol_alltopics_program.smcl
  log type: smcl
  paused on: 24 Apr 2012, 23:28:27
-----
-----
-----
-----
-----
  name: <unnamed>
  log: D:\Stata data\probit_ol_alltopics_program.smcl
  log type: smcl
  resumed on: 24 Apr 2012, 23:28:35
.
. foreach x of local hivcomvars {
2. di "`": var label `x'''' _continue
3. matlist results_`x', format(%9.4f) title(Variable name:`x') nodotz border(all)
4. di " "
5. di "_____ " _continue
6. di " "
7. }
Discussed HIV/AIDS with Kids b25
Variable name:disc_spouse

```

	Unexposed		Exposed	
Probability	0.8390	.	0.9306	.
95% CI	0.7994	0.8786	0.8742	0.9870
P-value	.	.	0.0238	.

Discussed HIV/AIDS with Kids b26  
Variable name:disc\_kids

	Unexposed		Exposed	
Probability	0.5386	.	0.4996	.
95% CI	0.4872	0.5900	0.4184	0.5808
P-value	.	.	0.3651	.

Discussed HIV/AIDS with Friends b27  
Variable name:disc\_friends

	Unexposed		Exposed	
Probability	0.6424	.	0.6409	.
95% CI	0.6112	0.6736	0.5809	0.7008
P-value	.	.	0.9616	.

Discussed HIV/AIDS with Spouse, Kids, and/or Friends  
Variable name:disc\_any

	Unexposed		Exposed	
Probability	0.7383	.	0.7317	.
95% CI	0.7058	0.7707	0.6846	0.7787
P-value	.	.	0.8241	.

Percentage who are dissatisfied when having sex with spouse/regular cohabitating  
Variable name:b22r

	Unexposed		Exposed	
Probability	0.1290	.	0.2240	.
95% CI	0.0777	0.1804	0.1779	0.2701
P-value	.	.	0.0030	.

Percentage who have talked with spouse/regular cohabitating partner about sexual  
Variable name:b23r

	Unexposed		Exposed	
Probability	0.0810	.	0.1961	.





P-value	.	.	0.1149	.
---------	---	---	--------	---

Discussed HIV/AIDS with Kids b26  
Variable name:disc\_kids

	Unexposed		Exposed	
Probability	0.5261	.	0.5347	.
95% CI	0.4696	0.5826	0.4594	0.6100
P-value	.	.	0.8511	.

Discussed HIV/AIDS with Friends b27  
Variable name:disc\_friends

	Unexposed		Exposed	
Probability	0.6410	.	0.6423	.
95% CI	0.6080	0.6740	0.5690	0.7155
P-value	.	.	0.9747	.

Discussed HIV/AIDS with Spouse, Kids, and/or Friends  
Variable name:disc\_any

	Unexposed		Exposed	
Probability	0.7339	.	0.7489	.
95% CI	0.7007	0.7672	0.6973	0.8005
P-value	.	.	0.6745	.

Percentage who are dissatisfied when having sex with spouse/regular cohabitating  
Variable name:b22r

	Unexposed		Exposed	
Probability	0.1401	.	0.2062	.
95% CI	0.0998	0.1804	0.1212	0.2912
P-value	.	.	0.1107	.

Percentage who have talked with spouse/regular cohabitating partner about sexual  
Variable name:b23r

	Unexposed		Exposed	
Probability	0.1045	.	0.1644	.
95% CI	0.0801	0.1289	0.0860	0.2429
P-value	.	.	0.1012	.

Sex life improves with communication about HIV  
 Variable name:a4r

	Unexposed		Exposed	
Probability	0.8587	.	0.8558	.
95% CI	0.8281	0.8892	0.8141	0.8975
P-value	.	.	0.9133	.

```

.
.
.
*****
. * Effect of intensity of exposure to One Love booklets (intbk_ol)
*****
. #delimit ;
delimiter now ;
. local hivcomvars
> "disc_spouse disc_kids disc_friends disc_any b22r b23r a4r";

. #delimit cr;
delimiter now cr
.
.
. log off
  name: <unnamed>
  log: D:\Stata data\probit_ol_alltopics_program.smcl
  log type: smcl
  paused on: 24 Apr 2012, 23:28:43
-----
-----
-----
-----
-----
name: <unnamed>
log: D:\Stata data\probit_ol_alltopics_program.smcl
log type: smcl
resumed on: 24 Apr 2012, 23:28:52

.
. foreach x of local hivcomvars {
2. display "`": var label `x'''' _continue
3. matlist results_`x', format(%9.4f) title(Variable name: `x') nodotz border(all)
4. display " "
5. display
"
-----
_continue
6. display " "
7. }
Discussed HIV/AIDS with Kids b25
Variable name: disc_spouse

```

	None		One		Two+	
Probability	0.8284	.	0.9365	.	0.8662	.
95% CI	0.7750	0.8819	0.8970	0.9761	0.7610	0.9715
p-value	.	.	0.0112	.	0.5384	.

Discussed HIV/AIDS with Kids b26  
 Variable name: disc\_kids

	None		One		Two+	
Probability	0.4399	.	0.6233	.	0.6063	.
95% CI	0.3798	0.5001	0.5225	0.7241	0.5334	0.6792
p-value	.	.	0.0004	.	0.0020	.

Discussed HIV/AIDS with Friends b27  
 Variable name: disc\_friends

	None		One		Two+	
Probability	0.6283	.	0.6167	.	0.7185	.
95% CI	0.5901	0.6665	0.5664	0.6670	0.6626	0.7744
p-value	.	.	0.7165	.	0.0063	.

Discussed HIV/AIDS with Spouse, Kids, and/or Friends  
 Variable name: disc\_any

	None		One		Two+	
Probability	0.7151	.	0.7371	.	0.8041	.
95% CI	0.6841	0.7461	0.6868	0.7874	0.7514	0.8569
p-value	.	.	0.4042	.	0.0054	.

Percentage who are dissatisfied when having sex with spouse/regular cohabitating  
 Variable name: b22r

	None		One		Two+	
Probability	0.1925	.	0.1056	.	0.1368	.
95% CI	0.1269	0.2582	0.0741	0.1371	0.0856	0.1880
p-value	.	.	0.0090	.	0.1761	.

Percentage who have talked with spouse/regular cohabitating partner about sexual  
 Variable name: b23r

	None		One		Two+	
Probability	0.1404	.	0.0819	.	0.1217	.
95% CI	0.0928	0.1879	0.0510	0.1127	0.0840	0.1594
p-value	.	.	0.0139	.	0.5540	.

Sex life improves with communication about HIV  
 Variable name: a4r



Variable name: disc\_kids

	None		One		Two+	
Probability	0.4315	.	0.5946	.	0.5630	.
95% CI	0.3618	0.5012	0.5214	0.6679	0.4792	0.6468
p-value	.	.	0.0001	.	0.0261	.

Discussed HIV/AIDS with Friends b27

Variable name: disc\_friends

	None		One		Two+	
Probability	0.6185	.	0.6662	.	0.6452	.
95% CI	0.5775	0.6595	0.6169	0.7154	0.5813	0.7090
p-value	.	.	0.1262	.	0.4964	.

Discussed HIV/AIDS with Spouse, Kids, and/or Friends

Variable name: disc\_any

	None		One		Two+	
Probability	0.7061	.	0.7758	.	0.7360	.
95% CI	0.6698	0.7424	0.7299	0.8217	0.6864	0.7855
p-value	.	.	0.0041	.	0.3791	.

Percentage who are dissatisfied when having sex with spouse/regular cohabitating

Variable name: b22r

	None		One		Two+	
Probability	0.1504	.	0.1272	.	0.1976	.
95% CI	0.0646	0.2363	0.0793	0.1752	0.1426	0.2525
p-value	.	.	0.6627	.	0.3711	.

Percentage who have talked with spouse/regular cohabitating partner about sexual

Variable name: b23r

	None		One		Two+	
Probability	0.0916	.	0.1102	.	0.1661	.
95% CI	0.0485	0.1346	0.0710	0.1495	0.1136	0.2185
p-value	.	.	0.5653	.	0.0473	.

Sex life improves with communication about HIV

Variable name: a4r

	None		One		Two+	
--	------	--	-----	--	------	--

Probability	0.8518	.	0.8915	.	0.8172	.
95% CI	0.8195	0.8841	0.8595	0.9235	0.7452	0.8892
p-value	.	.	0.0790	.	0.3868	.

```

.
.
. *****
. * CONDOM USE
. *****
.
. *****
. * Effect of exposure to any One Love radio programs (anyrad_ol)
. *****
.
. #delimit ;
delimiter now ;
. local condomvars1
> "k4r k3r k1r k2r cn1r cn2r cn2ar cls cls_reg cls_cas cls_mp
> clscas_mp freq_cdm freq_cdm2nd freq_cdm3rd cls_yr" ;

. #delimit cr;
delimiter now cr

.
. log off
    name: <unnamed>
    log: D:\Stata data\probit_ol_alltopics_program.smcl
    log type: smcl
    paused on: 24 Apr 2012, 23:29:02

-----
-----
-----
-----
-----

    name: <unnamed>
    log: D:\Stata data\probit_ol_alltopics_program.smcl
    log type: smcl
    resumed on: 24 Apr 2012, 23:29:19

.
. foreach x of local condomvars1 {
2. di "`": var label `x'''' _continue
3. matlist results_`x', format(%9.4f) title(Variable name:`x') nodotz border(all)
4. di " "
5. di "-----" _continue
6. di " "
7. }
While in ART, PLHIV can transmit HIV k4r
Variable name:k4r

```

	Unexposed		Exposed	
Probability	0.8989	.	0.8702	.
95% CI	0.8727	0.9251	0.8141	0.9262
P-value	.	.	0.3068	.

Knows PLHIV on ART can transmit HIV k3r  
 Variable name:k3r

	Unexposed		Exposed	
Probability	0.8774	.	0.8997	.
95% CI	0.8567	0.8981	0.8702	0.9291
P-value	.	.	0.3162	.

Percentage who disagree that if one spouse is HIV+ the other certainly is k1r  
 Variable name:k1r

	Unexposed		Exposed	
Probability	0.4520	.	0.4218	.
95% CI	0.3892	0.5149	0.3605	0.4830
P-value	.	.	0.4555	.

Knows that STIs increase HIV infection k2r  
 Variable name:k2r

	Unexposed		Exposed	
Probability	0.8296	.	0.7594	.
95% CI	0.8032	0.8560	0.7070	0.8119
P-value	.	.	0.0113	.

Condom Use in Marriage Accepted  
 Variable name:cn1r

	Unexposed		Exposed	
Probability	0.6136	.	0.7052	.
95% CI	0.5642	0.6630	0.6378	0.7727
P-value	.	.	0.0249	.

Women Can Ask Regular Parnter to Use Condom  
 Variable name:cn2r

	Unexposed		Exposed	
Probability	0.6991	.	0.7638	.
95% CI	0.6531	0.7450	0.6894	0.8383
P-value	.	.	0.1104	.

Variable name:cn2ar

	Unexposed		Exposed	
Probability	0.7103	.	0.7674	.
95% CI	0.6636	0.7571	0.6896	0.8451
P-value	.	.	0.1873	.

Condom use at last sex among those ever having sex b7  
Variable name:cls

	Unexposed		Exposed	
Probability	0.6075	.	0.6589	.
95% CI	0.5652	0.6497	0.5954	0.7224
P-value	.	.	0.1683	.

Condom at last sex, if regular parnter  
Variable name:cls\_reg

	Unexposed		Exposed	
Probability	0.4991	.	0.6769	.
95% CI	0.3912	0.6070	0.5886	0.7653
P-value	.	.	0.0105	.

Condom at last sex, if casual parnter  
Variable name:cls\_cas

	Unexposed		Exposed	
Probability	0.8957	.	0.9262	.
95% CI	0.8704	0.9210	0.8741	0.9783
P-value	.	.	0.4172	.

Condom at last sex among those with multiple partners  
Variable name:cls\_mp

	Unexposed		Exposed	
Probability	0.7207	.	0.8140	.
95% CI	0.6707	0.7708	0.7553	0.8727
P-value	.	.	0.0193	.

Condom at last sex with a casual partner, among those with multiple partners  
Variable name:clscas\_mp

	Unexposed		Exposed	
Probability	0.8552	.	0.9657	.



95% CI	0.8218	0.8886	0.9500	0.9815
P-value	.	.	0.0011	.

Always/usually used a condom with last sexual partner  
Variable name:freq\_cdm

	Unexposed		Exposed	
Probability	0.7538	.	0.8332	.
95% CI	0.7080	0.7996	0.7887	0.8778
P-value	.	.	0.0098	.

Always/usually used a condom with next to last sexual partner  
Variable name:freq\_cdm2nd

	Unexposed		Exposed	
Probability	0.9448	.	0.9190	.
95% CI	0.9233	0.9662	0.8770	0.9610
P-value	.	.	0.2612	.

Always/usually used a condom with third to last sexual partner  
Variable name:freq\_cdm3rd

	Unexposed		Exposed	
Probability	0.9138	.	0.7982	.
95% CI	0.8739	0.9536	0.6645	0.9318
P-value	.	.	0.0970	.

condom use at last sex among those have sex in the last 12 months b19  
Variable name:cls\_yr

	Unexposed		Exposed	
Probability	0.7678	.	0.8424	.
95% CI	0.7211	0.8145	0.7963	0.8884
P-value	.	.	0.0215	.

```

.
.
. *****
. * Effect of exposure to any One Love TV programs (anytv_ol)
. *****
.
. #delimiter ;
delimiter now ;
. local condomvars1
> "k4r k3r k1r k2r cn1r cn2r cn2ar cls cls_reg cls_cas cls_mp

```

```

> clsreg_mp clscas_mp freq_cdm freq_cdm2nd freq_cdm3rd cls_yr" ;

. #delimit cr;
delimitter now cr
.
.
. log off
      name: <unnamed>
      log: D:\Stata data\probit_ol_alltopics_program.smcl
      log type: smcl
      paused on: 24 Apr 2012, 23:29:20
-----
-----
-----
-----
-----
-----
-----
      name: <unnamed>
      log: D:\Stata data\probit_ol_alltopics_program.smcl
      log type: smcl
      resumed on: 24 Apr 2012, 23:29:38
.
. foreach x of local condomvars1 {
2. di "`": var label `x'''' _continue
3. matlist results_`x', format(%9.4f) title(Variable name:`x') nodotz border(all)
4. di " "
5. di "-----" _continue
6. di " "
7. }

```

While in ART, PLHIV can transmit HIV k4r  
Variable name:k4r

	Unexposed		Exposed	
Probability	0.8868	.	0.9233	.
95% CI	0.8594	0.9143	0.8846	0.9620
P-value	.	.	0.0960	.

Knows PLHIV on ART can transmit HIV k3r  
Variable name:k3r

	Unexposed		Exposed	
Probability	0.8833	.	0.8786	.
95% CI	0.8646	0.9019	0.8334	0.9237
P-value	.	.	0.8654	.

Percentage who disagree that if one spouse is HIV+ the other certainly is k1r  
Variable name:k1r

	Unexposed		Exposed	
Probability	0.4608	.	0.3848	.
95% CI	0.3962	0.5254	0.3161	0.4536
P-value	.	.	0.1441	.

Knows that STIs increase HIV infection k2r  
 Variable name:k2r

	Unexposed		Exposed	
Probability	0.8276	.	0.7397	.
95% CI	0.8008	0.8545	0.6525	0.8270
P-value	.	.	0.0487	.

Condom Use in Marriage Accepted  
 Variable name:cnlr

	Unexposed		Exposed	
Probability	0.6174	.	0.7255	.
95% CI	0.5660	0.6687	0.6465	0.8045
P-value	.	.	0.0309	.

Women Can Ask Regular Parnter to Use Condom  
 Variable name:cn2r

	Unexposed		Exposed	
Probability	0.6850	.	0.8434	.
95% CI	0.6317	0.7382	0.7891	0.8977
P-value	.	.	0.0013	.

Variable name:cn2ar

	Unexposed		Exposed	
Probability	0.7161	.	0.7680	.
95% CI	0.6640	0.7681	0.7168	0.8191
P-value	.	.	0.1459	.

Condom use at last sex among those ever having sex b7  
 Variable name:cls

	Unexposed		Exposed	
Probability	0.6068	.	0.6786	.
95% CI	0.5603	0.6534	0.6225	0.7347
P-value	.	.	0.0826	.

Condom at last sex, if regular parnter  
 Variable name:cls\_reg

	Unexposed		Exposed	
Probability	0.5269	.	0.6186	.
95% CI	0.4331	0.6207	0.4826	0.7545
P-value	.	.	0.2021	.

Condom at last sex, if casual parnter  
Variable name:cls\_cas

	Unexposed		Exposed	
Probability	0.8976	.	0.9315	.
95% CI	0.8702	0.9249	0.8817	0.9813
P-value	.	.	0.3871	.

Condom at last sex among those with multiple partners  
Variable name:cls\_mp

	Unexposed		Exposed	
Probability	0.7232	.	0.8236	.
95% CI	0.6727	0.7738	0.7580	0.8892
P-value	.	.	0.0355	.

Condom at last sex with a regular partner, among those with multiple partners  
Variable name:clsreg\_mp

	Unexposed		Exposed	
Probability	0.6670	.	0.6812	.
95% CI	.	.	.	.
P-value	.	.	.	.

Condom at last sex with a casual partner, among those with multiple partners  
Variable name:clscas\_mp

	Unexposed		Exposed	
Probability	0.9046	.	0.8769	.
95% CI	0.8812	0.9281	0.8154	0.9384
P-value	.	.	0.4445	.

Always/usually used a condom with last sexual partner  
Variable name:freq\_cdm

	Unexposed		Exposed	
--	-----------	--	---------	--

Probability	0.7676	.	0.8070	.
95% CI	0.7184	0.8169	0.7585	0.8554
P-value	.	.	0.2937	.

Always/usually used a condom with next to last sexual partner  
Variable name:freq\_cdm2nd

	Unexposed		Exposed	
Probability	0.9413	.	0.9305	.
95% CI	0.9174	0.9652	0.8916	0.9694
P-value	.	.	0.6569	.

Always/usually used a condom with third to last sexual partner  
Variable name:freq\_cdm3rd

	Unexposed		Exposed	
Probability	0.9414	.	0.7330	.
95% CI	0.9166	0.9662	0.5829	0.8832
P-value	.	.	0.0943	.

condom use at last sex among those have sex in the last 12 months b19  
Variable name:cls\_yr

	Unexposed		Exposed	
Probability	0.7786	.	0.8266	.
95% CI	0.7301	0.8271	0.7756	0.8776
P-value	.	.	0.2119	.

```

.
.
.
*****
. * Effect of intensity of exposure to One Love booklets (intbk_ol)
*****
.
. #delimit ;
delimiter now ;
. local condomvars1
> "k4r k3r k1r k2r cn1r cn2r cn2ar cls cls_reg cls_cas cls_mp
> clsreg_mp clscas_mp freq_cdm freq_cdm2nd freq_cdm3rd cls_yr " ;

. #delimit cr;
delimiter now cr
.
.
. log off
      name: <unnamed>
      log:  D:\Stata data\probit_ol_alltopics_program.smcl
      log type: smcl

```

paused on: 24 Apr 2012, 23:29:38

name: <unnamed>  
log: D:\Stata data\probit\_ol\_alltopics\_program.smcl  
log type: smcl  
resumed on: 24 Apr 2012, 23:30:03

```
. foreach x of local condomvars1 {
2. display "`': var label `x'''' _continue
3. matlist results_`x', format(%9.4f) title(Variable name: `x') nodotz border(all)
4. display " "
5. display
"
_continue
6. display " "
7. }
```

While in ART, PLHIV can transmit HIV k4r  
Variable name: k4r

	None		One		Two+	
Probability	0.8908	.	0.8984	.	0.8913	.
95% CI	0.8605	0.9211	0.8584	0.9384	0.8558	0.9267
p-value	.	.	0.6702	.	0.9852	.

Knows PLHIV on ART can transmit HIV k3r  
Variable name: k3r

	None		One		Two+	
Probability	0.8593	.	0.9205	.	0.9041	.
95% CI	0.8342	0.8844	0.8912	0.9499	0.8775	0.9307
p-value	.	.	0.0113	.	0.0408	.

Percentage who disagree that if one spouse is HIV+ the other certainly is k1r  
Variable name: k1r

	None		One		Two+	
Probability	0.4799	.	0.3613	.	0.4538	.
95% CI	0.4196	0.5402	0.2929	0.4296	0.3899	0.5178
p-value	.	.	0.0000	.	0.5076	.

Knows that STIs increase HIV infection k2r  
Variable name: k2r

	None		One		Two+	
--	------	--	-----	--	------	--

Probability	0.8083	.	0.8337	.	0.8009	.
95% CI	0.7716	0.8451	0.7744	0.8930	0.7599	0.8419
p-value	.	.	0.5137	.	0.7733	.

Condom Use in Marriage Accepted  
Variable name: cn1r

	None		One		Two+	
Probability	0.5876	.	0.6479	.	0.7603	.
95% CI	0.5418	0.6333	0.5556	0.7401	0.7002	0.8204
p-value	.	.	0.1949	.	0.0001	.

Women Can Ask Regular Parnter to Use Condom  
Variable name: cn2r

	None		One		Two+	
Probability	0.6971	.	0.6809	.	0.8130	.
95% CI	0.6526	0.7415	0.6117	0.7501	0.7537	0.8723
p-value	.	.	0.6247	.	0.0020	.

Variable name: cn2ar

	None		One		Two+	
Probability	0.6699	.	0.7627	.	0.8140	.
95% CI	0.6122	0.7276	0.7064	0.8190	0.7626	0.8654
p-value	.	.	0.0079	.	0.0001	.

Condom use at last sex among those ever having sex b7  
Variable name: cls

	None		One		Two+	
Probability	0.6322	.	0.5805	.	0.6462	.
95% CI	0.5883	0.6761	0.5029	0.6582	0.5897	0.7027
p-value	.	.	0.2143	.	0.7225	.

Condom at last sex, if regular parnter  
Variable name: cls\_reg

	None		One		Two+	
Probability	0.5240	.	0.5107	.	0.6965	.
95% CI	0.3844	0.6637	0.3762	0.6451	0.5754	0.8177
p-value	.	.	0.8829	.	0.1233	.

Condom at last sex, if casual parnter  
 Variable name: cls\_cas

	None		One		Two+	
Probability	0.9130	.	0.8730	.	0.9143	.
95% CI	0.8858	0.9403	0.8257	0.9202	0.8790	0.9496
p-value	.	.	0.1793	.	0.9581	.

Condom at last sex among those with multiple partners  
 Variable name: cls\_mp

	None		One		Two+	
Probability	0.7432	.	0.7282	.	0.7716	.
95% CI	0.6899	0.7966	0.6380	0.8184	0.6800	0.8632
p-value	.	.	0.7629	.	0.6192	.

Condom at last sex with a regular partner, among those with multiple partners  
 Variable name: clsreg\_mp

	None		One		Two+	
Probability	0.6714	.	0.6812	.	0.6678	.
95% CI	.	.	.	.	.	.
p-value	.	.	.	.	.	.

Condom at last sex with a casual partner, among those with multiple partners  
 Variable name: clscas\_mp

	None		One		Two+	
Probability	0.8867	.	0.8367	.	0.9680	.
95% CI	0.8640	0.9094	0.7682	0.9053	0.9361	1.0000
p-value	.	.	0.1516	.	0.0021	.

Always/usually used a condom with last sexual partner  
 Variable name: freq\_cdm

	None		One		Two+	
Probability	0.7785	.	0.7346	.	0.8252	.
95% CI	0.7199	0.8370	0.6612	0.8080	0.7774	0.8731
p-value	.	.	0.3267	.	0.2571	.

Always/usually used a condom with next to last sexual partner  
 Variable name: freq\_cdm2nd



	None		One		Two+	
Probability	0.9278	.	0.9466	.	0.9521	.
95% CI	0.8985	0.9570	0.9017	0.9916	0.9228	0.9814
p-value	.	.	0.5447	.	0.2908	.

Always/usually used a condom with third to last sexual partner  
Variable name: freq\_cdm3rd

	None		One		Two+	
Probability	0.8748	.	0.8077	.	0.9702	.
95% CI	0.8263	0.9233	0.6850	0.9304	0.9376	1.0028
p-value	.	.	0.2977	.	0.0711	.

condom use at last sex among those have sex in the last 12 months b19  
Variable name: cls\_yr

	None		One		Two+	
Probability	0.7864	.	0.7557	.	0.8370	.
95% CI	0.7287	0.8442	0.6902	0.8212	0.7917	0.8824
p-value	.	.	0.4493	.	0.1747	.

```

.
.
. *****
. * Effect of One Love Radio multimedia exposure (multimedia_ol)
. *****
.
.
. #delimit ;
delimiter now ;
. local condomvars1
> "k4r k3r k1r k2r cn1r cn2r cn2ar cls cls_reg cls_cas cls_mp
> clsreg_mp clscas_mp freq_cdm freq_cdm2nd freq_cdm3rd cls_yr " ;

. #delimit cr;
delimiter now cr
.
.
. log off
name: <unnamed>
log: D:\Stata data\probit_ol_alltopics_program.smcl
log type: smcl
paused on: 24 Apr 2012, 23:30:03

```

name: <unnamed>

```

log: D:\Stata data\probit_ol_alltopics_program.smcl
log type: smcl
resumed on: 24 Apr 2012, 23:30:27

```

```

. foreach x of local condomvars1 {
2. display "`": var label `x'''' _continue
3. matlist results_`x', format(%9.4f) title(Variable name: `x') nodotz border(all)
4. display " "
5. display

```

```

"-----"
_continue
6. display " "
7. }

```

While in ART, PLHIV can transmit HIV k4r  
Variable name: k4r

	None		One		Two+	
Probability	0.8916	.	0.9033	.	0.8737	.
95% CI	0.8560	0.9271	0.8726	0.9340	0.8190	0.9285
p-value	.	.	0.6017	.	0.5899	.

Knows PLHIV on ART can transmit HIV k3r  
Variable name: k3r

	None		One		Two+	
Probability	0.8527	.	0.8990	.	0.9133	.
95% CI	0.8215	0.8839	0.8754	0.9225	0.8808	0.9459
p-value	.	.	0.0131	.	0.0328	.

Percentage who disagree that if one spouse is HIV+ the other certainly is k1r  
Variable name: k1r

	None		One		Two+	
Probability	0.4807	.	0.4460	.	0.3918	.
95% CI	0.4099	0.5515	0.3690	0.5230	0.3317	0.4519
p-value	.	.	0.2930	.	0.0833	.

Knows that STIs increase HIV infection k2r  
Variable name: k2r

	None		One		Two+	
Probability	0.8224	.	0.8347	.	0.7573	.
95% CI	0.7866	0.8583	0.7905	0.8789	0.7060	0.8087
p-value	.	.	0.6721	.	0.0724	.

Condom Use in Marriage Accepted  
Variable name: cnlr

	None		One		Two+	
Probability	0.5844	.	0.6072	.	0.7690	.
95% CI	0.5309	0.6379	0.5391	0.6754	0.7080	0.8301
p-value	.	.	0.5736	.	0.0001	.

Women Can Ask Regular Parnter to Use Condom  
Variable name: cn2r

	None		One		Two+	
Probability	0.6786	.	0.6981	.	0.8056	.
95% CI	0.6193	0.7379	0.6329	0.7634	0.7337	0.8774
p-value	.	.	0.6278	.	0.0119	.

Variable name: cn2ar

	None		One		Two+	
Probability	0.6661	.	0.7400	.	0.8009	.
95% CI	0.5976	0.7346	0.6869	0.7932	0.7359	0.8659
p-value	.	.	0.0645	.	0.0044	.

Condom use at last sex among those ever having sex b7  
Variable name: cls

	None		One		Two+	
Probability	0.6163	.	0.6048	.	0.6554	.
95% CI	0.5665	0.6661	0.5555	0.6540	0.5837	0.7271
p-value	.	.	0.6906	.	0.3486	.

Condom at last sex, if regular parnter  
Variable name: cls\_reg

	None		One		Two+	
Probability	0.4309	.	0.6244	.	0.6248	.
95% CI	0.3200	0.5419	0.5103	0.7385	0.5391	0.7105
p-value	.	.	0.0035	.	0.0103	.

Condom at last sex, if casual parnter  
Variable name: cls\_cas

	None		One		Two+	
--	------	--	-----	--	------	--

Probability	0.9082	.	0.8938	.	0.9152	.
95% CI	0.8676	0.9488	0.8672	0.9204	0.8512	0.9792
p-value	.	.	0.5448	.	0.8802	.

Condom at last sex among those with multiple partners  
Variable name: cls\_mp

	None		One		Two+	
Probability	0.7163	.	0.7443	.	0.7986	.
95% CI	0.6452	0.7874	0.6689	0.8198	0.7251	0.8721
p-value	.	.	0.6195	.	0.1314	.

Condom at last sex with a regular partner, among those with multiple partners  
Variable name: clsreg\_mp

	None		One		Two+	
Probability	0.5767	.	0.9697	.	0.5767	.
95% CI	.	.	.	.	.	.
p-value	.	.	.	.	.	.

Condom at last sex with a casual partner, among those with multiple partners  
Variable name: clscas\_mp

	None		One		Two+	
Probability	0.8826	.	0.8896	.	0.9303	.
95% CI	0.8403	0.9249	0.8438	0.9354	0.8965	0.9642
p-value	.	.	0.8543	.	0.1567	.

Always/usually used a condom with last sexual partner  
Variable name: freq\_cdm

	None		One		Two+	
Probability	0.7453	.	0.7852	.	0.8068	.
95% CI	0.6834	0.8071	0.7345	0.8359	0.7575	0.8562
p-value	.	.	0.2004	.	0.1277	.

Always/usually used a condom with next to last sexual partner  
Variable name: freq\_cdm2nd

	None		One		Two+	
Probability	0.9338	.	0.9399	.	0.9416	.
95% CI	0.8952	0.9724	0.9055	0.9744	0.9067	0.9765
p-value	.	.	0.8331	.	0.7931	.

Always/usually used a condom with third to last sexual partner  
 Variable name: freq\_cdm3rd

	None	One	Two+
Probability	0.9236	0.8815	0.8181
95% CI	0.8556	0.7499	0.6839
p-value	.	0.6600	0.2230

condom use at last sex among those have sex in the last 12 months b19  
 Variable name: cls\_yr

	None	One	Two+
Probability	0.7535	0.7993	0.8238
95% CI	0.6917	0.7489	0.7697
p-value	.	0.1218	0.0967

```

.
.
. #delimit ;
delimiter now ;
. local hivtestvars1
> "k7r k6r k10r a10br a10r a11r a12r b8r b9r b10r b18_r1a b18_r2a b18_r3a cn5r k11r
a7r evertest hivtest hivresults results_disc";

. #delimit cr;
delimiter now cr
.
.
.
. *****
. * HIV TEST variables
. *****
.
.
. *****
. * Effect of exposure to any One Love radio programs (anyrad_ol)
. *****
.
. log off
   name: <unnamed>
   log: D:\Stata data\probit_ol_alltopics_program.smcl
   log type: smcl
   paused on: 24 Apr 2012, 23:30:28

-----
-----
-----
-----
-----

   name: <unnamed>
   log: D:\Stata data\probit_ol_alltopics_program.smcl
   log type: smcl
  
```

resumed on: 24 Apr 2012, 23:30:49

```
.
. foreach x of local hivtestvars1 {
2. di "`": var label `x'''' _continue
3. matlist results_`x', format(%9.4f) title(Variable name:`x') nodotz border(all)
4. di " "
5. di "-----" _continue
6. di " "
7. }
```

Pregnant woman should test for HIV k7r  
Variable name:k7r

	Unexposed		Exposed	
Probability	0.9315	.	0.8830	.
95% CI	0.9138	0.9493	0.8493	0.9167
P-value	.	.	0.0092	.

Knows TB can be cured if HIV+ k6r  
Variable name:k6r

	Unexposed		Exposed	
Probability	0.6979	.	0.6282	.
95% CI	0.6679	0.7280	0.5578	0.6986
P-value	.	.	0.0792	.

Knows that the risk of contracting HIV decreases for a circumcised man k10r  
Variable name:k10r

	Unexposed		Exposed	
Probability	0.7374	.	0.6495	.
95% CI	0.7092	0.7656	0.5943	0.7047
P-value	.	.	0.0029	.

a10b Agrees that only way to know you are HIV positive is through blood test  
Variable name:a10br

	Unexposed		Exposed	
Probability	0.9284	.	0.9797	.
95% CI	0.9106	0.9462	0.9643	0.9950
P-value	.	.	0.0051	.

a10 Important to Know HIV Status  
Variable name:a10r

	Unexposed		Exposed	
--	-----------	--	---------	--

Probability	0.9593	.	0.9825	.
95% CI	0.9431	0.9754	0.9702	0.9949
P-value	.	.	0.0528	.

Worried about Becoming Infected  
Variable name:a11r

	Unexposed		Exposed	
Probability	0.5439	.	0.5451	.
95% CI	0.4988	0.5889	0.4553	0.6349
P-value	.	.	0.9823	.

Likely to be Infected Now  
Variable name:a12r

	Unexposed		Exposed	
Probability	0.2771	.	0.2911	.
95% CI	0.2377	0.3166	0.2262	0.3560
P-value	.	.	0.7396	.

Agrees that wife/cohabitating partner has another partner b8  
Variable name:b8r

	Unexposed		Exposed	
Probability	0.0797	.	0.0587	.
95% CI	0.0543	0.1051	0.0349	0.0826
P-value	.	.	0.1843	.

Agrees that husband/cohabitating partner has another wife b9  
Variable name:b9r

	Unexposed		Exposed	
Probability	0.1639	.	0.1413	.
95% CI	0.0861	0.2417	0.0613	0.2213
P-value	.	.	0.7623	.

Agrees that husband/cohabitating partner has another sex partner who is not a wi  
Variable name:b10r

	Unexposed		Exposed	
Probability	0.2824	.	0.2879	.
95% CI	0.1990	0.3659	0.1329	0.4429
P-value	.	.	0.9504	.

Thinks that last partner had other sexual partners  
Variable name:b18\_r1a

	Unexposed		Exposed	
Probability	0.1827	.	0.2380	.
95% CI	0.1565	0.2089	0.1792	0.2969
P-value	.	.	0.0979	.

Thinks that next to last partner had other sexual partners  
Variable name:b18\_r2a

	Unexposed		Exposed	
Probability	0.4908	.	0.4203	.
95% CI	0.4203	0.5613	0.3190	0.5216
P-value	.	.	0.3025	.

Thinks that third to last partner had other sexual partners  
Variable name:b18\_r3a

	Unexposed		Exposed	
Probability	0.4964	.	0.7469	.
95% CI	0.4264	0.5665	0.6346	0.8591
P-value	.	.	0.0041	.

Leaders Encourage HIV Testing  
Variable name:cn5r

	Unexposed		Exposed	
Probability	0.5447	.	0.6285	.
95% CI	0.5104	0.5790	0.5775	0.6794
P-value	.	.	0.0014	.

Knows where to get HIV/AIDS info. k11r  
Variable name:k11r

	Unexposed		Exposed	
Probability	0.9048	.	0.8860	.
95% CI	0.8806	0.9290	0.8350	0.9370
P-value	.	.	0.4592	.

a7 Disagrees that HIV Means Life is Over  
Variable name:a7r



	Unexposed		Exposed	
Probability	0.7860	.	0.7774	.
95% CI	0.7618	0.8102	0.7357	0.8192
P-value	.	.	0.7208	.

Ever Tested for HIV b24  
Variable name:evertest

	Unexposed		Exposed	
Probability	0.7303	.	0.7480	.
95% CI	0.6998	0.7607	0.7036	0.7924
P-value	.	.	0.5823	.

HIV Test in the Last 12 Months b24b  
Variable name:hivtest

	Unexposed		Exposed	
Probability	0.5920	.	0.5244	.
95% CI	0.5527	0.6313	0.4721	0.5767
P-value	.	.	0.0852	.

Received results of most recent HIV test b24c  
Variable name:hivresults

	Unexposed		Exposed	
Probability	0.9718	.	0.9796	.
95% CI	0.9598	0.9838	0.9577	1.0015
P-value	.	.	0.5715	.

Discussed results of most recent HIV test b24d  
Variable name:results\_disc

	Unexposed		Exposed	
Probability	0.8825	.	0.8258	.
95% CI	0.8605	0.9046	0.7692	0.8824
P-value	.	.	0.0663	.

.  
.  
\* Effect of exposure to any One Love TV programs (anytv\_ol)  
.



	Unexposed		Exposed	
Probability	0.7465	.	0.5799	.
95% CI	0.7192	0.7738	0.4925	0.6673
P-value	.	.	0.0007	.

a10b Agrees that only way to know you are HIV positive is through blood test  
Variable name:a10br

	Unexposed		Exposed	
Probability	0.9356	.	0.9721	.
95% CI	0.9191	0.9520	0.9542	0.9900
P-value	.	.	0.0202	.

a10 Important to Know HIV Status  
Variable name:a10r

	Unexposed		Exposed	
Probability	0.9600	.	0.9848	.
95% CI	0.9462	0.9738	0.9708	0.9987
P-value	.	.	0.0425	.

Worried about Becoming Infected  
Variable name:a11r

	Unexposed		Exposed	
Probability	0.5567	.	0.4976	.
95% CI	0.5162	0.5972	0.4046	0.5905
P-value	.	.	0.2680	.

Likely to be Infected Now  
Variable name:a12r

	Unexposed		Exposed	
Probability	0.2930	.	0.2329	.
95% CI	0.2610	0.3250	0.1696	0.2962
P-value	.	.	0.1052	.

Agrees that wife/cohabitating partner has another partner b8  
Variable name:b8r

	Unexposed		Exposed	
Probability	0.0653	.	0.0812	.
95% CI	0.0412	0.0895	0.0324	0.1300
P-value	.	.	0.5606	.

Agrees that husband/cohabitating partner has another wife b9  
 Variable name:b9r

	Unexposed		Exposed	
Probability	0.1593	.	0.0945	.
95% CI	0.1279	0.1907	0.0292	0.1598
P-value	.	.	0.1761	.

Agrees that husband/cohabitating partner has another sex partner who is not a wi  
 Variable name:b10r

	Unexposed		Exposed	
Probability	0.2906	.	0.2253	.
95% CI	0.1980	0.3831	0.1181	0.3325
P-value	.	.	0.4125	.

Thinks that last partner had other sexual partners  
 Variable name:b18\_r1a

	Unexposed		Exposed	
Probability	0.1901	.	0.2224	.
95% CI	0.1610	0.2193	0.1696	0.2752
P-value	.	.	0.3094	.

Thinks that next to last partner had other sexual partners  
 Variable name:b18\_r2a

	Unexposed		Exposed	
Probability	0.5121	.	0.3659	.
95% CI	0.4462	0.5781	0.2768	0.4551
P-value	.	.	0.0152	.

Thinks that third to last partner had other sexual partners  
 Variable name:b18\_r3a

	Unexposed		Exposed	
Probability	0.5875	.	0.5645	.
95% CI	0.5200	0.6550	0.4483	0.6807
P-value	.	.	0.7439	.

Leaders Encourage HIV Testing  
 Variable name:cn5r

	Unexposed		Exposed	
Probability	0.5440	.	0.6598	.
95% CI	0.5126	0.5753	0.5770	0.7425
P-value	.	.	0.0095	.

Knows where to get HIV/AIDS info. k11r  
Variable name:k11r

	Unexposed		Exposed	
Probability	0.9009	.	0.9022	.
95% CI	0.8757	0.9261	0.8508	0.9537
P-value	.	.	0.9622	.

a7 Disagrees that HIV Means Life is Over  
Variable name:a7r

	Unexposed		Exposed	
Probability	0.7834	.	0.7936	.
95% CI	0.7608	0.8059	0.7494	0.8379
P-value	.	.	0.6734	.

Ever Tested for HIV b24  
Variable name:evertest

	Unexposed		Exposed	
Probability	0.7538	.	0.6634	.
95% CI	0.7289	0.7788	0.5866	0.7402
P-value	.	.	0.0383	.

HIV Test in the Last 12 Months b24b  
Variable name:hivtest

	Unexposed		Exposed	
Probability	0.5952	.	0.4909	.
95% CI	0.5587	0.6317	0.4319	0.5499
P-value	.	.	0.0101	.

Received results of most recent HIV test b24c  
Variable name:hivresults

	Unexposed		Exposed	
--	-----------	--	---------	--

Probability	0.9784	.	0.9418	.
95% CI	0.9674	0.9893	0.9004	0.9831
P-value	.	.	0.0317	.

Discussed results of most recent HIV test b24d  
Variable name:results\_disc

	Unexposed		Exposed	
Probability	0.8682	.	0.8605	.
95% CI	0.8422	0.8941	0.8146	0.9065
P-value	.	.	0.7892	.

```

.
.
.
. *****
. * Effect of intensity of exposure to One Love booklets (intbk_ol)
. *****
. #delimiter ;
delimiter now ;
. local hivtestvars1
> "k7r k6r k10r a10br a10r a11r a12r b8r b9r b10r b18_r1a b18_r2a b18_r3a cn5r k11r
a7r evertest hivtest hivresults results_disc";

. #delimiter cr;
delimiter now cr
.
.
. log off
name: <unnamed>
log: D:\Stata data\probit_ol_alltopics_program.smcl
log type: smcl
paused on: 24 Apr 2012, 23:31:11
-----
-----
-----
-----
-----
name: <unnamed>
log: D:\Stata data\probit_ol_alltopics_program.smcl
log type: smcl
resumed on: 24 Apr 2012, 23:31:39
.
. foreach x of local hivtestvars1 {
2. display "`": var label `x'''' _continue
3. matlist results_`x', format(%9.4f) title(Variable name: `x') nodotz border(all)
4. display " "
5. display
"
-----
_continue
6. display " "
7. }
Pregnant woman should test for HIV k7r
Variable name: k7r

```

	None		One		Two+	
Probability	0.9117	.	0.9290	.	0.9343	.
95% CI	0.8868	0.9366	0.8828	0.9752	0.9078	0.9609
p-value	.	.	0.5583	.	0.2539	.

Knows TB can be cured if HIV+ k6r  
Variable name: k6r

	None		One		Two+	
Probability	0.6762	.	0.6626	.	0.7100	.
95% CI	0.6347	0.7177	0.6009	0.7242	0.6524	0.7675
p-value	.	.	0.7143	.	0.3836	.

Knows that the risk of contracting HIV decreases for a circumcised man k10r  
Variable name: k10r

	None		One		Two+	
Probability	0.6835	.	0.7365	.	0.7637	.
95% CI	0.6405	0.7266	0.6982	0.7748	0.6961	0.8314
p-value	.	.	0.0869	.	0.0587	.

a10b Agrees that only way to know you are HIV positive is through blood test  
Variable name: a10br

	None		One		Two+	
Probability	0.9569	.	0.9154	.	0.9564	.
95% CI	0.9404	0.9735	0.8831	0.9477	0.9337	0.9791
p-value	.	.	0.0263	.	0.9628	.

a10 Important to Know HIV Status  
Variable name: a10r

	None		One		Two+	
Probability	0.9624	.	0.9531	.	0.9855	.
95% CI	0.9469	0.9779	0.9284	0.9777	0.9740	0.9969
p-value	.	.	0.4906	.	0.0451	.

Worried about Becoming Infected  
Variable name: a11r

	None		One		Two+	
Probability	0.5659	.	0.4908	.	0.5526	.

95% CI	0.5168	0.6151	0.3937	0.5880	0.4894	0.6158
p-value	.	.	0.2029	.	0.7639	.

Likely to be Infected Now  
Variable name: a12r

	None	One	Two+
Probability	0.2488	0.2737	0.3603
95% CI	0.2006	0.2165	0.2974
p-value	.	0.4700	0.0172

Agrees that wife/cohabitating partner has another partner b8  
Variable name: b8r

	None	One	Two+
Probability	0.0616	0.0895	0.0678
95% CI	0.0359	0.0523	0.0223
p-value	.	0.2228	0.7874

Agrees that husband/cohabitating partner has another wife b9  
Variable name: b9r

	None	One	Two+
Probability	0.1641	0.1879	0.0804
95% CI	0.1067	0.0883	-0.0167
p-value	.	0.6947	0.2987

Agrees that husband/cohabitating partner has another sex partner who is not a wi  
Variable name: b10r

	None	One	Two+
Probability	0.2484	0.4010	0.2480
95% CI	0.1494	0.2815	0.0933
p-value	.	0.0489	0.9967

Thinks that last partner had other sexual partners  
Variable name: b18\_r1a

	None	One	Two+
Probability	0.2074	0.1669	0.2127
95% CI	0.1741	0.1182	0.1626
p-value	.	0.2212	0.8560



Thinks that next to last partner had other sexual partners  
 Variable name: b18\_r2a

	None		One		Two+	
Probability	0.5274	.	0.4359	.	0.3718	.
95% CI	0.4467	0.6081	0.3550	0.5168	0.2607	0.4829
p-value	.	.	0.1090	.	0.0406	.

Thinks that third to last partner had other sexual partners  
 Variable name: b18\_r3a

	None		One		Two+	
Probability	0.5647	.	0.8133	.	0.3942	.
95% CI	0.4714	0.6579	0.7090	0.9175	0.2631	0.5253
p-value	.	.	0.0060	.	0.0511	.

Leaders Encourage HIV Testing  
 Variable name: cn5r

	None		One		Two+	
Probability	0.5879	.	0.5210	.	0.5651	.
95% CI	0.5403	0.6355	0.4790	0.5630	0.5100	0.6203
p-value	.	.	0.0458	.	0.5127	.

Knows where to get HIV/AIDS info. k11r  
 Variable name: k11r

	None		One		Two+	
Probability	0.8855	.	0.9261	.	0.9290	.
95% CI	0.8594	0.9115	0.8906	0.9617	0.8815	0.9765
p-value	.	.	0.0428	.	0.1265	.

a7 Disagrees that HIV Means Life is Over  
 Variable name: a7r

	None		One		Two+	
Probability	0.7697	.	0.7866	.	0.8208	.
95% CI	0.7410	0.7985	0.7334	0.8397	0.7795	0.8622
p-value	.	.	0.6085	.	0.0611	.

Ever Tested for HIV b24  
 Variable name: evertest

	None		One		Two+	
Probability	0.7340	.	0.7450	.	0.7287	.
95% CI	0.7015	0.7664	0.7078	0.7822	0.6653	0.7922
p-value	.	.	0.6864	.	0.8965	.

HIV Test in the Last 12 Months b24b  
Variable name: hivtest

	None		One		Two+	
Probability	0.5788	.	0.5853	.	0.5464	.
95% CI	0.5336	0.6241	0.5350	0.6356	0.4684	0.6245
p-value	.	.	0.8584	.	0.5319	.

Received results of most recent HIV test b24c  
Variable name: hivresults

	None		One		Two+	
Probability	0.9778	.	0.9793	.	0.9555	.
95% CI	0.9642	0.9913	0.9653	0.9933	0.9287	0.9823
p-value	.	.	0.8677	.	0.1144	.

Discussed results of most recent HIV test b24d  
Variable name: results\_disc

	None		One		Two+	
Probability	0.8605	.	0.8713	.	0.8805	.
95% CI	0.8296	0.8915	0.8196	0.9231	0.8381	0.9230
p-value	.	.	0.7294	.	0.4662	.

```

.
.
. *****
. * Effect of One Love Radio multimedia exposure (multimedia_ol)
. *****
. #delimit ;
delimit now ;
. local hivtestvars1
> "k7r k6r k10r a10br a10r a11r a12r b8r b9r b10r b18_r1a b18_r2a b18_r3a cn5r k11r
a7r evertest hivtest hivresults results_disc";

. #delimit cr;
delimit now cr
.
.
. log off
name: <unnamed>
log: D:\Stata data\probit_ol_alltopics_program.smcl

```

log type: smcl  
 paused on: 24 Apr 2012, 23:31:40

-----  
 -----  
 -----  
 -----  
 name: <unnamed>  
 log: D:\Stata data\probit\_ol\_alltopics\_program.smcl  
 log type: smcl  
 resumed on: 24 Apr 2012, 23:32:09

```
. foreach x of local hivtestvars1 {
  2. display "`": var label `x'''' _continue
  3. matlist results_`x', format(%9.4f) title(Variable name: `x') nodotz border(all)
  4. display " "
  5. display
  "
  _continue
  6. display " "
  7. }
```

Pregnant woman should test for HIV k7r  
 Variable name: k7r

	None		One		Two+	
Probability	0.9273	.	0.9299	.	0.8851	.
95% CI	0.9039	0.9507	0.9074	0.9524	0.8453	0.9248
p-value	.	.	0.8673	.	0.0975	.

Knows TB can be cured if HIV+ k6r  
 Variable name: k6r

	None		One		Two+	
Probability	0.7056	.	0.6912	.	0.6231	.
95% CI	0.6629	0.7484	0.6397	0.7426	0.5509	0.6953
p-value	.	.	0.6787	.	0.0766	.

Knows that the risk of contracting HIV decreases for a circumcised man k10r  
 Variable name: k10r

	None		One		Two+	
Probability	0.7173	.	0.7600	.	0.6442	.
95% CI	0.6678	0.7667	0.7116	0.8085	0.5831	0.7053
p-value	.	.	0.2820	.	0.0723	.

a10b Agrees that only way to know you are HIV positive is through blood test  
 Variable name: a10br

	None		One		Two+	
--	------	--	-----	--	------	--

Probability	0.9426	.	0.9187	.	0.9785	.
95% CI	0.9220	0.9633	0.8912	0.9463	0.9638	0.9933
p-value	.	.	0.1894	.	0.0162	.

a10 Important to Know HIV Status  
Variable name: a10r

	None		One		Two+	
Probability	0.9532	.	0.9608	.	0.9882	.
95% CI	0.9334	0.9729	0.9403	0.9814	0.9774	0.9991
p-value	.	.	0.5071	.	0.0194	.

Worried about Becoming Infected  
Variable name: a11r

	None		One		Two+	
Probability	0.5651	.	0.5505	.	0.5024	.
95% CI	0.5038	0.6263	0.4967	0.6042	0.3874	0.6173
p-value	.	.	0.6848	.	0.4106	.

Likely to be Infected Now  
Variable name: a12r

	None		One		Two+	
Probability	0.2514	.	0.2855	.	0.3132	.
95% CI	0.1883	0.3146	0.2425	0.3284	0.2430	0.3835
p-value	.	.	0.3999	.	0.2208	.

Agrees that wife/cohabitating partner has another partner b8  
Variable name: b8r

	None		One		Two+	
Probability	0.0893	.	0.0348	.	0.0868	.
95% CI	0.0474	0.1312	0.0081	0.0614	0.0484	0.1252
p-value	.	.	0.0244	.	0.9333	.

Agrees that husband/cohabitating partner has another wife b9  
Variable name: b9r

	None		One		Two+	
Probability	0.1584	.	0.0972	.	0.1710	.
95% CI	0.0737	0.2431	0.0321	0.1622	0.0695	0.2725
p-value	.	.	0.3314	.	0.8807	.

Agrees that husband/cohabitating partner has another sex partner who is not a wi  
 Variable name: b10r

	None		One		Two+	
Probability	0.3218	.	0.1817	.	0.3217	.
95% CI	0.1954	0.4481	0.0927	0.2706	0.1936	0.4497
p-value	.	.	0.0279	.	0.9992	.

Thinks that last partner had other sexual partners  
 Variable name: b18\_r1a

	None		One		Two+	
Probability	0.2015	.	0.1676	.	0.2316	.
95% CI	0.1634	0.2396	0.1307	0.2045	0.1826	0.2807
p-value	.	.	0.2046	.	0.3919	.

Thinks that next to last partner had other sexual partners  
 Variable name: b18\_r2a

	None		One		Two+	
Probability	0.5631	.	0.4081	.	0.4115	.
95% CI	0.4641	0.6622	0.3145	0.5017	0.3204	0.5026
p-value	.	.	0.0166	.	0.0586	.

Thinks that third to last partner had other sexual partners  
 Variable name: b18\_r3a

	None		One		Two+	
Probability	0.5096	.	0.5134	.	0.7340	.
95% CI	0.4129	0.6063	0.4254	0.6015	0.6266	0.8413
p-value	.	.	0.9549	.	0.0057	.

Leaders Encourage HIV Testing  
 Variable name: cn5r

	None		One		Two+	
Probability	0.5734	.	0.5031	.	0.6501	.
95% CI	0.5193	0.6276	0.4519	0.5543	0.5994	0.7009
p-value	.	.	0.0798	.	0.0122	.

Knows where to get HIV/AIDS info. k11r

Variable name: k11r

	None		One		Two+	
Probability	0.8893	.	0.9140	.	0.9107	.
95% CI	0.8616	0.9170	0.8901	0.9378	0.8588	0.9625
p-value	.	.	0.0793	.	0.4090	.

a7 Disagrees that HIV Means Life is Over

Variable name: a7r

	None		One		Two+	
Probability	0.7624	.	0.8105	.	0.7887	.
95% CI	0.7335	0.7914	0.7731	0.8479	0.7345	0.8429
p-value	.	.	0.0498	.	0.4279	.

Ever Tested for HIV b24

Variable name: evertest

	None		One		Two+	
Probability	0.7354	.	0.7415	.	0.7273	.
95% CI	0.6909	0.7799	0.6974	0.7856	0.6751	0.7794
p-value	.	.	0.8632	.	0.8197	.

HIV Test in the Last 12 Months b24b

Variable name: hivtest

	None		One		Two+	
Probability	0.5843	.	0.6012	.	0.5201	.
95% CI	0.5292	0.6395	0.5441	0.6583	0.4765	0.5636
p-value	.	.	0.6951	.	0.1443	.

Received results of most recent HIV test b24c

Variable name: hivresults

	None		One		Two+	
Probability	0.9755	.	0.9758	.	0.9667	.
95% CI	0.9614	0.9896	0.9617	0.9900	0.9391	0.9942
p-value	.	.	0.9678	.	0.5870	.

Discussed results of most recent HIV test b24d

Variable name: results\_disc

	None		One		Two+	
--	------	--	-----	--	------	--



P-value	.	.	0.0408	.
---------	---	---	--------	---

Knows ARVs prevent MCT during childbirth k8br  
Variable name:k8br

	Unexposed		Exposed	
Probability	0.7876	.	0.7524	.
95% CI	0.7551	0.8202	0.7102	0.7946
P-value	.	.	0.1857	.

Knows ARVs prevent MCT during breastfeeding k8cr  
Variable name:k8cr

	Unexposed		Exposed	
Probability	0.6541	.	0.6596	.
95% CI	0.6085	0.6996	0.6023	0.7168
P-value	.	.	0.8800	.

Knows how often people should take ARVs k9r  
Variable name:k9r

	Unexposed		Exposed	
Probability	0.8515	.	0.7868	.
95% CI	0.8251	0.8780	0.7370	0.8366
P-value	.	.	0.0215	.

Leaders Encourage HIV Treatment  
Variable name:cn6r

	Unexposed		Exposed	
Probability	0.5783	.	0.6752	.
95% CI	0.5425	0.6140	0.5996	0.7507
P-value	.	.	0.0081	.

Has ever taken ARVs b28  
Variable name:b28r

	Unexposed		Exposed	
Probability	0.0556	.	0.0650	.
95% CI	0.0410	0.0701	0.0457	0.0843
P-value	.	.	0.4483	.



Received support from an ARV treatment buddy or CBV, among those who have ever t  
 Variable name:b29r

	Unexposed		Exposed	
Probability	0.3672	.	0.3531	.
95% CI	0.2635	0.4708	0.1866	0.5196
P-value	.	.	0.9059	.

Does not struggle to take your ARV drugs as advised by the doctor b30  
 Variable name:b30r

	Unexposed		Exposed	
Probability	0.0478	.	0.2255	.
95% CI	.	.	.	.
P-value	.	.	.	.

```

.
.
. *****
. * Effect of exposure to any One Love TV programs (anytv_ol)
. *****
.
. #delimit ;
delimiter now ;
. local treatmentvars
> "k8ar k8br k8cr k9r cn6r b28r b29r b30r";

. #delimit cr;
delimiter now cr
.
.
. set more 1

.
. log off
  name: <unnamed>
  log: D:\Stata data\probit_ol_alltopics_program.smcl
  log type: smcl
  paused on: 24 Apr 2012, 23:32:24
-----
-----
-----
-----
-----
-----
-----
-----
  name: <unnamed>
  log: D:\Stata data\probit_ol_alltopics_program.smcl
  log type: smcl
  resumed on: 24 Apr 2012, 23:32:33

.
. foreach x of local treatmentvars {
2. di "`": var label `x'''' _continue
3. matlist results_`x', format(%9.4f) title(Variable name:`x') nodotz border(all)
4. di " "

```

5. di" \_\_\_\_\_ " \_continue  
 6. di " "  
 7. }

Knows ARVs prevent MCT during pregnancy k8ar  
 Variable name:k8ar

	Unexposed		Exposed	
Probability	0.7994	.	0.7270	.
95% CI	0.7730	0.8258	0.6544	0.7996
P-value	.	.	0.0514	.

Knows ARVs prevent MCT during childbirth k8br  
 Variable name:k8br

	Unexposed		Exposed	
Probability	0.7916	.	0.7182	.
95% CI	0.7624	0.8209	0.6574	0.7789
P-value	.	.	0.0315	.

Knows ARVs prevent MCT during breastfeeding k8cr  
 Variable name:k8cr

	Unexposed		Exposed	
Probability	0.6700	.	0.5914	.
95% CI	0.6354	0.7045	0.5171	0.6657
P-value	.	.	0.0238	.

Knows how often people should take ARVs k9r  
 Variable name:k9r

	Unexposed		Exposed	
Probability	0.8563	.	0.7385	.
95% CI	0.8326	0.8800	0.6667	0.8104
P-value	.	.	0.0022	.

Leaders Encourage HIV Treatment  
 Variable name:cn6r

	Unexposed		Exposed	
Probability	0.5801	.	0.7046	.
95% CI	0.5433	0.6168	0.6136	0.7957
P-value	.	.	0.0084	.

Has ever taken ARVs b28

Variable name:b28r

	Unexposed		Exposed	
Probability	0.0586	.	0.0535	.
95% CI	0.0453	0.0720	0.0271	0.0798
P-value	.	.	0.7381	.

Received support from an ARV treatment buddy or CBV, among those who have ever t  
Variable name:b29r

	Unexposed		Exposed	
Probability	0.3714	.	0.2902	.
95% CI	0.2960	0.4467	0.0893	0.4910
P-value	.	.	0.5176	.

Does not struggle to take your ARV drugs as advised by the doctor b30  
Variable name:b30r

	Unexposed		Exposed	
Probability	0.1470	.	0.0329	.
95% CI	0.1145	0.1795	0.0227	0.0430
P-value	.	.	0.4230	.

```

.
.
.
*****
* Effect of intensity of exposure to One Love booklets (intbk_ol)
*****
.
. #delimit ;
delimiter now ;
. local treatmentvars
> "k8ar k8br k8cr k9r cn6r b28r b29r b30r";
. #delimit cr;
delimiter now cr
.
.
. log off
  name: <unnamed>
  log: D:\Stata data\probit_ol_alltopics_program.smcl
  log type: smcl
  paused on: 24 Apr 2012, 23:32:33

```

name: <unnamed>

```

log: D:\Stata data\probit_ol_alltopics_program.smcl
log type: smcl
resumed on: 24 Apr 2012, 23:32:48

```

```

. foreach x of local treatmentvars {
2. display "`": var label `x'''' _continue
3. matlist results_`x', format(%9.4f) title(Variable name: `x') nodotz border(all)
4. display " "
5. display
"
_continue
6. display " "
7. }

```

Knows ARVs prevent MCT during pregnancy k8ar  
Variable name: k8ar

	None		One		Two+	
Probability	0.7539	.	0.8052	.	0.8582	.
95% CI	0.7179	0.7899	0.7534	0.8570	0.8196	0.8967
p-value	.	.	0.1266	.	0.0003	.

Knows ARVs prevent MCT during childbirth k8br  
Variable name: k8br

	None		One		Two+	
Probability	0.7401	.	0.7846	.	0.8837	.
95% CI	0.7079	0.7722	0.7271	0.8421	0.8428	0.9246
p-value	.	.	0.1983	.	0.0000	.

Knows ARVs prevent MCT during breastfeeding k8cr  
Variable name: k8cr

	None		One		Two+	
Probability	0.6037	.	0.6899	.	0.7461	.
95% CI	0.5610	0.6465	0.6215	0.7583	0.6894	0.8028
p-value	.	.	0.0249	.	0.0000	.

Knows how often people should take ARVs k9r  
Variable name: k9r

	None		One		Two+	
Probability	0.8216	.	0.8385	.	0.8791	.
95% CI	0.7872	0.8560	0.7877	0.8892	0.8416	0.9165
p-value	.	.	0.6296	.	0.0305	.

Leaders Encourage HIV Treatment  
Variable name: cn6r

	None		One		Two+	
Probability	0.6107	.	0.5640	.	0.6345	.
95% CI	0.5533	0.6681	0.5124	0.6156	0.5619	0.7071
p-value	.	.	0.2622	.	0.6143	.

Has ever taken ARVs b28  
Variable name: b28r

	None		One		Two+	
Probability	0.0496	.	0.0463	.	0.0935	.
95% CI	0.0352	0.0641	0.0259	0.0667	0.0584	0.1286
p-value	.	.	0.7581	.	0.0175	.

Received support from an ARV treatment buddy or CBV, among those who have ever t  
Variable name: b29r

	None		One		Two+	
Probability	0.3013	.	0.2708	.	0.6139	.
95% CI	0.2211	0.3815	0.1233	0.4182	0.4703	0.7575
p-value	.	.	0.7404	.	0.0043	.

Does not struggle to take your ARV drugs as advised by the doctor b30  
Variable name: b30r

	None		One		Two+	
Probability	0.3429	.	0.0179	.	0.1728	.
95% CI	.	.	.	.	.	.
p-value	.	.	.	.	.	.

```

.
.
. *****
. * Effect of One Love Radio multimedia exposure (multimedia_ol)
. *****
.
. #delimiter ;
delimiter now ;
. local treatmentvars
> "k8ar k8br k8cr k9r cn6r b28r b29r b30r";

. #delimiter cr;
delimiter now cr
.
.
. log off
  name: <unnamed>

```

```

log: D:\Stata data\probit_ol_alltopics_program.smcl
log type: smcl
paused on: 24 Apr 2012, 23:32:49

```

```

-----
-----
-----
-----
-----
name: <unnamed>
log: D:\Stata data\probit_ol_alltopics_program.smcl
log type: smcl
resumed on: 24 Apr 2012, 23:33:00

```

```

. foreach x of local treatmentvars {
2. display "`": var label `x'''' _continue
3. matlist results_`x', format(%9.4f) title(Variable name: `x') nodotz border(all)
4. display " "
5. display
"-----"
_continue
6. display " "
7. }

```

Knows ARVs prevent MCT during pregnancy k8ar  
Variable name: k8ar

	None		One		Two+	
Probability	0.7728	.	0.8248	.	0.7523	.
95% CI	0.7352	0.8105	0.7892	0.8604	0.6952	0.8093
p-value	.	.	0.0216	.	0.5755	.

Knows ARVs prevent MCT during childbirth k8br  
Variable name: k8br

	None		One		Two+	
Probability	0.7464	.	0.8356	.	0.7532	.
95% CI	0.7081	0.7847	0.7926	0.8785	0.7023	0.8042
p-value	.	.	0.0004	.	0.8518	.

Knows ARVs prevent MCT during breastfeeding k8cr  
Variable name: k8cr

	None		One		Two+	
Probability	0.6014	.	0.7190	.	0.6508	.
95% CI	0.5538	0.6490	0.6653	0.7726	0.5932	0.7085
p-value	.	.	0.0001	.	0.1603	.

Knows how often people should take ARVs k9r  
Variable name: k9r

	None		One		Two+	
Probability	0.8327	.	0.8920	.	0.7614	.
95% CI	0.7925	0.8729	0.8707	0.9133	0.6972	0.8257
p-value	.	.	0.0075	.	0.0939	.

Leaders Encourage HIV Treatment  
Variable name: cn6r

	None		One		Two+	
Probability	0.5979	.	0.5505	.	0.6987	.
95% CI	0.5304	0.6654	0.4959	0.6051	0.6225	0.7749
p-value	.	.	0.3415	.	0.0409	.

Has ever taken ARVs b28  
Variable name: b28r

	None		One		Two+	
Probability	0.0542	.	0.0576	.	0.0671	.
95% CI	0.0370	0.0715	0.0380	0.0771	0.0448	0.0894
p-value	.	.	0.7866	.	0.3752	.

Received support from an ARV treatment buddy or CBV, among those who have ever t  
Variable name: b29r

	None		One		Two+	
Probability	0.3026	.	0.4981	.	0.3553	.
95% CI	0.1897	0.4156	0.3783	0.6179	0.1869	0.5238
p-value	.	.	0.0309	.	0.6607	.

Does not struggle to take your ARV drugs as advised by the doctor b30  
Variable name: b30r

	None		One		Two+	
Probability	0.2974	.	0.1597	.	0.0448	.
95% CI	0.2254	0.3693	-0.0142	0.3337	0.0146	0.0751
p-value	.	.	0.0540	.	0.0231	.

.  
.  
.  
\*\*\*\*\*  
\* STIGMA  
\*\*\*\*\*  
.

```

. *****
. * Effect of exposure to any One Love radio programs (anyrad_ol)
. *****

```

```

. #delimit ;
delimiter now ;
. local stigmavars
> "a9r a8r pc6r cn4r cn3r pc5r cn12r";

```

```

. #delimit cr;
delimiter now cr

```

```

.
.
. set more 1

```

```

. log off
    name: <unnamed>
    log: D:\Stata data\probit_ol_alltopics_program.smcl
    log type: smcl
    paused on: 24 Apr 2012, 23:33:00
-----
-----
-----
-----

```

```

    name: <unnamed>
    log: D:\Stata data\probit_ol_alltopics_program.smcl
    log type: smcl
    resumed on: 24 Apr 2012, 23:33:07

```

```

. foreach x of local stigmavars {
2. di "`": var label `x'''' _continue
3. matlist results_`x', format(%9.4f) title(Variable name:`x') nodotz border(all)
4. di " "
5. di "-----" _continue
6. di " "
7. }

```

a9 Disagrees that HIV is a punishment for sinning  
Variable name:a9r

	Unexposed		Exposed	
Probability	0.5637	.	0.5098	.
95% CI	0.5173	0.6101	0.4457	0.5739
P-value	.	.	0.1319	.

a8 Disagrees that revealing HIV status doesn't help  
Variable name:a8r

	Unexposed		Exposed	
Probability	0.6920	.	0.6846	.
95% CI	0.6528	0.7311	0.6424	0.7268
P-value	.	.	0.8108	.



Willing to Care for Someone on ART  
Variable name:pc6r

	Unexposed		Exposed	
Probability	0.9351	.	0.9370	.
95% CI	0.9182	0.9521	0.9019	0.9721
P-value	.	.	0.9238	.

People in the community joint together to help PLHIV  
Variable name:cn4r

	Unexposed		Exposed	
Probability	0.4658	.	0.5266	.
95% CI	0.4310	0.5005	0.4575	0.5958
P-value	.	.	0.1661	.

Keep Secret if Family Member has HIV  
Variable name:cn3r

	Unexposed		Exposed	
Probability	0.7143	.	0.6726	.
95% CI	0.6783	0.7503	0.6262	0.7190
P-value	.	.	0.0871	.

Cared for someone on ART  
Variable name:pc5r

	Unexposed		Exposed	
Probability	0.1997	.	0.2188	.
95% CI	0.1670	0.2325	0.1712	0.2664
P-value	.	.	0.5476	.

Agrees that wife inheritance is practiced in the community  
Variable name:cn12r

	Unexposed		Exposed	
Probability	0.1108	.	0.1318	.
95% CI	0.0835	0.1381	0.0966	0.1670
P-value	.	.	0.4091	.

.



Willing to Care for Someone on ART  
 Variable name:pc6r

	Unexposed		Exposed	
Probability	0.9353	.	0.9361	.
95% CI	0.9192	0.9515	0.8961	0.9761
P-value	.	.	0.9706	.

People in the community joint together to help PLHIV  
 Variable name:cn4r

	Unexposed		Exposed	
Probability	0.4686	.	0.5350	.
95% CI	0.4355	0.5017	0.4688	0.6012
P-value	.	.	0.0979	.

Keep Secret if Family Member has HIV  
 Variable name:cn3r

	Unexposed		Exposed	
Probability	0.7100	.	0.6811	.
95% CI	0.6728	0.7471	0.5870	0.7752
P-value	.	.	0.5884	.

Cared for someone on ART  
 Variable name:pc5r

	Unexposed		Exposed	
Probability	0.2082	.	0.1958	.
95% CI	0.1724	0.2439	0.1464	0.2451
P-value	.	.	0.7310	.

Agrees that wife inheritance is practiced in the community  
 Variable name:cn12r

	Unexposed		Exposed	
Probability	0.1240	.	0.0884	.
95% CI	0.1008	0.1471	0.0494	0.1273
P-value	.	.	0.1792	.

.  
 .  
 .



Variable name: pc6r

	None		One		Two+	
Probability	0.9224	.	0.9456	.	0.9579	.
95% CI	0.8979	0.9468	0.9196	0.9717	0.9379	0.9779
p-value	.	.	0.2200	.	0.0250	.

People in the community joint together to help PLHIV

Variable name: cn4r

	None		One		Two+	
Probability	0.4833	.	0.3988	.	0.5785	.
95% CI	0.4377	0.5288	0.3212	0.4764	0.5221	0.6348
p-value	.	.	0.1293	.	0.0071	.

Keep Secret if Family Member has HIV

Variable name: cn3r

	None		One		Two+	
Probability	0.7486	.	0.6541	.	0.6466	.
95% CI	0.7076	0.7896	0.5826	0.7256	0.6006	0.6926
p-value	.	.	0.0319	.	0.0001	.

Cared for someone on ART

Variable name: pc5r

	None		One		Two+	
Probability	0.2186	.	0.2124	.	0.1729	.
95% CI	0.1910	0.2462	0.1567	0.2681	0.1302	0.2156
p-value	.	.	0.8063	.	0.1148	.

Agrees that wife inheritance is practiced in the community

Variable name: cn12r

	None		One		Two+	
Probability	0.0831	.	0.1503	.	0.1631	.
95% CI	0.0628	0.1034	0.1126	0.1880	0.1154	0.2108
p-value	.	.	0.0015	.	0.0013	.

.  
 .  
 . \*\*\*\*\*  
 . \* Effect of One Love Radio multimedia exposure (multimedia\_ol)

```

. *****
.
. #delimit ;
delimiter now ;
. local stigmavars
> "a9r a8r pc6r cn4r cn3r pc5r cn12r";

. #delimit cr;
delimiter now cr
.
.
.
. log off
    name: <unnamed>
      log: D:\Stata data\probit_ol_alltopics_program.smcl
    log type: smcl
  paused on: 24 Apr 2012, 23:33:25

-----

    name: <unnamed>
      log: D:\Stata data\probit_ol_alltopics_program.smcl
    log type: smcl
  resumed on: 24 Apr 2012, 23:33:35

.
. foreach x of local stigmavars {
2. display "`": var label `x'''' _continue
3. matlist results_`x', format(%9.4f) title(Variable name: `x') nodotz border(all)
4. display " "
5. display
"-----"
_continue
6. display " "
7. }
a9 Disagrees that HIV is a punishment for sinning
Variable name: a9r

```

	None		One		Two+	
Probability	0.4945	.	0.6212	.	0.5360	.
95% CI	0.4433	0.5456	0.5550	0.6873	0.4716	0.6003
p-value	.	.	0.0005	.	0.3509	.

a8 Disagrees that revealing HIV status doesn't help  
Variable name: a8r

	None		One		Two+	
Probability	0.6822	.	0.7180	.	0.6634	.
95% CI	0.6455	0.7190	0.6741	0.7620	0.6012	0.7255
p-value	.	.	0.0551	.	0.6123	.

Willing to Care for Someone on ART  
Variable name: pc6r

	None		One		Two+	
Probability	0.9137	.	0.9538	.	0.9423	.
95% CI	0.8873	0.9400	0.9332	0.9744	0.9106	0.9741
p-value	.	.	0.0187	.	0.2153	.

People in the community joint together to help PLHIV  
Variable name: cn4r

	None		One		Two+	
Probability	0.4611	.	0.4795	.	0.5213	.
95% CI	0.4008	0.5213	0.4314	0.5275	0.4577	0.5848
p-value	.	.	0.6823	.	0.2477	.

Keep Secret if Family Member has HIV  
Variable name: cn3r

	None		One		Two+	
Probability	0.7786	.	0.6548	.	0.6516	.
95% CI	0.7382	0.8190	0.5962	0.7134	0.6015	0.7017
p-value	.	.	0.0006	.	0.0001	.

Cared for someone on ART  
Variable name: pc5r

	None		One		Two+	
Probability	0.2236	.	0.1723	.	0.2223	.
95% CI	0.1818	0.2655	0.1410	0.2036	0.1805	0.2640
p-value	.	.	0.0255	.	0.9643	.

Agrees that wife inheritance is practiced in the community  
Variable name: cn12r

	None		One		Two+	
Probability	0.0797	.	0.1463	.	0.1359	.
95% CI	0.0495	0.1099	0.1063	0.1864	0.0949	0.1770
p-value	.	.	0.0153	.	0.0567	.

.  
.  
.  
.  
\*\*\*\*\*  
. \* GBV vars

```

. *****
.
. *****
. * Effect of exposure to any One Love radio programs (anyrad_ol)
. *****
.
. #delimit ;
delimiter now ;
. local gbvvars
> "a6r cn7r gbv_sex12 gbv_hit12 fhitreport_family fhitreport_friend fhitreport_police
fhitreport_any" ;

. #delimit cr;
delimiter now cr
.
. set more 1

.
. log off
name: <unnamed>
log: D:\Stata data\probit_ol_alltopics_program.smcl
log type: smcl
paused on: 24 Apr 2012, 23:33:35
-----
-----
-----
-----
-----
-----
-----
-----
name: <unnamed>
log: D:\Stata data\probit_ol_alltopics_program.smcl
log type: smcl
resumed on: 24 Apr 2012, 23:33:45

. foreach x of local gbvvars {
2. di "`": var label `x'''' _continue
3. matlist results_`x', format(%9.4f) title(Variable name:`x') nodotz border(all)
4. di " "
5. di "_____ " _continue
6. di " "
7. }

```

Man has right to have sex for gifts  
Variable name:a6r

	Unexposed		Exposed	
Probability	0.3041	.	0.2498	.
95% CI	0.2633	0.3449	0.1944	0.3052
P-value	.	.	0.1324	.

Leaders Speak Out Against GBV  
Variable name:cn7r

	Unexposed		Exposed	
Probability	0.5659	.	0.6393	.
95% CI	0.5273	0.6045	0.5749	0.7038



P-value	.	.	0.0386	.
---------	---	---	--------	---

Forced Sex in the Last 12 Months  
Variable name:gbv\_sex12

	Unexposed		Exposed	
Probability	0.0255	.	0.0213	.
95% CI	0.0137	0.0374	-0.0005	0.0431
P-value	.	.	0.7838	.

Physical GBV in the Last 12 Months  
Variable name:gbv\_hit12

	Unexposed		Exposed	
Probability	0.1142	.	0.0900	.
95% CI	0.0868	0.1416	0.0603	0.1198
P-value	.	.	0.2700	.

Reported forced sex to family member  
Variable name:fhitreport\_family

	Unexposed		Exposed	
Probability	0.2821	.	0.1919	.
95% CI	0.1959	0.3683	0.0895	0.2943
P-value	.	.	0.2492	.

Reported forced sex to a friend  
Variable name:fhitreport\_friend

	Unexposed		Exposed	
Probability	0.1084	.	0.0143	.
95% CI	.	.	.	.
P-value	.	.	.	.

Reported forced sex to a police  
Variable name:fhitreport\_police

	Unexposed		Exposed	
Probability	0.2673	.	0.2659	.
95% CI	0.2030	0.3317	0.1224	0.4094
P-value	.	.	0.9856	.

Reported gbv to anyone  
 Variable name:fhitreport\_any

	Unexposed		Exposed	
Probability	0.5532	.	0.4590	.
95% CI	0.4777	0.6287	0.3083	0.6097
P-value	.	.	0.2365	.

```

.
.
. *****
. * Effect of exposure to any One Love TV programs (anytv_ol)
. *****
.
. #delimit ;
delimit now ;
. local gbvvars
> "a6r cn7r gbv_sex12 gbv_hit12 fhitreport_family fhitreport_friend fhitreport_com
fhitreport_police fhitreport_auth fhitreport_any" ;

. #delimit cr;
delimit now cr
.
. set more 1

.
. log off
  name: <unnamed>
  log:  D:\Stata data\probit_ol_alltopics_program.smcl
  log type: smcl
  paused on: 24 Apr 2012, 23:33:45

-----
-----
-----
-----
-----
-----
-----

  name: <unnamed>
  log:  D:\Stata data\probit_ol_alltopics_program.smcl
  log type: smcl
  resumed on: 24 Apr 2012, 23:33:59

. foreach x of local gbvvars {
2. di "`": var label `x'''' _continue
3. matlist results_`x', format(%9.4f) title(Variable name:`x') nodotz border(all)
4. di " "
5. di "_____ " _continue
6. di " "
7. }
Man has right to have sex for gifts
Variable name:a6r

```

	Unexposed		Exposed	
Probability	0.2971	.	0.2619	.
95% CI	0.2581	0.3362	0.1791	0.3446

P-value	.	.	0.4779	.
---------	---	---	--------	---

Leaders Speak Out Against GBV  
Variable name:cn7r

	Unexposed		Exposed	
Probability	0.5561	.	0.7000	.
95% CI	0.5190	0.5932	0.6205	0.7794
P-value	.	.	0.0014	.

Forced Sex in the Last 12 Months  
Variable name:gbv\_sex12

	Unexposed		Exposed	
Probability	0.0308	.	0.0080	.
95% CI	0.0202	0.0414	0.0019	0.0142
P-value	.	.	0.0010	.

Physical GBV in the Last 12 Months  
Variable name:gbv\_hit12

	Unexposed		Exposed	
Probability	0.1061	.	0.1092	.
95% CI	0.0834	0.1288	0.0652	0.1532
P-value	.	.	0.9001	.

Reported forced sex to family member  
Variable name:fhitreport\_family

	Unexposed		Exposed	
Probability	0.2305	.	0.4114	.
95% CI	0.1564	0.3047	0.2756	0.5471
P-value	.	.	0.0173	.

Reported forced sex to a friend  
Variable name:fhitreport\_friend

	Unexposed		Exposed	
Probability	0.0795	.	0.0141	.
95% CI	.	.	.	.
P-value	.	.	.	.

Reported forced sex to a community member  
 Variable name:fhitreport\_com

	Unexposed		Exposed	
Probability	0.2587	.	.	.
95% CI	.	.	.	.
P-value	.	.	.	.

Reported forced sex to a police  
 Variable name:fhitreport\_police

	Unexposed		Exposed	
Probability	0.3043	.	0.1496	.
95% CI	0.2288	0.3798	0.0496	0.2496
P-value	.	.	0.0581	.

Reported forced sex to a authorities  
 Variable name:fhitreport\_auth

	Unexposed		Exposed	
Probability	0.0630	.	0.0009	.
95% CI	.	.	.	.
P-value	.	.	.	.

Reported gbv to anyone  
 Variable name:fhitreport\_any

	Unexposed		Exposed	
Probability	0.5297	.	0.5431	.
95% CI	0.4626	0.5968	0.3922	0.6941
P-value	.	.	0.8542	.

```

.
.
.
*****
. * Effect of intensity of exposure to One Love booklets (intbk_ol)
*****
.
. #delimiter ;
delimiter now ;
. local gbvvars
> "a6r cn7r gbv_sex12 gbv_hit12 fhitreport_family fhitreport_friend fhitreport_police
fhitreport_auth fhitreport_any" ;

. #delimiter cr;
delimiter now cr

```

```

.
.
. set more 1

. log off
  name: <unnamed>
  log: D:\Stata data\probit_ol_alltopics_program.smcl
  log type: smcl
  paused on: 24 Apr 2012, 23:33:59
-----
-----
-----
-----
-----
name: <unnamed>
log: D:\Stata data\probit_ol_alltopics_program.smcl
log type: smcl
resumed on: 24 Apr 2012, 23:34:15

```

```

. foreach x of local gbvvars {
  2. display "`": var label `x'''' _continue
  3. matlist results_`x', format(%9.4f) title(Variable name: `x') nodotz border(all)
  4. display " "
  5. display
"-----"
_continue
  6. display " "
  7. }

```

Man has right to have sex for gifts  
Variable name: a6r

	None		One		Two+	
Probability	0.3187	.	0.2470	.	0.2658	.
95% CI	0.2717	0.3657	0.1896	0.3043	0.2071	0.3245
p-value	.	.	0.0600	.	0.1505	.

Leaders Speak Out Against GBV  
Variable name: cn7r

	None		One		Two+	
Probability	0.6040	.	0.5220	.	0.6130	.
95% CI	0.5505	0.6574	0.4533	0.5906	0.5372	0.6889
p-value	.	.	0.1182	.	0.8289	.

Forced Sex in the Last 12 Months  
Variable name: gbv\_sex12

	None		One		Two+	
Probability	0.0181	.	0.0311	.	0.0310	.
95% CI	0.0085	0.0276	0.0083	0.0539	0.0019	0.0600
p-value	.	.	0.2560	.	0.3871	.

Physical GBV in the Last 12 Months  
 Variable name: gbv\_hit12

	None		One		Two+	
Probability	0.0992	.	0.1330	.	0.0972	.
95% CI	0.0691	0.1293	0.0871	0.1789	0.0666	0.1278
p-value	.	.	0.2381	.	0.9331	.

Reported forced sex to family member  
 Variable name: fhitreport\_family

	None		One		Two+	
Probability	0.2400	.	0.2661	.	0.3182	.
95% CI	0.1338	0.3461	0.1784	0.3539	0.2097	0.4267
p-value	.	.	0.7128	.	0.2869	.

Reported forced sex to a friend  
 Variable name: fhitreport\_friend

	None		One		Two+	
Probability	0.0233	.	0.0233	.	0.1650	.
95% CI	.	.	.	.	.	.
p-value	.	.	.	.	.	.

Reported forced sex to a police  
 Variable name: fhitreport\_police

	None		One		Two+	
Probability	0.1994	.	0.3260	.	0.3469	.
95% CI	0.1125	0.2863	0.2242	0.4277	0.2054	0.4883
p-value	.	.	0.0912	.	0.0725	.

Reported forced sex to a authorities  
 Variable name: fhitreport\_auth

	None		One		Two+	
Probability	0.0480	.	0.0480	.	0.1895	.
95% CI	.	.	.	.	.	.
p-value	.	.	.	.	.	.

Reported gbv to anyone  
 Variable name: fhitreport\_any

	None		One		Two+	
Probability	0.5149	.	0.4876	.	0.6300	.
95% CI	0.4096	0.6202	0.3949	0.5804	0.4995	0.7606
p-value	.	.	0.6581	.	0.1620	.

```

.
.
. *****
. * Effect of One Love Radio multimedia exposure (multimedia_ol)
. *****
.
. #delimit ;
delimiter now ;
. local gbvvars
> "a6r cn7r gbv_sex12 gbv_hit12 fhitreport_family fhitreport_police fhitreport_auth
fhitreport_any" ;

. #delimit cr;
delimiter now cr
.
.
. log off
name: <unnamed>
log: D:\Stata data\probit_ol_alltopics_program.smcl
log type: smcl
paused on: 24 Apr 2012, 23:34:15

-----

name: <unnamed>
log: D:\Stata data\probit_ol_alltopics_program.smcl
log type: smcl
resumed on: 24 Apr 2012, 23:34:28

.
. foreach x of local gbvvars {
2. display "`": var label `x'''' _continue
3. matlist results_`x', format(%9.4f) title(Variable name: `x') nodotz border(all)
4. display " "
5. display
"
-----"
_continue
6. display " "
7. }
Man has right to have sex for gifts
Variable name: a6r

```

	None		One		Two+	
Probability	0.3273	.	0.2853	.	0.2388	.
95% CI	0.2730	0.3817	0.2378	0.3327	0.1776	0.3000
p-value	.	.	0.1833	.	0.0548	.

Leaders Speak Out Against GBV  
 Variable name: cn7r

	None		One		Two+	
Probability	0.5991	.	0.5206	.	0.6612	.
95% CI	0.5365	0.6618	0.4623	0.5789	0.5912	0.7313
p-value	.	.	0.0749	.	0.2410	.

Forced Sex in the Last 12 Months  
 Variable name: gbv\_sex12

	None		One		Two+	
Probability	0.0234	.	0.0263	.	0.0230	.
95% CI	0.0094	0.0374	0.0083	0.0442	0.0000	0.0461
p-value	.	.	0.8106	.	0.9816	.

Physical GBV in the Last 12 Months  
 Variable name: gbv\_hit12

	None		One		Two+	
Probability	0.1223	.	0.0888	.	0.1086	.
95% CI	0.0786	0.1660	0.0504	0.1273	0.0761	0.1410
p-value	.	.	0.3060	.	0.6306	.

Reported forced sex to family member  
 Variable name: fhitreport\_family

	None		One		Two+	
Probability	0.2234	.	0.2982	.	0.3040	.
95% CI	0.1046	0.3421	0.1979	0.3986	0.2032	0.4048
p-value	.	.	0.3594	.	0.3206	.

Reported forced sex to a police  
 Variable name: fhitreport\_police

	None		One		Two+	
Probability	0.2082	.	0.3664	.	0.2554	.
95% CI	0.1172	0.2992	0.2696	0.4632	0.1304	0.3804
p-value	.	.	0.0229	.	0.5579	.

Reported forced sex to a authorities  
 Variable name: fhitreport\_auth



	None	One	Two+
Probability	0.1013	0.2055	0.0036
95% CI	.	.	.
p-value	.	.	.

Reported gbv to anyone  
Variable name: fhitreport\_any

	None	One	Two+
Probability	0.5322	0.5499	0.5157
95% CI	0.4265 0.6379	0.4669 0.6329	0.3921 0.6393
p-value	.	0.7992	0.8075

```

.
.
.
.
.
*****
. * continuous VARIABLES
. *****
.
.
. #delimit ;
delimiter now ;
. local mpvars2
> "lifep numtest firstsex";

. #delimit cr;
delimiter now cr
.
.
.
*****
. * Effect of exposure to any One Love radio programs (anyrad_ol)
. *****
.
. log off
.   name: <unnamed>
.   log: D:\Stata data\probit_ol_alltopics_program.smcl
.   log type: smcl
.   paused on: 24 Apr 2012, 23:34:28
-----
-----
-----
.
.   name: <unnamed>
.   log: D:\Stata data\probit_ol_alltopics_program.smcl
.   log type: smcl
.   resumed on: 24 Apr 2012, 23:34:30
.
. foreach x of local mpvars2 {

```

```

2. di ``: var label `x'''' _continue
3. matlist results_`x', format(%9.4f) title(Variable name:`x') nodotz border(all)
4. di " "
5. di "-----" _continue
6. di " "
7. }

```

Number of Lifetime Partners b6  
Variable name:lifep

	Unexposed		Exposed	
Mean	4.2908	.	3.8662	.
95% CI	3.7613	4.8202	3.0177	4.7147
p-value	.	.	0.3876	.

Number of Times Tested for HIV b24a  
Variable name:numtest

	Unexposed		Exposed	
Mean	2.3555	.	2.6558	.
95% CI	2.1004	2.6107	2.3057	3.0058
p-value	.	.	0.2045	.

age at first sex  
Variable name:firstsex

	Unexposed		Exposed	
Mean	20.6755	.	19.3570	.
95% CI	19.6172	21.7337	18.3082	20.4059
p-value	.	.	0.0930	.

```

.
.
.
.
. *****
. * Effect of exposure to any One Love TV programs (anytv_ol)
. *****
. #delimiter ;
delimiter now ;
. local mpvars2
> "lifep numtest firstsex";

. #delimiter cr;
delimiter now cr
.
.
. log off
    name: <unnamed>
    log: D:\Stata data\probit_ol_alltopics_program.smcl
    log type: smcl
    paused on: 24 Apr 2012, 23:34:30

```

```

-----
-----
-----
-----
-----
-----
name: <unnamed>
log: D:\Stata data\probit_ol_alltopics_program.smcl
log type: smcl
resumed on: 24 Apr 2012, 23:34:32

```

```

. foreach x of local mpvars2 {
2. di "`": var label `x'''' _continue
3. matlist results_`x', format(%9.4f) title(Variable name:`x') nodotz border(all)
4. di " "
5. di "-----" _continue
6. di " "
7. }

```

Number of Lifetime Partners b6  
Variable name:lifep

	Unexposed		Exposed	
Mean	4.2781	.	3.8003	.
95% CI	3.7509	4.8053	2.9969	4.6036
p-value	.	.	0.2877	.

Number of Times Tested for HIV b24a  
Variable name:numtest

	Unexposed		Exposed	
Mean	2.3151	.	2.8850	.
95% CI	2.1172	2.5131	2.5031	3.2670
p-value	.	.	0.0027	.

age at first sex  
Variable name:firstsex

	Unexposed		Exposed	
Mean	19.8299	.	22.0985	.
95% CI	19.0792	20.5806	20.2512	23.9459
p-value	.	.	0.0275	.

```

.
.
.
. *****
. * Effect of intensity of exposure to One Love booklets (intbk_ol)
. *****
. #delimiter ;
delimiter now ;

```

```

. local mpvars2
> "lifep numtest firstsex";

. #delimit cr;
delimiter now cr
.
.
. log off
  name: <unnamed>
  log: D:\Stata data\probit_ol_alltopics_program.smcl
  log type: smcl
  paused on: 24 Apr 2012, 23:34:32
-----
-----
-----
-----
-----
  name: <unnamed>
  log: D:\Stata data\probit_ol_alltopics_program.smcl
  log type: smcl
  resumed on: 24 Apr 2012, 23:34:34
.
. foreach x of local mpvars2 {
  2. display "`": var label `x'''' _continue
  3. matlist results_`x', format(%9.4f) title(Variable name: `x') nodotz border(all)
  4. display " "
  5. display
"-----"
_continue
  6. display " "
  7. }

```

Number of Lifetime Partners b6  
Variable name: lifep

	None		One		Two+	
Mean	4.3467	.	4.1026	.	3.8346	.
95% CI	3.8112	4.8821	3.1581	5.0470	3.2191	4.4501
p-value	.	.	0.6332	.	0.1347	.

Number of Times Tested for HIV b24a  
Variable name: numtest

	None		One		Two+	
Mean	2.5994	.	2.3601	.	2.1587	.
95% CI	2.1805	3.0182	2.1306	2.5897	1.7483	2.5690
p-value	.	.	0.2734	.	0.2399	.

age at first sex  
Variable name: firstsex

	None		One		Two+	
Mean	19.9958	.	21.9738	.	19.0388	.

95% CI	18.7913	21.2003	19.7215	24.2261	18.2101	19.8675
p-value	.	.	0.1568	.	0.2309	.

```

.
.
. *****
. * Effect of One Love Radio multimedia exposure (multimedia_ol)
. *****
. #delimit ;
delimiter now ;
. local mpvars2
> "lifep numtest firstsex";

. #delimit cr;
delimiter now cr
.
.
. log off
    name: <unnamed>
    log: D:\Stata data\probit_ol_alltopics_program.smcl
    log type: smcl
    paused on: 24 Apr 2012, 23:34:34

-----

    name: <unnamed>
    log: D:\Stata data\probit_ol_alltopics_program.smcl
    log type: smcl
    resumed on: 24 Apr 2012, 23:34:37

.
. foreach x of local mpvars2 {
2. display "`": var label `x'''' _continue
3. matlist results_`x', format(%9.4f) title(Variable name: `x') nodotz border(all)
4. display " "
5. display
"
-----"
_continue
6. display " "
7. }

```

Number of Lifetime Partners b6  
Variable name: lifep

	None	One	Two+
Mean	4.3278	4.4171	3.6556
95% CI	3.7191 4.9365	3.6955 5.1386	2.8347 4.4765
p-value	.	0.8469	0.1873

Number of Times Tested for HIV b24a  
Variable name: numtest

	None	One	Two+
--	------	-----	------

Mean	2.3868	.	2.2512	.	2.7691	.
95% CI	1.8820	2.8916	1.9833	2.5191	2.4376	3.1006
p-value	.	.	0.6897	.	0.1566	.

age at first sex  
Variable name: firstsex

	None	One	Two+
Mean	19.7101	20.4713	20.9472
95% CI	18.2544 21.1659	18.5068 22.4357	18.5905 23.3039
p-value	.	0.5853	0.3761

.  
.
  
.
  
.
  
end of do-file

. log close  
name: <unnamed>  
log: D:\Stata data\probit\_ol\_alltopics\_program.smcl  
log type: smcl  
closed on: 24 Apr 2012, 23:35:46