

**PROBIT REGRESSION RESULTS:  
EXPOSURE TO ONE LOVE**

PART 1:  
EFFECT OF ONE LOVE RADIO PROGRAM EXPOSURE

Multiple Partners: Total Sample

Knows multiple sexual partners increase HIV Risk k5r  
Variable name:k5r

	Unexposed		Exposed	
Probability	0.8922	.	0.9421	.
95% CI	0.8656	0.9189	0.9185	0.9658
P-value	.	.	0.0065	.

People Discuss HIV Risk & Multiple Partners  
Variable name:cn8r

	Unexposed		Exposed	
Probability	0.5407	.	0.6599	.
95% CI	0.4888	0.5926	0.5860	0.7338
P-value	.	.	0.0168	.

Most married men faithful to wives  
Variable name:alr

	Unexposed		Exposed	
Probability	0.3396	.	0.3510	.
95% CI	0.3159	0.3632	0.2811	0.4208
P-value	.	.	0.7954	.

Leaders Discourage Multiple Partners  
Variable name:cn9r

	Unexposed		Exposed	
Probability	0.4002	.	0.3992	.
95% CI	0.3651	0.4352	0.3316	0.4668
P-value	.	.	0.9770	.

Men with many women are real men  
Variable name:a5r

	Unexposed		Exposed	
Probability	0.0702	.	0.1147	.
95% CI	0.0565	0.0840	0.0456	0.1838
P-value	.	.	0.2552	.

Can resist being unfaithful to main partner  
 Variable name:a2r

	Unexposed		Exposed	
Probability	0.7334	.	0.7802	.
95% CI	0.7086	0.7582	0.6940	0.8664
P-value	.	.	0.2913	.

Does not need someone to fill gap  
 Variable name:a3r

	Unexposed		Exposed	
Probability	0.6490	.	0.6907	.
95% CI	0.6074	0.6907	0.6368	0.7447
P-value	.	.	0.2262	.

Multiple Partners (Last 12 Months) b2  
 Variable name:mp1

	Unexposed		Exposed	
Probability	0.1828	.	0.1948	.
95% CI	0.1463	0.2193	0.1388	0.2508
P-value	.	.	0.7437	.

Multiple Partners (Last Month)b4  
 Variable name:mp2

	Unexposed		Exposed	
Probability	0.0706	.	0.0657	.
95% CI	0.0591	0.0821	0.0410	0.0904
P-value	.	.	0.7717	.

Self-reported having concurrent partners in the past 12 months b3  
 Variable name:b3r

	Unexposed		Exposed	
Probability	0.1012	.	0.0911	.
95% CI	0.0689	0.1335	0.0527	0.1294
P-value	.	.	0.7054	.

Currently have more than one sexual partner (past 3 months) b5  
 Variable name:b5r

	Unexposed		Exposed	
Probability	0.0795	.	0.0890	.
95% CI	0.0637	0.0954	0.0558	0.1221
P-value	.	.	0.6765	.

Number of Lifetime Partners b6  
 Variable name:lifep

	Unexposed		Exposed	
Mean	4.2922	.	3.5770	.
95% CI	3.7866	4.7978	3.0457	4.1083
P-value	.	.	0.0471	.

Received gifts or money in exchange for sex with last partner b20  
 Variable name:gifts

	Unexposed		Exposed	
Probability	0.1306	.	0.1352	.
95% CI	0.0941	0.1671	0.0781	0.1923
P-value	.	.	0.8779	.

Received gifts or money in exchange for sex with last partner, if regular  
 Variable name:gifts\_reg

	Unexposed		Exposed	
Probability	0.1195	.	0.1830	.
95% CI	0.0933	0.1458	0.1147	0.2512
P-value	.	.	0.0917	.

Received gifts or money in exchange for sex with last partner, if casual  
 Variable name:gifts\_cas

	Unexposed		Exposed	
Probability	0.1345	.	0.1331	.
95% CI	0.0938	0.1752	0.0659	0.2003
P-value	.	.	0.9669	.

Received gifts or money in exchange for sex with next to last partner  
 Variable name:gifts\_B

	Unexposed		Exposed	
Probability	0.1214	.	0.0408	.
95% CI	0.1011	0.1416	0.0116	0.0700
P-value	.	.	0.0031	.

Received gifts or money in exchange for sex with next to last partner, if casual  
 Variable name:gifts\_cas\_B

	Unexposed		Exposed	
Probability	0.0922	.	0.0392	.
95% CI	0.0700	0.1143	0.0136	0.0648
P-value	.	.	0.0196	.

Received gifts or money in exchange for sex with third to last partner  
 Variable name:gifts\_C

	Unexposed		Exposed	
Probability	0.1172	.	0.0633	.
95% CI	0.0948	0.1395	0.0434	0.0832
P-value	.	.	0.0000	.

Received gifts or money in exchange for sex with third to last partner, if casua  
 Variable name:gifts\_cas\_C

	Unexposed		Exposed	
Probability	0.1354	.	0.0718	.
95% CI	.	.	.	.
P-value	.	.	.	.

Gave gifts or money in exchange for sex with last partner b21  
 Variable name:paid

	Unexposed		Exposed	
Probability	0.0851	.	0.0751	.
95% CI	0.0594	0.1109	0.0418	0.1085
P-value	.	.	0.6021	.

Gave gifts or money in exchange for sex with last partner, if regular  
 Variable name:paid\_reg

	Unexposed		Exposed	
Probability	0.0807	.	0.0855	.
95% CI	0.0526	0.1087	0.0506	0.1204
P-value	.	.	0.8414	.

Gave gifts or money in exchange for sex with last partner, if casual  
 Variable name:paid\_cas

	Unexposed		Exposed	
Probability	0.0886	.	0.0711	.
95% CI	0.0612	0.1159	0.0403	0.1020
P-value	.	.	0.4257	.

Gave gifts or money in exchange for sex with next to last partner  
 Variable name:paid\_B

	Unexposed		Exposed	
Probability	0.1622	.	0.0783	.
95% CI	0.0979	0.2265	0.0236	0.1329
P-value	.	.	0.0427	.

Gave gifts or money in exchange for sex with next to last partner, if casual  
 Variable name:paid\_cas\_B

	Unexposed		Exposed	
Probability	0.1692	.	0.0800	.
95% CI	0.1088	0.2296	0.0310	0.1291
P-value	.	.	0.0217	.

Gave gifts or money in exchange for sex with third to last partner  
 Variable name:paid\_C

	Unexposed		Exposed	
Probability	0.1596	.	0.1306	.
95% CI	0.1200	0.1993	0.0583	0.2029
P-value	.	.	0.5607	.

Gave gifts or money in exchange for sex with third to last partner, if casual  
 Variable name:paid\_cas\_C

	Unexposed		Exposed	
Probability	0.1516	.	0.1502	.
95% CI	0.1199	0.1832	0.0712	0.2291
P-value	.	.	0.9764	.



Multiple Partners: Females Only

Knows multiple sexual partners increase HIV Risk k5r  
 Variable name:k5r

	Unexposed		Exposed	
Probability	0.8642	.	0.9305	.
95% CI	0.8156	0.9129	0.8995	0.9616
P-value	.	.	0.0108	.

People Discuss HIV Risk & Multiple Partners  
 Variable name:cn8r

	Unexposed		Exposed	
Probability	0.5045	.	0.5674	.
95% CI	0.4577	0.5514	0.4701	0.6647
P-value	.	.	0.2563	.

Most married men faithful to wives  
 Variable name:alr

	Unexposed		Exposed	
Probability	0.3409	.	0.3750	.
95% CI	0.2926	0.3892	0.2783	0.4717
P-value	.	.	0.4447	.

Leaders Discourage Multiple Partners  
 Variable name:cn9r

	Unexposed		Exposed	
Probability	0.3422	.	0.2719	.
95% CI	0.2685	0.4158	0.2112	0.3325
P-value	.	.	0.1684	.

Men with many women are real men  
 Variable name:a5r

	Unexposed		Exposed	
Probability	0.0771	.	0.0803	.
95% CI	0.0519	0.1023	0.0239	0.1368
P-value	.	.	0.9242	.

Can resist being unfaithful to main partner  
 Variable name:a2r

	Unexposed		Exposed	
Probability	0.7526	.	0.8371	.
95% CI	0.6969	0.8083	0.7544	0.9197
P-value	.	.	0.1213	.

Does not need someone to fill gap  
 Variable name:a3r

	Unexposed		Exposed	
Probability	0.6032	.	0.7184	.
95% CI	0.5323	0.6741	0.6298	0.8070
P-value	.	.	0.0461	.

Multiple Partners (Last 12 Months) b2  
 Variable name:mp1

	Unexposed		Exposed	
Probability	0.0785	.	0.0332	.
95% CI	0.0390	0.1181	0.0094	0.0570
P-value	.	.	0.0739	.

Multiple Partners (Last Month)b4  
 Variable name:mp2

	Unexposed		Exposed	
Probability	0.0078	.	0.0103	.
95% CI	0.0028	0.0129	-0.0024	0.0230
P-value	.	.	0.6992	.

Self-reported having concurrent partners in the past 12 months b3  
 Variable name:b3r

	Unexposed		Exposed	
Probability	0.0362	.	0.0316	.
95% CI	0.0187	0.0537	0.0131	0.0502
P-value	.	.	0.7488	.

Currently have mmore than one sexual partner (past 3 months) b5  
 Variable name:b5r

	Unexposed		Exposed	
Probability	0.0051	.	0.0494	.
95% CI	0.0018	0.0084	0.0130	0.0857
P-value	.	.	0.0001	.

Number of Lifetime Partners b6  
 Variable name:lifep

	Unexposed		Exposed	
Mean	3.1120	.	2.1941	.
95% CI	2.7929	3.4312	1.7762	2.6121
P-value	.	.	0.0004	.

Received gifts or money in exchange for sex with last partner b20  
 Variable name:gifts

	Unexposed		Exposed	
Probability	0.2340	.	0.2210	.
95% CI	0.1687	0.2992	0.1036	0.3385
P-value	.	.	0.8403	.

Received gifts or money in exchange for sex with last partner, if regular  
 Variable name:gifts\_reg

	Unexposed		Exposed	
Probability	0.1865	.	0.2821	.
95% CI	0.1487	0.2243	0.1770	0.3871
P-value	.	.	0.0946	.

Received gifts or money in exchange for sex with last partner, if casual  
 Variable name:gifts\_cas

	Unexposed		Exposed	
Probability	0.2483	.	0.2371	.
95% CI	0.1774	0.3193	0.1063	0.3679
P-value	.	.	0.8704	.

Gave gifts or money in exchange for sex with last partner b21  
 Variable name:paid

	Unexposed		Exposed	
Probability	0.0898	.	0.0586	.
95% CI	0.0518	0.1278	0.0148	0.1023
P-value	.	.	0.2575	.

Gave gifts or money in exchange for sex with last partner, if regular  
 Variable name:paid\_reg

	Unexposed		Exposed	
Probability	0.1192	.	0.0864	.
95% CI	0.0832	0.1553	0.0535	0.1192
P-value	.	.	0.2915	.

Gave gifts or money in exchange for sex with last partner, if casual  
 Variable name:paid\_cas

	Unexposed		Exposed	
Probability	0.0756	.	0.0655	.
95% CI	0.0396	0.1116	0.0140	0.1171
P-value	.	.	0.6720	.

Multiple Partners: Males Only

Knows multiple sexual partners increase HIV Risk k5r  
 Variable name:k5r

	Unexposed		Exposed	
Probability	0.9241	.	0.9525	.
95% CI	0.8985	0.9498	0.9206	0.9843
P-value	.	.	0.2309	.

People Discuss HIV Risk & Multiple Partners  
 Variable name:cn8r

	Unexposed		Exposed	
Probability	0.5994	.	0.7063	.
95% CI	0.5310	0.6677	0.6427	0.7699
P-value	.	.	0.0564	.

Most married men faithful to wives  
 Variable name:alr

	Unexposed		Exposed	
Probability	0.3248	.	0.3705	.
95% CI	0.2333	0.4163	0.2948	0.4462
P-value	.	.	0.4849	.

Leaders Discourage Multiple Partners  
 Variable name:cn9r

	Unexposed		Exposed	
Probability	0.4842	.	0.4721	.
95% CI	0.4327	0.5358	0.3642	0.5801
P-value	.	.	0.8143	.

Men with many women are real men  
 Variable name:a5r

	Unexposed		Exposed	
Probability	0.0626	.	0.1459	.
95% CI	0.0427	0.0825	0.0627	0.2291
P-value	.	.	0.0591	.

Can resist being unfaithful to main partner  
Variable name:a2r

	Unexposed		Exposed	
Probability	0.7182	.	0.7018	.
95% CI	0.6552	0.7813	0.5679	0.8358
P-value	.	.	0.8558	.

Does not need someone to fill gap  
Variable name:a3r

	Unexposed		Exposed	
Probability	0.7190	.	0.5863	.
95% CI	0.6565	0.7815	0.4673	0.7052
P-value	.	.	0.0659	.

Multiple Partners (Last 12 Months) b2  
Variable name:mp1

	Unexposed		Exposed	
Probability	0.3157	.	0.3872	.
95% CI	0.2736	0.3578	0.2986	0.4757
P-value	.	.	0.1960	.

Multiple Partners (Last Month)b4  
Variable name:mp2

	Unexposed		Exposed	
Probability	0.1461	.	0.1339	.
95% CI	0.1211	0.1711	0.0832	0.1847
P-value	.	.	0.7339	.

Self-reported having concurrent partners in the past 12 months b3  
Variable name:b3r

	Unexposed		Exposed	
Probability	0.1717	.	0.1799	.
95% CI	0.1245	0.2190	0.0971	0.2627
P-value	.	.	0.8655	.

Currently have mmore than one sexual partner (past 3 months) b5  
 Variable name:b5r

	Unexposed		Exposed	
Probability	0.1700	.	0.1517	.
95% CI	0.1328	0.2071	0.0949	0.2084
P-value	.	.	0.6872	.

Number of Lifetime Partners b6  
 Variable name:lifep

	Unexposed		Exposed	
Mean	5.9554	.	5.3192	.
95% CI	5.1825	6.7282	4.2580	6.3803
P-value	.	.	0.3809	.

Received gifts or money in exchange for sex with last partner b20  
 Variable name:gifts

	Unexposed		Exposed	
Probability	0.0156	.	0.0170	.
95% CI	0.0096	0.0215	0.0087	0.0253
P-value	.	.	0.7922	.

Received gifts or money in exchange for sex with last partner, if regular  
 Variable name:gifts\_reg

	Unexposed		Exposed	
Probability	0.0441	.	0.0378	.
95% CI	0.0241	0.0640	0.0218	0.0539
P-value	.	.	0.6073	.

Received gifts or money in exchange for sex with last partner, if casual  
 Variable name:gifts\_cas

	Unexposed		Exposed	
Probability	0.0149	.	0.0133	.
95% CI	0.0089	0.0209	0.0029	0.0236
P-value	.	.	0.7874	.

Gave gifts or money in exchange for sex with last partner b21  
 Variable name:paid

	Unexposed		Exposed	
Probability	0.0921	.	0.0633	.
95% CI	0.0653	0.1190	0.0306	0.0960
P-value	.	.	0.2348	.

Gave gifts or money in exchange for sex with last partner, if regular  
 Variable name:paid\_reg

	Unexposed		Exposed	
Probability	0.0533	.	0.0371	.
95% CI	0.0286	0.0780	0.0166	0.0577
P-value	.	.	0.3251	.

Gave gifts or money in exchange for sex with last partner, if casual  
 Variable name:paid\_cas

	Unexposed		Exposed	
Probability	0.1091	.	0.0636	.
95% CI	0.0778	0.1403	0.0229	0.1042
P-value	.	.	0.1545	.

Gave gifts or money in exchange for sex with next to last partner  
 Variable name:paid\_B

	Unexposed		Exposed	
Probability	0.1562	.	0.0548	.
95% CI	0.1121	0.2004	0.0318	0.0777
P-value	.	.	0.0009	.

Gave gifts or money in exchange for sex with next to last partner, if casual  
 Variable name:paid\_cas\_B

	Unexposed		Exposed	
Probability	0.1532	.	0.0569	.
95% CI	0.1112	0.1952	0.0338	0.0800
P-value	.	.	0.0019	.



Gave gifts or money in exchange for sex with third to last partner  
 Variable name:paid\_C

	Unexposed		Exposed	
Probability	0.1176	.	0.1027	.
95% CI	0.0857	0.1494	0.0557	0.1497
P-value	.	.	0.6094	.

Gave gifts or money in exchange for sex with third to last partner, if casual  
 Variable name:paid\_cas\_C

	Unexposed		Exposed	
Probability	0.1077	.	0.1243	.
95% CI	0.0829	0.1325	0.0730	0.1756
P-value	.	.	0.5532	.

Other Risk Factors: Total Sample

Leaders Discourage Multiple Partners  
Variable name:cn10r

	Unexposed		Exposed	
Probability	0.3367	.	0.4480	.
95% CI	0.2640	0.4093	0.3817	0.5143
P-value	.	.	0.0194	.

age at first sex  
Variable name:firstsex

	Unexposed		Exposed	
Mean	18.9969	.	22.9145	.
95% CI	18.1379	19.8559	19.2364	26.5925
P-value	.	.	0.0730	.

10+ year age difference between respondent and last sexual partner  
Variable name:agedif\_a1

	Unexposed		Exposed	
Probability	0.0800	.	0.1050	.
95% CI	0.0579	0.1021	0.0527	0.1573
P-value	.	.	0.4891	.

10+ year age difference between respondent and next to last sexual partner  
Variable name:agedif\_b1

	Unexposed		Exposed	
Probability	0.0790	.	0.0637	.
95% CI	0.0616	0.0965	0.0443	0.0830
P-value	.	.	0.3033	.

10+ year age difference between respondent and third to last sexual partner  
Variable name:agedif\_c1

	Unexposed		Exposed	
Probability	0.0572	.	0.0386	.
95% CI	0.0293	0.0852	0.0227	0.0546
P-value	.	.	0.2961	.

Other Risk Factors: Females Only

Leaders Discourage Multiple Partners  
Variable name:cnl0r

	Unexposed		Exposed	
Probability	0.2838	.	0.3083	.
95% CI	0.2255	0.3421	0.2023	0.4143
P-value	.	.	0.6235	.

age at first sex  
Variable name:firstsex

	Unexposed		Exposed	
Mean	19.6441	.	20.6977	.
95% CI	18.4003	20.8879	19.0179	22.3776
P-value	.	.	0.2715	.

10+ year age difference between respondent and last sexual partner  
Variable name:agedif\_a1

	Unexposed		Exposed	
Probability	0.1050	.	0.1033	.
95% CI	0.0719	0.1381	0.0487	0.1579
P-value	.	.	0.9638	.

Other Risk Factors: Males Only

Leaders Discourage Multiple Partners  
Variable name:cn10r

	Unexposed		Exposed	
Probability	0.4143	.	0.5400	.
95% CI	0.3393	0.4892	0.4632	0.6167
P-value	.	.	0.0533	.

age at first sex  
Variable name:firstsex

	Unexposed		Exposed	
Mean	18.4448	.	24.7352	.
95% CI	16.7084	20.1811	19.1277	30.3427
P-value	.	.	0.0881	.

10+ year age difference between respondent and last sexual partner  
Variable name:agedif\_a1

	Unexposed		Exposed	
Probability	0.0519	.	0.1057	.
95% CI	0.0303	0.0736	0.0596	0.1518
P-value	.	.	0.0780	.

10+ year age difference between respondent and next to last sexual partner  
Variable name:agedif\_b1

	Unexposed		Exposed	
Probability	0.0922	.	0.0584	.
95% CI	0.0747	0.1096	0.0377	0.0791
P-value	.	.	0.0343	.

10+ year age difference between respondent and third to last sexual partner  
Variable name:agedif\_c1

	Unexposed		Exposed	
Probability	0.0606	.	0.0496	.
95% CI	0.0371	0.0842	0.0329	0.0664
P-value	.	.	0.5207	.

HIV Communication: Total Sample

Discussed HIV/AIDS with Kids b25  
Variable name:disc\_spouse

	Unexposed		Exposed	
Probability	0.7920	.	0.8844	.
95% CI	0.7436	0.8403	0.8184	0.9505
P-value	.	.	0.0379	.

Discussed HIV/AIDS with Kids b26  
Variable name:disc\_kids

	Unexposed		Exposed	
Probability	0.5788	.	0.4977	.
95% CI	0.5295	0.6281	0.4089	0.5865
P-value	.	.	0.1849	.

Discussed HIV/AIDS with Friends b27  
Variable name:disc\_friends

	Unexposed		Exposed	
Probability	0.6665	.	0.6532	.
95% CI	0.6311	0.7018	0.6035	0.7029
P-value	.	.	0.6602	.

Discussed HIV/AIDS with Spouse, Kids, and/or Friends  
Variable name:disc\_any

	Unexposed		Exposed	
Probability	0.7488	.	0.7451	.
95% CI	0.7102	0.7874	0.6981	0.7920
P-value	.	.	0.9094	.

Percentage who are dissatisfied when having sex with spouse/regular cohabitating  
Variable name:b22r

	Unexposed		Exposed	
Probability	0.1709	.	0.1326	.
95% CI	0.1347	0.2070	0.0931	0.1722
P-value	.	.	0.2154	.

Percentage who have talked with spouse/regular cohabitating partner about sexual  
 Variable name:b23r

	Unexposed		Exposed	
Probability	0.6564	.	0.8706	.
95% CI	0.5959	0.7170	0.7781	0.9630
P-value	.	.	0.0076	.

Sex life improves with communication about HIV  
 Variable name:a4r

	Unexposed		Exposed	
Probability	0.8975	.	0.8434	.
95% CI	0.8696	0.9253	0.7834	0.9035
P-value	.	.	0.0114	.

HIV Communication: Females Only

Discussed HIV/AIDS with Kids b25  
Variable name:disc\_spouse

	Unexposed		Exposed	
Probability	0.7463	.	0.9286	.
95% CI	0.6802	0.8124	0.8613	0.9958
P-value	.	.	0.0043	.

Discussed HIV/AIDS with Kids b26  
Variable name:disc\_kids

	Unexposed		Exposed	
Probability	0.3719	.	0.4113	.
95% CI	0.3143	0.4296	0.3219	0.5007
P-value	.	.	0.4496	.

Discussed HIV/AIDS with Friends b27  
Variable name:disc\_friends

	Unexposed		Exposed	
Probability	0.5897	.	0.6009	.
95% CI	0.5533	0.6261	0.4988	0.7029
P-value	.	.	0.8485	.

Discussed HIV/AIDS with Spouse, Kids, and/or Friends  
Variable name:disc\_any

	Unexposed		Exposed	
Probability	0.6637	.	0.7017	.
95% CI	0.6278	0.6995	0.6128	0.7906
P-value	.	.	0.5042	.

Percentage who are dissatisfied when having sex with spouse/regular cohabitating  
Variable name:b22r

	Unexposed		Exposed	
Probability	0.0315	.	0.0243	.
95% CI	0.0198	0.0432	0.0103	0.0383
P-value	.	.	0.4565	.

Percentage who have talked with spouse/regular cohabitating partner about sexual  
 Variable name:b23r

	Unexposed		Exposed	
Probability	0.0293	.	0.0193	.
95% CI	0.0188	0.0397	0.0088	0.0297
P-value	.	.	0.2294	.

Sex life improves with communication about HIV  
 Variable name:a4r

	Unexposed		Exposed	
Probability	0.9072	.	0.8351	.
95% CI	0.8850	0.9294	0.7403	0.9299
P-value	.	.	0.1271	.



HIV Communication: Males Only

Discussed HIV/AIDS with Kids b25  
Variable name:disc\_spouse

	Unexposed		Exposed	
Probability	0.7463	.	0.9286	.
95% CI	0.6802	0.8124	0.8613	0.9958
P-value	.	.	0.0043	.

Discussed HIV/AIDS with Kids b26  
Variable name:disc\_kids

	Unexposed		Exposed	
Probability	0.3719	.	0.4113	.
95% CI	0.3143	0.4296	0.3219	0.5007
P-value	.	.	0.4496	.

Discussed HIV/AIDS with Friends b27  
Variable name:disc\_friends

	Unexposed		Exposed	
Probability	0.5897	.	0.6009	.
95% CI	0.5533	0.6261	0.4988	0.7029
P-value	.	.	0.8485	.

Discussed HIV/AIDS with Spouse, Kids, and/or Friends  
Variable name:disc\_any

	Unexposed		Exposed	
Probability	0.6637	.	0.7017	.
95% CI	0.6278	0.6995	0.6128	0.7906
P-value	.	.	0.5042	.

Percentage who are dissatisfied when having sex with spouse/regular cohabitating  
Variable name:b22r

	Unexposed		Exposed	
Probability	0.0315	.	0.0243	.
95% CI	0.0198	0.0432	0.0103	0.0383
P-value	.	.	0.4565	.

Percentage who have talked with spouse/regular cohabitating partner about sexual  
 Variable name:b23r

	Unexposed		Exposed	
Probability	0.0293	.	0.0193	.
95% CI	0.0188	0.0397	0.0088	0.0297
P-value	.	.	0.2294	.

Sex life improves with communication about HIV  
 Variable name:a4r

	Unexposed		Exposed	
Probability	0.9072	.	0.8351	.
95% CI	0.8850	0.9294	0.7403	0.9299
P-value	.	.	0.1271	.

Condom Use: Total Sample

While in ART, PLHIV can transmit HIV k4r  
 Variable name:k4r

	Unexposed		Exposed	
Probability	0.8971	.	0.9260	.
95% CI	0.8585	0.9357	0.8905	0.9614
P-value	.	.	0.3282	.

Knows PLHIV on ART can transmit HIV k3r  
 Variable name:k3r

	Unexposed		Exposed	
Probability	0.8704	.	0.8708	.
95% CI	0.8377	0.9031	0.7893	0.9523
P-value	.	.	0.9936	.

Percentage who disagree that if one spouse is HIV+ the other certainly is k1r  
 Variable name:k1r

	Unexposed		Exposed	
Probability	0.4877	.	0.4555	.
95% CI	0.4299	0.5454	0.3738	0.5372
P-value	.	.	0.3853	.

Knows that STIs increase HIV infection k2r  
 Variable name:k2r

	Unexposed		Exposed	
Probability	0.8460	.	0.8481	.
95% CI	0.8188	0.8731	0.8189	0.8773
P-value	.	.	0.9246	.

Condom Use in Marriage Accepted  
 Variable name:cnlr

	Unexposed		Exposed	
Probability	0.6295	.	0.7454	.
95% CI	0.5899	0.6690	0.6600	0.8308
P-value	.	.	0.0160	.

Women Can Ask Regular Parnter to Use Condom  
 Variable name:cn2r

	Unexposed		Exposed	
Probability	0.7108	.	0.7774	.
95% CI	0.6565	0.7651	0.7172	0.8377
P-value	.	.	0.1752	.

Variable name:cn2ar

	Unexposed		Exposed	
Probability	0.7361	.	0.7517	.
95% CI	0.7008	0.7714	0.6841	0.8193
P-value	.	.	0.6812	.

Condom use at last sex among those ever having sex b7  
 Variable name:cls

	Unexposed		Exposed	
Probability	0.5386	.	0.6338	.
95% CI	0.4941	0.5830	0.5574	0.7102
P-value	.	.	0.0645	.

Condom at last sex, if regular parnter  
 Variable name:cls\_reg

	Unexposed		Exposed	
Probability	0.3450	.	0.4725	.
95% CI	0.2966	0.3934	0.4014	0.5436
P-value	.	.	0.0024	.

Condom at last sex, if casual parnter  
 Variable name:cls\_cas

	Unexposed		Exposed	
Probability	0.7967	.	0.9246	.
95% CI	0.7430	0.8505	0.8962	0.9529
P-value	.	.	0.0000	.

Condom at last sex among those with multiple partners  
 Variable name:cls\_mp

	Unexposed		Exposed	
Probability	0.7360	.	0.7557	.
95% CI	0.6529	0.8190	0.6681	0.8433
P-value	.	.	0.8092	.

Condom at last sex with a casual partner, among those with multiple partners  
 Variable name:clscas\_mp

	Unexposed		Exposed	
Probability	0.8867	.	0.9679	.
95% CI	0.8391	0.9343	0.9442	0.9915
P-value	.	.	0.0309	.

Always/usually used a condom with last sexual partner  
 Variable name:freq\_cdm

	Unexposed		Exposed	
Probability	0.6704	.	0.7891	.
95% CI	0.6273	0.7135	0.7336	0.8446
P-value	.	.	0.0032	.

Always/usually used a condom with next to last sexual partner  
 Variable name:freq\_cdm2nd

	Unexposed		Exposed	
Probability	0.8663	.	0.7987	.
95% CI	0.8358	0.8968	0.7293	0.8681
P-value	.	.	0.0458	.

Always/usually used a condom with third to last sexual partner  
 Variable name:freq\_cdm3rd

	Unexposed		Exposed	
Probability	0.7271	.	0.6501	.
95% CI	0.6818	0.7724	0.5492	0.7509
P-value	.	.	0.1683	.

condom use at last sex among those have sex in the last 12 months b19  
 Variable name:cls\_yr

	Unexposed		Exposed	
Probability	0.6740	.	0.8113	.
95% CI	0.6267	0.7213	0.7691	0.8536
P-value	.	.	0.0001	.

Condom Use: Females Only

While in ART, PLHIV can transmit HIV k4r  
Variable name:k4r

	Unexposed		Exposed	
Probability	0.8941	.	0.9271	.
95% CI	0.8550	0.9331	0.8930	0.9613
P-value	.	.	0.2243	.

Knows PLHIV on ART can transmit HIV k3r  
Variable name:k3r

	Unexposed		Exposed	
Probability	0.8366	.	0.8179	.
95% CI	0.7905	0.8827	0.6925	0.9433
P-value	.	.	0.7533	.

Percentage who disagree that if one spouse is HIV+ the other certainly is k1r  
Variable name:k1r

	Unexposed		Exposed	
Probability	0.4095	.	0.3727	.
95% CI	0.3370	0.4819	0.2642	0.4813
P-value	.	.	0.6071	.

Knows that STIs increase HIV infection k2r  
Variable name:k2r

	Unexposed		Exposed	
Probability	0.8128	.	0.8285	.
95% CI	0.7735	0.8520	0.7914	0.8656
P-value	.	.	0.6495	.

Condom Use in Marriage Accepted  
Variable name:cnlr

	Unexposed		Exposed	
Probability	0.6126	.	0.7240	.
95% CI	0.5571	0.6680	0.6168	0.8311
P-value	.	.	0.0592	.

Women Can Ask Regular Parnter to Use Condom  
 Variable name:cn2r

	Unexposed		Exposed	
Probability	0.6703	.	0.8081	.
95% CI	0.5897	0.7508	0.7368	0.8794
P-value	.	.	0.0138	.

Variable name:cn2ar

	Unexposed		Exposed	
Probability	0.6614	.	0.7292	.
95% CI	0.5754	0.7473	0.6146	0.8438
P-value	.	.	0.3924	.

Condom use at last sex among those ever having sex b7  
 Variable name:cls

	Unexposed		Exposed	
Probability	0.4454	.	0.5844	.
95% CI	0.3811	0.5097	0.4886	0.6803
P-value	.	.	0.0532	.

Condom at last sex, if regular parnter  
 Variable name:cls\_reg

	Unexposed		Exposed	
Probability	0.2856	.	0.4410	.
95% CI	0.2339	0.3373	0.3430	0.5390
P-value	.	.	0.0083	.

Condom at last sex, if casual parnter  
 Variable name:cls\_cas

	Unexposed		Exposed	
Probability	0.7036	.	0.8597	.
95% CI	0.6392	0.7679	0.7985	0.9208
P-value	.	.	0.0005	.



Condom at last sex among those with multiple partners  
 Variable name:cls\_mp

	Unexposed		Exposed	
Probability	0.4628	.	0.3924	.
95% CI	0.3880	0.5376	0.2532	0.5316
P-value	.	.	0.4511	.

Condom at last sex with a casual partner, among those with multiple partners  
 Variable name:clscas\_mp

	Unexposed		Exposed	
Probability	0.7165	.	0.6383	.
95% CI	0.6980	0.7350	0.4718	0.8049
P-value	.	.	0.2400	.

Always/usually used a condom with last sexual partner  
 Variable name:freq\_cdm

	Unexposed		Exposed	
Probability	0.5786	.	0.7318	.
95% CI	0.5194	0.6377	0.6817	0.7820
P-value	.	.	0.0002	.

condom use at last sex among those have sex in the last 12 months b19  
 Variable name:cls\_yr

	Unexposed		Exposed	
Probability	0.5793	.	0.7315	.
95% CI	0.5188	0.6399	0.6777	0.7852
P-value	.	.	0.0004	.

Condom Use: Males Only

While in ART, PLHIV can transmit HIV k4r  
Variable name:k4r

	Unexposed		Exposed	
Probability	0.8989	.	0.9235	.
95% CI	0.8664	0.9314	0.8782	0.9688
P-value	.	.	0.5038	.

Knows PLHIV on ART can transmit HIV k3r  
Variable name:k3r

	Unexposed		Exposed	
Probability	0.9089	.	0.9335	.
95% CI	0.8841	0.9337	0.8920	0.9751
P-value	.	.	0.3665	.

Percentage who disagree that if one spouse is HIV+ the other certainly is k1r  
Variable name:k1r

	Unexposed		Exposed	
Probability	0.5870	.	0.5134	.
95% CI	0.5149	0.6591	0.4394	0.5874
P-value	.	.	0.0734	.

Knows that STIs increase HIV infection k2r  
Variable name:k2r

	Unexposed		Exposed	
Probability	0.8871	.	0.8561	.
95% CI	0.8531	0.9210	0.8104	0.9017
P-value	.	.	0.3116	.

Condom Use in Marriage Accepted  
Variable name:cn1r

	Unexposed		Exposed	
Probability	0.6570	.	0.7436	.
95% CI	0.5986	0.7153	0.6570	0.8302
P-value	.	.	0.0554	.

Women Can Ask Regular Parnter to Use Condom  
 Variable name:cn2r

	Unexposed		Exposed	
Probability	0.7639	.	0.7012	.
95% CI	0.7183	0.8095	0.6527	0.7497
P-value	.	.	0.0574	.

Variable name:cn2ar

	Unexposed		Exposed	
Probability	0.8212	.	0.7628	.
95% CI	0.7768	0.8656	0.6552	0.8704
P-value	.	.	0.3731	.

Condom use at last sex among those ever having sex b7  
 Variable name:cls

	Unexposed		Exposed	
Probability	0.6557	.	0.6702	.
95% CI	0.6129	0.6986	0.5648	0.7756
P-value	.	.	0.7699	.

Condom at last sex, if regular parnter  
 Variable name:cls\_reg

	Unexposed		Exposed	
Probability	0.4274	.	0.5195	.
95% CI	0.3630	0.4918	0.3762	0.6628
P-value	.	.	0.1780	.

Condom at last sex, if casual parnter  
 Variable name:cls\_cas

	Unexposed		Exposed	
Probability	0.9057	.	0.9743	.
95% CI	0.8735	0.9379	0.9505	0.9982
P-value	.	.	0.0039	.

Condom at last sex among those with multiple partners  
 Variable name:cls\_mp

	Unexposed		Exposed	
Probability	0.7948	.	0.8154	.
95% CI	0.7438	0.8458	0.7319	0.8990
P-value	.	.	0.7477	.

Condom at last sex with a casual partner, among those with multiple partners  
 Variable name:clscas\_mp

	Unexposed		Exposed	
Probability	0.8944	.	0.9983	.
95% CI	0.8608	0.9281	0.9943	1.0023
P-value	.	.	0.0000	.

Always/usually used a condom with last sexual partner  
 Variable name:freq\_cdm

	Unexposed		Exposed	
Probability	0.7878	.	0.8268	.
95% CI	0.7521	0.8235	0.7401	0.9135
P-value	.	.	0.4462	.

Always/usually used a condom with next to last sexual partner  
 Variable name:freq\_cdm2nd

	Unexposed		Exposed	
Probability	0.9613	.	0.9585	.
95% CI	0.9502	0.9724	0.9388	0.9782
P-value	.	.	0.7951	.

Always/usually used a condom with third to last sexual partner  
 Variable name:freq\_cdm3rd

	Unexposed		Exposed	
Probability	0.8798	.	0.8642	.
95% CI	0.8506	0.9091	0.8040	0.9243
P-value	.	.	0.6432	.

condom use at last sex among those have sex in the last 12 months b19  
 Variable name:cls\_yr

	Unexposed		Exposed	
Probability	0.7921	.	0.8839	.
95% CI	0.7609	0.8233	0.8399	0.9278
P-value	.	.	0.0002	.

HIV Testing: Total Sample

Pregnant woman should test for HIV k7r  
 Variable name:k7r

	Unexposed		Exposed	
Probability	0.9511	.	0.9484	.
95% CI	0.9371	0.9651	0.9284	0.9684
P-value	.	.	0.7944	.

Knows TB can be cured if HIV+ k6r  
 Variable name:k6r

	Unexposed		Exposed	
Probability	0.7238	.	0.6410	.
95% CI	0.6795	0.7680	0.5504	0.7316
P-value	.	.	0.1419	.

Knows that the risk of contracting HIV decreases for a circumcised man k10r  
 Variable name:k10r

	Unexposed		Exposed	
Probability	0.7113	.	0.6638	.
95% CI	0.6644	0.7582	0.5920	0.7357
P-value	.	.	0.1286	.

a10b Agrees that only way to know you are HIV positive is through blood test  
 Variable name:a10br

	Unexposed		Exposed	
Probability	0.9378	.	0.9810	.
95% CI	0.9134	0.9622	0.9672	0.9947
P-value	.	.	0.0008	.

a10 Important to Know HIV Status  
 Variable name:a10r

	Unexposed		Exposed	
Probability	0.9703	.	0.9650	.
95% CI	0.9602	0.9804	0.9366	0.9934
P-value	.	.	0.7404	.

Worried about Becoming Infected  
 Variable name:a11r

	Unexposed		Exposed	
Probability	0.6037	.	0.5957	.
95% CI	0.5490	0.6583	0.4976	0.6938
P-value	.	.	0.8704	.

Likely to be Infected Now  
 Variable name:a12r

	Unexposed		Exposed	
Probability	0.2761	.	0.2556	.
95% CI	0.2363	0.3159	0.1971	0.3140
P-value	.	.	0.6300	.

Agrees that wife/cohabitating partner has another partner b8  
 Variable name:b8r

	Unexposed		Exposed	
Probability	0.0692	.	0.1394	.
95% CI	0.0446	0.0938	0.0824	0.1963
P-value	.	.	0.0078	.

Agrees that husband/cohabitating partner has another wife b9  
 Variable name:b9r

	Unexposed		Exposed	
Probability	0.0812	.	0.0851	.
95% CI	0.0486	0.1139	0.0469	0.1232
P-value	.	.	0.8742	.

Agrees that husband/cohabitating partner has another sex partner who is not a wi  
 Variable name:b10r

	Unexposed		Exposed	
Probability	0.1738	.	0.1469	.
95% CI	0.1111	0.2364	0.0632	0.2305
P-value	.	.	0.6265	.

Thinks that last partner had other sexual partners  
 Variable name:b18\_r1a

	Unexposed		Exposed	
Probability	0.2118	.	0.2423	.
95% CI	0.1773	0.2463	0.1847	0.2998
P-value	.	.	0.4172	.

Thinks that next to last partner had other sexual partners  
 Variable name:b18\_r2a

	Unexposed		Exposed	
Probability	0.3423	.	0.4633	.
95% CI	0.2149	0.4698	0.2908	0.6359
P-value	.	.	0.3366	.

Thinks that third to last partner had other sexual partners  
 Variable name:b18\_r3a

	Unexposed		Exposed	
Probability	0.3773	.	0.3892	.
95% CI	0.2724	0.4821	0.2282	0.5503
P-value	.	.	0.9034	.

Leaders Encourage HIV Testing  
 Variable name:cn5r

	Unexposed		Exposed	
Probability	0.5204	.	0.5819	.
95% CI	0.4722	0.5685	0.5141	0.6496
P-value	.	.	0.1384	.

Knows where to get HIV/AIDS info. k11r  
 Variable name:k11r

	Unexposed		Exposed	
Probability	0.9086	.	0.9083	.
95% CI	0.8764	0.9408	0.8709	0.9458
P-value	.	.	0.9905	.



a7 Disagrees that HIV Means Life is Over  
 Variable name:a7r

	Unexposed		Exposed	
Probability	0.7934	.	0.8301	.
95% CI	0.7626	0.8243	0.7667	0.8935
P-value	.	.	0.3268	.

Ever Tested for HIV b24  
 Variable name:evertest

	Unexposed		Exposed	
Probability	0.7061	.	0.7863	.
95% CI	0.6793	0.7328	0.7254	0.8472
P-value	.	.	0.0266	.

Number of Times Tested for HIV b24a  
 Variable name:numtest

	Unexposed		Exposed	
Mean	2.0595	.	2.9015	.
95% CI	1.8814	2.2377	1.6786	4.1243
P-value	.	.	0.1953	.

HIV Test in the Last 12 Months b24b  
 Variable name:hivtest

	Unexposed		Exposed	
Probability	0.5249	.	0.6181	.
95% CI	0.4799	0.5699	0.5455	0.6907
P-value	.	.	0.0535	.

Received results of most recent HIV test b24c  
 Variable name:hivresults

	Unexposed		Exposed	
Probability	0.9673	.	0.9833	.
95% CI	0.9520	0.9825	0.9740	0.9926
P-value	.	.	0.0719	.

Discussed results of most recent HIV test b24d  
Variable name:results\_disc

	Unexposed		Exposed	
Probability	0.8646	.	0.8551	.
95% CI	0.8170	0.9121	0.7966	0.9136
P-value	.	.	0.8297	.

HIV Testing: Females Only

Pregnant woman should test for HIV k7r  
Variable name:k7r

	Unexposed		Exposed	
Probability	0.9738	.	0.9507	.
95% CI	0.9632	0.9844	0.9262	0.9752
P-value	.	.	0.0611	.

Knows TB can be cured if HIV+ k6r  
Variable name:k6r

	Unexposed		Exposed	
Probability	0.7062	.	0.5910	.
95% CI	0.6339	0.7785	0.4973	0.6847
P-value	.	.	0.0687	.

Knows that the risk of contracting HIV decreases for a circumcised man k10r  
Variable name:k10r

	Unexposed		Exposed	
Probability	0.6075	.	0.5756	.
95% CI	0.5392	0.6757	0.4703	0.6808
P-value	.	.	0.5420	.

a10b Agrees that only way to know you are HIV positive is through blood test  
Variable name:a10br

	Unexposed		Exposed	
Probability	0.9696	.	0.9895	.
95% CI	0.9542	0.9850	0.9790	1.0000
P-value	.	.	0.0451	.

a10 Important to Know HIV Status  
Variable name:a10r

	Unexposed		Exposed	
Probability	0.9656	.	0.9575	.
95% CI	0.9527	0.9785	0.9245	0.9906
P-value	.	.	0.6477	.

Worried about Becoming Infected  
Variable name:a11r

	Unexposed		Exposed	
Probability	0.6019	.	0.5497	.
95% CI	0.5208	0.6829	0.4094	0.6899
P-value	.	.	0.4781	.

Likely to be Infected Now  
Variable name:a12r

	Unexposed		Exposed	
Probability	0.3324	.	0.2799	.
95% CI	0.2630	0.4018	0.2250	0.3349
P-value	.	.	0.2205	.

Agrees that husband/cohabitating partner has another wife b9  
Variable name:b9r

	Unexposed		Exposed	
Probability	0.0812	.	0.0851	.
95% CI	0.0486	0.1139	0.0469	0.1232
P-value	.	.	0.8742	.

Agrees that husband/cohabitating partner has another sex partner who is not a wi  
Variable name:b10r

	Unexposed		Exposed	
Probability	0.1738	.	0.1469	.
95% CI	0.1111	0.2364	0.0632	0.2305
P-value	.	.	0.6265	.

Thinks that last partner had other sexual partners  
Variable name:b18\_r1a

	Unexposed		Exposed	
Probability	0.2700	.	0.3828	.
95% CI	0.2128	0.3273	0.2642	0.5015
P-value	.	.	0.0446	.

Thinks that next to last partner had other sexual partners  
 Variable name:b18\_r2a

	Unexposed		Exposed	
Probability	0.3972	.	0.5203	.
95% CI	0.3476	0.4469	0.4091	0.6314
P-value	.	.	0.0540	.

Thinks that third to last partner had other sexual partners  
 Variable name:b18\_r3a

	Unexposed		Exposed	
Probability	0.1809	.	0.8472	.
95% CI	.	.	.	.
P-value	.	.	.	.

Leaders Encourage HIV Testing  
 Variable name:cn5r

	Unexposed		Exposed	
Probability	0.4877	.	0.4970	.
95% CI	0.4345	0.5408	0.3767	0.6173
P-value	.	.	0.9080	.

Knows where to get HIV/AIDS info. k11r  
 Variable name:k11r

	Unexposed		Exposed	
Probability	0.8668	.	0.8799	.
95% CI	0.8286	0.9049	0.8350	0.9249
P-value	.	.	0.6125	.

a7 Disagrees that HIV Means Life is Over  
 Variable name:a7r

	Unexposed		Exposed	
Probability	0.7964	.	0.8623	.
95% CI	0.7401	0.8527	0.8018	0.9227
P-value	.	.	0.1689	.

Ever Tested for HIV b24  
Variable name:evertest

	Unexposed		Exposed	
Probability	0.7846	.	0.8528	.
95% CI	0.7432	0.8261	0.7833	0.9224
P-value	.	.	0.1419	.

Number of Times Tested for HIV b24a  
Variable name:numtest

	Unexposed		Exposed	
Mean	2.5429	.	3.5201	.
95% CI	2.2341	2.8517	1.6886	5.3515
P-value	.	.	0.2966	.

HIV Test in the Last 12 Months b24b  
Variable name:hivtest

	Unexposed		Exposed	
Probability	0.5888	.	0.6190	.
95% CI	0.5164	0.6612	0.4955	0.7425
P-value	.	.	0.7150	.

Received results of most recent HIV test b24c  
Variable name:hivresults

	Unexposed		Exposed	
Probability	0.9787	.	0.9828	.
95% CI	0.9694	0.9881	0.9662	0.9995
P-value	.	.	0.6066	.

Discussed results of most recent HIV test b24d  
Variable name:results\_disc

	Unexposed		Exposed	
Probability	0.8822	.	0.8726	.
95% CI	0.8482	0.9163	0.8262	0.9189
P-value	.	.	0.7023	.

HIV Testing: Males Only

Pregnant woman should test for HIV k7r  
Variable name:k7r

	Unexposed		Exposed	
Probability	0.9255	.	0.9489	.
95% CI	0.9004	0.9506	0.9165	0.9813
P-value	.	.	0.3238	.

Knows TB can be cured if HIV+ k6r  
Variable name:k6r

	Unexposed		Exposed	
Probability	0.7413	.	0.7165	.
95% CI	0.7012	0.7815	0.6281	0.8049
P-value	.	.	0.5635	.

Knows that the risk of contracting HIV decreases for a circumcised man k10r  
Variable name:k10r

	Unexposed		Exposed	
Probability	0.8257	.	0.7439	.
95% CI	0.7880	0.8633	0.6883	0.7995
P-value	.	.	0.0321	.

a10b Agrees that only way to know you are HIV positive is through blood test  
Variable name:a10br

	Unexposed		Exposed	
Probability	0.9096	.	0.9457	.
95% CI	0.8900	0.9292	0.9212	0.9702
P-value	.	.	0.0194	.

a10 Important to Know HIV Status  
Variable name:a10r

	Unexposed		Exposed	
Probability	0.9767	.	0.9595	.
95% CI	0.9662	0.9872	0.9253	0.9937
P-value	.	.	0.3345	.

Worried about Becoming Infected  
 Variable name:a11r

	Unexposed		Exposed	
Probability	0.6164	.	0.6188	.
95% CI	0.5844	0.6484	0.5391	0.6985
P-value	.	.	0.9544	.

Likely to be Infected Now  
 Variable name:a12r

	Unexposed		Exposed	
Probability	0.2274	.	0.1994	.
95% CI	0.2020	0.2529	0.1370	0.2618
P-value	.	.	0.4657	.

Agrees that wife/cohabitating partner has another partner b8  
 Variable name:b8r

	Unexposed		Exposed	
Probability	0.0692	.	0.1394	.
95% CI	0.0446	0.0938	0.0824	0.1963
P-value	.	.	0.0078	.

Thinks that last partner had other sexual partners  
 Variable name:b18\_r1a

	Unexposed		Exposed	
Probability	0.1403	.	0.1011	.
95% CI	0.0843	0.1963	0.0395	0.1627
P-value	.	.	0.3981	.

Thinks that next to last partner had other sexual partners  
 Variable name:b18\_r2a

	Unexposed		Exposed	
Probability	0.3244	.	0.4117	.
95% CI	0.2134	0.4353	0.2310	0.5924
P-value	.	.	0.5102	.



Thinks that third to last partner had other sexual partners  
 Variable name:b18\_r3a

	Unexposed		Exposed	
Probability	0.4068	.	0.4342	.
95% CI	0.3227	0.4910	0.2785	0.5899
P-value	.	.	0.7571	.

Leaders Encourage HIV Testing  
 Variable name:cn5r

	Unexposed		Exposed	
Probability	0.5742	.	0.6230	.
95% CI	0.4764	0.6720	0.5020	0.7440
P-value	.	.	0.6124	.

Knows where to get HIV/AIDS info. k11r  
 Variable name:k11r

	Unexposed		Exposed	
Probability	0.9594	.	0.9152	.
95% CI	0.9376	0.9811	0.8734	0.9570
P-value	.	.	0.0267	.

a7 Disagrees that HIV Means Life is Over  
 Variable name:a7r

	Unexposed		Exposed	
Probability	0.7912	.	0.7805	.
95% CI	0.7318	0.8506	0.6825	0.8785
P-value	.	.	0.7355	.

Ever Tested for HIV b24  
 Variable name:evertest

	Unexposed		Exposed	
Probability	0.6120	.	0.7265	.
95% CI	0.5818	0.6421	0.6648	0.7882
P-value	.	.	0.0007	.

Number of Times Tested for HIV b24a  
 Variable name:numtest

	Unexposed		Exposed	
Mean	1.5837	.	1.9556	.
95% CI	1.4855	1.6819	1.7330	2.1781
P-value	.	.	0.0087	.

HIV Test in the Last 12 Months b24b  
 Variable name:hivtest

	Unexposed		Exposed	
Probability	0.4391	.	0.6573	.
95% CI	0.4104	0.4679	0.5989	0.7158
P-value	.	.	0.0000	.

Received results of most recent HIV test b24c  
 Variable name:hivresults

	Unexposed		Exposed	
Probability	0.9592	.	0.9566	.
95% CI	0.9419	0.9765	0.9318	0.9815
P-value	.	.	0.8485	.

Discussed results of most recent HIV test b24d  
 Variable name:results\_disc

	Unexposed		Exposed	
Probability	0.8265	.	0.8546	.
95% CI	0.7526	0.9004	0.7954	0.9138
P-value	.	.	0.5880	.

HIV Treatment: Total Sample

Knows ARVs prevent MCT during pregnancy k8ar  
Variable name:k8ar

	Unexposed		Exposed	
Probability	0.7917	.	0.7663	.
95% CI	0.7403	0.8431	0.6788	0.8538
P-value	.	.	0.5214	.

Knows ARVs prevent MCT during childbirth k8br  
Variable name:k8br

	Unexposed		Exposed	
Probability	0.7559	.	0.7640	.
95% CI	0.7092	0.8027	0.7053	0.8227
P-value	.	.	0.7763	.

Knows ARVs prevent MCT during breastfeeding k8cr  
Variable name:k8cr

	Unexposed		Exposed	
Probability	0.6339	.	0.6681	.
95% CI	0.5613	0.7065	0.5853	0.7510
P-value	.	.	0.3787	.

Knows how often people should take ARVs k9r  
Variable name:k9r

	Unexposed		Exposed	
Probability	0.8774	.	0.8203	.
95% CI	0.8434	0.9114	0.7760	0.8647
P-value	.	.	0.0292	.

Leaders Encourage HIV Treatment  
Variable name:cn6r

	Unexposed		Exposed	
Probability	0.6013	.	0.6936	.
95% CI	0.5707	0.6319	0.6231	0.7641
P-value	.	.	0.0415	.

Has ever taken ARVs b28  
 Variable name:b28r

	Unexposed		Exposed	
Probability	0.0613	.	0.0655	.
95% CI	0.0402	0.0825	0.0393	0.0918
P-value	.	.	0.7494	.

Received support from an ARV treatment buddy or CBV, among those who have ever t  
 Variable name:b29r

	Unexposed		Exposed	
Probability	0.2108	.	0.1744	.
95% CI	0.1715	0.2500	0.1137	0.2351
P-value	.	.	0.3861	.

Does not struggle to take your ARV drugs as advised by the doctor b30  
 Variable name:b30r

	Unexposed		Exposed	
Probability	0.0268	.	0.0201	.
95% CI	0.0139	0.0398	-0.0003	0.0406
P-value	.	.	0.6312	.

HIV Treatment: Females Only

Knows ARVs prevent MCT during pregnancy k8ar  
Variable name:k8ar

	Unexposed		Exposed	
Probability	0.7687	.	0.7071	.
95% CI	0.6910	0.8463	0.5863	0.8279
P-value	.	.	0.2511	.

Knows ARVs prevent MCT during childbirth k8br  
Variable name:k8br

	Unexposed		Exposed	
Probability	0.7691	.	0.7528	.
95% CI	0.7328	0.8054	0.6907	0.8149
P-value	.	.	0.6427	.

Knows ARVs prevent MCT during breastfeeding k8cr  
Variable name:k8cr

	Unexposed		Exposed	
Probability	0.7027	.	0.6710	.
95% CI	0.6585	0.7469	0.5593	0.7828
P-value	.	.	0.6028	.

Knows how often people should take ARVs k9r  
Variable name:k9r

	Unexposed		Exposed	
Probability	0.8728	.	0.8242	.
95% CI	0.8220	0.9236	0.7685	0.8799
P-value	.	.	0.0558	.

Leaders Encourage HIV Treatment  
Variable name:cn6r

	Unexposed		Exposed	
Probability	0.5830	.	0.6413	.
95% CI	0.5218	0.6442	0.5367	0.7460
P-value	.	.	0.3980	.

Has ever taken ARVs b28  
 Variable name:b28r

	Unexposed		Exposed	
Probability	0.0831	.	0.1105	.
95% CI	0.0687	0.0975	0.0489	0.1722
P-value	.	.	0.3589	.

Received support from an ARV treatment buddy or CBV, among those who have ever t  
 Variable name:b29r

	Unexposed		Exposed	
Probability	0.2877	.	0.1116	.
95% CI	0.2138	0.3616	-0.0043	0.2274
P-value	.	.	0.0416	.

Does not struggle to take your ARV drugs as advised by the doctor b30  
 Variable name:b30r

	Unexposed		Exposed	
Probability	0.0173	.	0.2437	.
95% CI	0.0101	0.0245	-0.1069	0.5943
P-value	.	.	0.1987	.

HIV Treatment: Males Only

Knows ARVs prevent MCT during pregnancy k8ar  
Variable name:k8ar

	Unexposed		Exposed	
Probability	0.8237	.	0.8101	.
95% CI	0.7755	0.8719	0.7383	0.8818
P-value	.	.	0.6732	.

Knows ARVs prevent MCT during childbirth k8br  
Variable name:k8br

	Unexposed		Exposed	
Probability	0.7312	.	0.8103	.
95% CI	0.6427	0.8197	0.7517	0.8689
P-value	.	.	0.0441	.

Knows ARVs prevent MCT during breastfeeding k8cr  
Variable name:k8cr

	Unexposed		Exposed	
Probability	0.5430	.	0.6968	.
95% CI	0.4224	0.6636	0.6325	0.7611
P-value	.	.	0.0007	.

Knows how often people should take ARVs k9r  
Variable name:k9r

	Unexposed		Exposed	
Probability	0.8767	.	0.8437	.
95% CI	0.8326	0.9208	0.8031	0.8842
P-value	.	.	0.2341	.

Leaders Encourage HIV Treatment  
Variable name:cn6r

	Unexposed		Exposed	
Probability	0.6377	.	0.7020	.
95% CI	0.5551	0.7202	0.6402	0.7638
P-value	.	.	0.1566	.

Has ever taken ARVs b28  
 Variable name:b28r

	Unexposed		Exposed	
Probability	0.0357	.	0.0276	.
95% CI	0.0159	0.0554	0.0102	0.0450
P-value	.	.	0.5254	.

Received support from an ARV treatment buddy or CBV, among those who have ever t  
 Variable name:b29r

	Unexposed		Exposed	
Probability	0.0364	.	0.9813	.
95% CI	.	.	.	.
P-value	.	.	.	.



HIV Stigma: Total Sample

a9 Disagrees that HIV is a punishment for sinning  
Variable name:a9r

	Unexposed		Exposed	
Probability	0.6191	.	0.4786	.
95% CI	0.5357	0.7025	0.3798	0.5775
P-value	.	.	0.0758	.

a8 Disagrees that revealing HIV status doesn't help  
Variable name:a8r

	Unexposed		Exposed	
Probability	0.7465	.	0.7261	.
95% CI	0.6964	0.7967	0.6265	0.8257
P-value	.	.	0.6404	.

Willing to Care for Someone on ART  
Variable name:pc6r

	Unexposed		Exposed	
Probability	0.9594	.	0.9392	.
95% CI	0.9392	0.9797	0.9071	0.9714
P-value	.	.	0.1475	.

People in the community joint together to help PLHIV  
Variable name:cn4r

	Unexposed		Exposed	
Probability	0.4924	.	0.5201	.
95% CI	0.4567	0.5281	0.4450	0.5951
P-value	.	.	0.5652	.

Keep Secret if Family Member has HIV  
Variable name:cn3r

	Unexposed		Exposed	
Probability	0.7272	.	0.7162	.
95% CI	0.6909	0.7635	0.6497	0.7827
P-value	.	.	0.7756	.

Cared for someone on ART  
Variable name:pc5r

	Unexposed		Exposed	
Probability	0.1842	.	0.1871	.
95% CI	0.1408	0.2277	0.1477	0.2265
P-value	.	.	0.9354	.

Agrees that wife inheritance is practiced in the community  
Variable name:cn12r

	Unexposed		Exposed	
Probability	0.0930	.	0.1161	.
95% CI	0.0678	0.1182	0.0758	0.1563
P-value	.	.	0.2295	.

HIV Stigma: Females Only

a9 Disagrees that HIV is a punishment for sinning  
Variable name:a9r

	Unexposed		Exposed	
Probability	0.6105	.	0.5294	.
95% CI	0.5415	0.6794	0.4509	0.6078
P-value	.	.	0.1551	.

a8 Disagrees that revealing HIV status doesn't help  
Variable name:a8r

	Unexposed		Exposed	
Probability	0.7488	.	0.7335	.
95% CI	0.6966	0.8010	0.6592	0.8077
P-value	.	.	0.6735	.

Willing to Care for Someone on ART  
Variable name:pc6r

	Unexposed		Exposed	
Probability	0.9481	.	0.9035	.
95% CI	0.9225	0.9736	0.8479	0.9590
P-value	.	.	0.0548	.

People in the community joint together to help PLHIV  
Variable name:cn4r

	Unexposed		Exposed	
Probability	0.4586	.	0.4990	.
95% CI	0.3745	0.5428	0.4089	0.5890
P-value	.	.	0.5845	.

Keep Secret if Family Member has HIV  
Variable name:cn3r

	Unexposed		Exposed	
Probability	0.6995	.	0.7460	.
95% CI	0.6057	0.7934	0.6534	0.8385
P-value	.	.	0.5145	.

Cared for someone on ART  
 Variable name:pc5r

	Unexposed		Exposed	
Probability	0.2480	.	0.2892	.
95% CI	0.1774	0.3186	0.2346	0.3439
P-value	.	.	0.3442	.

Agrees that wife inheritance is practiced in the community  
 Variable name:cn12r

	Unexposed		Exposed	
Probability	0.0759	.	0.1084	.
95% CI	0.0489	0.1029	0.0586	0.1581
P-value	.	.	0.2162	.

HIV Stigma: Males Only

a9 Disagrees that HIV is a punishment for sinning  
Variable name:a9r

	Unexposed		Exposed	
Probability	0.6228	.	0.4398	.
95% CI	0.5316	0.7140	0.3052	0.5744
P-value	.	.	0.0661	.

a8 Disagrees that revealing HIV status doesn't help  
Variable name:a8r

	Unexposed		Exposed	
Probability	0.7342	.	0.7528	.
95% CI	0.6431	0.8252	0.6359	0.8698
P-value	.	.	0.7708	.

Willing to Care for Someone on ART  
Variable name:pc6r

	Unexposed		Exposed	
Probability	0.9694	.	0.9767	.
95% CI	0.9501	0.9886	0.9631	0.9902
P-value	.	.	0.4551	.

People in the community joint together to help PLHIV  
Variable name:cn4r

	Unexposed		Exposed	
Probability	0.5309	.	0.5453	.
95% CI	0.4513	0.6105	0.4622	0.6284
P-value	.	.	0.7620	.

Keep Secret if Family Member has HIV  
Variable name:cn3r

	Unexposed		Exposed	
Probability	0.7531	.	0.6959	.
95% CI	0.6618	0.8443	0.6242	0.7675
P-value	.	.	0.3491	.

Cared for someone on ART  
Variable name:pc5r

	Unexposed		Exposed	
Probability	0.1099	.	0.0749	.
95% CI	0.0831	0.1367	0.0320	0.1178
P-value	.	.	0.2826	.

Agrees that wife inheritance is practiced in the community  
Variable name:cn12r

	Unexposed		Exposed	
Probability	0.1111	.	0.1257	.
95% CI	0.0768	0.1454	0.0612	0.1901
P-value	.	.	0.6739	.

Gender-Based Violence: Total Sample

Man has right to have sex for gifts  
Variable name:a6r

	Unexposed		Exposed	
Probability	0.2983	.	0.2611	.
95% CI	0.2521	0.3446	0.1769	0.3453
P-value	.	.	0.5155	.

Leaders Speak Out Against GBV  
Variable name:cn7r

	Unexposed		Exposed	
Probability	0.5607	.	0.5954	.
95% CI	0.5111	0.6103	0.5198	0.6711
P-value	.	.	0.4594	.

Forced Sex in the Last 12 Months  
Variable name:gbv\_sex12

	Unexposed		Exposed	
Probability	0.0378	.	0.0292	.
95% CI	0.0209	0.0546	0.0124	0.0460
P-value	.	.	0.4598	.

Physical GBV in the Last 12 Months  
Variable name:gbv\_hit12

	Unexposed		Exposed	
Probability	0.1071	.	0.1050	.
95% CI	0.0821	0.1321	0.0563	0.1537
P-value	.	.	0.9253	.

Reported forced sex to family member  
Variable name:fhitreport\_family

	Unexposed		Exposed	
Probability	0.2072	.	0.1205	.
95% CI	0.1715	0.2428	0.0728	0.1682
P-value	.	.	0.0376	.

Reported forced sex to a friend  
 Variable name:fhitreport\_friend

	Unexposed		Exposed	
Probability	0.0549	.	0.0255	.
95% CI	0.0169	0.0929	0.0021	0.0488
P-value	.	.	0.3053	.

Reported forced sex to a police  
 Variable name:fhitreport\_police

	Unexposed		Exposed	
Probability	0.2547	.	0.1889	.
95% CI	0.2247	0.2847	0.1168	0.2610
P-value	.	.	0.1555	.

Reported forced sex to a authorities  
 Variable name:fhitreport\_auth

	Unexposed		Exposed	
Probability	0.0108	.	.	.
95% CI	0.0051	0.0165	.	.
P-value	.	.	.	.

Reported gbv to anyone  
 Variable name:fhitreport\_any

	Unexposed		Exposed	
Probability	0.3781	.	0.3116	.
95% CI	0.3258	0.4305	0.2189	0.4042
P-value	.	.	0.2508	.



Gender-Based Violence: Females Only

Man has right to have sex for gifts  
Variable name:a6r

	Unexposed		Exposed	
Probability	0.3628	.	0.2778	.
95% CI	0.2899	0.4356	0.2004	0.3553
P-value	.	.	0.2028	.

Leaders Speak Out Against GBV  
Variable name:cn7r

	Unexposed		Exposed	
Probability	0.4601	.	0.4212	.
95% CI	0.3908	0.5294	0.3147	0.5277
P-value	.	.	0.5539	.

Forced Sex in the Last 12 Months  
Variable name:gbv\_sex12

	Unexposed		Exposed	
Probability	0.0562	.	0.0551	.
95% CI	0.0281	0.0844	0.0220	0.0883
P-value	.	.	0.9609	.

Physical GBV in the Last 12 Months  
Variable name:gbv\_hit12

	Unexposed		Exposed	
Probability	0.1135	.	0.1501	.
95% CI	0.0908	0.1363	0.0768	0.2234
P-value	.	.	0.3958	.

Reported forced sex to family member  
Variable name:fhitreport\_family

	Unexposed		Exposed	
Probability	0.1245	.	0.1022	.
95% CI	0.0890	0.1601	0.0597	0.1448
P-value	.	.	0.4799	.

Reported forced sex to a police  
Variable name:fhitreport\_police

	Unexposed		Exposed	
Probability	0.0826	.	0.0501	.
95% CI	0.0533	0.1119	0.0193	0.0809
P-value	.	.	0.1696	.

Reported forced sex to a authorities  
Variable name:fhitreport\_auth

	Unexposed		Exposed	
Probability	0.0368	.	.	.
95% CI	.	.	.	.
P-value	.	.	.	.

Reported gbv to anyone  
Variable name:fhitreport\_any

	Unexposed		Exposed	
Probability	0.2835	.	0.1710	.
95% CI	0.2227	0.3442	0.1024	0.2396
P-value	.	.	0.0480	.

Gender-Based Violence: Males Only

Man has right to have sex for gifts  
Variable name:a6r

	Unexposed		Exposed	
Probability	0.2189	.	0.2484	.
95% CI	0.1817	0.2561	0.1462	0.3505
P-value	.	.	0.5740	.

Leaders Speak Out Against GBV  
Variable name:cn7r

	Unexposed		Exposed	
Probability	0.6882	.	0.7323	.
95% CI	0.6615	0.7148	0.6664	0.7982
P-value	.	.	0.2992	.

Forced Sex in the Last 12 Months  
Variable name:gbv\_sex12

	Unexposed		Exposed	
Probability	0.0152	.	0.0073	.
95% CI	0.0071	0.0232	0.0024	0.0123
P-value	.	.	0.1042	.

Physical GBV in the Last 12 Months  
Variable name:gbv\_hit12

	Unexposed		Exposed	
Probability	0.1026	.	0.0582	.
95% CI	0.0617	0.1434	0.0152	0.1012
P-value	.	.	0.0652	.

Reported forced sex to family member  
Variable name:fhitreport\_family

	Unexposed		Exposed	
Probability	0.3251	.	0.1862	.
95% CI	0.2755	0.3747	0.0917	0.2807
P-value	.	.	0.0277	.

Reported forced sex to a friend  
Variable name:fhitreport\_friend

	Unexposed		Exposed	
Probability	0.0242	.	0.0242	.
95% CI	.	.	.	.
P-value	.	.	.	.

Reported forced sex to a police  
Variable name:fhitreport\_police

	Unexposed		Exposed	
Probability	0.5059	.	0.4607	.
95% CI	0.4664	0.5454	0.3386	0.5828
P-value	.	.	0.5234	.

Reported forced sex to a authorities  
Variable name:fhitreport\_auth

	Unexposed		Exposed	
Probability	0.0076	.	.	.
95% CI	.	.	.	.
P-value	.	.	.	.

Reported gbv to anyone  
Variable name:fhitreport\_any

	Unexposed		Exposed	
Probability	0.5856	.	0.5009	.
95% CI	0.5175	0.6537	0.3800	0.6218
P-value	.	.	0.3234	.

PART 2:  
EFFECT OF ONE LOVE TV PROGRAM EXPOSURE

Multiple Partners: Total Sample

Knows multiple sexual partners increase HIV Risk k5r  
 Variable name:k5r

	Unexposed		Exposed	
Probability	0.9051	.	0.8872	.
95% CI	0.8814	0.9288	0.8488	0.9256
P-value	.	.	0.3872	.

People Discuss HIV Risk & Multiple Partners  
 Variable name:cn8r

	Unexposed		Exposed	
Probability	0.5342	.	0.6971	.
95% CI	0.4932	0.5751	0.6336	0.7606
P-value	.	.	0.0000	.

Most married men faithful to wives  
 Variable name:alr

	Unexposed		Exposed	
Probability	0.3280	.	0.4060	.
95% CI	0.3051	0.3509	0.3334	0.4786
P-value	.	.	0.0837	.

Leaders Discourage Multiple Partners  
 Variable name:cn9r

	Unexposed		Exposed	
Probability	0.3901	.	0.4455	.
95% CI	0.3466	0.4335	0.3522	0.5387
P-value	.	.	0.3213	.

Men with many women are real men  
 Variable name:a5r

	Unexposed		Exposed	
Probability	0.0755	.	0.0991	.
95% CI	0.0668	0.0843	0.0463	0.1520
P-value	.	.	0.4018	.

Can resist being unfaithful to main partner  
 Variable name:a2r

	Unexposed		Exposed	
Probability	0.7342	.	0.7875	.
95% CI	0.6953	0.7730	0.7315	0.8436
P-value	.	.	0.1504	.

Does not need someone to fill gap  
Variable name:a3r

	Unexposed		Exposed	
Probability	0.6441	.	0.7286	.
95% CI	0.5981	0.6902	0.6582	0.7989
P-value	.	.	0.0927	.

Multiple Partners (Last 12 Months) b2  
Variable name:mp1

	Unexposed		Exposed	
Probability	0.1651	.	0.2615	.
95% CI	0.1382	0.1919	0.1904	0.3326
P-value	.	.	0.0064	.

Multiple Partners (Last Month)b4  
Variable name:mp2

	Unexposed		Exposed	
Probability	0.0537	.	0.1273	.
95% CI	0.0430	0.0645	0.0608	0.1938
P-value	.	.	0.0352	.

Self-reported having concurrent partners in the past 12 months b3  
Variable name:b3r

	Unexposed		Exposed	
Probability	0.0878	.	0.1340	.
95% CI	0.0681	0.1075	0.0595	0.2085
P-value	.	.	0.1643	.

Currently have mmore than one sexual partner (past 3 months) b5  
Variable name:b5r

	Unexposed		Exposed	
--	-----------	--	---------	--

Probability	0.0647	.	0.1394	.
95% CI	0.0458	0.0835	0.0598	0.2189
P-value	.	.	0.1039	.

Number of Lifetime Partners b6  
Variable name:lifep

	Unexposed		Exposed	
Mean	4.1954	.	3.7929	.
95% CI	3.7630	4.6278	3.0392	4.5467
P-value	.	.	0.2701	.

Received gifts or money in exchange for sex with last partner b20  
Variable name:gifts

	Unexposed		Exposed	
Probability	0.1161	.	0.1927	.
95% CI	0.0822	0.1500	0.1333	0.2522
P-value	.	.	0.0045	.

Received gifts or money in exchange for sex with last partner, if regular  
Variable name:gifts\_reg

	Unexposed		Exposed	
Probability	0.1310	.	0.1455	.
95% CI	0.0981	0.1638	0.0766	0.2144
P-value	.	.	0.7398	.

Received gifts or money in exchange for sex with last partner, if casual  
Variable name:gifts\_cas

	Unexposed		Exposed	
Probability	0.1179	.	0.2105	.
95% CI	0.0793	0.1565	0.1396	0.2814
P-value	.	.	0.0037	.

Received gifts or money in exchange for sex with next to last partner  
Variable name:gifts\_B

	Unexposed		Exposed	
Probability	0.0938	.	0.1068	.
95% CI	0.0758	0.1119	0.0729	0.1406
P-value	.	.	0.5411	.



Received gifts or money in exchange for sex with next to last partner, if casual  
 Variable name:gifts\_cas\_B

	Unexposed		Exposed	
Probability	0.0671	.	0.0927	.
95% CI	0.0497	0.0845	0.0595	0.1259
P-value	.	.	0.1661	.

Received gifts or money in exchange for sex with third to last partner  
 Variable name:gifts\_C

	Unexposed		Exposed	
Probability	0.0897	.	0.1058	.
95% CI	0.0760	0.1035	0.0779	0.1338
P-value	.	.	0.3230	.

Received gifts or money in exchange for sex with third to last partner, if casual  
 Variable name:gifts\_cas\_C

	Unexposed		Exposed	
Probability	0.0947	.	0.0947	.
95% CI	.	.	.	.
P-value	.	.	.	.

Gave gifts or money in exchange for sex with last partner b21  
 Variable name:paid

	Unexposed		Exposed	
Probability	0.0769	.	0.1084	.
95% CI	0.0536	0.1002	0.0565	0.1604
P-value	.	.	0.2058	.

Gave gifts or money in exchange for sex with last partner, if regular  
 Variable name:paid\_reg

	Unexposed		Exposed	
Probability	0.0880	.	0.0698	.
95% CI	0.0532	0.1228	0.0269	0.1127
P-value	.	.	0.6011	.

Gave gifts or money in exchange for sex with last partner, if casual  
 Variable name:paid\_cas

	Unexposed		Exposed	
Probability	0.0822	.	0.0972	.
95% CI	0.0572	0.1071	0.0563	0.1381
P-value	.	.	0.5262	.

Gave gifts or money in exchange for sex with next to last partner  
Variable name:paid\_B

	Unexposed		Exposed	
Probability	0.1286	.	0.1540	.
95% CI	0.0694	0.1878	0.0892	0.2188
P-value	.	.	0.5732	.

Gave gifts or money in exchange for sex with next to last partner, if casual  
Variable name:paid\_cas\_B

	Unexposed		Exposed	
Probability	0.1385	.	0.1486	.
95% CI	0.0787	0.1983	0.0894	0.2078
P-value	.	.	0.8234	.

Gave gifts or money in exchange for sex with third to last partner  
Variable name:paid\_C

	Unexposed		Exposed	
Probability	0.1498	.	0.1512	.
95% CI	0.1087	0.1909	0.0985	0.2039
P-value	.	.	0.9708	.

Gave gifts or money in exchange for sex with third to last partner, if casual  
Variable name:paid\_cas\_C

	Unexposed		Exposed	
Probability	0.1645	.	0.1370	.
95% CI	0.1204	0.2085	0.0926	0.1815
P-value	.	.	0.4359	.

Multiple Partners: Females Only

Knows multiple sexual partners increase HIV Risk k5r  
Variable name:k5r

	Unexposed		Exposed	
Probability	0.8642	.	0.9305	.
95% CI	0.8156	0.9129	0.8995	0.9616
P-value	.	.	0.0108	.

People Discuss HIV Risk & Multiple Partners  
Variable name:cn8r

	Unexposed		Exposed	
Probability	0.5045	.	0.5674	.
95% CI	0.4577	0.5514	0.4701	0.6647
P-value	.	.	0.2563	.

Most married men faithful to wives  
Variable name:alr

	Unexposed		Exposed	
Probability	0.3409	.	0.3750	.
95% CI	0.2926	0.3892	0.2783	0.4717
P-value	.	.	0.4447	.

Leaders Discourage Multiple Partners  
Variable name:cn9r

	Unexposed		Exposed	
Probability	0.3422	.	0.2719	.
95% CI	0.2685	0.4158	0.2112	0.3325
P-value	.	.	0.1684	.

Men with many women are real men  
Variable name:a5r

	Unexposed		Exposed	
Probability	0.0771	.	0.0803	.
95% CI	0.0519	0.1023	0.0239	0.1368
P-value	.	.	0.9242	.

Can resist being unfaithful to main partner

Variable name:a2r

	Unexposed		Exposed	
Probability	0.7526	.	0.8371	.
95% CI	0.6969	0.8083	0.7544	0.9197
P-value	.	.	0.1213	.

Does not need someone to fill gap

Variable name:a3r

	Unexposed		Exposed	
Probability	0.6032	.	0.7184	.
95% CI	0.5323	0.6741	0.6298	0.8070
P-value	.	.	0.0461	.

Multiple Partners (Last 12 Months) b2

Variable name:mp1

	Unexposed		Exposed	
Probability	0.0785	.	0.0332	.
95% CI	0.0390	0.1181	0.0094	0.0570
P-value	.	.	0.0739	.

Multiple Partners (Last Month)b4

Variable name:mp2

	Unexposed		Exposed	
Probability	0.0078	.	0.0103	.
95% CI	0.0028	0.0129	-0.0024	0.0230
P-value	.	.	0.6992	.

Self-reported having concurrent partners in the past 12 months b3

Variable name:b3r

	Unexposed		Exposed	
Probability	0.0362	.	0.0316	.
95% CI	0.0187	0.0537	0.0131	0.0502
P-value	.	.	0.7488	.

Currently have more than one sexual partner (past 3 months) b5

Variable name:b5r

	Unexposed		Exposed	
--	-----------	--	---------	--

Probability	0.0051	.	0.0494	.
95% CI	0.0018	0.0084	0.0130	0.0857
P-value	.	.	0.0001	.

Number of Lifetime Partners b6  
Variable name:lifep

	Unexposed		Exposed	
Mean	2.8958	.	2.7439	.
95% CI	2.5704	3.2213	2.2975	3.1902
P-value	.	.	0.5197	.

Received gifts or money in exchange for sex with last partner b20  
Variable name:gifts

	Unexposed		Exposed	
Probability	0.2340	.	0.2210	.
95% CI	0.1687	0.2992	0.1036	0.3385
P-value	.	.	0.8403	.

Received gifts or money in exchange for sex with last partner, if regular  
Variable name:gifts\_reg

	Unexposed		Exposed	
Probability	0.1865	.	0.2821	.
95% CI	0.1487	0.2243	0.1770	0.3871
P-value	.	.	0.0946	.

Received gifts or money in exchange for sex with last partner, if casual  
Variable name:gifts\_cas

	Unexposed		Exposed	
Probability	0.2483	.	0.2371	.
95% CI	0.1774	0.3193	0.1063	0.3679
P-value	.	.	0.8704	.

Gave gifts or money in exchange for sex with last partner b21  
Variable name:paid

	Unexposed		Exposed	
Probability	0.0898	.	0.0586	.
95% CI	0.0518	0.1278	0.0148	0.1023
P-value	.	.	0.2575	.

Gave gifts or money in exchange for sex with last partner, if regular  
 Variable name:paid\_reg

	Unexposed		Exposed	
Probability	0.1192	.	0.0864	.
95% CI	0.0832	0.1553	0.0535	0.1192
P-value	.	.	0.2915	.

Gave gifts or money in exchange for sex with last partner, if casual  
 Variable name:paid\_cas

	Unexposed		Exposed	
Probability	0.0756	.	0.0655	.
95% CI	0.0396	0.1116	0.0140	0.1171
P-value	.	.	0.6720	.

Multiple Partners: Males Only

Knows multiple sexual partners increase HIV Risk k5r  
 Variable name:k5r

	Unexposed		Exposed	
Probability	0.9345	.	0.9144	.
95% CI	0.9153	0.9537	0.8630	0.9658
P-value	.	.	0.3613	.

People Discuss HIV Risk & Multiple Partners  
 Variable name:cn8r

	Unexposed		Exposed	
Probability	0.5895	.	0.7505	.
95% CI	0.5368	0.6422	0.6726	0.8284
P-value	.	.	0.0017	.

Most married men faithful to wives  
 Variable name:alr

	Unexposed		Exposed	
Probability	0.2876	.	0.5321	.
95% CI	0.2194	0.3558	0.4504	0.6137
P-value	.	.	0.0000	.

Leaders Discourage Multiple Partners  
 Variable name:cn9r

	Unexposed		Exposed	
Probability	0.4699	.	0.5280	.
95% CI	0.3984	0.5415	0.4349	0.6212
P-value	.	.	0.3975	.

Men with many women are real men  
 Variable name:a5r

	Unexposed		Exposed	
Probability	0.0772	.	0.0962	.
95% CI	0.0572	0.0973	0.0505	0.1420
P-value	.	.	0.4192	.

Can resist being unfaithful to main partner  
 Variable name:a2r

	Unexposed		Exposed	
Probability	0.7168	.	0.6991	.
95% CI	0.6756	0.7581	0.6125	0.7858
P-value	.	.	0.6917	.

Does not need someone to fill gap  
Variable name:a3r

	Unexposed		Exposed	
Probability	0.7032	.	0.6195	.
95% CI	0.6544	0.7519	0.4453	0.7936
P-value	.	.	0.3335	.

Multiple Partners (Last 12 Months) b2  
Variable name:mp1

	Unexposed		Exposed	
Probability	0.2927	.	0.4822	.
95% CI	0.2547	0.3307	0.3606	0.6038
P-value	.	.	0.0133	.

Multiple Partners (Last Month)b4  
Variable name:mp2

	Unexposed		Exposed	
Probability	0.1029	.	0.2887	.
95% CI	0.0835	0.1223	0.1468	0.4306
P-value	.	.	0.0147	.

Self-reported having concurrent partners in the past 12 months b3  
Variable name:b3r

	Unexposed		Exposed	
Probability	0.1496	.	0.2610	.
95% CI	0.1152	0.1839	0.1125	0.4095
P-value	.	.	0.1214	.

Currently have more than one sexual partner (past 3 months) b5  
Variable name:b5r

	Unexposed		Exposed	
--	-----------	--	---------	--



Probability	0.1220	.	0.3104	.
95% CI	0.0947	0.1494	0.1488	0.4721
P-value	.	.	0.0336	.

Number of Lifetime Partners b6  
Variable name:lifep

	Unexposed		Exposed	
Mean	5.9040	.	5.4639	.
95% CI	5.2711	6.5370	4.2750	6.6527
P-value	.	.	0.5021	.

Received gifts or money in exchange for sex with last partner b20  
Variable name:gifts

	Unexposed		Exposed	
Probability	0.0150	.	0.0203	.
95% CI	0.0104	0.0196	0.0074	0.0331
P-value	.	.	0.4024	.

Received gifts or money in exchange for sex with last partner, if regular  
Variable name:gifts\_reg

	Unexposed		Exposed	
Probability	0.0499	.	0.0193	.
95% CI	0.0256	0.0743	-0.0016	0.0401
P-value	.	.	0.1593	.

Received gifts or money in exchange for sex with last partner, if casual  
Variable name:gifts\_cas

	Unexposed		Exposed	
Probability	0.0124	.	0.0204	.
95% CI	0.0076	0.0172	0.0054	0.0353
P-value	.	.	0.2592	.

Received gifts or money in exchange for sex with next to last partner  
Variable name:gifts\_B

	Unexposed		Exposed	
Probability	0.0025	.	0.0411	.
95% CI	-0.0001	0.0051	0.0154	0.0669
P-value	.	.	0.0013	.

Received gifts or money in exchange for sex with next to last partner, if casual  
 Variable name:gifts\_cas\_B

	Unexposed		Exposed	
Probability	0.0026	.	0.0542	.
95% CI	-0.0003	0.0055	0.0199	0.0885
P-value	.	.	0.0007	.

Received gifts or money in exchange for sex with third to last partner  
 Variable name:gifts\_C

	Unexposed		Exposed	
Probability	0.0206	.	0.0982	.
95% CI	.	.	.	.
P-value	.	.	.	.

Gave gifts or money in exchange for sex with last partner b21  
 Variable name:paid

	Unexposed		Exposed	
Probability	0.0855	.	0.0779	.
95% CI	0.0622	0.1088	0.0341	0.1217
P-value	.	.	0.7678	.

Gave gifts or money in exchange for sex with last partner, if regular  
 Variable name:paid\_reg

	Unexposed		Exposed	
Probability	0.0512	.	0.0282	.
95% CI	0.0281	0.0743	0.0104	0.0459
P-value	.	.	0.1192	.

Gave gifts or money in exchange for sex with last partner, if casual  
 Variable name:paid\_cas

	Unexposed		Exposed	
Probability	0.0960	.	0.1036	.
95% CI	0.0715	0.1205	0.0464	0.1608
P-value	.	.	0.8082	.

Gave gifts or money in exchange for sex with next to last partner  
 Variable name:paid\_B

	Unexposed		Exposed	
--	-----------	--	---------	--

	Unexposed		Exposed	
Probability	0.1334	.	0.0847	.
95% CI	0.0933	0.1735	0.0498	0.1195
P-value	.	.	0.0885	.

Gave gifts or money in exchange for sex with next to last partner, if casual  
Variable name:paid\_cas\_B

	Unexposed		Exposed	
Probability	0.1348	.	0.0835	.
95% CI	0.0945	0.1751	0.0501	0.1169
P-value	.	.	0.0780	.

Gave gifts or money in exchange for sex with third to last partner  
Variable name:paid\_C

	Unexposed		Exposed	
Probability	0.1299	.	0.0863	.
95% CI	0.0870	0.1728	0.0398	0.1329
P-value	.	.	0.2062	.

Gave gifts or money in exchange for sex with third to last partner, if casual  
Variable name:paid\_cas\_C

	Unexposed		Exposed	
Probability	0.1250	.	0.0888	.
95% CI	0.0862	0.1638	0.0406	0.1370
P-value	.	.	0.3033	.

Other Risk Factors: Total Sample

Leaders Discourage Multiple Partners  
Variable name:cn10r

	Unexposed		Exposed	
Probability	0.3334	.	0.4807	.
95% CI	0.2689	0.3978	0.4050	0.5564
P-value	.	.	0.0002	.

age at first sex  
Variable name:firstsex

	Unexposed		Exposed	
Mean	20.3002	.	18.8801	.
95% CI	19.2550	21.3454	17.4524	20.3079
P-value	.	.	0.1783	.

10+ year age difference between respondent and last sexual partner  
Variable name:agedif\_a1

	Unexposed		Exposed	
Probability	0.0886	.	0.0765	.
95% CI	0.0767	0.1005	0.0493	0.1037
P-value	.	.	0.4721	.

10+ year age difference between respondent and next to last sexual partner  
Variable name:agedif\_b1

	Unexposed		Exposed	
Probability	0.0727	.	0.0734	.
95% CI	0.0571	0.0884	0.0542	0.0926
P-value	.	.	0.9620	.

10+ year age difference between respondent and third to last sexual partner  
Variable name:agedif\_c1

	Unexposed		Exposed	
Probability	0.0947	.	0.0134	.
95% CI	0.0390	0.1505	0.0007	0.0260
P-value	.	.	0.0012	.

Other Risk Factors: Females Only

Leaders Discourage Multiple Partners  
Variable name:cnl0r

	Unexposed		Exposed	
Probability	0.2907	.	0.2947	.
95% CI	0.2195	0.3619	0.2056	0.3839
P-value	.	.	0.9423	.

age at first sex  
Variable name:firstsex

	Unexposed		Exposed	
Mean	20.2717	.	18.3665	.
95% CI	18.9651	21.5783	16.1701	20.5630
P-value	.	.	0.1723	.

10+ year age difference between respondent and last sexual partner  
Variable name:agedif\_a1

	Unexposed		Exposed	
Probability	0.1064	.	0.0974	.
95% CI	0.0769	0.1360	0.0514	0.1434
P-value	.	.	0.7665	.

Other Risk Factors: Males Only

Leaders Discourage Multiple Partners  
Variable name:cn10r

	Unexposed		Exposed	
Probability	0.4013	.	0.5993	.
95% CI	0.3458	0.4568	0.5479	0.6507
P-value	.	.	0.0000	.

age at first sex  
Variable name:firstsex

	Unexposed		Exposed	
Mean	20.5437	.	18.7009	.
95% CI	19.2176	21.8698	16.2160	21.1859
P-value	.	.	0.2994	.

10+ year age difference between respondent and last sexual partner  
Variable name:agedif\_a1

	Unexposed		Exposed	
Probability	0.0633	.	0.0773	.
95% CI	0.0492	0.0774	0.0294	0.1252
P-value	.	.	0.5661	.

10+ year age difference between respondent and next to last sexual partner  
Variable name:agedif\_b1

	Unexposed		Exposed	
Probability	0.0892	.	0.0588	.
95% CI	0.0748	0.1036	0.0433	0.0742
P-value	.	.	0.0131	.

10+ year age difference between respondent and third to last sexual partner  
Variable name:agedif\_c1

	Unexposed		Exposed	
Probability	0.0909	.	0.0208	.
95% CI	0.0363	0.1456	-0.0007	0.0423
P-value	.	.	0.0155	.

HIV Communication: Total Sample

Discussed HIV/AIDS with Kids b25  
Variable name:disc\_spouse

	Unexposed		Exposed	
Probability	0.8235	.	0.7784	.
95% CI	0.7765	0.8705	0.6880	0.8688
P-value	.	.	0.3909	.

Discussed HIV/AIDS with Kids b26  
Variable name:disc\_kids

	Unexposed		Exposed	
Probability	0.5725	.	0.5008	.
95% CI	0.5297	0.6152	0.4164	0.5852
P-value	.	.	0.1807	.

Discussed HIV/AIDS with Friends b27  
Variable name:disc\_friends

	Unexposed		Exposed	
Probability	0.6598	.	0.6775	.
95% CI	0.6264	0.6932	0.5666	0.7885
P-value	.	.	0.7802	.

Discussed HIV/AIDS with Spouse, Kids, and/or Friends  
Variable name:disc\_any

	Unexposed		Exposed	
Probability	0.7455	.	0.7595	.
95% CI	0.7123	0.7788	0.6812	0.8379
P-value	.	.	0.7566	.

Percentage who are dissatisfied when having sex with spouse/regular cohabitating  
Variable name:b22r

	Unexposed		Exposed	
Probability	0.1452	.	0.2116	.
95% CI	0.1183	0.1721	0.1454	0.2778
P-value	.	.	0.0638	.

Percentage who have talked with spouse/regular cohabitating partner about sexual  
Variable name:b23r

	Unexposed		Exposed	
Probability	0.7073	.	0.7615	.
95% CI	0.6316	0.7830	0.6833	0.8396
P-value	.	.	0.4089	.

Sex life improves with communication about HIV  
Variable name:a4r

	Unexposed		Exposed	
Probability	0.8924	.	0.8471	.
95% CI	0.8569	0.9279	0.7627	0.9315
P-value	.	.	0.3277	.



HIV Communication: Females Only

Discussed HIV/AIDS with Kids b25  
Variable name:disc\_spouse

	Unexposed		Exposed	
Probability	0.7463	.	0.9286	.
95% CI	0.6802	0.8124	0.8613	0.9958
P-value	.	.	0.0043	.

Discussed HIV/AIDS with Kids b26  
Variable name:disc\_kids

	Unexposed		Exposed	
Probability	0.3719	.	0.4113	.
95% CI	0.3143	0.4296	0.3219	0.5007
P-value	.	.	0.4496	.

Discussed HIV/AIDS with Friends b27  
Variable name:disc\_friends

	Unexposed		Exposed	
Probability	0.5897	.	0.6009	.
95% CI	0.5533	0.6261	0.4988	0.7029
P-value	.	.	0.8485	.

Discussed HIV/AIDS with Spouse, Kids, and/or Friends  
Variable name:disc\_any

	Unexposed		Exposed	
Probability	0.6637	.	0.7017	.
95% CI	0.6278	0.6995	0.6128	0.7906
P-value	.	.	0.5042	.

Percentage who are dissatisfied when having sex with spouse/regular cohabitating  
Variable name:b22r

	Unexposed		Exposed	
Probability	0.0315	.	0.0243	.
95% CI	0.0198	0.0432	0.0103	0.0383
P-value	.	.	0.4565	.

Percentage who have talked with spouse/regular cohabitating partner about sexual  
Variable name:b23r

	Unexposed		Exposed	
Probability	0.0293	.	0.0193	.
95% CI	0.0188	0.0397	0.0088	0.0297
P-value	.	.	0.2294	.

Sex life improves with communication about HIV  
Variable name:a4r

	Unexposed		Exposed	
Probability	0.9072	.	0.8351	.
95% CI	0.8850	0.9294	0.7403	0.9299
P-value	.	.	0.1271	.

HIV Communication: Males Only

Discussed HIV/AIDS with Kids b25  
Variable name:disc\_spouse

	Unexposed		Exposed	
Probability	0.7463	.	0.9286	.
95% CI	0.6802	0.8124	0.8613	0.9958
P-value	.	.	0.0043	.

Discussed HIV/AIDS with Kids b26  
Variable name:disc\_kids

	Unexposed		Exposed	
Probability	0.3719	.	0.4113	.
95% CI	0.3143	0.4296	0.3219	0.5007
P-value	.	.	0.4496	.

Discussed HIV/AIDS with Friends b27  
Variable name:disc\_friends

	Unexposed		Exposed	
Probability	0.5897	.	0.6009	.
95% CI	0.5533	0.6261	0.4988	0.7029
P-value	.	.	0.8485	.

Discussed HIV/AIDS with Spouse, Kids, and/or Friends  
Variable name:disc\_any

	Unexposed		Exposed	
Probability	0.6637	.	0.7017	.
95% CI	0.6278	0.6995	0.6128	0.7906
P-value	.	.	0.5042	.

Percentage who are dissatisfied when having sex with spouse/regular cohabitating  
Variable name:b22r

	Unexposed		Exposed	
Probability	0.0315	.	0.0243	.
95% CI	0.0198	0.0432	0.0103	0.0383
P-value	.	.	0.4565	.

Percentage who have talked with spouse/regular cohabitating partner about sexual  
 Variable name:b23r

	Unexposed		Exposed	
Probability	0.0293	.	0.0193	.
95% CI	0.0188	0.0397	0.0088	0.0297
P-value	.	.	0.2294	.

Sex life improves with communication about HIV  
 Variable name:a4r

	Unexposed		Exposed	
Probability	0.9072	.	0.8351	.
95% CI	0.8850	0.9294	0.7403	0.9299
P-value	.	.	0.1271	.

Condom Use: Total Sample

While in ART, PLHIV can transmit HIV k4r  
Variable name:k4r

	Unexposed		Exposed	
Probability	0.9026	.	0.9103	.
95% CI	0.8689	0.9364	0.8683	0.9523
P-value	.	.	0.7824	.

Knows PLHIV on ART can transmit HIV k3r  
Variable name:k3r

	Unexposed		Exposed	
Probability	0.8831	.	0.8091	.
95% CI	0.8552	0.9110	0.7189	0.8994
P-value	.	.	0.0837	.

Percentage who disagree that if one spouse is HIV+ the other certainly is k1r  
Variable name:k1r

	Unexposed		Exposed	
Probability	0.4971	.	0.4147	.
95% CI	0.4311	0.5631	0.3457	0.4837
P-value	.	.	0.0955	.

Knows that STIs increase HIV infection k2r  
Variable name:k2r

	Unexposed		Exposed	
Probability	0.8445	.	0.8650	.
95% CI	0.8162	0.8728	0.8184	0.9116
P-value	.	.	0.5164	.

Condom Use in Marriage Accepted  
Variable name:cn1r

	Unexposed		Exposed	
Probability	0.6385	.	0.7192	.
95% CI	0.5928	0.6842	0.6404	0.7980
P-value	.	.	0.0836	.

Women Can Ask Regular Parnter to Use Condom  
Variable name:cn2r

	Unexposed		Exposed	
Probability	0.7138	.	0.7859	.
95% CI	0.6646	0.7630	0.7116	0.8602
P-value	.	.	0.1589	.

Variable name:cn2ar

	Unexposed		Exposed	
Probability	0.7292	.	0.7938	.
95% CI	0.6902	0.7682	0.7441	0.8436
P-value	.	.	0.0503	.

Condom use at last sex among those ever having sex b7  
Variable name:cls

	Unexposed		Exposed	
Probability	0.5644	.	0.5686	.
95% CI	0.5179	0.6109	0.4834	0.6538
P-value	.	.	0.9400	.

Condom at last sex, if regular parnter  
Variable name:cls\_reg

	Unexposed		Exposed	
Probability	0.3658	.	0.4347	.
95% CI	0.3222	0.4094	0.3375	0.5319
P-value	.	.	0.1865	.

Condom at last sex, if casual parnter  
Variable name:cls\_cas

	Unexposed		Exposed	
Probability	0.8220	.	0.8416	.
95% CI	0.7811	0.8628	0.6939	0.9893
P-value	.	.	0.8027	.

Condom at last sex among those with multiple partners  
Variable name:cls\_mp

	Unexposed		Exposed	
--	-----------	--	---------	--

Probability	0.7161	.	0.7836	.
95% CI	0.6697	0.7625	0.7054	0.8618
P-value	.	.	0.1350	.

Condom at last sex with a regular partner, among those with multiple partners  
Variable name:clsreg\_mp

	Unexposed		Exposed	
Probability	0.5590	.	0.4011	.
95% CI	.	.	.	.
P-value	.	.	.	.

Condom at last sex with a casual partner, among those with multiple partners  
Variable name:clscas\_mp

	Unexposed		Exposed	
Probability	0.9328	.	0.8626	.
95% CI	0.9155	0.9502	0.8003	0.9249
P-value	.	.	0.0386	.

Always/usually used a condom with last sexual partner  
Variable name:freq\_cdm

	Unexposed		Exposed	
Probability	0.6904	.	0.7428	.
95% CI	0.6540	0.7268	0.6411	0.8446
P-value	.	.	0.3642	.

Always/usually used a condom with next to last sexual partner  
Variable name:freq\_cdm2nd

	Unexposed		Exposed	
Probability	0.8613	.	0.8284	.
95% CI	0.8200	0.9025	0.7788	0.8781
P-value	.	.	0.3077	.

Always/usually used a condom with third to last sexual partner  
Variable name:freq\_cdm3rd

	Unexposed		Exposed	
Probability	0.7242	.	0.6763	.
95% CI	0.6651	0.7833	0.6170	0.7355
P-value	.	.	0.2391	.

condom use at last sex among those have sex in the last 12 months b19  
Variable name:cls\_yr

	Unexposed		Exposed	
Probability	0.6975	.	0.7517	.
95% CI	0.6620	0.7331	0.6473	0.8562
P-value	.	.	0.3460	.



Condom Use: Females Only

While in ART, PLHIV can transmit HIV k4r  
Variable name:k4r

	Unexposed		Exposed	
Probability	0.8959	.	0.9329	.
95% CI	0.8571	0.9347	0.8920	0.9738
P-value	.	.	0.2745	.

Knows PLHIV on ART can transmit HIV k3r  
Variable name:k3r

	Unexposed		Exposed	
Probability	0.8553	.	0.7316	.
95% CI	0.8138	0.8968	0.5956	0.8677
P-value	.	.	0.0317	.

Percentage who disagree that if one spouse is HIV+ the other certainly is k1r  
Variable name:k1r

	Unexposed		Exposed	
Probability	0.4068	.	0.3823	.
95% CI	0.3385	0.4751	0.2827	0.4819
P-value	.	.	0.6957	.

Knows that STIs increase HIV infection k2r  
Variable name:k2r

	Unexposed		Exposed	
Probability	0.8030	.	0.8799	.
95% CI	0.7654	0.8406	0.8268	0.9331
P-value	.	.	0.0758	.

Condom Use in Marriage Accepted  
Variable name:cn1r

	Unexposed		Exposed	
Probability	0.6411	.	0.6139	.
95% CI	0.5850	0.6972	0.4905	0.7374
P-value	.	.	0.6573	.

Women Can Ask Regular Parnter to Use Condom  
Variable name:cn2r

	Unexposed		Exposed	
Probability	0.6986	.	0.7239	.
95% CI	0.6285	0.7686	0.6024	0.8455
P-value	.	.	0.6988	.

Variable name:cn2ar

	Unexposed		Exposed	
Probability	0.6746	.	0.6974	.
95% CI	0.5973	0.7518	0.5963	0.7986
P-value	.	.	0.7138	.

Condom use at last sex among those ever having sex b7  
Variable name:cls

	Unexposed		Exposed	
Probability	0.4716	.	0.5227	.
95% CI	0.4162	0.5271	0.4048	0.6406
P-value	.	.	0.4787	.

Condom at last sex, if regular parnter  
Variable name:cls\_reg

	Unexposed		Exposed	
Probability	0.3490	.	0.3029	.
95% CI	0.3146	0.3833	0.2225	0.3833
P-value	.	.	0.2909	.

Condom at last sex, if casual parnter  
Variable name:cls\_cas

	Unexposed		Exposed	
Probability	0.7262	.	0.7689	.
95% CI	0.6694	0.7829	0.6237	0.9140
P-value	.	.	0.5623	.

Condom at last sex among those with multiple partners  
Variable name:cls\_mp

	Unexposed		Exposed	
--	-----------	--	---------	--

Probability	0.3428	.	0.8028	.
95% CI	0.3159	0.3698	0.6142	0.9915
P-value	.	.	0.0019	.

Condom at last sex with a casual partner, among those with multiple partners  
Variable name:clscas\_mp

	Unexposed		Exposed	
Probability	0.6783	.	0.7692	.
95% CI	0.6102	0.7463	0.6489	0.8895
P-value	.	.	0.1665	.

Always/usually used a condom with last sexual partner  
Variable name:freq\_cdm

	Unexposed		Exposed	
Probability	0.6057	.	0.6606	.
95% CI	0.5591	0.6523	0.5527	0.7686
P-value	.	.	0.3038	.

condom use at last sex among those have sex in the last 12 months b19  
Variable name:cls\_yr

	Unexposed		Exposed	
Probability	0.6082	.	0.6527	.
95% CI	0.5617	0.6547	0.5382	0.7671
P-value	.	.	0.4168	.

Condom Use: Males Only

While in ART, PLHIV can transmit HIV k4r  
Variable name:k4r

	Unexposed		Exposed	
Probability	0.9061	.	0.8857	.
95% CI	0.8827	0.9294	0.8399	0.9314
P-value	.	.	0.3769	.

Knows PLHIV on ART can transmit HIV k3r  
Variable name:k3r

	Unexposed		Exposed	
Probability	0.9146	.	0.9068	.
95% CI	0.8924	0.9367	0.8520	0.9617
P-value	.	.	0.7850	.

Percentage who disagree that if one spouse is HIV+ the other certainly is k1r  
Variable name:k1r

	Unexposed		Exposed	
Probability	0.5994	.	0.4441	.
95% CI	0.5281	0.6708	0.3667	0.5215
P-value	.	.	0.0028	.

Knows that STIs increase HIV infection k2r  
Variable name:k2r

	Unexposed		Exposed	
Probability	0.8914	.	0.8160	.
95% CI	0.8609	0.9219	0.7456	0.8865
P-value	.	.	0.0315	.

Condom Use in Marriage Accepted  
Variable name:cn1r

	Unexposed		Exposed	
Probability	0.6445	.	0.7938	.
95% CI	0.5743	0.7146	0.6960	0.8916
P-value	.	.	0.0349	.

Women Can Ask Regular Parnter to Use Condom

Variable name:cn2r

	Unexposed		Exposed	
Probability	0.7445	.	0.7859	.
95% CI	0.7021	0.7869	0.7113	0.8606
P-value	.	.	0.3089	.

Variable name:cn2ar

	Unexposed		Exposed	
Probability	0.8059	.	0.8263	.
95% CI	0.7660	0.8458	0.7624	0.8902
P-value	.	.	0.6393	.

Condom use at last sex among those ever having sex b7  
Variable name:cls

	Unexposed		Exposed	
Probability	0.6723	.	0.6187	.
95% CI	0.6065	0.7380	0.5217	0.7157
P-value	.	.	0.4523	.

Condom at last sex, if regular parnter  
Variable name:cls\_reg

	Unexposed		Exposed	
Probability	0.4061	.	0.6284	.
95% CI	0.3453	0.4668	0.4867	0.7701
P-value	.	.	0.0049	.

Condom at last sex, if casual parnter  
Variable name:cls\_cas

	Unexposed		Exposed	
Probability	0.9328	.	0.8811	.
95% CI	0.9088	0.9568	0.7425	1.0197
P-value	.	.	0.4171	.

Condom at last sex among those with multiple partners  
Variable name:cls\_mp

	Unexposed		Exposed	
--	-----------	--	---------	--

Probability	0.8058	.	0.7974	.
95% CI	0.7580	0.8536	0.7337	0.8611
P-value	.	.	0.8667	.

Condom at last sex with a regular partner, among those with multiple partners  
Variable name:clsreg\_mp

	Unexposed		Exposed	
Probability	0.5361	.	0.5558	.
95% CI	.	:	:	:
P-value	.	.	.	.

Condom at last sex with a casual partner, among those with multiple partners  
Variable name:clscas\_mp

	Unexposed		Exposed	
Probability	0.9822	.	0.8716	.
95% CI	0.9710	0.9934	0.7536	0.9896
P-value	.	.	0.0230	.

Always/usually used a condom with last sexual partner  
Variable name:freq\_cdm

	Unexposed		Exposed	
Probability	0.7983	.	0.7917	.
95% CI	0.7548	0.8418	0.6776	0.9057
P-value	.	.	0.9232	.

Always/usually used a condom with next to last sexual partner  
Variable name:freq\_cdm2nd

	Unexposed		Exposed	
Probability	0.9605	.	0.9614	.
95% CI	0.9484	0.9727	0.9425	0.9804
P-value	.	.	0.9388	.

Always/usually used a condom with third to last sexual partner  
Variable name:freq\_cdm3rd

	Unexposed		Exposed	
Probability	0.8855	.	0.8616	.
95% CI	0.8138	0.9572	0.7696	0.9536
P-value	.	.	0.4944	.

+-----+

condom use at last sex among those have sex in the last 12 months b19  
Variable name:cls\_yr

	Unexposed		Exposed	
Probability	0.8131	.	0.8147	.
95% CI	0.7738	0.8524	0.7010	0.9284
P-value	.	.	0.9820	.

HIV Testing: Total Sample

Pregnant woman should test for HIV k7r  
Variable name:k7r

	Unexposed		Exposed	
Probability	0.9545	.	0.9324	.
95% CI	0.9430	0.9661	0.9022	0.9626
P-value	.	.	0.0793	.

Knows TB can be cured if HIV+ k6r  
Variable name:k6r

	Unexposed		Exposed	
Probability	0.7099	.	0.6876	.
95% CI	0.6624	0.7574	0.6136	0.7616
P-value	.	.	0.6731	.

Knows that the risk of contracting HIV decreases for a circumcised man k10r  
Variable name:k10r

	Unexposed		Exposed	
Probability	0.7229	.	0.5998	.
95% CI	0.6787	0.7671	0.5161	0.6835
P-value	.	.	0.0008	.

a10b Agrees that only way to know you are HIV positive is through blood test  
Variable name:a10br

	Unexposed		Exposed	
Probability	0.9388	.	0.9699	.
95% CI	0.9130	0.9647	0.9547	0.9850
P-value	.	.	0.0214	.

a10 Important to Know HIV Status  
Variable name:a10r

	Unexposed		Exposed	
Probability	0.9664	.	0.9804	.
95% CI	0.9539	0.9789	0.9629	0.9979
P-value	.	.	0.3428	.

Worried about Becoming Infected  
Variable name:allr



	Unexposed		Exposed	
Probability	0.5968	.	0.6246	.
95% CI	0.5372	0.6563	0.5378	0.7114
P-value	.	.	0.5660	.

Likely to be Infected Now  
Variable name:a12r

	Unexposed		Exposed	
Probability	0.2863	.	0.2178	.
95% CI	0.2532	0.3195	0.1531	0.2826
P-value	.	.	0.0769	.

Agrees that wife/cohabitating partner has another partner b8  
Variable name:b8r

	Unexposed		Exposed	
Probability	0.0932	.	0.0730	.
95% CI	0.0623	0.1240	0.0239	0.1221
P-value	.	.	0.4767	.

Agrees that husband/cohabitating partner has another wife b9  
Variable name:b9r

	Unexposed		Exposed	
Probability	0.0723	.	0.1051	.
95% CI	0.0412	0.1034	0.0493	0.1609
P-value	.	.	0.3038	.

Agrees that husband/cohabitating partner has another sex partner who is not a wi  
Variable name:b10r

	Unexposed		Exposed	
Probability	0.2031	.	0.0875	.
95% CI	0.1320	0.2742	0.0321	0.1429
P-value	.	.	0.0238	.

Thinks that last partner had other sexual partners  
Variable name:b18\_r1a

	Unexposed		Exposed	
--	-----------	--	---------	--

Probability	0.2180	.	0.2249	.
95% CI	0.1825	0.2534	0.1658	0.2840
P-value	.	.	0.8639	.

Thinks that next to last partner had other sexual partners  
Variable name:b18\_r2a

	Unexposed		Exposed	
Probability	0.3724	.	0.3921	.
95% CI	0.2820	0.4627	0.1567	0.6276
P-value	.	.	0.8822	.

Thinks that third to last partner had other sexual partners  
Variable name:b18\_r3a

	Unexposed		Exposed	
Probability	0.3183	.	0.4830	.
95% CI	0.2206	0.4160	0.3200	0.6461
P-value	.	.	0.0908	.

Leaders Encourage HIV Testing  
Variable name:cn5r

	Unexposed		Exposed	
Probability	0.4957	.	0.6902	.
95% CI	0.4507	0.5408	0.6167	0.7637
P-value	.	.	0.0000	.

Knows where to get HIV/AIDS info. k11r  
Variable name:k11r

	Unexposed		Exposed	
Probability	0.9104	.	0.8898	.
95% CI	0.8795	0.9412	0.8379	0.9418
P-value	.	.	0.4297	.

a7 Disagrees that HIV Means Life is Over  
Variable name:a7r

	Unexposed		Exposed	
Probability	0.7904	.	0.8668	.
95% CI	0.7578	0.8230	0.8136	0.9199
P-value	.	.	0.0301	.

Ever Tested for HIV b24  
Variable name:evertest

	Unexposed		Exposed	
Probability	0.7231	.	0.7291	.
95% CI	0.6974	0.7488	0.6867	0.7715
P-value	.	.	0.8142	.

Number of Times Tested for HIV b24a  
Variable name:numtest

	Unexposed		Exposed	
Mean	2.1290	.	2.7640	.
95% CI	1.9491	2.3088	1.7976	3.7304
P-value	.	.	0.1747	.

HIV Test in the Last 12 Months b24b  
Variable name:hivtest

	Unexposed		Exposed	
Probability	0.5681	.	0.4784	.
95% CI	0.5366	0.5997	0.4064	0.5504
P-value	.	.	0.0311	.

Received results of most recent HIV test b24c  
Variable name:hivresults

	Unexposed		Exposed	
Probability	0.9727	.	0.9658	.
95% CI	0.9604	0.9850	0.9358	0.9957
P-value	.	.	0.6705	.

Discussed results of most recent HIV test b24d  
Variable name:results\_disc

	Unexposed		Exposed	
Probability	0.8828	.	0.7821	.
95% CI	0.8517	0.9140	0.6785	0.8857
P-value	.	.	0.0323	.

HIV Testing: Females Only

Pregnant woman should test for HIV k7r  
 Variable name:k7r

	Unexposed		Exposed	
Probability	0.9712	.	0.9555	.
95% CI	0.9590	0.9833	0.9315	0.9795
P-value	.	.	0.2490	.

Knows TB can be cured if HIV+ k6r  
 Variable name:k6r

	Unexposed		Exposed	
Probability	0.6789	.	0.6819	.
95% CI	0.6117	0.7461	0.6034	0.7605
P-value	.	.	0.9516	.

Knows that the risk of contracting HIV decreases for a circumcised man k10r  
 Variable name:k10r

	Unexposed		Exposed	
Probability	0.6102	.	0.5501	.
95% CI	0.5439	0.6766	0.4163	0.6838
P-value	.	.	0.3717	.

a10b Agrees that only way to know you are HIV positive is through blood test  
 Variable name:a10br

	Unexposed		Exposed	
Probability	0.9744	.	0.9753	.
95% CI	0.9621	0.9867	0.9570	0.9937
P-value	.	.	0.9279	.

a10 Important to Know HIV Status  
 Variable name:a10r

	Unexposed		Exposed	
Probability	0.9639	.	0.9658	.
95% CI	0.9503	0.9776	0.9349	0.9967
P-value	.	.	0.9216	.

Worried about Becoming Infected  
 Variable name:allr

	Unexposed		Exposed	
Probability	0.5921	.	0.5917	.
95% CI	0.5140	0.6701	0.4636	0.7198
P-value	.	.	0.9949	.

Likely to be Infected Now  
Variable name:a12r

	Unexposed		Exposed	
Probability	0.3612	.	0.1696	.
95% CI	0.2903	0.4320	0.1070	0.2323
P-value	.	.	0.0001	.

Agrees that husband/cohabitating partner has another wife b9  
Variable name:b9r

	Unexposed		Exposed	
Probability	0.0723	.	0.1051	.
95% CI	0.0412	0.1034	0.0493	0.1609
P-value	.	.	0.3038	.

Agrees that husband/cohabitating partner has another sex partner who is not a wi  
Variable name:b10r

	Unexposed		Exposed	
Probability	0.2031	.	0.0875	.
95% CI	0.1320	0.2742	0.0321	0.1429
P-value	.	.	0.0238	.

Thinks that last partner had other sexual partners  
Variable name:b18\_r1a

	Unexposed		Exposed	
Probability	0.2937	.	0.2999	.
95% CI	0.2294	0.3581	0.1987	0.4011
P-value	.	.	0.9093	.

Thinks that next to last partner had other sexual partners  
Variable name:b18\_r2a

	Unexposed		Exposed	
--	-----------	--	---------	--

Probability	0.3022	.	0.6620	.
95% CI	0.2198	0.3846	0.5147	0.8094
P-value	.	.	0.0025	.

Leaders Encourage HIV Testing  
Variable name:cn5r

	Unexposed		Exposed	
Probability	0.4759	.	0.5535	.
95% CI	0.4285	0.5234	0.4437	0.6633
P-value	.	.	0.2747	.

Knows where to get HIV/AIDS info. k11r  
Variable name:k11r

	Unexposed		Exposed	
Probability	0.8649	.	0.8984	.
95% CI	0.8296	0.9001	0.8552	0.9417
P-value	.	.	0.1168	.

a7 Disagrees that HIV Means Life is Over  
Variable name:a7r

	Unexposed		Exposed	
Probability	0.8011	.	0.8801	.
95% CI	0.7544	0.8477	0.8015	0.9586
P-value	.	.	0.1212	.

Ever Tested for HIV b24  
Variable name:evertest

	Unexposed		Exposed	
Probability	0.8003	.	0.8094	.
95% CI	0.7631	0.8374	0.7219	0.8968
P-value	.	.	0.8588	.

Number of Times Tested for HIV b24a  
Variable name:numtest

	Unexposed		Exposed	
Mean	2.6497	.	3.3335	.
95% CI	2.2823	3.0171	1.9335	4.7334
P-value	.	.	0.2836	.

HIV Test in the Last 12 Months b24b  
 Variable name:hivtest

	Unexposed		Exposed	
Probability	0.6175	.	0.5300	.
95% CI	0.5597	0.6753	0.4396	0.6204
P-value	.	.	0.0878	.

Received results of most recent HIV test b24c  
 Variable name:hivresults

	Unexposed		Exposed	
Probability	0.9801	.	0.9733	.
95% CI	0.9702	0.9900	0.9477	0.9988
P-value	.	.	0.5697	.

Discussed results of most recent HIV test b24d  
 Variable name:results\_disc

	Unexposed		Exposed	
Probability	0.9011	.	0.7975	.
95% CI	0.8740	0.9282	0.7294	0.8656
P-value	.	.	0.0003	.

HIV Testing: Males Only

Pregnant woman should test for HIV k7r  
Variable name:k7r

	Unexposed		Exposed	
Probability	0.9368	.	0.9003	.
95% CI	0.9210	0.9526	0.8392	0.9615
P-value	.	.	0.1494	.

Knows TB can be cured if HIV+ k6r  
Variable name:k6r

	Unexposed		Exposed	
Probability	0.7380	.	0.7212	.
95% CI	0.6855	0.7905	0.5980	0.8445
P-value	.	.	0.8242	.

Knows that the risk of contracting HIV decreases for a circumcised man k10r  
Variable name:k10r

	Unexposed		Exposed	
Probability	0.8414	.	0.6053	.
95% CI	0.8099	0.8728	0.4928	0.7178
P-value	.	.	0.0001	.

a10b Agrees that only way to know you are HIV positive is through blood test  
Variable name:a10br

	Unexposed		Exposed	
Probability	0.9039	.	0.9539	.
95% CI	0.8815	0.9262	0.9273	0.9805
P-value	.	.	0.0107	.

a10 Important to Know HIV Status  
Variable name:a10r

	Unexposed		Exposed	
Probability	0.9705	.	0.9818	.
95% CI	0.9596	0.9813	0.9659	0.9978
P-value	.	.	0.3015	.

Worried about Becoming Infected  
Variable name:allr



	Unexposed		Exposed	
Probability	0.6111	.	0.6331	.
95% CI	0.5724	0.6497	0.5413	0.7249
P-value	.	.	0.6908	.

Likely to be Infected Now  
Variable name:a12r

	Unexposed		Exposed	
Probability	0.2226	.	0.2156	.
95% CI	0.1942	0.2510	0.1505	0.2807
P-value	.	.	0.8651	.

Agrees that wife/cohabitating partner has another partner b8  
Variable name:b8r

	Unexposed		Exposed	
Probability	0.0932	.	0.0730	.
95% CI	0.0623	0.1240	0.0239	0.1221
P-value	.	.	0.4767	.

Thinks that last partner had other sexual partners  
Variable name:b18\_r1a

	Unexposed		Exposed	
Probability	0.1258	.	0.1430	.
95% CI	0.0790	0.1725	0.0647	0.2213
P-value	.	.	0.6601	.

Thinks that next to last partner had other sexual partners  
Variable name:b18\_r2a

	Unexposed		Exposed	
Probability	0.4177	.	0.2528	.
95% CI	0.3097	0.5257	0.0343	0.4713
P-value	.	.	0.3364	.

Thinks that third to last partner had other sexual partners  
Variable name:b18\_r3a

	Unexposed		Exposed	
--	-----------	--	---------	--

Probability	0.3892	.	0.4507	.
95% CI	0.2947	0.4837	0.3200	0.5814
P-value	.	.	0.4694	.

Leaders Encourage HIV Testing  
Variable name:cn5r

	Unexposed		Exposed	
Probability	0.5420	.	0.7544	.
95% CI	0.4759	0.6080	0.6698	0.8390
P-value	.	.	0.0000	.

Knows where to get HIV/AIDS info. k11r  
Variable name:k11r

	Unexposed		Exposed	
Probability	0.9613	.	0.8895	.
95% CI	0.9412	0.9813	0.8383	0.9407
P-value	.	.	0.0000	.

a7 Disagrees that HIV Means Life is Over  
Variable name:a7r

	Unexposed		Exposed	
Probability	0.7814	.	0.8347	.
95% CI	0.7082	0.8545	0.7776	0.8919
P-value	.	.	0.2635	.

Ever Tested for HIV b24  
Variable name:evertest

	Unexposed		Exposed	
Probability	0.6320	.	0.6581	.
95% CI	0.5938	0.6702	0.5940	0.7222
P-value	.	.	0.5356	.

Number of Times Tested for HIV b24a  
Variable name:numtest

	Unexposed		Exposed	
Mean	1.5723	.	1.9952	.
95% CI	1.4719	1.6727	1.7550	2.2353
P-value	.	.	0.0059	.

HIV Test in the Last 12 Months b24b  
 Variable name:hivtest

	Unexposed		Exposed	
Probability	0.4995	.	0.4682	.
95% CI	0.4443	0.5546	0.3890	0.5474
P-value	.	.	0.6237	.

Received results of most recent HIV test b24c  
 Variable name:hivresults

	Unexposed		Exposed	
Probability	0.9637	.	0.8794	.
95% CI	0.9505	0.9770	0.7942	0.9647
P-value	.	.	0.0132	.

Discussed results of most recent HIV test b24d  
 Variable name:results\_disc

	Unexposed		Exposed	
Probability	0.8503	.	0.7822	.
95% CI	0.8086	0.8920	0.6351	0.9294
P-value	.	.	0.3082	.

HIV Treatment: Total Sample

Knows ARVs prevent MCT during pregnancy k8ar  
Variable name:k8ar

	Unexposed		Exposed	
Probability	0.7953	.	0.7425	.
95% CI	0.7385	0.8521	0.6911	0.7938
P-value	.	.	0.0599	.

Knows ARVs prevent MCT during childbirth k8br  
Variable name:k8br

	Unexposed		Exposed	
Probability	0.7600	.	0.7445	.
95% CI	0.7116	0.8084	0.6827	0.8063
P-value	.	.	0.6445	.

Knows ARVs prevent MCT during breastfeeding k8cr  
Variable name:k8cr

	Unexposed		Exposed	
Probability	0.6478	.	0.6129	.
95% CI	0.5726	0.7229	0.5355	0.6902
P-value	.	.	0.4163	.

Knows how often people should take ARVs k9r  
Variable name:k9r

	Unexposed		Exposed	
Probability	0.8705	.	0.8379	.
95% CI	0.8387	0.9022	0.7891	0.8868
P-value	.	.	0.1681	.

Leaders Encourage HIV Treatment  
Variable name:cn6r

	Unexposed		Exposed	
Probability	0.5785	.	0.8025	.
95% CI	0.5477	0.6093	0.7394	0.8657
P-value	.	.	0.0000	.

Has ever taken ARVs b28  
 Variable name:b28r

	Unexposed		Exposed	
Probability	0.0699	.	0.0170	.
95% CI	0.0453	0.0945	0.0084	0.0256
P-value	.	.	0.0000	.

Received support from an ARV treatment buddy or CBV, among those who have ever t  
 Variable name:b29r

	Unexposed		Exposed	
Probability	0.1951	.	0.2729	.
95% CI	0.1636	0.2266	0.0692	0.4766
P-value	.	.	0.3808	.

Does not struggle to take your ARV drugs as advised by the doctor b30  
 Variable name:b30r

	Unexposed		Exposed	
Probability	0.0233	.	0.0535	.
95% CI	0.0129	0.0336	-0.0310	0.1379
P-value	.	.	0.3415	.

HIV Treatment: Females Only

Knows ARVs prevent MCT during pregnancy k8ar  
Variable name:k8ar

	Unexposed		Exposed	
Probability	0.7574	.	0.7366	.
95% CI	0.6696	0.8452	0.6283	0.8448
P-value	.	.	0.7283	.

Knows ARVs prevent MCT during childbirth k8br  
Variable name:k8br

	Unexposed		Exposed	
Probability	0.7846	.	0.6858	.
95% CI	0.7401	0.8292	0.6023	0.7693
P-value	.	.	0.0712	.

Knows ARVs prevent MCT during breastfeeding k8cr  
Variable name:k8cr

	Unexposed		Exposed	
Probability	0.7162	.	0.6004	.
95% CI	0.6712	0.7612	0.5053	0.6955
P-value	.	.	0.0309	.

Knows how often people should take ARVs k9r  
Variable name:k9r

	Unexposed		Exposed	
Probability	0.8620	.	0.8561	.
95% CI	0.8123	0.9117	0.7833	0.9290
P-value	.	.	0.8672	.

Leaders Encourage HIV Treatment  
Variable name:cn6r

	Unexposed		Exposed	
Probability	0.5695	.	0.7221	.
95% CI	0.5066	0.6324	0.6096	0.8346
P-value	.	.	0.0632	.

Has ever taken ARVs b28  
Variable name:b28r

	Unexposed		Exposed	
Probability	0.0965	.	0.0259	.
95% CI	0.0767	0.1163	0.0093	0.0425
P-value	.	.	0.0002	.

Received support from an ARV treatment buddy or CBV, among those who have ever t  
Variable name:b29r

	Unexposed		Exposed	
Probability	0.2338	.	0.3429	.
95% CI	0.1991	0.2685	0.0541	0.6317
P-value	.	.	0.3690	.

Does not struggle to take your ARV drugs as advised by the doctor b30  
Variable name:b30r

	Unexposed		Exposed	
Probability	0.0210	.	0.4705	.
95% CI	0.0149	0.0270	-0.2603	1.2012
P-value	.	.	0.0056	.

HIV Treatment: Males Only

Knows ARVs prevent MCT during pregnancy k8ar  
Variable name:k8ar

	Unexposed		Exposed	
Probability	0.8345	.	0.7465	.
95% CI	0.7850	0.8841	0.6586	0.8344
P-value	.	.	0.0512	.

Knows ARVs prevent MCT during childbirth k8br  
Variable name:k8br

	Unexposed		Exposed	
Probability	0.7279	.	0.8299	.
95% CI	0.6372	0.8186	0.7552	0.9046
P-value	.	.	0.0778	.

Knows ARVs prevent MCT during breastfeeding k8cr  
Variable name:k8cr

	Unexposed		Exposed	
Probability	0.5690	.	0.6310	.
95% CI	0.4417	0.6963	0.5254	0.7367
P-value	.	.	0.4477	.

Knows how often people should take ARVs k9r  
Variable name:k9r

	Unexposed		Exposed	
Probability	0.8724	.	0.8553	.
95% CI	0.8324	0.9123	0.7851	0.9255
P-value	.	.	0.6477	.

Leaders Encourage HIV Treatment  
Variable name:cn6r

	Unexposed		Exposed	
Probability	0.6058	.	0.8349	.
95% CI	0.5308	0.6808	0.7911	0.8787
P-value	.	.	0.0000	.

Has ever taken ARVs b28



Variable name:b28r

	Unexposed		Exposed	
Probability	0.0382	.	0.0144	.
95% CI	0.0190	0.0574	-0.0011	0.0299
P-value	.	.	0.0895	.

Received support from an ARV treatment buddy or CBV, among those who have ever t  
Variable name:b29r

	Unexposed		Exposed	
Probability	0.0606	.	0.8879	.
95% CI	.	.	.	.
P-value	.	.	.	.

HIV Stigma: Total Sample

a9 Disagrees that HIV is a punishment for sinning  
Variable name:a9r

	Unexposed		Exposed	
Probability	0.5959	.	0.5510	.
95% CI	0.5288	0.6631	0.4717	0.6302
P-value	.	.	0.3361	.

a8 Disagrees that revealing HIV status doesn't help  
Variable name:a8r

	Unexposed		Exposed	
Probability	0.7544	.	0.6992	.
95% CI	0.7096	0.7993	0.5817	0.8167
P-value	.	.	0.2492	.

Willing to Care for Someone on ART  
Variable name:pc6r

	Unexposed		Exposed	
Probability	0.9557	.	0.9621	.
95% CI	0.9343	0.9772	0.9402	0.9840
P-value	.	.	0.6363	.

People in the community joint together to help PLHIV  
Variable name:cn4r

	Unexposed		Exposed	
Probability	0.4814	.	0.5710	.
95% CI	0.4552	0.5075	0.4967	0.6452
P-value	.	.	0.0290	.

Keep Secret if Family Member has HIV  
Variable name:cn3r

	Unexposed		Exposed	
Probability	0.7272	.	0.7161	.
95% CI	0.6967	0.7578	0.6383	0.7939
P-value	.	.	0.7743	.

Cared for someone on ART  
Variable name:pc5r

	Unexposed		Exposed	
Probability	0.1861	.	0.1847	.
95% CI	0.1528	0.2195	0.1321	0.2372
P-value	.	.	0.9621	.

Agrees that wife inheritance is practiced in the community  
Variable name:cn12r

	Unexposed		Exposed	
Probability	0.1051	.	0.0854	.
95% CI	0.0771	0.1331	0.0531	0.1177
P-value	.	.	0.2661	.

HIV Stigma: Females Only

a9 Disagrees that HIV is a punishment for sinning  
Variable name:a9r

	Unexposed		Exposed	
Probability	0.5913	.	0.6040	.
95% CI	0.5315	0.6510	0.5087	0.6992
P-value	.	.	0.8169	.

a8 Disagrees that revealing HIV status doesn't help  
Variable name:a8r

	Unexposed		Exposed	
Probability	0.7405	.	0.7818	.
95% CI	0.6949	0.7862	0.6792	0.8844
P-value	.	.	0.4153	.

Willing to Care for Someone on ART  
Variable name:pc6r

	Unexposed		Exposed	
Probability	0.9436	.	0.9381	.
95% CI	0.9171	0.9702	0.8924	0.9838
P-value	.	.	0.7763	.

People in the community joint together to help PLHIV  
Variable name:cn4r

	Unexposed		Exposed	
Probability	0.4880	.	0.4051	.
95% CI	0.4285	0.5475	0.3220	0.4882
P-value	.	.	0.0331	.

Keep Secret if Family Member has HIV  
Variable name:cn3r

	Unexposed		Exposed	
Probability	0.6993	.	0.7582	.
95% CI	0.6195	0.7791	0.6748	0.8416
P-value	.	.	0.2163	.

Cared for someone on ART  
Variable name:pc5r

	Unexposed		Exposed	
Probability	0.2539	.	0.2852	.
95% CI	0.1916	0.3162	0.1974	0.3729
P-value	.	.	0.5172	.

Agrees that wife inheritance is practiced in the community  
Variable name:cn12r

	Unexposed		Exposed	
Probability	0.0960	.	0.0678	.
95% CI	0.0645	0.1275	0.0366	0.0991
P-value	.	.	0.2106	.

HIV Stigma: Males Only

a9 Disagrees that HIV is a punishment for sinning  
Variable name:a9r

	Unexposed		Exposed	
Probability	0.5985	.	0.4994	.
95% CI	0.5290	0.6679	0.4026	0.5962
P-value	.	.	0.0770	.

a8 Disagrees that revealing HIV status doesn't help  
Variable name:a8r

	Unexposed		Exposed	
Probability	0.7608	.	0.6484	.
95% CI	0.6753	0.8463	0.4950	0.8018
P-value	.	.	0.1722	.

Willing to Care for Someone on ART  
Variable name:pc6r

	Unexposed		Exposed	
Probability	0.9710	.	0.9726	.
95% CI	0.9552	0.9869	0.9419	1.0033
P-value	.	.	0.9246	.

People in the community joint together to help PLHIV  
Variable name:cn4r

	Unexposed		Exposed	
Probability	0.4780	.	0.7349	.
95% CI	0.4028	0.5533	0.6694	0.8004
P-value	.	.	0.0000	.

Keep Secret if Family Member has HIV  
Variable name:cn3r

	Unexposed		Exposed	
Probability	0.7594	.	0.6719	.
95% CI	0.6778	0.8410	0.5829	0.7609
P-value	.	.	0.1422	.

Cared for someone on ART  
Variable name:pc5r

	Unexposed		Exposed	
Probability	0.1003	.	0.1024	.
95% CI	0.0751	0.1256	0.0640	0.1407
P-value	.	.	0.9423	.

Agrees that wife inheritance is practiced in the community  
Variable name:cn12r

	Unexposed		Exposed	
Probability	0.1161	.	0.1099	.
95% CI	0.0784	0.1538	0.0636	0.1563
P-value	.	.	0.8357	.

Gender-Based Violence: Total Sample

Man has right to have sex for gifts  
Variable name:a6r

	Unexposed		Exposed	
Probability	0.2934	.	0.2594	.
95% CI	0.2599	0.3269	0.1747	0.3442
P-value	.	.	0.4401	.

Leaders Speak Out Against GBV  
Variable name:cn7r

	Unexposed		Exposed	
Probability	0.5480	.	0.6600	.
95% CI	0.5057	0.5904	0.5816	0.7384
P-value	.	.	0.0039	.

Forced Sex in the Last 12 Months  
Variable name:gbv\_sex12

	Unexposed		Exposed	
Probability	0.0331	.	0.0453	.
95% CI	0.0185	0.0477	0.0251	0.0656
P-value	.	.	0.1539	.

Physical GBV in the Last 12 Months  
Variable name:gbv\_hit12

	Unexposed		Exposed	
Probability	0.1060	.	0.1105	.
95% CI	0.0767	0.1353	0.0742	0.1469
P-value	.	.	0.8198	.

Reported forced sex to family member  
Variable name:fhitreport\_family

	Unexposed		Exposed	
Probability	0.1593	.	0.2926	.
95% CI	0.1323	0.1863	0.1828	0.4024
P-value	.	.	0.0204	.

Reported forced sex to a friend



Variable name:fhitreport\_friend

	Unexposed		Exposed	
Probability	0.0301	.	0.0541	.
95% CI	0.0093	0.0510	0.0175	0.0907
P-value	.	.	0.3133	.

Reported forced sex to a community member  
Variable name:fhitreport\_com

	Unexposed		Exposed	
Probability	0.4892	.	.	.
95% CI	.	.	.	.
P-value	.	.	.	.

Reported forced sex to a police  
Variable name:fhitreport\_police

	Unexposed		Exposed	
Probability	0.2363	.	0.2531	.
95% CI	0.1914	0.2811	0.1728	0.3334
P-value	.	.	0.7715	.

Reported forced sex to a authorities  
Variable name:fhitreport\_auth

	Unexposed		Exposed	
Probability	0.0080	.	0.0161	.
95% CI	0.0034	0.0126	-0.0091	0.0414
P-value	.	.	0.4133	.

Reported gbv to anyone  
Variable name:fhitreport\_any

	Unexposed		Exposed	
Probability	0.3141	.	0.5145	.
95% CI	0.2619	0.3664	0.4050	0.6239
P-value	.	.	0.0107	.

Gender-Based Violence: Females Only

Man has right to have sex for gifts  
Variable name:a6r

	Unexposed		Exposed	
Probability	0.3672	.	0.2281	.
95% CI	0.3036	0.4309	0.1407	0.3156
P-value	.	.	0.0221	.

Leaders Speak Out Against GBV  
Variable name:cn7r

	Unexposed		Exposed	
Probability	0.4455	.	0.4814	.
95% CI	0.3888	0.5023	0.3402	0.6227
P-value	.	.	0.6008	.

Forced Sex in the Last 12 Months  
Variable name:gbv\_sex12

	Unexposed		Exposed	
Probability	0.0505	.	0.0759	.
95% CI	0.0274	0.0736	0.0511	0.1006
P-value	.	.	0.0190	.

Physical GBV in the Last 12 Months  
Variable name:gbv\_hit12

	Unexposed		Exposed	
Probability	0.1194	.	0.1377	.
95% CI	0.1070	0.1319	0.0887	0.1866
P-value	.	.	0.4384	.

Reported forced sex to family member  
Variable name:fhitreport\_family

	Unexposed		Exposed	
Probability	0.0961	.	0.1981	.
95% CI	0.0698	0.1223	0.1042	0.2920
P-value	.	.	0.0309	.

Reported forced sex to a police  
Variable name:fhitreport\_police

	Unexposed		Exposed	
Probability	0.0795	.	0.0452	.
95% CI	0.0511	0.1078	0.0113	0.0791
P-value	.	.	0.2558	.

Reported forced sex to a authorities  
Variable name:fhitreport\_auth

	Unexposed		Exposed	
Probability	0.0302	.	.	.
95% CI	.	.	.	.
P-value	.	.	.	.

Reported gbv to anyone  
Variable name:fhitreport\_any

	Unexposed		Exposed	
Probability	0.2023	.	0.3343	.
95% CI	0.1649	0.2398	0.2074	0.4612
P-value	.	.	0.0378	.

Gender-Based Violence: Males Only

Man has right to have sex for gifts  
Variable name:a6r

	Unexposed		Exposed	
Probability	0.2078	.	0.2970	.
95% CI	0.1760	0.2395	0.2173	0.3768
P-value	.	.	0.0113	.

Leaders Speak Out Against GBV  
Variable name:cn7r

	Unexposed		Exposed	
Probability	0.6742	.	0.8030	.
95% CI	0.6475	0.7010	0.7300	0.8760
P-value	.	.	0.0105	.

Forced Sex in the Last 12 Months  
Variable name:gbv\_sex12

	Unexposed		Exposed	
Probability	0.0146	.	0.0082	.
95% CI	0.0079	0.0213	0.0017	0.0146
P-value	.	.	0.1221	.

Physical GBV in the Last 12 Months  
Variable name:gbv\_hit12

	Unexposed		Exposed	
Probability	0.0875	.	0.0968	.
95% CI	0.0435	0.1314	0.0376	0.1559
P-value	.	.	0.7782	.

Reported forced sex to family member  
Variable name:fhitreport\_family

	Unexposed		Exposed	
Probability	0.2734	.	0.3780	.
95% CI	0.2484	0.2984	0.2008	0.5552
P-value	.	.	0.1899	.

Reported forced sex to a friend

Variable name:fhitreport\_friend

	Unexposed		Exposed	
Probability	0.0038	.	0.2764	.
95% CI	.	.	.	.
P-value	.	.	.	.

Reported forced sex to a community member  
Variable name:fhitreport\_com

	Unexposed		Exposed	
Probability	0.5747	.	.	.
95% CI	.	.	.	.
P-value	.	.	.	.

Reported forced sex to a police  
Variable name:fhitreport\_police

	Unexposed		Exposed	
Probability	0.4403	.	0.6413	.
95% CI	0.3836	0.4971	0.4861	0.7964
P-value	.	.	0.0491	.

Reported forced sex to a authorities  
Variable name:fhitreport\_auth

	Unexposed		Exposed	
Probability	0.0054	.	0.0232	.
95% CI	.	.	.	.
P-value	.	.	.	.

Reported gbv to anyone  
Variable name:fhitreport\_any

	Unexposed		Exposed	
Probability	0.5303	.	0.6554	.
95% CI	0.4494	0.6112	0.4898	0.8211
P-value	.	.	0.2514	.

PART 3:  
EFFECT OF ONE LOVE BOOKLET EXPOSURE

Multiple Partners: Total Sample

Knows multiple sexual partners increase HIV Risk k5r  
 Variable name: k5r

	None		One		Two+	
Probability	0.8957	.	0.9406	.	0.8903	.
95% CI	0.8560	0.9354	0.9111	0.9701	0.8464	0.9341
p-value	.	.	0.0216	.	0.8830	.

People Discuss HIV Risk & Multiple Partners  
 Variable name: cn8r

	None		One		Two+	
Probability	0.5711	.	0.5289	.	0.5914	.
95% CI	0.5002	0.6421	0.4173	0.6405	0.5014	0.6813
p-value	.	.	0.4280	.	0.7854	.

Most married men faithful to wives  
 Variable name: alr

	None		One		Two+	
Probability	0.3429	.	0.3529	.	0.3329	.
95% CI	0.3201	0.3658	0.2900	0.4159	0.2769	0.3889
p-value	.	.	0.7905	.	0.7386	.

Leaders Discourage Multiple Partners  
 Variable name: cn9r

	None		One		Two+	
Probability	0.3914	.	0.3512	.	0.4573	.
95% CI	0.3292	0.4536	0.2657	0.4367	0.3548	0.5597
p-value	.	.	0.4368	.	0.3416	.

Men with many women are real men  
 Variable name: a5r

	None		One		Two+	
Probability	0.0759	.	0.0509	.	0.1036	.
95% CI	0.0640	0.0879	0.0209	0.0809	0.0697	0.1374
p-value	.	.	0.1661	.	0.2027	.

Can resist being unfaithful to main partner  
 Variable name: a2r

	None		One		Two+	
Probability	0.7581	.	0.7829	.	0.6758	.
95% CI	0.7166	0.7997	0.6935	0.8722	0.6134	0.7383
p-value	.	.	0.6162	.	0.0181	.

Does not need someone to fill gap  
Variable name: a3r

	None		One		Two+	
Probability	0.6430	.	0.6825	.	0.6833	.
95% CI	0.6018	0.6841	0.6119	0.7531	0.6210	0.7457
p-value	.	.	0.3044	.	0.3298	.

Multiple Partners (Last 12 Months) b2  
Variable name: mp1

	None		One		Two+	
Probability	0.2005	.	0.1502	.	0.1725	.
95% CI	0.1595	0.2415	0.0984	0.2020	0.1322	0.2128
p-value	.	.	0.0256	.	0.4138	.

Multiple Partners (Last Month)b4  
Variable name: mp2

	None		One		Two+	
Probability	0.0728	.	0.0454	.	0.0740	.
95% CI	0.0523	0.0932	0.0275	0.0633	0.0256	0.1225
p-value	.	.	0.0831	.	0.9706	.

Self-reported having concurrent partners in the past 12 months b3  
Variable name: b3r

	None		One		Two+	
Probability	0.1177	.	0.0800	.	0.0657	.
95% CI	0.0870	0.1484	0.0479	0.1121	0.0279	0.1035
p-value	.	.	0.1219	.	0.0362	.

Currently have more than one sexual partner (past 3 months) b5  
Variable name: b5r

	None		One		Two+	
--	------	--	-----	--	------	--



Probability	0.0826	.	0.0876	.	0.0787	.
95% CI	0.0613	0.1039	0.0501	0.1250	0.0348	0.1226
p-value	.	.	0.8381	.	0.9027	.

Number of Lifetime Partners b6  
Variable name: lifep

	None		One		Two+	
Mean	4.4202	.	3.6827	.	3.6758	.
95% CI	3.7190	5.1214	3.0042	4.3612	2.9902	4.3614
p-value	.	.	0.0565	.	0.2185	.

Received gifts or money in exchange for sex with last partner b20  
Variable name: gifts

	None		One		Two+	
Probability	0.1170	.	0.1203	.	0.1783	.
95% CI	0.0784	0.1556	0.0719	0.1687	0.1122	0.2443
p-value	.	.	0.8993	.	0.0609	.

Received gifts or money in exchange for sex with last partner, if regular  
Variable name: gifts\_reg

	None		One		Two+	
Probability	0.1048	.	0.1325	.	0.2356	.
95% CI	0.0794	0.1302	0.0737	0.1914	0.1507	0.3205
p-value	.	.	0.3964	.	0.0010	.

Received gifts or money in exchange for sex with last partner, if casual  
Variable name: gifts\_cas

	None		One		Two+	
Probability	0.1261	.	0.1380	.	0.1532	.
95% CI	0.0770	0.1752	0.0854	0.1906	0.0970	0.2094
p-value	.	.	0.7108	.	0.3943	.

Received gifts or money in exchange for sex with next to last partner  
Variable name: gifts\_B

	None		One		Two+	
Probability	0.0901	.	0.1980	.	0.0731	.
95% CI	0.0634	0.1167	0.1008	0.2951	0.0453	0.1010
p-value	.	.	0.0356	.	0.3842	.

Received gifts or money in exchange for sex with next to last partner, if casual  
 Variable name: gifts\_cas\_B

	None		One		Two+	
Probability	0.0743	.	0.1137	.	0.0731	.
95% CI	0.0531	0.0955	0.0284	0.1990	0.0453	0.1008
p-value	.	.	0.3501	.	0.9449	.

Received gifts or money in exchange for sex with third to last partner  
 Variable name: gifts\_C

	None		One		Two+	
Probability	0.1049	.	0.1479	.	0.0784	.
95% CI	0.0819	0.1278	0.0359	0.2600	0.0664	0.0903
p-value	.	.	0.2688	.	0.0331	.

Received gifts or money in exchange for sex with third to last partner, if casual  
 Variable name: gifts\_cas\_C

	None		One		Two+	
Probability	0.1102	.	0.0939	.	0.0809	.
95% CI	.	.	.	.	.	.
p-value	.	.	.	.	.	.

Gave gifts or money in exchange for sex with last partner b21  
 Variable name: paid

	None		One		Two+	
Probability	0.0723	.	0.0564	.	0.1337	.
95% CI	0.0451	0.0995	0.0217	0.0912	0.0570	0.2104
p-value	.	.	0.5199	.	0.1219	.

Gave gifts or money in exchange for sex with last partner, if regular  
 Variable name: paid\_reg

	None		One		Two+	
Probability	0.0521	.	0.0834	.	0.1844	.
95% CI	0.0336	0.0706	0.0453	0.1215	0.1106	0.2582
p-value	.	.	0.0592	.	0.0000	.

Gave gifts or money in exchange for sex with last partner, if casual  
 Variable name: paid\_cas

	None		One		Two+	
Probability	0.0790	.	0.0712	.	0.1090	.
95% CI	0.0507	0.1073	0.0289	0.1136	0.0465	0.1715
p-value	.	.	0.7888	.	0.3828	.

Gave gifts or money in exchange for sex with next to last partner

Variable name: paid\_B

	None		One		Two+	
Probability	0.1410	.	0.0530	.	0.1631	.
95% CI	0.0798	0.2021	0.0073	0.0987	0.0795	0.2467
p-value	.	.	0.0334	.	0.6600	.

Gave gifts or money in exchange for sex with next to last partner, if casual

Variable name: paid\_cas\_B

	None		One		Two+	
Probability	0.1413	.	0.0753	.	0.1609	.
95% CI	0.0868	0.1958	0.0087	0.1420	0.0786	0.2431
p-value	.	.	0.1351	.	0.6981	.

Gave gifts or money in exchange for sex with third to last partner

Variable name: paid\_C

	None		One		Two+	
Probability	0.1481	.	0.1500	.	0.1531	.
95% CI	0.1079	0.1882	0.0426	0.2573	0.0877	0.2185
p-value	.	.	0.9755	.	0.9061	.

Gave gifts or money in exchange for sex with third to last partner, if casual

Variable name: paid\_cas\_C

	None		One		Two+	
Probability	0.1470	.	0.1594	.	0.1562	.
95% CI	0.1057	0.1882	0.0561	0.2626	0.0910	0.2213
p-value	.	.	0.8361	.	0.8397	.

Multiple Partners: Females Only

Knows multiple sexual partners increase HIV Risk k5r  
Variable name: k5r

	None		One		Two+	
Probability	0.8499	.	0.9239	.	0.9010	.
95% CI	0.7824	0.9173	0.8829	0.9649	0.8449	0.9570
p-value	.	.	0.0186	.	0.3396	.

People Discuss HIV Risk & Multiple Partners  
Variable name: cn8r

	None		One		Two+	
Probability	0.5457	.	0.5315	.	0.4453	.
95% CI	0.4871	0.6044	0.4008	0.6622	0.3169	0.5737
p-value	.	.	0.8567	.	0.2160	.

Most married men faithful to wives  
Variable name: alr

	None		One		Two+	
Probability	0.3376	.	0.3797	.	0.3487	.
95% CI	0.2968	0.3784	0.2913	0.4681	0.2292	0.4682
p-value	.	.	0.3489	.	0.8546	.

Leaders Discourage Multiple Partners  
Variable name: cn9r

	None		One		Two+	
Probability	0.3222	.	0.3071	.	0.3403	.
95% CI	0.2476	0.3968	0.2195	0.3948	0.2434	0.4372
p-value	.	.	0.7983	.	0.7468	.

Men with many women are real men  
Variable name: a5r

	None		One		Two+	
Probability	0.0775	.	0.0697	.	0.0854	.
95% CI	0.0553	0.0998	0.0271	0.1123	0.0524	0.1184
p-value	.	.	0.7250	.	0.6450	.

Can resist being unfaithful to main partner

Variable name: a2r

	None		One		Two+	
Probability	0.7899	.	0.8240	.	0.6803	.
95% CI	0.7222	0.8575	0.7444	0.9037	0.5795	0.7811
p-value	.	.	0.5936	.	0.0185	.

Does not need someone to fill gap

Variable name: a3r

	None		One		Two+	
Probability	0.6250	.	0.6173	.	0.6504	.
95% CI	0.5664	0.6835	0.5090	0.7256	0.5595	0.7413
p-value	.	.	0.8839	.	0.4510	.

Multiple Partners (Last 12 Months) b2

Variable name: mp1

	None		One		Two+	
Probability	0.0793	.	0.0604	.	0.0363	.
95% CI	0.0456	0.1130	0.0169	0.1039	0.0134	0.0591
p-value	.	.	0.3555	.	0.0232	.

Multiple Partners (Last Month)b4

Variable name: mp2

	None		One		Two+	
Probability	0.0112	.	0.0024	.	0.0064	.
95% CI	0.0037	0.0188	-0.0002	0.0051	0.0016	0.0113
p-value	.	.	0.0286	.	0.1770	.

Self-reported having concurrent partners in the past 12 months b3

Variable name: b3r

	None		One		Two+	
Probability	0.0501	.	0.0296	.	0.0148	.
95% CI	0.0281	0.0720	0.0082	0.0509	0.0046	0.0250
p-value	.	.	0.2694	.	0.0067	.

Currently have more than one sexual partner (past 3 months) b5

Variable name: b5r

	None		One		Two+	
--	------	--	-----	--	------	--

Probability	0.0084	.	0.0387	.	0.0089	.
95% CI	0.0018	0.0150	0.0109	0.0665	0.0020	0.0157
p-value	.	.	0.0003	.	0.9101	.

Number of Lifetime Partners b6  
Variable name: lifep

	None		One		Two+	
Mean	2.8346	.	2.7212	.	3.1336	.
95% CI	2.5765	3.0926	2.0188	3.4235	2.6687	3.5986
p-value	.	.	0.7445	.	0.2167	.

Received gifts or money in exchange for sex with last partner b20  
Variable name: gifts

	None		One		Two+	
Probability	0.2006	.	0.2256	.	0.3099	.
95% CI	0.1323	0.2689	0.1313	0.3200	0.1931	0.4267
p-value	.	.	0.6117	.	0.0607	.

Received gifts or money in exchange for sex with last partner, if regular  
Variable name: gifts\_reg

	None		One		Two+	
Probability	0.1756	.	0.2139	.	0.3071	.
95% CI	0.1317	0.2194	0.1092	0.3186	0.2001	0.4141
p-value	.	.	0.5193	.	0.0183	.

Received gifts or money in exchange for sex with last partner, if casual  
Variable name: gifts\_cas

	None		One		Two+	
Probability	0.2203	.	0.2832	.	0.2877	.
95% CI	0.1346	0.3060	0.1763	0.3900	0.1806	0.3947
p-value	.	.	0.3162	.	0.2729	.

Received gifts or money in exchange for sex with next to last partner  
Variable name: gifts\_B

	None		One		Two+	
Probability	0.2742	.	0.6777	.	0.2837	.
95% CI	0.1989	0.3495	0.5327	0.8228	0.1475	0.4198
p-value	.	.	0.0013	.	0.9170	.

Received gifts or money in exchange for sex with next to last partner, if casual  
 Variable name: gifts\_cas\_B

	None		One		Two+	
Probability	0.2617	.	0.3614	.	0.3772	.
95% CI	0.1963	0.3270	0.1758	0.5470	0.2001	0.5544
p-value	.	.	0.2540	.	0.2405	.

Gave gifts or money in exchange for sex with last partner b21  
 Variable name: paid

	None		One		Two+	
Probability	0.0691	.	0.0623	.	0.1205	.
95% CI	0.0310	0.1072	0.0125	0.1120	0.0397	0.2013
p-value	.	.	0.8331	.	0.2001	.

Gave gifts or money in exchange for sex with last partner, if regular  
 Variable name: paid\_reg

	None		One		Two+	
Probability	0.0686	.	0.1198	.	0.1731	.
95% CI	0.0503	0.0869	0.0553	0.1844	0.1103	0.2359
p-value	.	.	0.0748	.	0.0001	.

Gave gifts or money in exchange for sex with last partner, if casual  
 Variable name: paid\_cas

	None		One		Two+	
Probability	0.0712	.	0.0861	.	0.0708	.
95% CI	0.0251	0.1173	0.0214	0.1508	0.0241	0.1175
p-value	.	.	0.6995	.	0.9891	.

Multiple Partners: Males Only

Knows multiple sexual partners increase HIV Risk k5r  
 Variable name: k5r

	None		One		Two+	
Probability	0.9442	.	0.9526	.	0.8874	.
95% CI	0.9215	0.9669	0.9261	0.9792	0.8340	0.9407
p-value	.	.	0.6575	.	0.0218	.

People Discuss HIV Risk & Multiple Partners  
 Variable name: cn8r

	None		One		Two+	
Probability	0.5881	.	0.4958	.	0.8072	.
95% CI	0.4911	0.6851	0.3625	0.6291	0.6599	0.9546
p-value	.	.	0.0521	.	0.0791	.

Most married men faithful to wives  
 Variable name: alr

	None		One		Two+	
Probability	0.3323	.	0.2987	.	0.3769	.
95% CI	0.2521	0.4125	0.1647	0.4327	0.3018	0.4519
p-value	.	.	0.5974	.	0.3692	.

Leaders Discourage Multiple Partners  
 Variable name: cn9r

	None		One		Two+	
Probability	0.4707	.	0.3603	.	0.5926	.
95% CI	0.3924	0.5491	0.2563	0.4643	0.4629	0.7223
p-value	.	.	0.0221	.	0.1518	.

Men with many women are real men  
 Variable name: a5r

	None		One		Two+	
Probability	0.0700	.	0.0431	.	0.1182	.
95% CI	0.0422	0.0977	0.0245	0.0617	0.0811	0.1553
p-value	.	.	0.0739	.	0.0708	.

Can resist being unfaithful to main partner  
 Variable name: a2r



	None		One		Two+	
Probability	0.7245	.	0.7416	.	0.6640	.
95% CI	0.6710	0.7781	0.6640	0.8192	0.6012	0.7268
p-value	.	.	0.5512	.	0.2208	.

Does not need someone to fill gap  
Variable name: a3r

	None		One		Two+	
Probability	0.7021	.	0.7199	.	0.6315	.
95% CI	0.6473	0.7569	0.6111	0.8288	0.5405	0.7225
p-value	.	.	0.7206	.	0.1087	.

Multiple Partners (Last 12 Months) b2  
Variable name: mp1

	None		One		Two+	
Probability	0.3435	.	0.2414	.	0.3643	.
95% CI	0.2880	0.3989	0.1608	0.3219	0.2505	0.4780
p-value	.	.	0.0667	.	0.7798	.

Multiple Partners (Last Month)b4  
Variable name: mp2

	None		One		Two+	
Probability	0.1459	.	0.1003	.	0.1578	.
95% CI	0.1002	0.1916	0.0595	0.1411	0.0397	0.2760
p-value	.	.	0.1956	.	0.8824	.

Self-reported having concurrent partners in the past 12 months b3  
Variable name: b3r

	None		One		Two+	
Probability	0.1903	.	0.1564	.	0.1404	.
95% CI	0.1538	0.2267	0.0875	0.2253	0.0209	0.2599
p-value	.	.	0.4489	.	0.4766	.

Currently have mmore than one sexual partner (past 3 months) b5  
Variable name: b5r

	None		One		Two+	
--	------	--	-----	--	------	--

Probability	0.1713	.	0.1258	.	0.1689	.
95% CI	0.1219	0.2208	0.0729	0.1788	0.0541	0.2837
p-value	.	.	0.3010	.	0.9758	.

Number of Lifetime Partners b6  
Variable name: lifep

	None		One		Two+	
Mean	6.1869	.	5.4033	.	5.0342	.
95% CI	4.8144	7.5594	3.8771	6.9295	2.9602	7.1082
p-value	.	.	0.4865	.	0.4882	.

Received gifts or money in exchange for sex with last partner b20  
Variable name: gifts

	None		One		Two+	
Probability	0.0136	.	0.0118	.	0.0303	.
95% CI	0.0086	0.0186	0.0040	0.0195	0.0098	0.0509
p-value	.	.	0.7125	.	0.0608	.

Received gifts or money in exchange for sex with last partner, if regular  
Variable name: gifts\_reg

	None		One		Two+	
Probability	0.0277	.	0.0694	.	0.1002	.
95% CI	0.0117	0.0436	0.0264	0.1125	0.0520	0.1483
p-value	.	.	0.0166	.	0.0017	.

Received gifts or money in exchange for sex with last partner, if casual  
Variable name: gifts\_cas

	None		One		Two+	
Probability	0.0137	.	0.0066	.	0.0248	.
95% CI	0.0073	0.0200	-0.0006	0.0138	0.0100	0.0396
p-value	.	.	0.1935	.	0.1122	.

Received gifts or money in exchange for sex with next to last partner  
Variable name: gifts\_B

	None		One		Two+	
Probability	0.0121	.	0.0384	.	0.0050	.
95% CI	0.0036	0.0206	0.0043	0.0724	-0.0000	0.0101
p-value	.	.	0.0403	.	0.1522	.

Received gifts or money in exchange for sex with next to last partner, if casual  
 Variable name: gifts\_cas\_B

	None		One		Two+	
Probability	0.0120	.	0.0342	.	0.0063	.
95% CI	0.0038	0.0203	-0.0029	0.0713	-0.0008	0.0133
p-value	.	.	0.1057	.	0.2538	.

Received gifts or money in exchange for sex with third to last partner  
 Variable name: gifts\_C

	None		One		Two+	
Probability	0.0315	.	0.1061	.	.	.
95% CI	.	.	.	.	.	.
p-value	.	.	.	.	.	.

Gave gifts or money in exchange for sex with last partner b21  
 Variable name: paid

	None		One		Two+	
Probability	0.0811	.	0.0652	.	0.1035	.
95% CI	0.0453	0.1169	0.0276	0.1027	0.0237	0.1832
p-value	.	.	0.4648	.	0.6595	.

Gave gifts or money in exchange for sex with last partner, if regular  
 Variable name: paid\_reg

	None		One		Two+	
Probability	0.0406	.	0.0535	.	0.0759	.
95% CI	0.0205	0.0607	0.0201	0.0869	0.0237	0.1282
p-value	.	.	0.5119	.	0.1245	.

Gave gifts or money in exchange for sex with last partner, if casual  
 Variable name: paid\_cas

	None		One		Two+	
Probability	0.0945	.	0.0688	.	0.1162	.
95% CI	0.0537	0.1354	0.0200	0.1175	0.0320	0.2004
p-value	.	.	0.3553	.	0.6949	.

Gave gifts or money in exchange for sex with next to last partner  
 Variable name: paid\_B

	None		One		Two+	
Probability	0.0945	.	0.0688	.	0.1162	.
95% CI	0.0537	0.1354	0.0200	0.1175	0.0320	0.2004
p-value	.	.	0.3553	.	0.6949	.

	None		One		Two+	
Probability	0.1633	.	0.0502	.	0.0600	.
95% CI	0.1175	0.2091	0.0099	0.0905	0.0282	0.0919
p-value	.	.	0.0014	.	0.0066	.

Gave gifts or money in exchange for sex with next to last partner, if casual  
Variable name: paid\_cas\_B

	None		One		Two+	
Probability	0.1634	.	0.0545	.	0.0585	.
95% CI	0.1178	0.2090	0.0112	0.0978	0.0287	0.0883
p-value	.	.	0.0045	.	0.0063	.

Gave gifts or money in exchange for sex with third to last partner  
Variable name: paid\_C

	None		One		Two+	
Probability	0.1367	.	0.0904	.	0.0732	.
95% CI	0.0973	0.1761	0.0345	0.1463	0.0251	0.1213
p-value	.	.	0.2191	.	0.0727	.

Gave gifts or money in exchange for sex with third to last partner, if casual  
Variable name: paid\_cas\_C

	None		One		Two+	
Probability	0.1354	.	0.0757	.	0.0766	.
95% CI	0.0988	0.1719	0.0195	0.1318	0.0284	0.1248
p-value	.	.	0.1050	.	0.0779	.

Other Risk Factors: Total Sample

Leaders Discourage Multiple Partners  
Variable name: cn10r

	None		One		Two+	
Probability	0.3794	.	0.3190	.	0.3608	.
95% CI	0.2972	0.4616	0.2098	0.4281	0.2982	0.4234
p-value	.	.	0.2284	.	0.7580	.

age at first sex  
Variable name: firstsex

	None		One		Two+	
Mean	20.1318	.	19.2167	.	20.2413	.
95% CI	19.1452	21.1185	17.5313	20.9021	18.4889	21.9937
p-value	.	.	0.4076	.	0.8910	.

10+ year age difference between respondent and last sexual partner  
Variable name: agedif\_a1

	None		One		Two+	
Probability	0.0762	.	0.1132	.	0.0895	.
95% CI	0.0586	0.0938	0.0691	0.1572	0.0614	0.1175
p-value	.	.	0.1556	.	0.4946	.

10+ year age difference between respondent and next to last sexual partner  
Variable name: agedif\_b1

	None		One		Two+	
Probability	0.0696	.	0.0774	.	0.0787	.
95% CI	0.0555	0.0836	0.0463	0.1086	0.0532	0.1043
p-value	.	.	0.6364	.	0.5496	.

10+ year age difference between respondent and third to last sexual partner  
Variable name: agedif\_c1

	None		One		Two+	
Probability	0.0580	.	0.1151	.	0.0054	.
95% CI	0.0176	0.0984	0.0584	0.1718	-0.0066	0.0173
p-value	.	.	0.0886	.	0.0902	.

Other Risk Factors: Females Only

Leaders Discourage Multiple Partners  
Variable name: cn10r

	None		One		Two+	
Probability	0.3322	.	0.2558	.	0.2262	.
95% CI	0.2558	0.4086	0.1555	0.3562	0.1314	0.3211
p-value	.	.	0.2113	.	0.0900	.

age at first sex  
Variable name: firstsex

	None		One		Two+	
Mean	20.5445	.	18.8535	.	19.2683	.
95% CI	18.9171	22.1718	16.8652	20.8418	17.5447	20.9919
p-value	.	.	0.2818	.	0.1258	.

10+ year age difference between respondent and last sexual partner  
Variable name: agedif\_a1

	None		One		Two+	
Probability	0.0855	.	0.1477	.	0.1149	.
95% CI	0.0528	0.1181	0.0743	0.2211	0.0575	0.1723
p-value	.	.	0.1613	.	0.3315	.

Other Risk Factors: Males Only

Leaders Discourage Multiple Partners  
 Variable name: cn10r

	None		One		Two+	
Probability	0.4351	.	0.3642	.	0.5208	.
95% CI	0.3830	0.4873	0.2306	0.4978	0.4348	0.6067
p-value	.	.	0.1985	.	0.1046	.

age at first sex  
 Variable name: firstsex

	None		One		Two+	
Mean	19.7193	.	19.1661	.	21.8539	.
95% CI	18.3875	21.0511	17.0423	21.2899	19.2969	24.4109
p-value	.	.	0.6887	.	0.2007	.

10+ year age difference between respondent and last sexual partner  
 Variable name: agedif\_a1

	None		One		Two+	
Probability	0.0738	.	0.0644	.	0.0442	.
95% CI	0.0514	0.0963	0.0212	0.1076	0.0255	0.0630
p-value	.	.	0.7354	.	0.0707	.

10+ year age difference between respondent and next to last sexual partner  
 Variable name: agedif\_b1

	None		One		Two+	
Probability	0.0830	.	0.0879	.	0.0599	.
95% CI	0.0695	0.0965	0.0580	0.1178	0.0393	0.0805
p-value	.	.	0.7658	.	0.0730	.

10+ year age difference between respondent and third to last sexual partner  
 Variable name: agedif\_c1

	None		One		Two+	
Probability	0.0581	.	0.0953	.	0.0158	.
95% CI	0.0231	0.0931	0.0326	0.1581	-0.0054	0.0369
p-value	.	.	0.3129	.	0.0829	.

HIV Communication: Total Sample

Discussed HIV/AIDS with Kids b25  
Variable name: disc\_spouse

	None		One		Two+	
Probability	0.8144	.	0.8030	.	0.8269	.
95% CI	0.7649	0.8640	0.6935	0.9125	0.7329	0.9209
p-value	.	.	0.8355	.	0.8392	.

Discussed HIV/AIDS with Kids b26  
Variable name: disc\_kids

	None		One		Two+	
Probability	0.5645	.	0.5415	.	0.5560	.
95% CI	0.5110	0.6180	0.4635	0.6195	0.4947	0.6173
p-value	.	.	0.6355	.	0.8259	.

Discussed HIV/AIDS with Friends b27  
Variable name: disc\_friends

	None		One		Two+	
Probability	0.6542	.	0.6697	.	0.6891	.
95% CI	0.5978	0.7106	0.5621	0.7773	0.5951	0.7830
p-value	.	.	0.8314	.	0.5805	.

Discussed HIV/AIDS with Spouse, Kids, and/or Friends  
Variable name: disc\_any

	None		One		Two+	
Probability	0.7386	.	0.7684	.	0.7619	.
95% CI	0.6839	0.7932	0.6968	0.8400	0.6829	0.8409
p-value	.	.	0.5804	.	0.6661	.

Percentage who are dissatisfied when having sex with spouse/regular cohabitating  
Variable name: b22r

	None		One		Two+	
Probability	0.1831	.	0.1089	.	0.1177	.
95% CI	0.1500	0.2163	0.0604	0.1574	0.0659	0.1694
p-value	.	.	0.0179	.	0.0759	.

Percentage who have talked with spouse/regular cohabitating partner about sexual  
Variable name: b23r



	None		One		Two+	
Probability	0.7728	.	0.6181	.	0.5869	.
95% CI	0.6940	0.8517	0.3646	0.8716	0.4397	0.7341
p-value	.	.	0.2955	.	0.0560	.

Sex life improves with communication about HIV  
Variable name: a4r

	None		One		Two+	
Probability	0.9023	.	0.8931	.	0.8342	.
95% CI	0.8703	0.9343	0.8485	0.9377	0.7696	0.8989
p-value	.	.	0.7578	.	0.0027	.

HIV Communication: Females Only

Discussed HIV/AIDS with Kids b25  
Variable name: disc\_spouse

	None		One		Two+	
Probability	0.8040	.	0.6287	.	0.8980	.
95% CI	0.7522	0.8557	0.4716	0.7857	0.7968	0.9993
p-value	.	.	0.0319	.	0.1534	.

Discussed HIV/AIDS with Kids b26  
Variable name: disc\_kids

	None		One		Two+	
Probability	0.4133	.	0.2949	.	0.3744	.
95% CI	0.3585	0.4680	0.1992	0.3907	0.2454	0.5033
p-value	.	.	0.0459	.	0.5955	.

Discussed HIV/AIDS with Friends b27  
Variable name: disc\_friends

	None		One		Two+	
Probability	0.6141	.	0.5959	.	0.5250	.
95% CI	0.5575	0.6706	0.4866	0.7051	0.3865	0.6636
p-value	.	.	0.7982	.	0.3129	.

Discussed HIV/AIDS with Spouse, Kids, and/or Friends  
Variable name: disc\_any

	None		One		Two+	
Probability	0.6903	.	0.6947	.	0.6030	.
95% CI	0.6383	0.7423	0.5972	0.7921	0.4719	0.7342
p-value	.	.	0.9476	.	0.3018	.

Percentage who are dissatisfied when having sex with spouse/regular cohabitating  
Variable name: b22r

	None		One		Two+	
Probability	0.0353	.	0.0189	.	0.0153	.
95% CI	0.0216	0.0489	0.0045	0.0333	0.0010	0.0297
p-value	.	.	0.1197	.	0.1443	.

Percentage who have talked with spouse/regular cohabitating partner about sexual  
Variable name: b23r

	None		One		Two+	
Probability	0.0345	.	0.0200	.	0.0068	.
95% CI	0.0207	0.0484	0.0070	0.0331	-0.0025	0.0160
p-value	.	.	0.1520	.	0.0555	.

Sex life improves with communication about HIV  
Variable name: a4r

	None		One		Two+	
Probability	0.9172	.	0.9218	.	0.8002	.
95% CI	0.8952	0.9392	0.8792	0.9645	0.7353	0.8650
p-value	.	.	0.8532	.	0.0000	.

HIV Communication: Males Only

Discussed HIV/AIDS with Kids b25  
Variable name: disc\_spouse

	None		One		Two+	
Probability	0.8040	.	0.6287	.	0.8980	.
95% CI	0.7522	0.8557	0.4716	0.7857	0.7968	0.9993
p-value	.	.	0.0319	.	0.1534	.

Discussed HIV/AIDS with Kids b26  
Variable name: disc\_kids

	None		One		Two+	
Probability	0.4133	.	0.2949	.	0.3744	.
95% CI	0.3585	0.4680	0.1992	0.3907	0.2454	0.5033
p-value	.	.	0.0459	.	0.5955	.

Discussed HIV/AIDS with Friends b27  
Variable name: disc\_friends

	None		One		Two+	
Probability	0.6141	.	0.5959	.	0.5250	.
95% CI	0.5575	0.6706	0.4866	0.7051	0.3865	0.6636
p-value	.	.	0.7982	.	0.3129	.

Discussed HIV/AIDS with Spouse, Kids, and/or Friends  
Variable name: disc\_any

	None		One		Two+	
Probability	0.6903	.	0.6947	.	0.6030	.
95% CI	0.6383	0.7423	0.5972	0.7921	0.4719	0.7342
p-value	.	.	0.9476	.	0.3018	.

Percentage who are dissatisfied when having sex with spouse/regular cohabitating  
Variable name: b22r

	None		One		Two+	
Probability	0.0353	.	0.0189	.	0.0153	.
95% CI	0.0216	0.0489	0.0045	0.0333	0.0010	0.0297
p-value	.	.	0.1197	.	0.1443	.

Percentage who have talked with spouse/regular cohabitating partner about sexual

Variable name: b23r

	None		One		Two+	
Probability	0.0345	.	0.0200	.	0.0068	.
95% CI	0.0207	0.0484	0.0070	0.0331	-0.0025	0.0160
p-value	.	.	0.1520	.	0.0555	.

Sex life improves with communication about HIV

Variable name: a4r

	None		One		Two+	
Probability	0.9172	.	0.9218	.	0.8002	.
95% CI	0.8952	0.9392	0.8792	0.9645	0.7353	0.8650
p-value	.	.	0.8532	.	0.0000	.

Condom Use: Total Sample

While in ART, PLHIV can transmit HIV k4r  
Variable name: k4r

	None		One		Two+	
Probability	0.9342	.	0.8996	.	0.8181	.
95% CI	0.9112	0.9571	0.8513	0.9479	0.7347	0.9014
p-value	.	.	0.1638	.	0.0004	.

Knows PLHIV on ART can transmit HIV k3r  
Variable name: k3r

	None		One		Two+	
Probability	0.8836	.	0.8317	.	0.8666	.
95% CI	0.8543	0.9128	0.7693	0.8942	0.8185	0.9148
p-value	.	.	0.0950	.	0.4228	.

Percentage who disagree that if one spouse is HIV+ the other certainly is k1r  
Variable name: k1r

	None		One		Two+	
Probability	0.4865	.	0.4304	.	0.5012	.
95% CI	0.4164	0.5565	0.3488	0.5120	0.4135	0.5890
p-value	.	.	0.2164	.	0.7564	.

Knows that STIs increase HIV infection k2r  
Variable name: k2r

	None		One		Two+	
Probability	0.8608	.	0.8445	.	0.8045	.
95% CI	0.8364	0.8851	0.7895	0.8996	0.7604	0.8486
p-value	.	.	0.6192	.	0.0371	.

Condom Use in Marriage Accepted  
Variable name: cn1r

	None		One		Two+	
Probability	0.6356	.	0.6440	.	0.7300	.
95% CI	0.5688	0.7024	0.5528	0.7352	0.6588	0.8013
p-value	.	.	0.8582	.	0.1221	.

Women Can Ask Regular Parnter to Use Condom  
Variable name: cn2r

	None		One		Two+	
Probability	0.7527	.	0.6912	.	0.6744	.
95% CI	0.7092	0.7962	0.6077	0.7746	0.5897	0.7592
p-value	.	.	0.1296	.	0.0919	.

Variable name: cn2ar

	None		One		Two+	
Probability	0.7313	.	0.7873	.	0.7241	.
95% CI	0.6912	0.7715	0.7051	0.8694	0.6658	0.7825
p-value	.	.	0.1586	.	0.8591	.

Condom use at last sex among those ever having sex b7  
Variable name: cls

	None		One		Two+	
Probability	0.5624	.	0.4776	.	0.6281	.
95% CI	0.5206	0.6041	0.4148	0.5405	0.5731	0.6830
p-value	.	.	0.0167	.	0.0252	.

Condom at last sex, if regular parnter  
Variable name: cls\_reg

	None		One		Two+	
Probability	0.3765	.	0.3601	.	0.4190	.
95% CI	0.3209	0.4320	0.2631	0.4572	0.3069	0.5310
p-value	.	.	0.7841	.	0.5268	.

Condom at last sex, if casual parnter  
Variable name: cls\_cas

	None		One		Two+	
Probability	0.8416	.	0.7622	.	0.8324	.
95% CI	0.7878	0.8953	0.6804	0.8440	0.7702	0.8946
p-value	.	.	0.1022	.	0.8048	.

Condom at last sex among those with multiple partners  
Variable name: cls\_mp

	None		One		Two+	
--	------	--	-----	--	------	--

Probability	0.7202	.	0.6686	.	0.8163	.
95% CI	0.6460	0.7945	0.5430	0.7942	0.7424	0.8902
p-value	.	.	0.4164	.	0.1988	.

Condom at last sex with a regular partner, among those with multiple partners  
Variable name: clsreg\_mp

	None		One		Two+	
Probability	0.5090	.	0.1645	.	0.6185	.
95% CI	.	.	.	.	.	.
p-value	.	.	.	.	.	.

Condom at last sex with a casual partner, among those with multiple partners  
Variable name: clscas\_mp

	None		One		Two+	
Probability	0.8901	.	0.9188	.	0.9482	.
95% CI	0.8347	0.9454	0.8670	0.9705	0.9179	0.9784
p-value	.	.	0.4471	.	0.1686	.

Always/usually used a condom with last sexual partner  
Variable name: freq\_cdm

	None		One		Two+	
Probability	0.7169	.	0.6399	.	0.7056	.
95% CI	0.6720	0.7619	0.5757	0.7040	0.6522	0.7591
p-value	.	.	0.0587	.	0.6674	.

Always/usually used a condom with next to last sexual partner  
Variable name: freq\_cdm2nd

	None		One		Two+	
Probability	0.8343	.	0.8952	.	0.8744	.
95% CI	0.7844	0.8842	0.8276	0.9628	0.8329	0.9159
p-value	.	.	0.2478	.	0.2236	.

Always/usually used a condom with third to last sexual partner  
Variable name: freq\_cdm3rd

	None		One		Two+	
Probability	0.6664	.	0.9632	.	0.6817	.
95% CI	0.6331	0.6998	0.8862	1.0403	0.6215	0.7419
p-value	.	.	0.0002	.	0.6210	.



condom use at last sex among those have sex in the last 12 months b19  
 Variable name: cls\_yr

	None		One		Two+	
Probability	0.7200	.	0.6505	.	0.7226	.
95% CI	0.6736	0.7664	0.5851	0.7159	0.6745	0.7707
p-value	.	.	0.0798	.	0.9076	.

Condom Use: Females Only

While in ART, PLHIV can transmit HIV k4r  
 Variable name: k4r

	None		One		Two+	
Probability	0.9196	.	0.8846	.	0.8748	.
95% CI	0.8878	0.9514	0.8276	0.9415	0.7908	0.9589
p-value	.	.	0.2896	.	0.2312	.

Knows PLHIV on ART can transmit HIV k3r  
 Variable name: k3r

	None		One		Two+	
Probability	0.8429	.	0.7484	.	0.8808	.
95% CI	0.7868	0.8990	0.6505	0.8463	0.8348	0.9268
p-value	.	.	0.0294	.	0.0997	.

Percentage who disagree that if one spouse is HIV+ the other certainly is k1r  
 Variable name: k1r

	None		One		Two+	
Probability	0.4335	.	0.3293	.	0.3811	.
95% CI	0.3451	0.5220	0.2217	0.4369	0.2980	0.4642
p-value	.	.	0.1562	.	0.4503	.

Knows that STIs increase HIV infection k2r  
 Variable name: k2r

	None		One		Two+	
Probability	0.8121	.	0.8345	.	0.8136	.
95% CI	0.7720	0.8523	0.7710	0.8980	0.7679	0.8594
p-value	.	.	0.6244	.	0.9581	.

Condom Use in Marriage Accepted  
 Variable name: cn1r

	None		One		Two+	
Probability	0.6113	.	0.6675	.	0.6804	.
95% CI	0.5402	0.6825	0.5487	0.7863	0.5984	0.7624
p-value	.	.	0.4163	.	0.1274	.

Women Can Ask Regular Parnter to Use Condom  
 Variable name: cn2r

	None		One		Two+	
Probability	0.7205	.	0.6625	.	0.6825	.
95% CI	0.6580	0.7829	0.5466	0.7783	0.5600	0.8050
p-value	.	.	0.3654	.	0.4776	.

Variable name: cn2ar

	None		One		Two+	
Probability	0.6296	.	0.7425	.	0.7407	.
95% CI	0.5633	0.6958	0.6327	0.8523	0.6301	0.8513
p-value	.	.	0.0785	.	0.0346	.

Condom use at last sex among those ever having sex b7  
Variable name: cls

	None		One		Two+	
Probability	0.5039	.	0.3849	.	0.5054	.
95% CI	0.4478	0.5599	0.2954	0.4744	0.4175	0.5933
p-value	.	.	0.0124	.	0.9784	.

Condom at last sex, if regular parnter  
Variable name: cls\_reg

	None		One		Two+	
Probability	0.3544	.	0.2996	.	0.3127	.
95% CI	0.3046	0.4043	0.2096	0.3896	0.2172	0.4083
p-value	.	.	0.3264	.	0.4723	.

Condom at last sex, if casual parnter  
Variable name: cls\_cas

	None		One		Two+	
Probability	0.8094	.	0.6230	.	0.6341	.
95% CI	0.7490	0.8699	0.5098	0.7363	0.5213	0.7469
p-value	.	.	0.0050	.	0.0211	.

Condom at last sex among those with multiple partners  
Variable name: cls\_mp

	None		One		Two+	
--	------	--	-----	--	------	--

Probability	0.5225	.	0.1679	.	0.4621	.
95% CI	0.3962	0.6487	-0.0194	0.3553	0.2903	0.6338
p-value	.	.	0.0130	.	0.5774	.

Always/usually used a condom with last sexual partner  
Variable name: freq\_cdm

	None		One		Two+	
Probability	0.6746	.	0.5317	.	0.5432	.
95% CI	0.6123	0.7368	0.4361	0.6273	0.4548	0.6316
p-value	.	.	0.0158	.	0.0353	.

condom use at last sex among those have sex in the last 12 months b19  
Variable name: cls\_yr

	None		One		Two+	
Probability	0.6763	.	0.5284	.	0.5434	.
95% CI	0.6147	0.7378	0.4239	0.6329	0.4531	0.6337
p-value	.	.	0.0168	.	0.0317	.

Condom Use: Males Only

While in ART, PLHIV can transmit HIV k4r  
Variable name: k4r

	None		One		Two+	
Probability	0.9494	.	0.9355	.	0.7194	.
95% CI	0.9289	0.9699	0.9038	0.9673	0.6048	0.8339
p-value	.	.	0.4564	.	0.0003	.

Knows PLHIV on ART can transmit HIV k3r  
Variable name: k3r

	None		One		Two+	
Probability	0.9280	.	0.9304	.	0.8537	.
95% CI	0.9011	0.9548	0.8821	0.9788	0.7996	0.9077
p-value	.	.	0.9272	.	0.0221	.

Percentage who disagree that if one spouse is HIV+ the other certainly is k1r  
Variable name: k1r

	None		One		Two+	
Probability	0.5533	.	0.5850	.	0.6063	.
95% CI	0.4870	0.6196	0.4777	0.6923	0.4712	0.7413
p-value	.	.	0.5005	.	0.4486	.

Knows that STIs increase HIV infection k2r  
Variable name: k2r

	None		One		Two+	
Probability	0.9042	.	0.8487	.	0.8174	.
95% CI	0.8785	0.9298	0.7805	0.9170	0.7213	0.9136
p-value	.	.	0.1022	.	0.0789	.

Condom Use in Marriage Accepted  
Variable name: cn1r

	None		One		Two+	
Probability	0.6576	.	0.5783	.	0.8110	.
95% CI	0.5763	0.7390	0.4785	0.6780	0.7058	0.9163
p-value	.	.	0.1473	.	0.0680	.

Women Can Ask Regular Parnter to Use Condom  
Variable name: cn2r

	None		One		Two+	
Probability	0.7982	.	0.6808	.	0.6489	.
95% CI	0.7507	0.8457	0.5771	0.7845	0.5573	0.7405
p-value	.	.	0.0077	.	0.0121	.

Variable name: cn2ar

	None		One		Two+	
Probability	0.8425	.	0.8239	.	0.6727	.
95% CI	0.8038	0.8812	0.7652	0.8826	0.5690	0.7765
p-value	.	.	0.5029	.	0.0091	.

Condom use at last sex among those ever having sex b7  
Variable name: cls

	None		One		Two+	
Probability	0.6400	.	0.5548	.	0.7694	.
95% CI	0.5648	0.7152	0.4435	0.6660	0.6436	0.8952
p-value	.	.	0.1704	.	0.1605	.

Condom at last sex, if regular parnter  
Variable name: cls\_reg

	None		One		Two+	
Probability	0.4003	.	0.5563	.	0.5977	.
95% CI	0.3187	0.4820	0.4552	0.6575	0.4250	0.7705
p-value	.	.	0.0260	.	0.0398	.

Condom at last sex, if casual parnter  
Variable name: cls\_cas

	None		One		Two+	
Probability	0.8910	.	0.9197	.	0.9908	.
95% CI	0.8483	0.9338	0.8680	0.9715	0.9708	1.0109
p-value	.	.	0.3112	.	0.0319	.

Condom at last sex among those with multiple partners  
Variable name: cls\_mp

	None		One		Two+	
--	------	--	-----	--	------	--

Probability	0.7875	.	0.8248	.	0.8236	.
95% CI	0.7385	0.8365	0.7195	0.9300	0.7298	0.9174
p-value	.	.	0.5450	.	0.6032	.

Condom at last sex with a casual partner, among those with multiple partners  
Variable name: clscas\_mp

	None		One		Two+	
Probability	0.8886	.	0.8983	.	0.9995	.
95% CI	0.8537	0.9234	0.8488	0.9479	0.9979	1.0011
p-value	.	.	0.7479	.	0.0002	.

Always/usually used a condom with last sexual partner  
Variable name: freq\_cdm

	None		One		Two+	
Probability	0.7827	.	0.7520	.	0.8815	.
95% CI	0.7428	0.8226	0.6546	0.8494	0.8409	0.9221
p-value	.	.	0.5776	.	0.0012	.

Always/usually used a condom with next to last sexual partner  
Variable name: freq\_cdm2nd

	None		One		Two+	
Probability	0.9585	.	0.9600	.	0.9739	.
95% CI	0.9457	0.9713	0.9340	0.9860	0.9538	0.9940
p-value	.	.	0.9148	.	0.2333	.

Always/usually used a condom with third to last sexual partner  
Variable name: freq\_cdm3rd

	None		One		Two+	
Probability	0.8152	.	0.9560	.	0.9344	.
95% CI	0.6939	0.9365	0.8917	1.0204	0.8753	0.9934
p-value	.	.	0.0045	.	0.0010	.

condom use at last sex among those have sex in the last 12 months b19  
Variable name: cls\_yr

	None		One		Two+	
Probability	0.7901	.	0.8032	.	0.9268	.
95% CI	0.7523	0.8280	0.7281	0.8784	0.8736	0.9800
p-value	.	.	0.7703	.	0.0042	.





HIV Testing: Total Sample

Pregnant woman should test for HIV k7r  
Variable name: k7r

	None		One		Two+	
Probability	0.9626	.	0.9485	.	0.9110	.
95% CI	0.9514	0.9738	0.9108	0.9862	0.8778	0.9442
p-value	.	.	0.4256	.	0.0006	.

Knows TB can be cured if HIV+ k6r  
Variable name: k6r

	None		One		Two+	
Probability	0.7152	.	0.6924	.	0.6817	.
95% CI	0.6705	0.7599	0.6221	0.7627	0.6058	0.7576
p-value	.	.	0.4762	.	0.4957	.

Knows that the risk of contracting HIV decreases for a circumcised man k10r  
Variable name: k10r

	None		One		Two+	
Probability	0.7083	.	0.6378	.	0.7274	.
95% CI	0.6619	0.7547	0.5605	0.7151	0.6473	0.8074
p-value	.	.	0.0064	.	0.6644	.

a10b Agrees that only way to know you are HIV positive is through blood test  
Variable name: a10br

	None		One		Two+	
Probability	0.9502	.	0.9365	.	0.9480	.
95% CI	0.9311	0.9693	0.9075	0.9654	0.9114	0.9846
p-value	.	.	0.2331	.	0.9000	.

a10 Important to Know HIV Status  
Variable name: a10r

	None		One		Two+	
Probability	0.9706	.	0.9811	.	0.9565	.
95% CI	0.9597	0.9815	0.9656	0.9967	0.9374	0.9756
p-value	.	.	0.3620	.	0.1804	.

Worried about Becoming Infected  
Variable name: allr

	None		One		Two+	
Probability	0.6149	.	0.5259	.	0.6253	.
95% CI	0.5626	0.6671	0.4712	0.5806	0.4915	0.7591
p-value	.	.	0.0086	.	0.8742	.

Likely to be Infected Now  
Variable name: a12r

	None		One		Two+	
Probability	0.2271	.	0.2766	.	0.3827	.
95% CI	0.1675	0.2867	0.2141	0.3392	0.2757	0.4896
p-value	.	.	0.2755	.	0.0441	.

Agrees that wife/cohabitating partner has another partner b8  
Variable name: b8r

	None		One		Two+	
Probability	0.0840	.	0.1333	.	0.1155	.
95% CI	0.0563	0.1117	0.0613	0.2052	-0.0007	0.2318
p-value	.	.	0.1202	.	0.5599	.

Agrees that husband/cohabitating partner has another wife b9  
Variable name: b9r

	None		One		Two+	
Probability	0.0834	.	0.0995	.	0.0736	.
95% CI	0.0505	0.1164	0.0418	0.1573	0.0351	0.1121
p-value	.	.	0.6073	.	0.6932	.

Agrees that husband/cohabitating partner has another sex partner who is not a wi  
Variable name: b10r

	None		One		Two+	
Probability	0.1487	.	0.1460	.	0.2254	.
95% CI	0.0972	0.2003	0.0552	0.2367	0.1005	0.3503
p-value	.	.	0.9514	.	0.2345	.

Thinks that last partner had other sexual partners  
Variable name: b18\_r1a

	None		One		Two+	
--	------	--	-----	--	------	--

Probability	0.2160	.	0.2190	.	0.2275	.
95% CI	0.1898	0.2422	0.1495	0.2886	0.1581	0.2968
p-value	.	.	0.9420	.	0.7186	.

Thinks that next to last partner had other sexual partners  
Variable name: b18\_r2a

	None		One		Two+	
Probability	0.3715	.	0.3235	.	0.4244	.
95% CI	0.2702	0.4728	0.1598	0.4872	0.2479	0.6008
p-value	.	.	0.5210	.	0.5992	.

Thinks that third to last partner had other sexual partners  
Variable name: b18\_r3a

	None		One		Two+	
Probability	0.3853	.	0.7300	.	0.2179	.
95% CI	0.2876	0.4830	0.5598	0.9003	0.1041	0.3316
p-value	.	.	0.0003	.	0.0386	.

Leaders Encourage HIV Testing  
Variable name: cn5r

	None		One		Two+	
Probability	0.5350	.	0.5227	.	0.5453	.
95% CI	0.4850	0.5850	0.4699	0.5755	0.4767	0.6139
p-value	.	.	0.7466	.	0.6852	.

Knows where to get HIV/AIDS info. k11r  
Variable name: k11r

	None		One		Two+	
Probability	0.9047	.	0.9117	.	0.9295	.
95% CI	0.8765	0.9330	0.8589	0.9644	0.8823	0.9766
p-value	.	.	0.7718	.	0.2901	.

a7 Disagrees that HIV Means Life is Over  
Variable name: a7r

	None		One		Two+	
Probability	0.7920	.	0.7903	.	0.8331	.
95% CI	0.7479	0.8360	0.7445	0.8361	0.7669	0.8994
p-value	.	.	0.9552	.	0.4119	.

Ever Tested for HIV b24  
Variable name: evertest

	None		One		Two+	
Probability	0.7365	.	0.6974	.	0.7127	.
95% CI	0.6957	0.7773	0.6434	0.7513	0.6408	0.7847
p-value	.	.	0.2918	.	0.6464	.

Number of Times Tested for HIV b24a  
Variable name: numtest

	None		One		Two+	
Mean	2.2777	.	2.6584	.	1.9221	.
95% CI	2.0152	2.5402	1.4486	3.8682	1.6474	2.1968
p-value	.	.	0.5233	.	0.0902	.

HIV Test in the Last 12 Months b24b  
Variable name: hivtest

	None		One		Two+	
Probability	0.5481	.	0.5396	.	0.5571	.
95% CI	0.4974	0.5987	0.4955	0.5837	0.4852	0.6290
p-value	.	.	0.8020	.	0.8604	.

Received results of most recent HIV test b24c  
Variable name: hivresults

	None		One		Two+	
Probability	0.9926	.	0.9737	.	0.9081	.
95% CI	0.9876	0.9976	0.9534	0.9940	0.8508	0.9653
p-value	.	.	0.0359	.	0.0002	.

Discussed results of most recent HIV test b24d  
Variable name: results\_disc

	None		One		Two+	
Probability	0.8629	.	0.8854	.	0.8378	.
95% CI	0.8177	0.9081	0.8311	0.9397	0.7900	0.8855
p-value	.	.	0.4534	.	0.4855	.

HIV Testing: Females Only

Pregnant woman should test for HIV k7r  
 Variable name: k7r

	None		One		Two+	
Probability	0.9723	.	0.9475	.	0.9743	.
95% CI	0.9605	0.9841	0.9109	0.9841	0.9546	0.9940
p-value	.	.	0.1756	.	0.8659	.

Knows TB can be cured if HIV+ k6r  
 Variable name: k6r

	None		One		Two+	
Probability	0.6874	.	0.6689	.	0.6582	.
95% CI	0.6225	0.7523	0.5821	0.7557	0.5551	0.7614
p-value	.	.	0.6951	.	0.5826	.

Knows that the risk of contracting HIV decreases for a circumcised man k10r  
 Variable name: k10r

	None		One		Two+	
Probability	0.6182	.	0.4710	.	0.6611	.
95% CI	0.5519	0.6845	0.3646	0.5773	0.5668	0.7554
p-value	.	.	0.0005	.	0.4420	.

a10b Agrees that only way to know you are HIV positive is through blood test  
 Variable name: a10br

	None		One		Two+	
Probability	0.9794	.	0.9808	.	0.9628	.
95% CI	0.9662	0.9925	0.9672	0.9944	0.9454	0.9803
p-value	.	.	0.8418	.	0.0121	.

a10 Important to Know HIV Status  
 Variable name: a10r

	None		One		Two+	
Probability	0.9609	.	0.9915	.	0.9474	.
95% CI	0.9449	0.9768	0.9820	1.0009	0.9261	0.9687
p-value	.	.	0.0080	.	0.3053	.

Worried about Becoming Infected  
 Variable name: allr

	None		One		Two+	
Probability	0.5777	.	0.5778	.	0.6249	.
95% CI	0.5150	0.6405	0.4261	0.7296	0.4923	0.7576
p-value	.	.	0.9989	.	0.4838	.

Likely to be Infected Now  
Variable name: a12r

	None		One		Two+	
Probability	0.3071	.	0.3640	.	0.3176	.
95% CI	0.2262	0.3879	0.2672	0.4609	0.1999	0.4352
p-value	.	.	0.4389	.	0.8833	.

Agrees that husband/cohabitating partner has another wife b9  
Variable name: b9r

	None		One		Two+	
Probability	0.0834	.	0.0995	.	0.0736	.
95% CI	0.0505	0.1164	0.0418	0.1573	0.0351	0.1121
p-value	.	.	0.6073	.	0.6932	.

Agrees that husband/cohabitating partner has another sex partner who is not a wi  
Variable name: b10r

	None		One		Two+	
Probability	0.1487	.	0.1460	.	0.2254	.
95% CI	0.0972	0.2003	0.0552	0.2367	0.1005	0.3503
p-value	.	.	0.9514	.	0.2345	.

Thinks that last partner had other sexual partners  
Variable name: b18\_r1a

	None		One		Two+	
Probability	0.2758	.	0.3303	.	0.3150	.
95% CI	0.2013	0.3502	0.2141	0.4464	0.1982	0.4318
p-value	.	.	0.5187	.	0.4282	.

Thinks that next to last partner had other sexual partners  
Variable name: b18\_r2a

	None		One		Two+	
--	------	--	-----	--	------	--

Probability	0.4305	.	0.4126	.	0.4395	.
95% CI	0.3767	0.4844	0.2628	0.5624	0.3589	0.5201
p-value	.	.	0.8330	.	0.8717	.

Thinks that third to last partner had other sexual partners  
Variable name: b18\_r3a

	None		One		Two+	
Probability	0.1484	.	0.0349	.	0.6994	.
95% CI	.	.	.	.	.	.
p-value	.	.	.	.	.	.

Leaders Encourage HIV Testing  
Variable name: cn5r

	None		One		Two+	
Probability	0.4932	.	0.4969	.	0.4767	.
95% CI	0.4395	0.5469	0.3977	0.5961	0.4045	0.5490
p-value	.	.	0.9475	.	0.7582	.

Knows where to get HIV/AIDS info. k11r  
Variable name: k11r

	None		One		Two+	
Probability	0.8684	.	0.8558	.	0.8950	.
95% CI	0.8343	0.9026	0.7938	0.9179	0.8238	0.9662
p-value	.	.	0.6696	.	0.4264	.

a7 Disagrees that HIV Means Life is Over  
Variable name: a7r

	None		One		Two+	
Probability	0.7704	.	0.8178	.	0.8959	.
95% CI	0.7362	0.8046	0.7155	0.9201	0.8287	0.9631
p-value	.	.	0.3519	.	0.0121	.

Ever Tested for HIV b24  
Variable name: evertest

	None		One		Two+	
Probability	0.7971	.	0.7724	.	0.8426	.
95% CI	0.7618	0.8324	0.7028	0.8420	0.7678	0.9175
p-value	.	.	0.5575	.	0.2729	.

Number of Times Tested for HIV b24a  
 Variable name: numtest

	None		One		Two+	
Mean	2.8854	.	3.4333	.	1.9915	.
95% CI	2.4426	3.3281	1.8564	5.0103	1.4288	2.5542
p-value	.	.	0.4347	.	0.0163	.

HIV Test in the Last 12 Months b24b  
 Variable name: hivtest

	None		One		Two+	
Probability	0.5703	.	0.5925	.	0.6716	.
95% CI	0.5133	0.6272	0.5072	0.6779	0.5695	0.7738
p-value	.	.	0.6243	.	0.0684	.

Received results of most recent HIV test b24c  
 Variable name: hivresults

	None		One		Two+	
Probability	0.9838	.	0.9855	.	0.9680	.
95% CI	0.9743	0.9933	0.9759	0.9950	0.9472	0.9887
p-value	.	.	0.8264	.	0.0756	.

Discussed results of most recent HIV test b24d  
 Variable name: results\_disc

	None		One		Two+	
Probability	0.8711	.	0.9158	.	0.8590	.
95% CI	0.8217	0.9206	0.8732	0.9584	0.8156	0.9024
p-value	.	.	0.1925	.	0.6930	.



HIV Testing: Males Only

Pregnant woman should test for HIV k7r  
Variable name: k7r

	None		One		Two+	
Probability	0.9538	.	0.9591	.	0.7841	.
95% CI	0.9379	0.9698	0.9286	0.9896	0.6965	0.8717
p-value	.	.	0.7496	.	0.0000	.

Knows TB can be cured if HIV+ k6r  
Variable name: k6r

	None		One		Two+	
Probability	0.7424	.	0.7105	.	0.7293	.
95% CI	0.6843	0.8004	0.6283	0.7928	0.6169	0.8417
p-value	.	.	0.5441	.	0.8616	.

Knows that the risk of contracting HIV decreases for a circumcised man k10r  
Variable name: k10r

	None		One		Two+	
Probability	0.8143	.	0.8447	.	0.7484	.
95% CI	0.7814	0.8473	0.7814	0.9079	0.6436	0.8531
p-value	.	.	0.4186	.	0.1582	.

a10b Agrees that only way to know you are HIV positive is through blood test  
Variable name: a10br

	None		One		Two+	
Probability	0.9078	.	0.8956	.	0.9688	.
95% CI	0.8884	0.9273	0.8642	0.9270	0.9470	0.9905
p-value	.	.	0.4314	.	0.0000	.

a10 Important to Know HIV Status  
Variable name: a10r

	None		One		Two+	
Probability	0.9760	.	0.9537	.	0.9731	.
95% CI	0.9657	0.9863	0.9207	0.9866	0.9575	0.9886
p-value	.	.	0.0688	.	0.7529	.

Worried about Becoming Infected  
Variable name: allr

	None		One		Two+	
Probability	0.6446	.	0.4779	.	0.6326	.
95% CI	0.5976	0.6916	0.3638	0.5921	0.5046	0.7607
p-value	.	.	0.0159	.	0.8673	.

Likely to be Infected Now  
Variable name: a12r

	None		One		Two+	
Probability	0.1579	.	0.1744	.	0.4058	.
95% CI	0.1141	0.2016	0.0525	0.2962	0.2754	0.5362
p-value	.	.	0.7684	.	0.0025	.

Agrees that wife/cohabitating partner has another partner b8  
Variable name: b8r

	None		One		Two+	
Probability	0.0840	.	0.1333	.	0.1155	.
95% CI	0.0563	0.1117	0.0613	0.2052	-0.0007	0.2318
p-value	.	.	0.1202	.	0.5599	.

Thinks that last partner had other sexual partners  
Variable name: b18\_r1a

	None		One		Two+	
Probability	0.1428	.	0.0879	.	0.1140	.
95% CI	0.0795	0.2061	0.0387	0.1371	0.0526	0.1753
p-value	.	.	0.2042	.	0.5057	.

Thinks that next to last partner had other sexual partners  
Variable name: b18\_r2a

	None		One		Two+	
Probability	0.3857	.	0.3217	.	0.2990	.
95% CI	0.3114	0.4600	0.1925	0.4509	0.1033	0.4947
p-value	.	.	0.3407	.	0.4699	.

Thinks that third to last partner had other sexual partners  
Variable name: b18\_r3a

	None		One		Two+	
--	------	--	-----	--	------	--

Probability	0.3699	.	0.7426	.	0.2732	.
95% CI	0.2746	0.4651	0.5821	0.9031	0.1435	0.4030
p-value	.	.	0.0024	.	0.2543	.

Leaders Encourage HIV Testing  
Variable name: cn5r

	None		One		Two+	
Probability	0.5862	.	0.4781	.	0.6545	.
95% CI	0.5209	0.6515	0.3355	0.6207	0.5641	0.7449
p-value	.	.	0.0381	.	0.2175	.

Knows where to get HIV/AIDS info. k11r  
Variable name: k11r

	None		One		Two+	
Probability	0.9529	.	0.9626	.	0.9427	.
95% CI	0.9304	0.9754	0.9333	0.9919	0.8985	0.9870
p-value	.	.	0.4716	.	0.6194	.

a7 Disagrees that HIV Means Life is Over  
Variable name: a7r

	None		One		Two+	
Probability	0.8154	.	0.7299	.	0.7434	.
95% CI	0.7531	0.8777	0.6356	0.8243	0.6578	0.8289
p-value	.	.	0.0616	.	0.0880	.

Ever Tested for HIV b24  
Variable name: evertest

	None		One		Two+	
Probability	0.6701	.	0.6386	.	0.5391	.
95% CI	0.6217	0.7185	0.5565	0.7208	0.4282	0.6501
p-value	.	.	0.5386	.	0.0919	.

Number of Times Tested for HIV b24a  
Variable name: numtest

	None		One		Two+	
Mean	1.6693	.	1.7282	.	1.6415	.
95% CI	1.5588	1.7797	1.4904	1.9660	1.4055	1.8775
p-value	.	.	0.6891	.	0.8510	.

HIV Test in the Last 12 Months b24b  
 Variable name: hivtest

	None		One		Two+	
Probability	0.5299	.	0.5013	.	0.3840	.
95% CI	0.4842	0.5755	0.4248	0.5779	0.2856	0.4823
p-value	.	.	0.4842	.	0.0463	.

Discussed results of most recent HIV test b24d  
 Variable name: results\_disc

	None		One		Two+	
Probability	0.8378	.	0.8436	.	0.8217	.
95% CI	0.7743	0.9014	0.7608	0.9264	0.7564	0.8870
p-value	.	.	0.9047	.	0.7035	.

HIV Treatment: Total Sample

Knows ARVs prevent MCT during pregnancy k8ar  
Variable name: k8ar

	None		One		Two+	
Probability	0.7852	.	0.7583	.	0.8114	.
95% CI	0.7257	0.8447	0.6905	0.8261	0.7549	0.8679
p-value	.	.	0.2898	.	0.4168	.

Knows ARVs prevent MCT during childbirth k8br  
Variable name: k8br

	None		One		Two+	
Probability	0.7571	.	0.7080	.	0.8051	.
95% CI	0.7027	0.8116	0.6580	0.7579	0.7293	0.8809
p-value	.	.	0.0918	.	0.2783	.

Knows ARVs prevent MCT during breastfeeding k8cr  
Variable name: k8cr

	None		One		Two+	
Probability	0.6298	.	0.6481	.	0.6725	.
95% CI	0.5485	0.7111	0.5555	0.7408	0.5906	0.7543
p-value	.	.	0.6927	.	0.3397	.

Knows how often people should take ARVs k9r  
Variable name: k9r

	None		One		Two+	
Probability	0.8721	.	0.8518	.	0.8547	.
95% CI	0.8293	0.9148	0.7979	0.9058	0.7861	0.9233
p-value	.	.	0.4914	.	0.7146	.

Leaders Encourage HIV Treatment  
Variable name: cn6r

	None		One		Two+	
Probability	0.6367	.	0.5722	.	0.6237	.
95% CI	0.5962	0.6773	0.5111	0.6334	0.5613	0.6861
p-value	.	.	0.0918	.	0.7577	.

Has ever taken ARVs b28  
 Variable name: b28r

	None		One		Two+	
Probability	0.0607	.	0.0621	.	0.0662	.
95% CI	0.0463	0.0752	0.0165	0.1077	0.0260	0.1065
p-value	.	.	0.9507	.	0.7431	.

Received support from an ARV treatment buddy or CBV, among those who have ever t  
 Variable name: b29r

	None		One		Two+	
Probability	0.1192	.	0.3995	.	0.3815	.
95% CI	0.0628	0.1756	0.2162	0.5828	0.1657	0.5973
p-value	.	.	0.0001	.	0.0029	.

Does not struggle to take your ARV drugs as advised by the doctor b30  
 Variable name: b30r

	None		One		Two+	
Probability	0.0827	.	0.0251	.	0.0042	.
95% CI	0.0260	0.1394	-0.0001	0.0502	-0.0008	0.0091
p-value	.	.	0.0309	.	0.0002	.

HIV Treatment: Females Only

Knows ARVs prevent MCT during pregnancy k8ar  
Variable name: k8ar

	None		One		Two+	
Probability	0.7301	.	0.7456	.	0.8166	.
95% CI	0.6532	0.8069	0.6488	0.8424	0.7337	0.8994
p-value	.	.	0.6508	.	0.0060	.

Knows ARVs prevent MCT during childbirth k8br  
Variable name: k8br

	None		One		Two+	
Probability	0.7425	.	0.7467	.	0.8420	.
95% CI	0.6878	0.7973	0.6760	0.8173	0.7699	0.9141
p-value	.	.	0.9287	.	0.1051	.

Knows ARVs prevent MCT during breastfeeding k8cr  
Variable name: k8cr

	None		One		Two+	
Probability	0.6526	.	0.7156	.	0.7863	.
95% CI	0.5945	0.7107	0.5896	0.8416	0.7147	0.8579
p-value	.	.	0.4197	.	0.0304	.

Knows how often people should take ARVs k9r  
Variable name: k9r

	None		One		Two+	
Probability	0.8556	.	0.8423	.	0.8924	.
95% CI	0.7930	0.9182	0.7780	0.9067	0.8223	0.9624
p-value	.	.	0.7581	.	0.4163	.

Leaders Encourage HIV Treatment  
Variable name: cn6r

	None		One		Two+	
Probability	0.6102	.	0.5721	.	0.5827	.
95% CI	0.5485	0.6719	0.4618	0.6824	0.5227	0.6426
p-value	.	.	0.5001	.	0.5765	.

Has ever taken ARVs b28  
Variable name: b28r

	None		One		Two+	
Probability	0.0879	.	0.0575	.	0.1082	.
95% CI	0.0690	0.1067	0.0105	0.1045	0.0608	0.1556
p-value	.	.	0.3738	.	0.4384	.

Received support from an ARV treatment buddy or CBV, among those who have ever t  
Variable name: b29r

	None		One		Two+	
Probability	0.0950	.	0.6903	.	0.5101	.
95% CI	0.0201	0.1700	0.4589	0.9217	0.2346	0.7857
p-value	.	.	0.0000	.	0.0011	.

Does not struggle to take your ARV drugs as advised by the doctor b30  
Variable name: b30r

	None		One		Two+	
Probability	0.2362	.	0.1627	.	0.0068	.
95% CI	.	.	.	.	.	.
p-value	.	.	.	.	.	.



HIV Treatment: Males Only

Knows ARVs prevent MCT during pregnancy k8ar  
Variable name: k8ar

	None		One		Two+	
Probability	0.8363	.	0.7779	.	0.7896	.
95% CI	0.7794	0.8932	0.7073	0.8485	0.6958	0.8833
p-value	.	.	0.1870	.	0.3574	.

Knows ARVs prevent MCT during childbirth k8br  
Variable name: k8br

	None		One		Two+	
Probability	0.7566	.	0.6714	.	0.7860	.
95% CI	0.6720	0.8412	0.5529	0.7898	0.6806	0.8915
p-value	.	.	0.1721	.	0.5905	.

Knows ARVs prevent MCT during breastfeeding k8cr  
Variable name: k8cr

	None		One		Two+	
Probability	0.5910	.	0.5580	.	0.5783	.
95% CI	0.4917	0.6904	0.3607	0.7553	0.4570	0.6995
p-value	.	.	0.6776	.	0.8214	.

Knows how often people should take ARVs k9r  
Variable name: k9r

	None		One		Two+	
Probability	0.8874	.	0.9049	.	0.7840	.
95% CI	0.8568	0.9181	0.8550	0.9548	0.6567	0.9112
p-value	.	.	0.5352	.	0.0958	.

Leaders Encourage HIV Treatment  
Variable name: cn6r

	None		One		Two+	
Probability	0.6673	.	0.5017	.	0.7060	.
95% CI	0.5880	0.7465	0.3638	0.6396	0.6220	0.7901
p-value	.	.	0.0000	.	0.5586	.

Has ever taken ARVs b28

Variable name: b28r

	None		One		Two+	
Probability	0.0351	.	0.0512	.	0.0149	.
95% CI	0.0180	0.0522	0.0159	0.0864	-0.0014	0.0311
p-value	.	.	0.2149	.	0.1045	.

Received support from an ARV treatment buddy or CBV, among those who have ever t  
 Variable name: b29r

	None		One		Two+	
Probability	0.0728	.	0.5982	.	0.0615	.
95% CI	.	.	.	.	.	.
p-value	.	.	.	.	.	.

HIV Stigma: Total Sample

a9 Disagrees that HIV is a punishment for sinning  
Variable name: a9r

	None		One		Two+	
Probability	0.5196	.	0.6295	.	0.7140	.
95% CI	0.4498	0.5894	0.5309	0.7280	0.6406	0.7875
p-value	.	.	0.0253	.	0.0001	.

a8 Disagrees that revealing HIV status doesn't help  
Variable name: a8r

	None		One		Two+	
Probability	0.7194	.	0.7589	.	0.7883	.
95% CI	0.6508	0.7879	0.6868	0.8311	0.6794	0.8972
p-value	.	.	0.3383	.	0.2754	.

Willing to Care for Someone on ART  
Variable name: pc6r

	None		One		Two+	
Probability	0.9457	.	0.9710	.	0.9681	.
95% CI	0.9219	0.9694	0.9525	0.9895	0.9494	0.9867
p-value	.	.	0.0170	.	0.0409	.

People in the community joint together to help PLHIV  
Variable name: cn4r

	None		One		Two+	
Probability	0.5317	.	0.3923	.	0.4957	.
95% CI	0.4990	0.5645	0.3205	0.4641	0.4432	0.5482
p-value	.	.	0.0028	.	0.2316	.

Keep Secret if Family Member has HIV  
Variable name: cn3r

	None		One		Two+	
Probability	0.7412	.	0.6946	.	0.7072	.
95% CI	0.7072	0.7751	0.6243	0.7649	0.6428	0.7716
p-value	.	.	0.1077	.	0.3460	.

Cared for someone on ART  
Variable name: pc5r

	None		One		Two+	
Probability	0.1838	.	0.1976	.	0.1787	.
95% CI	0.1513	0.2164	0.1558	0.2394	0.1355	0.2219
p-value	.	.	0.4948	.	0.8396	.

Agrees that wife inheritance is practiced in the community  
Variable name: cn12r

	None		One		Two+	
Probability	0.0861	.	0.1054	.	0.1342	.
95% CI	0.0591	0.1131	0.0582	0.1525	0.0875	0.1809
p-value	.	.	0.2997	.	0.0959	.

HIV Stigma: Females Only

a9 Disagrees that HIV is a punishment for sinning  
Variable name: a9r

	None		One		Two+	
Probability	0.5083	.	0.6078	.	0.7701	.
95% CI	0.4351	0.5816	0.4800	0.7356	0.6704	0.8699
p-value	.	.	0.2477	.	0.0010	.

a8 Disagrees that revealing HIV status doesn't help  
Variable name: a8r

	None		One		Two+	
Probability	0.7003	.	0.8050	.	0.7998	.
95% CI	0.6499	0.7508	0.7148	0.8953	0.7199	0.8798
p-value	.	.	0.0434	.	0.0409	.

Willing to Care for Someone on ART  
Variable name: pc6r

	None		One		Two+	
Probability	0.9271	.	0.9614	.	0.9525	.
95% CI	0.9005	0.9537	0.9308	0.9920	0.9218	0.9832
p-value	.	.	0.0416	.	0.0710	.

People in the community joint together to help PLHIV  
Variable name: cn4r

	None		One		Two+	
Probability	0.5222	.	0.3593	.	0.4308	.
95% CI	0.4393	0.6051	0.2537	0.4649	0.3672	0.4945
p-value	.	.	0.0189	.	0.0757	.

Keep Secret if Family Member has HIV  
Variable name: cn3r

	None		One		Two+	
Probability	0.7162	.	0.7167	.	0.6931	.
95% CI	0.6367	0.7958	0.6153	0.8182	0.6015	0.7848
p-value	.	.	0.9885	.	0.6198	.

Cared for someone on ART  
Variable name: pc5r

	None		One		Two+	
Probability	0.2782	.	0.2752	.	0.2133	.
95% CI	0.2120	0.3444	0.2062	0.3443	0.1365	0.2901
p-value	.	.	0.9471	.	0.0991	.

Agrees that wife inheritance is practiced in the community  
Variable name: cn12r

	None		One		Two+	
Probability	0.0673	.	0.0941	.	0.1177	.
95% CI	0.0364	0.0981	0.0478	0.1403	0.0638	0.1716
p-value	.	.	0.2542	.	0.1121	.

HIV Stigma: Males Only

a9 Disagrees that HIV is a punishment for sinning  
Variable name: a9r

	None		One		Two+	
Probability	0.5417	.	0.6415	.	0.6233	.
95% CI	0.4765	0.6069	0.5552	0.7278	0.5357	0.7109
p-value	.	.	0.0114	.	0.0163	.

a8 Disagrees that revealing HIV status doesn't help  
Variable name: a8r

	None		One		Two+	
Probability	0.7405	.	0.6872	.	0.7644	.
95% CI	0.6176	0.8635	0.5685	0.8059	0.6071	0.9217
p-value	.	.	0.3177	.	0.8413	.

Willing to Care for Someone on ART  
Variable name: pc6r

	None		One		Two+	
Probability	0.9726	.	0.9846	.	0.9443	.
95% CI	0.9605	0.9846	0.9695	0.9997	0.8839	1.0048
p-value	.	.	0.1863	.	0.1973	.

People in the community joint together to help PLHIV  
Variable name: cn4r

	None		One		Two+	
Probability	0.5372	.	0.3949	.	0.6229	.
95% CI	0.4445	0.6299	0.2507	0.5391	0.5241	0.7217
p-value	.	.	0.0054	.	0.3315	.

Keep Secret if Family Member has HIV  
Variable name: cn3r

	None		One		Two+	
Probability	0.7668	.	0.7059	.	0.6891	.
95% CI	0.7029	0.8307	0.5636	0.8483	0.5765	0.8018
p-value	.	.	0.2615	.	0.0986	.

Cared for someone on ART  
Variable name: pc5r

	None		One		Two+	
Probability	0.0943	.	0.1230	.	0.1013	.
95% CI	0.0724	0.1163	0.0672	0.1788	0.0595	0.1431
p-value	.	.	0.2360	.	0.7930	.

Agrees that wife inheritance is practiced in the community  
Variable name: cn12r

	None		One		Two+	
Probability	0.1115	.	0.1180	.	0.1235	.
95% CI	0.0770	0.1460	0.0667	0.1693	0.0616	0.1854
p-value	.	.	0.7831	.	0.7259	.



Gender-Based Violence: Total Sample

Man has right to have sex for gifts  
Variable name: a6r

	None		One		Two+	
Probability	0.2989	.	0.2652	.	0.2817	.
95% CI	0.2669	0.3309	0.2078	0.3227	0.2068	0.3566
p-value	.	.	0.3016	.	0.6570	.

Leaders Speak Out Against GBV  
Variable name: cn7r

	None		One		Two+	
Probability	0.5718	.	0.5253	.	0.5912	.
95% CI	0.5231	0.6205	0.4477	0.6029	0.5420	0.6404
p-value	.	.	0.1064	.	0.5823	.

Forced Sex in the Last 12 Months  
Variable name: gbv\_sex12

	None		One		Two+	
Probability	0.0353	.	0.0389	.	0.0320	.
95% CI	0.0220	0.0486	0.0128	0.0650	0.0132	0.0508
p-value	.	.	0.7316	.	0.7426	.

Physical GBV in the Last 12 Months  
Variable name: gbv\_hit12

	None		One		Two+	
Probability	0.1014	.	0.0747	.	0.1482	.
95% CI	0.0736	0.1293	0.0467	0.1027	0.0780	0.2183
p-value	.	.	0.2490	.	0.0891	.

Reported forced sex to family member  
Variable name: fhitreport\_family

	None		One		Two+	
Probability	0.1561	.	0.1857	.	0.2149	.
95% CI	0.1048	0.2073	0.0831	0.2883	0.1444	0.2854
p-value	.	.	0.6235	.	0.2796	.

Reported forced sex to a friend

Variable name: fhitreport\_friend

	None		One		Two+	
Probability	0.0283	.	0.0641	.	0.0729	.
95% CI	0.0119	0.0447	0.0093	0.1189	0.0285	0.1173
p-value	.	.	0.1152	.	0.0300	.

Reported forced sex to a police  
Variable name: fhitreport\_police

	None		One		Two+	
Probability	0.1264	.	0.2289	.	0.4122	.
95% CI	0.0758	0.1769	0.1301	0.3277	0.3227	0.5018
p-value	.	.	0.0807	.	0.0002	.

Reported forced sex to a authorities  
Variable name: fhitreport\_auth

	None		One		Two+	
Probability	0.0044	.	0.0255	.	0.0779	.
95% CI	0.0007	0.0082	-0.0232	0.0743	-0.0236	0.1793
p-value	.	.	0.1509	.	0.0100	.

Reported gbv to anyone  
Variable name: fhitreport\_any

	None		One		Two+	
Probability	0.2664	.	0.3210	.	0.5725	.
95% CI	0.1973	0.3354	0.2011	0.4408	0.4366	0.7084
p-value	.	.	0.4016	.	0.0036	.

Gender-Based Violence: Females Only

Man has right to have sex for gifts

Variable name: a6r

	None		One		Two+	
Probability	0.3261	.	0.3730	.	0.3653	.
95% CI	0.2825	0.3697	0.2944	0.4515	0.2352	0.4954
p-value	.	.	0.2650	.	0.5610	.

Leaders Speak Out Against GBV

Variable name: cn7r

	None		One		Two+	
Probability	0.4564	.	0.3885	.	0.4891	.
95% CI	0.3853	0.5274	0.2730	0.5039	0.4158	0.5623
p-value	.	.	0.1213	.	0.5659	.

Forced Sex in the Last 12 Months

Variable name: gbv\_sex12

	None		One		Two+	
Probability	0.0600	.	0.0537	.	0.0478	.
95% CI	0.0345	0.0856	0.0167	0.0906	0.0200	0.0756
p-value	.	.	0.7272	.	0.4686	.

Physical GBV in the Last 12 Months

Variable name: gbv\_hit12

	None		One		Two+	
Probability	0.1499	.	0.0751	.	0.0905	.
95% CI	0.1221	0.1777	0.0399	0.1104	0.0477	0.1333
p-value	.	.	0.0243	.	0.0581	.

Reported forced sex to family member

Variable name: fhitreport\_family

	None		One		Two+	
Probability	0.1215	.	0.1420	.	0.0800	.
95% CI	0.0818	0.1612	0.0744	0.2097	0.0271	0.1330
p-value	.	.	0.6404	.	0.3223	.

Reported forced sex to a police

Variable name: fhitreport\_police

	None		One		Two+	
Probability	0.0295	.	0.1817	.	0.2468	.
95% CI	0.0124	0.0466	0.0835	0.2799	0.1087	0.3849
p-value	.	.	0.0000	.	0.0000	.

Reported forced sex to a authorities  
Variable name: fhitreport\_auth

	None		One		Two+	
Probability	0.0200	.	0.0199	.	0.6030	.
95% CI	.	.	.	.	.	.
p-value	.	.	.	.	.	.

Reported gbv to anyone  
Variable name: fhitreport\_any

	None		One		Two+	
Probability	0.1809	.	0.3456	.	0.3627	.
95% CI	0.1346	0.2271	0.1904	0.5009	0.2214	0.5040
p-value	.	.	0.0347	.	0.0123	.

Gender-Based Violence: Males Only

Man has right to have sex for gifts  
Variable name: a6r

	None		One		Two+	
Probability	0.2320	.	0.1378	.	0.2627	.
95% CI	0.1654	0.2986	0.1001	0.1755	0.2054	0.3201
p-value	.	.	0.0099	.	0.5710	.

Leaders Speak Out Against GBV  
Variable name: cn7r

	None		One		Two+	
Probability	0.7076	.	0.6307	.	0.7012	.
95% CI	0.6785	0.7367	0.5785	0.6828	0.6234	0.7790
p-value	.	.	0.0338	.	0.8907	.

Forced Sex in the Last 12 Months  
Variable name: gbv\_sex12

	None		One		Two+	
Probability	0.0116	.	0.0188	.	0.0130	.
95% CI	0.0050	0.0181	0.0017	0.0358	-0.0012	0.0271
p-value	.	.	0.3274	.	0.8635	.

Physical GBV in the Last 12 Months  
Variable name: gbv\_hit12

	None		One		Two+	
Probability	0.0658	.	0.0842	.	0.1402	.
95% CI	0.0258	0.1057	0.0281	0.1403	0.0785	0.2019
p-value	.	.	0.5242	.	0.0061	.

Reported forced sex to family member  
Variable name: fhitreport\_family

	None		One		Two+	
Probability	0.2925	.	0.3188	.	0.2806	.
95% CI	0.2300	0.3551	0.2083	0.4293	0.2192	0.3421
p-value	.	.	0.6731	.	0.8415	.

Reported forced sex to a friend

Variable name: fhitreport\_friend

	None	One	Two+
Probability	0.0178	0.0269	0.1147
95% CI	.	.	.
p-value	.	.	.

Reported forced sex to a police  
Variable name: fhitreport\_police

	None	One	Two+
Probability	0.3731	0.4697	0.6392
95% CI	0.2459 0.5003	0.2667 0.6728	0.5236 0.7548
p-value	.	0.4632	0.0092

Reported forced sex to a authorities  
Variable name: fhitreport\_auth

	None	One	Two+
Probability	0.0045	0.0044	0.0674
95% CI	.	.	.
p-value	.	.	.

Reported gbv to anyone  
Variable name: fhitreport\_any

	None	One	Two+
Probability	0.5207	0.4649	0.6834
95% CI	0.4154 0.6261	0.2706 0.6591	0.5545 0.8123
p-value	.	0.6338	0.1221

PART 4:  
EFFECT OF ONE LOVE RADIO MULTI-MEDIA EXPOSURE

Multiple Partners: Total Sample

Knows multiple sexual partners increase HIV Risk k5r  
 Variable name: k5r

	None		One		Two+	
Probability	0.8911	.	0.9062	.	0.9222	.
95% CI	0.8457	0.9365	0.8874	0.9250	0.8848	0.9595
p-value	.	.	0.5149	.	0.3415	.

People Discuss HIV Risk & Multiple Partners  
 Variable name: cn8r

	None		One		Two+	
Probability	0.5302	.	0.5618	.	0.6569	.
95% CI	0.4581	0.6023	0.5046	0.6190	0.5891	0.7247
p-value	.	.	0.4628	.	0.0173	.

Most married men faithful to wives  
 Variable name: alr

	None		One		Two+	
Probability	0.3301	.	0.3617	.	0.3461	.
95% CI	0.2921	0.3681	0.3224	0.4010	0.2952	0.3970
p-value	.	.	0.3620	.	0.6765	.

Leaders Discourage Multiple Partners  
 Variable name: cn9r

	None		One		Two+	
Probability	0.3800	.	0.4181	.	0.4222	.
95% CI	0.3247	0.4354	0.3559	0.4804	0.3628	0.4816
p-value	.	.	0.3245	.	0.3460	.

Men with many women are real men  
 Variable name: a5r

	None		One		Two+	
Probability	0.0781	.	0.0576	.	0.1302	.
95% CI	0.0594	0.0969	0.0405	0.0748	0.0525	0.2079
p-value	.	.	0.1494	.	0.2322	.

Can resist being unfaithful to main partner  
 Variable name: a2r



	None		One		Two+	
Probability	0.7344	.	0.7524	.	0.7520	.
95% CI	0.6906	0.7783	0.7145	0.7902	0.6720	0.8320
p-value	.	.	0.5736	.	0.5705	.

Does not need someone to fill gap  
Variable name: a3r

	None		One		Two+	
Probability	0.6359	.	0.6540	.	0.7220	.
95% CI	0.5884	0.6834	0.5762	0.7319	0.6689	0.7751
p-value	.	.	0.6893	.	0.0538	.

Multiple Partners (Last 12 Months) b2  
Variable name: mp1

	None		One		Two+	
Probability	0.1903	.	0.1742	.	0.1956	.
95% CI	0.1544	0.2263	0.1032	0.2451	0.1505	0.2407
p-value	.	.	0.6722	.	0.8789	.

Multiple Partners (Last Month)b4  
Variable name: mp2

	None		One		Two+	
Probability	0.0787	.	0.0529	.	0.0786	.
95% CI	0.0491	0.1082	0.0267	0.0792	0.0451	0.1120
p-value	.	.	0.3530	.	0.9976	.

Self-reported having concurrent partners in the past 12 months b3  
Variable name: b3r

	None		One		Two+	
Probability	0.1230	.	0.0751	.	0.0909	.
95% CI	0.0867	0.1593	0.0451	0.1052	0.0478	0.1339
p-value	.	.	0.0164	.	0.3011	.

Currently have more than one sexual partner (past 3 months) b5  
 Variable name: b5r

	None		One		Two+	
Probability	0.0854	.	0.0622	.	0.1086	.
95% CI	0.0534	0.1175	0.0344	0.0900	0.0778	0.1395
p-value	.	.	0.4235	.	0.4354	.

Number of Lifetime Partners b6  
 Variable name: lifep

	None		One		Two+	
Mean	4.5017	.	4.1442	.	3.3154	.
95% CI	3.6568	5.3467	3.5725	4.7158	2.7150	3.9158
p-value	.	.	0.5243	.	0.0306	.

Received gifts or money in exchange for sex with last partner b20  
 Variable name: gifts

	None		One		Two+	
Probability	0.1188	.	0.1002	.	0.2077	.
95% CI	0.0727	0.1649	0.0601	0.1404	0.1490	0.2665
p-value	.	.	0.5034	.	0.0138	.

Received gifts or money in exchange for sex with last partner, if regular  
 Variable name: gifts\_reg

	None		One		Two+	
Probability	0.1040	.	0.1563	.	0.1764	.
95% CI	0.0694	0.1386	0.1003	0.2123	0.0998	0.2530
p-value	.	.	0.1126	.	0.1217	.

Received gifts or money in exchange for sex with last partner, if casual  
 Variable name: gifts\_cas

	None		One		Two+	
Probability	0.1306	.	0.0912	.	0.2296	.
95% CI	0.0747	0.1865	0.0545	0.1279	0.1533	0.3059
p-value	.	.	0.1698	.	0.0442	.

Received gifts or money in exchange for sex with next to last partner  
 Variable name: gifts\_B

	None		One		Two+	
Probability	0.0669	.	0.1507	.	0.1008	.
95% CI	0.0431	0.0906	0.0971	0.2043	0.0704	0.1313
p-value	.	.	0.0186	.	0.1745	.

Received gifts or money in exchange for sex with next to last partner, if casual  
 Variable name: gifts\_cas\_B

	None		One		Two+	
Probability	0.0582	.	0.1071	.	0.0903	.
95% CI	0.0393	0.0770	0.0610	0.1531	0.0546	0.1260
p-value	.	.	0.0470	.	0.1568	.

Received gifts or money in exchange for sex with third to last partner  
 Variable name: gifts\_C

	None		One		Two+	
Probability	0.0791	.	0.3260	.	0.0830	.
95% CI	0.0676	0.0907	0.1896	0.4623	0.0707	0.0953
p-value	.	.	0.0002	.	0.6882	.

Received gifts or money in exchange for sex with third to last partner, if casual  
 Variable name: gifts\_cas\_C

	None		One		Two+	
Probability	0.1074	.	0.1265	.	0.0736	.
95% CI	.	.	.	.	.	.
p-value	.	.	.	.	.	.

Gave gifts or money in exchange for sex with last partner b21  
 Variable name: paid

	None		One		Two+	
Probability	0.0758	.	0.0806	.	0.1029	.
95% CI	0.0428	0.1088	0.0359	0.1252	0.0541	0.1516
p-value	.	.	0.8789	.	0.3858	.

Gave gifts or money in exchange for sex with last partner, if regular  
 Variable name: paid\_reg

	None		One		Two+	
Probability	0.0506	.	0.1370	.	0.0908	.
95% CI	0.0298	0.0715	0.0784	0.1956	0.0449	0.1368
p-value	.	.	0.0000	.	0.1246	.

Gave gifts or money in exchange for sex with last partner, if casual  
 Variable name: paid\_cas

	None		One		Two+	
Probability	0.0854	.	0.0772	.	0.0986	.
95% CI	0.0517	0.1192	0.0336	0.1208	0.0584	0.1388
p-value	.	.	0.7874	.	0.6493	.

Gave gifts or money in exchange for sex with next to last partner  
 Variable name: paid\_B

	None		One		Two+	
Probability	0.1727	.	0.0929	.	0.1160	.
95% CI	0.0884	0.2571	0.0395	0.1464	0.0533	0.1788
p-value	.	.	0.0375	.	0.3096	.

Gave gifts or money in exchange for sex with next to last partner, if casual  
 Variable name: paid\_cas\_B

	None		One		Two+	
Probability	0.1690	.	0.1011	.	0.1262	.
95% CI	0.0930	0.2451	0.0415	0.1606	0.0630	0.1893
p-value	.	.	0.1173	.	0.4389	.

Gave gifts or money in exchange for sex with third to last partner  
 Variable name: paid\_C

	None		One		Two+	
Probability	0.1346	.	0.1459	.	0.1685	.
95% CI	0.0855	0.1837	0.0748	0.2169	0.0938	0.2433
p-value	.	.	0.8126	.	0.5275	.

Gave gifts or money in exchange for sex with third to last partner, if casual  
 Variable name: paid\_cas\_C

	None		One		Two+	
Probability	0.1283	.	0.1520	.	0.1788	.
95% CI	0.0823	0.1744	0.0771	0.2268	0.0943	0.2634
p-value	.	.	0.6307	.	0.3731	.

Multiple Partners: Females Only

Knows multiple sexual partners increase HIV Risk k5r  
 Variable name: k5r

	None		One		Two+	
Probability	0.8450	.	0.8956	.	0.9192	.
95% CI	0.7652	0.9248	0.8505	0.9407	0.8785	0.9599
p-value	.	.	0.2801	.	0.1102	.

People Discuss HIV Risk & Multiple Partners  
 Variable name: cn8r

	None		One		Two+	
Probability	0.5342	.	0.4617	.	0.5674	.
95% CI	0.4703	0.5982	0.3540	0.5694	0.4672	0.6677
p-value	.	.	0.3377	.	0.6192	.

Most married men faithful to wives  
 Variable name: alr

	None		One		Two+	
Probability	0.3181	.	0.4369	.	0.2905	.
95% CI	0.2701	0.3661	0.3439	0.5298	0.2023	0.3787
p-value	.	.	0.0358	.	0.5447	.

Leaders Discourage Multiple Partners  
 Variable name: cn9r

	None		One		Two+	
Probability	0.3444	.	0.3309	.	0.2862	.
95% CI	0.2493	0.4396	0.2471	0.4147	0.2261	0.3463
p-value	.	.	0.8180	.	0.3376	.

Men with many women are real men  
 Variable name: a5r

	None		One		Two+	
Probability	0.0826	.	0.0602	.	0.0984	.
95% CI	0.0535	0.1117	0.0256	0.0949	0.0201	0.1767
p-value	.	.	0.2070	.	0.7345	.

Can resist being unfaithful to main partner  
 Variable name: a2r

	None		One		Two+	
Probability	0.7457	.	0.7894	.	0.7952	.
95% CI	0.6621	0.8293	0.7477	0.8311	0.7312	0.8592
p-value	.	.	0.2847	.	0.2690	.

Does not need someone to fill gap  
 Variable name: a3r

	None		One		Two+	
Probability	0.5956	.	0.5983	.	0.7597	.
95% CI	0.5179	0.6733	0.4924	0.7042	0.6751	0.8443
p-value	.	.	0.9667	.	0.0008	.

Multiple Partners (Last 12 Months) b2  
 Variable name: mp1

	None		One		Two+	
Probability	0.0791	.	0.0649	.	0.0386	.
95% CI	0.0360	0.1222	0.0311	0.0987	0.0152	0.0620
p-value	.	.	0.4611	.	0.1016	.

Multiple Partners (Last Month)b4  
 Variable name: mp2

	None		One		Two+	
Probability	0.0073	.	0.0113	.	0.0032	.
95% CI	0.0008	0.0138	0.0031	0.0194	-0.0009	0.0074
p-value	.	.	0.4308	.	0.2495	.

Self-reported having concurrent partners in the past 12 months b3  
 Variable name: b3r

	None		One		Two+	
Probability	0.0445	.	0.0357	.	0.0245	.
95% CI	0.0148	0.0743	0.0150	0.0563	0.0070	0.0420
p-value	.	.	0.6161	.	0.2939	.

Currently have more than one sexual partner (past 3 months) b5  
 Variable name: b5r

	None		One		Two+	
Probability	0.0057	.	0.0085	.	0.0392	.
95% CI	0.0006	0.0107	0.0003	0.0167	0.0120	0.0665
p-value	.	.	0.5121	.	0.0000	.

Number of Lifetime Partners b6  
 Variable name: lifep

	None		One		Two+	
Mean	2.9680	.	3.0633	.	2.4047	.
95% CI	2.6744	3.2617	2.5171	3.6096	2.0173	2.7921
p-value	.	.	0.7472	.	0.0157	.

Received gifts or money in exchange for sex with last partner b20  
 Variable name: gifts

	None		One		Two+	
Probability	0.2077	.	0.1763	.	0.3595	.
95% CI	0.1211	0.2943	0.1005	0.2521	0.2375	0.4815
p-value	.	.	0.5743	.	0.0348	.

Received gifts or money in exchange for sex with last partner, if regular  
 Variable name: gifts\_reg

	None		One		Two+	
Probability	0.1714	.	0.2322	.	0.2618	.
95% CI	0.1156	0.2271	0.1443	0.3201	0.1482	0.3754
p-value	.	.	0.2727	.	0.2099	.

Received gifts or money in exchange for sex with last partner, if casual  
 Variable name: gifts\_cas

	None		One		Two+	
Probability	0.2341	.	0.1670	.	0.4363	.
95% CI	0.1282	0.3401	0.0941	0.2398	0.2813	0.5914
p-value	.	.	0.2810	.	0.0471	.



Received gifts or money in exchange for sex with next to last partner  
 Variable name: gifts\_B

	None		One		Two+	
Probability	0.2142	.	0.6042	.	0.3132	.
95% CI	0.1550	0.2734	0.4819	0.7264	0.1543	0.4720
p-value	.	.	0.0002	.	0.2682	.

Received gifts or money in exchange for sex with next to last partner, if casual  
 Variable name: gifts\_cas\_B

	None		One		Two+	
Probability	0.2233	.	0.4796	.	0.3258	.
95% CI	0.1694	0.2771	0.3407	0.6185	0.1745	0.4771
p-value	.	.	0.0006	.	0.1874	.

Received gifts or money in exchange for sex with third to last partner  
 Variable name: gifts\_C

	None		One		Two+	
Probability	0.4437	.	0.4676	.	0.2699	.
95% CI	.	.	.	.	.	.
p-value	.	.	.	.	.	.

Gave gifts or money in exchange for sex with last partner b21  
 Variable name: paid

	None		One		Two+	
Probability	0.0715	.	0.0840	.	0.0921	.
95% CI	0.0249	0.1182	0.0347	0.1333	0.0283	0.1559
p-value	.	.	0.7386	.	0.5524	.

Gave gifts or money in exchange for sex with last partner, if regular  
 Variable name: paid\_reg

	None		One		Two+	
Probability	0.0729	.	0.1608	.	0.1080	.
95% CI	0.0464	0.0993	0.1095	0.2120	0.0591	0.1568
p-value	.	.	0.0002	.	0.2954	.

Gave gifts or money in exchange for sex with last partner, if casual  
 Variable name: paid\_cas

	None		One		Two+	
Probability	0.0746	.	0.0636	.	0.0923	.
95% CI	0.0167	0.1325	0.0214	0.1058	0.0285	0.1560
p-value	.	.	0.7733	.	0.6129	.

Multiple Partners: Males Only

Knows multiple sexual partners increase HIV Risk k5r  
 Variable name: k5r

	None		One		Two+	
Probability	0.9428	.	0.9176	.	0.9262	.
95% CI	0.9142	0.9715	0.8834	0.9518	0.8695	0.9829
p-value	.	.	0.3071	.	0.4361	.

People Discuss HIV Risk & Multiple Partners  
 Variable name: cn8r

	None		One		Two+	
Probability	0.5475	.	0.6737	.	0.7171	.
95% CI	0.4181	0.6770	0.6254	0.7219	0.6295	0.8046
p-value	.	.	0.0835	.	0.0713	.

Most married men faithful to wives  
 Variable name: alr

	None		One		Two+	
Probability	0.3097	.	0.2985	.	0.4621	.
95% CI	0.2007	0.4187	0.2100	0.3870	0.4024	0.5217
p-value	.	.	0.8537	.	0.0288	.

Leaders Discourage Multiple Partners  
 Variable name: cn9r

	None		One		Two+	
Probability	0.4569	.	0.5196	.	0.4826	.
95% CI	0.3661	0.5477	0.4490	0.5902	0.3906	0.5746
p-value	.	.	0.2064	.	0.7166	.

Men with many women are real men  
 Variable name: a5r

	None		One		Two+	
Probability	0.0584	.	0.0730	.	0.1672	.
95% CI	0.0312	0.0856	0.0523	0.0936	0.0685	0.2658
p-value	.	.	0.3352	.	0.0454	.

Can resist being unfaithful to main partner  
 Variable name: a2r

	None		One		Two+	
Probability	0.7321	.	0.7142	.	0.6611	.
95% CI	0.6758	0.7884	0.6401	0.7883	0.5025	0.8198
p-value	.	.	0.4801	.	0.4572	.

Does not need someone to fill gap  
 Variable name: a3r

	None		One		Two+	
Probability	0.7279	.	0.6893	.	0.5766	.
95% CI	0.6659	0.7900	0.6171	0.7615	0.4235	0.7297
p-value	.	.	0.2585	.	0.0753	.

Multiple Partners (Last 12 Months) b2  
 Variable name: mp1

	None		One		Two+	
Probability	0.3336	.	0.2861	.	0.4176	.
95% CI	0.2610	0.4062	0.1763	0.3958	0.3431	0.4920
p-value	.	.	0.5676	.	0.1557	.

Multiple Partners (Last Month)b4  
 Variable name: mp2

	None		One		Two+	
Probability	0.1649	.	0.0930	.	0.1805	.
95% CI	0.0979	0.2320	0.0374	0.1486	0.1064	0.2546
p-value	.	.	0.2383	.	0.8157	.

Self-reported having concurrent partners in the past 12 months b3  
 Variable name: b3r

	None		One		Two+	
Probability	0.2015	.	0.1197	.	0.2038	.
95% CI	0.1514	0.2517	0.0611	0.1784	0.0938	0.3138
p-value	.	.	0.0588	.	0.9733	.

Currently have more than one sexual partner (past 3 months) b5  
 Variable name: b5r

	None		One		Two+	
Probability	0.1789	.	0.1231	.	0.2051	.
95% CI	0.1052	0.2527	0.0556	0.1905	0.1410	0.2692
p-value	.	.	0.4159	.	0.6946	.

Number of Lifetime Partners b6  
 Variable name: lifep

	None		One		Two+	
Mean	6.4096	.	5.5781	.	4.9373	.
95% CI	4.6477	8.1715	4.1650	6.9911	3.7699	6.1047
p-value	.	.	0.5765	.	0.2463	.

Received gifts or money in exchange for sex with last partner b20  
 Variable name: gifts

	None		One		Two+	
Probability	0.0135	.	0.0145	.	0.0233	.
95% CI	0.0071	0.0198	0.0079	0.0211	0.0105	0.0361
p-value	.	.	0.8317	.	0.1724	.

Received gifts or money in exchange for sex with last partner, if regular  
 Variable name: gifts\_reg

	None		One		Two+	
Probability	0.0406	.	0.0291	.	0.0600	.
95% CI	0.0146	0.0666	0.0114	0.0468	0.0295	0.0904
p-value	.	.	0.4857	.	0.2423	.

Received gifts or money in exchange for sex with last partner, if casual  
 Variable name: gifts\_cas

	None		One		Two+	
Probability	0.0133	.	0.0137	.	0.0170	.
95% CI	0.0056	0.0209	0.0053	0.0222	0.0051	0.0289
p-value	.	.	0.9441	.	0.6121	.

Received gifts or money in exchange for sex with next to last partner  
 Variable name: gifts\_B

	None		One		Two+	
Probability	0.0026	.	0.0148	.	0.0381	.
95% CI	-0.0004	0.0057	0.0035	0.0261	0.0135	0.0627
p-value	.	.	0.0283	.	0.0023	.

Received gifts or money in exchange for sex with next to last partner, if casual  
 Variable name: gifts\_cas\_B

	None		One		Two+	
Probability	0.0034	.	0.0099	.	0.0426	.
95% CI	-0.0007	0.0074	0.0010	0.0189	0.0153	0.0700
p-value	.	.	0.1424	.	0.0023	.

Received gifts or money in exchange for sex with third to last partner  
 Variable name: gifts\_C

	None		One		Two+	
Probability	0.0183	.	0.1083	.	0.0965	.
95% CI	.	.	.	.	.	.
p-value	.	.	.	.	.	.

Gave gifts or money in exchange for sex with last partner b21  
 Variable name: paid

	None		One		Two+	
Probability	0.0920	.	0.0830	.	0.0692	.
95% CI	0.0505	0.1336	0.0308	0.1352	0.0395	0.0988
p-value	.	.	0.8217	.	0.2957	.

Gave gifts or money in exchange for sex with last partner, if regular  
 Variable name: paid\_reg

	None		One		Two+	
Probability	0.0520	.	0.0373	.	0.0495	.
95% CI	0.0248	0.0793	0.0137	0.0609	0.0252	0.0739
p-value	.	.	0.3503	.	0.8906	.

Gave gifts or money in exchange for sex with last partner, if casual  
 Variable name: paid\_cas

	None		One		Two+	
Probability	0.1121	.	0.0880	.	0.0778	.
95% CI	0.0638	0.1603	0.0293	0.1467	0.0385	0.1170
p-value	.	.	0.6060	.	0.2043	.

Gave gifts or money in exchange for sex with next to last partner  
 Variable name: paid\_B

	None		One		Two+	
Probability	0.2150	.	0.1079	.	0.0425	.
95% CI	0.1510	0.2789	0.0617	0.1541	0.0252	0.0598
p-value	.	.	0.0012	.	0.0000	.

Gave gifts or money in exchange for sex with next to last partner, if casual  
 Variable name: paid\_cas\_B

	None		One		Two+	
Probability	0.2131	.	0.1058	.	0.0435	.
95% CI	0.1484	0.2777	0.0616	0.1500	0.0258	0.0613
p-value	.	.	0.0014	.	0.0001	.

Gave gifts or money in exchange for sex with third to last partner  
 Variable name: paid\_C

	None		One		Two+	
Probability	0.1573	.	0.0860	.	0.0817	.
95% CI	0.1053	0.2094	0.0371	0.1349	0.0393	0.1241
p-value	.	.	0.0482	.	0.0277	.

Gave gifts or money in exchange for sex with third to last partner, if casual  
 Variable name: paid\_cas\_C

	None		One		Two+	
Probability	0.1451	.	0.0832	.	0.0887	.
95% CI	0.0993	0.1909	0.0324	0.1340	0.0431	0.1342
p-value	.	.	0.0817	.	0.0958	.

Other Risk Factors: Total Sample

Leaders Discourage Multiple Partners  
Variable name: cn10r

	None		One		Two+	
Probability	0.3320	.	0.3555	.	0.4431	.
95% CI	0.2419	0.4220	0.2675	0.4436	0.3814	0.5048
p-value	.	.	0.6249	.	0.0378	.

age at first sex  
Variable name: firstsex

	None		One		Two+	
Probability	19.2794	.	19.8673	.	21.6187	.
95% CI	18.3393	20.2195	17.8581	21.8765	17.8431	25.3942
p-value	.	.	0.6320	.	0.2185	.

10+ year age difference between respondent and last sexual partner  
Variable name: agedif\_a1

	None		One		Two+	
Probability	0.0653	.	0.0987	.	0.1178	.
95% CI	0.0429	0.0877	0.0621	0.1353	0.0618	0.1739
p-value	.	.	0.1428	.	0.1521	.

10+ year age difference between respondent and next to last sexual partner  
Variable name: agedif\_b1

	None		One		Two+	
Probability	0.0762	.	0.0747	.	0.0682	.
95% CI	0.0535	0.0989	0.0521	0.0974	0.0473	0.0891
p-value	.	.	0.9323	.	0.6514	.

10+ year age difference between respondent and third to last sexual partner  
Variable name: agedif\_c1

	None		One		Two+	
Probability	0.0515	.	0.0494	.	0.0442	.
95% CI	0.0211	0.0819	0.0213	0.0775	0.0220	0.0664
p-value	.	.	0.9224	.	0.7430	.



Other Risk Factors: Females Only

Leaders Discourage Multiple Partners  
 Variable name: cn10r

	None		One		Two+	
Probability	0.3129	.	0.2768	.	0.2755	.
95% CI	0.2273	0.3985	0.1654	0.3882	0.1742	0.3767
p-value	.	.	0.6159	.	0.5180	.

age at first sex  
 Variable name: firstsex

	None		One		Two+	
Mean	19.9433	.	20.4483	.	18.9568	.
95% CI	18.1150	21.7717	18.8302	22.0664	16.4718	21.4418
p-value	.	.	0.6370	.	0.5672	.

10+ year age difference between respondent and last sexual partner  
 Variable name: agedif\_a1

	None		One		Two+	
Probability	0.0816	.	0.1193	.	0.1389	.
95% CI	0.0414	0.1218	0.0659	0.1728	0.0681	0.2097
p-value	.	.	0.3482	.	0.2009	.

Other Risk Factors: Males Only

Leaders Discourage Multiple Partners  
Variable name: cn10r

	None		One		Two+	
Probability	0.3838	.	0.4513	.	0.5535	.
95% CI	0.3117	0.4559	0.3718	0.5308	0.4872	0.6199
p-value	.	.	0.0213	.	0.0019	.

age at first sex  
Variable name: firstsex

	None		One		Two+	
Mean	18.8108	.	19.5829	.	23.9420	.
95% CI	16.9337	20.6879	16.9468	22.2190	18.0494	29.8345
p-value	.	.	0.6183	.	0.1725	.

10+ year age difference between respondent and last sexual partner  
Variable name: agedif\_a1

	None		One		Two+	
Probability	0.0505	.	0.0699	.	0.0950	.
95% CI	0.0262	0.0748	0.0337	0.1062	0.0439	0.1460
p-value	.	.	0.3917	.	0.1306	.

10+ year age difference between respondent and next to last sexual partner  
Variable name: agedif\_b1

	None		One		Two+	
Probability	0.0965	.	0.0804	.	0.0589	.
95% CI	0.0700	0.1229	0.0582	0.1026	0.0374	0.0805
p-value	.	.	0.3840	.	0.0513	.

10+ year age difference between respondent and third to last sexual partner  
Variable name: agedif\_c1

	None		One		Two+	
Probability	0.0525	.	0.0691	.	0.0538	.
95% CI	0.0293	0.0758	0.0372	0.1009	0.0290	0.0785
p-value	.	.	0.4040	.	0.9547	.

HIV Communication: Total Sample

Discussed HIV/AIDS with Kids b25  
Variable name: disc\_spouse

	None		One		Two+	
Probability	0.8264	.	0.7647	.	0.8540	.
95% CI	0.7842	0.8686	0.6704	0.8589	0.7692	0.9387
p-value	.	.	0.1567	.	0.6101	.

Discussed HIV/AIDS with Kids b26  
Variable name: disc\_kids

	None		One		Two+	
Probability	0.5674	.	0.6041	.	0.4574	.
95% CI	0.5195	0.6154	0.5454	0.6628	0.3832	0.5317
p-value	.	.	0.2189	.	0.0577	.

Discussed HIV/AIDS with Friends b27  
Variable name: disc\_friends

	None		One		Two+	
Probability	0.6354	.	0.7058	.	0.6617	.
95% CI	0.5701	0.7007	0.6497	0.7619	0.5636	0.7598
p-value	.	.	0.1761	.	0.6908	.

Discussed HIV/AIDS with Spouse, Kids, and/or Friends  
Variable name: disc\_any

	None		One		Two+	
Probability	0.7307	.	0.7687	.	0.7569	.
95% CI	0.6682	0.7932	0.7281	0.8093	0.6877	0.8261
p-value	.	.	0.3518	.	0.6255	.

Percentage who are dissatisfied when having sex with spouse/regular cohabitating  
Variable name: b22r

	None		One		Two+	
Probability	0.1723	.	0.1588	.	0.1338	.
95% CI	0.1330	0.2116	0.1158	0.2017	0.0856	0.1820
p-value	.	.	0.6096	.	0.2949	.

Percentage who have talked with spouse/regular cohabitating partner about sexual  
 Variable name: b23r

	None		One		Two+	
Probability	0.6658	.	0.7759	.	0.7674	.
95% CI	0.5295	0.8021	0.6212	0.9306	0.6454	0.8894
p-value	.	.	0.4222	.	0.3699	.

Sex life improves with communication about HIV  
 Variable name: a4r

	None		One		Two+	
Probability	0.8993	.	0.9050	.	0.8090	.
95% CI	0.8631	0.9355	0.8846	0.9254	0.7316	0.8863
p-value	.	.	0.7360	.	0.0008	.

HIV Communication: Females Only

Discussed HIV/AIDS with Kids b25  
Variable name: disc\_spouse

	None		One		Two+	
Probability	0.7659	.	0.7619	.	0.8822	.
95% CI	0.6959	0.8359	0.6672	0.8566	0.7707	0.9936
p-value	.	.	0.9266	.	0.1655	.

Discussed HIV/AIDS with Kids b26  
Variable name: disc\_kids

	None		One		Two+	
Probability	0.3674	.	0.4148	.	0.3420	.
95% CI	0.3053	0.4296	0.3376	0.4920	0.2476	0.4364
p-value	.	.	0.3113	.	0.6740	.

Discussed HIV/AIDS with Friends b27  
Variable name: disc\_friends

	None		One		Two+	
Probability	0.5779	.	0.5930	.	0.6218	.
95% CI	0.5251	0.6308	0.5152	0.6707	0.5045	0.7391
p-value	.	.	0.7762	.	0.5098	.

Discussed HIV/AIDS with Spouse, Kids, and/or Friends  
Variable name: disc\_any

	None		One		Two+	
Probability	0.6651	.	0.6569	.	0.7151	.
95% CI	0.6143	0.7159	0.5928	0.7211	0.6006	0.8296
p-value	.	.	0.8576	.	0.4774	.

Percentage who are dissatisfied when having sex with spouse/regular cohabitating  
Variable name: b22r

	None		One		Two+	
Probability	0.0369	.	0.0223	.	0.0224	.
95% CI	0.0205	0.0533	0.0099	0.0347	0.0059	0.0390
p-value	.	.	0.1195	.	0.2919	.

Percentage who have talked with spouse/regular cohabitating partner about sexual  
 Variable name: b23r

	None		One		Two+	
Probability	0.0365	.	0.0160	.	0.0198	.
95% CI	0.0200	0.0529	0.0065	0.0256	0.0062	0.0334
p-value	.	.	0.0191	.	0.1798	.

Sex life improves with communication about HIV  
 Variable name: a4r

	None		One		Two+	
Probability	0.9193	.	0.8945	.	0.7928	.
95% CI	0.8959	0.9428	0.8681	0.9209	0.6831	0.9026
p-value	.	.	0.1013	.	0.0086	.

HIV Communication: Males Only

Discussed HIV/AIDS with Kids b25  
Variable name: disc\_spouse

	None		One		Two+	
Probability	0.7659	.	0.7619	.	0.8822	.
95% CI	0.6959	0.8359	0.6672	0.8566	0.7707	0.9936
p-value	.	.	0.9266	.	0.1655	.

Discussed HIV/AIDS with Kids b26  
Variable name: disc\_kids

	None		One		Two+	
Probability	0.3674	.	0.4148	.	0.3420	.
95% CI	0.3053	0.4296	0.3376	0.4920	0.2476	0.4364
p-value	.	.	0.3113	.	0.6740	.

Discussed HIV/AIDS with Friends b27  
Variable name: disc\_friends

	None		One		Two+	
Probability	0.5779	.	0.5930	.	0.6218	.
95% CI	0.5251	0.6308	0.5152	0.6707	0.5045	0.7391
p-value	.	.	0.7762	.	0.5098	.

Discussed HIV/AIDS with Spouse, Kids, and/or Friends  
Variable name: disc\_any

	None		One		Two+	
Probability	0.6651	.	0.6569	.	0.7151	.
95% CI	0.6143	0.7159	0.5928	0.7211	0.6006	0.8296
p-value	.	.	0.8576	.	0.4774	.

Percentage who are dissatisfied when having sex with spouse/regular cohabitating  
Variable name: b22r

	None		One		Two+	
Probability	0.0369	.	0.0223	.	0.0224	.
95% CI	0.0205	0.0533	0.0099	0.0347	0.0059	0.0390
p-value	.	.	0.1195	.	0.2919	.

Percentage who have talked with spouse/regular cohabitating partner about sexual  
 Variable name: b23r

	None		One		Two+	
Probability	0.0365	.	0.0160	.	0.0198	.
95% CI	0.0200	0.0529	0.0065	0.0256	0.0062	0.0334
p-value	.	.	0.0191	.	0.1798	.

Sex life improves with communication about HIV  
 Variable name: a4r

	None		One		Two+	
Probability	0.9193	.	0.8945	.	0.7928	.
95% CI	0.8959	0.9428	0.8681	0.9209	0.6831	0.9026
p-value	.	.	0.1013	.	0.0086	.



Condom Use: Total Sample

While in ART, PLHIV can transmit HIV k4r  
Variable name: k4r

	None		One		Two+	
Probability	0.9278	.	0.8753	.	0.8915	.
95% CI	0.8985	0.9572	0.8186	0.9321	0.8474	0.9357
p-value	.	.	0.0264	.	0.1722	.

Knows PLHIV on ART can transmit HIV k3r  
Variable name: k3r

	None		One		Two+	
Probability	0.8763	.	0.8786	.	0.8426	.
95% CI	0.8438	0.9087	0.8363	0.9208	0.7618	0.9235
p-value	.	.	0.9156	.	0.4534	.

Percentage who disagree that if one spouse is HIV+ the other certainly is k1r  
Variable name: k1r

	None		One		Two+	
Probability	0.5017	.	0.4784	.	0.4382	.
95% CI	0.4206	0.5829	0.4136	0.5433	0.3698	0.5066
p-value	.	.	0.5957	.	0.1188	.

Knows that STIs increase HIV infection k2r  
Variable name: k2r

	None		One		Two+	
Probability	0.8723	.	0.8162	.	0.8425	.
95% CI	0.8429	0.9017	0.7663	0.8661	0.8051	0.8799
p-value	.	.	0.0382	.	0.2861	.

Condom Use in Marriage Accepted  
Variable name: cn1r

	None		One		Two+	
Probability	0.5980	.	0.6778	.	0.7452	.
95% CI	0.5274	0.6687	0.6290	0.7266	0.6806	0.8098
p-value	.	.	0.0702	.	0.0028	.

Women Can Ask Regular Parnter to Use Condom  
 Variable name: cn2r

	None		One		Two+	
Probability	0.7391	.	0.6987	.	0.7415	.
95% CI	0.6887	0.7896	0.6213	0.7762	0.6829	0.8001
p-value	.	.	0.2648	.	0.9565	.

Variable name: cn2ar

	None		One		Two+	
Probability	0.7434	.	0.7116	.	0.7829	.
95% CI	0.6971	0.7897	0.6490	0.7741	0.7302	0.8356
p-value	.	.	0.4204	.	0.2832	.

Condom use at last sex among those ever having sex b7  
 Variable name: cls

	None		One		Two+	
Probability	0.5518	.	0.5592	.	0.6011	.
95% CI	0.5017	0.6019	0.4968	0.6216	0.5419	0.6604
p-value	.	.	0.8549	.	0.1423	.

Condom at last sex, if regular parnter  
 Variable name: cls\_reg

	None		One		Two+	
Probability	0.3332	.	0.3912	.	0.4684	.
95% CI	0.2637	0.4027	0.3023	0.4801	0.3861	0.5507
p-value	.	.	0.3964	.	0.0092	.

Condom at last sex, if casual parnter  
 Variable name: cls\_cas

	None		One		Two+	
Probability	0.8323	.	0.7834	.	0.8955	.
95% CI	0.7881	0.8764	0.7115	0.8552	0.8481	0.9429
p-value	.	.	0.1533	.	0.0146	.

Condom at last sex among those with multiple partners  
 Variable name: cls\_mp

	None		One		Two+	
Probability	0.7250	.	0.7467	.	0.7568	.
95% CI	0.6549	0.7951	0.6328	0.8607	0.6685	0.8451
p-value	.	.	0.6416	.	0.6696	.

Condom at last sex with a regular partner, among those with multiple partners  
 Variable name: clsreg\_mp

	None		One		Two+	
Probability	0.5925	.	0.5325	.	0.3806	.
95% CI	.	.	.	.	.	.
p-value	.	.	.	.	.	.

Condom at last sex with a casual partner, among those with multiple partners  
 Variable name: clscas\_mp

	None		One		Two+	
Probability	0.9131	.	0.8799	.	0.9396	.
95% CI	0.8683	0.9578	0.8205	0.9392	0.9010	0.9783
p-value	.	.	0.2382	.	0.5048	.

Always/usually used a condom with last sexual partner  
 Variable name: freq\_cdm

	None		One		Two+	
Probability	0.6947	.	0.6720	.	0.7592	.
95% CI	0.6530	0.7363	0.6259	0.7182	0.7000	0.8184
p-value	.	.	0.2485	.	0.0641	.

Always/usually used a condom with next to last sexual partner  
 Variable name: freq\_cdm2nd

	None		One		Two+	
Probability	0.8206	.	0.9469	.	0.8299	.
95% CI	0.7578	0.8833	0.9079	0.9859	0.7727	0.8871
p-value	.	.	0.0031	.	0.8309	.

Always/usually used a condom with third to last sexual partner  
 Variable name: freq\_cdm3rd

	None		One		Two+	
Probability	0.6323	.	0.8303	.	0.6967	.
95% CI	0.5716	0.6930	0.7390	0.9215	0.6254	0.7680
p-value	.	.	0.0007	.	0.1111	.

condom use at last sex among those have sex in the last 12 months b19  
 Variable name: cls\_yr

	None		One		Two+	
Probability	0.6954	.	0.6756	.	0.7893	.
95% CI	0.6525	0.7383	0.6218	0.7295	0.7405	0.8381
p-value	.	.	0.4141	.	0.0004	.

Condom Use: Females Only

While in ART, PLHIV can transmit HIV k4r  
 Variable name: k4r

	None		One		Two+	
Probability	0.9085	.	0.8946	.	0.9037	.
95% CI	0.8655	0.9515	0.8493	0.9400	0.8623	0.9450
p-value	.	.	0.6017	.	0.8788	.

Knows PLHIV on ART can transmit HIV k3r  
 Variable name: k3r

	None		One		Two+	
Probability	0.8392	.	0.8483	.	0.7935	.
95% CI	0.7868	0.8916	0.7939	0.9026	0.6760	0.9110
p-value	.	.	0.7091	.	0.4426	.

Percentage who disagree that if one spouse is HIV+ the other certainly is k1r  
 Variable name: k1r

	None		One		Two+	
Probability	0.4627	.	0.3506	.	0.3600	.
95% CI	0.3573	0.5682	0.2457	0.4555	0.2767	0.4433
p-value	.	.	0.1615	.	0.2089	.

Knows that STIs increase HIV infection k2r  
 Variable name: k2r

	None		One		Two+	
Probability	0.8089	.	0.8240	.	0.8351	.
95% CI	0.7534	0.8643	0.7739	0.8741	0.7838	0.8865
p-value	.	.	0.5924	.	0.5959	.

Condom Use in Marriage Accepted  
 Variable name: cn1r

	None		One		Two+	
Probability	0.5737	.	0.6796	.	0.6977	.
95% CI	0.5056	0.6419	0.6007	0.7585	0.5758	0.8196
p-value	.	.	0.0219	.	0.0969	.

Women Can Ask Regular Partner to Use Condom  
 Variable name: cn2r

	None		One		Two+	
Probability	0.7005	.	0.6786	.	0.7488	.
95% CI	0.6336	0.7674	0.5522	0.8051	0.6520	0.8456
p-value	.	.	0.7166	.	0.3992	.

Variable name: cn2ar

	None		One		Two+	
Probability	0.6329	.	0.7061	.	0.7379	.
95% CI	0.5433	0.7225	0.5993	0.8129	0.6329	0.8429
p-value	.	.	0.2299	.	0.2007	.

Condom use at last sex among those ever having sex b7  
 Variable name: cls

	None		One		Two+	
Probability	0.4956	.	0.4240	.	0.5461	.
95% CI	0.4273	0.5639	0.3476	0.5004	0.4593	0.6329
p-value	.	.	0.0853	.	0.4268	.

Condom at last sex, if regular partner  
 Variable name: cls\_reg

	None		One		Two+	
Probability	0.3019	.	0.3729	.	0.3631	.
95% CI	0.2307	0.3731	0.2911	0.4548	0.2710	0.4552
p-value	.	.	0.2669	.	0.3598	.

Condom at last sex, if casual partner  
 Variable name: cls\_cas

	None		One		Two+	
Probability	0.7851	.	0.6649	.	0.7435	.
95% CI	0.7134	0.8568	0.5647	0.7651	0.6295	0.8575
p-value	.	.	0.0900	.	0.4672	.

Condom at last sex among those with multiple partners  
 Variable name: cls\_mp

	None		One		Two+	
Probability	0.3944	.	0.4729	.	0.4152	.
95% CI	0.2984	0.4905	0.3552	0.5906	0.2402	0.5901
p-value	.	.	0.3587	.	0.8567	.

Condom at last sex with a casual partner, among those with multiple partners  
 Variable name: clscas\_mp

	None		One		Two+	
Probability	0.7403	.	0.5266	.	0.6667	.
95% CI	0.7216	0.7590	0.3722	0.6810	0.5469	0.7865
p-value	.	.	0.0023	.	0.1039	.

Always/usually used a condom with last sexual partner  
 Variable name: freq\_cdm

	None		One		Two+	
Probability	0.6347	.	0.5774	.	0.6411	.
95% CI	0.5608	0.7085	0.4983	0.6566	0.5726	0.7096
p-value	.	.	0.3170	.	0.8934	.

condom use at last sex among those have sex in the last 12 months b19  
 Variable name: cls\_yr

	None		One		Two+	
Probability	0.6382	.	0.5756	.	0.6397	.
95% CI	0.5668	0.7096	0.4945	0.6568	0.5652	0.7141
p-value	.	.	0.2664	.	0.9754	.

Condom Use: Males Only

While in ART, PLHIV can transmit HIV k4r  
Variable name: k4r

	None		One		Two+	
Probability	0.9468	.	0.8302	.	0.8832	.
95% CI	0.9236	0.9700	0.7380	0.9223	0.8365	0.9299
p-value	.	.	0.0217	.	0.0021	.

Knows PLHIV on ART can transmit HIV k3r  
Variable name: k3r

	None		One		Two+	
Probability	0.9234	.	0.8949	.	0.9186	.
95% CI	0.8900	0.9568	0.8507	0.9391	0.8718	0.9655
p-value	.	.	0.3629	.	0.8548	.

Percentage who disagree that if one spouse is HIV+ the other certainly is k1r  
Variable name: k1r

	None		One		Two+	
Probability	0.5617	.	0.6230	.	0.4935	.
95% CI	0.4841	0.6392	0.5407	0.7053	0.4151	0.5718
p-value	.	.	0.1666	.	0.0879	.

Knows that STIs increase HIV infection k2r  
Variable name: k2r

	None		One		Two+	
Probability	0.9331	.	0.7928	.	0.8479	.
95% CI	0.9094	0.9568	0.7333	0.8523	0.7985	0.8973
p-value	.	.	0.0001	.	0.0007	.

Condom Use in Marriage Accepted  
Variable name: cn1r

	None		One		Two+	
Probability	0.6241	.	0.6962	.	0.7696	.
95% CI	0.5224	0.7258	0.6107	0.7816	0.7019	0.8372
p-value	.	.	0.3118	.	0.0220	.



Women Can Ask Regular Partner to Use Condom  
 Variable name: cn2r

	None		One		Two+	
Probability	0.8034	.	0.7043	.	0.6622	.
95% CI	0.7469	0.8599	0.6349	0.7737	0.6011	0.7234
p-value	.	.	0.0472	.	0.0010	.

Variable name: cn2ar

	None		One		Two+	
Probability	0.8652	.	0.7127	.	0.7927	.
95% CI	0.8225	0.9079	0.6309	0.7945	0.7180	0.8673
p-value	.	.	0.0056	.	0.0528	.

Condom use at last sex among those ever having sex b7  
 Variable name: cls

	None		One		Two+	
Probability	0.6374	.	0.7157	.	0.6272	.
95% CI	0.5400	0.7348	0.6056	0.8257	0.5383	0.7161
p-value	.	.	0.4158	.	0.8313	.

Condom at last sex, if regular partner  
 Variable name: cls\_reg

	None		One		Two+	
Probability	0.3648	.	0.4751	.	0.6825	.
95% CI	0.2906	0.4390	0.3639	0.5863	0.5510	0.8139
p-value	.	.	0.1142	.	0.0001	.

Condom at last sex, if casual partner  
 Variable name: cls\_cas

	None		One		Two+	
Probability	0.9102	.	0.9091	.	0.9739	.
95% CI	0.8646	0.9558	0.8325	0.9856	0.9479	0.9998
p-value	.	.	0.9830	.	0.0321	.

Condom at last sex among those with multiple partners  
 Variable name: cls\_mp

	None		One		Two+	
Probability	0.8204	.	0.7731	.	0.8012	.
95% CI	0.7695	0.8712	0.6852	0.8610	0.7140	0.8884
p-value	.	.	0.3519	.	0.7469	.

Condom at last sex with a regular partner, among those with multiple partners  
 Variable name: clsreg\_mp

	None		One		Two+	
Probability	0.5736	.	0.4547	.	0.4531	.
95% CI	.	.	.	.	.	.
p-value	.	.	.	.	.	.

Condom at last sex with a casual partner, among those with multiple partners  
 Variable name: clscas\_mp

	None		One		Two+	
Probability	0.9653	.	0.8831	.	0.9827	.
95% CI	0.9268	1.0038	0.8217	0.9446	0.9616	1.0038
p-value	.	.	0.0309	.	0.5032	.

Always/usually used a condom with last sexual partner  
 Variable name: freq\_cdm

	None		One		Two+	
Probability	0.7962	.	0.7840	.	0.8213	.
95% CI	0.7530	0.8394	0.7064	0.8616	0.7345	0.9080
p-value	.	.	0.8045	.	0.5707	.

Always/usually used a condom with next to last sexual partner  
 Variable name: freq\_cdm2nd

	None		One		Two+	
Probability	0.9571	.	0.9698	.	0.9615	.
95% CI	0.9424	0.9718	0.9552	0.9845	0.9391	0.9840
p-value	.	.	0.1669	.	0.7576	.

Always/usually used a condom with third to last sexual partner  
 Variable name: freq\_cdm3rd

	None		One		Two+	
Probability	0.8108	.	0.9022	.	0.8958	.
95% CI	0.7379	0.8837	0.8558	0.9486	0.8556	0.9360
p-value	.	.	0.0164	.	0.0160	.

condom use at last sex among those have sex in the last 12 months b19  
 Variable name: cls\_yr

	None		One		Two+	
Probability	0.7875	.	0.8048	.	0.8989	.
95% CI	0.7397	0.8352	0.7320	0.8775	0.8591	0.9388
p-value	.	.	0.7406	.	0.0041	.

HIV Testing: Total Sample

Pregnant woman should test for HIV k7r  
Variable name: k7r

	None		One		Two+	
Probability	0.9587	.	0.9548	.	0.9200	.
95% CI	0.9427	0.9748	0.9371	0.9725	0.8824	0.9576
p-value	.	.	0.7710	.	0.0188	.

Knows TB can be cured if HIV+ k6r  
Variable name: k6r

	None		One		Two+	
Probability	0.7477	.	0.6638	.	0.6753	.
95% CI	0.6955	0.7998	0.5975	0.7301	0.6205	0.7300
p-value	.	.	0.0444	.	0.1112	.

Knows that the risk of contracting HIV decreases for a circumcised man k10r  
Variable name: k10r

	None		One		Two+	
Probability	0.7339	.	0.6941	.	0.6256	.
95% CI	0.6906	0.7771	0.6162	0.7720	0.5559	0.6953
p-value	.	.	0.2998	.	0.0002	.

a10b Agrees that only way to know you are HIV positive is through blood test  
Variable name: a10br

	None		One		Two+	
Probability	0.9370	.	0.9461	.	0.9670	.
95% CI	0.9105	0.9635	0.9200	0.9723	0.9524	0.9816
p-value	.	.	0.4501	.	0.0061	.

a10 Important to Know HIV Status  
Variable name: a10r

	None		One		Two+	
Probability	0.9668	.	0.9744	.	0.9651	.
95% CI	0.9536	0.9799	0.9544	0.9945	0.9417	0.9886
p-value	.	.	0.5849	.	0.9013	.

Worried about Becoming Infected  
Variable name: a11r

	None		One		Two+	
Probability	0.6072	.	0.6215	.	0.5651	.
95% CI	0.5496	0.6648	0.5654	0.6776	0.4658	0.6643
p-value	.	.	0.6251	.	0.3582	.

Likely to be Infected Now  
Variable name: a12r

	None		One		Two+	
Probability	0.2287	.	0.3435	.	0.2568	.
95% CI	0.1494	0.3080	0.2819	0.4051	0.1842	0.3294
p-value	.	.	0.0704	.	0.7046	.

Agrees that wife/cohabitating partner has another partner b8  
Variable name: b8r

	None		One		Two+	
Probability	0.0757	.	0.0999	.	0.1292	.
95% CI	0.0464	0.1050	0.0577	0.1422	0.0550	0.2034
p-value	.	.	0.2627	.	0.1487	.

Agrees that husband/cohabitating partner has another wife b9  
Variable name: b9r

	None		One		Two+	
Probability	0.0867	.	0.0456	.	0.1044	.
95% CI	0.0373	0.1362	0.0179	0.0733	0.0492	0.1596
p-value	.	.	0.1010	.	0.6790	.

Agrees that husband/cohabitating partner has another sex partner who is not a wi  
Variable name: b10r

	None		One		Two+	
Probability	0.1628	.	0.2051	.	0.1390	.
95% CI	0.0953	0.2303	0.1032	0.3070	0.0596	0.2184
p-value	.	.	0.4229	.	0.6642	.

Thinks that last partner had other sexual partners  
Variable name: b18\_r1a

	None		One		Two+	
Probability	0.2184	.	0.2096	.	0.2372	.
95% CI	0.1797	0.2572	0.1717	0.2476	0.1768	0.2975
p-value	.	.	0.7304	.	0.6252	.

Thinks that next to last partner had other sexual partners  
Variable name: b18\_r2a

	None		One		Two+	
Probability	0.3746	.	0.3285	.	0.4324	.
95% CI	0.2503	0.4990	0.2249	0.4322	0.2754	0.5895
p-value	.	.	0.4419	.	0.5548	.

Thinks that third to last partner had other sexual partners  
Variable name: b18\_r3a

	None		One		Two+	
Probability	0.2693	.	0.5613	.	0.4319	.
95% CI	0.1598	0.3787	0.4135	0.7091	0.2749	0.5889
p-value	.	.	0.0028	.	0.0655	.

Leaders Encourage HIV Testing  
Variable name: cn5r

	None		One		Two+	
Probability	0.5007	.	0.5203	.	0.6358	.
95% CI	0.4383	0.5631	0.4538	0.5869	0.5683	0.7032
p-value	.	.	0.6106	.	0.0053	.

Knows where to get HIV/AIDS info. k11r  
Variable name: k11r

	None		One		Two+	
Probability	0.9131	.	0.8915	.	0.9160	.
95% CI	0.8865	0.9398	0.8402	0.9428	0.8744	0.9576
p-value	.	.	0.2187	.	0.8903	.

a7 Disagrees that HIV Means Life is Over  
 Variable name: a7r

	None		One		Two+	
Probability	0.7854	.	0.8042	.	0.8461	.
95% CI	0.7422	0.8285	0.7672	0.8412	0.7875	0.9047
p-value	.	.	0.4793	.	0.0840	.

Ever Tested for HIV b24  
 Variable name: evertest

	None		One		Two+	
Probability	0.7294	.	0.7075	.	0.7373	.
95% CI	0.6761	0.7828	0.6663	0.7488	0.6842	0.7904
p-value	.	.	0.6173	.	0.8573	.

Number of Times Tested for HIV b24a  
 Variable name: numtest

	None		One		Two+	
Mean	2.2596	.	1.9311	.	2.7525	.
95% CI	1.9663	2.5528	1.6715	2.1907	1.7500	3.7550
p-value	.	.	0.1555	.	0.2970	.

HIV Test in the Last 12 Months b24b  
 Variable name: hivtest

	None		One		Two+	
Probability	0.5537	.	0.5418	.	0.5522	.
95% CI	0.4909	0.6165	0.4831	0.6005	0.4887	0.6157
p-value	.	.	0.8204	.	0.9742	.

Received results of most recent HIV test b24c  
 Variable name: hivresults

	None		One		Two+	
Probability	0.9925	.	0.9468	.	0.9727	.
95% CI	0.9868	0.9983	0.9203	0.9733	0.9556	0.9897
p-value	.	.	0.0002	.	0.0423	.

Discussed results of most recent HIV test b24d  
 Variable name: results\_disc

	None		One		Two+	
Probability	0.8791	.	0.8660	.	0.8222	.
95% CI	0.8288	0.9294	0.8094	0.9227	0.7654	0.8789
p-value	.	.	0.7072	.	0.1667	.



HIV Testing: Females Only

Pregnant woman should test for HIV k7r  
Variable name: k7r

	None		One		Two+	
Probability	0.9740	.	0.9758	.	0.9427	.
95% CI	0.9603	0.9877	0.9595	0.9921	0.9158	0.9697
p-value	.	.	0.8793	.	0.0366	.

Knows TB can be cured if HIV+ k6r  
Variable name: k6r

	None		One		Two+	
Probability	0.7282	.	0.6270	.	0.6659	.
95% CI	0.6551	0.8014	0.5328	0.7212	0.5839	0.7478
p-value	.	.	0.0262	.	0.2745	.

Knows that the risk of contracting HIV decreases for a circumcised man k10r  
Variable name: k10r

	None		One		Two+	
Probability	0.6432	.	0.5643	.	0.5555	.
95% CI	0.5752	0.7112	0.4625	0.6661	0.4365	0.6745
p-value	.	.	0.1340	.	0.1081	.

a10b Agrees that only way to know you are HIV positive is through blood test  
Variable name: a10br

	None		One		Two+	
Probability	0.9710	.	0.9792	.	0.9719	.
95% CI	0.9521	0.9899	0.9691	0.9892	0.9575	0.9862
p-value	.	.	0.3120	.	0.9350	.

a10 Important to Know HIV Status  
Variable name: a10r

	None		One		Two+	
Probability	0.9619	.	0.9604	.	0.9771	.
95% CI	0.9436	0.9801	0.9390	0.9818	0.9584	0.9958
p-value	.	.	0.9143	.	0.3285	.

Worried about Becoming Infected  
 Variable name: a11r

	None		One		Two+	
Probability	0.5665	.	0.6749	.	0.5170	.
95% CI	0.4881	0.6449	0.5643	0.7855	0.3761	0.6579
p-value	.	.	0.1032	.	0.4623	.

Likely to be Infected Now  
 Variable name: a12r

	None		One		Two+	
Probability	0.3156	.	0.3900	.	0.2286	.
95% CI	0.2053	0.4260	0.2737	0.5063	0.1694	0.2878
p-value	.	.	0.4055	.	0.1961	.

Agrees that husband/cohabitating partner has another wife b9  
 Variable name: b9r

	None		One		Two+	
Probability	0.0867	.	0.0456	.	0.1044	.
95% CI	0.0373	0.1362	0.0179	0.0733	0.0492	0.1596
p-value	.	.	0.1010	.	0.6790	.

Agrees that husband/cohabitating partner has another sex partner who is not a wi  
 Variable name: b10r

	None		One		Two+	
Probability	0.1628	.	0.2051	.	0.1390	.
95% CI	0.0953	0.2303	0.1032	0.3070	0.0596	0.2184
p-value	.	.	0.4229	.	0.6642	.

Thinks that last partner had other sexual partners  
 Variable name: b18\_r1a

	None		One		Two+	
Probability	0.2631	.	0.3153	.	0.3348	.
95% CI	0.1666	0.3595	0.2404	0.3902	0.2079	0.4618
p-value	.	.	0.4815	.	0.3021	.

Thinks that next to last partner had other sexual partners  
 Variable name: b18\_r2a

	None		One		Two+	
Probability	0.3588	.	0.4280	.	0.5411	.
95% CI	0.2605	0.4572	0.3086	0.5474	0.4202	0.6620
p-value	.	.	0.4131	.	0.0378	.

Leaders Encourage HIV Testing  
 Variable name: cn5r

	None		One		Two+	
Probability	0.4739	.	0.4799	.	0.5426	.
95% CI	0.3981	0.5497	0.3977	0.5621	0.4213	0.6639
p-value	.	.	0.9108	.	0.4376	.

Knows where to get HIV/AIDS info. k11r  
 Variable name: k11r

	None		One		Two+	
Probability	0.8710	.	0.8455	.	0.8953	.
95% CI	0.8412	0.9007	0.7788	0.9121	0.8508	0.9397
p-value	.	.	0.3492	.	0.2787	.

a7 Disagrees that HIV Means Life is Over  
 Variable name: a7r

	None		One		Two+	
Probability	0.7632	.	0.8266	.	0.9010	.
95% CI	0.7312	0.7951	0.7283	0.9250	0.8415	0.9605
p-value	.	.	0.2055	.	0.0026	.

Ever Tested for HIV b24  
 Variable name: evertest

	None		One		Two+	
Probability	0.7895	.	0.7971	.	0.8328	.
95% CI	0.7476	0.8315	0.7447	0.8495	0.7628	0.9028
p-value	.	.	0.7846	.	0.3912	.

Number of Times Tested for HIV b24a  
 Variable name: numtest

	None		One		Two+	
Mean	3.0007	.	2.2917	.	3.1111	.
95% CI	2.3871	3.6144	1.8883	2.6951	1.7645	4.4576
p-value	.	.	0.0742	.	0.8414	.

HIV Test in the Last 12 Months b24b  
 Variable name: hivtest

	None		One		Two+	
Probability	0.5862	.	0.6258	.	0.5923	.
95% CI	0.5144	0.6580	0.5494	0.7021	0.4794	0.7052
p-value	.	.	0.3361	.	0.9358	.

Received results of most recent HIV test b24c  
 Variable name: hivresults

	None		One		Two+	
Probability	0.9866	.	0.9727	.	0.9825	.
95% CI	0.9784	0.9949	0.9589	0.9865	0.9667	0.9983
p-value	.	.	0.0641	.	0.6477	.

Discussed results of most recent HIV test b24d  
 Variable name: results\_disc

	None		One		Two+	
Probability	0.8892	.	0.8890	.	0.8535	.
95% CI	0.8366	0.9418	0.8415	0.9364	0.8082	0.8988
p-value	.	.	0.9955	.	0.2551	.

HIV Testing: Males Only

Pregnant woman should test for HIV k7r  
Variable name: k7r

	None		One		Two+	
Probability	0.9429	.	0.9328	.	0.8815	.
95% CI	0.9179	0.9679	0.9025	0.9631	0.8160	0.9470
p-value	.	.	0.6668	.	0.0355	.

Knows TB can be cured if HIV+ k6r  
Variable name: k6r

	None		One		Two+	
Probability	0.7655	.	0.6866	.	0.7269	.
95% CI	0.7145	0.8165	0.6040	0.7693	0.6272	0.8267
p-value	.	.	0.0974	.	0.5588	.

Knows that the risk of contracting HIV decreases for a circumcised man k10r  
Variable name: k10r

	None		One		Two+	
Probability	0.8361	.	0.8323	.	0.6624	.
95% CI	0.8009	0.8712	0.7737	0.8908	0.5879	0.7369
p-value	.	.	0.9117	.	0.0001	.

a10b Agrees that only way to know you are HIV positive is through blood test  
Variable name: a10br

	None		One		Two+	
Probability	0.8966	.	0.9175	.	0.9624	.
95% CI	0.8700	0.9233	0.8906	0.9444	0.9438	0.9811
p-value	.	.	0.2152	.	0.0001	.

a10 Important to Know HIV Status  
Variable name: a10r

	None		One		Two+	
Probability	0.9744	.	0.9828	.	0.9518	.
95% CI	0.9616	0.9872	0.9672	0.9984	0.9113	0.9924
p-value	.	.	0.4544	.	0.2615	.

Worried about Becoming Infected  
 Variable name: a11r

	None		One		Two+	
Probability	0.6479	.	0.5862	.	0.5813	.
95% CI	0.5928	0.7030	0.5486	0.6238	0.4945	0.6682
p-value	.	.	0.1233	.	0.2353	.

Likely to be Infected Now  
 Variable name: a12r

	None		One		Two+	
Probability	0.1602	.	0.3159	.	0.2163	.
95% CI	0.1088	0.2116	0.2471	0.3847	0.1423	0.2903
p-value	.	.	0.0091	.	0.3087	.

Agrees that wife/cohabitating partner has another partner b8  
 Variable name: b8r

	None		One		Two+	
Probability	0.0757	.	0.0999	.	0.1292	.
95% CI	0.0464	0.1050	0.0577	0.1422	0.0550	0.2034
p-value	.	.	0.2627	.	0.1487	.

Thinks that last partner had other sexual partners  
 Variable name: b18\_r1a

	None		One		Two+	
Probability	0.1585	.	0.1038	.	0.1097	.
95% CI	0.0657	0.2513	0.0686	0.1389	0.0425	0.1770
p-value	.	.	0.2237	.	0.4511	.

Thinks that next to last partner had other sexual partners  
 Variable name: b18\_r2a

	None		One		Two+	
Probability	0.4311	.	0.3178	.	0.2998	.
95% CI	0.3348	0.5274	0.2247	0.4110	0.1425	0.4571
p-value	.	.	0.1177	.	0.2120	.

Thinks that third to last partner had other sexual partners  
 Variable name: b18\_r3a

	None		One		Two+	
Probability	0.3109	.	0.4940	.	0.4920	.
95% CI	0.1996	0.4222	0.3781	0.6100	0.3292	0.6548
p-value	.	.	0.0618	.	0.0671	.

Leaders Encourage HIV Testing  
 Variable name: cn5r

	None		One		Two+	
Probability	0.5621	.	0.5636	.	0.6777	.
95% CI	0.4781	0.6461	0.4622	0.6650	0.5936	0.7618
p-value	.	.	0.9690	.	0.1046	.

Knows where to get HIV/AIDS info. k11r  
 Variable name: k11r

	None		One		Two+	
Probability	0.9665	.	0.9352	.	0.9039	.
95% CI	0.9474	0.9855	0.9009	0.9696	0.8572	0.9505
p-value	.	.	0.0271	.	0.0003	.

a7 Disagrees that HIV Means Life is Over  
 Variable name: a7r

	None		One		Two+	
Probability	0.8077	.	0.7700	.	0.7592	.
95% CI	0.7395	0.8759	0.6920	0.8480	0.6669	0.8515
p-value	.	.	0.3503	.	0.2434	.

Ever Tested for HIV b24  
 Variable name: evertest

	None		One		Two+	
Probability	0.6522	.	0.6054	.	0.6489	.
95% CI	0.5915	0.7130	0.5062	0.7047	0.5811	0.7168
p-value	.	.	0.5284	.	0.9495	.

Number of Times Tested for HIV b24a  
 Variable name: numtest

	None		One		Two+	
Mean	1.5711	.	1.5823	.	1.9870	.
95% CI	1.4354	1.7069	1.3377	1.8268	1.7520	2.2219
p-value	.	.	0.9446	.	0.0055	.

HIV Test in the Last 12 Months b24b  
 Variable name: hivtest

	None		One		Two+	
Probability	0.5025	.	0.4492	.	0.5449	.
95% CI	0.4513	0.5537	0.3449	0.5535	0.4861	0.6037
p-value	.	.	0.4515	.	0.3383	.

Received results of most recent HIV test b24c  
 Variable name: hivresults

	None		One		Two+	
Probability	0.9928	.	0.9153	.	0.9331	.
95% CI	0.9883	0.9974	0.8853	0.9452	0.8964	0.9699
p-value	.	.	0.0000	.	0.0000	.

Discussed results of most recent HIV test b24d  
 Variable name: results\_disc

	None		One		Two+	
Probability	0.8584	.	0.7972	.	0.8289	.
95% CI	0.7932	0.9236	0.7082	0.8863	0.7548	0.9031
p-value	.	.	0.1095	.	0.5629	.



HIV Treatment: Total Sample

Knows ARVs prevent MCT during pregnancy k8ar  
 Variable name: k8ar

	None		One		Two+	
Probability	0.8102	.	0.7481	.	0.7835	.
95% CI	0.7509	0.8695	0.6661	0.8301	0.7217	0.8453
p-value	.	.	0.1130	.	0.3700	.

Knows ARVs prevent MCT during childbirth k8br  
 Variable name: k8br

	None		One		Two+	
Probability	0.7729	.	0.7224	.	0.7713	.
95% CI	0.7151	0.8307	0.6761	0.7688	0.7242	0.8184
p-value	.	.	0.0682	.	0.9462	.

Knows ARVs prevent MCT during breastfeeding k8cr  
 Variable name: k8cr

	None		One		Two+	
Probability	0.6247	.	0.6547	.	0.6530	.
95% CI	0.5271	0.7223	0.6085	0.7009	0.5735	0.7326
p-value	.	.	0.4815	.	0.4610	.

Knows how often people should take ARVs k9r  
 Variable name: k9r

	None		One		Two+	
Probability	0.8830	.	0.8660	.	0.8120	.
95% CI	0.8342	0.9318	0.8235	0.9085	0.7560	0.8680
p-value	.	.	0.6284	.	0.0979	.

Leaders Encourage HIV Treatment  
 Variable name: cn6r

	None		One		Two+	
Probability	0.5950	.	0.6041	.	0.7238	.
95% CI	0.5422	0.6479	0.5530	0.6551	0.6545	0.7931
p-value	.	.	0.8329	.	0.0073	.

Has ever taken ARVs b28  
 Variable name: b28r

	None		One		Two+	
Probability	0.0711	.	0.0475	.	0.0637	.
95% CI	0.0538	0.0883	0.0156	0.0793	0.0319	0.0954
p-value	.	.	0.1602	.	0.6315	.

Received support from an ARV treatment buddy or CBV, among those who have ever t  
 Variable name: b29r

	None		One		Two+	
Probability	0.1009	.	0.4394	.	0.2845	.
95% CI	0.0480	0.1538	0.2672	0.6116	0.0959	0.4730
p-value	.	.	0.0000	.	0.0254	.

Does not struggle to take your ARV drugs as advised by the doctor b30  
 Variable name: b30r

	None		One		Two+	
Probability	0.0495	.	0.0242	.	0.0050	.
95% CI	0.0235	0.0755	0.0026	0.0458	-0.0030	0.0131
p-value	.	.	0.1101	.	0.0195	.

HIV Treatment: Females Only

Knows ARVs prevent MCT during pregnancy k8ar  
Variable name: k8ar

	None		One		Two+	
Probability	0.7546	.	0.7276	.	0.7828	.
95% CI	0.6733	0.8359	0.6138	0.8414	0.6963	0.8694
p-value	.	.	0.5366	.	0.5012	.

Knows ARVs prevent MCT during childbirth k8br  
Variable name: k8br

	None		One		Two+	
Probability	0.7749	.	0.7542	.	0.7551	.
95% CI	0.7194	0.8305	0.6949	0.8136	0.6949	0.8152
p-value	.	.	0.6179	.	0.6552	.

Knows ARVs prevent MCT during breastfeeding k8cr  
Variable name: k8cr

	None		One		Two+	
Probability	0.6829	.	0.7060	.	0.6957	.
95% CI	0.6108	0.7551	0.6072	0.8048	0.6120	0.7794
p-value	.	.	0.7619	.	0.8356	.

Knows how often people should take ARVs k9r  
Variable name: k9r

	None		One		Two+	
Probability	0.8587	.	0.8857	.	0.8273	.
95% CI	0.7849	0.9325	0.8407	0.9306	0.7557	0.8990
p-value	.	.	0.5032	.	0.4617	.

Leaders Encourage HIV Treatment  
Variable name: cn6r

	None		One		Two+	
Probability	0.5899	.	0.5511	.	0.6963	.
95% CI	0.5104	0.6693	0.4493	0.6529	0.5757	0.8169
p-value	.	.	0.5069	.	0.2584	.

Has ever taken ARVs b28  
 Variable name: b28r

	None		One		Two+	
Probability	0.0956	.	0.0756	.	0.0892	.
95% CI	0.0724	0.1189	0.0321	0.1192	0.0182	0.1602
p-value	.	.	0.5311	.	0.8704	.

Received support from an ARV treatment buddy or CBV, among those who have ever t  
 Variable name: b29r

	None		One		Two+	
Probability	0.0991	.	0.5459	.	0.2789	.
95% CI	0.0252	0.1729	0.2770	0.8148	-0.0303	0.5881
p-value	.	.	0.0003	.	0.1606	.

Does not struggle to take your ARV drugs as advised by the doctor b30  
 Variable name: b30r

	None		One		Two+	
Probability	0.2954	.	0.0512	.	0.0072	.
95% CI	.	.	.	.	.	.
p-value	.	.	.	.	.	.

HIV Treatment: Males Only

Knows ARVs prevent MCT during pregnancy k8ar  
Variable name: k8ar

	None		One		Two+	
Probability	0.8622	.	0.7729	.	0.7610	.
95% CI	0.8033	0.9212	0.7184	0.8274	0.6825	0.8394
p-value	.	.	0.0241	.	0.0266	.

Knows ARVs prevent MCT during childbirth k8br  
Variable name: k8br

	None		One		Two+	
Probability	0.7513	.	0.6980	.	0.8292	.
95% CI	0.6543	0.8483	0.6033	0.7927	0.7636	0.8947
p-value	.	.	0.2227	.	0.1188	.

Knows ARVs prevent MCT during breastfeeding k8cr  
Variable name: k8cr

	None		One		Two+	
Probability	0.5512	.	0.5759	.	0.6591	.
95% CI	0.4274	0.6750	0.4433	0.7085	0.5707	0.7476
p-value	.	.	0.6634	.	0.0394	.

Knows how often people should take ARVs k9r  
Variable name: k9r

	None		One		Two+	
Probability	0.9005	.	0.8315	.	0.8398	.
95% CI	0.8696	0.9314	0.7462	0.9168	0.7921	0.8875
p-value	.	.	0.1128	.	0.0215	.

Leaders Encourage HIV Treatment  
Variable name: cn6r

	None		One		Two+	
Probability	0.6264	.	0.6607	.	0.6984	.
95% CI	0.5242	0.7285	0.5986	0.7228	0.6413	0.7556
p-value	.	.	0.3672	.	0.1128	.

Has ever taken ARVs b28  
 Variable name: b28r

	None		One		Two+	
Probability	0.0449	.	0.0202	.	0.0262	.
95% CI	0.0211	0.0686	-0.0009	0.0414	0.0063	0.0462
p-value	.	.	0.0143	.	0.3126	.

HIV Stigma: Total Sample

a9 Disagrees that HIV is a punishment for sinning  
 Variable name: a9r

	None		One		Two+	
Probability	0.5475	.	0.6607	.	0.5549	.
95% CI	0.4579	0.6371	0.5474	0.7739	0.4614	0.6484
p-value	.	.	0.0637	.	0.9251	.

a8 Disagrees that revealing HIV status doesn't help  
 Variable name: a8r

	None		One		Two+	
Probability	0.7264	.	0.7738	.	0.7368	.
95% CI	0.6497	0.8030	0.7216	0.8260	0.6403	0.8333
p-value	.	.	0.2954	.	0.8328	.

Willing to Care for Someone on ART  
 Variable name: pc6r

	None		One		Two+	
Probability	0.9564	.	0.9581	.	0.9557	.
95% CI	0.9347	0.9782	0.9316	0.9845	0.9333	0.9781
p-value	.	.	0.8928	.	0.9566	.

People in the community joint together to help PLHIV  
 Variable name: cn4r

	None		One		Two+	
Probability	0.5225	.	0.4730	.	0.4939	.
95% CI	0.4730	0.5720	0.4108	0.5352	0.4083	0.5794
p-value	.	.	0.3095	.	0.5988	.

Keep Secret if Family Member has HIV  
 Variable name: cn3r

	None		One		Two+	
Probability	0.7598	.	0.6892	.	0.7111	.
95% CI	0.7147	0.8048	0.6422	0.7362	0.6479	0.7742
p-value	.	.	0.0379	.	0.1421	.

Cared for someone on ART  
 Variable name: pc5r

	None		One		Two+	
Probability	0.1853	.	0.1870	.	0.1854	.
95% CI	0.1455	0.2250	0.1339	0.2402	0.1537	0.2172
p-value	.	.	0.9399	.	0.9960	.

Agrees that wife inheritance is practiced in the community  
 Variable name: cn12r

	None		One		Two+	
Probability	0.0826	.	0.1201	.	0.1069	.
95% CI	0.0465	0.1187	0.0843	0.1560	0.0648	0.1489
p-value	.	.	0.1725	.	0.3639	.



HIV Stigma: Females Only

a9 Disagrees that HIV is a punishment for sinning  
Variable name: a9r

	None		One		Two+	
Probability	0.5284	.	0.6557	.	0.6308	.
95% CI	0.4385	0.6183	0.5431	0.7682	0.5514	0.7102
p-value	.	.	0.1134	.	0.1768	.

a8 Disagrees that revealing HIV status doesn't help  
Variable name: a8r

	None		One		Two+	
Probability	0.7255	.	0.7510	.	0.7907	.
95% CI	0.6815	0.7695	0.6782	0.8238	0.6920	0.8895
p-value	.	.	0.4452	.	0.2121	.

Willing to Care for Someone on ART  
Variable name: pc6r

	None		One		Two+	
Probability	0.9444	.	0.9501	.	0.9192	.
95% CI	0.9221	0.9668	0.9164	0.9837	0.8697	0.9687
p-value	.	.	0.6816	.	0.1550	.

People in the community joint together to help PLHIV  
Variable name: cn4r

	None		One		Two+	
Probability	0.5386	.	0.4183	.	0.4165	.
95% CI	0.4195	0.6577	0.3324	0.5043	0.3171	0.5159
p-value	.	.	0.1362	.	0.1702	.

Keep Secret if Family Member has HIV  
Variable name: cn3r

	None		One		Two+	
Probability	0.7427	.	0.6373	.	0.7648	.
95% CI	0.6460	0.8394	0.5547	0.7199	0.6953	0.8344
p-value	.	.	0.0011	.	0.6930	.

Cared for someone on ART  
 Variable name: pc5r

	None		One		Two+	
Probability	0.2835	.	0.2375	.	0.2601	.
95% CI	0.2035	0.3635	0.1574	0.3176	0.2168	0.3034
p-value	.	.	0.2242	.	0.6092	.

Agrees that wife inheritance is practiced in the community  
 Variable name: cn12r

	None		One		Two+	
Probability	0.0621	.	0.1032	.	0.0988	.
95% CI	0.0212	0.1030	0.0713	0.1352	0.0473	0.1502
p-value	.	.	0.1183	.	0.3070	.

HIV Stigma: Males Only

a9 Disagrees that HIV is a punishment for sinning  
Variable name: a9r

	None		One		Two+	
Probability	0.5692	.	0.6525	.	0.4802	.
95% CI	0.4802	0.6581	0.5459	0.7591	0.3396	0.6208
p-value	.	.	0.0734	.	0.3563	.

a8 Disagrees that revealing HIV status doesn't help  
Variable name: a8r

	None		One		Two+	
Probability	0.7141	.	0.7937	.	0.7109	.
95% CI	0.5650	0.8632	0.7213	0.8661	0.5906	0.8312
p-value	.	.	0.2415	.	0.9755	.

Willing to Care for Someone on ART  
Variable name: pc6r

	None		One		Two+	
Probability	0.9661	.	0.9811	.	0.9651	.
95% CI	0.9495	0.9828	0.9675	0.9947	0.9326	0.9976
p-value	.	.	0.0326	.	0.9467	.

People in the community joint together to help PLHIV  
Variable name: cn4r

	None		One		Two+	
Probability	0.5060	.	0.5413	.	0.5803	.
95% CI	0.3982	0.6137	0.4708	0.6119	0.4946	0.6661
p-value	.	.	0.5586	.	0.1298	.

Keep Secret if Family Member has HIV  
Variable name: cn3r

	None		One		Two+	
Probability	0.7652	.	0.7618	.	0.6565	.
95% CI	0.6850	0.8455	0.6410	0.8826	0.5804	0.7326
p-value	.	.	0.9480	.	0.0330	.

Cared for someone on ART  
 Variable name: pc5r

	None		One		Two+	
Probability	0.0871	.	0.1271	.	0.0917	.
95% CI	0.0559	0.1184	0.0815	0.1727	0.0517	0.1317
p-value	.	.	0.1593	.	0.8731	.

Agrees that wife inheritance is practiced in the community  
 Variable name: cn12r

	None		One		Two+	
Probability	0.1081	.	0.1248	.	0.1165	.
95% CI	0.0701	0.1462	0.0593	0.1904	0.0607	0.1723
p-value	.	.	0.6380	.	0.7873	.

Gender-Based Violence: Total Sample

Man has right to have sex for gifts  
Variable name: a6r

	None		One		Two+	
Probability	0.3031	.	0.2866	.	0.2517	.
95% CI	0.2679	0.3383	0.2201	0.3531	0.1782	0.3252
p-value	.	.	0.6249	.	0.2524	.

Leaders Speak Out Against GBV  
Variable name: cn7r

	None		One		Two+	
Probability	0.5567	.	0.5570	.	0.6207	.
95% CI	0.4924	0.6210	0.5144	0.5995	0.5431	0.6982
p-value	.	.	0.9935	.	0.2272	.

Forced Sex in the Last 12 Months  
Variable name: gbv\_sex12

	None		One		Two+	
Probability	0.0283	.	0.0506	.	0.0308	.
95% CI	0.0156	0.0410	0.0246	0.0767	0.0145	0.0470
p-value	.	.	0.0341	.	0.7810	.

Physical GBV in the Last 12 Months  
Variable name: gbv\_hit12

	None		One		Two+	
Probability	0.0945	.	0.1140	.	0.1239	.
95% CI	0.0668	0.1222	0.0813	0.1467	0.0791	0.1687
p-value	.	.	0.2867	.	0.0627	.

Reported forced sex to family member  
Variable name: fhitreport\_family

	None		One		Two+	
Probability	0.1068	.	0.3004	.	0.1223	.
95% CI	0.0554	0.1582	0.2134	0.3875	0.0539	0.1908
p-value	.	.	0.0036	.	0.7488	.

Reported forced sex to a friend  
 Variable name: fhitreport\_friend

	None		One		Two+	
Probability	0.0196	.	0.0599	.	0.0461	.
95% CI	-0.0022	0.0414	0.0122	0.1075	0.0095	0.0827
p-value	.	.	0.1155	.	0.2770	.

Reported forced sex to a police  
 Variable name: fhitreport\_police

	None		One		Two+	
Probability	0.1518	.	0.3289	.	0.2796	.
95% CI	0.0930	0.2105	0.2517	0.4062	0.2034	0.3558
p-value	.	.	0.0157	.	0.0415	.

Reported forced sex to a authorities  
 Variable name: fhitreport\_auth

	None		One		Two+	
Probability	0.0073	.	0.0302	.	0.0038	.
95% CI	-0.0000	0.0147	-0.0086	0.0691	-0.0027	0.0103
p-value	.	.	0.1069	.	0.5764	.

Reported gbv to anyone  
 Variable name: fhitreport\_any

	None		One		Two+	
Probability	0.2333	.	0.4874	.	0.4239	.
95% CI	0.1510	0.3156	0.3775	0.5973	0.3075	0.5403
p-value	.	.	0.0071	.	0.0407	.

Gender-Based Violence: Females Only

Man has right to have sex for gifts  
Variable name: a6r

	None		One		Two+	
Probability	0.3376	.	0.3793	.	0.2890	.
95% CI	0.2717	0.4036	0.2737	0.4850	0.2152	0.3628
p-value	.	.	0.4561	.	0.3768	.

Leaders Speak Out Against GBV  
Variable name: cn7r

	None		One		Two+	
Probability	0.4664	.	0.4253	.	0.4671	.
95% CI	0.3731	0.5597	0.3550	0.4956	0.3433	0.5909
p-value	.	.	0.4197	.	0.9930	.

Forced Sex in the Last 12 Months  
Variable name: gbv\_sex12

	None		One		Two+	
Probability	0.0421	.	0.0785	.	0.0554	.
95% CI	0.0197	0.0646	0.0357	0.1213	0.0276	0.0831
p-value	.	.	0.0374	.	0.4164	.

Physical GBV in the Last 12 Months  
Variable name: gbv\_hit12

	None		One		Two+	
Probability	0.1213	.	0.1438	.	0.1045	.
95% CI	0.0904	0.1522	0.0955	0.1920	0.0608	0.1481
p-value	.	.	0.5265	.	0.5858	.

Reported forced sex to family member  
Variable name: fhitreport\_family

	None		One		Two+	
Probability	0.0615	.	0.1705	.	0.0915	.
95% CI	0.0145	0.1085	0.1088	0.2321	0.0285	0.1546
p-value	.	.	0.0104	.	0.4816	.

Reported forced sex to a police  
 Variable name: fhitreport\_police

	None		One		Two+	
Probability	0.0424	.	0.1241	.	0.0902	.
95% CI	0.0199	0.0648	0.0635	0.1848	0.0438	0.1367
p-value	.	.	0.0060	.	0.0626	.

Reported gbv to anyone  
 Variable name: fhitreport\_any

	None		One		Two+	
Probability	0.1495	.	0.3249	.	0.2784	.
95% CI	0.0877	0.2113	0.2338	0.4159	0.1568	0.4000
p-value	.	.	0.0031	.	0.0971	.



Gender-Based Violence: Males Only

Man has right to have sex for gifts  
Variable name: a6r

	None		One		Two+	
Probability	0.2269	.	0.2107	.	0.2404	.
95% CI	0.1576	0.2962	0.1543	0.2670	0.1659	0.3149
p-value	.	.	0.7667	.	0.7162	.

Leaders Speak Out Against GBV  
Variable name: cn7r

	None		One		Two+	
Probability	0.6874	.	0.6924	.	0.7311	.
95% CI	0.6428	0.7320	0.6450	0.7397	0.6510	0.8111
p-value	.	.	0.9013	.	0.4379	.

Forced Sex in the Last 12 Months  
Variable name: gbv\_sex12

	None		One		Two+	
Probability	0.0136	.	0.0165	.	0.0063	.
95% CI	0.0040	0.0232	0.0065	0.0264	0.0006	0.0121
p-value	.	.	0.6869	.	0.1244	.

Physical GBV in the Last 12 Months  
Variable name: gbv\_hit12

	None		One		Two+	
Probability	0.0785	.	0.0851	.	0.1137	.
95% CI	0.0309	0.1260	0.0439	0.1263	0.0494	0.1780
p-value	.	.	0.6391	.	0.2939	.

Reported forced sex to family member  
Variable name: fhitreport\_family

	None		One		Two+	
Probability	0.2917	.	0.2866	.	0.2960	.
95% CI	0.2300	0.3533	0.2157	0.3576	0.1961	0.3958
p-value	.	.	0.9282	.	0.9481	.

Reported forced sex to a friend  
 Variable name: fhitreport\_friend

	None	One	Two+
Probability	0.0063	0.0702	0.2055
95% CI	.	.	.
p-value	.	.	.

Reported forced sex to a police  
 Variable name: fhitreport\_police

	None	One	Two+
Probability	0.4071	0.4716	0.6222
95% CI	0.3072 0.5070	0.3669 0.5764	0.5029 0.7414
p-value	.	0.4079	0.0291

Reported forced sex to a authorities  
 Variable name: fhitreport\_auth

	None	One	Two+
Probability	0.0053	0.0710	0.0138
95% CI	.	.	.
p-value	.	.	.

Reported gbv to anyone  
 Variable name: fhitreport\_any

	None	One	Two+
Probability	0.5311	0.4667	0.6714
95% CI	0.4165 0.6457	0.3497 0.5836	0.5483 0.7946
p-value	.	0.4093	0.1860