

**PROBIT REGRESSION RESULTS:
EXPOSURE TO ONE LOVE**

PART 1:
EFFECT OF ONE LOVE RADIO PROGRAM EXPOSURE

Multiple Partners: Total Sample

Other Risk Factors: Total Sample

HIV Communication: Total Sample

Condom Use: Total Sample

HIV Testing: Total Sample

HIV Treatment: Total Sample

HIV Stigma: Total Sample

Gender-Based Violence: Total Sample

PART 2:
EFFECT OF ONE LOVE TV PROGRAM EXPOSURE

PART 3:
EFFECT OF ONE LOVE BOOKLET EXPOSURE

PART 4: EFFECT OF ONE LOVE RADIO MULTI-MEDIA EXPOSURE

```
-----
-----
-----
name: <unnamed>
log: D:\Stata data\probit_ol_alltopics_border.smcl
log type: smcl
opened on: 24 Apr 2012, 22:58:57
```

```
. drop if domain~=3
(2893 observations deleted)
```

```
. log off
name: <unnamed>
log: D:\Stata data\probit_ol_alltopics_border.smcl
log type: smcl
paused on: 24 Apr 2012, 22:58:57
-----
-----
-----
```

```
-----
-----
-----
name: <unnamed>
log: D:\Stata data\probit_ol_alltopics_border.smcl
log type: smcl
resumed on: 24 Apr 2012, 22:59:20
```

```
. foreach x of local mpvars1 {
2. di "`": var label `x'''' _continue
3. matlist results_`x', format(%9.4f) title(Variable name:`x') nodotz border(all)
4. di " "
5. di " _____ " _continue
6. di " "
7. }
```

Knows multiple sexual partners increase HIV Rrisk k5r
Variable name:k5r

	Unexposed		Exposed	
Probability	0.9112	.	0.9308	.
95% CI	0.8910	0.9314	0.8943	0.9673
P-value	.	.	0.3980	.

People Discuss HIV Risk & Multiple Partners
Variable name:cn8r

	Unexposed		Exposed	
Probability	0.5707	.	0.6553	.

95% CI	0.5333	0.6081	0.5797	0.7309
P-value	.	.	0.0496	.

Most married men faithful to wives
Variable name:alr

	Unexposed		Exposed	
Probability	0.2618	.	0.2334	.
95% CI	0.2271	0.2966	0.1734	0.2935
P-value	.	.	0.4899	.

Leaders Discourage Multiple Parnters
Variable name:cn9r

	Unexposed		Exposed	
Probability	0.2314	.	0.2607	.
95% CI	0.1992	0.2636	0.2040	0.3174
P-value	.	.	0.3777	.

Men with many women are real men
Variable name:a5r

	Unexposed		Exposed	
Probability	0.0678	.	0.1094	.
95% CI	0.0555	0.0800	0.0555	0.1634
P-value	.	.	0.0882	.

Can resist being unfaithful to main partner
Variable name:a2r

	Unexposed		Exposed	
Probability	0.6775	.	0.6638	.
95% CI	0.6391	0.7159	0.5739	0.7536
P-value	.	.	0.7833	.

Does not need someone to fill gap
Variable name:a3r

	Unexposed		Exposed	
Probability	0.6951	.	0.6932	.
95% CI	0.6572	0.7329	0.6151	0.7712
P-value	.	.	0.9657	.

Multiple Partners (Last 12 Months) b2
 Variable name:mp1

	Unexposed		Exposed	
Probability	0.2368	.	0.2532	.
95% CI	0.1954	0.2783	0.1890	0.3174
P-value	.	.	0.6075	.

Multiple Partners (Last Month)b4
 Variable name:mp2

	Unexposed		Exposed	
Probability	0.1039	.	0.0689	.
95% CI	0.0745	0.1333	0.0218	0.1159
P-value	.	.	0.2357	.

Self-reported having concurrent partners in the past 12 months b3
 Variable name:b3r

	Unexposed		Exposed	
Probability	0.1433	.	0.1433	.
95% CI	0.1080	0.1786	0.0779	0.2087
P-value	.	.	0.9995	.

Currently have ore than one sexual partner (past 3 months) b5
 Variable name:b5r

	Unexposed		Exposed	
Probability	0.0794	.	0.1001	.
95% CI	0.0545	0.1044	0.0454	0.1549
P-value	.	.	0.3706	.

Received gifts or money in exchange for sex with last partner b20
 Variable name:gifts

	Unexposed		Exposed	
Probability	0.1550	.	0.1101	.
95% CI	0.1239	0.1862	0.0521	0.1682
P-value	.	.	0.1763	.

Received gifts or money in exchange for sex with last partner, if regular
 Variable name:gifts_reg

	Unexposed		Exposed	
Probability	0.1957	.	0.1239	.
95% CI	0.1623	0.2292	0.0834	0.1644
P-value	.	.	0.0071	.

Received gifts or money in exchange for sex with last partner, if casual
Variable name:gifts_cas

	Unexposed		Exposed	
Probability	0.1399	.	0.1150	.
95% CI	0.1025	0.1773	0.0331	0.1970
P-value	.	.	0.5871	.

Received gifts or money in exchange for sex with next to last partner
Variable name:gifts_B

	Unexposed		Exposed	
Probability	0.1009	.	0.0782	.
95% CI	0.0716	0.1302	0.0126	0.1438
P-value	.	.	0.5688	.

Received gifts or money in exchange for sex with next to last partner, if casual
Variable name:gifts_cas_B

	Unexposed		Exposed	
Probability	0.0900	.	0.0963	.
95% CI	0.0621	0.1178	0.0248	0.1679
P-value	.	.	0.8807	.

Gave gifts or money in exchange for sex with last partner b21
Variable name:paid

	Unexposed		Exposed	
Probability	0.1498	.	0.1045	.
95% CI	0.1232	0.1765	0.0603	0.1487
P-value	.	.	0.1347	.

Gave gifts or money in exchange for sex with last partner, if regular
Variable name:paid_reg

	Unexposed		Exposed	
Probability	0.1626	.	0.0943	.

95% CI	0.1214	0.2039	0.0479	0.1407
P-value	.	.	0.0861	.

Gave gifts or money in exchange for sex with last partner, if casual
Variable name:paid_cas

	Unexposed		Exposed	
Probability	0.1429	.	0.1083	.
95% CI	0.1048	0.1811	0.0429	0.1737
P-value	.	.	0.4334	.

Gave gifts or money in exchange for sex with next to last partner
Variable name:paid_B

	Unexposed		Exposed	
Probability	0.1468	.	0.0621	.
95% CI	0.0978	0.1957	-0.0077	0.1320
P-value	.	.	0.1291	.

Gave gifts or money in exchange for sex with next to last partner, if casual
Variable name:paid_cas_B

	Unexposed		Exposed	
Probability	0.1547	.	0.0594	.
95% CI	0.1064	0.2029	-0.0115	0.1303
P-value	.	.	0.1025	.

```

.
.
. *****
. * Effect of exposure to any One Love TV programs (anytv_ol)
. *****
.
. #delimiter ;
delimiter now ;
. local mpvars1
> "k5r cn8r alr cn9r a5r a2r a3r mp1 mp2 b3r b5r gifts gifts_reg gifts_cas gifts_B
gifts_cas_B paid paid_reg paid_cas paid_B paid_cas_B " ;

. #delimiter cr;
delimiter now cr
.
.
. log off
name: <unnamed>
log: D:\Stata data\probit_ol_alltopics_border.smcl
log type: smcl
paused on: 24 Apr 2012, 22:59:20

```

```

-----
-----
-----
-----
-----
-----
-----
name: <unnamed>
log: D:\Stata data\probit_ol_alltopics_border.smcl
log type: smcl
resumed on: 24 Apr 2012, 22:59:43

```

```

. foreach x of local mpvars1 {
2. di "`x'": var label `x'''' _continue
3. matlist results_`x', format(%9.4f) title(Variable name:`x') nodotz border(all)
4. di " "
5. di "-----" _continue
6. di " "
7. }

```

Knows multiple sexual partners increase HIV Rrisk k5r
Variable name:k5r

	Unexposed		Exposed	
Probability	0.9171	.	0.9104	.
95% CI	0.8964	0.9377	0.8614	0.9594
P-value	.	.	0.8170	.

People Discuss HIV Risk & Multiple Partners
Variable name:cn8r

	Unexposed		Exposed	
Probability	0.5529	.	0.6919	.
95% CI	0.5124	0.5935	0.6232	0.7607
P-value	.	.	0.0022	.

Most married men faithful to wives
Variable name:alr

	Unexposed		Exposed	
Probability	0.2660	.	0.2245	.
95% CI	0.2313	0.3006	0.1611	0.2880
P-value	.	.	0.3354	.

Leaders Discourage Multiple Parnters
Variable name:cn9r

	Unexposed		Exposed	
Probability	0.2240	.	0.2762	.
95% CI	0.1932	0.2549	0.2232	0.3292
P-value	.	.	0.0874	.

Men with many women are real men
 Variable name:a5r

	Unexposed		Exposed	
Probability	0.0686	.	0.1026	.
95% CI	0.0554	0.0818	0.0529	0.1523
P-value	.	.	0.1645	.

Can resist being unfaithful to main partner
 Variable name:a2r

	Unexposed		Exposed	
Probability	0.6477	.	0.7621	.
95% CI	0.6085	0.6870	0.7119	0.8123
P-value	.	.	0.0005	.

Does not need someone to fill gap
 Variable name:a3r

	Unexposed		Exposed	
Probability	0.6967	.	0.6913	.
95% CI	0.6563	0.7371	0.6219	0.7607
P-value	.	.	0.8977	.

Multiple Partners (Last 12 Months) b2
 Variable name:mp1

	Unexposed		Exposed	
Probability	0.2274	.	0.2747	.
95% CI	0.1843	0.2706	0.2192	0.3302
P-value	.	.	0.0996	.

Multiple Partners (Last Month)b4
 Variable name:mp2

	Unexposed		Exposed	
Probability	0.1012	.	0.0811	.
95% CI	0.0723	0.1301	0.0383	0.1240
P-value	.	.	0.4167	.

Self-reported having concurrent partners in the past 12 months b3

Variable name:b3r

	Unexposed		Exposed	
Probability	0.1574	.	0.1059	.
95% CI	0.1197	0.1952	0.0685	0.1432
P-value	.	.	0.0657	.

Currently have ore than one sexual partner (past 3 months) b5
Variable name:b5r

	Unexposed		Exposed	
Probability	0.0793	.	0.0922	.
95% CI	0.0518	0.1069	0.0484	0.1359
P-value	.	.	0.5587	.

Received gifts or money in exchange for sex with last partner b20
Variable name:gifts

	Unexposed		Exposed	
Probability	0.1520	.	0.1273	.
95% CI	0.1185	0.1855	0.0591	0.1954
P-value	.	.	0.5479	.

Received gifts or money in exchange for sex with last partner, if regular
Variable name:gifts_reg

	Unexposed		Exposed	
Probability	0.1960	.	0.1520	.
95% CI	0.1522	0.2398	0.1141	0.1899
P-value	.	.	0.1599	.

Received gifts or money in exchange for sex with last partner, if casual
Variable name:gifts_cas

	Unexposed		Exposed	
Probability	0.1382	.	0.1221	.
95% CI	0.0959	0.1805	0.0301	0.2141
P-value	.	.	0.7731	.

Received gifts or money in exchange for sex with next to last partner
Variable name:gifts_B

	Unexposed		Exposed	
--	-----------	--	---------	--

Probability	0.0714	.	0.1286	.
95% CI	0.0538	0.0889	0.0531	0.2040
P-value	.	.	0.1723	.

Received gifts or money in exchange for sex with next to last partner, if casual
Variable name:gifts_cas_B

	Unexposed		Exposed	
Probability	0.0683	.	0.1438	.
95% CI	0.0505	0.0861	0.0527	0.2349
P-value	.	.	0.1432	.

Gave gifts or money in exchange for sex with last partner b21
Variable name:paid

	Unexposed		Exposed	
Probability	0.1534	.	0.1051	.
95% CI	0.1251	0.1817	0.0567	0.1534
P-value	.	.	0.1535	.

Gave gifts or money in exchange for sex with last partner, if regular
Variable name:paid_reg

	Unexposed		Exposed	
Probability	0.1642	.	0.1067	.
95% CI	0.1182	0.2103	0.0650	0.1484
P-value	.	.	0.1393	.

Gave gifts or money in exchange for sex with last partner, if casual
Variable name:paid_cas

	Unexposed		Exposed	
Probability	0.1548	.	0.0851	.
95% CI	0.1119	0.1977	0.0253	0.1450
P-value	.	.	0.1465	.

Gave gifts or money in exchange for sex with next to last partner
Variable name:paid_B

	Unexposed		Exposed	
Probability	0.1340	.	0.1234	.
95% CI	0.0817	0.1864	0.0524	0.1945
P-value	.	.	0.8230	.

-----+
 -----+
 Gave gifts or money in exchange for sex with next to last partner, if casual
 Variable name:paid_cas_B

	Unexposed		Exposed	
Probability	0.1335	.	0.1412	.
95% CI	0.0804	0.1866	0.0588	0.2237
P-value	.	.	0.8878	.

```

.
.
.
. *****
. * Effect of intensity of exposure to One Love booklets (intbk_ol)
. *****
.
. #delimit ;
delimiter now ;
. local mpvars1
> "k5r cn8r alr cn9r a5r a2r a3r mp1 mp2 b3r b5r gifts gifts_reg gifts_cas gifts_B
gifts_cas_B paid paid_reg paid_cas paid_B paid_cas_B" ;

. #delimit cr;
delimiter now cr
.
.
. log off
  name: <unnamed>
  log: D:\Stata data\probit_ol_alltopics_border.smcl
  log type: smcl
  paused on: 24 Apr 2012, 22:59:44
-----
-----
-----
-----
-----
  name: <unnamed>
  log: D:\Stata data\probit_ol_alltopics_border.smcl
  log type: smcl
  resumed on: 24 Apr 2012, 23:00:13
.
. foreach x of local mpvars1 {
  2. display "`": var label `x'''' _continue
  3. matlist results_`x', format(%9.4f) title(Variable name: `x') nodotz border(all)
  4. display " "
  5. display
"-----"
_continue
  6. display " "
  7. }
Knows multiple sexual partners increase HIV Risk k5r
Variable name: k5r

```

	None		One		Two+	
Probability	0.9041	.	0.9194	.	0.9370	.
95% CI	0.8784	0.9298	0.8709	0.9678	0.9063	0.9677
p-value	.	.	0.6100	.	0.1692	.

People Discuss HIV Risk & Multiple Partners
Variable name: cn8r

	None		One		Two+	
Probability	0.5610	.	0.6204	.	0.6404	.
95% CI	0.5189	0.6032	0.5516	0.6892	0.5637	0.7170
p-value	.	.	0.1176	.	0.0834	.

Most married men faithful to wives
Variable name: alr

	None		One		Two+	
Probability	0.2610	.	0.2120	.	0.2713	.
95% CI	0.2257	0.2963	0.1468	0.2773	0.2164	0.3263
p-value	.	.	0.2396	.	0.7571	.

Leaders Discourage Multiple Partners
Variable name: cn9r

	None		One		Two+	
Probability	0.2601	.	0.1783	.	0.2221	.
95% CI	0.2225	0.2978	0.1230	0.2337	0.1595	0.2847
p-value	.	.	0.0361	.	0.3418	.

Men with many women are real men
Variable name: a5r

	None		One		Two+	
Probability	0.0793	.	0.0770	.	0.0596	.
95% CI	0.0618	0.0968	0.0330	0.1209	0.0313	0.0879
p-value	.	.	0.9323	.	0.2911	.

Can resist being unfaithful to main partner
Variable name: a2r

	None		One		Two+	
Probability	0.6793	.	0.6712	.	0.6636	.
95% CI	0.6434	0.7153	0.5664	0.7759	0.5660	0.7611

p-value	.	.	0.8771	.	0.7666	.
---------	---	---	--------	---	--------	---

Does not need someone to fill gap
Variable name: a3r

	None		One		Two+	
Probability	0.7166	.	0.6522	.	0.6650	.
95% CI	0.6714	0.7618	0.5559	0.7484	0.5877	0.7423
p-value	.	.	0.2901	.	0.2493	.

Multiple Partners (Last 12 Months) b2
Variable name: mp1

	None		One		Two+	
Probability	0.2605	.	0.1960	.	0.2163	.
95% CI	0.2113	0.3098	0.1455	0.2465	0.1491	0.2836
p-value	.	.	0.0320	.	0.2909	.

Multiple Partners (Last Month)b4
Variable name: mp2

	None		One		Two+	
Probability	0.0919	.	0.1110	.	0.1035	.
95% CI	0.0647	0.1190	0.0572	0.1648	0.0531	0.1540
p-value	.	.	0.4791	.	0.6319	.

Self-reported having concurrent partners in the past 12 months b3
Variable name: b3r

	None		One		Two+	
Probability	0.1534	.	0.1527	.	0.1053	.
95% CI	0.1186	0.1883	0.0900	0.2155	0.0573	0.1533
p-value	.	.	0.9849	.	0.0953	.

Currently have ore than one sexual partner (past 3 months) b5
Variable name: b5r

	None		One		Two+	
Probability	0.0711	.	0.0963	.	0.1157	.
95% CI	0.0440	0.0983	0.0531	0.1395	0.0728	0.1586
p-value	.	.	0.2963	.	0.0216	.

Received gifts or money in exchange for sex with last partner b20
 Variable name: gifts

	None		One		Two+	
Probability	0.1114	.	0.1656	.	0.2299	.
95% CI	0.0680	0.1548	0.0793	0.2520	0.1595	0.3003
p-value	.	.	0.3357	.	0.0050	.

Received gifts or money in exchange for sex with last partner, if regular
 Variable name: gifts_reg

	None		One		Two+	
Probability	0.1785	.	0.1049	.	0.2048	.
95% CI	0.1318	0.2252	0.0373	0.1724	0.1157	0.2938
p-value	.	.	0.1917	.	0.6470	.

Received gifts or money in exchange for sex with last partner, if casual
 Variable name: gifts_cas

	None		One		Two+	
Probability	0.0958	.	0.1736	.	0.2305	.
95% CI	0.0444	0.1473	0.0585	0.2887	0.1349	0.3261
p-value	.	.	0.2985	.	0.0123	.

Received gifts or money in exchange for sex with next to last partner
 Variable name: gifts_B

	None		One		Two+	
Probability	0.1512	.	0.0445	.	0.0284	.
95% CI	0.0953	0.2070	-0.0059	0.0950	-0.0042	0.0609
p-value	.	.	0.0800	.	0.0063	.

Received gifts or money in exchange for sex with next to last partner, if casual
 Variable name: gifts_cas_B

	None		One		Two+	
Probability	0.1532	.	0.0294	.	0.0420	.
95% CI	0.0978	0.2087	-0.0083	0.0670	0.0007	0.0832
p-value	.	.	0.0360	.	0.0091	.

Gave gifts or money in exchange for sex with last partner b21
 Variable name: paid

	None		One		Two+	
Probability	0.1512	.	0.0445	.	0.0284	.
95% CI	0.0953	0.2070	-0.0059	0.0950	-0.0042	0.0609
p-value	.	.	0.0800	.	0.0063	.

	None		One		Two+	
Probability	0.1065	.	0.1589	.	0.2271	.
95% CI	0.0755	0.1375	0.0499	0.2680	0.1519	0.3023
p-value	.	.	0.4045	.	0.0055	.

Gave gifts or money in exchange for sex with last partner, if regular
Variable name: paid_reg

	None		One		Two+	
Probability	0.1109	.	0.1144	.	0.2115	.
95% CI	0.0684	0.1534	0.0382	0.1906	0.1235	0.2995
p-value	.	.	0.9392	.	0.0426	.

Gave gifts or money in exchange for sex with last partner, if casual
Variable name: paid_cas

	None		One		Two+	
Probability	0.1066	.	0.1685	.	0.2099	.
95% CI	0.0676	0.1456	0.0438	0.2933	0.1250	0.2948
p-value	.	.	0.3865	.	0.0388	.

Gave gifts or money in exchange for sex with next to last partner
Variable name: paid_B

	None		One		Two+	
Probability	0.1572	.	0.0828	.	0.0282	.
95% CI	0.1144	0.1999	0.0020	0.1636	-0.0083	0.0647
p-value	.	.	0.1493	.	0.0049	.

Gave gifts or money in exchange for sex with next to last partner, if casual
Variable name: paid_cas_B

	None		One		Two+	
Probability	0.1555	.	0.1137	.	0.0310	.
95% CI	0.1103	0.2007	0.0025	0.2250	-0.0104	0.0725
p-value	.	.	0.5273	.	0.0123	.

```

.
.
. *****
. * Effect of One Love Radio multimedia exposure (multimedia_ol)
. *****
.
. #delimit ;

```

```

delimiter now ;
. local mpvars1
> "k5r cn8r alr cn9r a5r a2r a3r mp1 mp2 b3r b5r gifts gifts_reg gifts_cas gifts_B
gifts_cas_B paid paid_reg paid_cas paid_B paid_cas_B " ;

. #delimit cr;
delimiter now cr
.
.
. log off
    name: <unnamed>
    log: D:\Stata data\probit_ol_alltopics_border.smcl
    log type: smcl
    paused on: 24 Apr 2012, 23:00:13

-----
-----
-----

    name: <unnamed>
    log: D:\Stata data\probit_ol_alltopics_border.smcl
    log type: smcl
    resumed on: 24 Apr 2012, 23:00:43

.
. foreach x of local mpvars1 {
2. display "`": var label `x'''' _continue
3. matlist results_`x', format(%9.4f) title(Variable name: `x') nodotz border(all)
4. display " "
5. display
"-----"
_continue
6. display " "
7. }
Knows multiple sexual partners increase HIV Rrisk k5r
Variable name: k5r

```

	None		One		Two+	
Probability	0.8976	.	0.9288	.	0.9263	.
95% CI	0.8620	0.9332	0.9026	0.9551	0.8826	0.9699
p-value	.	.	0.2305	.	0.3891	.

People Discuss HIV Risk & Multiple Partners
Variable name: cn8r

	None		One		Two+	
Probability	0.5124	.	0.6329	.	0.6845	.
95% CI	0.4575	0.5673	0.5629	0.7028	0.6100	0.7589
p-value	.	.	0.0088	.	0.0015	.

Most married men faithful to wives
Variable name: alr

	None		One		Two+	
--	------	--	-----	--	------	--

Probability	0.2680	.	0.2733	.	0.2090	.
95% CI	0.2116	0.3244	0.2340	0.3125	0.1372	0.2808
p-value	.	.	0.8810	.	0.3310	.

Leaders Discourage Multiple Parnters
Variable name: cn9r

	None		One		Two+	
Probability	0.2279	.	0.2469	.	0.2469	.
95% CI	0.1759	0.2800	0.1856	0.3082	0.1810	0.3129
p-value	.	.	0.6921	.	0.6435	.

Men with many women are real men
Variable name: a5r

	None		One		Two+	
Probability	0.0669	.	0.0820	.	0.0862	.
95% CI	0.0462	0.0876	0.0537	0.1104	0.0389	0.1334
p-value	.	.	0.4801	.	0.4381	.

Can resist being unfaithful to main partner
Variable name: a2r

	None		One		Two+	
Probability	0.6501	.	0.6804	.	0.7258	.
95% CI	0.6065	0.6936	0.6028	0.7579	0.6490	0.8026
p-value	.	.	0.5364	.	0.0859	.

Does not need someone to fill gap
Variable name: a3r

	None		One		Two+	
Probability	0.7239	.	0.6374	.	0.7115	.
95% CI	0.6673	0.7806	0.5735	0.7014	0.6219	0.8010
p-value	.	.	0.0679	.	0.8371	.

Multiple Partners (Last 12 Months) b2
Variable name: mp1

	None		One		Two+	
Probability	0.2534	.	0.2058	.	0.2555	.
95% CI	0.1973	0.3096	0.1553	0.2563	0.1964	0.3145
p-value	.	.	0.1899	.	0.9496	.

Multiple Partners (Last Month)b4
 Variable name: mp2

	None		One		Two+	
Probability	0.1143	.	0.0686	.	0.0918	.
95% CI	0.0745	0.1541	0.0346	0.1026	0.0441	0.1394
p-value	.	.	0.0930	.	0.4640	.

Self-reported having concurrent partners in the past 12 months b3
 Variable name: b3r

	None		One		Two+	
Probability	0.1677	.	0.1133	.	0.1255	.
95% CI	0.1114	0.2240	0.0729	0.1538	0.0680	0.1829
p-value	.	.	0.1675	.	0.3362	.

Currently have ore than one sexual partner (past 3 months) b5
 Variable name: b5r

	None		One		Two+	
Probability	0.0766	.	0.0777	.	0.1076	.
95% CI	0.0444	0.1089	0.0445	0.1110	0.0600	0.1552
p-value	.	.	0.9586	.	0.2243	.

Received gifts or money in exchange for sex with last partner b20
 Variable name: gifts

	None		One		Two+	
Probability	0.1132	.	0.1780	.	0.1519	.
95% CI	0.0684	0.1579	0.1233	0.2327	0.0885	0.2153
p-value	.	.	0.1142	.	0.3166	.

Received gifts or money in exchange for sex with last partner, if regular
 Variable name: gifts_reg

	None		One		Two+	
Probability	0.2209	.	0.1526	.	0.1505	.
95% CI	0.1595	0.2823	0.0983	0.2069	0.0968	0.2042
p-value	.	.	0.1691	.	0.1651	.

Received gifts or money in exchange for sex with last partner, if casual

Variable name: gifts_cas

	None		One		Two+	
Probability	0.0850	.	0.1849	.	0.1511	.
95% CI	0.0356	0.1343	0.1183	0.2514	0.0555	0.2467
p-value	.	.	0.0507	.	0.2626	.

Received gifts or money in exchange for sex with next to last partner
Variable name: gifts_B

	None		One		Two+	
Probability	0.1117	.	0.0921	.	0.0794	.
95% CI	0.0780	0.1453	0.0294	0.1548	0.0199	0.1389
p-value	.	.	0.5893	.	0.4208	.

Received gifts or money in exchange for sex with next to last partner, if casual
Variable name: gifts_cas_B

	None		One		Two+	
Probability	0.1131	.	0.0576	.	0.1045	.
95% CI	0.0750	0.1512	0.0153	0.1000	0.0383	0.1707
p-value	.	.	0.0848	.	0.8522	.

Gave gifts or money in exchange for sex with last partner b21
Variable name: paid

	None		One		Two+	
Probability	0.1213	.	0.1694	.	0.1353	.
95% CI	0.0799	0.1626	0.1025	0.2363	0.0817	0.1888
p-value	.	.	0.3227	.	0.7290	.

Gave gifts or money in exchange for sex with last partner, if regular
Variable name: paid_reg

	None		One		Two+	
Probability	0.1495	.	0.1277	.	0.1565	.
95% CI	0.0974	0.2016	0.0631	0.1922	0.0863	0.2268
p-value	.	.	0.6232	.	0.8698	.

Gave gifts or money in exchange for sex with last partner, if casual
Variable name: paid_cas

	None		One		Two+	
--	------	--	-----	--	------	--

Probability	0.1116	.	0.1897	.	0.1036	.
95% CI	0.0629	0.1603	0.1099	0.2695	0.0333	0.1740
p-value	.	.	0.1435	.	0.8802	.

Gave gifts or money in exchange for sex with next to last partner
Variable name: paid_B

	None		One		Two+	
Probability	0.1568	.	0.1383	.	0.0693	.
95% CI	0.0908	0.2228	0.0708	0.2058	0.0018	0.1367
p-value	.	.	0.6878	.	0.1301	.

Gave gifts or money in exchange for sex with next to last partner, if casual
Variable name: paid_cas_B

	None		One		Two+	
Probability	0.1513	.	0.1489	.	0.0845	.
95% CI	0.0830	0.2197	0.0792	0.2186	-0.0033	0.1724
p-value	.	.	0.9605	.	0.3404	.

```

.
.
. *****
. * RISK VARIABLES (CATEGORICAL)
. *****
.
.
. #delimit ;
delimit now ;
. local riskvars1
> "cnl0r agedif_a1 agedif_b1 ";

. #delimit cr;
delimit now cr

.
.
. *****
. * Effect of exposure to any One Love radio programs (anyrad_ol)
. *****
.
. log off
name: <unnamed>
log: D:\Stata data\probit_ol_alltopics_border.smcl
log type: smcl
paused on: 24 Apr 2012, 23:00:43

```



```

-----
-----
name: <unnamed>
log: D:\Stata data\probit_ol_alltopics_border.smcl
log type: smcl
resumed on: 24 Apr 2012, 23:00:47

```

```

. foreach x of local riskvars1 {
2. di "`x'": var label `x'''' _continue
3. matlist results_`x', format(%9.4f) title(Variable name:`x') nodotz border(all)
4. di " "
5. di "-----" _continue
6. di " "
7. }

```

Leaders Discourage Multiple Parnters
Variable name:cn10r

	Unexposed		Exposed	
Probability	0.2157	.	0.3036	.
95% CI	0.1670	0.2643	0.2468	0.3605
P-value	.	.	0.0106	.

10+ year age difference between respondent and last sexual partner
Variable name:agedif_a1

	Unexposed		Exposed	
Probability	0.0842	.	0.0754	.
95% CI	0.0594	0.1090	0.0385	0.1122
P-value	.	.	0.7299	.

10+ year age difference between respondent and next to last sexual partner
Variable name:agedif_b1

	Unexposed		Exposed	
Probability	0.0993	.	0.0627	.
95% CI	0.0571	0.1416	0.0106	0.1149
P-value	.	.	0.4064	.

```

.
.
. *****
. * Effect of exposure to any One Love TV programs (anytv_ol)
. *****
.
. #delimiter ;
delimiter now ;
. local riskvars1
> "cn10r agedif_a1 agedif_b1";

```

```

. #delimit cr;
delimiter now cr
.
. log off
  name: <unnamed>
  log: D:\Stata data\probit_ol_alltopics_border.smcl
  log type: smcl
  paused on: 24 Apr 2012, 23:00:47
-----
-----
-----
-----
-----
-----
-----
  name: <unnamed>
  log: D:\Stata data\probit_ol_alltopics_border.smcl
  log type: smcl
  resumed on: 24 Apr 2012, 23:00:50
.
. foreach x of local riskvars1 {
2. di "`": var label `x'''' _continue
3. matlist results_`x', format(%9.4f) title(Variable name:`x') nodotz border(all)
4. di " "
5. di "-----" _continue
6. di " "
7. }

```

Leaders Discourage Multiple Parnters
Variable name:cn10r

	Unexposed		Exposed	
Probability	0.2113	.	0.2994	.
95% CI	0.1710	0.2515	0.2253	0.3736
P-value	.	.	0.0112	.

10+ year age difference between respondent and last sexual partner
Variable name:agedif_a1

	Unexposed		Exposed	
Probability	0.0739	.	0.1207	.
95% CI	0.0552	0.0925	0.0759	0.1656
P-value	.	.	0.0162	.

10+ year age difference between respondent and next to last sexual partner
Variable name:agedif_b1

	Unexposed		Exposed	
Probability	0.0924	.	0.0795	.
95% CI	0.0663	0.1186	0.0418	0.1171
P-value	.	.	0.6609	.

```

.
.
.
*****
. * Effect of intensity of exposure to One Love booklets (intbk_ol)
*****
.
. #delimit ;
delimiter now ;
. local riskvars1
> "cn10r agedif_a1 ";

. #delimit cr;
delimiter now cr
.
.
. log off
      name: <unnamed>
      log: D:\Stata data\probit_ol_alltopics_border.smcl
      log type: smcl
      paused on: 24 Apr 2012, 23:00:50
-----
-----
-----
-----
-----
      name: <unnamed>
      log: D:\Stata data\probit_ol_alltopics_border.smcl
      log type: smcl
      resumed on: 24 Apr 2012, 23:00:53
.
. foreach x of local riskvars1 {
2. display "`": var label `x'"" _continue
3. matlist results_`x', format(%9.4f) title(Variable name: `x') nodotz border(all)
4. display " "
5. display
"
-----
_continue
6. display " "
7. }
Leaders Discourage Multiple Parnters
Variable name: cn10r

```

	None		One		Two+	
Probability	0.2343	.	0.2665	.	0.2196	.
95% CI	0.1889	0.2798	0.1777	0.3553	0.1624	0.2768
p-value	.	.	0.4294	.	0.6833	.

10+ year age difference between respondent and last sexual partner
Variable name: agedif_a1

	None		One		Two+	
Probability	0.0985	.	0.0757	.	0.0570	.
95% CI	0.0661	0.1310	0.0263	0.1252	0.0303	0.0838

```
| p-value | . . 0.4458 . 0.1252 . |
+-----+
```

```
.
.
. *****
. * Effect of One Love Radio multimedia exposure (multimedia_ol)
. *****
```

```
. #delimit ;
delimiter now ;
. local riskvars1
> "cn10r agedif_a1 agedif_b1 ";
```

```
. #delimit cr;
delimiter now cr
```

```
. log off
name: <unnamed>
log: D:\Stata data\probit_ol_alltopics_border.smcl
log type: smcl
paused on: 24 Apr 2012, 23:00:53
```

```
name: <unnamed>
log: D:\Stata data\probit_ol_alltopics_border.smcl
log type: smcl
resumed on: 24 Apr 2012, 23:01:00
```

```
. foreach x of local riskvars1 {
2. display "`': var label `x'''' _continue
3. matlist results_`x', format(%9.4f) title(Variable name: `x') nodotz border(all)
4. display " "
5. display
"
_continue
6. display " "
7. }
```

Leaders Discourage Multiple Parnters
Variable name: cn10r

	None		One		Two+	
Probability	0.1856	.	0.2561	.	0.3059	.
95% CI	0.1369	0.2343	0.1913	0.3209	0.2334	0.3784
p-value	.	.	0.0577	.	0.0049	.

10+ year age difference between respondent and last sexual partner
Variable name: agedif_a1

	None		One		Two+	
--	------	--	-----	--	------	--

Probability	0.0806	.	0.0761	.	0.0970	.
95% CI	0.0492	0.1120	0.0487	0.1036	0.0488	0.1451
p-value	.	.	0.8392	.	0.5623	.

10+ year age difference between respondent and next to last sexual partner
Variable name: agedif_b1

	None	One	Two+
Probability	0.0637	0.1982	0.1252
95% CI	.	.	.
p-value	.	.	.

```

.
.
.
. *****
. * HIV COMMUNICATION
. *****
.
. #delimit ;
delimiter now ;
. local hivcomvars
> "disc_spouse disc_kids disc_friends disc_any b22r b23r a4r";

. #delimit cr;
delimiter now cr

.
.
. *****
. * Effect of exposure to any One Love radio programs (anyrad_ol)
. *****
.
. log off
.   name: <unnamed>
.   log: D:\Stata data\probit_ol_alltopics_border.smcl
.   log type: smcl
.   paused on: 24 Apr 2012, 23:01:00
-----
-----
-----
.   name: <unnamed>
.   log: D:\Stata data\probit_ol_alltopics_border.smcl
.   log type: smcl
.   resumed on: 24 Apr 2012, 23:01:08

.
. foreach x of local hivcomvars {
2. di "`": var label `x'''' _continue
3. matlist results_`x', format(%9.4f) title(Variable name:`x') nodotz border(all)
4. di " "
5. di "-----" _continue
6. di " "
7. }

```

Discussed HIV/AIDS with Kids b25
 Variable name:disc_spouse

	Unexposed		Exposed	
Probability	0.8753	.	0.8987	.
95% CI	0.8392	0.9113	0.8431	0.9544
P-value	.	.	0.4561	.

Discussed HIV/AIDS with Kids b26
 Variable name:disc_kids

	Unexposed		Exposed	
Probability	0.6144	.	0.6840	.
95% CI	0.5577	0.6712	0.6024	0.7655
P-value	.	.	0.2140	.

Discussed HIV/AIDS with Friends b27
 Variable name:disc_friends

	Unexposed		Exposed	
Probability	0.7242	.	0.8035	.
95% CI	0.6911	0.7573	0.7553	0.8518
P-value	.	.	0.0158	.

Discussed HIV/AIDS with Spouse, Kids, and/or Friends
 Variable name:disc_any

	Unexposed		Exposed	
Probability	0.8006	.	0.8559	.
95% CI	0.7681	0.8332	0.7931	0.9188
P-value	.	.	0.1488	.

Percentage who are dissatisfied when having sex with spouse/regular cohabitating
 Variable name:b22r

	Unexposed		Exposed	
Probability	0.2564	.	0.1880	.
95% CI	0.1969	0.3160	0.0962	0.2799
P-value	.	.	0.2936	.

Percentage who have talked with spouse/regular cohabitating partner about sexual
 Variable name:b23r

	Unexposed		Exposed	
Probability	0.1931	.	0.1442	.
95% CI	0.1408	0.2453	0.0856	0.2029
P-value	.	.	0.2323	.

Sex life improves with communication about HIV
Variable name:a4r

	Unexposed		Exposed	
Probability	0.8858	.	0.8192	.
95% CI	0.8574	0.9142	0.7239	0.9145
P-value	.	.	0.0855	.

```

.
.
. *****
. * Effect of exposure to any One Love TV programs (anytv_ol)
. *****
. #delimit ;
delimit now ;
. local hivcomvars
> "disc_spouse disc_kids disc_friends disc_any b22r b23r a4r";

. #delimit cr;
delimit now cr
.
.
. log off
    name: <unnamed>
    log: D:\Stata data\probit_ol_alltopics_border.smcl
    log type: smcl
    paused on: 24 Apr 2012, 23:01:08
-----
-----
-----
-----
-----
name: <unnamed>
log: D:\Stata data\probit_ol_alltopics_border.smcl
log type: smcl
resumed on: 24 Apr 2012, 23:01:16

.
. foreach x of local hivcomvars {
2. di "`": var label `x'''' _continue
3. matlist results_`x', format(%9.4f) title(Variable name:`x') nodotz border(all)
4. di " "
5. di "-----" _continue
6. di " "
7. }
Discussed HIV/AIDS with Kids b25
Variable name:disc_spouse

```

	Unexposed		Exposed	
--	-----------	--	---------	--

Probability	0.8909	.	0.8453	.
95% CI	0.8494	0.9323	0.7572	0.9335
P-value	.	.	0.3903	.

Discussed HIV/AIDS with Kids b26
Variable name:disc_kids

	Unexposed		Exposed	
Probability	0.6544	.	0.5512	.
95% CI	0.5910	0.7177	0.4219	0.6805
P-value	.	.	0.2259	.

Discussed HIV/AIDS with Friends b27
Variable name:disc_friends

	Unexposed		Exposed	
Probability	0.7296	.	0.7633	.
95% CI	0.7011	0.7581	0.6816	0.8450
P-value	.	.	0.4523	.

Discussed HIV/AIDS with Spouse, Kids, and/or Friends
Variable name:disc_any

	Unexposed		Exposed	
Probability	0.8093	.	0.8034	.
95% CI	0.7772	0.8414	0.7186	0.8883
P-value	.	.	0.9009	.

Percentage who are dissatisfied when having sex with spouse/regular cohabitating
Variable name:b22r

	Unexposed		Exposed	
Probability	0.2119	.	0.2970	.
95% CI	0.1591	0.2647	0.1921	0.4020
P-value	.	.	0.1613	.

Percentage who have talked with spouse/regular cohabitating partner about sexual
Variable name:b23r

	Unexposed		Exposed	
Probability	0.1702	.	0.2050	.
95% CI	0.1220	0.2184	0.1038	0.3063
P-value	.	.	0.5461	.


```
Sex life improves with communication about HIV
Variable name:a4r
```

	Unexposed		Exposed	
Probability	0.8859	.	0.8325	.
95% CI	0.8567	0.9151	0.7500	0.9151
P-value	.	.	0.1363	.

```
.
.
.
. *****
. * Effect of intensity of exposure to One Love booklets (intbk_ol)
. *****
. #delimit ;
delimiter now ;
. local hivcomvars
> "disc_spouse disc_kids disc_friends disc_any b22r b23r a4r";

. #delimit cr;
delimiter now cr
.
.
. log off
    name: <unnamed>
    log: D:\Stata data\probit_ol_alltopics_border.smcl
    log type: smcl
    paused on: 24 Apr 2012, 23:01:16

-----

    name: <unnamed>
    log: D:\Stata data\probit_ol_alltopics_border.smcl
    log type: smcl
    resumed on: 24 Apr 2012, 23:01:26

.
. foreach x of local hivcomvars {
2. display "`": var label `x'''' _continue
3. matlist results_`x', format(%9.4f) title(Variable name: `x') nodotz border(all)
4. display " "
5. display
"
-----"
_continue
6. display " "
7. }
Discussed HIV/AIDS with Kids b25
Variable name: disc_spouse
```

	None	One	Two+
Probability	0.8775	0.8884	0.8966

95% CI	0.8352	0.9198	0.8133	0.9634	0.8059	0.9872
p-value	.	.	0.7824	.	0.7344	.

Discussed HIV/AIDS with Kids b26
Variable name: disc_kids

	None	One	Two+
Probability	0.5742	0.6116	0.7737
95% CI	0.5048	0.4651	0.7000
p-value	.	0.6974	0.0009

Discussed HIV/AIDS with Friends b27
Variable name: disc_friends

	None	One	Two+
Probability	0.7142	0.6781	0.8593
95% CI	0.6847	0.5979	0.8000
p-value	.	0.3874	0.0009

Discussed HIV/AIDS with Spouse, Kids, and/or Friends
Variable name: disc_any

	None	One	Two+
Probability	0.7942	0.7735	0.8948
95% CI	0.7654	0.6958	0.8440
p-value	.	0.5933	0.0031

Percentage who are dissatisfied when having sex with spouse/regular cohabitating
Variable name: b22r

	None	One	Two+
Probability	0.2771	0.1166	0.1816
95% CI	0.2151	0.0482	0.1193
p-value	.	0.0066	0.0644

Percentage who have talked with spouse/regular cohabitating partner about sexual
Variable name: b23r

	None	One	Two+
Probability	0.2224	0.1148	0.0864
95% CI	0.1680	0.0421	0.0285
p-value	.	0.0366	0.0188

Sex life improves with communication about HIV

Variable name: a4r

	None		One		Two+	
Probability	0.9092	.	0.8697	.	0.7850	.
95% CI	0.8851	0.9332	0.8053	0.9341	0.6864	0.8835
p-value	.	.	0.1757	.	0.0053	.

```

.
.
. *****
. * Effect of One Love Radio multimedia exposure (multimedia_ol)
. *****
. #delimit ;
delimitter now ;
. local hivcomvars
> "disc_spouse disc_kids disc_friends disc_any b22r b23r a4r";

. #delimit cr;
delimitter now cr

.
.
. log off
    name: <unnamed>
    log: D:\Stata data\probit_ol_alltopics_border.smcl
    log type: smcl
    paused on: 24 Apr 2012, 23:01:26

-----

    name: <unnamed>
    log: D:\Stata data\probit_ol_alltopics_border.smcl
    log type: smcl
    resumed on: 24 Apr 2012, 23:01:36

.
. foreach x of local hivcomvars {
2. display ``': var label `x'''' _continue
3. matlist results_`x', format(%9.4f) title(Variable name: `x') nodotz border(all)
4. display " "
5. display
"-----"
_continue
6. display " "
7. }
Discussed HIV/AIDS with Kids b25
Variable name: disc_spouse

```

	None		One		Two+	
Probability	0.8823	.	0.8831	.	0.8732	.
95% CI	0.8342	0.9303	0.8345	0.9317	0.7945	0.9520
p-value	.	.	0.9789	.	0.8441	.

Discussed HIV/AIDS with Kids b26
 Variable name: disc_kids

	None		One		Two+	
Probability	0.5946	.	0.6581	.	0.6582	.
95% CI	0.4968	0.6924	0.5991	0.7170	0.5521	0.7642
p-value	.	.	0.3044	.	0.4742	.

Discussed HIV/AIDS with Friends b27
 Variable name: disc_friends

	None		One		Two+	
Probability	0.7016	.	0.7628	.	0.8092	.
95% CI	0.6610	0.7422	0.7077	0.8180	0.7419	0.8765
p-value	.	.	0.1165	.	0.0175	.

Discussed HIV/AIDS with Spouse, Kids, and/or Friends
 Variable name: disc_any

	None		One		Two+	
Probability	0.7873	.	0.8313	.	0.8444	.
95% CI	0.7481	0.8264	0.7831	0.8796	0.7671	0.9217
p-value	.	.	0.1746	.	0.2411	.

Percentage who are dissatisfied when having sex with spouse/regular cohabitating
 Variable name: b22r

	None		One		Two+	
Probability	0.2787	.	0.2196	.	0.1878	.
95% CI	0.1936	0.3638	0.1636	0.2757	0.1056	0.2700
p-value	.	.	0.2946	.	0.1435	.

Percentage who have talked with spouse/regular cohabitating partner about sexual
 Variable name: b23r

	None		One		Two+	
Probability	0.2115	.	0.1758	.	0.1260	.
95% CI	0.1462	0.2769	0.1102	0.2414	0.0662	0.1858
p-value	.	.	0.4594	.	0.0882	.

Sex life improves with communication about HIV
 Variable name: a4r

	None		One		Two+	
Probability	0.9176	.	0.8334	.	0.8250	.
95% CI	0.8899	0.9453	0.7787	0.8881	0.7322	0.9178
p-value	.	.	0.0081	.	0.0329	.

```

.
.
. *****
. * CONDOM USE
. *****
.
.
. *****
. * Effect of exposure to any One Love radio programs (anyrad_ol)
. *****
.
. #delimit ;
delimiter now ;
. local condomvars1
> "k4r k3r k1r k2r cn1r cn2r cn2ar cls cls_reg cls_cas cls_mp
> clscas_mp freq_cdm freq_cdm2nd freq_cdm3rd cls_yr" ;

. #delimit cr;
delimiter now cr
.
.
. log off
name: <unnamed>
log: D:\Stata data\probit_ol_alltopics_border.smcl
log type: smcl
paused on: 24 Apr 2012, 23:01:36

-----
-----
-----
-----
-----

name: <unnamed>
log: D:\Stata data\probit_ol_alltopics_border.smcl
log type: smcl
resumed on: 24 Apr 2012, 23:01:54

. foreach x of local condomvars1 {
2. di "`": var label `x'''' _continue
3. matlist results_`x', format(%9.4f) title(Variable name:`x') nodotz border(all)
4. di " "
5. di "_____ " _continue
6. di " "
7. }
While in ART, PLHIV can transmit HIV k4r
Variable name:k4r

```

	Unexposed		Exposed	
Probability	0.8873	.	0.8497	.
95% CI	0.8632	0.9115	0.7887	0.9107

P-value	.	.	0.2546	.
---------	---	---	--------	---

Knows PLHIV on ART can transmit HIV k3r
Variable name:k3r

	Unexposed		Exposed	
Probability	0.8776	.	0.8519	.
95% CI	0.8410	0.9142	0.7940	0.9099
P-value	.	.	0.4266	.

Percentage who disagree that if one spouse is HIV+ the other certainly is k1r
Variable name:k1r

	Unexposed		Exposed	
Probability	0.4301	.	0.4406	.
95% CI	0.3805	0.4798	0.3764	0.5049
P-value	.	.	0.7766	.

Knows that STIs increase HIV infection k2r
Variable name:k2r

	Unexposed		Exposed	
Probability	0.8108	.	0.7293	.
95% CI	0.7788	0.8429	0.6597	0.7988
P-value	.	.	0.0270	.

Condom Use in Marriage Accepted
Variable name:cn1r

	Unexposed		Exposed	
Probability	0.5679	.	0.6336	.
95% CI	0.5251	0.6106	0.5615	0.7058
P-value	.	.	0.1681	.

Women Can Ask Regular Parnter to Use Condom
Variable name:cn2r

	Unexposed		Exposed	
Probability	0.7309	.	0.7278	.
95% CI	0.6983	0.7634	0.6405	0.8152
P-value	.	.	0.9396	.

Variable name:cn2ar

	Unexposed		Exposed	
Probability	0.7308	.	0.7390	.
95% CI	0.6812	0.7804	0.6385	0.8394
P-value	.	.	0.8923	.

Condom use at last sex among those ever having sex b7

Variable name:cls

	Unexposed		Exposed	
Probability	0.6073	.	0.6015	.
95% CI	0.5671	0.6475	0.5360	0.6671
P-value	.	.	0.8847	.

Condom at last sex, if regular parnter

Variable name:cls_reg

	Unexposed		Exposed	
Probability	0.5575	.	0.4091	.
95% CI	0.4965	0.6184	0.2924	0.5258
P-value	.	.	0.0116	.

Condom at last sex, if casual parnter

Variable name:cls_cas

	Unexposed		Exposed	
Probability	0.8554	.	0.8057	.
95% CI	0.8232	0.8876	0.7286	0.8828
P-value	.	.	0.1593	.

Condom at last sex among those with multiple partners

Variable name:cls_mp

	Unexposed		Exposed	
Probability	0.7548	.	0.5750	.
95% CI	0.7041	0.8055	0.4304	0.7197
P-value	.	.	0.0353	.

Condom at last sex with a casual partner, among those with multiple partners

Variable name:clscas_mp

	Unexposed		Exposed	
--	-----------	--	---------	--

	Unexposed		Exposed	
Probability	0.9117	.	0.8918	.
95% CI	0.8942	0.9292	0.8474	0.9363
P-value	.	.	0.4549	.

Always/usually used a condom with last sexual partner
Variable name:freq_cdm

	Unexposed		Exposed	
Probability	0.7803	.	0.6912	.
95% CI	0.7470	0.8137	0.6473	0.7351
P-value	.	.	0.0011	.

Always/usually used a condom with next to last sexual partner
Variable name:freq_cdm2nd

	Unexposed		Exposed	
Probability	0.9259	.	0.9187	.
95% CI	0.8982	0.9537	0.8573	0.9800
P-value	.	.	0.8173	.

Always/usually used a condom with third to last sexual partner
Variable name:freq_cdm3rd

	Unexposed		Exposed	
Probability	0.8681	.	0.5588	.
95% CI
P-value

condom use at last sex among those have sex in the last 12 months b19
Variable name:cls_yr

	Unexposed		Exposed	
Probability	0.7817	.	0.6878	.
95% CI	0.7490	0.8144	0.6432	0.7324
P-value	.	.	0.0005	.

```
.
.
. *****
. * Effect of exposure to any One Love TV programs (anytv_ol)
. *****
.
. #delimit ;
```



```

delimiter now ;
. local condomvars1
> "k4r k3r k1r k2r cn1r cn2r cn2ar cls cls_reg cls_cas cls_mp
> clsreg_mp clscas_mp freq_cdm freq_cdm2nd freq_cdm3rd cls_yr" ;

. #delimit cr;
delimiter now cr
.
.
. log off
  name: <unnamed>
  log: D:\Stata data\probit_ol_alltopics_border.smcl
  log type: smcl
  paused on: 24 Apr 2012, 23:01:54
-----
-----
-----
-----
-----
-----
-----
-----
  name: <unnamed>
  log: D:\Stata data\probit_ol_alltopics_border.smcl
  log type: smcl
  resumed on: 24 Apr 2012, 23:02:14

.
. foreach x of local condomvars1 {
2. di "`": var label `x'"" _continue
3. matlist results_`x', format(%9.4f) title(Variable name:`x') nodotz border(all)
4. di " "
5. di "-----" _continue
6. di " "
7. }

```

While in ART, PLHIV can transmit HIV k4r
Variable name:k4r

	Unexposed		Exposed	
Probability	0.8853	.	0.8645	.
95% CI	0.8645	0.9060	0.8079	0.9212
P-value	.	.	0.4707	.

Knows PLHIV on ART can transmit HIV k3r
Variable name:k3r

	Unexposed		Exposed	
Probability	0.8777	.	0.8562	.
95% CI	0.8420	0.9134	0.8032	0.9092
P-value	.	.	0.4431	.

Percentage who disagree that if one spouse is HIV+ the other certainly is k1r
Variable name:k1r

	Unexposed		Exposed	
Probability	0.4229	.	0.4587	.

95% CI	0.3747	0.4710	0.3823	0.5351
P-value	.	.	0.3678	.

Knows that STIs increase HIV infection k2r
Variable name:k2r

	Unexposed		Exposed	
Probability	0.8222	.	0.7106	.
95% CI	0.7949	0.8495	0.6390	0.7821
P-value	.	.	0.0013	.

Condom Use in Marriage Accepted
Variable name:cnlr

	Unexposed		Exposed	
Probability	0.5673	.	0.6235	.
95% CI	0.5266	0.6080	0.5621	0.6850
P-value	.	.	0.1467	.

Women Can Ask Regular Parnter to Use Condom
Variable name:cn2r

	Unexposed		Exposed	
Probability	0.7159	.	0.7819	.
95% CI	0.6751	0.7567	0.7258	0.8381
P-value	.	.	0.0555	.

Variable name:cn2ar

	Unexposed		Exposed	
Probability	0.7321	.	0.7278	.
95% CI	0.6879	0.7762	0.6600	0.7956
P-value	.	.	0.8878	.

Condom use at last sex among those ever having sex b7
Variable name:cls

	Unexposed		Exposed	
Probability	0.6083	.	0.5997	.
95% CI	0.5601	0.6565	0.5368	0.6626
P-value	.	.	0.8545	.

Condom at last sex, if regular parnter
Variable name:cls_reg

	Unexposed		Exposed	
Probability	0.5626	.	0.4213	.
95% CI	0.4999	0.6252	0.2854	0.5573
P-value	.	.	0.0752	.

Condom at last sex, if casual parnter
Variable name:cls_cas

	Unexposed		Exposed	
Probability	0.8527	.	0.8260	.
95% CI	0.8214	0.8840	0.7481	0.9038
P-value	.	.	0.4688	.

Condom at last sex among those with multiple partners
Variable name:cls_mp

	Unexposed		Exposed	
Probability	0.6995	.	0.7710	.
95% CI	0.6194	0.7796	0.6654	0.8766
P-value	.	.	0.3916	.

Condom at last sex with a regular partner, among those with multiple partners
Variable name:clsreg_mp

	Unexposed		Exposed	
Probability
95% CI
P-value

Condom at last sex with a casual partner, among those with multiple partners
Variable name:clscas_mp

	Unexposed		Exposed	
Probability	0.9053	.	0.9159	.
95% CI	0.8860	0.9246	0.8761	0.9557
P-value	.	.	0.6840	.

Always/usually used a condom with last sexual partner
Variable name:freq_cdm

	Unexposed		Exposed	
Probability	0.7754	.	0.7246	.
95% CI	0.7424	0.8084	0.6655	0.7838
P-value	.	.	0.1231	.

Always/usually used a condom with next to last sexual partner
Variable name:freq_cdm2nd

	Unexposed		Exposed	
Probability	0.9395	.	0.8851	.
95% CI	0.9131	0.9659	0.8293	0.9409
P-value	.	.	0.0748	.

Always/usually used a condom with third to last sexual partner
Variable name:freq_cdm3rd

	Unexposed		Exposed	
Probability	0.7916	.	0.9650	.
95% CI
P-value

condom use at last sex among those have sex in the last 12 months b19
Variable name:cls_yr

	Unexposed		Exposed	
Probability	0.7775	.	0.7184	.
95% CI	0.7457	0.8092	0.6565	0.7803
P-value	.	.	0.0755	.

```

.
.
.
. *****
. * Effect of intensity of exposure to One Love booklets (intbk_ol)
. *****
.
. #delimiter ;
delimiter now ;
. local condomvars1
> "k4r k3r k1r k2r cn1r cn2r cn2ar cls cls_reg cls_cas cls_mp
> clsreg_mp clscas_mp freq_cdm freq_cdm2nd freq_cdm3rd cls_yr " ;

. #delimiter cr;
delimiter now cr
.
.
. log off

```

```

name: <unnamed>
log: D:\Stata data\probit_ol_alltopics_border.smcl
log type: smcl
paused on: 24 Apr 2012, 23:02:15

```

```

name: <unnamed>
log: D:\Stata data\probit_ol_alltopics_border.smcl
log type: smcl
resumed on: 24 Apr 2012, 23:02:38

```

```

. foreach x of local condomvars1 {
2. display "`": var label `x'''' _continue
3. matlist results_`x', format(%9.4f) title(Variable name: `x') nodotz border(all)
4. display " "
5. display
"
-----"
_continue
6. display " "
7. }

```

While in ART, PLHIV can transmit HIV k4r
Variable name: k4r

	None		One		Two+	
Probability	0.8920	.	0.9002	.	0.8338	.
95% CI	0.8682	0.9158	0.8522	0.9483	0.7837	0.8839
p-value	.	.	0.7524	.	0.0308	.

Knows PLHIV on ART can transmit HIV k3r
Variable name: k3r

	None		One		Two+	
Probability	0.8849	.	0.8661	.	0.8422	.
95% CI	0.8461	0.9237	0.8104	0.9219	0.7822	0.9021
p-value	.	.	0.4277	.	0.2467	.

Percentage who disagree that if one spouse is HIV+ the other certainly is k1r
Variable name: k1r

	None		One		Two+	
Probability	0.4124	.	0.4235	.	0.5030	.
95% CI	0.3620	0.4628	0.3266	0.5205	0.4385	0.5674
p-value	.	.	0.8180	.	0.0194	.

Knows that STIs increase HIV infection k2r
Variable name: k2r

	None		One		Two+	
Probability	0.8214	.	0.8185	.	0.7111	.
95% CI	0.7902	0.8525	0.7266	0.9105	0.6501	0.7720
p-value	.	.	0.9519	.	0.0005	.

Condom Use in Marriage Accepted
Variable name: cn1r

	None		One		Two+	
Probability	0.5576	.	0.5569	.	0.6810	.
95% CI	0.5143	0.6010	0.4532	0.6606	0.6220	0.7401
p-value	.	.	0.9898	.	0.0039	.

Women Can Ask Regular Parnter to Use Condom
Variable name: cn2r

	None		One		Two+	
Probability	0.7416	.	0.6436	.	0.7578	.
95% CI	0.7009	0.7824	0.5364	0.7508	0.6868	0.8289
p-value	.	.	0.0819	.	0.6862	.

Variable name: cn2ar

	None		One		Two+	
Probability	0.7274	.	0.7093	.	0.7653	.
95% CI	0.6623	0.7925	0.6335	0.7852	0.6969	0.8337
p-value	.	.	0.7728	.	0.4004	.

Condom use at last sex among those ever having sex b7
Variable name: cls

	None		One		Two+	
Probability	0.5816	.	0.6153	.	0.6770	.
95% CI	0.5364	0.6268	0.5010	0.7296	0.6110	0.7429
p-value	.	.	0.6097	.	0.0466	.

Condom at last sex, if regular parnter
Variable name: cls_reg

	None		One		Two+	
Probability	0.5040	.	0.4985	.	0.5933	.

95% CI	0.4284	0.5795	0.3699	0.6272	0.4652	0.7213
p-value	.	.	0.9372	.	0.2513	.

Condom at last sex, if casual parnter
Variable name: cls_cas

	None	One	Two+
Probability	0.8579	0.8323	0.8221
95% CI	0.8180	0.7696	0.7453
p-value	.	0.4208	0.4381

Condom at last sex among those with multiple partners
Variable name: cls_mp

	None	One	Two+
Probability	0.6826	0.6539	0.9187
95% CI	0.6240	0.4875	0.8190
p-value	.	0.7646	0.0204

Condom at last sex with a regular partner, among those with multiple partners
Variable name: clsreg_mp

	None	One	Two+
Probability	.	.	.
95% CI	.	.	.
p-value	.	.	.

Condom at last sex with a casual partner, among those with multiple partners
Variable name: clscas_mp

	None	One	Two+
Probability	0.9354	0.7010	0.8247
95% CI	0.9243	0.6360	0.7678
p-value	.	0.0013	0.0027

Always/usually used a condom with last sexual partner
Variable name: freq_cdm

	None	One	Two+
Probability	0.7704	0.7560	0.7477
95% CI	0.7353	0.6988	0.6799
p-value	.	0.5958	0.5759

Always/usually used a condom with next to last sexual partner
 Variable name: freq_cdm2nd

	None		One		Two+	
Probability	0.9296	.	0.9146	.	0.9136	.
95% CI	0.8998	0.9593	0.8455	0.9837	0.8599	0.9672
p-value	.	.	0.6411	.	0.5822	.

Always/usually used a condom with third to last sexual partner
 Variable name: freq_cdm3rd

	None		One		Two+	
Probability	0.8734	.	0.6121	.	0.8349	.
95% CI
p-value

condom use at last sex among those have sex in the last 12 months b19
 Variable name: cls_yr

	None		One		Two+	
Probability	0.7700	.	0.7522	.	0.7530	.
95% CI	0.7346	0.8055	0.6942	0.8102	0.6866	0.8194
p-value	.	.	0.5190	.	0.6750	.

```

.
.
. *****
. * Effect of One Love Radio multimedia exposure (multimedia_ol)
. *****
.
.
. #delimiter ;
delimiter now ;
. local condomvars1
> "k4r k3r k1r k2r cn1r cn2r cn2ar cls cls_reg cls_cas cls_mp
> clsreg_mp clscas_mp freq_cdm cls_yr " ;

. #delimiter cr;
delimiter now cr
.
.
. log off
name: <unnamed>
log: D:\Stata data\probit_ol_alltopics_border.smcl
log type: smcl
paused on: 24 Apr 2012, 23:02:39

```



```

-----
-----
name: <unnamed>
log: D:\Stata data\probit_ol_alltopics_border.smcl
log type: smcl
resumed on: 24 Apr 2012, 23:03:00

```

```

. foreach x of local condomvars1 {
2. display "`": var label `x'''' _continue
3. matlist results_`x', format(%9.4f) title(Variable name: `x') nodotz border(all)
4. display " "
5. display
"
-----
_continue
6. display " "
7. }
While in ART, PLHIV can transmit HIV k4r
Variable name: k4r

```

	None		One		Two+	
Probability	0.8880	.	0.8846	.	0.8545	.
95% CI	0.8605	0.9154	0.8530	0.9163	0.7926	0.9163
p-value	.	.	0.8692	.	0.3200	.

Knows PLHIV on ART can transmit HIV k3r
Variable name: k3r

	None		One		Two+	
Probability	0.8758	.	0.8815	.	0.8505	.
95% CI	0.8304	0.9213	0.8380	0.9251	0.7890	0.9121
p-value	.	.	0.8315	.	0.4763	.

Percentage who disagree that if one spouse is HIV+ the other certainly is k1r
Variable name: k1r

	None		One		Two+	
Probability	0.4087	.	0.4501	.	0.4552	.
95% CI	0.3553	0.4620	0.3669	0.5333	0.3796	0.5309
p-value	.	.	0.3424	.	0.3404	.

Knows that STIs increase HIV infection k2r
Variable name: k2r

	None		One		Two+	
Probability	0.8427	.	0.7854	.	0.6938	.
95% CI	0.8103	0.8751	0.7380	0.8328	0.6188	0.7689
p-value	.	.	0.0378	.	0.0008	.

Condom Use in Marriage Accepted
Variable name: cn1r

	None		One		Two+	
Probability	0.5379	.	0.6094	.	0.6330	.
95% CI	0.4852	0.5907	0.5449	0.6738	0.5614	0.7046
p-value	.	.	0.1079	.	0.0378	.

Women Can Ask Regular Parnter to Use Condom
Variable name: cn2r

	None		One		Two+	
Probability	0.7274	.	0.7262	.	0.7421	.
95% CI	0.6797	0.7751	0.6688	0.7836	0.6620	0.8221
p-value	.	.	0.9774	.	0.7361	.

Variable name: cn2ar

	None		One		Two+	
Probability	0.7236	.	0.7410	.	0.7365	.
95% CI	0.6556	0.7917	0.6828	0.7993	0.6425	0.8305
p-value	.	.	0.6784	.	0.8349	.

Condom use at last sex among those ever having sex b7
Variable name: cls

	None		One		Two+	
Probability	0.5870	.	0.6408	.	0.5912	.
95% CI	0.5197	0.6542	0.5812	0.7004	0.5184	0.6639
p-value	.	.	0.3093	.	0.9409	.

Condom at last sex, if regular parnter
Variable name: cls_reg

	None		One		Two+	
Probability	0.5538	.	0.5564	.	0.3988	.
95% CI	0.4847	0.6228	0.4492	0.6636	0.2652	0.5325
p-value	.	.	0.9663	.	0.0766	.

Condom at last sex, if casual parnter
Variable name: cls_cas

	None		One		Two+	
Probability	0.8501	.	0.8696	.	0.7785	.
95% CI	0.8046	0.8956	0.8331	0.9060	0.6859	0.8711
p-value	.	.	0.5166	.	0.1316	.

Condom at last sex among those with multiple partners
Variable name: cls_mp

	None		One		Two+	
Probability	0.6904	.	0.8271	.	0.6621	.
95% CI	0.6101	0.7708	0.7326	0.9216	0.5078	0.8164
p-value	.	.	0.0586	.	0.7913	.

Condom at last sex with a regular partner, among those with multiple partners
Variable name: clsreg_mp

	None		One		Two+	
Probability
95% CI
p-value

Condom at last sex with a casual partner, among those with multiple partners
Variable name: clsocas_mp

	None		One		Two+	
Probability	0.9321	.	0.8595	.	0.8577	.
95% CI	0.9131	0.9512	0.7794	0.9397	0.7860	0.9294
p-value	.	.	0.0723	.	0.0463	.

Always/usually used a condom with last sexual partner
Variable name: freq_cdm

	None		One		Two+	
Probability	0.7767	.	0.7857	.	0.6772	.
95% CI	0.7337	0.8197	0.7435	0.8280	0.6173	0.7370
p-value	.	.	0.7671	.	0.0093	.

condom use at last sex among those have sex in the last 12 months b19
Variable name: cls_yr

	None		One		Two+	
--	------	--	-----	--	------	--

Probability	0.7780	.	0.7876	.	0.6715	.
95% CI	0.7352	0.8207	0.7451	0.8301	0.6082	0.7349
p-value	.	.	0.7580	.	0.0076	.

```
.
.
. #delimit ;
delimiter now ;
. local hivtestvars1
> "k7r k6r k10r a10br a10r a11r a12r b8r b9r b10r b18_r1a b18_r2a b18_r3a cn5r k11r
a7r evertest hivtest hivresults results_disc";
```

```
. #delimit cr;
delimiter now cr
```

```
.
.
.
. *****
. * HIV TEST variables
. *****
.
. *****
. * Effect of exposure to any One Love radio programs (anyrad_ol)
. *****
```

```
. log off
name: <unnamed>
log: D:\Stata data\probit_ol_alltopics_border.smcl
log type: smcl
paused on: 24 Apr 2012, 23:03:00
```

```
name: <unnamed>
log: D:\Stata data\probit_ol_alltopics_border.smcl
log type: smcl
resumed on: 24 Apr 2012, 23:03:22
```

```
. foreach x of local hivtestvars1 {
2. di "`": var label `x'''' _continue
3. matlist results_`x', format(%9.4f) title(Variable name:`x') nodotz border(all)
4. di " "
5. di "_____ " _continue
6. di " "
7. }
```

Pregnant woman should test for HIV k7r
Variable name:k7r

	Unexposed		Exposed	
Probability	0.9664	.	0.9282	.
95% CI	0.9535	0.9792	0.8743	0.9821
P-value	.	.	0.0747	.

Knows TB can be cured if HIV+ k6r
 Variable name:k6r

	Unexposed		Exposed	
Probability	0.7193	.	0.6991	.
95% CI	0.6907	0.7478	0.6278	0.7704
P-value	.	.	0.6060	.

Knows that the risk of contracting HIV decreases for a circumcised man k10r
 Variable name:k10r

	Unexposed		Exposed	
Probability	0.6683	.	0.4881	.
95% CI	0.6348	0.7018	0.3964	0.5798
P-value	.	.	0.0008	.

a10b Agrees that only way to know you are HIV positive is through blood test
 Variable name:a10br

	Unexposed		Exposed	
Probability	0.8823	.	0.9247	.
95% CI	0.8592	0.9054	0.8918	0.9575
P-value	.	.	0.0689	.

a10 Important to Know HIV Status
 Variable name:a10r

	Unexposed		Exposed	
Probability	0.9756	.	0.9885	.
95% CI	0.9639	0.9873	0.9783	0.9987
P-value	.	.	0.1720	.

Worried about Becoming Infected
 Variable name:allr

	Unexposed		Exposed	
Probability	0.5729	.	0.5589	.
95% CI	0.5297	0.6160	0.4847	0.6331
P-value	.	.	0.7158	.

Likely to be Infected Now
 Variable name:a12r

	Unexposed		Exposed	
Probability	0.2186	.	0.2362	.
95% CI	0.1864	0.2507	0.1578	0.3146
P-value	.	.	0.6650	.

Agrees that wife/cohabitating partner has another partner b8
Variable name:b8r

	Unexposed		Exposed	
Probability	0.0549	.	0.2776	.
95% CI
P-value

Agrees that husband/cohabitating partner has another wife b9
Variable name:b9r

	Unexposed		Exposed	
Probability	0.2347	.	0.2097	.
95% CI	0.1624	0.3070	0.1019	0.3174
P-value	.	.	0.6939	.

Agrees that husband/cohabitating partner has another sex partner who is not a wi
Variable name:b10r

	Unexposed		Exposed	
Probability	0.2427	.	0.4326	.
95% CI	0.1573	0.3281	0.2555	0.6098
P-value	.	.	0.0752	.

Thinks that last partner had other sexual partners
Variable name:b18_r1a

	Unexposed		Exposed	
Probability	0.2533	.	0.2614	.
95% CI	0.2145	0.2921	0.1847	0.3381
P-value	.	.	0.8517	.

Thinks that next to last partner had other sexual partners
Variable name:b18_r2a

	Unexposed		Exposed	
--	-----------	--	---------	--

Probability	0.3117	.	0.2792	.
95% CI	0.2482	0.3752	0.1344	0.4240
P-value	.	.	0.7323	.

Thinks that third to last partner had other sexual partners
Variable name:b18_r3a

	Unexposed		Exposed	
Probability	0.3865	.	0.5311	.
95% CI	0.3147	0.4583	0.3513	0.7109
P-value	.	.	0.2169	.

Leaders Encourage HIV Testing
Variable name:cn5r

	Unexposed		Exposed	
Probability	0.5760	.	0.5662	.
95% CI	0.5260	0.6259	0.5067	0.6256
P-value	.	.	0.8151	.

Knows where to get HIV/AIDS info. k11r
Variable name:k11r

	Unexposed		Exposed	
Probability	0.8626	.	0.8551	.
95% CI	0.8392	0.8861	0.7922	0.9181
P-value	.	.	0.8320	.

a7 Disagrees that HIV Means Life is Over
Variable name:a7r

	Unexposed		Exposed	
Probability	0.8352	.	0.8202	.
95% CI	0.8089	0.8615	0.7431	0.8972
P-value	.	.	0.6808	.

Ever Tested for HIV b24
Variable name:evertest

	Unexposed		Exposed	
Probability	0.7587	.	0.7593	.
95% CI	0.7311	0.7863	0.6958	0.8228
P-value	.	.	0.9884	.

HIV Test in the Last 12 Months b24b
 Variable name:hivtest

	Unexposed		Exposed	
Probability	0.5956	.	0.6152	.
95% CI	0.5582	0.6330	0.5358	0.6945
P-value	.	.	0.6439	.

Received results of most recent HIV test b24c
 Variable name:hivresults

	Unexposed		Exposed	
Probability	0.9919	.	0.9696	.
95% CI	0.9873	0.9966	0.9411	0.9981
P-value	.	.	0.0391	.

Discussed results of most recent HIV test b24d
 Variable name:results_disc

	Unexposed		Exposed	
Probability	0.8313	.	0.8486	.
95% CI	0.8028	0.8597	0.7904	0.9068
P-value	.	.	0.6529	.

```

.
.
. *****
. * Effect of exposure to any One Love TV programs (anytv_ol)
. *****
. #delimiter ;
delimiter now ;
. local hivtestvars1
> "k7r k6r k10r a10br a10r a11r a12r b9r b10r b18_r1a b18_r2a b18_r3a cn5r k11r a7r
evertest hivtest hivresults results_disc";

. #delimiter cr;
delimiter now cr
.
.
. log off
      name: <unnamed>
      log: D:\Stata data\probit_ol_alltopics_border.smcl
      log type: smcl
      paused on: 24 Apr 2012, 23:03:23

```



```

-----
-----
name: <unnamed>
log: D:\Stata data\probit_ol_alltopics_border.smcl
log type: smcl
resumed on: 24 Apr 2012, 23:03:43

```

```

. foreach x of local hivtestvars1 {
2. di "`x': var label `x'''' _continue
3. matlist results_`x', format(%9.4f) title(Variable name:`x') nodotz border(all)
4. di " "
5. di "-----" _continue
6. di " "
7. }

```

Pregnant woman should test for HIV k7r
Variable name:k7r

	Unexposed		Exposed	
Probability	0.9620	.	0.9506	.
95% CI	0.9475	0.9766	0.9146	0.9866
P-value	.	.	0.4910	.

Knows TB can be cured if HIV+ k6r
Variable name:k6r

	Unexposed		Exposed	
Probability	0.7228	.	0.6889	.
95% CI	0.6873	0.7584	0.6167	0.7611
P-value	.	.	0.4557	.

Knows that the risk of contracting HIV decreases for a circumcised man k10r
Variable name:k10r

	Unexposed		Exposed	
Probability	0.6600	.	0.5584	.
95% CI	0.6182	0.7018	0.4569	0.6599
P-value	.	.	0.1036	.

a10b Agrees that only way to know you are HIV positive is through blood test
Variable name:a10br

	Unexposed		Exposed	
Probability	0.8548	.	0.9637	.
95% CI	0.8246	0.8851	0.9348	0.9926
P-value	.	.	0.0008	.

a10 Important to Know HIV Status
 Variable name:a10r

	Unexposed		Exposed	
Probability	0.9749	.	0.9863	.
95% CI	0.9623	0.9875	0.9750	0.9975
P-value	.	.	0.2198	.

Worried about Becoming Infected
 Variable name:a11r

	Unexposed		Exposed	
Probability	0.5810	.	0.5384	.
95% CI	0.5365	0.6256	0.4625	0.6142
P-value	.	.	0.2908	.

Likely to be Infected Now
 Variable name:a12r

	Unexposed		Exposed	
Probability	0.2289	.	0.2083	.
95% CI	0.1925	0.2652	0.1371	0.2795
P-value	.	.	0.6195	.

Agrees that husband/cohabitating partner has another wife b9
 Variable name:b9r

	Unexposed		Exposed	
Probability	0.2424	.	0.1889	.
95% CI	0.1715	0.3134	0.0774	0.3003
P-value	.	.	0.4347	.

Agrees that husband/cohabitating partner has another sex partner who is not a wi
 Variable name:b10r

	Unexposed		Exposed	
Probability	0.2901	.	0.2769	.
95% CI	0.1982	0.3821	0.1386	0.4152
P-value	.	.	0.8721	.

Thinks that last partner had other sexual partners
 Variable name:b18_r1a

	Unexposed		Exposed	
Probability	0.2901	.	0.2769	.
95% CI	0.1982	0.3821	0.1386	0.4152
P-value	.	.	0.8721	.

	Unexposed		Exposed	
Probability	0.2556	.	0.2496	.
95% CI	0.2075	0.3036	0.1888	0.3104
P-value	.	.	0.8959	.

Thinks that next to last partner had other sexual partners
Variable name:b18_r2a

	Unexposed		Exposed	
Probability	0.3602	.	0.2175	.
95% CI	0.2725	0.4478	0.1131	0.3220
P-value	.	.	0.1119	.

Thinks that third to last partner had other sexual partners
Variable name:b18_r3a

	Unexposed		Exposed	
Probability	0.3321	.	0.5164	.
95% CI	0.2619	0.4023	0.4066	0.6263
P-value	.	.	0.0648	.

Leaders Encourage HIV Testing
Variable name:cn5r

	Unexposed		Exposed	
Probability	0.5758	.	0.5721	.
95% CI	0.5233	0.6284	0.5073	0.6369
P-value	.	.	0.9365	.

Knows where to get HIV/AIDS info. k11r
Variable name:k11r

	Unexposed		Exposed	
Probability	0.8741	.	0.7985	.
95% CI	0.8553	0.8928	0.7273	0.8698
P-value	.	.	0.0242	.

a7 Disagrees that HIV Means Life is Over
Variable name:a7r

	Unexposed		Exposed	
Probability	0.8388	.	0.8079	.
95% CI	0.8084	0.8691	0.7095	0.9064

```
| P-value | . . 0.5616 . |
+-----+
```

Ever Tested for HIV b24
Variable name:evertest

```
+-----+
|          | Unexposed          | Exposed          |
+-----+-----+
| Probability | 0.7619 .          | 0.7517 .          |
| 95% CI      | 0.7247 0.7991    | 0.6843 0.8192    |
| P-value     | . .              | 0.8323 .          |
+-----+
```

HIV Test in the Last 12 Months b24b
Variable name:hivtest

```
+-----+
|          | Unexposed          | Exposed          |
+-----+-----+
| Probability | 0.6106 .          | 0.5675 .          |
| 95% CI      | 0.5661 0.6551    | 0.4861 0.6490    |
| P-value     | . .              | 0.4073 .          |
+-----+
```

Received results of most recent HIV test b24c
Variable name:hivresults

```
+-----+
|          | Unexposed          | Exposed          |
+-----+-----+
| Probability | 0.9935 .          | 0.9438 .          |
| 95% CI      | 0.9896 0.9973    | 0.9028 0.9847    |
| P-value     | . .              | 0.0009 .          |
+-----+
```

Discussed results of most recent HIV test b24d
Variable name:results_disc

```
+-----+
|          | Unexposed          | Exposed          |
+-----+-----+
| Probability | 0.8370 .          | 0.8319 .          |
| 95% CI      | 0.8093 0.8646    | 0.7606 0.9031    |
| P-value     | . .              | 0.9080 .          |
+-----+
```

```
.
.
.
. *****
. * Effect of intensity of exposure to One Love booklets (intbk_ol)
. *****
. #delimiter ;
delimiter now ;
. local hivtestvars1
> "k7r k6r k10r a10br a10r a11r a12r b8r b9r b10r b18_r1a b18_r2a b18_r3a cn5r k11r
a7r evertest hivtest hivresults results_disc";
```


a10b Agrees that only way to know you are HIV positive is through blood test
 Variable name: a10br

	None		One		Two+	
Probability	0.8954	.	0.8950	.	0.8468	.
95% CI	0.8744	0.9164	0.8461	0.9440	0.7883	0.9052
p-value	.	.	0.9905	.	0.0741	.

a10 Important to Know HIV Status
 Variable name: a10r

	None		One		Two+	
Probability	0.9790	.	0.9846	.	0.9755	.
95% CI	0.9670	0.9911	0.9699	0.9994	0.9575	0.9935
p-value	.	.	0.4702	.	0.7770	.

Worried about Becoming Infected
 Variable name: a11r

	None		One		Two+	
Probability	0.5901	.	0.4925	.	0.5630	.
95% CI	0.5305	0.6497	0.4357	0.5493	0.4754	0.6505
p-value	.	.	0.0259	.	0.6240	.

Likely to be Infected Now
 Variable name: a12r

	None		One		Two+	
Probability	0.2050	.	0.2476	.	0.2682	.
95% CI	0.1597	0.2504	0.1577	0.3374	0.1885	0.3478
p-value	.	.	0.4423	.	0.1880	.

Agrees that wife/cohabitating partner has another partner b8
 Variable name: b8r

	None		One		Two+	
Probability	0.0877	.	0.1963	.	0.0172	.
95% CI
p-value

Agrees that husband/cohabitating partner has another wife b9

Variable name: b9r

	None		One		Two+	
Probability	0.2930	.	0.1363	.	0.1295	.
95% CI	0.2123	0.3736	0.0521	0.2204	0.0736	0.1853
p-value	.	.	0.0212	.	0.0001	.

Agrees that husband/cohabitating partner has another sex partner who is not a wi
Variable name: b10r

	None		One		Two+	
Probability	0.3219	.	0.3478	.	0.1494	.
95% CI	0.2366	0.4071	0.0964	0.5992	0.0191	0.2797
p-value	.	.	0.8281	.	0.0734	.

Thinks that last partner had other sexual partners
Variable name: b18_r1a

	None		One		Two+	
Probability	0.2733	.	0.2765	.	0.1964	.
95% CI	0.2231	0.3235	0.1772	0.3759	0.1282	0.2646
p-value	.	.	0.9587	.	0.0941	.

Thinks that next to last partner had other sexual partners
Variable name: b18_r2a

	None		One		Two+	
Probability	0.3242	.	0.3546	.	0.1891	.
95% CI	0.2664	0.3819	0.1309	0.5783	0.0237	0.3545
p-value	.	.	0.8019	.	0.2156	.

Thinks that third to last partner had other sexual partners
Variable name: b18_r3a

	None		One		Two+	
Probability	0.3267	.	0.6978	.	0.5735	.
95% CI	0.2542	0.3993	0.5074	0.8883	0.3416	0.8054
p-value	.	.	0.0438	.	0.0899	.

Leaders Encourage HIV Testing
Variable name: cn5r

	None		One		Two+	
--	------	--	-----	--	------	--

Probability	0.5876	.	0.4926	.	0.5918	.
95% CI	0.5340	0.6412	0.4060	0.5792	0.5156	0.6681
p-value	.	.	0.0582	.	0.9304	.

Knows where to get HIV/AIDS info. k11r
Variable name: k11r

	None		One		Two+	
Probability	0.8605	.	0.8404	.	0.8864	.
95% CI	0.8278	0.8931	0.7637	0.9170	0.8046	0.9681
p-value	.	.	0.6853	.	0.6078	.

a7 Disagrees that HIV Means Life is Over
Variable name: a7r

	None		One		Two+	
Probability	0.8283	.	0.8475	.	0.8358	.
95% CI	0.7981	0.8585	0.7940	0.9010	0.7620	0.9096
p-value	.	.	0.5569	.	0.8411	.

Ever Tested for HIV b24
Variable name: evertest

	None		One		Two+	
Probability	0.7593	.	0.7705	.	0.7483	.
95% CI	0.7288	0.7899	0.7222	0.8189	0.6995	0.7972
p-value	.	.	0.7072	.	0.7131	.

HIV Test in the Last 12 Months b24b
Variable name: hivtest

	None		One		Two+	
Probability	0.6124	.	0.6352	.	0.5338	.
95% CI	0.5683	0.6566	0.5768	0.6937	0.4565	0.6110
p-value	.	.	0.5394	.	0.0803	.

Received results of most recent HIV test b24c
Variable name: hivresults

	None		One		Two+	
Probability	0.9912	.	0.9726	.	0.9951	.
95% CI	0.9850	0.9973	0.9507	0.9946	0.9863	1.0040
p-value	.	.	0.0468	.	0.5592	.

Discussed results of most recent HIV test b24d
 Variable name: results_disc

	None		One		Two+	
Probability	0.8649	.	0.8562	.	0.7323	.
95% CI	0.8341	0.8956	0.7844	0.9280	0.6313	0.8333
p-value	.	.	0.8457	.	0.0199	.

```
.
.
. *****
. * Effect of One Love Radio multimedia exposure (multimedia_ol)
. *****
. #delimit ;
delimiter now ;
. local hivtestvars1
> "k7r k6r k10r a10br a10r a11r a12r b9r b10r b18_r1a b18_r2a b18_r3a cn5r k11r a7r
evertest hivtest hivresults results_disc";
```

```
. #delimit cr;
delimiter now cr
```

```
.
.
. log off
name: <unnamed>
log: D:\Stata data\probit_ol_alltopics_border.smcl
log type: smcl
paused on: 24 Apr 2012, 23:04:13
```

```
name: <unnamed>
log: D:\Stata data\probit_ol_alltopics_border.smcl
log type: smcl
resumed on: 24 Apr 2012, 23:04:39
```

```
. foreach x of local hivtestvars1 {
2. display "`": var label `x'''' _continue
3. matlist results_`x', format(%9.4f) title(Variable name: `x') nodotz border(all)
4. display " "
5. display
"
_continue
6. display " "
7. }
Pregnant woman should test for HIV k7r
Variable name: k7r
```

	None		One		Two+	
Probability	0.9552	.	0.9855	.	0.9300	.

95% CI	0.9358	0.9747	0.9750	0.9960	0.8907	0.9694
p-value	.	.	0.0081	.	0.1094	.

Knows TB can be cured if HIV+ k6r
Variable name: k6r

	None	One	Two+
Probability	0.7004	0.7280	0.7323
95% CI	0.6522	0.6863	0.6657
p-value	.	0.4556	0.4756

Knows that the risk of contracting HIV decreases for a circumcised man k10r
Variable name: k10r

	None	One	Two+
Probability	0.6856	0.6438	0.4876
95% CI	0.6294	0.5840	0.3946
p-value	.	0.4091	0.0005

a10b Agrees that only way to know you are HIV positive is through blood test
Variable name: a10br

	None	One	Two+
Probability	0.8681	0.8885	0.9409
95% CI	0.8390	0.8552	0.9125
p-value	.	0.3461	0.0042

a10 Important to Know HIV Status
Variable name: a10r

	None	One	Two+
Probability	0.9712	0.9861	0.9830
95% CI	0.9536	0.9768	0.9696
p-value	.	0.1195	0.3132

Worried about Becoming Infected
Variable name: allr

	None	One	Two+
Probability	0.5944	0.5729	0.5045
95% CI	0.5382	0.5070	0.4493
p-value	.	0.5905	0.0139

Likely to be Infected Now
Variable name: a12r

	None		One		Two+	
Probability	0.1836	.	0.2785	.	0.2300	.
95% CI	0.1413	0.2259	0.2158	0.3411	0.1617	0.2983
p-value	.	.	0.0259	.	0.2861	.

Agrees that husband/cohabitating partner has another wife b9
Variable name: b9r

	None		One		Two+	
Probability	0.3345	.	0.1365	.	0.1740	.
95% CI	0.2371	0.4319	0.0750	0.1980	0.0953	0.2527
p-value	.	.	0.0005	.	0.0127	.

Agrees that husband/cohabitating partner has another sex partner who is not a wi
Variable name: b10r

	None		One		Two+	
Probability	0.2857	.	0.2630	.	0.3331	.
95% CI	0.1518	0.4197	0.1305	0.3956	0.1219	0.5443
p-value	.	.	0.8318	.	0.7499	.

Thinks that last partner had other sexual partners
Variable name: b18_r1a

	None		One		Two+	
Probability	0.2647	.	0.2499	.	0.2388	.
95% CI	0.2009	0.3284	0.1993	0.3006	0.1732	0.3043
p-value	.	.	0.7085	.	0.6219	.

Thinks that next to last partner had other sexual partners
Variable name: b18_r2a

	None		One		Two+	
Probability	0.3766	.	0.2293	.	0.2479	.
95% CI	0.2891	0.4641	0.1603	0.2983	0.1163	0.3794
p-value	.	.	0.0068	.	0.2172	.

Thinks that third to last partner had other sexual partners
Variable name: b18_r3a

	None		One		Two+	
Probability	0.2658	.	0.4978	.	0.5707	.
95% CI	0.1783	0.3533	0.3517	0.6439	0.4447	0.6966
p-value	.	.	0.0416	.	0.0158	.

Leaders Encourage HIV Testing
Variable name: cn5r

	None		One		Two+	
Probability	0.5729	.	0.5979	.	0.5356	.
95% CI	0.4937	0.6521	0.5460	0.6498	0.4608	0.6104
p-value	.	.	0.6225	.	0.5667	.

Knows where to get HIV/AIDS info. k11r
Variable name: k11r

	None		One		Two+	
Probability	0.8804	.	0.8367	.	0.8288	.
95% CI	0.8516	0.9091	0.7898	0.8835	0.7565	0.9010
p-value	.	.	0.1666	.	0.2126	.

a7 Disagrees that HIV Means Life is Over
Variable name: a7r

	None		One		Two+	
Probability	0.8174	.	0.8660	.	0.8107	.
95% CI	0.7733	0.8615	0.8300	0.9020	0.7173	0.9040
p-value	.	.	0.1479	.	0.8972	.

Ever Tested for HIV b24
Variable name: evertest

	None		One		Two+	
Probability	0.7533	.	0.7764	.	0.7404	.
95% CI	0.7070	0.7996	0.7372	0.8157	0.6781	0.8026
p-value	.	.	0.4612	.	0.7832	.

HIV Test in the Last 12 Months b24b
Variable name: hivtest

	None		One		Two+	
Probability	0.6056	.	0.6071	.	0.5736	.

95% CI	0.5516	0.6596	0.5506	0.6636	0.5034	0.6438
p-value	.	.	0.9686	.	0.4977	.

Received results of most recent HIV test b24c
Variable name: hivresults

	None	One	Two+
Probability	0.9934	0.9891	0.9664
95% CI	0.9883	0.9807	0.9268
p-value	.	0.3627	0.0697

Discussed results of most recent HIV test b24d
Variable name: results_disc

	None	One	Two+
Probability	0.8577	0.8094	0.8218
95% CI	0.8200	0.7499	0.7345
p-value	.	0.2463	0.5099

```

.
.
.
*****
. * TREATMENT VARIABLES
. *****
.
.
*****
. * Effect of exposure to any One Love radio programs (anyrad_ol)
. *****
.
. #delimit ;
delimiter now ;
. local treatmentvars
> "k8ar k8br k8cr k9r cn6r b28r";

. #delimit cr;
delimiter now cr
.
.
. set more 1

.
. log off
      name: <unnamed>
      log: D:\Stata data\probit_ol_alltopics_border.smcl
      log type: smcl
      paused on: 24 Apr 2012, 23:04:40

```

```

-----
-----
name: <unnamed>
log: D:\Stata data\probit_ol_alltopics_border.smcl
log type: smcl
resumed on: 24 Apr 2012, 23:04:47

```

```

. foreach x of local treatmentvars {
2. di "`x'": var label `x'''' _continue
3. matlist results_`x', format(%9.4f) title(Variable name:`x') nodotz border(all)
4. di " "
5. di "-----" _continue
6. di " "
7. }

```

Knows ARVs prevent MCT during pregnancy k8ar
Variable name:k8ar

	Unexposed		Exposed	
Probability	0.8213	.	0.7901	.
95% CI	0.7866	0.8559	0.7038	0.8763
P-value	.	.	0.5161	.

Knows ARVs prevent MCT during childbirth k8br
Variable name:k8br

	Unexposed		Exposed	
Probability	0.7539	.	0.7157	.
95% CI	0.7098	0.7979	0.6417	0.7896
P-value	.	.	0.3843	.

Knows ARVs prevent MCT during breastfeeding k8cr
Variable name:k8cr

	Unexposed		Exposed	
Probability	0.6507	.	0.7247	.
95% CI	0.6006	0.7009	0.6586	0.7908
P-value	.	.	0.0881	.

Knows how often people should take ARVs k9r
Variable name:k9r

	Unexposed		Exposed	
Probability	0.8837	.	0.8113	.
95% CI	0.8545	0.9129	0.7599	0.8626
P-value	.	.	0.0103	.

Leaders Encourage HIV Treatment
 Variable name:cn6r

	Unexposed		Exposed	
Probability	0.6376	.	0.7150	.
95% CI	0.6016	0.6737	0.6512	0.7788
P-value	.	.	0.0812	.

Has ever taken ARVs b28
 Variable name:b28r

	Unexposed		Exposed	
Probability	0.0261	.	0.0531	.
95% CI	0.0183	0.0339	0.0210	0.0853
P-value	.	.	0.0740	.

```

.
.
. *****
. * Effect of exposure to any One Love TV programs (anytv_ol)
. *****
.
. #delimiter ;
delimiter now ;
. local treatmentvars
> "k8ar k8br k8cr k9r cn6r b28r ";

. #delimiter cr;
delimiter now cr
.
.
. set more 1

.
. log off
  name: <unnamed>
  log: D:\Stata data\probit_ol_alltopics_border.smcl
  log type: smcl
  paused on: 24 Apr 2012, 23:04:47
-----
-----
-----
-----
-----
-----
  name: <unnamed>
  log: D:\Stata data\probit_ol_alltopics_border.smcl
  log type: smcl
  resumed on: 24 Apr 2012, 23:04:53

.
. foreach x of local treatmentvars {
2. di "`": var label `x'''' _continue
3. matlist results_`x', format(%9.4f) title(Variable name:`x') nodotz border(all)
4. di" "

```

5. di" _____ " _continue
 6. di " "
 7. }

Knows ARVs prevent MCT during pregnancy k8ar
 Variable name:k8ar

	Unexposed		Exposed	
Probability	0.8237	.	0.7909	.
95% CI	0.7808	0.8666	0.7261	0.8557
P-value	.	.	0.4573	.

Knows ARVs prevent MCT during childbirth k8br
 Variable name:k8br

	Unexposed		Exposed	
Probability	0.7575	.	0.7163	.
95% CI	0.7119	0.8031	0.6537	0.7788
P-value	.	.	0.2885	.

Knows ARVs prevent MCT during breastfeeding k8cr
 Variable name:k8cr

	Unexposed		Exposed	
Probability	0.6556	.	0.7025	.
95% CI	0.6051	0.7061	0.6389	0.7661
P-value	.	.	0.2331	.

Knows how often people should take ARVs k9r
 Variable name:k9r

	Unexposed		Exposed	
Probability	0.8876	.	0.8086	.
95% CI	0.8571	0.9180	0.7550	0.8623
P-value	.	.	0.0140	.

Leaders Encourage HIV Treatment
 Variable name:cn6r

	Unexposed		Exposed	
Probability	0.6449	.	0.6806	.
95% CI	0.6106	0.6792	0.6192	0.7420
P-value	.	.	0.3724	.

Has ever taken ARVs b28

Variable name:b28r

	Unexposed		Exposed	
Probability	0.0314	.	0.0276	.
95% CI	0.0227	0.0400	0.0061	0.0492
P-value	.	.	0.7742	.

```

.
.
.
*****
. * Effect of intensity of exposure to One Love booklets (intbk_ol)
. *****
.
. #delimit ;
delimiter now ;
. local treatmentvars
> "k8ar k8br k8cr k9r cn6r b28r ";

. #delimit cr;
delimiter now cr
.
.
. log off
    name: <unnamed>
    log: D:\Stata data\probit_ol_alltopics_border.smcl
    log type: smcl
    paused on: 24 Apr 2012, 23:04:53
-----
-----
-----
-----
-----
-----
-----
-----
-----
-----
name: <unnamed>
log: D:\Stata data\probit_ol_alltopics_border.smcl
log type: smcl
resumed on: 24 Apr 2012, 23:05:02
.
. foreach x of local treatmentvars {
2. display "`": var label `x'''' _continue
3. matlist results_`x', format(%9.4f) title(Variable name: `x') nodotz border(all)
4. display " "
5. display
"
-----
_continue
6. display " "
7. }
Knows ARVs prevent MCT during pregnancy k8ar
Variable name: k8ar

```

	None		One		Two+	
Probability	0.7968	.	0.8374	.	0.8493	.
95% CI	0.7587	0.8349	0.7709	0.9039	0.7897	0.9090
p-value	.	.	0.2634	.	0.1575	.

Knows ARVs prevent MCT during childbirth k8br
 Variable name: k8br

	None		One		Two+	
Probability	0.7182	.	0.7446	.	0.8284	.
95% CI	0.6670	0.7694	0.6698	0.8195	0.7657	0.8910
p-value	.	.	0.5187	.	0.0231	.

Knows ARVs prevent MCT during breastfeeding k8cr
 Variable name: k8cr

	None		One		Two+	
Probability	0.6523	.	0.6562	.	0.7217	.
95% CI	0.5979	0.7067	0.5634	0.7491	0.6381	0.8053
p-value	.	.	0.9418	.	0.1558	.

Knows how often people should take ARVs k9r
 Variable name: k9r

	None		One		Two+	
Probability	0.8743	.	0.8309	.	0.8832	.
95% CI	0.8431	0.9054	0.7722	0.8897	0.8422	0.9243
p-value	.	.	0.1734	.	0.6914	.

Leaders Encourage HIV Treatment
 Variable name: cn6r

	None		One		Two+	
Probability	0.6537	.	0.5969	.	0.6888	.
95% CI	0.6166	0.6908	0.5015	0.6923	0.6199	0.7578
p-value	.	.	0.3035	.	0.4376	.

Has ever taken ARVs b28
 Variable name: b28r

	None		One		Two+	
Probability	0.0264	.	0.0428	.	0.0349	.
95% CI	0.0161	0.0368	0.0141	0.0715	0.0138	0.0561
p-value	.	.	0.2927	.	0.4655	.

```

. *****
. * Effect of One Love Radio multimedia exposure (multimedia_ol)
. *****
.
. #delimit ;
delimiter now ;
. local treatmentvars
> "k8ar k8br k8cr k9r cn6r b28r ";
.
. #delimit cr;
delimiter now cr
.
.
. log off
    name: <unnamed>
    log: D:\Stata data\probit_ol_alltopics_border.smcl
    log type: smcl
    paused on: 24 Apr 2012, 23:05:02
-----
-----
-----
-----
-----
-----
-----
-----
    name: <unnamed>
    log: D:\Stata data\probit_ol_alltopics_border.smcl
    log type: smcl
    resumed on: 24 Apr 2012, 23:05:10
.
. foreach x of local treatmentvars {
2. display "`": var label `x'''' _continue
3. matlist results_`x', format(%9.4f) title(Variable name: `x') nodotz border(all)
4. display " "
5. display
"-----"
_continue
6. display " "
7. }

```

Knows ARVs prevent MCT during pregnancy k8ar
Variable name: k8ar

	None		One		Two+	
Probability	0.7819	.	0.8758	.	0.7946	.
95% CI	0.7286	0.8352	0.8502	0.9014	0.7176	0.8717
p-value	.	.	0.0003	.	0.8040	.

Knows ARVs prevent MCT during childbirth k8br
Variable name: k8br

	None		One		Two+	
Probability	0.7117	.	0.8087	.	0.7266	.
95% CI	0.6549	0.7685	0.7679	0.8496	0.6651	0.7881
p-value	.	.	0.0005	.	0.7276	.

Knows ARVs prevent MCT during breastfeeding k8cr
 Variable name: k8cr

	None		One		Two+	
Probability	0.6282	.	0.6785	.	0.7314	.
95% CI	0.5663	0.6900	0.6299	0.7272	0.6596	0.8032
p-value	.	.	0.0936	.	0.0337	.

Knows how often people should take ARVs k9r
 Variable name: k9r

	None		One		Two+	
Probability	0.8928	.	0.8847	.	0.7925	.
95% CI	0.8562	0.9294	0.8478	0.9216	0.7390	0.8460
p-value	.	.	0.7359	.	0.0030	.

Leaders Encourage HIV Treatment
 Variable name: cn6r

	None		One		Two+	
Probability	0.6432	.	0.6500	.	0.6818	.
95% CI	0.5902	0.6962	0.6025	0.6975	0.6174	0.7461
p-value	.	.	0.8711	.	0.4384	.

Has ever taken ARVs b28
 Variable name: b28r

	None		One		Two+	
Probability	0.0300	.	0.0246	.	0.0478	.
95% CI	0.0183	0.0417	0.0122	0.0371	0.0225	0.0731
p-value	.	.	0.5615	.	0.2176	.

```

.
.
.
*****
. * STIGMA
. *****
.
.
*****
. * Effect of exposure to any One Love radio programs (anyrad_ol)
. *****
.
. #delimiter ;
delimiter now ;
. local stigmavars

```

```
> "a9r a8r pc6r cn4r cn3r pc5r cnl2r";
. #delimit cr;
delimiter now cr
.
.
. set more 1
.
. log off
    name: <unnamed>
    log: D:\Stata data\probit_ol_alltopics_border.smcl
    log type: smcl
    paused on: 24 Apr 2012, 23:05:10
-----
-----
-----
-----
-----
-----
-----
-----
name: <unnamed>
log: D:\Stata data\probit_ol_alltopics_border.smcl
log type: smcl
resumed on: 24 Apr 2012, 23:05:18
.
. foreach x of local stigmavars {
2. di ``': var label `x'''' _continue
3. matlist results_`x', format(%9.4f) title(Variable name:`x') nodotz border(all)
4. di " "
5. di "_____ " _continue
6. di " "
7. }
```

a9 Disagrees that HIV is a punishment for sinning
Variable name:a9r

	Unexposed		Exposed	
Probability	0.6075	.	0.7317	.
95% CI	0.5698	0.6451	0.6500	0.8135
P-value	.	.	0.0030	.

a8 Disagrees that revealing HIV status doesn't help
Variable name:a8r

	Unexposed		Exposed	
Probability	0.7471	.	0.6777	.
95% CI	0.7061	0.7880	0.6029	0.7525
P-value	.	.	0.0619	.

Willing to Care for Someone on ART
Variable name:pc6r

	Unexposed		Exposed	
Probability	0.9575	.	0.9418	.

95% CI	0.9446	0.9704	0.9070	0.9766
P-value	.	.	0.3660	.

People in the community joint together to help PLHIV
Variable name:cn4r

	Unexposed		Exposed	
Probability	0.5062	.	0.6010	.
95% CI	0.4728	0.5396	0.5290	0.6730
P-value	.	.	0.0241	.

Keep Secret if Family Member has HIV
Variable name:cn3r

	Unexposed		Exposed	
Probability	0.8509	.	0.8313	.
95% CI	0.8263	0.8756	0.7675	0.8952
P-value	.	.	0.5845	.

Cared for someone on ART
Variable name:pc5r

	Unexposed		Exposed	
Probability	0.1518	.	0.1741	.
95% CI	0.1310	0.1727	0.1096	0.2387
P-value	.	.	0.5453	.

Agrees that wife inheritance is practiced in the community
Variable name:cn12r

	Unexposed		Exposed	
Probability	0.1322	.	0.2395	.
95% CI	0.1044	0.1600	0.1701	0.3088
P-value	.	.	0.0074	.

```

.
.
. *****
. * Effect of exposure to any One Love TV programs (anytv_ol)
. *****
.
. #delimiter ;
delimiter now ;
. local stigmavars
> "a9r a8r pc6r cn4r cn3r pc5r cn12r";

```

```

. #delimit cr;
delimitter now cr
.
.
. set more 1

.
. log off
name: <unnamed>
log: D:\Stata data\probit_ol_alltopics_border.smcl
log type: smcl
paused on: 24 Apr 2012, 23:05:18

-----
-----
-----
-----
-----
-----
-----
-----
-----
-----

name: <unnamed>
log: D:\Stata data\probit_ol_alltopics_border.smcl
log type: smcl
resumed on: 24 Apr 2012, 23:05:26

.
. foreach x of local stigmavars {
2. di "`": var label `x'''' _continue
3. matlist results_`x', format(%9.4f) title(Variable name:`x') nodotz border(all)
4. di " "
5. di "_____ " _continue
6. di " "
7. }

```

a9 Disagrees that HIV is a punishment for sinning
Variable name:a9r

	Unexposed		Exposed	
Probability	0.6223	.	0.6751	.
95% CI	0.5855	0.6591	0.5827	0.7675
P-value	.	.	0.2381	.

a8 Disagrees that revealing HIV status doesn't help
Variable name:a8r

	Unexposed		Exposed	
Probability	0.7345	.	0.7230	.
95% CI	0.6855	0.7836	0.6389	0.8071
P-value	.	.	0.8261	.

Willing to Care for Someone on ART
Variable name:pc6r

	Unexposed		Exposed	
Probability	0.9621	.	0.9179	.
95% CI	0.9491	0.9752	0.8630	0.9728

```
| P-value | . . 0.0887 . |
+-----+
```

People in the community joint together to help PLHIV
Variable name:cn4r

```
+-----+
|          | Unexposed          | Exposed          |
+-----+-----+
| Probability | 0.4979 . 0.6086 .
| 95% CI      | 0.4610 0.5348 0.5585 0.6587
| P-value     | . . 0.0017 .
+-----+
```

Keep Secret if Family Member has HIV
Variable name:cn3r

```
+-----+
|          | Unexposed          | Exposed          |
+-----+-----+
| Probability | 0.8490 . 0.8383 .
| 95% CI      | 0.8217 0.8763 0.7760 0.9005
| P-value     | . . 0.7810 .
+-----+
```

Cared for someone on ART
Variable name:pc5r

```
+-----+
|          | Unexposed          | Exposed          |
+-----+-----+
| Probability | 0.1422 . 0.1954 .
| 95% CI      | 0.1206 0.1637 0.1460 0.2449
| P-value     | . . 0.0708 .
+-----+
```

Agrees that wife inheritance is practiced in the community
Variable name:cn12r

```
+-----+
|          | Unexposed          | Exposed          |
+-----+-----+
| Probability | 0.1452 . 0.1817 .
| 95% CI      | 0.1087 0.1817 0.1350 0.2283
| P-value     | . . 0.3302 .
+-----+
```

```
.
.
.
. *****
. * Effect of intensity of exposure to One Love booklets (intbk_ol)
. *****
.
. #delimiter ;
delimiter now ;
. local stigmavars
> "a9r a8r pc6r cn4r cn3r pc5r cn12r";
```



```

. #delimit cr;
delimiter now cr
.
. log off
  name: <unnamed>
  log: D:\Stata data\probit_ol_alltopics_border.smcl
  log type: smcl
  paused on: 24 Apr 2012, 23:05:26
-----
-----
-----
-----
-----
name: <unnamed>
log: D:\Stata data\probit_ol_alltopics_border.smcl
log type: smcl
resumed on: 24 Apr 2012, 23:05:35
.
. foreach x of local stigmavars {
  2. display "`": var label `x'''' _continue
  3. matlist results_`x', format(%9.4f) title(Variable name: `x') nodotz border(all)
  4. display " "
  5. display
"
-----
_continue
  6. display " "
  7. }
a9 Disagrees that HIV is a punishment for sinning
Variable name: a9r

```

	None		One		Two+	
Probability	0.5679	.	0.6536	.	0.8448	.
95% CI	0.5205	0.6152	0.5661	0.7411	0.7795	0.9102
p-value	.	.	0.0670	.	0.0000	.

a8 Disagrees that revealing HIV status doesn't help
Variable name: a8r

	None		One		Two+	
Probability	0.7280	.	0.7836	.	0.7122	.
95% CI	0.6937	0.7623	0.7095	0.8578	0.6315	0.7928
p-value	.	.	0.1083	.	0.6623	.

Willing to Care for Someone on ART
Variable name: pc6r

	None		One		Two+	
Probability	0.9595	.	0.9691	.	0.9311	.
95% CI	0.9457	0.9733	0.9451	0.9930	0.8943	0.9679
p-value	.	.	0.5074	.	0.1226	.

People in the community joint together to help PLHIV
 Variable name: cn4r

	None		One		Two+	
Probability	0.5038	.	0.4926	.	0.6178	.
95% CI	0.4658	0.5419	0.4088	0.5765	0.5486	0.6870
p-value	.	.	0.8223	.	0.0072	.

Keep Secret if Family Member has HIV
 Variable name: cn3r

	None		One		Two+	
Probability	0.8802	.	0.7480	.	0.8137	.
95% CI	0.8575	0.9028	0.6815	0.8145	0.7645	0.8629
p-value	.	.	0.0005	.	0.0227	.

Cared for someone on ART
 Variable name: pc5r

	None		One		Two+	
Probability	0.1602	.	0.1536	.	0.1484	.
95% CI	0.1275	0.1930	0.1031	0.2041	0.0799	0.2168
p-value	.	.	0.8460	.	0.8044	.

Agrees that wife inheritance is practiced in the community
 Variable name: cn12r

	None		One		Two+	
Probability	0.1196	.	0.2290	.	0.2075	.
95% CI	0.0901	0.1490	0.1527	0.3054	0.1312	0.2839
p-value	.	.	0.0122	.	0.0395	.

```
.
.
. *****
. * Effect of One Love Radio multimedia exposure (multimedia_ol)
. *****
.
. #delimiter ;
delimiter now ;
. local stigmavars
> "a9r a8r pc6r cn4r cn3r pc5r cn12r";
. #delimiter cr;
```

delimiter now cr

```
.
.
. log off
  name: <unnamed>
  log: D:\Stata data\probit_ol_alltopics_border.smcl
  log type: smcl
  paused on: 24 Apr 2012, 23:05:35
```

```
-----
-----
-----
-----
-----
name: <unnamed>
log: D:\Stata data\probit_ol_alltopics_border.smcl
log type: smcl
resumed on: 24 Apr 2012, 23:05:45
```

```
. foreach x of local stigmavars {
  2. display "`": var label `x'''' _continue
  3. matlist results_`x', format(%9.4f) title(Variable name: `x') nodotz border(all)
  4. display " "
  5. display
"-----"
_continue
  6. display " "
  7. }
a9 Disagrees that HIV is a punishment for sinning
Variable name: a9r
```

	None		One		Two+	
Probability	0.5585	.	0.6536	.	0.7817	.
95% CI	0.5097	0.6073	0.5768	0.7304	0.7015	0.8619
p-value	.	.	0.0548	.	0.0001	.

a8 Disagrees that revealing HIV status doesn't help
Variable name: a8r

	None		One		Two+	
Probability	0.7361	.	0.7363	.	0.7198	.
95% CI	0.6894	0.7828	0.6733	0.7992	0.6342	0.8053
p-value	.	.	0.9962	.	0.7478	.

Willing to Care for Someone on ART
Variable name: pc6r

	None		One		Two+	
Probability	0.9694	.	0.9430	.	0.9276	.
95% CI	0.9534	0.9854	0.9194	0.9667	0.8819	0.9734
p-value	.	.	0.1159	.	0.0528	.

People in the community joint together to help PLHIV
 Variable name: cn4r

	None		One		Two+	
Probability	0.4702	.	0.5459	.	0.6151	.
95% CI	0.4203	0.5202	0.4903	0.6015	0.5363	0.6939
p-value	.	.	0.0636	.	0.0027	.

Keep Secret if Family Member has HIV
 Variable name: cn3r

	None		One		Two+	
Probability	0.8827	.	0.8222	.	0.7877	.
95% CI	0.8550	0.9104	0.7799	0.8644	0.7166	0.8588
p-value	.	.	0.0374	.	0.0144	.

Cared for someone on ART
 Variable name: pc5r

	None		One		Two+	
Probability	0.1529	.	0.1513	.	0.1745	.
95% CI	0.1155	0.1903	0.1010	0.2016	0.1122	0.2368
p-value	.	.	0.9673	.	0.5804	.

Agrees that wife inheritance is practiced in the community
 Variable name: cn12r

	None		One		Two+	
Probability	0.1119	.	0.1524	.	0.2521	.
95% CI	0.0746	0.1492	0.1054	0.1994	0.1907	0.3134
p-value	.	.	0.1801	.	0.0041	.

```

.
.
.
. *****
. * GBV vars
. *****
.
.
. *****
. * Effect of exposure to any One Love radio programs (anyrad_ol)
. *****
.
. #delimit ;

```

```

delimiter now ;
. local gbvvars
> "a6r cn7r gbv_sex12 gbv_hit12 fhitreport_family fhitreport_friend fhitreport_police
fhitreport_auth fhitreport_any" ;

. #delimit cr;
delimiter now cr
.
.
. set more 1

.
. log off
  name: <unnamed>
  log: D:\Stata data\probit_ol_alltopics_border.smcl
  log type: smcl
  paused on: 24 Apr 2012, 23:05:45

```

```

-----
-----
-----
-----
name: <unnamed>
log: D:\Stata data\probit_ol_alltopics_border.smcl
log type: smcl
resumed on: 24 Apr 2012, 23:05:59

```

```

. foreach x of local gbvvars {
2. di "`": var label `x'''' _continue
3. matlist results_`x', format(%9.4f) title(Variable name:`x') nodotz border(all)
4. di " "
5. di "-----" _continue
6. di " "
7. }

```

Man has right to have sex for gifts
Variable name:a6r

	Unexposed		Exposed	
Probability	0.2902	.	0.3106	.
95% CI	0.2557	0.3247	0.2192	0.4019
P-value	.	.	0.6966	.

Leaders Speak Out Against GBV
Variable name:cn7r

	Unexposed		Exposed	
Probability	0.5676	.	0.6465	.
95% CI	0.5253	0.6099	0.5738	0.7191
P-value	.	.	0.0910	.

Forced Sex in the Last 12 Months
Variable name:gbv_sex12

	Unexposed		Exposed	
Probability	0.0346	.	0.0303	.
95% CI	0.0207	0.0485	0.0090	0.0516
P-value	.	.	0.7778	.

Physical GBV in the Last 12 Months
Variable name:gbv_hit12

	Unexposed		Exposed	
Probability	0.0869	.	0.0690	.
95% CI	0.0682	0.1057	0.0424	0.0956
P-value	.	.	0.2432	.

Reported forced sex to family member
Variable name:fhitreport_family

	Unexposed		Exposed	
Probability	0.2035	.	0.2824	.
95% CI	0.1591	0.2479	0.0714	0.4934
P-value	.	.	0.4875	.

Reported forced sex to a friend
Variable name:fhitreport_friend

	Unexposed		Exposed	
Probability	0.1603	.	0.1600	.
95% CI
P-value

Reported forced sex to a police
Variable name:fhitreport_police

	Unexposed		Exposed	
Probability	0.2154	.	0.0313	.
95% CI	0.1653	0.2656	0.0270	0.0355
P-value	.	.	0.0056	.

Reported forced sex to a authorities
Variable name:fhitreport_auth

	Unexposed		Exposed	
Probability	0.1617	.	.	.
95% CI

```
| P-value | . . . . |
+-----+
```

```
Reported gbv to anyone
Variable name:fhitreport_any
```

```
+-----+
```

	Unexposed		Exposed	
Probability	0.5276	.	0.4405	.
95% CI	0.4563	0.5988	0.2798	0.6012
P-value	.	.	0.4172	.

```
+-----+
```

```
.
.
. *****
. * Effect of exposure to any One Love TV programs (anytv_ol)
. *****
.
. #delimit ;
delimiter now ;
. local gbvvars
> "a6r cn7r gbv_sex12 gbv_hit12 fhitreport_family fhitreport_police fhitreport_auth
fhitreport_any" ;

. #delimit cr;
delimiter now cr
.
.
. set more 1

.
. log off
name: <unnamed>
log: D:\Stata data\probit_ol_alltopics_border.smcl
log type: smcl
paused on: 24 Apr 2012, 23:05:59
-----
-----
-----
-----
name: <unnamed>
log: D:\Stata data\probit_ol_alltopics_border.smcl
log type: smcl
resumed on: 24 Apr 2012, 23:06:08

.
. foreach x of local gbvvars {
2. di `"' : var label `x'''' _continue
3. matlist results_`x', format(%9.4f) title(Variable name:`x') nodotz border(all)
4. di " "
5. di "-----" _continue
6. di " "
7. }
Man has right to have sex for gifts
Variable name:a6r
+-----+
```

	Unexposed		Exposed	
Probability	0.2909	.	0.3096	.
95% CI	0.2617	0.3201	0.2145	0.4046
P-value	.	.	0.7164	.

Leaders Speak Out Against GBV
Variable name:cn7r

	Unexposed		Exposed	
Probability	0.5637	.	0.6401	.
95% CI	0.5179	0.6095	0.5740	0.7062
P-value	.	.	0.0947	.

Forced Sex in the Last 12 Months
Variable name:gbv_sex12

	Unexposed		Exposed	
Probability	0.0362	.	0.0280	.
95% CI	0.0229	0.0494	0.0120	0.0441
P-value	.	.	0.4738	.

Physical GBV in the Last 12 Months
Variable name:gbv_hit12

	Unexposed		Exposed	
Probability	0.0658	.	0.1259	.
95% CI	0.0491	0.0825	0.0868	0.1650
P-value	.	.	0.0050	.

Reported forced sex to family member
Variable name:fhitreport_family

	Unexposed		Exposed	
Probability	0.2490	.	0.1756	.
95% CI	0.1762	0.3219	0.0574	0.2938
P-value	.	.	0.4041	.

Reported forced sex to a police
Variable name:fhitreport_police

	Unexposed		Exposed	
Probability	0.2069	.	0.1626	.
95% CI	0.1446	0.2691	0.0885	0.2368


```
| P-value | . . 0.4911 . |
+-----+
```

Reported forced sex to a authorities
Variable name:fhitreport_auth

	Unexposed		Exposed	
Probability	0.1309	.	0.3063	.
95% CI	.	:	.	:
P-value

Reported gbv to anyone
Variable name:fhitreport_any

	Unexposed		Exposed	
Probability	0.5452	.	0.4562	.
95% CI	0.4665	0.6238	0.3301	0.5822
P-value	.	.	0.3666	.

```
.
.
.
. *****
. * Effect of intensity of exposure to One Love booklets (intbk_ol)
. *****
.
. #delimiter ;
delimiter now ;
. local gbvvars
> "a6r cn7r gbv_sex12 gbv_hit12 fhitreport_family fhitreport_auth fhitreport_any" ;

. #delimiter cr;
delimiter now cr
.
.
. set more 1

. log off
name: <unnamed>
log: D:\Stata data\probit_ol_alltopics_border.smcl
log type: smcl
paused on: 24 Apr 2012, 23:06:08

-----
-----
-----
-----
-----

name: <unnamed>
log: D:\Stata data\probit_ol_alltopics_border.smcl
log type: smcl
resumed on: 24 Apr 2012, 23:06:21

.
```

```

. foreach x of local gbvvars {
2. display ```: var label `x'''' _continue
3. matlist results_`x', format(%9.4f) title(Variable name: `x') nodotz border(all)
4. display " "
5. display
"
-----"
_continue
6. display " "
7. }

```

Man has right to have sex for gifts
Variable name: a6r

	None		One		Two+	
Probability	0.2839	.	0.3446	.	0.2936	.
95% CI	0.2428	0.3251	0.2644	0.4248	0.2253	0.3619
p-value	.	.	0.2542	.	0.8089	.

Leaders Speak Out Against GBV
Variable name: cn7r

	None		One		Two+	
Probability	0.5558	.	0.5475	.	0.6922	.
95% CI	0.5048	0.6067	0.4746	0.6204	0.6329	0.7515
p-value	.	.	0.8624	.	0.0047	.

Forced Sex in the Last 12 Months
Variable name: gbv_sex12

	None		One		Two+	
Probability	0.0403	.	0.0258	.	0.0244	.
95% CI	0.0261	0.0545	0.0064	0.0452	0.0043	0.0445
p-value	.	.	0.1665	.	0.2995	.

Physical GBV in the Last 12 Months
Variable name: gbv_hit12

	None		One		Two+	
Probability	0.0793	.	0.0762	.	0.0942	.
95% CI	0.0563	0.1023	0.0332	0.1192	0.0463	0.1421
p-value	.	.	0.8916	.	0.5951	.

Reported forced sex to family member
Variable name: fhitreport_family

	None		One		Two+	
Probability	0.2134	.	0.1920	.	0.2420	.

95% CI	0.1435	0.2834	0.0068	0.3773	0.1048	0.3792
p-value	.	.	0.8490	.	0.7615	.

Reported forced sex to a authorities
Variable name: fhitreport_auth

	None	One	Two+
Probability	0.1296	.	0.2830
95% CI	.	.	.
p-value	.	.	.

Reported gbv to anyone
Variable name: fhitreport_any

	None	One	Two+
Probability	0.5378	0.4920	0.4817
95% CI	0.4219	0.2766	0.3424
p-value	.	0.7419	0.6361

```

.
.
. *****
. * Effect of One Love Radio multimedia exposure (multimedia_ol)
. *****
.
. #delimiter ;
delimiter now ;
. local gbvvars
> "a6r cn7r gbv_sex12 gbv_hit12 fhitreport_family fhitreport_auth fhitreport_any" ;
. #delimiter cr;
delimiter now cr
.
.
. log off
name: <unnamed>
log: D:\Stata data\probit_ol_alltopics_border.smcl
log type: smcl
paused on: 24 Apr 2012, 23:06:21
-----
-----
-----
name: <unnamed>
log: D:\Stata data\probit_ol_alltopics_border.smcl
log type: smcl
resumed on: 24 Apr 2012, 23:06:31
.
. foreach x of local gbvvars {
2. display "`": var label `x'''' _continue

```

```

3. matlist results_`x', format(%9.4f) title(Variable name: `x') nodotz border(all)
4. display " "
5. display
"

```

```

_continue
6. display " "
7. }

```

Man has right to have sex for gifts
Variable name: a6r

	None		One		Two+	
Probability	0.2792	.	0.3190	.	0.2986	.
95% CI	0.2338	0.3245	0.2723	0.3656	0.2024	0.3947
p-value	.	.	0.2542	.	0.7428	.

Leaders Speak Out Against GBV
Variable name: cn7r

	None		One		Two+	
Probability	0.5128	.	0.6336	.	0.6643	.
95% CI	0.4373	0.5884	0.5777	0.6895	0.5988	0.7299
p-value	.	.	0.0407	.	0.0049	.

Forced Sex in the Last 12 Months
Variable name: gbv_sex12

	None		One		Two+	
Probability	0.0477	.	0.0318	.	0.0184	.
95% CI	0.0296	0.0658	0.0136	0.0499	0.0048	0.0320
p-value	.	.	0.0951	.	0.0453	.

Physical GBV in the Last 12 Months
Variable name: gbv_hit12

	None		One		Two+	
Probability	0.0676	.	0.0873	.	0.1035	.
95% CI	0.0434	0.0918	0.0611	0.1135	0.0602	0.1468
p-value	.	.	0.2919	.	0.1580	.

Reported forced sex to family member
Variable name: fhitreport_family

	None		One		Two+	
Probability	0.2327	.	0.2409	.	0.1852	.
95% CI	0.1343	0.3311	0.1179	0.3638	0.0341	0.3364
p-value	.	.	0.9266	.	0.6718	.

Reported forced sex to a authorities
 Variable name: fhitreport_auth

	None	One	Two+
Probability	0.1232	0.1670	0.7183
95% CI	.	.	.
p-value	.	.	.

Reported gbv to anyone
 Variable name: fhitreport_any

	None	One	Two+
Probability	0.4933	0.6116	0.4099
95% CI	0.3240	0.4757	0.2737
p-value	.	0.3828	0.5256

```

.
.
.
.
.
*****
. * continuous VARIABLES
. *****
.
.
. #delimit ;
delimitter now ;
. local mpvars2
> "lifep numtest firstsex";

. #delimit cr;
delimitter now cr
.
.
.
*****
. * Effect of exposure to any One Love radio programs (anyrad_ol)
. *****
.
. log off
name: <unnamed>
log: D:\Stata data\probit_ol_alltopics_border.smcl
log type: smcl
paused on: 24 Apr 2012, 23:06:31

```

name: <unnamed>

```

log: D:\Stata data\probit_ol_alltopics_border.smcl
log type: smcl
resumed on: 24 Apr 2012, 23:06:33

```

```

. foreach x of local mpvars2 {
2. di "`": var label `x'''' _continue
3. matlist results_`x', format(%9.4f) title(Variable name:`x') nodotz border(all)
4. di " "
5. di "-----" _continue
6. di " "
7. }

```

Number of Lifetime Partners b6
Variable name:lifep

	Unexposed		Exposed	
Mean	4.5876	.	4.1031	.
95% CI	4.0360	5.1393	3.3774	4.8288
p-value	.	.	0.2782	.

Number of Times Tested for HIV b24a
Variable name:numtest

	Unexposed		Exposed	
Mean	2.1219	.	2.4054	.
95% CI	1.9155	2.3282	1.9827	2.8282
p-value	.	.	0.2560	.

age at first sex
Variable name:firstsex

	Unexposed		Exposed	
Mean	20.1111	.	18.4799	.
95% CI	18.8792	21.3430	16.7326	20.2273
p-value	.	.	0.1598	.

```

.
.
.
.
. *****
. * Effect of exposure to any One Love TV programs (anytv_ol)
. *****
. #delimiter ;
delimiter now ;
. local mpvars2
> "lifep numtest firstsex";

. #delimiter cr;
delimiter now cr
.

```

```

. log off
   name: <unnamed>
   log: D:\Stata data\probit_ol_alltopics_border.smcl
   log type: smcl
   paused on: 24 Apr 2012, 23:06:33

```

```

-----
-----
-----
-----
-----
-----
-----
name: <unnamed>
log: D:\Stata data\probit_ol_alltopics_border.smcl
log type: smcl
resumed on: 24 Apr 2012, 23:06:35

```

```

. foreach x of local mpvars2 {
2. di "`": var label `x'''' _continue
3. matlist results_`x', format(%9.4f) title(Variable name:`x') nodotz border(all)
4. di " "
5. di "_____ " _continue
6. di " "
7. }

```

Number of Lifetime Partners b6
Variable name:lifep

	Unexposed		Exposed	
Mean	4.6019	.	4.1394	.
95% CI	4.0867	5.1172	3.4462	4.8325
p-value	.	.	0.2100	.

Number of Times Tested for HIV b24a
Variable name:numtest

	Unexposed		Exposed	
Mean	2.1102	.	2.3463	.
95% CI	1.9038	2.3167	1.9203	2.7722
p-value	.	.	0.3748	.

age at first sex
Variable name:firstsex

	Unexposed		Exposed	
Mean	20.0431	.	18.9765	.
95% CI	18.7554	21.3309	17.0665	20.8864
p-value	.	.	0.4013	.

```

.

```

```

. *****
. * Effect of intensity of exposure to One Love booklets (intbk_ol)
. *****
. #delimit ;
delimitter now ;
. local mpvars2
> "lifep numtest firstsex";

. #delimit cr;
delimitter now cr
.
.
. log off
name: <unnamed>
log: D:\Stata data\probit_ol_alltopics_border.smcl
log type: smcl
paused on: 24 Apr 2012, 23:06:35
-----
-----
-----
-----
-----
name: <unnamed>
log: D:\Stata data\probit_ol_alltopics_border.smcl
log type: smcl
resumed on: 24 Apr 2012, 23:06:37

. foreach x of local mpvars2 {
2. display "`": var label `x'''' _continue
3. matlist results_`x', format(%9.4f) title(Variable name: `x') nodotz border(all)
4. display " "
5. display
"-----"
_continue
6. display " "
7. }
Number of Lifetime Partners b6
Variable name: lifep

```

	None		One		Two+	
Mean	4.8432	.	4.0906	.	3.7261	.
95% CI	4.1854	5.5011	3.0877	5.0935	3.1438	4.3084
p-value	.	.	0.2275	.	0.0115	.

Number of Times Tested for HIV b24a
Variable name: numtest

	None		One		Two+	
Mean	2.1668	.	2.1186	.	2.2660	.
95% CI	1.8745	2.4592	1.7266	2.5107	1.9960	2.5360
p-value	.	.	0.8753	.	0.5825	.

age at first sex

Variable name: firstsex

	None		One		Two+	
Mean	19.3377	.	18.5857	.	21.9151	.
95% CI	18.3028	20.3726	16.4172	20.7543	18.8410	24.9892
p-value	.	.	0.5831	.	0.1152	.

```

.
.
. *****
. * Effect of One Love Radio multimedia exposure (multimedia_ol)
. *****
. #delimit ;
delimit now ;
. local mpvars2
> "lifep numtest firstsex";

. #delimit cr;
delimit now cr
.
.
. log off
  name: <unnamed>
  log: D:\Stata data\probit_ol_alltopics_border.smcl
  log type: smcl
  paused on: 24 Apr 2012, 23:06:37

-----

name: <unnamed>
log: D:\Stata data\probit_ol_alltopics_border.smcl
log type: smcl
resumed on: 24 Apr 2012, 23:06:39

.
. foreach x of local mpvars2 {
2. display "`": var label `x'''' _continue
3. matlist results_`x', format(%9.4f) title(Variable name: `x') nodotz border(all)
4. display " "
5. display
"
-----
_continue
6. display " "
7. }
Number of Lifetime Partners b6
Variable name: lifep

```

	None		One		Two+	
Mean	4.8611	.	4.4368	.	3.8043	.
95% CI	4.0977	5.6244	3.7740	5.0996	3.0309	4.5776
p-value	.	.	0.3387	.	0.0765	.

Number of Times Tested for HIV b24a
Variable name: numtest

	None		One		Two+	
Mean	2.0967	.	2.1200	.	2.3841	.
95% CI	1.8156	2.3777	1.9032	2.3367	2.0266	2.7416
p-value	.	.	0.8602	.	0.2667	.

age at first sex
Variable name: firstsex

	None		One		Two+	
Mean	19.7407	.	19.9823	.	19.3355	.
95% CI	18.4167	21.0646	18.2409	21.7236	16.2806	22.3904
p-value	.	.	0.7842	.	0.8303	.

.
.
.
.
.
end of do-file

```
. log close  
  name: <unnamed>  
  log:  D:\Stata data\probit_ol_alltopics_border.smcl  
  log type: smcl  
  closed on: 24 Apr 2012, 23:06:53
```