

## APPENDIX I: MARGINAL AND CUMULATIVE EFFECTS

### Radio

	%Nev_Exp	%<Recent	Lbound	Ubound	P-value	%Both	Lbound	Ubound	P-value
<b>Multiple Partners</b>									
Multiple partners (past 12 months)	0.1893	0.1666	0.1345	0.1988	0.3653	0.1269	0.0813	0.1726	0.0309
Multiple partners (past month)	0.0714	0.0492	0.0324	0.0659	0.1859	0.0395	0.0176	0.0615	0.1086
More than one partner within 3 months period (past 12 months)	0.0923	0.1189	0.0908	0.1470	0.3190	0.0945	0.0546	0.1344	0.9267
Reports currently having more than one partner	0.1126	0.0745	0.0519	0.0972	0.1497	0.0845	0.0500	0.1190	0.3339
Agrees that wife/cohabitating partner has another partner	0.0163	0.0401	0.0160	0.0642	0.0534	0.0444	-0.0004	0.0892	0.1638
Agrees that husband/cohabitating partner has another wife	0.1398	0.1982	0.1493	0.2470	0.1861	0.2370	0.1212	0.3528	0.1013
Agrees that husband/cohabitating partner has another sex partner who is not a wife	0.3336	0.2751	0.2169	0.3333	0.3412	0.2520	0.1267	0.3774	0.3708
10+ year age difference between respondent and last sexual partner	0.1641	0.1440	0.1142	0.1738	0.5517	0.1266	0.0806	0.1727	0.3478
Thinks that last partner had other sexual partners	0.5246	0.4664	0.4279	0.5049	0.0817	0.4311	0.3739	0.4883	0.0128
Received gifts or money in exchange for sex with last partner	0.2785	0.2974	0.2587	0.3361	0.6419	0.3457	0.2800	0.4114	0.1820
Received gifts or money in exchange for sex with last regular partner	0.2374	0.2364	0.1945	0.2784	0.9834	0.3391	0.2433	0.4349	0.0511
Received gifts or money in exchange for sex with last casual partner	0.3047	0.3416	0.2899	0.3934	0.4395	0.3729	0.2579	0.4879	0.3462
Gave gifts or money in exchange for sex with last partner	0.2178	0.1984	0.1712	0.2256	0.6004	0.2312	0.1627	0.2996	0.7807
Gave gifts or money in exchange for sex with last regular partner	0.1964	0.1376	0.1037	0.1715	0.2663	0.2520	0.1709	0.3331	0.2966
Gave gifts or money in exchange for sex with last casual partner	0.2438	0.2397	0.1993	0.2800	0.9211	0.2130	0.1404	0.2856	0.5964
Multiple sexual partners increase HIV risk (%True)	0.9470	0.9418	0.9142	0.9694	0.7102	0.9618	0.9400	0.9836	0.3888
Most married men faithful to wives (%Agree)	0.2248	0.2076	0.1558	0.2594	0.6600	0.2025	0.1192	0.2857	0.6451
Can resist temptation of sex with person besides main partner (%Agree)	0.7878	0.8267	0.7974	0.8559	0.2104	0.8459	0.7929	0.8989	0.1207
Need someone to fill gap (%Disagree)	0.6951	0.6291	0.5848	0.6733	0.0664	0.6663	0.5715	0.7611	0.6314
Men with many women are real men (%Disagree)	0.9235	0.9436	0.9234	0.9639	0.2914	0.9599	0.9361	0.9837	0.0881

Men have right to get sex for gifts (%Disagree)	0.7764	0.8127	0.7802	0.8451	0.1765	0.8380	0.7509	0.9251	0.1955
Leaders speak out about risk of HIV if MP (%Strongly agree/agree)	0.6435	0.7059	0.6485	0.7632	0.0091	0.7168	0.6294	0.8042	0.1601
Leaders discourage multiple partners (%Very often/sometimes)	0.3883	0.4540	0.4023	0.5057	0.0300	0.4559	0.3890	0.5228	0.1331
Leaders discourage men from having younger partners (%Very often/sometimes)	0.4282	0.5051	0.4491	0.5612	0.0166	0.5338	0.4506	0.6171	0.0476
Polygyny is practiced in community (%Very often/sometimes)	0.3460	0.3578	0.3116	0.4039	0.7441	0.3981	0.2870	0.5092	0.3116
Agrees that wife inheritance is practiced in the community	0.1312	0.1441	0.1091	0.1791	0.5948	0.1435	0.0748	0.2121	0.7002
Number of lifetime partners	2.8276	3.4801	3.1224	3.8379	0.0288	3.3486	2.7706	3.9267	0.1862
Age at first sex	18.5999	18.9030	18.6557	19.1503	0.3948	18.1175	17.5727	18.6623	0.2546

	%Nev_Exp	%<Recent	Lbound	Ubound	P-value	%Both	Lbound	Ubound	P-value
<b>Other HIV Risk Factors</b>									
Worried about becoming HIV infected (%Worried)	0.4275	0.4860	0.4426	0.5294	0.0555	0.5306	0.4593	0.6020	0.0104
Likely to be infected now (%Agree)	0.1546	0.2289	0.1961	0.2617	0.0001	0.2612	0.2044	0.3181	0.0020
If one spouse positive, the other too (%False)	0.6836	0.6903	0.6491	0.7316	0.7859	0.7153	0.6394	0.7912	0.4796
STIs decrease HIV infection (%False)	0.8927	0.9255	0.9115	0.9396	0.0614	0.9507	0.9158	0.9856	0.0163
TB can't be cured if HIV+ (%False)	0.5997	0.5750	0.5409	0.6092	0.4554	0.6070	0.5361	0.6779	0.8814
Risk of contracting HIV decreases for a circumcised man	0.8771	0.8814	0.8593	0.9036	0.8608	0.9283	0.8920	0.9645	0.0908
Knows where to get information about HIV/AIDS	0.8973	0.9021	0.8675	0.9366	0.7768	0.9412	0.9007	0.9816	0.0929

	%Nev_Exp	%<Recent	Lbound	Ubound	P-value	%Both	Lbound	Ubound	P-value
<b>HIV Communication</b>									
Discussed HIV/AIDS with spouse	0.8200	0.8377	0.7922	0.8832	0.6510	0.8460	0.7727	0.9192	0.6109
Discussed HIV/AIDS with children	0.5226	0.5194	0.4632	0.5756	0.9556	0.6505	0.5227	0.7784	0.0921
Discussed HIV/AIDS with friends	0.7435	0.7643	0.7293	0.7993	0.5145	0.8845	0.8426	0.9264	0.0002
Discussed HIV/AIDS with spouse, children, and/or friends	0.8100	0.8293	0.8006	0.8581	0.5162	0.9195	0.8834	0.9555	0.0020
Sex life improves with communication with partner (%Agree)	0.9001	0.9366	0.9228	0.9503	0.0102	0.9436	0.9160	0.9711	0.0317
Percentage who are dissatisfied when having sex with spouse/regular cohabitating partner	0.2176	0.1705	0.1308	0.2103	0.4172	0.2435	0.1743	0.3128	0.6807
Percentage who have discussed sexual dissatisfaction with spouse/regular cohabitating partner	0.5878	0.5821	0.5070	0.6571	0.9498	0.5945	0.4806	0.7084	0.9513
Percentage who are satisfied when having sex with spouse/regular cohabitating partner	0.8786	0.9063	0.8729	0.9397	0.3929	0.9437	0.9109	0.9764	0.0736
Percentage who have discussed sexual satisfaction with spouse/regular cohabitating partner	0.6133	0.5943	0.5155	0.6731	0.8440	0.6337	0.5178	0.7496	0.8525

	%Nev_Exp	%<Recent	Lbound	Ubound	P-value	%Both	Lbound	Ubound	P-value
<b>Condom Use</b>									
Condom use at last sex	0.6529	0.6206	0.5889	0.6523	0.2782	0.6692	0.6115	0.7270	0.7074
Condom use at last sex with regular partner	0.5720	0.5902	0.5539	0.6265	0.6204	0.6598	0.5971	0.7226	0.0866
Condom use at last sex among those with multiple partners	0.7466	0.7492	0.6955	0.8029	0.9656	0.7877	0.6722	0.9033	0.6173
Condom use at last sex with a regular partner, among those with multiple partners	0.5673	0.6155	0.5486	0.6823	0.5410	0.5897	0.4524	0.7271	0.8215
Always uses condom with most recent partner	0.2841	0.2520	0.1945	0.3095	0.4850	0.2754	0.1972	0.3535	0.8597
Condom use in marriage accepted (%Strongly agree/agree)	0.7138	0.7347	0.6894	0.7801	0.4891	0.7992	0.7397	0.8588	0.0591
Women can ask regular partner to use condom (%Strongly agree/agree)	0.7030	0.7095	0.6567	0.7622	0.8190	0.8001	0.7494	0.8508	0.0144
Women can ask casual partner to use condom (%Strongly agree/agree)	0.5322	0.4908	0.4228	0.5589	0.1691	0.5724	0.4831	0.6617	0.3512

	%Nev_Exp	%<Recent	Lbound	Ubound	P- value	%Both	Lbound	Ubound	P-value
<b>HIV Testing</b>									
Ever tested for HIV	0.6602	0.6578	0.6275	0.6880	0.9331	0.6828	0.6184	0.7472	0.5749
HIV test in the last 12 months	0.4206	0.5242	0.4839	0.5645	0.0043	0.5028	0.4186	0.5870	0.0952
Received results of most recent HIV test	0.9781	0.9716	0.9610	0.9822	0.4699	0.9724	0.9484	0.9964	0.6791
Discussed results of most recent HIV test	0.8066	0.8318	0.8015	0.8620	0.3049	0.8106	0.7482	0.8730	0.9061
Pregnant woman should test for HIV (%True)	0.9495	0.9433	0.9156	0.9710	0.7324	0.9666	0.9414	0.9918	0.3590
It is important to know your HIV status (%Agree)	0.9747	0.9742	0.9641	0.9843	0.9576	0.9879	0.9798	0.9960	0.1624
Only way to know status is by blood test (%Agree)	0.9686	0.9854	0.9791	0.9918	0.0856	0.9942	0.9885	0.9999	0.0037
Leaders encourage HIV testing (%Strongly agree/agree)	0.6176	0.6785	0.6313	0.7258	0.0176	0.6841	0.6004	0.7678	0.1473
Number of times tested for HIV	2.0014	2.2157	2.0696	2.3618	0.1914	2.2628	1.9140	2.6115	0.2700

	%Nev_Exp	%<Recent	Lbound	Ubound	P- value	%Both	Lbound	Ubound	P-value
<b>HIV Treatment</b>									
Cared for someone on ART	0.1983	0.1940	0.1718	0.2162	0.8737	0.2029	0.1546	0.2511	0.8952
Willing to care for someone on ART	0.8529	0.9152	0.8888	0.9415	0.0009	0.9501	0.9248	0.9754	0.0010
PLHIV on ART can transmit HIV (%True)	0.9031	0.8947	0.8684	0.9211	0.7027	0.9181	0.8796	0.9566	0.5893
PLHIV does not need to use condoms because cannot transmit HIV (% False)	0.9237	0.9379	0.9232	0.9526	0.3218	0.9469	0.9204	0.9735	0.2631
ARVs prevent MCT during pregnancy	0.7399	0.7860	0.7541	0.8178	0.1335	0.7968	0.7394	0.8543	0.1073
ARVs prevent MCT during childbirth	0.6771	0.7533	0.7188	0.7877	0.0134	0.7713	0.7129	0.8296	0.0150
ARVs prevent MCT during breastfeeding	0.6592	0.7192	0.6805	0.7580	0.0571	0.7416	0.6733	0.8099	0.0708
People on ART have to stay on treatment for rest of lives	0.9128	0.9364	0.9189	0.9539	0.1986	0.9286	0.8944	0.9628	0.5873
Leaders encourage HIV treatment (%Strongly agree/agree)	0.6411	0.6859	0.6393	0.7325	0.0784	0.7094	0.6209	0.7978	0.1719
Has ever taken ARVs	0.0986	0.0723	0.0561	0.0885	0.1317	0.0802	0.0397	0.1206	0.3910
Received support from an ARV treatment buddy or CBV, if taken ARVs	0.4513	0.4612	0.3854	0.5370	0.9242	0.7808	0.6412	0.9204	0.0112
Participated in a PMTCT program	0.2806	0.2522	0.2136	0.2908	0.5427	0.2193	0.1559	0.2828	0.3393

	%Nev_Exp	%<Recent	Lbound	Ubound	P-value	%Both	Lbound	Ubound	P-value
<b>Stigma</b>									
When learn that you are HIV+, life is over (%Disagree)	0.9168	0.9489	0.9341	0.9637	0.0024	0.9614	0.9423	0.9805	0.0089
Telling people you are HIV+ doesn't help (%Disagree)	0.5995	0.6628	0.6175	0.7082	0.1363	0.6535	0.5697	0.7372	0.3486
HIV is punishment for sinning (%Disagree)	0.8163	0.7954	0.7611	0.8297	0.4130	0.8471	0.7790	0.9152	0.4504
Only promiscuous people get HIV (%Disagree)	0.7678	0.7713	0.7313	0.8114	0.8721	0.8824	0.8179	0.9468	0.0014
People in community would want to keep secret if family member has HIV (%Strongly agree/agree)	0.6872	0.7529	0.7122	0.7937	0.1369	0.7281	0.6649	0.7912	0.4162
People in the community join together to help PLHIV (%Strongly agree/agree)	0.5875	0.6296	0.5789	0.6803	0.2093	0.5597	0.4633	0.6562	0.5464

	%Nev_Exp	%<Recent	Lbound	Ubound	P-value	%Both	Lbound	Ubound	P-value
<b>Gender-Based Violence</b>									
Forced sex in the last 12 months	0.0289	0.0270	0.0174	0.0367	0.8384	0.0454	0.0160	0.0747	0.3034
Physical GBV in the last 12 months	0.0618	0.0576	0.0418	0.0734	0.7887	0.0781	0.0481	0.1082	0.4775
Reported physical violence to authorities	0.6849	0.6361	0.5666	0.7056	0.6449	0.7402	0.6237	0.8568	0.6256
Report violence to family, friend, or community member	0.6802	0.7598	0.6730	0.8466	0.4621	0.7288	0.5850	0.8726	0.7249
Report violence to police or authority	0.3913	0.3564	0.2863	0.4265	0.7255	0.5277	0.3893	0.6660	0.3081
Leaders speak out against GBV (%Strongly agree/agree)	0.5955	0.6929	0.6561	0.7298	0.0007	0.6306	0.5273	0.7339	0.5514

## Television

	%Nev_Exp	%<Recent	Lbound	Ubound	P-value	%Both	Lbound	Ubound	P-value
<b>Multiple Partners</b>									
Multiple partners (past 12 months)	0.1557	0.183	0.1413	0.2247	0.3083	0.0777	0.0242	0.1311	0.0388
Multiple partners (past month)	0.0443	0.067	0.0396	0.0945	0.1596	0.0168	-0.0054	0.0389	0.1351
More than one partner within 3 months period (past 12 months)	0.0973	0.1292	0.0943	0.1641	0.2372	0.0702	0.0144	0.126	0.4689
Reports currently having more than one partner	0.073	0.0995	0.0612	0.1377	0.2506	0.05	0.0068	0.0932	0.4188
Agrees that wife/cohabitating partner has another partner	0.0246	0.0419	0.0034	0.0803	0.3643	0.144	0.0235	0.2644	0.0052
Agrees that husband/cohabitating partner has another wife	0.1698	0.2144	0.1681	0.2607	0.2175	0.3644	0.206	0.5229	0.0211
Agrees that husband/cohabitating partner has another sex partner who is not a wife	0.2405	0.3371	0.2516	0.4226	0.0935	0.4228	0.2203	0.6253	0.0903
10+ year age difference between respondent and last sexual partner	0.1324	0.1619	0.126	0.1979	0.2453	0.1654	0.0663	0.2645	0.5391
Thinks that last partner had other sexual partners	0.4724	0.4339	0.3861	0.4818	0.3031	0.5804	0.4829	0.678	0.1282
Received gifts or money in exchange for sex with last partner	0.302	0.2959	0.237	0.3548	0.8431	0.3348	0.2357	0.4339	0.5303
Received gifts or money in exchange for sex with last regular partner	0.2475	0.2426	0.1845	0.3006	0.8774	0.3234	0.211	0.4358	0.196
Received gifts or money in exchange for sex with last casual partner	0.3395	0.34	0.2686	0.4114	0.9918	0.3661	0.2348	0.4975	0.7273
Gave gifts or money in exchange for sex with last partner	0.1957	0.2073	0.17	0.2447	0.6348	0.308	0.1752	0.4407	0.0756
Gave gifts or money in exchange for sex with last regular partner	0.1425	0.18	0.1197	0.2403	0.2986	0.3041	0.1916	0.4166	0.0052
Gave gifts or money in exchange for sex with last casual partner	0.2305	0.2342	0.1858	0.2825	0.9095	0.3192	0.1494	0.4891	0.3156
Multiple sexual partners increase HIV risk (%True)	0.9403	0.9509	0.9291	0.9726	0.3712	0.9715	0.9432	0.9997	0.1743
Most married men faithful to wives (%Agree)	0.2001	0.228	0.1698	0.2861	0.4118	0.1535	0.0798	0.2273	0.2974

Can resist temptation of sex with person besides main partner (%Agree)	0.8172	0.828	0.7943	0.8617	0.578	0.7589	0.662	0.8558	0.234
Need someone to fill gap (%Disagree)	0.6657	0.6077	0.5547	0.6607	0.1309	0.6393	0.5274	0.7513	0.6604
Men with many women are real men (%Disagree)	0.9245	0.9629	0.9476	0.9782	0.0107	0.9842	0.9646	1.0039	0.0058
Men have right to get sex for gifts (%Disagree)	0.7697	0.8406	0.8012	0.8799	0.0032	0.8929	0.8346	0.9512	0.0211
Leaders speak out about risk of HIV if MP (%Strongly agree/agree)	0.6929	0.7024	0.6438	0.761	0.7194	0.6689	0.5489	0.789	0.6684
Leaders discourage multiple partners (%Very often/sometimes)	0.4292	0.4608	0.4001	0.5215	0.2922	0.3861	0.2846	0.4876	0.428
Leaders discourage men from having younger partners (%Very often/sometimes)	0.4887	0.4972	0.4434	0.5511	0.7905	0.4653	0.3678	0.5629	0.6425
Polygyny is practiced in community (%Very often/sometimes)	0.3575	0.3704	0.3142	0.4266	0.7208	0.3056	0.2061	0.4052	0.3903
Agrees that wife inheritance is practiced in the community	0.1439	0.1412	0.0988	0.1836	0.901	0.0932	0.0227	0.1638	0.2729
Number of lifetime partners	2.9524	3.6891	3.2349	4.1432	0.0702	6.2295	2.6227	9.8364	0.0707
Age at first sex	18.7602	18.7229	18.3383	19.1075	0.8671	17.9546	17.1969	18.7123	0.0639

	<b>%Nev_Exp</b>	<b>%&lt;Recent</b>	<b>Lbound</b>	<b>Ubound</b>	<b>P-value</b>	<b>%Both</b>	<b>Lbound</b>	<b>Ubound</b>	<b>P-value</b>
<b>Other HIV Risk Factors</b>									
Worried about becoming HIV infected (%Worried)	0.4627	0.4767	0.4278	0.5257	0.6658	0.5887	0.4389	0.7386	0.1141
Likely to be infected now (%Agree)	0.1923	0.2357	0.198	0.2733	0.1092	0.2903	0.1892	0.3915	0.0979
If one spouse positive, the other too (%False)	0.6951	0.6862	0.6267	0.7457	0.7494	0.7412	0.6432	0.8392	0.3962
STIs decrease HIV infection (%False)	0.9278	0.924	0.896	0.952	0.8327	0.878	0.787	0.9689	0.2405
TB can't be cured if HIV+ (%False)	0.6275	0.5374	0.483	0.5918	0.048	0.5146	0.4216	0.6075	0.0456
Risk of contracting HIV decreases for a circumcised man	0.8831	0.8963	0.8744	0.9182	0.4453	0.8567	0.7988	0.9146	0.4102
Knows where to get information about HIV/AIDS	0.8765	0.9505	0.9344	0.9667	0.0006	0.9691	0.9408	0.9974	0.004

	<b>%Nev_Exp</b>	<b>%&lt;Recent</b>	<b>Lbound</b>	<b>Ubound</b>	<b>P-value</b>	<b>%Both</b>	<b>Lbound</b>	<b>Ubound</b>	<b>P-value</b>
<b>HIV Communication</b>									
Discussed HIV/AIDS with spouse	0.8188	0.8609	0.8075	0.9143	0.2489	0.8375	0.7217	0.9533	0.7766
Discussed HIV/AIDS with children	0.5179	0.5477	0.4658	0.6297	0.6112	0.6641	0.4523	0.8759	0.2603
Discussed HIV/AIDS with friends	0.7743	0.7753	0.7301	0.8206	0.9659	0.8171	0.7421	0.8921	0.3477
Discussed HIV/AIDS with spouse, children, and/or friends	0.8337	0.8392	0.8018	0.8765	0.7882	0.8515	0.7861	0.917	0.6674
Sex life improves with communication with partner (%Agree)	0.9262	0.9257	0.9058	0.9457	0.9671	0.938	0.8997	0.9762	0.58
Percentage who are dissatisfied when having sex with spouse/regular cohabitating partner	0.1949	0.1813	0.1449	0.2176	0.5994	0.305	0.1812	0.4287	0.0676
Percentage who have discussed sexual dissatisfaction with spouse/regular cohabitating partner	0.545	0.6479	0.5489	0.7469	0.1316	0.6858	0.5164	0.8551	0.1912
Percentage who are satisfied when having sex with spouse/regular cohabitating partner	0.9046	0.9075	0.8655	0.9495	0.913	0.949	0.8961	1.0019	0.2568
Percentage who have discussed sexual satisfaction with spouse/regular cohabitating partner	0.5466	0.6691	0.5894	0.7488	0.0338	0.7479	0.6136	0.8822	0.0437

	<b>%Nev_Exp</b>	<b>%&lt;Recent</b>	<b>Lbound</b>	<b>Ubound</b>	<b>P-value</b>	<b>%Both</b>	<b>Lbound</b>	<b>Ubound</b>	<b>P-value</b>
<b>Condom Use</b>									
Condom use at last sex	0.6130	0.6602	0.6027	0.7176	0.2896	0.5939	0.4572	0.7307	0.8164
Condom use at last sex with regular partner	0.5885	0.5961	0.5515	0.6407	0.8644	0.6077	0.4622	0.7533	0.8441
Condom use at last sex among those with multiple partners	0.7499	0.7476	0.6815	0.8136	0.9640	0.8142	0.5809	1.0475	0.6469
Condom use at last sex with a regular partner, among those with multiple partners	0.5934	0.6024	0.5258	0.6790	0.8667	0.7988	0.5638	1.0337	0.1917
Always uses condom with most recent partner	0.2490	0.2939	0.2388	0.3490	0.1703	0.1476	0.0704	0.2248	0.0417
Condom use in marriage accepted (%Strongly agree/agree)	0.6992	0.7621	0.7148	0.8094	0.0352	0.8413	0.7933	0.8892	0.0007



Women can ask regular partner to use condom (%Strongly agree/agree)	0.6773	0.7458	0.7058	0.7858	0.0232	0.8337	0.7737	0.8937	0.0021
Women can ask casual partner to use condom (%Strongly agree/agree)	0.4976	0.5235	0.4397	0.6072	0.5116	0.5376	0.3862	0.6889	0.5628

	%Nev_Exp	%<Recent	Lbound	Ubound	P-value	%Both	Lbound	Ubound	P-value
<b>HIV Testing</b>									
Ever tested for HIV	0.6322	0.6993	0.6687	0.7299	0.0008	0.6744	0.5477	0.8012	0.4915
HIV test in the last 12 months	0.4460	0.5586	0.5220	0.5953	0.0018	0.5845	0.4338	0.7352	0.0695
Received results of most recent HIV test	0.9715	0.9766	0.9658	0.9875	0.5167	0.9904	0.9799	1.0009	0.0508
Discussed results of most recent HIV test	0.8053	0.8264	0.7838	0.8690	0.4591	0.8348	0.7547	0.9150	0.5542
Pregnant woman should test for HIV (%True)	0.9441	0.9467	0.9242	0.9692	0.8108	0.9825	0.9658	0.9992	0.0174
It is important to know your HIV status (%Agree)	0.9670	0.9858	0.9779	0.9937	0.0044	0.9888	0.9763	1.0013	0.0445
Only way to know status is by blood test (%Agree)	0.9853	0.9765	0.9636	0.9894	0.2183	0.9951	0.9867	1.0035	0.2009
Leaders encourage HIV testing (%Strongly agree/agree)	0.6880	0.6305	0.5798	0.6812	0.0239	0.6975	0.6014	0.7935	0.8626
Number of times tested for HIV	2.1888	2.1599	1.9933	2.3265	0.7852	2.2168	1.6199	2.8137	0.9280

	<b>%Nev_Exp</b>	<b>%&lt;Recent</b>	<b>Lbound</b>	<b>Ubound</b>	<b>P-value</b>	<b>%Both</b>	<b>Lbound</b>	<b>Ubound</b>	<b>P-value</b>
<b>HIV Treatment</b>									
Cared for someone on ART	0.1837	0.1975	0.1673	0.2276	0.5947	0.2754	0.1876	0.3632	0.0928
Willing to care for someone on ART	0.8870	0.9140	0.8886	0.9394	0.0686	0.9586	0.9273	0.9899	0.0131
PLHIV on ART can transmit HIV (%True)	0.9119	0.8923	0.8551	0.9295	0.3037	0.8556	0.7793	0.9319	0.0834
PLHIV does not need to use condoms because cannot transmit HIV (% False)	0.9413	0.9399	0.9193	0.9604	0.9112	0.8674	0.8048	0.9301	0.0087
ARVs prevent MCT during pregnancy	0.7383	0.8140	0.7701	0.8579	0.0153	0.7817	0.6889	0.8746	0.4970
ARVs prevent MCT during childbirth	0.7161	0.7653	0.7170	0.8137	0.1087	0.7261	0.6261	0.8261	0.8766
ARVs prevent MCT during breastfeeding	0.6876	0.7310	0.6795	0.7824	0.2479	0.7028	0.5852	0.8203	0.8403
People on ART have to stay on treatment for rest of lives	0.9364	0.9061	0.8844	0.9277	0.0229	0.9650	0.9350	0.9950	0.1551
Leaders encourage HIV treatment (%Strongly agree/agree)	0.6917	0.6569	0.6070	0.7069	0.1774	0.7039	0.5990	0.8088	0.8392
Has ever taken ARVs	0.0867	0.0684	0.0442	0.0926	0.3171	0.0459	0.0014	0.0905	0.2222
Received support from an ARV treatment buddy or CBV,if taken ARVs	0.4866	0.5258	0.3970	0.6545	0.6582	0.4600	0.1132	0.8067	0.8867
Participated in a PMTCT program	0.3256	0.1796	0.1222	0.2370	0.0019	0.1551	0.0873	0.2229	0.0027

	<b>%Nev_Exp</b>	<b>%&lt;Recent</b>	<b>Lbound</b>	<b>Ubound</b>	<b>P-value</b>	<b>%Both</b>	<b>Lbound</b>	<b>Ubound</b>	<b>P-value</b>
<b>Stigma</b>									
When learn that you are HIV+, life is over (%Disagree)	0.9418	0.9461	0.9286	0.9635	0.7169	0.9520	0.9147	0.9894	0.6557
Telling people you are HIV+ doesn't help (%Disagree)	0.6945	0.5976	0.5317	0.6636	0.0042	0.5225	0.3867	0.6584	0.0170
HIV is punishment for sinning (%Disagree)	0.8264	0.7837	0.7194	0.8481	0.2540	0.7608	0.6692	0.8524	0.1369
Only promiscuous people get HIV (%Disagree)	0.7751	0.7840	0.7380	0.8301	0.6907	0.8717	0.8124	0.9310	0.0327
People in community would want to keep secret if family member has HIV (%Strongly agree/agree)	0.7156	0.7572	0.7217	0.7926	0.2374	0.8093	0.7414	0.8771	0.0623
People in the community join together to help PLHIV (%Strongly agree/agree)	0.6246	0.6022	0.5416	0.6629	0.3548	0.5273	0.3916	0.6629	0.1821

	<b>%Nev_Exp</b>	<b>%&lt;Recent</b>	<b>Lbound</b>	<b>Ubound</b>	<b>P-value</b>	<b>%Both</b>	<b>Lbound</b>	<b>Ubound</b>	<b>P-value</b>
<b>Gender-Based Violence</b>									
Forced sex in the last 12 months	0.0202	0.0424	0.0271	0.0576	0.0206	0.0603	0.0180	0.1026	0.0177
Physical GBV in the last 12 months	0.0544	0.0707	0.0426	0.0989	0.3321	0.0846	0.0384	0.1308	0.2022
Reported physical violence to authorities	0.5958	0.7528	0.6556	0.8500	0.0836	0.5235	0.3050	0.7420	0.5824
Report violence to family, friend, or community member	0.7249	0.7632	0.6767	0.8497	0.5803	0.4987	0.2334	0.7641	0.1425
Report violence to police or authority	0.4659	0.3332	0.2479	0.4186	0.0702	0.5501	0.3367	0.7635	0.5173
Leaders speak out against GBV (%Strongly agree/agree)	0.6606	0.6630	0.6157	0.7103	0.9212	0.6684	0.5209	0.8159	0.9182