

Observation 1 on cocoa pods

Isolate code	Rep 1			Rep 2			Rep 3			Rep 4			Rep 5			Total Av.	SE
	A1	A2	Av.	A1	A2	Av.	A1	A2	Av.	A1	A2	Av.	A1	A2	Av.		
91P06	1	1	1.0	1	1	1.0	1	1	1.0	0	0	0.0	0	0	0.0	0.6	0.24
91P08	0	0	0.0	0	0	0.0	0	0	0.0	1	1	1.0	0	0	0.0	0.2	0.20
91P09	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.0	0.00
91P39	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.0	0.00
91P55	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.0	0.00
91P78	1	1	1.0	1	1	1.0	1	1	1.0	0	0	0.0	1	2	1.5	0.9	0.24
92P08	0	0	0.0	0	0	0.0	1	1	1.0	0	0	0.0	0	0	0.0	0.2	0.20
92P14	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.0	0.00
92P177	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.0	0.00
92P197	0	0	0.0	0	0	0.0	1	1	1.0	0	0	0.0	0	0	0.0	0.2	0.20
92P198	0	0	0.0	1	1	1.0	0	0	0.0	0	0	0.0	0	0	0.0	0.2	0.20
92P269	0	0	0.0	0	0	0.0	1	1	1.0	0	0	0.0	0	0	0.0	0.2	0.20
92P270	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.0	0.00
93P110	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.0	0.00
93P27	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.0	0.00
93P36	0	0	0.0	0	0	0.0	1	1	1.0	0	0	0.0	0	0	0.0	0.2	0.20
93P55	0	0	0.0	0	0	0.0	1	1	1.0	0	0	0.0	0	0	0.0	0.2	0.20
93P61	2	2	2.0	2	2	2.0	2	2	2.0	2	2	2.0	2	2	2.0	2.0	0.00
94P03	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.0	0.00
94P05	1	2	1.5	2	2	2.0	2	2	2.0	2	2	2.0	2	2	2.0	1.9	0.10
94P15	0	0	0.0	1	1	1.0	0	0	0.0	0	0	0.0	0	0	0.0	0.2	0.20
94P20	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.0	0.00
94P22	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.0	0.00
94P26	1	1	1.0	1	1	1.0	0	0	0.0	1	1	1.0	1	1	1.0	0.8	0.20
94P31	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.0	0.00
94P41	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.0	0.00
94P42	1	1	1.0	1	1	1.0	2	1	1.5	1	1	1.0	0	0	0.0	0.9	0.24
94P43	2	2	2.0	2	2	2.0	2	2	2.0	2	2	2.0	2	2	2.0	2.0	0.00
94P55	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	1	0	0.5	0.1	0.10
94P56	1	1	1.0	1	1	1.0	1	2	1.5	1	1	1.0	2	2	2.0	1.3	0.20
94P61	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.0	0.00
94P63	1	1	1.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.2	0.20
94P64	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.0	0.00
94P66	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.0	0.00
97P04	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.0	0.00
97P15	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.0	0.00
98P01	0	0	0.0	1	1	1.0	1	1	1.0	1	1	1.0	0	0	0.0	0.6	0.24
98P02	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.0	0.00
98P03	1	1	1.0	1	1	1.0	2	1	1.5	1	1	1.0	1	1	1.0	1.1	0.10
98P04	1	1	1.0	1	1	1.0	1	1	1.0	1	1	1.0	0	0	0.0	0.8	0.20
98P05	0	0	0.0	1	1	1.0	0	0	0.0	1	1	1.0	1	1	1.0	0.6	0.24
98P06	0	0	0.0	1	1	1.0	0	0	0.0	0	0	0.0	0	0	0.0	0.2	0.20
98P08	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.0	0.00
98P12	0	0	0.0	1	1	1.0	0	0	0.0	1	1	1.0	0	0	0.0	0.4	0.24
99P02	0	0	0.0	0	0	0.0	1	1	1.0	1	1	1.0	1	1	1.0	0.6	0.24
99P05	0	0	0.0	1	1	1.0	0	0	0.0	0	0	0.0	0	0	0.0	0.2	0.20
99P10	0	0	0.0	0	0	0.0	1	1	1.0	0	0	0.0	1	1	1.0	0.4	0.24
99P105	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	1	1	1.0	0.2	0.20
99P106	2	2	2.0	2	2	2.0	2	2	2.0	1	1	1.0	2	2	2.0	1.8	0.20
99P107	2	2	2.0	2	2	2.0	2	2	2.0	2	2	2.0	2	2	2.0	2.0	0.00
99P12	0	0	0.0	0	0	0.0	0	0	0.0	1	1	1.0	0	0	0.0	0.2	0.20
99P25	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	1	1	1.0	0.2	0.20
99P29	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.0	0.00
99P30	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.0	0.00
99P31	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	1	0.5	0.1	0.10
99P35	1	1	1.0	0	0	0.0	1	1	1.0	1	1	1.0	1	1	1.0	0.8	0.20
99P45	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.0	0.00
99P49	0	0	0.0	0	0	0.0	0	0	0.0	1	1	1.0	0	0	0.0	0.2	0.20
99P59	0	0	0.0	0	0	0.0	0	0	0.0	2	2	2.0	0	0	0.0	0.4	0.40
99P81	0	0	0.0	0	0	0.0	0	0	0.0	1	1	1.0	1	1	1.0	0.4	0.24

Appendix A-iv

Pathogenicity assessment on detached cocoa pods

99P85	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.0	0.00
IN A	1	1	1.0	1	1	1.0	2	2	2.0	2	2	2.0	2	2	2.0	1.6	0.24
Control	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.0	0.00

Observation 2 on cocoa pods

Isolate code	Rep 1			Rep 2			Rep 3			Rep 4			Rep 5			Total Av.	SE
	A1	A2	Av.	A1	A2	Av.	A1	A2	Av.	A1	A2	Av.	A1	A2	Av.		
91P06	2	1	1.5	2	2	2.0	0	0	0.0	1	0	0.5	1	1	1.0	1.0	0.35
91P08	1	1	1.0	2	1	1.5	2	1	1.5	2	2	2.0	1	2	1.5	1.5	0.16
91P09	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.0	0.00
91P39	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.0	0.00
91P55	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.0	0.00
91P78	2	2	2.0	3	4	3.5	2	2	2.0	2	3	2.5	1	3	2.0	2.4	0.29
92P08	1	1	1.0	0	0	0.0	1	1	1.0	0	0	0.0	1	1	1.0	0.6	0.24
92P14	0	0	0.0	2	1	1.5	0	0	0.0	0	0	0.0	0	0	0.0	0.3	0.30
92P177	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.0	0.00
92P197	0	0	0.0	0	0	0.0	2	1	1.5	0	0	0.0	0	0	0.0	0.3	0.30
92P198	1	0	0.5	2	2	2.0	1	0	0.5	0	0	0.0	0	0	0.0	0.6	0.37
92P269	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.0	0.00
92P270	0	0	0.0	0	0	0.0	1	0	0.5	0	0	0.0	0	0	0.0	0.1	0.10
93P110	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.0	0.00
93P27	0	0	0.0	0	0	0.0	2	2	2.0	1	2	1.5	1	2	1.5	1.0	0.42
93P36	0	0	0.0	1	1	1.0	1	1	1.0	0	0	0.0	0	0	0.0	0.4	0.24
93P55	0	2	1.0	1	1	1.0	2	2	2.0	1	0	0.5	0	0	0.0	0.9	0.33
93P61	4	4	4.0	4	4	4.0	4	4	4.0	4	4	4.0	3	4	3.5	3.9	0.10
94P03	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.0	0.00
94P05	3	4	3.5	4	4	4.0	4	4	4.0	4	4	4.0	4	4	4.0	3.9	0.10
94P15	0	0	0.0	2	2	2.0	0	0	0.0	0	2	1.0	0	1	0.5	0.7	0.37
94P20	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.0	0.00
94P22	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.0	0.00
94P26	1	1	1.0	1	2	1.5	0	0	0.0	1	1	1.0	1	1	1.0	0.9	0.24
94P31	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.0	0.00
94P41	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.0	0.00
94P42	3	3	3.0	3	3	3.0	2	2	2.0	3	3	3.0	2	1	1.5	2.5	0.32
94P43	4	4	4.0	4	4	4.0	4	4	4.0	4	4	4.0	4	4	4.0	4.0	0.00
94P55	0	0	0.0	1	1	1.0	0	0	0.0	0	0	0.0	0	0	0.0	0.2	0.20
94P56	1	1	1.0	3	3	3.0	1	3	2.0	1	2	1.5	4	4	4.0	2.3	0.54
94P61	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.0	0.00
94P63	2	2	2.0	0	0	0.0	0	0	0.0	1	1	1.0	1	1	1.0	0.8	0.37
94P64	0	0	0.0	0	0	0.0	0	0	0.0	1	1	1.0	0	0	0.0	0.2	0.20
94P66	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.0	0.00
97P04	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.0	0.00
97P15	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.0	0.00
98P01	1	0	0.5	2	2	2.0	1	1	1.0	2	2	2.0	2	1	1.5	1.4	0.29
98P02	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.0	0.00
98P03	2	2	2.0	1	1	1.0	2	2	2.0	2	2	2.0	1	2	1.5	1.7	0.20
98P04	2	2	2.0	2	1	1.5	2	1	1.5	2	1	1.5	1	2	1.5	1.6	0.10
98P05	0	0	0.0	1	1	1.0	0	0	0.0	1	1	1.0	1	2	1.5	0.7	0.30
98P06	0	0	0.0	1	1	1.0	0	0	0.0	0	0	0.0	0	0	0.0	0.2	0.20
98P08	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.0	0.00
98P12	0	0	0.0	0	2	1.0	0	0	0.0	1	1	1.0	1	1	1.0	0.6	0.24
99P02	1	1	1.0	1	1	1.0	1	1	1.0	1	1	1.0	2	2	2.0	1.2	0.20
99P05	1	1	1.0	2	2	2.0	0	0	0.0	0	0	0.0	0	0	0.0	0.6	0.40
99P10	1	1	1.0	0	0	0.0	2	2	2.0	1	1	1.0	1	1	1.0	1.0	0.32
99P105	1	2	1.5	2	2	2.0	1	1	1.0	1	1	1.0	2	2	2.0	1.5	0.22
99P106	4	4	4.0	4	4	4.0	3	4	3.5	4	4	4.0	4	4	4.0	3.9	0.10
99P107	3	3	3.0	4	4	4.0	4	4	4.0	4	4	4.0	4	4	4.0	3.8	0.20
99P12	1	1	1.0	0	0	0.0	0	0	0.0	2	2	2.0	0	0	0.0	0.6	0.40
99P25	0	0	0.0	0	1	0.5	0	1	0.5	0	0	0.0	1	1	1.0	0.4	0.19

Appendix A-iv

Pathogenicity assessment on detached cocoa pods

99P29	0	0	0.0	1	1	1.0	1	1	1.0	0	0	0.0	0	0	0.0	0.4	0.24
99P30	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.0	0.00
99P31	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	1	1	1.0	0.2	0.20
99P35	2	2	2.0	1	0	0.5	1	2	1.5	1	1	1.0	1	1	1.0	1.2	0.25
99P45	0	0	0.0	0	0	0.0	0	0	0.0	0	1	0.5	0	0	0.0	0.1	0.10
99P49	0	0	0.0	1	1	1.0	1	2	1.5	1	1	1.0	0	0	0.0	0.7	0.30
99P59	1	1	1.0	1	1	1.0	1	1	1.0	2	2	2.0	0	0	0.0	1.0	0.32
99P81	0	0	0.0	0	0	0.0	1	0	0.5	2	2	2.0	2	2	2.0	0.9	0.46
99P85	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.0	0.00
IN A	3	3	3.0	2	2	2.0	3	3	3.0	4	3	3.5	4	3	3.5	3.0	0.27
Control	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.0	0.00

Observation 3 on cocoa pods

Isolate code	Rep 1			Rep 2			Rep 3			Rep 4			Rep 5			Total Av.	SE
	A1	A2	Av.	A1	A2	Av.	A1	A2	Av.	A1	A2	Av.	A1	A2	Av.		
91P06	2	2	2.0	2	2	2.0	1	1	1.0	1	1	1.0	1	2	1.5	1.5	0.22
91P08	2	1	1.5	2	2	2.0	2	2	2.0	2	2	2.0	2	2	2.0	1.9	0.10
91P09	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.0	0.00
91P39	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.0	0.00
91P55	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.0	0.00
91P78	2	2	2.0	4	4	4.0	2	2	2.0	2	3	2.5	3	4	3.5	2.8	0.41
92P08	2	2	2.0	0	0	0.0	4	4	4.0	0	0	0.0	3	3	3.0	1.8	0.80
92P14	0	0	0.0	2	1	1.5	1	1	1.0	0	1	0.5	1	2	1.5	0.9	0.29
92P177	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.0	0.00
92P197	0	0	0.0	0	0	0.0	3	3	3.0	0	0	0.0	0	0	0.0	0.6	0.60
92P198	1	1	1.0	2	2	2.0	1	0	0.5	0	0	0.0	1	1	1.0	0.9	0.33
92P269	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.0	0.00
92P270	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.0	0.00
93P110	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.0	0.00
93P27	0	0	0.0	0	0	0.0	3	3	3.0	1	2	1.5	2	3	2.5	1.4	0.62
93P36	0	0	0.0	2	3	2.5	3	3	3.0	0	0	0.0	0	0	0.0	1.1	0.68
93P55	1	2	1.5	2	2	2.0	2	2	2.0	2	0	1.0	0	0	0.0	1.3	0.37
93P61	4	4	4.0	4	4	4.0	4	4	4.0	4	4	4.0	4	4	4.0	4.0	0.00
94P03	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.0	0.00
94P05	4	4	4.0	4	4	4.0	4	4	4.0	4	4	4.0	4	4	4.0	4.0	0.00
94P15	1	1	1.0	4	4	4.0	0	0	0.0	0	4	2.0	0	2	1.0	1.6	0.68
94P20	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.0	0.00
94P22	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.0	0.00
94P26	3	1	2.0	2	2	2.0	1	1	1.0	1	1	1.0	1	1	1.0	1.4	0.24
94P31	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.0	0.00
94P41	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.0	0.00
94P42	4	4	4.0	4	4	4.0	4	4	4.0	4	4	4.0	4	4	4.0	4.0	0.00
94P43	4	4	4.0	4	4	4.0	4	4	4.0	4	4	4.0	4	4	4.0	4.0	0.00
94P55	0	0	0.0	2	2	2.0	0	0	0.0	0	0	0.0	2	0	1.0	0.6	0.40
94P56	3	1	2.0	4	4	4.0	1	4	2.5	2	3	2.5	4	4	4.0	3.0	0.42
94P61	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.0	0.00
94P63	3	3	3.0	1	2	1.5	1	1	1.0	2	1	1.5	1	1	1.0	1.6	0.37
94P64	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.0	0.00
94P66	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.0	0.00
97P04	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.0	0.00
97P15	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.0	0.00
98P01	2	0	1.0	3	3	3.0	2	2	2.0	3	3	3.0	2	1	1.5	2.1	0.40
98P02	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.0	0.00
98P03	3	3	3.0	2	2	2.0	4	3	3.5	3	3	3.0	3	3	3.0	2.9	0.24
98P04	2	2	2.0	3	3	3.0	3	3	3.0	4	4	4.0	1	2	1.5	2.7	0.44
98P05	0	0	0.0	1	1	1.0	0	0	0.0	1	1	1.0	0	0	0.0	0.4	0.24
98P06	1	1	1.0	2	2	2.0	0	0	0.0	0	0	0.0	0	1	0.5	0.7	0.37
98P08	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.0	0.00
98P12	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.0	0.00

Appendix A-iv

Pathogenicity assessment on detached cocoa pods

99P02	1	1	1.0	1	1	1.0	1	1	1.0	1	2	1.5	2	2	2.0	1.3	0.20
99P05	2	1	1.5	2	2	2.0	1	0	0.5	1	0	0.5	0	1	0.5	1.0	0.32
99P10	2	2	2.0	2	1	1.5	2	2	2.0	1	1	1.0	1	2	1.5	1.6	0.19
99P105	2	2	2.0	2	2	2.0	2	1	1.5	3	3	3.0	2	2	2.0	2.1	0.24
99P106	4	4	4.0	4	4	4.0	4	4	4.0	4	4	4.0	4	4	4.0	4.0	0.00
99P107	4	4	4.0	4	4	4.0	4	4	4.0	4	4	4.0	4	4	4.0	4.0	0.00
99P12	2	2	2.0	1	1	1.0	0	0	0.0	2	2	2.0	2	2	2.0	1.4	0.40
99P25	0	0	0.0	1	1	1.0	1	1	1.0	1	1	1.0	2	2	2.0	1.0	0.32
99P29	0	0	0.0	1	2	1.5	2	2	2.0	0	0	0.0	0	0	0.0	0.7	0.44
99P30	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.0	0.00
99P31	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.0	0.00
99P35	2	2	2.0	1	0	0.5	2	2	2.0	2	2	2.0	1	2	1.5	1.6	0.29
99P45	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.0	0.00
99P49	0	0	0.0	3	3	3.0	2	4	3.0	2	1	1.5	0	0	0.0	1.5	0.67
99P59	2	2	2.0	1	2	1.5	2	1	1.5	3	3	3.0	0	0	0.0	1.6	0.48
99P81	0	0	0.0	0	0	0.0	2	1	1.5	3	3	3.0	3	3	3.0	1.5	0.67
99P85	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.0	0.00
IN A	4	4	4.0	3	3	3.0	4	4	4.0	4	4	4.0	4	4	4.0	3.8	0.20
Control	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0.0	0.00