

Permit with introductory note

The Environmental Permitting (England & Wales) Regulations 2016

Stobart Biomass Products Limited

Greasbrough Depot
North Drive
Rotherham
S60 1RL

Permit number

EPR/BP3739YW

Greasbrough Depot

Permit number EPR/BP3739YW

Introductory note

This introductory note does not form a part of the permit

The main features of the permit are as follows:

The primary activity authorised by this permit falls under Section 5.4 Part A (1)(a)(iii) disposal of non-hazardous waste with a capacity exceeding 50 tonnes per day within the category of pre-treatment of waste for incineration or co-incineration. The permit contains Directly Associated Activities but no other listed activities or additional waste operations.

The permit allows the treatment and storage of waste wood on an impermeable surface with sealed drainage. Unprocessed waste wood will be stored externally in piles. Treatment activities including a single pass shredding process, and storage of processed waste wood will also take place on the external concrete apron. There will be no storage of separated fines. All processed wood is destined for disposal at the Templeborough Biomass Power Plant in Rotherham. The annual throughput of the biomass processing facility will be less than 150,000 tonnes. The total storage capacity at the site is 20,000 tonnes at any one time.

The site will be operational 24 hours a day with shredding taking place no earlier than 07:00. Where possible, the shredding operation should not take place after 18:00. The principal releases from the site are dust and noise. There is one point source emission, surface water and any process water runoff to foul sewer via a collection lagoon.

The site is located at Greasbrough Depot, off Greasbrough Road, Rotherham. The site is within 100 metres of human receptors with residential properties approximately 150 metres away. The site is located about 1,500 metres east of the Bradgate Brickworks SSSI.

A fire prevention plan has been accepted and incorporated into the permit. The permit contains an improvement programme for implementing an effective dust and particulate monitoring strategy, and to re-assess noise emissions to validate conclusions of the initial assessment.

The status log of the permit sets out the permitting history, including any changes to the permit reference number.

Status log of the permit		
Description	Date	Comments
Application EPR/BP3739YW/A001	Duly made 08/02/2017	Application for a section 5.4 Part A (1)(a)(iii) waste wood storage and treatment facility.
Additional information received	02/05/2017	Schedule 5 notice (1) response including; revised Fire Prevention plan (FPP) and associated FPP Annexes 1 – 6, Schedule 5 notice covering letter, revised Emissions Management Plan, Flood Risk Assessment,
	04/05/2017	Schedule 5 notice (1) response including; revised Noise Management Plan and noise calculations.
	23/05/2017	Schedule 5 notice (1) response addendum including; revised FPP site layout plan, information on FPP dust management, FPP fire strategy details and details of the proposed lagoon.
Additional information received	23/05/2017	Schedule 5 notice (2) response including; FPP quarantine process details and storage times for fines.

Status log of the permit		
Description	Date	Comments
Additional information received	07/06/2017	Email response to request for information dated 25/05/2017 including; FPP quarantine procedure details, FPP mobile plant storage and FPP drainage and firewater containment details.
Additional information received	28/06/2017	Schedule 5 notice (3) response including addendum to the operator's Emissions Management Plan concerning dust management.
	13/07/2017	Schedule 5 notice (3) response including a new dust and emissions management plan.
Additional information received	28/07/2017	Schedule 5 notice (4) response including a revised dust and emissions management plan.
	08/08/2017	Schedule 5 notice (4) response including a revised dust and emissions management plan. Final version.
Permit determined EPR/BP3739YW (PAS Billing ref. BP3739YW)	11/08/2017	Permit issued to Stobart Biomass Products Limited.

End of introductory note

Permit

The Environmental Permitting (England and Wales) Regulations 2016

Permit number

EPR/BP3739YW

The Environment Agency hereby authorises, under regulation 13 of the Environmental Permitting (England and Wales) Regulations 2016

Stobart Biomass Products Limited (“the operator”),

whose registered office is

22 Soho Square

London

W1D 4NS

company registration number 07042490

to operate an installation at

Greasbrough Depot

North Drive

Rotherham

S60 1RL

to the extent authorised by and subject to the conditions of this permit.

Name	Date
Abraham Ejim	11/08/2017

Authorised on behalf of the Environment Agency

Conditions

1 Management

1.1 General management

- 1.1.1 The operator shall manage and operate the activities:
- (a) in accordance with a written management system that identifies and minimises risks of pollution, including those arising from operations, maintenance, accidents, incidents, non-conformances, closure and those drawn to the attention of the operator as a result of complaints; and
 - (b) using sufficient competent persons and resources.
- 1.1.2 Records demonstrating compliance with condition 1.1.1 shall be maintained.
- 1.1.3 Any person having duties that are or may be affected by the matters set out in this permit shall have convenient access to a copy of it kept at or near the place where those duties are carried out.
- 1.1.4 The operator shall comply with the requirements of an approved competence scheme.

1.2 Energy efficiency

- 1.2.1 The operator shall:
- (a) take appropriate measures to ensure that energy is used efficiently in the activities;
 - (b) review and record at least every four years whether there are suitable opportunities to improve the energy efficiency of the activities; and
 - (c) take any further appropriate measures identified by a review.

1.3 Efficient use of raw materials

- 1.3.1 The operator shall:
- (a) take appropriate measures to ensure that raw materials and water are used efficiently in the activities;
 - (b) maintain records of raw materials and water used in the activities;
 - (c) review and record at least every four years whether there are suitable alternative materials that could reduce environmental impact or opportunities to improve the efficiency of raw material and water use; and
 - (d) take any further appropriate measures identified by a review.

1.4 Avoidance, recovery and disposal of wastes produced by the activities

- 1.4.1 The operator shall take appropriate measures to ensure that:
- (a) the waste hierarchy referred to in Article 4 of the Waste Framework Directive is applied to the generation of waste by the activities; and
 - (b) any waste generated by the activities is treated in accordance with the waste hierarchy referred to in Article 4 of the Waste Framework Directive; and
 - (c) where disposal is necessary, this is undertaken in a manner which minimises its impact on the environment.

- 1.4.2 The operator shall review and record at least every four years whether changes to those measures should be made and take any further appropriate measures identified by a review.

2 Operations

2.1 Permitted activities

- 2.1.1 The operator is only authorised to carry out the activities specified in schedule 1, table S1.1 (the “activities”).
- 2.1.2 Waste authorised by this permit shall be clearly distinguished from any other waste on the site.

2.2 The site

- 2.2.1 The activities shall not extend beyond the site, being the land shown edged in red on the site plan at schedule 7 to this permit.

2.3 Operating techniques

- 2.3.1 The activities shall, subject to the conditions of this permit, be operated using the techniques and in the manner described in the documentation specified in schedule 1, table S1.2, unless otherwise agreed in writing by the Environment Agency.
- 2.3.2 If notified by the Environment Agency that the activities are giving rise to pollution, the operator shall submit to the Environment Agency for approval within the period specified, a revision of any plan or other documentation (“plan”) specified in schedule 1, table S1.2 or otherwise required under this permit which identifies and minimises the risks of pollution relevant to that plan, and shall implement the approved revised plan in place of the original from the date of approval, unless otherwise agreed in writing by the Environment Agency.
- 2.3.3 Any raw materials or fuels listed in schedule 2, table S2.1 shall conform to the specifications set out in that table.
- 2.3.4 Waste shall only be accepted if:
- (a) it is of a type and quantity listed in schedule 2, table S2.2; and
 - (b) it conforms to the description in the documentation supplied by the producer and holder.
- 2.3.5 The operator shall ensure that where waste produced by the activities is sent to a relevant waste operation, that operation is provided with the following information, prior to the receipt of the waste:
- (a) the nature of the process producing the waste;
 - (b) the composition of the waste;
 - (c) the handling requirements of the waste;
 - (d) the hazardous property associated with the waste, if applicable; and
 - (e) the waste code of the waste.
- 2.3.6 The operator shall ensure that where waste produced by the activities is sent to a landfill site, it meets the waste acceptance criteria for that landfill.

2.4 Improvement programme

- 2.4.1 The operator shall complete the improvements specified in schedule 1, table S1.3 by the date specified in that table unless otherwise agreed in writing by the Environment Agency.

- 2.4.2 Except in the case of an improvement which consists only of a submission to the Environment Agency, the operator shall notify the Environment Agency within 14 days of completion of each improvement.

3 Emissions and monitoring

3.1 Emissions to water, air or land

- 3.1.1 There shall be no point source emissions to water, air or land except from the sources and emission points listed in schedule 3, table S3.1.
- 3.1.2 The limits given in schedule 3 shall not be exceeded.
- 3.1.3 Periodic monitoring shall be carried out at least once every 5 years for groundwater and 10 years for soil, unless such monitoring is based on a systematic appraisal of the risk of contamination.

3.2 Emissions of substances not controlled by emission limits

- 3.2.1 Emissions of substances not controlled by emission limits (excluding odour) shall not cause pollution. The operator shall not be taken to have breached this condition if appropriate measures, including, but not limited to, those specified in any approved emissions management plan, have been taken to prevent or where that is not practicable, to minimise, those emissions.
- 3.2.2 The operator shall:
- (a) if notified by the Environment Agency that the activities are giving rise to pollution, submit to the Environment Agency for approval within the period specified, an emissions management plan which identifies and minimises the risks of pollution from emissions of substances not controlled by emission limits;
 - (b) implement the approved emissions management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.
- 3.2.3 All liquids in containers, whose emission to water or land could cause pollution, shall be provided with secondary containment, unless the operator has used other appropriate measures to prevent or where that is not practicable, to minimise, leakage and spillage from the primary container.

3.3 Odour

- 3.3.1 Emissions from the activities shall be free from odour at levels likely to cause pollution outside the site, as perceived by an authorised officer of the Environment Agency, unless the operator has used appropriate measures, including, but not limited to, those specified in any approved odour management plan, to prevent or where that is not practicable to minimise the odour.
- 3.3.2 The operator shall:
- (a) if notified by the Environment Agency that the activities are giving rise to pollution outside the site due to odour, submit to the Environment Agency for approval within the period specified, an odour management plan which identifies and minimises the risks of pollution from odour;
 - (b) implement the approved odour management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.

3.4 Noise and vibration

- 3.4.1 Emissions from the activities shall be free from noise and vibration at levels likely to cause pollution outside the site, as perceived by an authorised officer of the Environment Agency, unless the operator has used appropriate measures, including, but not limited to, those specified in any

approved noise and vibration management plan to prevent or where that is not practicable to minimise the noise and vibration.

3.4.2 The operator shall:

- (a) if notified by the Environment Agency that the activities are giving rise to pollution outside the site due to noise and vibration, submit to the Environment Agency for approval within the period specified, a noise and vibration management plan which identifies and minimises the risks of pollution from noise and vibration;
- (b) implement the approved noise and vibration management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.

3.5 Monitoring

3.5.1 The operator shall, unless otherwise agreed in writing by the Environment Agency, undertake the monitoring specified in the following tables in schedule 3 to this permit:

- (a) point source emissions specified in table S3.1; and
- (b) ambient air monitoring specified in table S3.2.

3.5.2 The operator shall maintain records of all monitoring required by this permit including records of the taking and analysis of samples, instrument measurements (periodic and continual), calibrations, examinations, tests and surveys and any assessment or evaluation made on the basis of such data.

3.5.3 Monitoring equipment, techniques, personnel and organisations employed for the emissions monitoring programme and the environmental or other monitoring specified in condition 3.5.1 shall have either MCERTS certification or MCERTS accreditation (as appropriate), where available, unless otherwise agreed in writing by the Environment Agency.

3.5.4 Permanent means of access shall be provided to enable sampling/monitoring to be carried out in relation to the emission points specified in schedule 3 table S3.1 and S3.2 unless otherwise agreed in writing by the Environment Agency.

3.6 Fire prevention

3.6.1 The operator shall take all appropriate measures to prevent fires on site and minimise the risk of pollution from them including, but not limited to, those specified in any approved fire prevention plan.

4 Information

4.1 Records

4.1.1 All records required to be made by this permit shall:

- (a) be legible;
- (b) be made as soon as reasonably practicable;
- (c) if amended, be amended in such a way that the original and any subsequent amendments remain legible, or are capable of retrieval; and
- (d) be retained, unless otherwise agreed in writing by the Environment Agency, for at least 6 years from the date when the records were made, or in the case of the following records until permit surrender:
 - (i) off-site environmental effects; and
 - (ii) matters which affect the condition of the land and groundwater.

4.1.2 The operator shall keep on site all records, plans and the management system required to be maintained by this permit, unless otherwise agreed in writing by the Environment Agency.

4.2 Reporting

4.2.1 The operator shall send all reports and notifications required by the permit to the Environment Agency using the contact details supplied in writing by the Environment Agency.

4.2.2 A report or reports on the performance of the activities over the previous year shall be submitted to the Environment Agency by 31 January (or other date agreed in writing by the Environment Agency) each year. The report(s) shall include as a minimum:

- (a) a review of the results of the monitoring and assessment carried out in accordance with the permit including an interpretive review of that data;
- (b) the annual production /treatment data set out in schedule 4, table S4.2; and
- (c) the performance parameters set out in schedule 4, table S4.3 using the forms specified in table S4.4 of that schedule.

4.2.3 Within 28 days of the end of the reporting period the operator shall, unless otherwise agreed in writing by the Environment Agency, submit reports of the monitoring and assessment carried out in accordance with the conditions of this permit, as follows:

- (a) in respect of the parameters and emission points specified in schedule 4, table S4.1;
- (b) for the reporting periods specified in schedule 4, table S4.1 and using the forms specified in schedule 4, table S4.4; and
- (c) giving the information from such results and assessments as may be required by the forms specified in those tables.

4.2.4 The operator shall, unless notice under this condition has been served within the preceding four years, submit to the Environment Agency, within six months of receipt of a written notice, a report assessing whether there are other appropriate measures that could be taken to prevent, or where that is not practicable, to minimise pollution.

4.2.5 Within 1 month of the end of each quarter, the operator shall submit to the Environment Agency using the form made available for the purpose, the information specified on the form relating to the site and the waste accepted and removed from it during the previous quarter.

4.3 Notifications

4.3.1 In the event:

- (a) that the operation of the activities gives rise to an incident or accident which significantly affects or may significantly affect the environment, the operator must immediately—
 - (i) inform the Environment Agency,
 - (ii) take the measures necessary to limit the environmental consequences of such an incident or accident, and
 - (iii) take the measures necessary to prevent further possible incidents or accidents;
- (b) of a breach of any permit condition the operator must immediately—
 - (i) inform the Environment Agency, and
 - (ii) take the measures necessary to ensure that compliance is restored within the shortest possible time;
- (c) of a breach of permit condition which poses an immediate danger to human health or threatens to cause an immediate significant adverse effect on the environment, the operator must

immediately suspend the operation of the activities or the relevant part of it until compliance with the permit conditions has been restored.

4.3.2 Any information provided under condition 4.3.1 (a)(i) where the information relates to the breach of a limit specified in the permit, shall be confirmed by sending the information listed in schedule 5 to this permit within the time period specified in that schedule.

4.3.3 Where the Environment Agency has requested in writing that it shall be notified when the operator is to undertake monitoring and/or spot sampling, the operator shall inform the Environment Agency when the relevant monitoring and/or spot sampling is to take place. The operator shall provide this information to the Environment Agency at least 14 days before the date the monitoring is to be undertaken.

4.3.4 The Environment Agency shall be notified within 14 days of the occurrence of the following matters, except where such disclosure is prohibited by Stock Exchange rules:

Where the operator is a registered company:

- (a) any change in the operator's trading name, registered name or registered office address; and
- (b) any steps taken with a view to the operator going into administration, entering into a company voluntary arrangement or being wound up.

Where the operator is a corporate body other than a registered company:

- (a) any change in the operator's name or address; and
- (b) any steps taken with a view to the dissolution of the operator.

In any other case:

- (a) the death of any of the named operators (where the operator consists of more than one named individual);
- (b) any change in the operator's name(s) or address(es); and
- (c) any steps taken with a view to the operator, or any one of them, going into bankruptcy, entering into a composition or arrangement with creditors, or, in the case of them being in a partnership, dissolving the partnership.

4.3.5 Where the operator proposes to make a change in the nature or functioning, or an extension of the activities, which may have consequences for the environment and the change is not otherwise the subject of an application for approval under the Regulations or this permit:

- (a) the Environment Agency shall be notified at least 14 days before making the change; and
- (b) the notification shall contain a description of the proposed change in operation.

4.3.6 The Environment Agency shall be given at least 14 days notice before implementation of any part of the site closure plan.

4.4 Interpretation

4.4.1 In this permit the expressions listed in schedule 6 shall have the meaning given in that schedule.

4.4.2 In this permit references to reports and notifications mean written reports and notifications, except where reference is made to notification being made "immediately", in which case it may be provided by telephone.

Schedule 1 – Operations

Table S1.1 activities			
Activity reference	Activity listed in Schedule 1 of the EP Regulations	Description of specified activity and WFD Annex I and II operations	Limits of specified activity and waste types
A1	S5.4 A(1) (a) (iii)	D9: Pre-treatment of waste for incineration	Physical treatment including manual and mechanical sorting/separation and shredding of non-hazardous waste for disposal. Operation of the shredding plant shall take place no earlier than 0700 unless otherwise agreed in writing with the Environment Agency. Waste types as specified in table S2.2.
Directly Associated Activity			
A2	Storage of waste	D15: storage of non-hazardous waste	Storage of non-hazardous wood waste prior to treatment. There shall be no storage of separate wood fines at any time. Waste types as specified in table S2.2.
A3	Storage of waste	D15: storage of non-hazardous waste	Storage of processed wood waste prior to despatch off site for disposal. There shall be no storage of separate wood fines at any time. Waste types as specified in table S2.2.
A4	Surface water collection and storage	Surface water from site drainage collected in lagoon and discharged to foul sewer	Collected site surface water to pass through a lagoon and then pumped to foul sewer.
A5	Storage of raw materials	Storage of raw materials including gas oil/diesel, lubrication and hydraulic oils	From receipt of raw materials to use within the facility.

Table S1.2 Operating techniques		
Description	Parts	Date Received
Application EPR/BP3739YW/A001	Table 3a – technical standards, Part B3 of the application form. Supporting documents: <ul style="list-style-type: none"> Accident Management Plan. <i>Stobart Energy Accident Management Plan. Version 1.</i> 	Duly Made 08/02/2017

Table S1.2 Operating techniques		
Description	Parts	Date Received
Responses to Schedule 5 Notices dated; 21/04/2017 and 19/05/2017	<p>Approved Fire Prevention Plan consisting of the following documents:</p> <ul style="list-style-type: none"> • Fire Prevention Plan and all Annexes 1 – 6 (excluding BOI 025). <i>Stobart Energy Fire Management Plan</i>. Ref <i>BF 054</i>. Version 2. All sections detailing the separate storage of wood fines are excluded. No storage of segregated waste fines is permitted. • Letter dated 27/04/2017. Ref <i>SOL1611SBPL01</i>. Excluding; response to Q1. • Letter dated 23/05/2017. <i>Rotherham Sch 5 Response</i>. • Revised FPP site layout plan. Ref <i>17054C – O3D</i> • Revised Annex document. <i>Inbound Material & Operating Procedure</i>. Ref <i>BOI 025 Issue b</i>. • Email response confirming final FPP issues including in situ quarantine size, mobile plant parking and lagoon details. Dated 07/06/2017 • Final site drainage plan showing the attenuation lagoon. Ref <i>118053/2251 Revision G</i>. 	02/05/2017 23/05/2017 07/06/2017
Response to Schedule 5 notice dated 21/04/2017	<p>Additional information regarding pre-acceptance procedures.</p> <ul style="list-style-type: none"> • Letter dated 27/04/2017. Ref <i>SOL1611SBPL01</i>. Response to Q19. 	02/05/2017
Response to Schedule 5 notice dated; 22/06/2017, 10/07/2017 and 17/07/2017	<p>Dust management plan consisting of the following documents:</p> <ul style="list-style-type: none"> • <i>Dust & Particulate Emission Management Plan</i>. Version 7a. Received 08/08/2017 • Sensitive receptor plan. <i>Rotherham Wood Storage Sensitive Receptor Plan</i>. Ref <i>17054C – 04C</i>. Received 01/08/2017 	01/08/2017 08/08/2017

Table S1.3 Improvement programme requirements		
Reference	Requirement	Date
IP1	<p>The Operator shall undertake a noise assessment during normal operations in accordance with the procedures given in BS4142:2014 (Rating industrial noise affecting mixed residential and industrial areas) and BS7445: 2003 (Description and measurement of environmental noise) or other methodology as agreed with the Environment Agency - in order to validate the assessment provided within the application. The assessment shall include, but not be limited to:</p> <ul style="list-style-type: none"> • A review of the noise sources from the facility. Where any noise source(s) are identified as exhibiting tonal contributions, they shall be quantified by means of frequency analysis. • A review of noise levels from static plant. • Considerations of on-site vehicle movements. <p>A report shall be provided to the Environment Agency detailing the findings of the assessment.</p>	09/02/18

Table S1.3 Improvement programme requirements		
Reference	Requirement	Date
IP2	In the event that the report provided (as a result of IP1) shows that noise could have a significant impact, the report shall include proposals for the further attenuation and/or management of noise and shall include a timescale, to be agreed with the Environment Agency, for the implementation of the proposed measures.	Upon completion of IP1
IP3	<p>The Operator shall submit a written report to the Environment Agency for approval detailing the proposed monitoring strategy for emissions of PM₁₀ and total suspended particulates (TSP) from the permitted activities. The monitoring strategy shall include proposals to demonstrate that abatement techniques have been effective at minimising fugitive emissions escaping the site boundary. Monitoring of PM₁₀ shall take be undertaken for a minimum of 1 year.</p> <p>The report shall demonstrate how the monitoring will meet MCERTS <i>Performance Standards for Indicative Ambient Particulate Monitors</i> or similar standard agreed in writing with the Environment Agency.</p> <p>Your report shall also describe how the chosen strategy for continuous PM₁₀ monitoring meets the requirements of the Environment Agency's guidance:</p> <ul style="list-style-type: none"> • <i>Technical Guidance Note (Monitoring) M8. Monitoring Ambient Air</i>; and • <i>Technical Guidance Note (Monitoring) M17. Monitoring Ambient Air around Waste Facilities</i>. <p>The monitoring strategy for PM₁₀ and TSP emissions shall include action levels and regular review cycles with an overriding aim to reduce PM₁₀ and TSP emissions from the facility.</p>	08/09/17

Schedule 2 – Waste types, raw materials and fuels

Table S2.1 Raw materials and fuels	
Raw materials and fuel description	Specification
--	--

Table S2.2 Permitted waste types and quantities for A1, A2 and A3 – Wood treatment and storage	
Maximum quantity	The total quantity of waste to be accepted on site shall be less than 150,000 tonnes per annum. The total quantity of waste to be stored on site shall be less than 20,000 tonnes at any one time.
Waste code	Description
02	Wastes from agriculture, horticulture, aquaculture, forestry, hunting and fishing, food preparation and processing
02 01	wastes from agriculture, horticulture, aquaculture, forestry, hunting and fishing
02 01 03	straw, wood and bark only
02 01 07	wood and bark
03	Wastes from wood processing and the production of panels and furniture, pulp, paper and cardboard
03 01	wastes from wood processing and the production of panels and furniture
03 01 01	waste bark and cork
03 01 05	sawdust, shavings, cuttings, wood, particle board and veneer other than those mentioned in 03 01 04
03 03	wastes from pulp, paper and cardboard production and processing
03 03 01	waste bark and wood
17	Construction and demolition wastes (including excavated soil from contaminated sites)
17 02	wood, glass and plastic
17 02 01	wood
19	Wastes from waste management facilities, off-site waste water treatment plants and the preparation of water intended for human consumption and water for industrial use
19 12	wastes from the mechanical treatment of waste (for example sorting, crushing, compacting, pelletising) not otherwise specified
19 12 07	wood other than that mentioned in 19 12 06

Table S2.2 Permitted waste types and quantities for A1, A2 and A3 – Wood treatment and storage	
Maximum quantity	The total quantity of waste to be accepted on site shall be less than 150,000 tonnes per annum. The total quantity of waste to be stored on site shall be less than 20,000 tonnes at any one time.
Waste code	Description
20	Municipal wastes (household waste and similar commercial, industrial and institutional wastes) including separately collected fractions
20 01	separately collected fractions (except 15 01)
20 01 38	wood other than that mentioned in 20 01 37
20 02	garden and park wastes (including cemetery waste)
20 02 01	wood and bark only

Schedule 3 – Emissions and monitoring

Table S3.1 Point source emissions to sewer, effluent treatment plant or other transfers off-site–emission limits and monitoring requirements						
Emission point ref. & location	Source	Parameter	Limit (incl. Unit)	Reference period	Monitoring frequency	Monitoring standard or method
<i>FW-Existing Outfall</i> on site plan in site drainage plan (<i>Proposed Drainage Layout Plan Option 2, Ref 118053/2251 Revision G</i>) emission to Yorkshire Water foul sewer	Site surface and process water draining to the on-site lagoon	No parameters set	--	--	--	--

Table S3.2 Ambient air monitoring requirements				
Location or description of point of measurement	Parameter	Monitoring frequency	Monitoring standard or method	Other specifications
<p>At a location agreed in writing with the Environment Agency that shall obtain reliable and representative data on PM₁₀ and TSP emissions from the waste management operations that enables the operator to identify emissions and take steps to prevent a reoccurrence.</p> <p>To be agreed upon completion of IP3.</p>	<p>Particulate matter less than 10 millionth of a metre in diameter (PM₁₀).</p> <p>Total suspended particulates (TSP)</p>	5 minute averages.	The equipment shall be operated to a procedure agreed in writing with the Environment Agency.	<p>Monitoring equipment shall meet the MCERTS Performance Standards for Indicative Ambient Particulate Monitors or similar standard agreed in writing with the Environment Agency.</p> <p>The equipment shall be calibrated in accordance with the manufacturer's recommendations or 6 monthly, whichever is first.</p> <p>The system shall be managed and maintained by suitably trained personnel.</p> <p>The system shall obtain representative data that shall accurately reflect PM₁₀ and TSP levels produced by the site's activities.</p>

Schedule 4 – Reporting

Parameters, for which reports shall be made, in accordance with conditions of this permit, are listed below.

Table S4.1 Reporting of monitoring data			
Parameter	Emission or monitoring point/reference	Reporting period	Period begins
Ambient air monitoring. Parameters as required by condition 3.5.1	At a location agreed in writing with the Environment Agency	As agreed in writing with the Environment Agency.	As agreed in writing with the Environment Agency

Table S4.2: Annual production/treatment	
Parameter	Units
Processed wood	tonnes

Table S4.3 Performance parameters		
Parameter	Frequency of assessment	Units
Water usage	Annually	tonnes
Energy usage	Annually	MWh
Total raw material used	Annually	tonnes

Table S4.4 Reporting forms		
Media/parameter	Reporting format	Date of form
Water usage	Form water usage 1 or other form as agreed in writing by the Environment Agency	11/08/17
Energy usage	Form energy 1 or other form as agreed in writing by the Environment Agency	11/08/17
Other performance indicators	Form performance 1 or other form as agreed in writing by the Environment Agency	11/08/17
Particulate	Form Particulate1 or other form as agreed in writing by the Environment Agency	11/08/17

Schedule 5 – Notification

These pages outline the information that the operator must provide.

Units of measurement used in information supplied under Part A and B requirements shall be appropriate to the circumstances of the emission. Where appropriate, a comparison should be made of actual emissions and authorised emission limits.

If any information is considered commercially confidential, it should be separated from non-confidential information, supplied on a separate sheet and accompanied by an application for commercial confidentiality under the provisions of the EP Regulations.

Part A

Permit Number	
Name of operator	
Location of Facility	
Time and date of the detection	

(a) Notification requirements for any malfunction, breakdown or failure of equipment or techniques, accident, or emission of a substance not controlled by an emission limit which has caused, is causing or may cause significant pollution	
To be notified within 24 hours of detection	
Date and time of the event	
Reference or description of the location of the event	
Description of where any release into the environment took place	
Substances(s) potentially released	
Best estimate of the quantity or rate of release of substances	
Measures taken, or intended to be taken, to stop any emission	
Description of the failure or accident.	

(b) Notification requirements for the breach of a limit	
To be notified within 24 hours of detection unless otherwise specified below	
Emission point reference/ source	
Parameter(s)	
Limit	
Measured value and uncertainty	
Date and time of monitoring	

(b) Notification requirements for the breach of a limit	
To be notified within 24 hours of detection unless otherwise specified below	
Measures taken, or intended to be taken, to stop the emission	

Time periods for notification following detection of a breach of a limit	
Parameter	Notification period

(c) Notification requirements for the detection of any significant adverse environmental effect	
To be notified within 24 hours of detection	
Description of where the effect on the environment was detected	
Substances(s) detected	
Concentrations of substances detected	
Date of monitoring/sampling	

Part B – to be submitted as soon as practicable

Any more accurate information on the matters for notification under Part A.	
Measures taken, or intended to be taken, to prevent a recurrence of the incident	
Measures taken, or intended to be taken, to rectify, limit or prevent any pollution of the environment which has been or may be caused by the emission	
The dates of any unauthorised emissions from the facility in the preceding 24 months.	

Name*	
Post	
Signature	
Date	

* authorised to sign on behalf of the operator

Schedule 6 – Interpretation

“accident” means an accident that may result in pollution.

“application” means the application for this permit, together with any additional information supplied by the operator as part of the application and any response to a notice served under Schedule 5 to the EP Regulations.

“authorised officer” means any person authorised by the Environment Agency under section 108(1) of The Environment Act 1995 to exercise, in accordance with the terms of any such authorisation, any power specified in section 108(4) of that Act.

“disposal”. Means any of the operations provided for in Annex I to Directive 2008/98/EC of the European Parliament and of the Council on waste.

“emissions to land” includes emissions to groundwater.

“emissions of substances not controlled by emission limits” means emissions of substances to air, water or land from the activities, either from the emission points specified in schedule 3 or from other localised or diffuse sources, which are not controlled by an emission or background concentration limit.

“EP Regulations” means The Environmental Permitting (England and Wales) Regulations SI 2016 No.1154 and words and expressions used in this permit which are also used in the Regulations have the same meanings as in those Regulations.

“groundwater” means all water, which is below the surface of the ground in the saturation zone and in direct contact with the ground or subsoil.

“Industrial Emissions Directive” means DIRECTIVE 2010/75/EU OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 24 November 2010 on industrial emissions

“List of Wastes” means the list of wastes established by Commission Decision 2000/532/EC replacing Decision 94/3/EC establishing a list of wastes pursuant to Article 1(a) of Council Directive 75/442/EEC on waste and Council Decision 94/904/EC establishing a list of hazardous waste pursuant to Article 1(4) of Council Directive 91/689/EEC on hazardous waste, as amended from time to time.

“MCERTS” means the Environment Agency’s Monitoring Certification Scheme.

“quarter” means a calendar year quarter commencing on 1 January, 1 April, 1 July or 1 October.

“recovery” means any of the operations provided for in Annex II to Directive 2008/98/EC of the European Parliament and of the Council on waste.

“waste code” means the six digit code referable to a type of waste in accordance with the List of Wastes and in relation to hazardous waste, includes the asterisk.

“Waste Framework Directive” or “WFD” means Waste Framework Directive 2008/98/EC of the European Parliament and of the Council on waste


Where a minimum limit is set for any emission parameter, for example pH, reference to exceeding the limit shall mean that the parameter shall not be less than that limit.

Unless otherwise stated, any references in this permit to concentrations of substances in emissions into air means:

- in relation to emissions from combustion processes, the concentration in dry air at a temperature of 273K, at a pressure of 101.3 kPa and with an oxygen content of 3% dry for liquid and gaseous fuels, 6% dry for solid fuels; and/or
- in relation to emissions from non-combustion sources, the concentration at a temperature of 273K and at a pressure of 101.3 kPa, with no correction for water vapour content.

“year” means calendar year ending 31 December.

Schedule 7 – Site plan



END OF PERMIT

Permit Number: EPR/BP3739YW Operator: Stobart Biomass Products Limited

Facility: Greasbrough Depot Form Number: WaterUsage1 / 11/08/17

Reporting of Water Usage for the year

Water Source	Usage (m³/year)	Specific Usage (m³/unit output)
Mains water		
TOTAL WATER USAGE		

Operator's comments:

Signed

Date.....

(authorised to sign as representative of Operator)

Permit Number: EPR/BP3739YW

Operator:

Stobart Biomass Products Limited

Facility: Greasbrough Depot

Form Number:

Energy1 / 11/08/17

Reporting of Energy Usage for the year

Energy Source	Energy Usage		Specific Usage (MWh/unit output)
	Quantity	Primary Energy (MWh)	
Electricity *	MWh		
Natural Gas	MWh		
Gas Oil	tonnes		
Recovered Fuel Oil	tonnes		
TOTAL	-		

* Conversion factor for delivered electricity to primary energy = 2.4

Operator's comments:

Signed

Date.....

(Authorised to sign as representative of Operator)

Permit Number: EPR/BP3739YW

Operator: Stobart Biomass Products Limited

Facility: Greasbrough Depot

Form Number: Performance1 / 11/08/17

Reporting of other performance indicators for the period to

Parameter	Units
Total raw material used	tonnes
Processed wood	tonnes

Operator's comments:

Signed

Date.....

(Authorised to sign as representative of Operator)

Permit Number: EPR/BP3739YW

Operator:

Stobart Biomass Products Limited

Facility: Greasbrough Depot

Form Number:

Particulate1 / 11/08/17

Reporting of particulates for the period from to

Emission Point	Substance / Parameter	Reference Period	Result ^[1]	Test Method ^[2]	Sample Date and Times ^[3]	Uncertainty ^[4]
At a location agreed in writing with the Environment Agency that shall obtain reliable and representative data on PM ₁₀ and TSP emissions from the waste management operations that enables the operator to identify emissions and take steps to prevent a reoccurrence.	Particulate matter less than 10 millionth of a metre in diameter (PM ₁₀). Total suspended particulates (TSP).	5 minute		As per Table S3.2	At a location agreed in writing with the Environment Agency that shall obtain reliable and representative data on PM ₁₀ and TSP emissions from the waste management operations that enables the operator to identify emissions and take steps to prevent a reoccurrence.	Particulate matter less than 10 millionth of a metre in diameter (PM ₁₀). Total suspended particulates (TSP).

1. The result given is the maximum value (or the minimum value in the case of a limit that is expressed as a minimum) obtained during the reporting period, expressed in the same terms as the emission limit value. Where the emission limit value is expressed as a range, the result is given as the 'minimum – maximum' measured values.
2. Where an internationally recognised standard test method is used the reference number is given. Where another method that has been formally agreed with the Environment Agency is used, then the appropriate identifier is given. In other cases the principal technique is stated, for example gas chromatography.
3. For non-continuous measurements the date and time of the sample that produced the result is given. For continuous measurements the percentage of the process operating time covered by the result is given.
4. The uncertainty associated with the quoted result at the 95% confidence interval, unless otherwise stated.

Signed

Date.....

(Authorised to sign as representative of Operator)