



## Reliability of journeys on Highways Agency's motorway and 'A' road network, England: October 2012



Key findings	1
National overview of reliability	2
Reliability on individual routes and between junctions	3
Strengths and weaknesses of the data	3
Background notes	4
Request for feedback	5

This statistical release presents provisional aggregate level information about the reliability of journeys on motorways and 'A' roads managed by the Highways Agency, known as the [strategic road network](#), during October 2012.

These strategically important roads account for around two per cent of all roads in England, but carry around a third of all traffic.

The reliability of journeys on the Highways Agency's roads is measured by the percentage of 'journeys' that are 'on time', where:

- A 'journey' represents travel between adjacent junctions on the network.
- An 'on time journey' is defined as one which is completed within a set reference time, based on historic data on that particular section of road.

The data are based on a combination of sources, including Automatic Number Plate Recognition (ANPR) cameras, in-vehicle Global Positioning Systems (GPS) and inductive loops built into the road surface.

This reliability measure is one of a number of indicators in the Department's [2012-2015 Business Plan](#).

### The key findings from this statistical release include:

- In the year ending October 2012, provisional data show that 82.3 per cent of journeys on the Highways Agency managed network were 'on time'. This is 0.3 percentage points lower than the previous year, ending September 2012.
- Provisional data show that 79.6 per cent of journeys on the Highways Agency network during October 2012 were 'on time', down 3.4 percentage points from October 2011.

**We are proposing to change the frequency of this statistical release** after the publication of the April 2013 statistics (in June) and would welcome your feedback on this proposal. Further information on this is provided at the end of this release.

### FURTHER INFORMATION

#### Media Enquiries:

020 7944 3066

#### Responsible Statistician:

Jay Symonds


020 7944 6579

[congestion.stats@dft.gsi.gov.uk](mailto:congestion.stats@dft.gsi.gov.uk)

# 1. National overview of reliability

- Provisional data show that 82.3 per cent of journeys made on Highways Agency managed roads between November 2011 and October 2012 were 'on time'. This is 0.3 percentage points lower than the previous rolling year, ending in September 2012.
- During October 2012, provisional data show that 79.6 per cent of journeys on Highways Agency's motorway and 'A' road network were 'on time'. This is 3.4 percentage points lower than the equivalent figure for October 2011.
- The annual reliability measure consistently increased up to March 2012, but has fallen in the last seven months, and has now dropped below the level observed at the end of 2011. The recent downward trend in reliability reflects the substantial amount of rainfall experienced since spring compared with the same period in 2011. In fact, rainfall in each of the last seven months has been higher in 2012 compared to the same month in 2011.
- The final figure for reliability on the Highways Agency managed network during the year ending September 2012 was 82.6 per cent, unchanged from the provisional estimate published last month.

**Percentage of journeys <sup>1</sup> on Highways Agency motorways and 'A' roads deemed 'on time'**  
**<sup>2</sup>: April 2010 to October 2012 <sup>p</sup>** (Reliability web table [CGN0104](#))



1. 'Journeys' are defined as travel between adjacent junctions on the network.

2. An 'on time journey' is defined as one completed within a set reference time, drawn from historic data on that section of road.

3. Reference times are updated for the April data each year. Further information on the impact of updating reference times can be found in section 3 of this release.

p = provisional

---

## 2. Reliability on individual routes and between junctions

At present, information about the reliability of journeys on individual routes, or between particular junctions on the network, are not sufficiently robust to be presented as official statistics. This is due to the range of different sources used to calculate journey times across the network.

Each data source exhibits its own bias which affects the estimates of journey time reliability and, as such, performance cannot be reliably compared between sections of the network monitored through different sources. In addition, where the sources used to monitor a section of the network change over time, it may not be possible to reliably compare estimates of journey time reliability before and after the change.

The Department is working with the Highways Agency to address these issues of comparability. It is likely that any actions to address these issues will also require some historic adjustment to the national series although the trends reported in national reliability to date are unlikely to change.

Until this programme is complete, the Highways Agency will publish information about journey time reliability at a sub-national level through the [data.gov.uk](https://data.gov.uk) webpage.

It should be noted that while these disaggregated figures are currently insufficiently robust to be published as official statistics, we are confident that the aggregated data for the complete network provide a true reflection of how reliability levels have changed at a national level.

## 3. Strengths and weaknesses of the data

As a measure that is based on comparing current journey times on the network to road users' previous experiences on similar types and times of day, these statistics are very useful in monitoring how predictable journey times on the network are. However, they do not directly measure whether congestion, in a physical sense, has improved or deteriorated over time.

For example, journeys on a particular stretch of road could be very slow moving at certain times of the day with lots of congestion evident. However, if the effects of this congestion were fairly predictable and journey times were always of, or around, a similar value, these journeys would be considered reliable. Similarly, journeys on another stretch of road could be fairly fast moving on average but equally would be considered unreliable if conditions varied wildly from day to day, with some journeys experiencing very little congestion while others were affected severely.

The statistics used to monitor journey time reliability on Highways Agency's motorway and 'A' road network are compiled from various data sources, including Automatic Number Plate Recognition (ANPR) cameras, in-vehicle Global Positioning Systems (GPS) and inductive loops built into the road surface.

---

Only real, observed, data from each of these sources with a good geographic match to the Highways Agency network are used to calculate reliability for each section of road. Where these data are available from more than one source, the data are weighted according to the number of vehicles generating each estimate. However, where no data of this quality are available for a particular section of road or time period, reliability is imputed based on national day-time and night-time averages for that month.

3.9 per cent of the data used to calculate journey time reliability in October 2012 required imputation in this way. This compares to 4.1 per cent of data requiring imputation in October 2011. A monthly breakdown of the amount of data requiring imputation is available at:

<https://www.gov.uk/technical-guidance-for-transport-stats#road-congestion-and-reliability-statistics>

Reference journey times are updated on an annual basis, at the start of each financial year, in order to reflect the latest conditions experienced on each part of the network. Differences observed when comparing months in different financial years will partly reflect a change (up to around +/- 1 percentage point for comparisons between individual months in consecutive financial years) relating to the updated references used.

The reliability statistics for October 2012 are currently provisional while final checks on the raw data sources underpinning the statistics are carried out. The statistics will be finalised in January 2013, but are unlikely to change from the provisional estimates.

## 4. Background notes

1. The web tables give further detail of the key results presented in this statistical release and statistics on other related topics. They are available here:

<https://www.gov.uk/government/organisations/department-for-transport/series/road-congestion-and-reliability-statistics#statistical-data-sets>

2. Full guidance on the methods used to compile the reliability statistics presented in this release can be found here:

<https://www.gov.uk/technical-guidance-for-transport-stats#road-congestion-and-reliability-statistics>

3. A useful introduction into the Department's congestion and reliability statistics, providing more detail as to what the different statistics measure, how they are published and the ways in which they are used is available here:

<https://www.gov.uk/technical-guidance-for-transport-stats#road-congestion-and-reliability-statistics>

4. National Statistics are produced to high professional standards set out in the Code of Practice. They undergo regular quality assurance reviews to ensure they meet customer needs:

<http://www.statisticsauthority.gov.uk/assessment/code-of-practice/index.html>

---

5. In July 2012, the United Kingdom Statistics Authority confirmed the designation of these statistics as National Statistics, in accordance with the Statistics and Registration Service Act 2007 and signifying compliance with the Code of Practice for Official Statistics.

Designation can be broadly interpreted to mean that the statistics:

- meet identified user needs;
- are well explained and readily accessible;
- are produced according to sound methods, and
- are managed impartially and objectively in the public interest.

The assessment of compliance with the Code of Practice for Official Statistics and subsequent letter confirming the designation of these statistics as National Statistics can be found here:

<https://www.gov.uk/technical-guidance-for-transport-stats#road-congestion-and-reliability-statistics>

6. Details of ministers and officials who receive pre-release access to these statistics up to 24 hours before release can be found here:

<https://www.gov.uk/technical-guidance-for-transport-stats#road-congestion-and-reliability-statistics>

7. The next release of these statistics will be published on 10 January 2013. It will contain provisional information about the reliability of journeys on the Highways Agency's motorway and 'A' road network during November 2012, and the final figures for October 2012.

## 5. Request for feedback

We are always keen to receive feedback from users of transport statistics. If you have any comments about how the statistics in this release are presented or analysed, please contact us using the details listed on the first page of this release.

We are proposing to change the frequency of this statistical release from a monthly to quarterly basis after the publication of the April 2013 statistics (in June). It is proposed that releases will be published in February, May, August and November each year presenting statistics for the quarters ending December, March, June and September respectively. We will continue to publish all of the reliability statistics in this release on a monthly basis in table [CGN0104](#). We would welcome your feedback on this proposed change, please email [congestion.stats@dft.gsi.gov.uk](mailto:congestion.stats@dft.gsi.gov.uk) or call 020 7944 6579 with any comments or questions.