



27 September 2016

Year: 2016 Week: 38

In This Issue:

- Key Messages.
- Weekly summary.
- Total contacts.
- Syndromic indicators.
- Notes and caveats.
- Further information.
- Acknowledgements.

Syndromic indicators at a glance:

Number of contacts and percentage of Read coded contacts.

1: Total out-of-hours contacts:

Daily total number of out-of-hours and unscheduled contacts and 7 day average (adjusted for bank holidays).


Key messages

Data to: 25 September 2016

During week 38 there were further increases in GP out of hours consultations for acute respiratory infection and difficulty breathing/wheeze/asthma, particularly for children aged 0-14 years (figures 2a & 5a).


Key indicator	No. of contacts	% Week 38	% Week 37	Trend*
All OOH contacts, all causes	169,140			
Acute respiratory infection	9,740	12.56	10.80	↑
Influenza-like illness	77	0.10	0.11	↔
Bronchitis/bronchiolitis	164	0.21	0.15	↑
Difficulty breathing/wheeze/asthma	1,882	2.43	2.11	↑
Pharyngitis	62	0.08	0.08	↔
Gastroenteritis	2,906	3.75	3.94	↓
Diarrhoea	775	1.00	1.03	↓
Vomiting	1,065	1.37	1.40	↔
Myocardial infarction	752	0.97	0.97	↔

*Trend: reports on the trend seen over previous weeks in the percentage of Read coded contacts.




2: Acute Respiratory Infection daily contacts.

Shown as a percentage of the total contacts with a Read code and as a 7 day average*.




2a: Acute respiratory infection weekly contacts by age group.



3: Influenza-like illness daily contacts.


Shown as a percentage of the total contacts with a Read code and as a 7 day average*.



*7-day moving average adjusted for bank holidays.


**4: Bronchitis/
bronchiolitis daily
contacts.**

Shown as a percentage of the total contacts with a Read code and as a 7 day average*.




**5: Difficulty breathing/
wheeze/asthma daily
contacts.**

Shown as a percentage of the total contacts with a Read code and as a 7 day average*.




**5a: Difficulty
breathing/wheeze/
asthma weekly
contacts by age
group.**



*7-day moving average adjusted for bank holidays.


6: Acute pharyngitis and persistent sore throat.

Shown as a percentage of the total contacts with a Read code and as a 7 day average*.



7: Gastroenteritis daily contacts

Shown as a percentage of the total contacts with a Read code and as a 7 day average*.



Intentionally left blank.


*7-day moving average adjusted for bank holidays.

27 September 2016

Year: 2016 Week: 38

8: Diarrhoea daily contacts.


Shown as a percentage of the total contacts with a Read code and as a 7 day average*.



Intentionally left blank.

9: Vomiting daily contacts.

Shown as a percentage of the total contacts with a Read code and as a 7 day average*.




*7-day moving average adjusted for bank holidays.

Intentionally left blank.

10: Myocardial Infarction daily contacts.

Shown as a percentage of the total contacts with a Read code and as a 7 day average*.



Intentionally left blank.

*7-day moving average adjusted for bank holidays.

Notes and caveats:

- This bulletin presents data from the Public Health England (PHE) GP Out-of-hours\Unscheduled Care Surveillance System (GP OOHSS).
- Fully anonymised data from GP out-of-hours (OOH) and unscheduled care service providers in England are being transferred to the PHE for analysis and interpretation by the PHE Real-time Syndromic Surveillance Team (ReSST).
- This new system supplements existing PHE syndromic surveillance systems by monitoring data on general practitioner consultations outside of routine surgery opening times (evenings, weekends and bank holidays) and unplanned contacts within NHS primary care.
- The key indicators presented within this bulletin are derived by grouping selected Read coded consultations.
- GP OOH consultation data are analysed on a daily basis to identify national and regional trends. A statistical algorithm underpins each system, routinely identifying activity that has increased significantly or is statistically significantly high for the time of year. Results from these daily analyses are assessed by the ReSST, along with analysis by age group, and anything deemed of public health importance is alerted by the team.
- Baselines represent seasonally expected levels of activity and are constructed from historical data. Furthermore, they take into account any known substantial changes in data collection, population coverage or reporting practices. Baselines are refreshed using the latest data on a regular basis.

Further information:

The GP Out-of-Hours Surveillance System Bulletin can also be downloaded from the PHE Real-time Syndromic Surveillance website which also contains more information about syndromic surveillance:

<https://www.gov.uk/government/collections/syndromic-surveillance-systems-and-analyses>

Acknowledgements:

We are grateful to Advanced Health and Care and the GP out-of-hours and unscheduled care service providers who have kindly agreed to participate in this system.

PHE Out-of-Hours/Unscheduled Care Surveillance

Produced by: PHE Real-time Syndromic Surveillance Team
6th Floor, 5 St Philip's Place, Birmingham, B3 2PW

Tel: 0344 225 3560 > Option 4 > Option 2 **Fax:** 0121 236 2215

Web: <https://www.gov.uk/government/collections/syndromic-surveillance-systems-and-analyses>

Contact ReSST:

syndromic_surveillance@phe.gov.uk