

Protecting and improving the nation's health

Public Health Outcomes Framework Indicators at a glance (August 2015)

Notes:

- Value cells are shaded red, amber or green where the England value can be benchmarked against a goal.
- In the change columns, prev refers to the change in England value compared to the previous data point; base refers to the change in England value compared to the baseline value.
- Changes are only shown if they are statistically significant. An upwards arrow (↑, ↑ or ↑) represents a significant increase in the indicator value, a downwards arrow (↓, ↓ or ↓) represents a significant decrease. A sidewards arrow (⇔) is displayed if there has been no significant change.
- The arrows are coloured green and red for those indicators where a change can be described as improving or worsening respectively.
- Indicators where data has been updated or revised in the August 2015 update have been shaded in the tables.

| Domain: Overarching indicators | | | | | | |
|--|-----------|-------|----------|-------------------|-------------------|--|
| Indicator | Period | Value | Unit | Change from | | |
| 0.1i - Healthy life expectancy at birth (Male) | 2011 - 13 | 63.3 | Years | prev | base | |
| 0.1i - Healthy life expectancy at birth (Female) | 2011 - 13 | 63.9 | Years | \leftrightarrow | \leftrightarrow | |
| 0.1ii - Life Expectancy at birth (Male) | 2011 - 13 | 79.4 | Years | 1 | 1 | |
| 0.1ii - Life Expectancy at birth (Male) | 2011 - 13 | 83.1 | Years | 1 | 1 | |
| 0.1ii - Life Expectancy at 65 (Male) | 2011 - 13 | 18.7 | Years | <u> </u> | 1 | |
| 0.1ii - Life Expectancy at 65 (Female) | 2011 - 13 | 21.1 | Years | <u> </u> | 1 | |
| 0.2i - Slope index of inequality in life expectancy at birth based on national deprivation deciles | 2011 13 | 21.1 | Tears | | <u>'</u> | |
| within England (Male) | 2011 - 13 | 9.1 | Years | \leftrightarrow | \leftrightarrow | |
| 0.2i - Slope index of inequality in life expectancy at birth based on national deprivation deciles | 2011 13 | J.1 | rcuis | ` ' | | |
| within England (Female) | 2011 - 13 | 6.9 | Years | \leftrightarrow | \leftrightarrow | |
| 0.2ii - Number of upper tier local authorities for which the local slope index of inequality in life | 2011 15 | 0.5 | rcuis | | | |
| expectancy (as defined in 0.2iii) has decreased (Male) | 2011 - 13 | 80 | Count | \leftrightarrow | \leftrightarrow | |
| 0.2ii - Number of upper tier local authorities for which the local slope index of inequality in life | 2011 10 | | | ** | 1 | |
| expectancy (as defined in 0.2iii) has decreased (Female) | 2011 - 13 | 73 | Count | \leftrightarrow | \leftrightarrow | |
| 0.2iii - Slope index of inequality in life expectancy at birth within English local authorities, | | | | | | |
| based on local deprivation deciles within each area (Male) | 2011 - 13 | - | Years | | | |
| 0.2iii - Slope index of inequality in life expectancy at birth within English local authorities, | | | | | | |
| based on local deprivation deciles within each area (Female) | 2011 - 13 | - | Years | | | |
| 0.2iv - Gap in life expectancy at birth between each local authority and England as a whole | | | | | | |
| (Male) | 2011 - 13 | - | Years | | | |
| 0.2iv - Gap in life expectancy at birth between each local authority and England as a whole | | | | | | |
| (Female) | 2011 - 13 | - | Years | | | |
| 0.2v - Slope index of inequality in healthy life expectancy at birth based on national | | | | | | |
| deprivation deciles within England (Male) | 2011 - 13 | 19.2 | Years | \leftrightarrow | \leftrightarrow | |
| 0.2v - Slope index of inequality in healthy life expectancy at birth based on national | | | | | | |
| deprivation deciles within England (Female) | 2011 - 13 | 19.5 | Years | \leftrightarrow | \leftrightarrow | |
| 02.vii - Slope index of inequality in life expectancy at birth within English regions, based on | | | <u> </u> | | | |
| regional deprivation deciles within each area (Male) | 2011-13 | - | Years | | | |
| 02.vii - Slope index of inequality in life expectancy at birth within English regions, based on | <u></u> | | | | | |
| regional deprivation deciles within each area (Female) | 2011-13 | - | Years | | | |

| Domain: Wider determinants of health | | | | | |
|---|--------------|--------------|-----------------------------|----------------------|-------------------|
| Indicator | Period | Value | Unit | Chang | |
| | | | | prev | base |
| 1.01i - Children in poverty (all dependent children under 20) 1.01ii - Children in poverty (under 16s) | 2012 | 18.6 19.2 | <u>%</u> % | <u>↓</u> | → |
| 1.02i - School Readiness: The percentage of children achieving a good level of development at | 2012 | 15.2 | /0 | | V |
| the end of reception | 2013/14 | 60.4 | % | 1 | 1 |
| 1.02i - School Readiness: The percentage of children with free school meal status achieving a | | | | | • |
| good level of development at the end of reception | 2013/14 | 44.8 | % | 1 | 1 |
| 1.02ii - School Readiness: The percentage of Year 1 pupils achieving the expected level in the | | | | | |
| phonics screening check | 2013/14 | 74.2 | % | 1 | ↑ |
| 1.02ii - School Readiness: The percentage of Year 1 pupils with free school meal status | 2012/11 | | 24 | | |
| achieving the expected level in the phonics screening check 1.03 - Pupil absence | 2013/14 | 61.3 | % | | <u> </u> |
| ' | 2013/14 | 4.5 | % Crudo rata nor 100 000 | <u>↓</u> | → |
| 1.04 - First time entrants to the youth justice system 1.05 - 16-18 year olds not in education employment or training | 2014 2014 | 409.1 4.7 | Crude rate per 100,000 % | $\frac{1}{\sqrt{1}}$ | → |
| 1.06i - Adults with a learning disability who live in stable and appropriate accommodation | 2014 | 4.7 | /0 | | • |
| (Persons) | 2013/14 | 74.9 | % | | |
| 1.06i - Adults with a learning disability who live in stable and appropriate accommodation | 2013/11 | 70 | ,, | | |
| (Male) | 2013/14 | 74.5 | % | | |
| 1.06i - Adults with a learning disability who live in stable and appropriate accommodation | • | | | | |
| (Female) | 2013/14 | 75.4 | % | | |
| 1.06ii - % of adults in contact with secondary mental health services who live in stable and | | | | | |
| appropriate accommodation (Persons) | 2013/14 | 60.8 | % | | |
| 1.06ii - % of adults in contact with secondary mental health services who live in stable and | | | | | |
| appropriate accommodation (Male) | 2013/14 | 59.4 | % | | |
| 1.06ii - % of adults in contact with secondary mental health services who live in stable and | 2012/11 | 62.4 | 0/ | | |
| appropriate accommodation (Female) | 2013/14 | 62.4 5.55 | % % | 1 | \leftrightarrow |
| 1.07 - People in prison who have a mental illness or a significant mental illness 1.08i - Gap in the employment rate between those with a long-term health condition and the | 2013/14 | 5.55 | 76 | Т | \leftarrow |
| overall employment rate | 2013/14 | 8.7 | Count | | |
| 1.08ii - Gap in the employment rate between those with a learning disability and the overall | 2013/14 | 0.7 | Count | | |
| employment rate (persons) | 2013/14 | 65.0 | Count | | |
| 1.08ii - Gap in the employment rate between those with a learning disability and the overall | | | | | |
| employment rate (males) | 2013/14 | 69.5 | Count | | |
| 1.08ii - Gap in the employment rate between those with a learning disability and the overall | | | | | |
| employment rate (females) | 2013/14 | 60.7 | Count | | |
| 1.08iii - Gap in the employment rate for those in contact with secondary mental health | | | | | |
| services and the overall employment rate (persons) | 2013/14 | 64.7 | Count | | |
| 1.08iii - Gap in the employment rate for those in contact with secondary mental health | 2012/14 | 71.1 | Carret | | |
| services and the overall employment rate (males) 1.08iii - Gap in the employment rate for those in contact with secondary mental health | 2013/14 | 71.1 | Count | | |
| services and the overall employment rate (females) | 2013/14 | 58.0 | Count | | |
| 1.09i - Sickness absence - The percentage of employees who had at least one day off in the | 2013/14 | 30.0 | Count | | |
| previous week | 2010-12 | 2.5 | % | 1 | 1 |
| 1.09ii - Sickness absence - The percent of working days lost due to sickness absence | 2010-12 | 1.6 | % | \leftrightarrow | \leftrightarrow |
| 1.10 - Killed and seriously injured (KSI) casualties on England's roads | 2011-13 | 39.7 | Crude rate per 100,000 | 4 | 4 |
| 1.11 - Domestic Abuse | 2013/14 | 19.4 | Crude rate per 1,000 | 1 | 1 |
| | 2011/12 - | | | | |
| 1.12i - Violent crime (including sexual violence) - hospital admissions for violence | 2013/14 | 52.4 | DSR per 100,000 | 4 | 4 |
| 1.12ii - Violent crime (including sexual violence) - violence offences per 1,000 population | 2013/14 | 11.1 | Crude rate per 1,000 | <u> </u> | \downarrow |
| 1.12iii- Violent crime (including sexual violence) - Rate of sexual offences per 1,000 population | 2013/14 | 1.01 | Crude rate per 1,000 | <u> </u> | ↑ |
| 1.13i - Re-offending levels - percentage of offenders who re-offend | 2012 | 25.9 | % | <u>+</u> | <u> </u> |
| 1.13ii - Re-offending levels - average number of re-offences per offender | 2012 | 0.77 | Crude rate per offender | | ↑ |
| 1.14i - The rate of complaints about noise | 2013/14 | 7.4 | Crude rate per 1,000 | <u> </u> | \ |
| 1.14ii - The percentage of the population exposed to road, rail and air transport noise of 65dB(A) or more, during the daytime | 2011 | 5.2 | % | | |
| 1.14iii - The percentage of the population exposed to road, rail and air transport noise of 55 | 2011 | 3.2 | /0 | | |
| dB(A) or more during the night-time | 2011 | 8.0 | % | | |
| 1.15i - Statutory homelessness - homelessness acceptances | 2013/14 | 2.3 | Crude rate per 1,000 | T | ↑ |
| 1.15ii - Statutory homelessness - households in temporary accommodation | 2013/14 | 2.6 | Crude rate per 1,000 | 1 | 1 |
| | Mar 2013 - | | • | * | |
| 1.16 - Utilisation of outdoor space for exercise/health reasons | Feb 2014 | 17.1 | % | 1 | 1 |
| 1.17 - Fuel Poverty | 2013 | 10.4 | % | \leftrightarrow | \ |
| 1.18i - Social Isolation: % of adult social care users who have as much social contact as they | | | | | |
| would like | 2013/14 | 44.5 | % | 1 | 1 |
| 1.18ii - Social Isolation: % of adult carers who have as much social contact as they would like | 2012/13 | 41.3 | % | | |
| 1.19i - Older people's perception of community safety - safe in local area during the day | 2013/14 | 96.9 | % | \leftrightarrow | \leftrightarrow |
| 1.19ii - Older people's perception of community safety - safe in local area after dark 1.19iii - Older people's perception of community safety - safe in own home at night | 2013/14 | 62.8 | <u>%</u> | \leftrightarrow | \leftrightarrow |
| 1.13m - Order people's perception of community salety - sale in own nome at night | 2013/14 | 93.3 | % | $\overline{}$ | $\overline{}$ |

| Domain: Health improvement | | | | | |
|---|--------------------|--------------|-----------------------|-------------------|-------------------|
| Indicator | Period | Value | Unit | | e from |
| | | | | prev | base |
| 2.01 - Low birth weight of term babies | 2012 | 2.8 | % | \leftrightarrow | \leftrightarrow |
| 2.02i - Breastfeeding - Breastfeeding initiation | 2013/14 2013/14 | 73.9 | <u>%</u> | \leftrightarrow | 1 |
| 2.02ii - Breastfeeding - Breastfeeding prevalence at 6-8 weeks after birth 2.03 - Smoking status at time of delivery | 2013/14 | 12.0* | <u>%</u> % | + | 4 |
| 2.04 - Under 18 conceptions | 2013/14 | 24.3 | Crude rate per 1,000 | <u> </u> | ↓ |
| 2.04 - Under 18 conceptions: conceptions in those aged under 16 | 2013 | 4.8 | Crude rate per 1,000 | <u> </u> | * |
| 2.06i - Excess weight in 4-5 and 10-11 year olds - 4-5 year olds | 2013/14 | 22.5 | % | 1 | \leftrightarrow |
| 2.06ii - Excess weight in 4-5 and 10-11 year olds - 10-11 year olds | 2013/14 | 33.5 | % | \leftrightarrow | \leftrightarrow |
| 2.07i - Hospital admissions caused by unintentional and deliberate injuries in children (aged 0- | • | | | | |
| 14 years) | 2013/14 | 112.2 | Crude rate per 10,000 | 1 | ₩ |
| 2.07i - Hospital admissions caused by unintentional and deliberate injuries in children (aged 0- | | | | | |
| 4 years) | 2013/14 | 140.8 | Crude rate per 10,000 | ↑ | \leftrightarrow |
| 2.07ii - Hospital admissions caused by unintentional and deliberate injuries in young people | | | | | |
| (aged 15-24) | 2013/14 | 136.7 | Crude rate per 10,000 | 1 | ↓ |
| 2.08 - Emotional well-being of looked after children | 2013/14 | 13.9 | Score | | |
| 2.09i - Smoking prevalence at age 15 - current smokers (WAY survey) | 2014/15 | 8.2 | % | | |
| 2.09ii - Smoking prevalence at age 15 - regular smokers (WAY survey) | 2014/15 | 5.5 | % | | |
| 2.09iii - Smoking prevalence at age 15 - occasional smokers (WAY survey) | 2014/15 | 2.7 | % | | - |
| 2.09iv - Smoking prevalence at age 15 - regular smokers (SDD survey) 2.09v - Smoking prevalence at age 15 - occasional smokers (SDD survey) | 2014 | 8.0 5.0 | <u>%</u> % | ↔ | → |
| 2.12 - Excess Weight in Adults | 2014 | 63.8 | <u>%</u> | Ψ | • |
| 2.13i - Percentage of physically active and inactive adults - active adults | 2012 | 57.0 | <u>%</u> | 1 | 1 |
| 2.13ii - Percentage of active and inactive adults - inactive adults | 2014 | 27.7 | <u>%</u> % | - | 1 |
| 2.14 - Smoking Prevalence | 2014 | 18.4 | % | <u> </u> | <u> </u> |
| 2.14 - Smoking Prevalence 2.14 - Smoking prevalence - routine & manual | 2013 | 28.6 | <u>%</u> | <u>↓</u> | ↓ |
| 2.15i - Successful completion of drug treatment - opiate users | 2013 | 7.8 | % | → | <u> </u> |
| 2.15ii - Successful completion of drug treatment - non-opiate users | 2013 | 37.7 | % | \leftrightarrow | <u> </u> |
| 2.16 - People entering prison with substance dependence issues who are previously not | | | <u> </u> | | |
| known to community treatment | 2012/13 | 46.9 | % | | |
| 2.17 - Recorded diabetes | 2013/14 | 6.21 | % | ↑ | 1 |
| 2.18 - Admission episodes for alcohol-related conditions - narrow definition (Persons) | 2013/14 | 645 | DSR per 100,000 | ↑ | 4 |
| 2.18 - Admission episodes for alcohol-related conditions - narrow definition (Males) | 2013/14 | 835 | DSR per 100,000 | \leftrightarrow | ↓ |
| 2.18 - Admission episodes for alcohol-related conditions - narrow definition (Females) | 2013/14 | 475 | DSR per 100,000 | 1 | \leftrightarrow |
| 2.19 - Cancer diagnosed at early stage (Experimental Statistics) | 2013 | 45.7 | % | ↑ | ↑ |
| 2.20i - Cancer screening coverage - breast cancer | 2014 | 75.9 | % | <u> </u> | ₩ |
| 2.20ii - Cancer screening coverage - cervical cancer | 2014 | 74.2 | % | 1 | - ↓ |
| 2.21i - Antenatal infectious disease screening – HIV coverage | 2013/14 | 98.9 | % | | |
| 2.21iii - Antenatal Sickle Cell and Thalassaemia Screening - coverage | 2013/14 | 98.9 | % | | |
| 2.21iv - Newborn bloodspot screening - coverage | 2013/14 | 93.5 | % | | |
| 2.21v - Newborn Hearing screening - Coverage 2.21vii - Access to non-cancer screening programmes - diabetic retinopathy | 2013/14 2012/13 | 98.5 79.1 | % % | | |
| 2.21viii - Abdominal Aortic Aneurysm Screening | 2012/13 | 95.9 | | Ψ | |
| 2.22iii - Cumulative % of the eligible population aged 40-74 offered an NHS Health Check | 2013/14 | 37.9 | <u>%</u> | | |
| 2.22iv - Cumulative % of the eligible population aged 40-74 offered an NHS Health Check who | 2014/13 | 37.3 | /0 | | |
| received an NHS Health Check | 2014/15 | 48.9 | % | | |
| 2.22v - Cumulative % of the eligible population aged 40-74 who received an NHS Health check | 2014/15 | 18.6 | % | | |
| 2.23i - Self-reported well-being - people with a low satisfaction score | 2013/14 | 5.6 | % | \leftrightarrow | 4 |
| 2.23ii - Self-reported well-being - people with a low worthwhile score | 2013/14 | 4.2 | % | \leftrightarrow | ¥ |
| 2.23iii - Self-reported well-being - people with a low happiness score | 2013/14 | 9.7 | % | + | V |
| 2.23iv - Self-reported well-being - people with a high anxiety score | 2013/14 | 20.0 | % | V | Ψ |
| 2.23v - Average Warwick-Edinburgh Mental Well-Being Scale (WEMWBS) score | 2010-12 | 37.7 | Score | | |
| 2.24i - Injuries due to falls in people aged 65 and over (Persons) | 2013/14 | 2064 | DSR per 100,000 | 1 | ↑ |
| 2.24i - Injuries due to falls in people aged 65 and over (males/females) (Male) | 2013/14 | 1661 | DSR per 100,000 | 1 | ↑ |
| 2.24i - Injuries due to falls in people aged 65 and over (males/females) (Female) | 2013/14 | 2467 | DSR per 100,000 | <u>↑</u> | \leftrightarrow |
| 2.24ii - Injuries due to falls in people aged 65 and over - aged 65-79 (persons) | 2013/14 | 989 | DSR per 100,000 | \leftrightarrow | _ ↓ |
| 2.24ii - Injuries due to falls in people aged 65 and over - aged 65-79 (males) | 2013/14 | 799 | DSR per 100,000 | | |
| 2.24ii - Injuries due to falls in people aged 65 and over - aged 65-79 (females) | 2013/14 | 1180 | DSR per 100,000 | _ | \square |
| 2.24iii - Injuries due to falls in people aged 65 and over - aged 80+ (persons) | 2013/14 | 5182 | DSR per 100,000 | 1 | 1 |
| 2.24iii - Injuries due to falls in people aged 65 and over - aged 80+ (males) | 2013/14 | 4162 | DSR per 100,000 | | - |
| 2.24iii - Injuries due to falls in people aged 65 and over - aged 80+ (females) | 2013/14 | 6201 | DSR per 100,000 | | <u> </u> |

| Domain: Health protection | | | | | | |
|---|-----------|-------|------------------------|--------------------|-------------------|--|
| Indicator | Period | Value | Unit | Change from | | |
| muicator | renou vai | value | Onit | prev | base | |
| 3.01 - Fraction of mortality attributable to particulate air pollution | 2012 | 5.1 | % | | | |
| 3.02 - Chlamydia screening detection rate (15-24 year olds) - CTAD (Persons) | 2014 | 2012 | Crude rate per 100,000 | → | ↓ | |
| 3.02 - Chlamydia screening detection rate (15-24 year olds) - CTAD (Male) | 2014 | 1355 | Crude rate per 100,000 | → | ← | |
| 3.02 - Chlamydia screening detection rate (15-24 year olds) - CTAD (Female) | 2014 | 2664 | Crude rate per 100,000 | → | \leftrightarrow | |
| 3.03i - Population vaccination coverage - Hepatitis B (1 year old) | 2013/14 | * | % | | | |
| 3.03i - Population vaccination coverage - Hepatitis B (2 years old) | 2013/14 | * | % | | | |
| 3.03iii - Population vaccination coverage - Dtap / IPV / Hib (1 year old) | 2013/14 | 94.3* | % | → | ↑ | |
| 3.03iii - Population vaccination coverage - Dtap / IPV / Hib (2 years old) | 2013/14 | 96.1* | % | \rightarrow | ↑ | |
| 3.03iv - Population vaccination coverage - MenC | 2012/13 | 93.9* | % | \leftrightarrow | ↑ | |
| 3.03v - Population vaccination coverage - PCV | 2013/14 | 94.1* | % | → | → | |
| 3.03vi - Population vaccination coverage - Hib / MenC booster (2 years old) | 2013/14 | 92.5 | % | → | ↑ | |
| 3.03vi - Population vaccination coverage - Hib / Men C booster (5 years) | 2013/14 | 91.9* | % | ↑ | ↑ | |
| 3.03vii - Population vaccination coverage - PCV booster | 2013/14 | 92.4* | % | \leftrightarrow | ↑ | |
| 3.03viii - Population vaccination coverage - MMR for one dose (2 years old) | 2013/14 | 92.7* | % | | ↑ | |
| 3.03ix - Population vaccination coverage - MMR for one dose (5 years old) | 2013/14 | 94.1* | % | ↑ | → | |
| 3.03x - Population vaccination coverage - MMR for two doses (5 years old) | 2013/14 | 88.3* | % | 1 | ↑ | |
| 3.03xii - Population vaccination coverage - HPV | 2013/14 | 86.7 | % | ↑ | ↑ | |
| 3.03xiii - Population vaccination coverage - PPV | 2013/14 | 68.9 | % | \rightarrow | ← | |
| 3.03xiv - Population vaccination coverage - Flu (aged 65+) | 2014/15 | 72.7 | % | \rightarrow | ← | |
| 3.03xv - Population vaccination coverage - Flu (at risk individuals) | 2014/15 | 50.3 | % | + | \ | |
| 3.04 - People presenting with HIV at a late stage of infection | 2011 - 13 | 45.0 | % | + | \ | |
| 3.05i - Treatment completion for TB | 2012 | 83.3 | % | \leftrightarrow | + | |
| 3.05ii - Incidence of TB | 2011 - 13 | 14.8 | % | \leftrightarrow | \ | |
| 3.06 - NHS organisations with a board approved sustainable development management plan | 2013/14 | 41.6 | % | | | |
| 3.07 - Comprehensive, agreed inter-agency plans for responding to health protection incidents | | | | | | |
| and emergencies | 2014/15 | 95.2 | % | | | |

| Domain: Healthcare and premature mortality | | | | | |
|--|------------------------|---------------|------------------------------------|-------------------|--|
| Indicator | Period | Value | Unit | Chang | ge from base |
| 4.01 - Infant mortality | 2011 - 13 | 4.0 | Crude rate per 1,000 | ⇔ | ↓ |
| 4.02 - Tooth decay in children aged 5 | 2011/12 | 0.94 | Mean dmft per child | | |
| 4.03 - Mortality rate from causes considered preventable (Persons) | 2011-13 | 183.9 | DSR per 100,000 | 4 | ↓ |
| 4.03 - Mortality rate from causes considered preventable (Male) | 2011-13 | 233.1 | DSR per 100,000 | _ ↓ | \ |
| 4.03 - Mortality rate from causes considered preventable (Female) | 2011-13 | 138.0 | DSR per 100,000 | + | V |
| 4.04i - Under 75 mortality rate from all cardiovascular diseases (Persons) | 2011-13 | 78.2 | DSR per 100,000 | <u> </u> | <u>+</u> |
| 4.04i - Under 75 mortality rate from all cardiovascular diseases (Male) 4.04i - Under 75 mortality rate from all cardiovascular diseases (Female) | 2011-13 2011-13 | 109.5 48.6 | DSR per 100,000 DSR per 100,000 | → | → |
| 4.04ii - Under 75 mortality rate from cardiovascular diseases (remale) 4.04ii - Under 75 mortality rate from cardiovascular diseases considered preventable (Persons) | 2011-13 | 50.9 | DSR per 100,000 | ↓ | ↓ |
| 4.04ii - Under 75 mortality rate from cardiovascular diseases considered preventable (Male) | 2011-13 | 76.7 | DSR per 100,000 | <u> </u> | V |
| 4.04ii - Under 75 mortality rate from cardiovascular diseases considered preventable (Female) | 2011-13 | 26.5 | DSR per 100,000 | <u> </u> | 4 |
| 4.05i - Under 75 mortality rate from cancer (Persons) | 2011-13 | 144.4 | DSR per 100,000 | + | T |
| 4.05i - Under 75 mortality rate from cancer (Male) | 2011-13 | 160.9 | DSR per 100,000 | 4 | \ |
| 4.05i - Under 75 mortality rate from cancer (Female) | 2011-13 | 129.9 | DSR per 100,000 | \leftrightarrow | V |
| 4.05ii - Under 75 mortality rate from cancer considered preventable (Persons) | 2011-13 | 83.8 | DSR per 100,000 | <u> </u> | V |
| 4.05ii - Under 75 mortality rate from cancer considered preventable (Male) | 2011-13 | 91.3 | DSR per 100,000 | \leftrightarrow | <u> </u> |
| 4.05ii - Under 75 mortality rate from cancer considered preventable (Female) | 2011-13 | 76.9 | DSR per 100,000 | \leftrightarrow | ↓ |
| 4.06i - Under 75 mortality rate from liver disease (Persons) 4.06i - Under 75 mortality rate from liver disease (Male) | 2011-13 | 17.9 23.6 | DSR per 100,000 DSR per 100,000 | \leftrightarrow | \leftrightarrow |
| 4.06i - Under 75 mortality rate from liver disease (Male) | 2011-13 | 12.5 | DSR per 100,000 | \leftrightarrow | \leftrightarrow |
| 4.06ii - Under 75 mortality rate from liver disease considered preventable (Persons) | 2011-13 | 15.7 | DSR per 100,000 | \leftrightarrow | \leftrightarrow |
| 4.06ii - Under 75 mortality rate from liver disease considered preventable (Male) | 2011-13 | 21.1 | DSR per 100,000 | \leftrightarrow | \leftrightarrow |
| 4.06ii - Under 75 mortality rate from liver disease considered preventable (Female) | 2011-13 | 10.5 | DSR per 100,000 | \leftrightarrow | \leftrightarrow |
| 4.07i - Under 75 mortality rate from respiratory disease (Persons) | 2011-13 | 33.2 | DSR per 100,000 | \leftrightarrow | \ |
| 4.07i - Under 75 mortality rate from respiratory disease (Male) | 2011-13 | 39.1 | DSR per 100,000 | \leftrightarrow | 4 |
| 4.07i - Under 75 mortality rate from respiratory disease (Female) | 2011-13 | 27.6 | DSR per 100,000 | \leftrightarrow | \leftrightarrow |
| 4.07ii - Under 75 mortality rate from respiratory disease considered preventable (Persons) | 2011-13 | 17.9 | DSR per 100,000 | \leftrightarrow | <u>↑</u> |
| 4.07ii - Under 75 mortality rate from respiratory disease considered preventable (Male) 4.07ii - Under 75 mortality rate from respiratory disease considered preventable (Female) | 2011-13 | 20.4 15.5 | DSR per 100,000 DSR per 100,000 | \leftrightarrow | \leftrightarrow |
| 4.08 - Mortality from communicable diseases (Persons) | 2011-13 | 62.2 | DSR per 100,000 | ↓ | ↓ |
| 4.08 - Mortality from communicable diseases (Male) | 2011-13 | 72.1 | DSR per 100,000 | ↓ | ↓ |
| 4.08 - Mortality from communicable diseases (Female) | 2011-13 | 56.2 | DSR per 100,000 | <u> </u> | 1 |
| | | | Indirectly standardised | | |
| 4.09 - Excess under 75 mortality rate in adults with serious mental illness | 2012/13 | 347.2 | ratio | 1 | ↑ |
| 4.10 - Suicide rate (Persons) | 2011-13 | 8.8 | DSR per 100,000 | \leftrightarrow | \leftrightarrow |
| 4.10 - Suicide rate (Male) | 2011-13 | 13.8 | DSR per 100,000 | 1 | ↑ |
| 4.10 - Suicide rate (Female) | 2011-13 | 4.0 | DSR per 100,000 | \leftrightarrow | \leftrightarrow |
| 4.11 - Emergency readmissions within 30 days of discharge from hospital (Persons) | 2011/12 | 11.8 | Indirectly standardised proportion | \leftrightarrow | \leftrightarrow |
| 4.11 - Lineigency readmissions within 30 days of discharge from hospital (Fersons) | 2011/12 | 11.0 | Indirectly standardised | - | |
| 4.11 - Emergency readmissions within 30 days of discharge from hospital (Male) | 2011/12 | 12.1 | proportion | \leftrightarrow | \leftrightarrow |
| , , , | • | | Indirectly standardised | | |
| 4.11 - Emergency readmissions within 30 days of discharge from hospital (Female) | 2011/12 | 11.5 | proportion | \leftrightarrow | \leftrightarrow |
| 4.12i - Preventable sight loss - age related macular degeneration (AMD) | 2013/14 | 118.8 | Crude rate per 100,000 | \leftrightarrow | \downarrow |
| 4.12ii - Preventable sight loss - glaucoma | 2013/14 | 12.9 | Crude rate per 100,000 | \leftrightarrow | 1 |
| 4.12iii - Preventable sight loss - diabetic eye disease | 2013/14 | 3.4 | Crude rate per 100,000 | \leftrightarrow | \leftrightarrow |
| 4.12 iv - Preventable sight loss - sight loss certifications | 2013/14 | 42.5 | Crude rate per 100,000 | \leftrightarrow | \leftrightarrow |
| 4.13 - Health related quality of life for older people 4.14i - Hip fractures in people aged 65 and over (persons) | 2012/13 2013/14 | 0.726 580 | Score DSR per 100,000 | ←→ | \leftrightarrow \leftrightarrow |
| 4.14i - Hip fractures in people aged 65 and over (persons) 4.14i - Hip fractures in people aged 65 and over (males) | 2013/14 | 423 | DSR per 100,000 | - '- | |
| 4.14i - Hip fractures in people aged 65 and over (males) | 2013/14 | 737 | DSR per 100,000 | | |
| 4.14ii - Hip fractures in people aged 65 and over - aged 65-79 (persons) | 2013/14 | 240 | DSR per 100,000 | \leftrightarrow | \leftrightarrow |
| 4.14ii - Hip fractures in people aged 65 and over - aged 65-79 (males) | 2013/14 | 164 | DSR per 100,000 | | |
| 4.14ii - Hip fractures in people aged 65 and over - aged 65-79 (females) | 2013/14 | 316 | DSR per 100,000 | | |
| 4.14iii - Hip fractures in people aged 65 and over - aged 80+ (persons) | 2013/14 | 1566 | DSR per 100,000 | 1 | \leftrightarrow |
| 4.14iii - Hip fractures in people aged 65 and over - aged 80+ (males) | 2013/14 | 1176 | DSR per 100,000 | | |
| 4.14iii - Hip fractures in people aged 65 and over - aged 80+ (females) | 2013/14 | 1956 | DSR per 100,000 | | |
| 4.15i - Excess Winter Deaths Index (Single year, all ages) (persons) | Aug 2012 - Jul 2013 | 20.1 | Ratio | 1 | 1 |
| T.131 Licess willier Deaths mack (Single year, an ages) (persons) | Aug 2012 - | 20.1 | natio | l' | |
| 4.15i - Excess Winter Deaths Index (Single year, all ages) (males) | Jul 2013 | 17.5 | Ratio | | |
| (3 / / / 300/ (3 00/) | Aug 2012 - | | | | |
| 4.15i - Excess Winter Deaths Index (Single year, all ages) (females) | Jul 2013 | 22.6 | Ratio | | |
| | Aug 2012 - | | | l . | |
| 4.15ii - Excess Winter Deaths Index (single year, ages 85+) (persons) | Jul 2013 | 28.2 | Ratio | 1 | 1 |
| 4 15ii Eyeasa Winter Dootha Indov (single year ages 95 t) (males) | Aug 2012 - | 26.7 | Detie | | |
| 4.15ii - Excess Winter Deaths Index (single year, ages 85+) (males) | Jul 2013 | 26.7 | Ratio | <u> </u> | 1 |

| | Aug 2012 - | | | | |
|---|------------|------|-------|----------|----------|
| 4.15ii - Excess Winter Deaths Index (single year, ages 85+) (females) | Jul 2013 | 29.1 | Ratio | | |
| | Aug 2010 - | | | | |
| 4.15iii - Excess Winter Deaths Index (3 years, all ages) (persons) | Jul 2013 | 17.4 | Ratio | 1 | 1 |
| | Aug 2010 - | | | | |
| 4.15iii - Excess Winter Deaths Index (3 years, all ages) (males) | Jul 2013 | 15.5 | Ratio | | |
| | Aug 2010 - | | | | |
| 4.15iii - Excess Winter Deaths Index (3 years, all ages) (females) | Jul 2013 | 19.3 | Ratio | | |
| | Aug 2010 - | | | | |
| 4.15iv - Excess Winter Deaths Index (3 years, ages 85+) (persons) | Jul 2013 | 24.1 | Ratio | 1 | 1 |
| | Aug 2010 - | | | | |
| 4.15iv - Excess Winter Deaths Index (3 years, ages 85+) (males) | Jul 2013 | 23.2 | Ratio | | |
| | Aug 2010 - | | | | |
| 4.15iv - Excess Winter Deaths Index (3 years, ages 85+) (females) | Jul 2013 | 24.6 | Ratio | | |
| 4.16 - Estimated diagnosis rate for people with dementia | 2013/14 | 52.5 | % | | |