

# **GP In Hours**

Syndromic Surveillance System: England

#### 23 August 2016

#### Year: 2016 Week: 33

### Key messages

Data to: 21 August 2016

GP consultations for measles decreased slightly during week 33 (figure 14). The highest rates remain in the South West and London although rates decreased in the South West during week 33 (figure 14a).

Consultations for pertussis remain above seasonal levels (figure 16).

A Heat-Health Watch system operates in England from 1 June to 15 September each year. As part of the Heatwave Plan for England, the PHE Real-time Syndromic Surveillance team will be routinely monitoring the public health impact of hot weather using syndromic surveillance data during this period. Heat-health watch level (current reporting week): Level 1 Summer preparedness

http://www.metoffice.gov.uk/weather/uk/heathealth/

#### Diagnostic indicators at a glance:

U	0		
	Indicator	Trend	Level
Upper	respiratory tract infection	decreasing	below baseline levels
	Influenza-like illness	no trend	similar to baseline levels
	Pharyngitis	decreasing	similar to baseline levels
	Scarlet fever	no trend	similar to baseline levels
Lower	respiratory tract infection	decreasing	similar to baseline levels
	Pneumonia	no trend	above baseline levels
	Gastroenteritis	no trend	below baseline levels
	Vomiting	no trend	similar to baseline levels
	Diarrhoea	no trend	similar to baseline levels
	Severe asthma	decreasing	similar to baseline levels
	Wheeze	decreasing	above baseline levels
	Conjunctivitis	decreasing	below baseline levels
	Mumps	no trend	below baseline levels
	Measles	decreasing	similar to baseline levels
	Rubella	no trend	similar to baseline levels
	Pertussis	decreasing	above baseline levels
	Chickenpox	no trend	below baseline levels
	Herpes zoster	no trend	similar to baseline levels
	Cellulitis	no trend	similar to baseline levels
	Impetigo	no trend	below baseline levels
	Allergic rhinitis	no trend	similar to baseline levels
	Heat/sunstroke	no trend	similar to baseline levels
-	Insect Bites	no trend	above baseline levels

#### GP practices and denominator population:

Y	'ear	Week	GP Practices Reporting**	Population size**
2	016	33	4477	34.8 million

\*\*based on the average number of practices and denominator population in the reporting working week.

### In This Issue:

Key messages.

Diagnostic indicators at a glance.

GP practices and denominator population.

National syndromic indicators.

Notes and further information.

Appendix.

## Dublic Health England

#### 23 August 2016

#### 1: Upper respiratory tract infection (URTI)

Daily incidence rate (and 7-day moving average\*) per 100,000 population (all England, all ages).

#### 2: Influenza-like illness (ILI)

18

16

14

12

10

8

6

4

2

0

23/08/15 20/09/15

18/10/15

weekend

15/11/15

13/12/15

bank holidav

10/01/16

07/02/16

7 day moy ava

06/03/16

03/04/16

----- baseline (2010-13)

01/05/16

29/05/16

26/06/16 24/07/16 21/08/16

Influenza-like illness

Daily rate per 100,000 population

Daily incidence rates (and 7-day moving average\*) per 100,000 population (all England, all ages).


Daily incidence rates


3: Pharyngitis or


scarlet fever

(and 7-day moving average\*) per 100,000 population (all England, all ages).

\* 7-day moving average adjusted for bank holidays.







### **GP In Hours**


Year: 2016 Week: 33


#### 4: Scarlet fever

Daily incidence rate (and 7-day moving average\*) per 100,000 population (all England, based on a population denominator of approximately 5.5 million patients).



Average daily incidence rate by week per 100,000 population (all England) based on a population denominator of approximately 5.5 million patients).






#### 5: Lower respiratory tract infection (LRTI)

Daily incidence rate

(and 7-day moving average\*) per 100,000 population (all England,

\* 7-day moving average adjusted for bank holidays.



### Nublic Health England

#### 23 August 2016

#### 6: Pneumonia

Daily incidence rate (and 7-day moving average\*) per 100,000 population (all England, all ages).


#### 7: Gastroenteritis


Daily incidence rate (and 7-day moving average\*) per 100,000 population (all England, all ages).




Daily incidence rate (and 7-day moving average\*) per 100,000 population (all England, all ages).

\* 7-day moving average adjusted for bank holidays.







#### 8a: Vomiting by age

100

90

80

70

60 50


40

100,000 registered GP patients

Average daily incidence rate by week per 100,000 population (all England).


#### 9: Diarrhoea

Daily incidence rate (and 7-day moving average\*) per 100,000 population (all England, all ages).



Average daily incidence rate by week per 100,000 population (all England).

\* 7-day moving average adjusted for bank holidays.



10/01/16 07/02/16 06/03/16 03/04/16 01/05/16 29/05/16 26/06/16 24/07/16 21/08/16

Wheeze

----- baseline (2009-13)

### **GP In Hours**

#### Year: 2016 Week: 33



10a: Severe asthma by

age

### 11: Wheeze

Daily incidence rate (and 7-day moving average\*) per 100,000 population (all England, all ages).

\* 7-day moving average adjusted for bank holidays.

2


23/08/15 20/09/15 18/10/15 15/11/15

weekend

13/12/15

bank holiday

7 day mov avg





all ages).

#### 10: Severe asthma

Daily incidence rate

(and 7-day moving average\*) per 100,000

population (all England,

6.0

#### 11a: Wheeze by age

50

45

40

35

30 25 20

rate per 100,000 registered GP patients

Average daily 15 10

0

0

0.50

23/08/15 20/09/15

18/10/15

weekend

15/11/15

13/12/15

bank holiday

bank holidav

-

weekend

10/01/16

07/02/16

- 7 day mov avg

06/03/16

03/04/16

----- baseline (2009-13)

01/05/16


29/05/16

26/06/16

Conjunctivitis

24/07/16 21/08/16

Average daily incidence rate by week per 100,000 population (all England).




2015

#### 13: Mumps

all ages).

Daily incidence rate (and 7-day moving average\*) per 100,000 population (all England, all ages).

\* 7-day moving average adjusted for bank holidays.



35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33

Year 

2016

### **GP In Hours**

21/08/16

## Dublic Health England

#### 23 August 2016

#### 14: Measles

Daily incidence rate (and 7-day moving average\*) per 100,000 population (all England, all ages).

#### 14a: Measles by PHE Centre

Average daily incidence rate by week per 100,000 population (using geographical boundaries of the 9 PHE centres).



Daily incidence rate (and 7-day moving average\*) per 100,000 population (all England, all ages).


\* 7-day moving average adjusted for bank holidays.




8

### **GP In Hours**


(ear: 2016 Week: 33





#### 16: Pertussis

Daily incidence rate (and 7-day moving average\*) per 100,000 population (all England, all ages).




#### 17: Chickenpox


Daily incidence rate (and 7-day moving average\*) per 100,000 population (all England, all ages).

#### 18: Herpes zoster

Daily incidence rate (and 7-day moving average\*) per 100,000 population (all England, all ages).

\* 7-day moving average adjusted for bank holidays.





### **GP In Hours**


Year: 2016 Week: 33

#### 19: Cellulitis

Daily incidence rate (and 7-day moving average\*) per 100,000 population (all England, all ages).


### 20: Impetigo

Daily incidence rate (and 7-day moving average\*) per 100,000 population (all England, all ages).




Daily incidence rate (and 7-day moving average\*) per 100,000 population (all England, all ages).

\* 7-day moving average adjusted for bank holidays.







### **GP In Hours**

/ear: 2016 Week: 33

戀

Public Health England

## 21a: Allergic rhinitis by age

Average daily incidence rate by week per 100,000 population (all England).

#### 22: Heat/sunstroke

Daily incidence rate (and 7-day moving average\*) per 100,000 population (all England, all ages).


22a: Heat/sun stroke by age


Average daily incidence rate by week per 100,000 population (all England).

Average daily

0

2015





35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33

Year - Week

2016

### Nublic Health England


#### 23 August 2016

#### 23: Insect Bites

Daily incidence rate (and 7-day moving average\*) per 100,000 population (all England, all ages).


## 23a: Insect bites by age

Average daily incidence rate by week per 100,000 population (all England).



# GP In Hours

'ear: 2016 Week: 33



Intentionally left blank.

23 August 2016	Year: 2016 Week: 33
Notes and further information	<ul> <li>The Public Health England GP in hours surveillance system is a syndromic surveillance system monitoring community-based morbidity recorded by GP practices.</li> </ul>
	<ul> <li>GP consultation data are analysed on a daily basis to identify national and regional trends. A statistical algorithm underpins each system, routinely identifying activity that has increased significantly or is statistically significantly high for the time of year. Results from these daily analyses are assessed by the ReSST, along with analysis by age group, and anything deemed of public health importance is alerted by the team.</li> </ul>
	• This system captures anonymised GP morbidity data from two GP clinical software systems, EMIS, from version 1 of the QSurveillance® database, and TPP SystmOne.
	<ul> <li>Historic baselines are smoothed to remove bank holiday effects. Data from 2009 has been excluded for selected indicators which were affected by the H1N1 influenza pandemic. No baseline is currently included for allergic rhinitis.</li> </ul>
Maps:	• From week 40 2015 the influenza-like illness thresholds illustrated in the bulletin appendix maps are calculated using the "Moving Epidemic Method" (MEM). <sup>1</sup> MEM is used as a standard methodology for setting influenza surveillance thresholds across Europe. <sup>2</sup>
	<ul> <li>The ILI thresholds have been calculated separately for each of the nine PHE Centres to allow for structural differences between areas e.g. background rates are historically higher in London than other areas of England.</li> </ul>
	• The current ILI thresholds are based on six previous influenza seasons (excluding the 2009/10 H1N1 pandemic). In future, thresholds will be recalculated each year incorporating the latest season's data.
	<ul> <li>The maps on the following pages contains Ordnance Survey data © Crown copyright and database right 2014. Contains National Statistics data © Crown copyright and database right 2014.</li> </ul>
	<ul> <li><sup>1</sup> Vega T et al. <i>Influenza Other Respir Viruses</i>. 2013;7(4):546-58.</li> <li><sup>2</sup> Green HK et al. <i>Epidemiol Infect</i>. 2015;<b>143</b>(1):1-12.</li> </ul>
Acknowledgements:	We thank and acknowledge the University of Nottingham, ClinRisk <sup>®</sup> and the contribution of EMIS and EMIS practices. Data source: version 1 of the QSurveillance® database.
	We thank TPP, ResearchOne and the SystmOne GP practices contributing to this surveillance system.
	GP In Hours Syndromic Surveillance System Bulletin.
<b>Contact ReSST:</b> syndromic.surveillance @phe.gov.uk	Produced by: PHE Real-time Syndromic Surveillance Team         6 <sup>th</sup> Floor, 5 St Philip's Place, Birmingham, B3 2PW         Tel: 0344 225 3560 > Option 4 > Option 2         Fax: 0121 236 2215         Web: <a href="https://www.gov.uk/government/collections/syndromic-surveillance-systems-and-analyses">https://www.gov.uk/government/collections/syndromic-surveillance-systems-and-analyses</a>