Public Health England

GP OOHSS

GP Out-of-Hours Surveillance System: England

02 February 2016

Year: 2016 Week: 04

In This Issue:

Key Messages. Weekly summary. Total contacts. Syndromic indicators. Notes and caveats. Further information. Acknowledgements.

Key messages

Key indicator

Pharyngitis

Diarrhoea

Vomiting

Gastroenteritis

All OOH contacts, all causes

Difficulty breathing/wheeze/asthma

Acute respiratory infection

Influenza-like illness

Myocardial infarction

Bronchitis/bronchiolitis

Data to: 31 January 2016

%

Week 04

20.69

0.47

0.34

2.46

0.12

4.03

0.94

1.45

1.12

%

Week 03

19.44

0.41

0.29

2.70

0.11

3.85

0.87

1.48

1.05

Trend*

个

个

←→ \leftrightarrow

←→

←→ ←→

←→

Acute respiratory infection consultations increased during week 4 (figure 2), in all age groups under 65 years (figure 2a).

Consultations for influenza-like illness increased with the highest consultations in adults aged 15-64 years (figures 3 & 3a).

A Cold Watch System operates in England from 1 November to 31 March each year. As part of the Public Health England Cold Weather Plan for England the PHE Real-time Syndromic Surveillance team will be monitoring the impact of cold weather on syndromic surveillance data during this period. Cold weather alert level (current reporting week): Level 1 Winter Preparedness and Action http://www.metoffice.gov.uk/weather/uk/coldweathe

No. of

contacts

198,131

19,003

434

311

114

868

2,264

3,700

1.330

1.031

Number of contacts and

Syndromic indicators	
at a glance:	

percentage of Read coded contacts.

70.000 60,000 50,000 lumber of contacts 40,000 30,000 20,000 10.000

*Trend: reports on the trend seen over previous weeks in the percentage of Read coded contacts.

1: Total out-of-hours contacts:


Daily total number of out-of-hours and unscheduled contacts and 7 day average (adjusted for bank holidays).


\$\$

Public Health England


2: Acute Respiratory Infection daily contacts.


Shown as a percentage of the total contacts with a Read code and as a 7 day average*.







Shown as a percentage of the total contacts with a Read code and as a 7 day average*.










GP OOHSS

Year: 2016 Week: 04



GP OOHSS

Year: 2016 Week: 04





GP OOHSS

Year: 2016 Week: 04

5: Difficulty breathing/ wheeze/asthma daily contacts.


Shown as a percentage of the total contacts with a Read code and as a 7 day average*.







Shown as a percentage of the total contacts with a Read code and as a 7 day average*.

*7-day moving average adjusted for bank holidays.







WW Public Health England


02 February 2016

7: Gastroenteritis daily contacts

Shown as a percentage of the total contacts with a Read code and as a 7 day average*.


8: Diarrhoea daily contacts.

Shown as a percentage of the total contacts with a Read code and as a 7 day average*.



Shown as a percentage of the total contacts with a Read code and as a 7 day average*.

*7-day moving average adjusted for bank holidays.




GP OOHSS

Year: 2016 Week: 04

GP OOHSS

10: Myocardial Infarction daily contacts.

Shown as a percentage of the total contacts with a Read code and as a 7 day average*.



Intentionally left blank.

Intentionally left blank.

*7-day moving average adjusted for bank holidays.

GP OOHSS

02 February 2016	Year: 2016 Week: 04
Notes and caveats:	 This bulletin presents data from the Public Health England (PHE) GP Out-of- hours\Unscheduled Care Surveillance System (GP OOHSS).
	 Fully anonymised data from GP out-of-hours (OOH) and unscheduled care service providers in England are being transferred to the PHE for analysis and interpretation by the PHE Real-time Syndromic Surveillance Team (ReSST).
	 This new system supplements existing PHE syndromic surveillance systems by monitoring data on general practitioner consultations outside of routine surgery opening times (evenings, weekends and bank holidays) and unplanned contacts within NHS primary care.
	• The key indicators presented within this bulletin are derived by grouping selected Read coded consultations.
	• GP OOH consultation data are analysed on a daily basis to identify national and regional trends. A statistical algorithm underpins each system, routinely identifying activity that has increased significantly or is statistically significantly high for the time of year. Results from these daily analyses are assessed by the ReSST, along with analysis by age group, and anything deemed of public health importance is alerted by the team.
Further information:	The GP Out-of-Hours Surveillance System Bulletin can also be downloaded from the PHE Real-time Syndromic Surveillance website which also contains more information about syndromic surveillance:
	https://www.gov.uk/government/collections/syndromic-surveillance-systems-and-analyses
Acknowledgements:	We are grateful to Advanced Health and Care and the GP out-of-hours and unscheduled care service providers who have kindly agreed to participate in this system.
	PHE Out-of-Hours/Unscheduled Care Surveillance
Contact Bass	Produced by: PHE Real-time Syndromic Surveillance Team 6 [∞] Floor, 5 St Philip's Place, Birmingham, B3 2PW
Contact ReSST: syndromic.surveillance	Tel: 0344 225 3560 > Option 4 > Option 2 Fax: 0121 236 2215 Web: https://www.gov.uk/government/collections/syndromic-surveillance-systems-and

7