

12 BIBLIOGRAPHY

- Akvaplan-NIVA (2002) Environmental baseline survey of the Faroe offshore licence areas 001 – 004 in the Faroe – Shetland Channel. Report to Faroes Oil Industry Group.
- ACOPS (Advisory Committee on Protection of the Sea) (2004). Annual survey of reported discharges attributed to vessels and offshore oil and gas installations operating in the United Kingdom Pollution Control Zone.
- Allen PL & Rees EIS (1999). ISSIA (Irish Sea Seabed Image Archive) A directory of seabed camera studies in the Irish Sea. School of Ocean Sciences, University of Wales, Bangor report to the Department of the Environment, Transport and the Regions, 82pp and CD.
- Andrews JH & Standring KT (1979). *Marine pollution and birds*. Royal Society for the Protection of Birds, Sandy.
- Anon (2004). Report of the Working Group on Cephalopod Fisheries and Life History (WGCEPH). ICES Living Resources Committee. ICES CM 2004/G:02.
- Anwar NA, Richardson CA & Seed R (1990). Age determination, growth rate and population structure of the horse mussel (*Modiolus modiolus*). *Journal of the Marine Biological Association of the UK* **70**: 441-457.
- Axelsson MB (2003). The deep seabed environment of the UK continental margin – integration and interpretation of geological and biological data. Doctor of Philosophy thesis, University of Southampton, December 2003.
- Baggott SL, Brown L, Milne R, Murrells TP, Passant N & Thistlethwaite DG (2005). Greenhouse Gas Inventories for England, Scotland, Wales and Northern Ireland: 1990 – 2003. A report to the UK Department for Environment, Food and Rural Affairs (Global Atmosphere Division) and the Devolved Administrations, by the National Environmental Technology Centre, AEA Technology. http://www.naei.org.uk/data_warehouse.php
- Bain MB, Irving JS, Olsen RD, Stun EA & Witmer GW. (1986). Cumulative Impact Assessment: Evaluating the Environmental Effects of Multiple Human Developments. Argonne National Laboratory, Argonne, IL. ANIJEES.
- Baines ME & Earl SJ (1998). Breeding seabird surveys of south-west Wales colonies 1996-1998. Report no. PR1FBC. CCW Sea Empress Contract Report, 74pp plus appendix.
- Baines ME, Reichelt M, Evans PGH & Shepherd B (2002). Comparison of the abundances and distribution of harbour porpoise (*Phocoena phocoena*) and bottlenose dolphins (*Tursiops truncatus*) in Cardigan Bay, UK. Abstracts, 16th Annual Conference of the European Cetacean Society, 7-11th April, Liège, Belgium, pp12-13.
- Barlow MJ & Kingston PF (2001). Observations on the effects of barite on the gill tissues of the suspension feeder *Cerastoderma edule* (Linné) and the deposit feeder *Macoma balthica* (Linné). *Marine Pollution Bulletin* **42**: 71-76.
- Barne JH, Robson CF, Kaznowska SS, Doody JP & Davidson NC (1996). Coasts and Seas of the United Kingdom, Region 13 Northern Irish Sea: Colwyn Bay to Stranraer, including the Isle of Man. Joint Nature Conservation Committee, Peterborough, 278pp plus appendices.
- Barton C & Pollock C (2004). Review of the potential impacts of offshore wind farms on migratory and overwintering swans and geese in the SEA 5 area. A report to the DTI, 39pp.
- Barton C & Pollock C (2005a). A review of inshore seabird distribution and abundance in SEA areas 6, 7 & 8. A report to the DTI, 151pp plus appendices.
- Barton C & Pollock C (2005b). A review of overwintering swans and geese in the SEA 6, 7 & 8 areas. A report to the DTI, 42pp plus appendices.
- Batten SD, Allen RJS & Wotton COM (1998). The effects of the Sea Empress oil spill on the plankton of the southern Irish Sea. *Marine Pollution Bulletin* **36**: 764-774.

BBC News website (accessed 18th August 2005)

<http://www.bbc.co.uk/1/hi/wales/4162578.stm>

Beardall J, Foster P, Voltolina D & Savidge G (1982). Observations on the surface water characteristics in the western Irish Sea July 1977. *Estuarine, Coastal and Shelf Science* **14**: 589-598.

Beaugrand G, Brander KM, Lindley JA, Souissi S & Reid PC (2003). Plankton effect on cod recruitment in the North Sea. *Nature* **426**: 661-664.

Beaugrand G & Reid PC (2003). Long-term changes in phytoplankton, zooplankton and salmon related to climate. *Global Change Biology* **9**: 801–817.

BECPELAG (ICES Biological Effects Monitoring in Pelagic Ecosystems workshop) website

www.iis.niva.no/PELAGIC/web/participants_only/wrapup%20conference/overview.htm

Begg GS & Reid JB (1997). Spatial variation in seabird density at a shallow sea tidal front in the Irish Sea. *ICES Journal of Marine Science* **54**: 552-565.

Belderson RH (1964). Holocene sedimentation in the western half of the Irish Sea. *Marine Geology* **2**: 147-163.

Bell MC (1995). *Pectenogammarus planicrurus* - there is life in gravel beaches. Porcupine Newsletter **6**: 41-47.

Berrow S, Holmes B & Goold J (2002). The distribution and intensity of ambient and point source noises in the Shannon estuary. Final report to the Heritage Council. http://www.shannondolphins.ie/downloads/Berrow_SourceNoisesShannonEstuary.pdf

Berrow S, Whooley P & Ferriss S (2001). Irish Whale and Dolphin Group cetacean sighting schemes. Final report to the Heritage Council.

Betti M, Aldave de las Heras L, Janssens A, Henrich E, Hunter G, Gerchikov M, Dutton M, van Weers AW, Nielsen S, Simmonds J, Bexon A & Sazykina T (2004). Results of the European Commission Marina II Study Part II - effects of discharges of naturally occurring radioactive material. *Journal of Environmental Radioactivity* **74**: 255-277.

BHP Billiton (2001). Liverpool Bay oil and gas production operations – Environmental Statement. BHP Billiton Petroleum Ltd. September 2001, 148pp.

BMAPA website (accessed August 2005)

<http://www.bmapa.org>

BMAPA & English Heritage (2003). Marine Aggregate Dredging and the Historic Environment: guidance note. British Marine Aggregate Producers Association and English Heritage.

Boelens RGV, Maloney DM, Parsons AP & Walsh AR (1999). Ireland's marine and coastal areas and adjacent seas: an environmental assessment. Prepared by the Marine Institute for the Department of Environment and Local Government and the Department of Marine and Natural Resources, Ireland.

Bowden KF (1980). Physical and dynamical oceanography of the Irish Sea. In: FT Banner, WB Collins & KS Massie Eds. *The north-west European shelf seas: the seabed and the sea in motion. II Physical and chemical oceanography and physical resources*. Elsevier, Amsterdam, Oxford and New York, pp. 391-413.

Boyle PR (1990). Cephalopod biology in the fisheries context. *Fisheries Research* **8**: 303-321.

Bradshaw C, Collins P & Brand AR (2003). To what extent does upright sessile epifauna affect benthic biodiversity and community composition? *Marine Biology, Berlin* **143**: 783-791.

Branson A (1997). Cetaceans and sea life. *British Wildlife* **8**: 250.

- Breen JP & Service M (2002). Benthic diversity in Belfast Lough. In: JD Nunn Ed. *Marine Biodiversity in Ireland and adjacent waters*. Proceedings of a Conference 26-27 April 2001, Belfast, pp. 163-164. MAGNI Publication 008, Ulster Museum.
- Bristow T & Rees EIS (2001). Site fidelity and behaviour of bottlenose dolphins (*Tursiops truncatus*) in Cardigan Bay, Wales. *Aquatic Mammals* **27**: 1-10.
- British Nuclear Fuels website (accessed March 2005)
<http://www.bnfl.com>
- British Wind Energy website (accessed August 2005)
<http://www.offshorewindfarms.co.uk>
- Burton MD, Lock K & Newman PB (2003). Yellow trumpet anemone (*Parazoanthus axinellae*) Skomer MNR Monitoring Method Development. CCW West Area Report No. 14. Countryside Council for Wales.
- Bustamante P, Caurant F, Fowler SW & Miramand P (1998). Cephalopods as a vector for the transfer of cadmium to top marine predators in the north-east Atlantic Ocean. *The Science of the Total Environment* **220**: 71-80.
- Cabinet Office (2004). Code of practice on written consultation.
- Cadw website (accessed August 2005)
<http://www.cadw.wales.gov.uk>
- Callaway R, Alsvåg J, de Boois I, Cotter J, Ford A, Hinz H, Jennings S, Kröncke I, Lancaster J, Piet G, Prince P & Ehrich S (2002). Diversity and community structure of epibenthic invertebrates and fish in the North Sea. *ICES Journal of Marine Science* **59**: 1199-1214.
- Canadian Environmental Assessment Agency (The 1999 Cabinet Directive on the Environmental Assessment of Policy, Plan and Program Proposals) website (accessed June 2005)
http://www.ceaa-acee.gc.ca/0011/0002/dir_e.htm#Guidelines
- Canter LW & Kamath J (1995). Questionnaire checklist for cumulative impacts. *Environmental Impact Assessment Review* **15**: 311- 339.
- Capuzzo (1987). Biological effects of petroleum hydrocarbons: assessments from experimental results. In: DF Boesch & NN Rabalais Eds. *Long-term environmental effects of offshore oil and gas development*. Elsevier, UK, pp. 343-410.
- Carr AF (1987). New perspectives on the pelagic stage of marine turtle development. *Conservation Biology* **1**: 103-121.
- Carvalho FP & Fowler SW (1993). An experimental study on the bioaccumulation and turnover of polonium-210 and lead-210 in marine shrimp. *Marine Ecology Progress Series* **102**: 125-133.
- Caurant F & Amiard-Triquet C (1995). Cadmium contamination in pilot whales *Globicephala melas*: source and potential hazard to the species. *Marine Pollution Bulletin* **30**: 207-210.
- CEFAS (Centre for Environment, Fisheries and Aquaculture Science) (2001). Monitoring and surveillance of non-radioactive contaminants in the aquatic environment and activities regulating the disposal of wastes at sea, 1998. Aquatic Environment Monitoring Report No. 53. 75pp.
- CEFAS (Centre for Environment, Fisheries and Aquaculture Science) (2003). Monitoring of the quality of the marine environment, 2000-2001. Aquatic Environment Monitoring Report No. 56. 39pp
- CEFAS (Centre for Environment, Fisheries and Aquaculture Science) (2005). Provision of fishing activity data for the DTI Strategic Environmental Assessment No. 6. Report to the DTI by CEFAS, 22pp.

CEFAS (Centre for Environment, Fisheries and Aquaculture Science) website (accessed March 2005)

<http://www.cefas.co.uk>

Charmasson S, Barker E, Calmet D, Pruchon AS & Thébault H (1999). Long-term variations of man-made radionuclide concentrations in a bio-indicator *Mytilus galloprovincialis* from the French Mediterranean coast. *The Science of the Total Environment* **237/238**: 93-103.

Cherry RD, Heyraud M & James AG (1989). Diet prediction in common clupeoid fish using polonium-210 data. *Journal of Environmental Radioactivity* **10**: 47-65.

Clarke MR (1996). Cephalopods as prey. III. Cetaceans. *Philosophical Transactions of the Royal Society London Series B* **351**: 1053-1065.

Collins MA & Pierce GJ (1996). Size selectivity in the diet of *Loligo forbesi* (Cephalopoda: Loliginidae). *Journal of the Marine Biological Association of the United Kingdom* **76**: 1081-1090.

Collins MA, Burnell GM & Rodhouse PG (1995). Distribution and demography of *Loligo forbesi* in the Irish Sea. *Biology and Environment: Proceedings of the Royal Irish Academy* **95B**: 49-57.

Colombé SD, Johnston P & Bullock I (1998). Oil contamination of gannets and their nests on Grassholm, subsequent to the Sea Empress oil spill. Report no. PR11D6. Countryside Council for Wales Sea Empress Contract Report, 18pp.

Common Fisheries Policy website (accessed August 2005)

http://europa.eu.int/comm/fisheries/reform/index_en.htm

Countryside Council for Wales (CCW) website (accessed August 2005)

<http://www.ccw.gov.uk>

Coull KA, Johnstone R & Rogers SI (1998). Fisheries Sensitivity Maps in British Waters. United Kingdom Offshore Operators Association.

Covey R (1998). *Marine Nature Conservation Review. Sector 11. Liverpool Bay and the Solway Firth: area summaries*. Joint Nature Conservation Committee (Coasts and seas of the United Kingdom. MNCR series), Peterborough, 106pp.

Craddock DM & Stroud DA (1996). Other breeding birds. In: JH Barne, CF Robson, SS Kaznowska, JP Doody & NC Davidson Eds. *Coasts and seas of the United Kingdom. Region 13 Northern Irish Sea: Colwyn Bay to Stranraer, including the Isle of Man*. Joint Nature Conservation Committee, Peterborough, pp. 135-139.

Craig S (1996). Total mercury concentration in the cephalopods, *Loligo forbesi* (Steenstrup), *Todaropsis eblanae* (Ball), and *Todarodes sagittatus* (Lamarck). Zoology Honours Thesis. University of Aberdeen.

Cranford PJ & Gordon DC Jr (1992). The influence of dilute clay suspensions on sea scallop (*Placopecten magellanicus*) feeding activity and tissue growth. *Netherlands Journal of Sea Research* **30**: 107-120.

Cranford PJ, Gordon DC Jr, Lee K, Armsworthy SL & Tremblay GH (1999). Chronic toxicity and physical disturbance effects of water- and oil-based drilling fluids and some major constituents on adult sea scallops (*Placopecten magellanicus*). *Marine Environmental Research* **48**: 225-256.

Cranmer G (1988). Environmental survey of the benthic sediments around three exploration well sites. Aberdeen University Marine Studies Ltd. Report No 88/02 to the United Kingdom Offshore Operators Association, 33pp plus figures and appendices.

Cranswick P (2003). Status and distribution of common scoter *Melanitta nigra* and velvet scoter *M. fusca* in the United Kingdom.

<http://www.wwt.org.uk/threatsp/scoter/downloads/UK%20Scoter%20status%20cranswick.pdf>

Cranswick PA, Hall C & Smith L (2004). All Wales common scoter survey: report on 2002/03 work programme. Countryside Council for Wales Contract Science Report no. 615. Report to Countryside Council for Wales, 68pp.

Cronin M, Duck C, O’Cadhla O, Nairn R, Strong D & O’Keefe C (2004). Harbour seal population assessment in the Republic of Ireland, August 2003. Irish Wildlife Manuals, No. 11. National Parks and Wildlife Service, Department of Environment, Heritage and Local Government, Dublin, Ireland, 39pp.

Croxall JP & Prince PA (1996). Cephalopods as prey. I. Seabirds. *Philosophical Transactions of the Royal Society London Series B* **351**: 1023-1043.

Daan R & Mulder M (1996). On the short-term and long-term impact of drilling activities in the Dutch sector of the North Sea. *ICES Journal of Marine Science* **53**: 1036-1044.

Dale JD, Larter S, Aplin AC & MacLeod G (1995). In: JO Grimalt & C Dorransorro Eds. *Organic Geochemistry: Developments and applications to energy, climate, environment and human history*. AIGOA, San Sebastian, Spain, pp. 396–398.

Daly HI, Pierce GJ, Santos MB, Royer J, Cho SK, Stowasser G, Robin JP & Henderson S (2001). Cephalopod consumption by fish in UK waters. *Fisheries Research* **52**: 51-64.

DARDNI (Department of Agriculture and Rural Development in Northern Ireland) website (accessed August 2005)

<http://www.dardni.gov.uk/fisheries>

Davis RA, Thompson DH & Malme CI (1998). Environmental assessment of seismic exploration on the Scotian Shelf. Prepared by LGL Limited Environmental Research Associates, King City, Ontario for Canada/Nova Scotia Offshore Petroleum Board, Halifax, Nova Scotia. 181pp.

Dean BJ, Webb A, McSorley CA & Reid JB (2003). Aerial surveys of UK inshore areas for wintering seaduck, divers and grebes: 2000/01 and 2001/02. Joint Nature Conservation Committee Report, No. 333. Peterborough.

Dee Estuary Birding website (accessed August 2005)

<http://deestuary.co.uk>

DEFRA (Department for Environment, Food and Rural Affairs) (2000). Quality Status Report of the Marine and Coastal Areas of the Irish Sea and Bristol Channel 2000. DEFRA website (accessed May 2005)

<http://www.defra.gov.uk/environment/water/marine/uk/science/irishbristol/03.htm>

DEFRA (Department for Environment, Food and Rural Affairs) (2003). UK Sea Fisheries Statistics. DEFRA website (accessed March 2005)

<http://statistics.defra.gov.uk/esg/publications/fishstat/2003/dafulat.asp>

DEFRA (2005a). Charting progress: An integrated assessment of the state of the UK seas. A joint report published by the Department for Environment, Food and Rural Affairs, London, 130pp.

DEFRA (2005b). Securing the benefits: the joint UK response to the Prime Minister’s Strategy Unit Net Benefits report on the future of the fishing industry in the UK. A joint report published by the Department for Environment, Food and Rural Affairs, London, 59pp.

DEFRA (Department for Environment, Food and Rural Affairs) website (accessed March 2005)

<http://www.defra.gov.uk>

De Groot SJ & Lindeboom HJ Eds. (1994). Environmental impact of bottom gear on benthic fauna in relation to natural resources management and protection of the North Sea. NIOZ Rapport 1994-11, Texel, The Netherlands.

Desholm M & Kahlert J (2005). Avian collision risk at an offshore wind farm. *Biology Letters* (in press).

DETR (1999). Identification of Marine Environmental Risk Areas (MEHRAs) in the UK.

<http://www.defra.gov.uk/environment/consult/mehra>

Dickey-Collas M, Brown J, Fernand L, Hill AE, Horsburgh KJ & Garvine RW (1997). Does the western Irish Sea gyre influence the distribution of pelagic juvenile fish? *Journal of Fish Biology* **51**: 209-229.

Dickey-Collas M, McQuaid N, Armstrong MJ, Allen M & Briggs RP (2000). Temperature-dependent stage durations of Irish Sea *Nephrops* larvae. *Journal of Plankton Research* **22**: 749-760.

Dragon website (accessed March 2005)

<http://www.dragonlng.co.uk/index.html>

DTI (Department for Trade and Industry) (2004). Atlas of UK marine renewable energy resources. A Strategic Environmental Assessment Report, December 2004. A report to the Department of Trade and Industry, 154pp.

DTI energy website (accessed March 2005)

<http://www.dti.gov.uk/energy/inform>

DTI offshore SEA website (accessed September 2005)

<http://www.offshore-sea.org.uk>

DTI oil and gas website

<http://www.og.dti.gov.uk>

DTI renewables website (accessed August 2005)

<http://www.dti.gov.uk/renewables>

DTI (2003). Strategic Environmental Assessment of the Area North and West of Orkney and Shetland SEA 4. Consultation Document. Report to the Department of Trade and Industry.

Dunn E & Steel C (2001). The impact of longline fishing on seabirds in the north-east Atlantic: recommendations for reducing mortality. Report for joint project between: Royal Society for the Protection of Birds, Norwegian Ornithological Society, Birdlife International and Joint Nature Conservation Committee, 66pp plus appendices.

E&P Forum (1994). North Sea produced water: Fate and effects in the marine environment. Exploration and Production Forum Report No. 2.62/204. May 1994. 48pp.

Earl S, Sheen E & Benson C (2004). The short-beaked common dolphin *Delphinus delphis* and other cetaceans in Pembrokeshire waters and the southern Irish Sea. A report to the Countryside Council for Wales, 43pp.

Eaton MA, Noble DG, Hearn RD, Grice PV, Gregory RD, Wotton S, Ratcliffe N, Hilton GM, Rehfisch MM, Crick HQP & Hughes J (2005). The state of the UK's birds 2004. Joint annual report by BTO, RSPB, WWT, CCW, EN, EHS and SNH, Sandy, Bedfordshire, 14pp.

Eckert KL (1995). Leatherback sea turtle, *Dermochelys coriacea*. In: PT Plotkin Ed. *National Marine Fisheries Service and US Fish and Wildlife Service status reviews for sea turtles listed under the Endangered Species Act of 1973*. National Marine Fisheries Service, Maryland, USA, pp. 37-75.

Edwards M, Reid PC & Planque B (2001). Long-term and regional variability of phytoplankton biomass in the north-east Atlantic (1960–1995). *ICES Journal of Marine Science* **58**: 39–49.

EEMS (2005) Environmental Emissions Monitoring System Report for 2004. Learn-it

EEMS (2004) Environmental Emissions Monitoring System Report for 2003. Learn-it

- Elliott AJ & Clarke T (1991). Seasonal stratification in the north-west European shelf seas. *Continental Shelf Research* **11**: 467-492.
- Elliott AJ and Jones B (1993). Modelling the distribution of drill cuttings in the St George's Channel. University College of North Wales, Unit for Coastal and Estuarine Studies report U93-10 for Marathon Oil UK Ltd, 33pp.
- Ellis JR, Armstrong MJ & Rogers SI (2002). The distribution, structure and diversity of fish assemblages in the Irish Sea. In: JD Nunn Ed. Marine biodiversity in Ireland and adjacent waters. Ulster Museum, Belfast, pp. 93-114.
- Ellis JR & Rogers SI (2000). The distribution, relative abundance and diversity of echinoderms in the eastern English Channel, Bristol Channel and Irish Sea. *Journal of the Marine Biological Association of the United Kingdom* **80**: 127-138.
- Engås A, Lokkeborg S, Ona E & Sodal AV (1993). Effects of seismic shooting on catch and catch-availability of cod and haddock. *Fisken Og Havet* **9**: 1-177.
- Environment Agency & CEFAS (2004). Annual assessment of salmon stocks and fisheries in England and Wales 2003. Preliminary report prepared for ICES, March 2004, 76pp.
- Environment Agency (2003a). Our nation's fisheries; the migratory and freshwater fisheries of England and Wales – a snapshot. Environment Agency report, 51pp.
- Environment Agency (2003b). Salmonid and freshwater fisheries statistics for England and Wales, 2003. Environment Agency Annual Report, 21pp.
- Environment Agency website (accessed September 2005)
<http://www.environment-agency.gov.uk>
- EPAQS (1996). Expert Panel on Air Quality Standards, Nitrogen Dioxide. HMSO.
- Erwin DG, Picton BE, Connor DW, Howson CM, Gilleece P & Bogues MJ (1986). The Northern Ireland sublittoral survey. A report to the Conservation Branch of the Department of the Environment (N.I.). Ulster Museum, 127pp plus appendices.
- Etkin DS (1999). Historical overview of oil spills from all sources (1960-1998). Paper 169 at 1999 International Oil Spill Conference.
- Europa website (accessed August 2005)
<http://europa.eu.int/comm/fisheries>
- EUROPA website (accessed September 2005)
<http://europa.eu.in>
- Evans PGH (1988). Killer whales (*Orcinus orca*) in British and Irish waters. *Rit Fiskideildar* **11**: 42-54.
- Evans PGH, Anderwald P & Baines ME (2003). UK cetacean status review. Final report to English Nature and the Countryside Council for Wales. Sea Watch Foundation, Oxford, UK, 150pp.
- Faroes Oil Industry Group (FOÍB) website
<http://www.foib.fo/>
- Feely RA, Sabine CL, Lee K, Berelson W, Kleypas J, Fabry VJ & Millero FJ (2004). Impact of anthropogenic CO₂ on the CaCO₂ system in the ocean. *Science* **305**: 362–366
- Fernandes PG (1993). An investigation into the ecology of the western Irish Sea front. PhD thesis, University of Liverpool, UK, 442pp.
- Fisheries Research Service (FRS) (1998). Environmental monitoring of the seas around Scotland 1994-1997. Fisheries Research Service Marine Laboratory, Aberdeen, 47pp.
- Fisheries Research Services (FRS) (1996). Surveys of the Beaufort's Dyke explosives disposal site, November 1995 – July 1996. Fisheries Research Service final report, 104pp.

- Flather RA (1987). Estimates of extreme conditions of tide and surge using a numerical model of the north-west European continental shelf. *Estuarine, Coastal and Shelf Science* **24**: 69-93.
- Flemming NC (2005). The scope of Strategic Environmental Assessment of North Sea Area SEA 6 in regard to prehistoric archaeological remains. A report to the Department of Trade and Industry.
- Forteach GNR, Picken GB, Ralph R & Williams J (1982). Marine growth studies on the North Sea oil platform Montrose Alpha. *Marine Ecology Progress Series* **8**: 61-68.
- Fox AD & Stroud DA (2002). Greenland white-fronted goose. BWP Update Volume 4, No. 2.
- Frodello JP, Romeo M & Viale D (2000). Distribution of mercury in the organs and tissues of five toothed- whale species of the Mediterranean. *Environmental Pollution* **108**: 447-452.
- FRS (Fisheries Research Service) (2004). Scottish salmon and sea trout catches, 2003. Fisheries Research Services, Aberdeen. Annual report, 30pp.
- FRS (Fisheries Research Service) website (accessed March 2005)
<http://www.marlab.ac.uk>
- Furness RW & Monaghan P (1987). *Seabird ecology*. Blackie & Son.
- Furze MFA (2003). The Conservation of nationally Important marine geoscience sites: a feasibility study. Part 1: Reports A1 to A6. Prepared for the Joint Nature Conservation Committee by the Centre for Applied Marine Science, School of Ocean Sciences, University of Wales, Bangor. Contract Number: F90-01-600.
- Fyfe JA, Long D & Evans D (1993). United Kingdom offshore regional report: The geology of the Malin-Hebrides Sea area. HMSO, London.
- Gage JD, Roberts JM, Hartley JP & Humphery JD (2005). Potential impacts of deep-sea trawling on the benthic ecosystem along the northern European continental margin: a review. In: PW Barnes & JP Thomas (Eds). *Benthic habitats and the effects of fishing*. American Fisheries Society, Symposium 41, Bethesda, Maryland. pp. 503-517.
- Gibbons DW, Reid JB & Chapman RA (1993). *The new atlas of breeding birds in Britain and Ireland: 1988-1991*. T & AD Poyser, London.
- Godley B, Gaywood M, Law R, McCarthy C, McKenzie C, Patterson I, Penrose R, Reid R & Ross H (1998). Patterns of marine turtle mortality in British Waters 1992-96 with reference to tissue contaminant levels. *Journal of the Marine Biological Association of the United Kingdom* **78**: 973-984.
- Goff GP & Stenson GB (1988). Brown adipose tissue in leatherback sea turtles: a thermogenic organ in an endothermic reptile? *Copeia*: 1071-1075.
- Golding N, Vincent MA, & Connor DW (2004). Irish Sea Pilot - Report on the development of a Marine Landscape classification for the Irish Sea. Joint Nature Conservation Committee Report No. 346 to DEFRA.
- Goold JC (1996). Acoustic assessment of populations of common dolphin, *Delphinus delphis*, in conjunction with seismic surveying. *Journal of the Marine Biological Association of the U.K.* **76**: 811-820.
- Goold JC (1998). Acoustic assessment of populations of common dolphin off the West Wales Coast, with perspectives from satellite infra-red imagery. *Journal of the Marine Biological Association of the U.K.* **78**: 1353-1364.
- Goold JC & Fish PJ (1998). Broadband spectra of seismic survey air-gun emissions, with reference to dolphin auditory thresholds. *Journal of the Acoustical Society of America* **103**: 2177-2184.

- Gordon J & Moscrop A (1996). Underwater noise pollution and its significance for whales and dolphins. In: MP Simmonds and JD Hutchinson Eds. *The Conservation of Whales and Dolphins*. New York: Wiley and Sons. pp.281-319.
- Gordon JCD, Gillespie D, Potter J, Frantzis A, Simmonds M and Swift R (1998). The effects of seismic surveys on marine mammals. In: Seismic and Marine Mammals Workshop, 23-25 June 1998 (sponsored by AMJIG and IAGC).
- Gowen RJ & Bloomfield SP (1996). Chlorophyll standing crop and phytoplankton production in the western Irish Sea during 1992 and 1993. *Journal of Plankton Research* **18**: 1735-1751.
- Gowen RJ, Dickey-Collas M & McCullough GM (1997). The occurrence of *Calanus finmarchicus* (Gunnerus) and *Calanus helgolandicus* (Claus) in the western Irish Sea. *Journal of Plankton Research* **19**: 1175-1182.
- Gowen RJ, McCullough GM, Dickey-Collas M & Kleppel GS (1998). Copepod abundance in the western Irish Sea: relationship to physical regime, phytoplankton production and standing stock. *Journal of Plankton Research* **20**: 315-330.
- Graziano C (1988). Some observations on the plankton of the north Irish Sea. PhD Thesis, University of Liverpool, pp. 121.
- Greer AE, Lazell JD & Wright RM (1973). Anatomical evidence for counter-current heat exchanger in the leatherback turtle (*Dermochelys coriacea*). *Nature* **244**: 181.
- Gundlach ER & Hayes MO (1978). Vulnerability of coastal environments to oilspill impacts. *Marine Technology Society Journal* **12**: 18-27.
- HabMap website (accessed September 2005)
<http://www.habmap.org/>
- Hall-Spencer JM & Moore PG (2000). *Limaria hians* (Mollusca: *Limacea*): A neglected reef-forming keystone species. *Aquatic Conservation: Marine and Freshwater Ecosystems* **10**: 267-277.
- Hammond PS, Gordon J C D, Grellier K, Hall A J, Northridge S P, Thompson D & Harwood J (2001). Background information on marine mammals relevant to SEA 2. Technical report produced by the Sea Mammal Research Unit for Strategic Environmental Assessment – SEA 2.
- Hammond PS, Gordon J C D, Grellier K, Hall A J, Northridge S P, Thompson D & Harwood J (2002). Background information on marine mammals relevant to SEAs 2 and 3. Technical report produced by the Sea Mammal Research Unit for the Department of Trade and Industry.
- Hammond MER, Malvarez GC & Cooper A (2002). The distribution of *Spartina angelica* on estuarine mudflats in relation to wave-related hydrodynamic parameters. *Journal of Coastal Research, Special Issue* **36**: 352-355.
- Hammond PS, MacLeod K, Northridge SP, Thompson D & Matthiopoulos J (2003). Background information on marine mammals relevant to Strategic Environmental Assessment 4. Sea Mammal Research Unit, Gatty Marine Laboratory, University of St Andrews, St Andrews, Fife.
- Hammond PS, Northridge SP, Thompson D, Gordon JCD, Hall AJ, Aarts G & Matthiopoulos J (2005). Background information in marine mammals for Strategic Environmental Assessment 6. A report for the Department of Trade and Industry, Strategic Environmental Assessment Programme, 73pp.
- Hammond PS, Northridge SP, Thompson D, Gordon JCD, Hall AJ, Sharples RJ, Grellier K & Matthiopoulos J (2004). Background information on marine mammals relevant to Strategic Environmental Assessment 5. Report to the DTI from the Sea Mammal Research Unit.

- Hanlon RT & Messenger JB (1996). *Cephalopod behaviour*. Cambridge University Press, Cambridge.
- Harland EJ, Jones SAS & Clarke T (2005). SEA 6 Technical report: Underwater ambient noise. Report no. QINETIQ/S&E/MAC/CR050575
- Hartley Anderson (2003). UKOOA Drill Cuttings Initiative. Food Chain Effects Literature Review. Report to UKOOA from Hartley Anderson Ltd., Battelle Memorial Institute, Continental Shelf Associates Inc., and the School of Ocean Sciences, University of Bangor. 2003.
- Hartley JP (1984). The benthic ecology of the Forties oilfield (North Sea). *Journal of Experimental Marine Biology and Ecology* **80**: 161-195.
- Hartley JP (1996). Environmental monitoring of offshore oil and gas drilling discharges – A caution on the use of barium as a tracer. *Marine Pollution Bulletin* **32**: 727-733.
- Hartog JC den & Nierop MM van (1984). A study of the gut contents of six leathery turtles *Dermochelys coriacea* (Linnaeus) (Reptilia: Testudines: Dermochelyidae) from British waters and from the Netherlands. *Zoologische Verhandlungen* **200**. Leiden, Rijksmuseum van Natuurlijke Historie.
- Hastie LC, Joy JB, Pierce, GJ & Yau C (1994). Reproductive biology of *Todaropsis eblanae* (Cephalopoda: Ommastrephidae) in Scottish Waters. *Journal of the Marine Biological Association of the United Kingdom* **74**: 367-382.
- Hayes KR, Cannon R, Neil, K & Inglis G (2005). Sensitivity and cost considerations for the detection and eradication of marine pests in ports. *Marine Pollution Bulletin* **50**: 823-834.
- Hays GC, Houghton JDR & Myers AE (2004). Pan-Atlantic leatherback turtle movements. *Nature* **249**: 522.
- Hays GC, Houghton JDR, Doyle T & Davenport J (2003). Aircraft give a new view of jellyfish behaviour. *Nature* **426**: 383.
- Heath MF & Evans MI (2000). *Important Bird Areas in Europe – Priority sites for conservation. Vol 1: Northern Europe*. Cambridge, UK: Birdlife International (Birdlife Conservation Series No.8).
- Heij De A & Baayen RP (1999). Seasonal distribution of the cephalopod *Alloteuthis subulata* in the central and southern North Sea. *Basteria* **63**: 129.
- Heldal HE, Varskog P & Føyn L (2002). Distribution of selected anthropogenic radionuclides (^{137}Cs , ^{238}Pu , $^{239, 240}\text{Pu}$ and ^{241}Am) in marine sediments with emphasis on the Spitsbergen-Bear Island area. *The Science of the Total Environment* **293**: 233-245.
- Heyraud M, Cherry RD, Oschadleus HD, Augustyn CJ, Cherry MI & Sealy JC (1994). Polonium-210 and Lead-210 in edible molluscs from near the Cape of Good Hope: Sources of variability in Polonium-210 concentrations. *Journal of Environmental Radioactivity* **24**: 253-272.
- Hill AE, Brown J & Fernand L (1996). The western Irish Sea gyre: a retention system for Norway Lobster (*Nephrops norvegicus*)? *Oceanologica Acta*. **19**: 357-368.
- Hill AE, Durazo R & Smedd DA (1994). Observations of a cyclonic gyre in the western Irish Sea. *Continental Shelf Research* **14**: 479-490.
- Hiscock K (1983). Sublittoral surveys in the region of Skomer Marine Nature Reserve boundaries. A report by Field Studies Council, Oil Pollution Research Unit. Nature Conservancy Council, CSD Report No. 462.
- Hiscock K (1998). Marine Nature Conservation Review: Benthic marine ecosystems of Great Britain and the north-east Atlantic. Joint Nature Conservation Committee, Peterborough.
- Hiscock K, Southward A, Tittley I, Jory A & Hawkins S (2001). *The impact of climate change on subtidal and intertidal benthic species in Scotland*. Scottish Natural Heritage.

- Hiscock S (1986). Sublittoral survey of the mid-Wales Sarns (reefs): Sarn Badrig, Sarn-y-bwch and Cynfelin patches, July 2nd-9th, 1986. Nature Conservancy Council CSD Report No. 696, 71 pp.
- Hodge RP (1979). *Dermochelys coriacea schlegeli* (Pacific leatherback) USA: Alaska. *Herpetological Review* **10**: 102.
- Holme NA & Wilson JB (1985). Faunas associated with longitudinal furrows and sand ribbons in a tide-swept area in the English Channel. *Journal of the Marine Biological Association of the UK* **65**: 1051-1072.
- Holmes R & Tappin D (2005). DTI Strategic Environmental Assessment Area 6, Irish Sea, seabed and surficial geology and processes. British Geological Survey Commissioned Report, CR/05/057.
- Holt TJ & Shalla SH (1997). Pre and post drilling surveys in Block IOM 112/29. A report to Elf Petroleum, Isle of Man.
- Holt TJ & Shalla SH (2002). Pre and post development surveys of oil and gas production facilities in Liverpool Bay. A report to BHP Billiton Petroleum Ltd.
- Holt TJ & Shalla SHA (2001). Baseline survey in support of the development of hydrocarbon production at BHP's Hamilton East site, Liverpool Bay. A report to BHP Petroleum Ltd. C2581/11-01 v1.
- Holt TJ, Shalla SHA & Brand AR (1997). Broadscale seabed survey to the east of the Isle of Man. A report to British Petroleum, Exploration Team.
- Houghton J. Personal communication. Irish Sea Leatherback Turtle Project. School of Biological Sciences, University of Swansea, Wales.
- Howarth MJ (2005). Hydrography of the Irish Sea. British Oceanographic Data Centre, Proudman Oceanography Laboratory. SEA 6 Technical Report for the Department of Trade and Industry.
- Hughes DJ & Atkinson RJA (1997). A towed video survey of megafaunal bioturbation in the north-eastern Irish Sea. *Journal of the Marine Biological Association of the United Kingdom* **77**: 635-653.
- Hulme R (2002). *Birds of Britain*. Royal Society for the Protection of Birds.
- Hutchinson C (1994). *Where to watch birds in Ireland*. Christopher Helm (Publishers) Limited, London, 257pp.
- Hyland J, Hardin D, Steinhauer M, Coats D, Green R & Neff J (1994). Environmental impact of offshore oil development on the outer continental shelf and slope off Point Arguello, California. *Marine Environmental Research* **37**: 195-229
- ICES (International Council for the Exploration of the Sea) (2003). Environmental status report of the European Seas. International Council for the Exploration of the Sea, 75pp.
- ICES (International Council for the Exploration of the Sea) (2004). Report of the ICES Advisory Committee on Fishery Management and Advisory Committee on Ecosystems, 2004. ICES Advice. Volume 1, Number 2. 1544pp.
- IMO (International Maritime Organisation) website (accessed March 2005)
<http://www.imo.gov.org/home/asp>
- Ingram SN & Rogan E (2002). Identifying critical areas and habitat preferences of bottlenose dolphins *Tursiops truncatus*. *Marine Ecology Progress Series* **244**: 247-255.

Inter-Agency Committee on Marine Science and Technology (IACMST) (2005). Marine Processes and Climate. IACMST contribution to Charting Progress - an Integrated Assessment of the State of UK Seas (The 2nd of 5 Reports). DEFRA website (accessed May 2005)

<http://www.defra.gov.uk/environment/water/marine/uk/stateofsea/>

IPCC (Intergovernmental Panel on Climate Change) (2001). Climate Change 2001: The Scientific Basis. In: JT Houghton, Y Ding, DJ Griggs, M Noguer, PJ van der Linden & D Xiaosu Eds. *Contribution of Working Group I to the Third Assessment Report of the Intergovernmental Panel on Climate Change (IPCC)*. Cambridge University Press, UK, pp. 944.

Irish Coast Pilot (1997). United Kingdom Hydrographic Office.

Irish Sea Leatherback Turtle Project website (accessed August 2005)

<http://www.turtle.ie/>

Irwin F & Rodes B (1992). Making decisions on cumulative environmental impacts: A conceptual framework. World Wildlife Fund, Washington, DC. 54pp.

ITOPF (The International Tanker Owners Pollution Federation Limited) (2005). ITOPF Handbook 2005/2006. London. 50pp.

Jackson DI, Jackson AA, Evans D, Wingfield RTR, Barnes RP & Arthur MJ (1995). United Kingdom offshore regional report: The geology of the Irish Sea. HMSO, London.

Jepson PD, Bennett PM, Allchin CR, Law RJ, Kuiken T, Baker JR, Rogan E & Kirkwood JK (1999). Investigating potential associations between chronic exposure to polychlorinated biphenyls and infectious disease mortality in harbour porpoises from England and Wales. *The Science of the Total Environment* **243-244**: 339-348.

JESS (Joint Energy Security of Supply Working Group) (2004). Fifth report. November 2004. JESS website - <http://www.dti.gov.uk/energy/jess>.

JNCC (Joint Nature Conservation Committee) (1999). *Seabird vulnerability in UK waters: Block specific vulnerability, 1999*. Joint Nature Conservation Committee, Aberdeen.

JNCC (Joint Nature Conservation Committee) (2004). Marine Natura 2000 consultation: The use of generic guidance for extending existing SPAs for breeding seabirds. JNCC Marine Natura 2000 consultation document, December 2004.

JNCC (Joint Nature Conservation Committee) Irish Sea Pilot website (accessed September 2005)

<http://www.jncc.gov.uk/page-1541>

JNCC (Joint Nature Conservation Committee) Marine Natura 2000 Project Group (2004). JNCC Marine Natura 2000 Project Group minutes. Seventh meeting 14th September 2004.

JNCC (Joint Nature Conservation Committee) Marine Natura 2000 Project Group (2005). JNCC Marine Natura 2000 Project Group minutes. Eighth meeting 9th February 2005.

JNCC (Joint Nature Conservation Committee) Marine Natura 2000 Project Group website (accessed September 2005)

<http://www.jncc.gov.uk/page-1455>

JNCC (Joint Nature Conservation Committee) Marine Special Protection Areas website (accessed July 2005)

<http://www.jncc.gov.uk/page-1414>

JNCC (Joint Nature Conservation Committee) MESH website (accessed September 2005)

<http://www.jncc.gov.uk/page-1542>

JNCC (Joint Nature Conservation Committee) SACs in UK offshore waters website (accessed September 2005)

http://www.jncc.gov.uk/protectedsites/sacselection/SAC_list.asp?Country=OF

Johnston C, Turnbull C & Vincent M (2004a). Marine Natura 2000: Progress in identifying SACs for Annex I habitats, including proposals for four offshore habitat SACs. December 2004. JNCC 04 P23. Joint Nature Conservation Committee.

Johnston C, Turnbull C, Reid J & Webb A (2004b). Marine Natura 2000: Update on progress in marine Natura. March 2004. JNCC 04 P05. Joint Nature Conservation Committee.

Johnston CM, Turnbull CG & Reid J (2003). *Marine Natura 2000*. JNCC 03 P01. Joint Nature Conservation Committee.

Johnston CM, Turnbull CG & Tasker ML (2002). *Natura 2000 in UK Offshore Waters: Advice to support the implementation of the EC Habitats and Birds Directive in UK offshore waters*. Joint Nature Conservation Committee Report 325. Joint Nature Conservation Committee.

Joint Research Centre - European Commission website (accessed June 2005)

<http://serac.jrc.it/midiv/>

JNCC (Joint Nature Conservation Committee) website (accessed August 2005)

<http://www.jncc.gov.uk>

Jones NS (1950). Marine bottom communities. *Biological Review* **25**: 283-312.

Judd AG (2001). Pockmarks in the UK sector of the North Sea. Technical Report TR_002, produced for Strategic Environmental Assessment – SEA 2, 73pp.

Judd AG (2005). The distribution and extent of 'submarine structures formed by leaking gas' and other seabed features (reefs) relevant to the 'Habitats Directive'. Technical Report produced for SEA6 Strategic Environmental Assessment of the Irish Sea.

Kaiser MJ, Collie JS, Hall SJ, Jennings S & Poiner IR (2002a). Impacts of fishing gear on marine benthic habitats. In: M Sinclair & G Valdimarsson Eds. *Responsible fisheries in the marine ecosystem*. CABI Publishing, Wallingford, pp. 197-217.

Kaiser MJ, Collie JS, Hall SJ, Jennings S & Poiner IR (2002b). Modification of marine habitats by trawling activities: prognosis and solutions. *Fish and Fisheries* **3**: 114-133.

Kaiser MJ & Spence FE (2002). Inconsistent temporal changes in the megabenthos of the English Channel. *Marine Biology* **141**: 321-331.

Keily O, Lidgard D, McKibben M, Connolly N & Baines M (2000). Grey seals: status and monitoring in the Irish and Celtic Seas. INTERREG Report No. 3. Maritime Ireland/Wales, 85pp.

Kelly LD, McGuinness LR, Hughes JE & Wainright SC (1999). Effects of phenanthrene on primary production of phytoplankton in two New Jersey estuaries. *Bulletin of Environmental Contamination and Toxicology* **63**: 646-653.

Kennington K, personal communication. Port Erin Marine Laboratory, University of Liverpool.

Kennington K & Rowlands WL (2005). Plankton ecology of the Irish Sea. SEA area 6 Technical Report. Port Erin Marine Laboratory, University of Liverpool.

Kenny A, Reynolds W, Sheahan D, McCubbin D, Kershaw P, Rycroft R, Smith A, Brooks S, Kelly C, Allchin C & Lawton E (2005). A review of the contaminant status of the Irish Sea. CEFAS Report C2436/01 for the Department for Trade and Industry Strategic Environmental Assessment 6.

- Kenyon NH & Cooper W (2005). Sand banks, sand transport and offshore wind farms. Kenyon MarineGeo and ABP Marine Environmental Research Ltd. Report for the Department of Trade and Industry.
- Kerckhof F & Cattrijsse A (2001). Exotic Cirripedia (Balanomorpha) from buoys off the Belgian Coast. *Senckenbergiana Maritima* **31**: 245-254.
- Kershaw PJ, Pentreath RJ, Woodhead DS & Hunt GJ (1992). A review of radioactivity in the Irish Sea. A report prepared for the Marine Pollution Monitoring Management Group. *Aquatic Environment Monitoring Report Number* **32**, MAFF, Lowestoft.
- Kinahan JR (1859). Notes on dredging in Belfast Bay with a list of species. *Natural History Review* **6**: 79-86.
- Kingfisher Cable Awareness website (accessed March 2005)
<http://www.kisca.org.uk/index.htm>
- Klages NTW (1996). Cephalopods as a prey. II. Seals. *Philosophical Transactions of the Royal Society London Series B* **351**: 1045-1052.
- Knight PJ & Howarth MJ (1999). The flow through the North Channel of the Irish Sea. *Continental Shelf Research* **19**: 693-716.
- Koyama J, Nanamori N & Segawa S (2000). Bioaccumulation of waterborne and dietary cadmium by oval squid, *Sepioteuthis lessoniana*, and its distribution among organs. *Marine Pollution Bulletin* **40**: 961-967.
- Lambeck K (1995). Late Devensian and Holocene shorelines of the British Isles and North Sea from models of glacio-hydro-isostatic rebound. *Journal of the Geological Society* **152**: 437-448.
- Lane PA & Wallace RR (1988). A user's guide to cumulative effects assessment in Canada. Canadian Environmental Assessment Research Council, Ottawa, Ontario.
- Laurie RD & Watkin EE (1922). Investigations into the fauna of the sea floor of Cardigan Bay. A preliminary account of working the northern portion of a region between Aberystwyth and Newquay known as the 'Gutter'. *Aberystwyth Studies* **4**: 229-249.
- Lawson JW, Malme CI & Richardson WJ (2001). Assessment of Noise Issues Relevant to Marine Mammals Near the BP Clair Development. Report to BP from LGL Ltd., Environmental Research Associates and Engineering and Science Services.
- Lewis EJ & Evans PGH (1993). Comparative ecology of bottle-nosed dolphins (*Tursiops truncatus*) in Cardigan Bay and the Moray Firth. In: PGH Evans Ed. *European Research on Cetaceans – 7*. European Cetacean Society, Cambridge, England, pp. 57-62.
- Liret C, Allali P, Creton P, Guinet C & Ridoux V (1994). Foraging activity pattern of bottlenose dolphins around Ile de Sein, France and its relationship with environmental parameters. In: PGH Evans Ed. *European research on cetaceans – 8*. Proc. 8th Annual Conference ECS Montpellier, France, 2-5 March 1994. European Cetacean Society, Lugano, Switzerland, 288pp.
- Lloyd C, Tasker ML & Partridge K (1991). *The status of seabirds in Britain and Ireland*. T & AD Poyser, London.
- Lucas K, Walker G, Eames M, Fay H & Poustie M (2004). Environment and social justice: Rapid research and evidence review. Sustainable Development Research Network. Sponsored by Defra.
- Luddington L & Moore J (2005). SEA 6: Other Users. A report to the DTI by Coastal Assessment, Liason & Monitoring, Coshaston, Pembrokeshire, 65pp plus appendices.
- Luddington L (2002). Skomer MNR Nudibranch diversity survey. Countryside Council for Wales.

- Lye CM (2000). Impact of oestrogenic substances from oil production at sea. *Toxicology Letters* **112–113**: 265-272.
- Mackay Consultants (2005a). SEA 6: Economic and social baseline study. A report for the Department of Trade and Industry.
- Mackay Consultants (2005b). The potential socio-economic implications of licensing the SEA 6 area. A report for the Department of Trade and Industry.
- Mackey M & i Giménez DP (2005). SEA 6, 7 & 8 data report for offshore seabird populations. A report to the Department of Trade and Industry, 56pp.
- Mackey M, I Giménez DP & O’Cadhla O (2005). SEA 6, 7 & 8 data report for offshore cetacean populations. A report for the Department of Trade and Industry, Strategic Environmental Assessment Programme, 47pp.
- Mackie ASY (1990). Offshore benthic communities of the Irish Sea. In: Irish Sea Study Group Eds. *The Irish Sea: an environmental review. Part 1. Nature conservation*. Liverpool University Press, Liverpool, pp. 169-218.
- Mackie ASY, Oliver PG & Rees EIS (1995). Benthic biodiversity in the southern Irish Sea. *Studies in Marine Biodiversity and Systematics from the National Museum of Wales. BIOMÔR reports 1*: 263 pp.
- Mackie ASY, Rees EIS and Wilson JG (2002). The South-West Irish Sea Survey (SWISS) of benthic biodiversity. pp. 166-170. In: *Marine Biodiversity in Ireland and adjacent waters. Proceedings of a Conference 26-27 April 2001* (ed. Nunn, J. D.). MAGNI Publication 008, Ulster Museum.
- Mackie ASY, Oliver PG, Darbyshire T & Mortimer K (2005). Shallow marine benthic invertebrates of the Seychelles Plateau: high diversity in a tropical oligotrophic environment. *Philosophical Transactions of the Royal Society, Series A* **363**: 203 –228
- Maitland PS & Hatton-Ellis TW (2003). *Ecology of the allis and twaite shad*. Conserving Natura 2000 Rivers Ecology Series no. 3. English Nature, Peterborough.
- Mallinson JJ (1991). Stranded juvenile loggerheads in the United Kingdom. *Marine Turtle Newsletter* **54**: 14-16.
- Mandali de Figueiredo G (2003). Trophodynamics of the planktonic community in the coastal areas of the central Irish Sea, with emphasis on fish larvae and their prey. PhD Thesis, University of Liverpool, pp. 186.
- Manx Basking Shark Watch website (accessed September 2005)
<http://www1.isleofman.com/Science/Animals/Fish>
- Marine Environment Monitoring Group (2004). UK National Marine Monitoring Programme - Second Report (1999-2001). Centre for Environment, Fisheries and Aquaculture Science.
- Maritime and Coastguard Agency website (accessed August 2005)
<http://www.mcga.gov.uk>
- Marret F & Scourse J (2002). Control of modern dinoflagellate cyst distribution in the Irish and Celtic Seas by seasonal stratification dynamics. *Marine Micropaleontology* **47**: 101-116.
- Marquenie JM & van de Laar F (2002). Impacts on Biodiversity: Offshore drilling and production platforms and bird migration. Report for The Nederlandse Aardolie Maatschappij b.v. (NAM).
- Martec Limited (1984). Report on the Environmental Program associated with the blowout at Shell well Uniacke G-72. Report for Shell Canada Resources Limited.
- Matthiopoulos J, McConnell B, Duck C & Fedak M (2004). Using satellite telemetry and aerial counts to estimate space use by grey seals around the British Isles. *Journal of Applied Ecology* **41**: 476-491.

- Matthiessen P & Law RJ. (2002). Contaminants and their effects on estuarine and coastal organisms in the United Kingdom in the late twentieth century. *Environ Pollut* **120**: 739-747.
- Mavor RA, Parsons M, Heubeck M & Schmitt S (2005). Seabird numbers and breeding success in Britain and Ireland, 2004. UK Nature Conservation No. 29. Joint Nature Conservation Committee, Peterborough, 104pp.
- May SJ & Pearson TH (1995). Effects of oil-industry operations on the macrobenthos of Sullom Voe. *Proceedings of the Royal Society of Edinburgh B* **103**: 69-97.
- McCauley RD (1994). Seismic surveys. In: JM Swan, JM Neff & PC Young Eds. Environmental implications of offshore oil and gas developments in Australia. The findings of an independent scientific review. Australian Petroleum Exploration Association, Sydney, NSW. 696pp.
- McSorley CA, Dean BJ, Webb A & Reid JB (2003). Seabird use of waters adjacent to colonies: Implications for seaward extensions to existing breeding seabird colony Special Protection Areas. JNCC Report, No. 329. Joint Nature Conservation Committee, Peterborough, 97pp plus appendices.
- Mills DJL (1998). Cardigan Bay and North Wales (Cwm-yr-Eglwys, Newport Bay to Rhôs-on-Sea) (MNCR Sector 10). In: K Hiscock Ed. *Marine Nature Conservation Review. Benthic marine ecosystems of Great Britain and the north-east Atlantic*. Joint Nature Conservation Committee (Coasts and seas of the United Kingdom. MNCR series), Peterborough, pp. 297-314.
- Mitchell IP, Newton SF, Ratcliffe N & Dunn TE (2004). *Seabird populations of Britain and Ireland*. T & AD Poyser, London
- MMS (Minerals Management Service) (2004). Geological and geophysical exploration for mineral resources on the Gulf of Mexico outer continental shelf. Final Programmatic Environmental Assessment. U.S. Department of the Interior Minerals Management Service. MMS 2004-054. <http://www.ocsbbs.com/2004-054.pdf>
- Moore J (2002). An atlas of marine Biodiversity Action Plan species and habitats and species of conservation concern in Wales. A report for the Countryside Council for Wales.
- Moore J (2004). Survey of North Wales and Pembrokeshire tide influenced communities. Countryside Council for Wales, 168pp.
- Moore J (2005). SEA 6: Conservation. A report to the Department of Trade and Industry from Coastal Assessment, Liaison & Monitoring, Pembrokeshire, 122pp.
- MSPP (Marine Spatial Planning Pilot Consortium) website (accessed September 2005) <http://mspp.abpmer.co.uk>
- Murphy S (2003). The biology and ecology of the short-beaked common dolphin *Delphinus delphis* in the North-east Atlantic. PhD thesis, Department of Zoology, Ecology and Plant Science, University College Cork, National University of Ireland, 282pp.
- Nairn R, Partridge K, Moore J & Elliot R (1995). *The south east coast of Ireland: an environmental appraisal*. Published by Marathon Petroleum Ireland Ltd, Cork, Ireland.
- Nash RDM & Geffen AJ (2004). Seasonal and interannual variation in abundance of *Calanus finmarchicus* (Gunnerus) and *Calanus helgolandicus* (Claus) in inshore waters (west coast of the Isle of Man) in the central Irish Sea. *Journal of Plankton Research* **26**: 265-273.
- National Audit Office (2002). Dealing with pollution from ships. Report by the Controller and Auditor General HC 879 Session 2001-2002: 12 June 2002. National Audit Office website (accessed July 2005) http://www.nao.gov.uk/publications/nao_reports/01-02/0102879.pdf.

Neff JM, Bothner MH, Maciolek NJ & Grassle JF (1989). Impacts of exploratory drilling for oil and gas on the benthic environment of Georges Bank. *Marine Environmental Research* **27**: 77-114.

Neighbourhood Statistics website (accessed August 2005)

<http://www.neighbourhood.statistics.gov.uk>

NEPA website (accessed June 2005)

<http://ceq.eh.doe.gov/nepa/ccenepa/ccenepa.htm>

Nixon M (1987). Cephalopod diets. In: PR Boyle Ed. *Cephalopod life cycles*. Comparative Reviews. Academic Press, London, Orlando, pp. 201-220.

Northern Ireland Energy Map (accessed March 2005)

<http://www.detini.gov.uk>

Northern Ireland Seafood website (accessed March 2005)

<http://www.niseafood.co.uk/industry/aquaculturedev.asp>

Northridge S & Thomas L (2003). Monitoring levels required in European fisheries to assess cetacean bycatch, with particular reference to UK fisheries. Final report to the Department of Environment Food and Rural Affairs, European Wildlife Division, August 2003, 37pp.

NSTF (North Sea Task Force) (1993). Quality Status Report of the North Sea 1993.

Nunn JD (1994). The marine Mollusca of Ireland 1. Strangford Lough, Co. Down. *Bulletin of the Irish Biogeographical Society* **17**: 23-214.

Nyegaard M (2001). What does it for a squid? An analysis of reproductive behaviour, demography, diet and spatial distribution of the European common squid (*Alloteuthis subulata*) in the Irish Sea. MSc thesis, University of Tromsø.

ODPM (Office of the Deputy Prime Minister) (2005). A Practical Guide to the Strategic Environmental Assessment Directive. Practical guidance on applying European Directive 2001/42/EC "on the assessment of the effects of certain plans and programmes on the environment". Issued on behalf of the Scottish Executive, Welsh Assembly Government, Department of the Environment, Northern Ireland and Office of the Deputy Prime Minister. London, September 2005 105pp.

OPSI (Office of Public Sector Information website (accessed March 2005)

<http://www.opsi.gov.uk>

OLF (1998). Produced water discharges to the North Sea: Fate and effects in the water column. Summary Report. 39pp.

OLF website (accessed August 2005)

<http://www.olf.no>.

O'Riordan CE, Holmes JMC & Sleeman DP (1984). First recorded occurrence of the Hawksbill Turtle (*Eretmochelys imbricata* (L)) in Irish waters. *Irish Naturalists Journal* **21**: 274-275.

Orr JC and 26 others (2005). Anthropogenic ocean acidification over the twenty-first century and its impact on calcifying organisms. *Nature* **437**: 681-686.

OSPAR (1997). OSPAR/ICES workshop on the overall evaluation and update of background/reference concentrations of nutrients and for contaminants in sea water, biota, sediments. OSPAR Commission, meeting document NoASMO97/4/Info.1, 60pp.

OSPAR (2000). Quality Status Report 2000, Region III: Celtic Seas. OSPAR Commission, London, 116pp and appendices.

OSPAR (2004b). 2004 Initial OSPAR list of threatened and/or declining species and habitats. Reference no. 2004-06. OSPAR Commission report, 4pp.

OSPAR (2004a). Overview of the results of the Comprehensive Study on Riverine Inputs and Direct Discharges (RID) from 2000 to 2002. Monitoring and Assessment Series No. 218.

OSPAR (2005). Case report for the initial list of threatened and/or declining species and habitats in the OSPAR maritime area. OSPAR Commission report, Biodiversity Series, 149pp.

OSPAR website (accessed September 2005)

<http://www.ospar.org/eng/html/welcome.html>

Pantin HM (1991). Seabed sediments around the United Kingdom: their bathymetric and physical environment, grain size, mineral composition and associated bedforms. British Geological Survey Marine Geology Series research report, SB/90/1.

Parker JG (1980a). Effects of pollutants upon the benthic ecology of Belfast Lough. *Analytical Proceedings* **17**: 429-432.

Parker JG (1980b). Effects of pollution upon the benthos of Belfast Lough. *Marine Pollution Bulletin* **11**: 80-83.

Parker-Humphreys M (2004). Distribution and relative abundance of demersal fishes from beam trawl surveys in the Irish Sea (ICES Division VIIa) 1993-2001. Centre for Environment, Fisheries and Aquaculture Science. Science Series Technical Report No.120.

Pawson MG, Pickett GD & Walker P (2002). The coastal fisheries of England and Wales, Part IV: a review of their status 1999-2001. Science Series Technical Report. Centre for Environment, Fisheries and Aquaculture Science, Lowestoft, 116: 83pp.

Pearson WH, Skalski JR & Malme CI (1992). Effects of sounds from a geophysical survey device on behaviour of captive rockfish (*Sebastes* spp.). *Canadian Journal of Fisheries and Aquatic Science* **49**: 1357-1365.

Penhallurick RD (1990). *Turtles off Cornwall, the Isles of Scilly and Devonshire*. Dyllansow Pengwella, Truro, Cornwall, 96pp.

Penrose RS (2002). *UK & Eire Marine Turtle Strandings & Sightings Annual report 2001*. Marine Environmental Monitoring, Llechryd.

Penrose RS (2003). *UK & Eire Marine Turtle Strandings & Sightings Annual report 2002*. Marine Environmental Monitoring, Llechryd.

Penrose RS (2004). *UK & Eire Marine Turtle Strandings & Sightings Annual report 2003*. Marine Environmental Monitoring, Llechryd.

Penrose RS (2005). *UK & Eire Marine Turtle Strandings & Sightings Annual report 2004*. Marine Environmental Monitoring, Llechryd.

Personal Communication, I Laing, CEFAS

Personal Communication, P Hayes, FRS

Personal Communication, P McAnulty, DOENI

Personal Communication, R Smith, Fisheries Research Services, Marine Laboratory, Aberdeen

Personal Communication, S Reed, DEFRA

PEXA charts Q6402 SW sheet, Poole to the Isle of Man. Admiralty charts and publications. UK Hydrographic Office.

PEXA charts Q6403 NW sheet, Isle of Man to Stornoway. Admiralty charts and publications. UK Hydrographic Office.

Pierpoint C & Penrose R (1999). TURTLE: A database of marine turtle records for the United Kingdom and Eire: Introduction, data summary and user notes.

- Pierpoint C (2000). Bycatch of marine turtles in UK and Irish waters. Joint Nature Conservation Committee Report No 310, 32 pp.
- Pollitt M, Hall C, Holloway S, Hearn R, Marshall P, Musgrove A, Robinson J & Cranswick P (2003). The wetland birds survey 2000-01: wildfowl and wader counts. Joint annual report by British Trust for Ornithology, Wildfowl and Wetlands Trust, Royal Society for the Protection of Birds and Joint Nature Conservation Committee, Slimbridge.
- Pollock CM, Mavor R, Weir CR, Reid A, White RW, Tasker ML, Webb A & Reid JB (2000). *The distribution of seabirds and marine mammals in the Atlantic Frontier, north and west of Scotland*. Joint Nature Conservation Committee, Aberdeen.
- POST (Parliamentary Office of Science and Technology) (2004). The Future of UK Gas Supplies. Parliamentary Office of Science and Technology Postnote 230. October 2004. UK Parliament website - <http://www.parliament.uk/documents/upload/POSTpn230.pdf>.
- Powell HT, Holme NA, Knight SJT, Harvey R, Bishop G & Bartrop J (1979). Survey of the littoral zone of coast of Great Britain. 4. Report on the shores of south west Wales. Nature Conservancy Council, CSD Report No. 269, 89pp.
- Prichard PCH & Trebbau P (1984). *The turtles of Venezuela*. Society for the Study of Amphibians and Reptiles.
- Prime Minister's Strategy Unit (PMSU) (2004). *Net benefits: A sustainable and profitable future for UK fishing*. UK Government Cabinet Office.
- Proudman Oceanographic Laboratory website
<http://cobs.pol.ac.uk/cobs/sat>
- Radford A, Riddington G, Anderson J & Gibson H (2004). The economic impact of game and coarse angling in Scotland. Research Report. Report prepared for Scottish Executive Environment and Rural Affairs Department, Scottish Executive.
- Rahmstorf S (1997). Risk of sea-change in the Atlantic. *Nature* **388**: 825-826.
- Rees EIS & Walker AJM (1976). Survey of macroinvertebrate populations on Traeth Melynog, Gwynedd. Nature Conservancy Council, CSD Report No. 70.
- Rees EIS (1993). Indirect studies of scale and complexity in benthic communities: minding the gap. *Porcupine Newsletter* **5** (7): 174-175.
- Rees EIS (2004a). Perspectives from seabed photographs and video. Proceedings of the Irish Sea Forum - Seminar on Irish Sea Sediments, Liverpool, pp. 39 - 42.
- Rees EIS (2004b). Subtidal sediment biotopes in Red Wharf and Conwy Bays, North Wales: A review of their composition, distribution and ecology. Countryside Council for Wales Contract Science Report **665**: 1-48.
- Rees EIS (2005). Assessment of the status of horse mussel (*Modiolus modiolus*) beds in the Irish Sea off NW Anglesey. A report for the Department of Trade and Industry.
- Rees EIS & Walker AJM (1984). Benthos in Liverpool Bay. *Challenger Society Newsletter* **19**: 22.
- Rees EIS, Allen PL & Coppock J (1994). Representative replication for sediment benthos monitoring: Application of varied strategies in the Irish Sea. *Porcupine Newsletter* **5**: 225-233.
- Rees EIS (1994). Drilling and pipelines: the effect on the benthic environment. Proceedings of the Seminar report on oil and gas exploitation, Manx Museum, Douglas, 20-21 January 1994, pp. 30-40.
- Rehfishch MM, Austin GE, Armitage MJS, Atkinson PW, Holloway SJ, Musgrove AJ & Pollitt MS (2003). Numbers of wintering waterbirds in Great Britain and the Isle of Man (1994/1995-1998/1999): II. Coastal waders (Charadrii). *Biological Conservation* **112**: 329-341.

Reid PC, Edwards M, Beaugrand G, Stevens D & Wootton M (2005), 2. State of plankton. In *Marine Habitats and Species: The Marine Biodiversity contribution to Charting Progress - an Integrated Assessment of the State of UK Seas (The 3rd of 5 Reports)*. DEFRA website (accessed May 2005)

<http://www.defra.gov.uk/environment/water/marine/uk/stateofsea/>

Reid J, Evans PGH & Northridge S (Eds) (2003). *An atlas of cetacean distribution on the northwest European continental shelf*. Joint Nature Conservation Committee, Peterborough, 77pp.

Review of Marine Nature Conservation website (accessed September 2005)

<http://www.defra.gov.uk/wildlife-countryside/ewd/rmnc/index.htm>

Richardson WJ, Greene CR Jr, Malme CI & Thomson DH (1995). *Marine Mammals and Noise*. Academic Press.

Roberts D, Davies C, Mitchell A, Moore H, Picton B, Portig A, Preston J, Service M, Smyth D, Strong D & Vize SJ (2004). Strangford Lough Ecological Change Investigation (SLECI): 1.3 Changes in intertidal communities in Strangford Lough. Report to Environment and Heritage Service by the Queen's University, pp.1-60.

Robinson IS (1979). The tidal dynamics of the Irish and Celtic Seas. *Geophysical Journal of the Royal Astronomical Society* **56**: 159-197.

Rogan E, Ingram S, Holmes B & O'Flanagan C (2002). A survey of bottlenose dolphins (*Tursiops truncatus*) in the Shannon Estuary. Marine Resources Series, Dublin.

Rogers JC (1984). The association between the North Atlantic Oscillation and Southern Oscillation in the northern hemisphere. *Monthly Weather Review* **112**: 1999-2015.

Rogers S (2005) Fish and fisheries in SEA 6. Report by Centre for Environment, Fisheries and Aquaculture Science for the DTI Strategic Environmental Assessment, 28pp.

Rostron D (1984). *Littoral survey of Bardsey and the Lleyn peninsula. August 8th to 13th, 1983*. Nature Conservancy Council.

RSE (Royal Society of Edinburgh) (2004). Inquiry into the future of the Scottish fishing industry. RSE website - <http://www.ma.hw.ac.uk/RSE/enquiries/scottishfisheries/index.htm>

RSPB (Royal Society for the Protection of Birds) website (accessed August 2005)

<http://www.rspb.org.uk/>

RSPB (2004). Wind Farms and birds. Information booklet, Royal Society for the Protection of Birds.

RYA (Royal Yachting Association) (2005). Identifying recreational cruising routes, sailing and racing areas within the SEA 6 area. A report to the Department of Trade and Industry, 54pp.

Sacau M, Pierce GJ, Stowasser G, Wang J & Santos MB (2005). An overview of cephalopods relevant to the SEA 6 area. Report produced as part of the UK Department of Trade and Industry's offshore energy Strategic Environmental Assessment programme.

Sanderson WG (1996). Rare sea-bed species. In: JH Barne, CF Robson, SS Kaznowska, JP Doody & NC Davidson Eds. *Coasts and Seas of the United Kingdom, Region 13 Northern Irish Sea: Colwyn Bay to Stranraer, including the Isle of Man*. Joint Nature Conservation Committee, Peterborough, pp. 103-107.

SCANS II website (accessed September 2005)

<http://biology.st-andrews.ac.uk/scans2/>

SCOS (Special Committee on Seals) (2004). Scientific advice on matters related to the management of seal populations: 2004. Report of the Special Committee on Seals.

Scottish Executive website (accessed March 2005)

<http://www.scotland.gov.uk>

Scottish Legislation website (accessed August 2005)

<http://www.scotland-legislation.hmso.gov.uk>

Scrope-Howe S & Jones DA (1985). Biological studies in the vicinity of a shallow-sea tidal mixing front V. Composition, abundance and distribution of zooplankton in the western Irish Sea, April 1980 to November 1981. *Philosophical Transactions of the Royal Society of London B* **310**: 501-519.

Seaside Awards Agency website (accessed March 2005)

<http://seasideawards.org.uk>

SEEEC (Sea Empress Environmental Evaluation Committee) (1998). The environmental impact of the Sea Empress oil spill. Final Report of the Sea Empress Environmental Evaluation Committee. The Stationery Office, London.

Simmonds M, Dolman S & Weilgart L (2003). Oceans of Noise. A Whale and Dolphin Conservation Society Science Report.

Sims DW & Quayle VA (1998). Selective foraging behaviour of basking sharks on zooplankton in a small-scale front. *Nature* **393**: 460-464.

Sims DW, Southall EJ, Richardson AJ, Reid PC & Metcalfe JD (2003). Seasonal movements and behaviour of basking sharks from archival tagging: no evidence of winter hibernation. *Marine Ecology Progress Series* **248**: 187-196.

Skalski JR, Pearson WH & Malme CI (1992). Effects of sounds from a geophysical survey device on catch-per-unit-effort in a hook-and-line fishery for rockfish (*Sebastes* spp.). *Canadian Journal of Fisheries and Aquatic Science* **49**: 1343-1356.

Slager LK, van Hattum B, Tromp Meesters M, Scholten MCTh, Kaag NHBM, Cofino WP & Feenstra JF (1992). *Environmental aspects of produced water discharges on the Dutch Continental Shelf. Part III. Environmental effects*. ISBN 90-5192-021-0.

Smale MJ (1996). Cephalopods as prey. IV. Fishes. *Philosophical Transactions of the Royal Society London Series B* **351**: 1067-1081.

SNH (Scottish Natural Heritage) (2005). Guidance on cumulative effect of windfarms. Version 2 revised 13/04/05. 32pp.

Sorensen PW, Medved RJ, Hyman MAM and Winn HE (1984). Distribution and abundance of cetaceans in the vicinity of human activities along the continental shelf of the northwestern Atlantic. *Marine Environmental Research* **12**: 69-81

SoS (2005). First annual report to parliament on the security of gas and electricity supply in Great Britain by the Secretary of State for Trade and Industry. July 2005. DTI website - http://www.dti.gov.uk/energy/publications/policy/sec_supply_first_report.pdf.

Southgate T & Myers AA (1985). Mussel fouling on the Celtic Sea Kinsale gas platforms. *Estuarine, Coastal and Shelf Science* **20**: 651-659.

Stone CJ (2003) The effects of seismic activity on marine mammals in UK waters, 1998-2000. Joint Nature Conservation Committee Report No. 323.

Stone CJ, Webb A, Barton C, Ratcliffe N, Reed TC, Tasker ML, Camphuysen CJ & Pienkowski (1995). *An atlas of seabird distribution in north-west European waters*. Joint Nature Conservation Committee, Aberdeen.

Stowe TJ & Underwood LA (1983). Oil spillages affecting seabirds in the United Kingdom, 1966- 1983. *Marine Pollution Bulletin* **15**: 147-152.

Swift DJ (1993). The macrobenthic infauna off Sellafield (northeastern Irish Sea) with special reference to bioturbation. *Journal of the Marine Biological Association of the United Kingdom* **73**: 143-162.

Swift RJ & Thompson PM (2000). Identifying potential sources of industrial noise in the Foinaven and Schiehallion region. Report prepared for BP Amoco Exploration, UK Operations, Farburn Industrial Estate, Dyce, Aberdeen, AB2 7PB, Scotland.

Tait RV (1992). *Elements of marine ecology*. Butterworth

Tappin DR, Chadwick RA, Jackson AA, Wingfield RTR & Smith NJP (1994). United Kingdom offshore regional report: The geology of Cardigan Bay and the Bristol Channel. HMSO, London.

Tappin DR, Wheeler A, Rowlands K, Jenkins G & Slater M (2001). DTI Strategic Environmental Assessment Area 6 (SEA 6) Geological Metadata. British Geological Survey Internal Report, CR/02/287.

Tasker ML (1995). Seabirds. In: JH Barne, CF Robson, SS Kaznowska, & JP Doody Eds. *Coasts and seas of the United Kingdom. Region 12 Wales: Margam to Little Orme*. Joint Nature Conservation Committee, Peterborough.

Tasker ML (1996). Seabirds. In: JH Barne, CF Robson, SS Kaznowska, JP Doody & NC Davidson Eds. *Coasts and seas of the United Kingdom. Region 13 Northern Irish Sea: Colwyn Bay to Stranraer, including the Isle of Man*. Joint Nature Conservation Committee, Peterborough.

Tasker ML (1997). Seabirds. In: JH Barne, CF Robson, SS Kaznowska, JP Doody, NC Davidson & AL Buck Eds. *Coasts and seas of the United Kingdom. Region 2 Shetland*. Joint Nature Conservation Committee, Peterborough.

Tasker ML, Camphuysen CJ, Cooper J, Garthe S, Montevecchi WA & Blaber SJM (2000). The impacts of fishing on marine birds. *ICES Journal of Marine Science* **57**: 531-547.

Taylor P, Larter S, Jones M, Dale J & Horstad I (1997). The effect of oil-water-rock partitioning on the occurrence of alkylphenols in petroleum systems. *Geochimica et Cosmochimica Acta* **61**: 1899-1910.

The Crown Estate website (accessed August 2005)

<http://www.thecrownestate.co.uk>

Thomas D (2003). Net fisheries interactions with marine wildlife. Report for the Countryside Council for Wales. Contract Series Report No. 583.

Thomas KV, Balaam J, Hurst MR & Thain JE (2004). Bio-analytical and chemical characterisation of offshore produced water effluents for estrogen receptor (ER) agonists. *Journal of Environmental Monitoring* **6**: 593-598.

Turnbull C (2004). The use of generic guidance for extending existing SPAs for breeding seabirds. JNCC Marine Natura 2000 Consultation Document. Joint Nature Conservation Committee, Peterborough, 10pp.

Turnbull C, Howell K & Johnson C (2005). Joint Nature Conservation Committee Marine Natura 2000. JNCC Committee Paper 05 P10, September 2005, 62pp.

Tyack PL, Wells R, Read A, Howald T & Spradlin T (1993). Experimental playback of low frequency noise to bottlenose dolphins *Tursiops truncatus*. 10th Biennial Conference on the Biology of Marine Mammals, Galveston Texas, November 1993.

U-Boat website (accessed August 2005)

http://uboat.net.maps/irish_sea.htm

UK DEAL (Digital Energy Atlas and Library) website (accessed September 2005)

www.ukdeal.co.uk

UKBAP (United Kingdom Biodiversity Action Plan) website (accessed September 2005)

<http://www.ukbap.org.uk>

UK Biodiversity Group and English Nature (1998-9). Species Action Plan for *Atrina fragilis*. In: English Nature Ed. *The UK Biodiversity Group Tranche 2 Action Plans*. English Nature, Northminster House.

UKOOA (United Kingdom Offshore Operators Association) (2002). UKOOA Drill Cuttings Initiative Final Report February 2002.

<http://www.oilandgas.org.uk/issues/drillcuttings/pdfs/finalreport.pdf>

UKSeaMap website (accessed September 2005)

<http://www.jncc.gov.uk/page-2117>

UKTERG (United Kingdom Terrestrial Effects Review Group) (1988). The effects of acid deposition on the terrestrial environment in the United Kingdom. First Report. HMSO.

UNESCO Biosphere website (accessed August 2005)

<http://www.unesco.org/mab/wnbr.htm>

United Kingdom Offshore Operators Association (UKOOA) website

<http://www.ukooa.co.uk/>.

Urick RJ (1983). *Principles of underwater sound*. McGraw-Hill, New York

Vauk G (1984). Oil pollution dangers on the German coast. *Marine Pollution Bulletin* **15**: 89-93.

Vestal B, Rieser A, Ludwig M, Kurland J, Collins C & Ortiz J (1995). Methodologies and mechanisms for management of cumulative coastal environmental impacts. Part I Synthesis, with annotated Bibliography; Part H Development and application of a cumulative impacts assessment protocol. NOAA Coastal Ocean Program Decision Analysis Series No. 6. NOM Coastal Ocean Office, Silver Spring, MD.

Vincent MA, Atkins SM, Lumb CM, Golding N, Lieberknecht LM & Webster M (2004). Marine nature conservation and sustainable development - the Irish Sea Pilot. Report to DEFRA by the Joint Nature Conservation Committee, Peterborough. JNCC website (accessed May 2005)

<http://www.jncc.gov.uk/page-1541>.

WAG (Welsh Assembly Government) website (accessed March 2005)

<http://www.coutryside.wales.gov.uk>

Waluda CM & Pierce GJ (1998). Temporal and spatial patterns in the distribution of squid *Loligo* spp. in United Kingdom waters. *South African Journal of Marine Science* **20**: 323-336.

Webb A, Stronach A, Tasker ML & Stone CJ (1995). *Vulnerable concentrations of seabirds south and west of Britain*. Joint Nature Conservation Committee, Peterborough.

Wernham C, Toms M, Marchant J, Clark J, Siriwardena G & Baillie S (2002). *The migration atlas: movements of the birds of Britain and Ireland*. T & AD Poyser, London.

Wescott SM & Stringell TB (2004). Grey seal distribution and abundance in North Wales, 2002-2003. CCW Marine Monitoring Report No. 13. Bangor, 80pp.

Wessex Archaeology (2005). Strategic Environmental Assessment SEA 6: Irish Sea: Maritime Archaeology. A report to the Department of Trade and Industry.

West Coasts of England and Wales Pilot (1999). *West coasts of England and Wales, and south coast of Scotland from Cape Cornwall to Mull of Galloway including Isle of Man*. 14th Edition. Hydrographer of the Navy.

White RG, Hill AE & Jones DA (1988). Distribution of *Nephrops norvegicus* (L.) larvae in the western Irish Sea: an example of advective control on recruitment. *Journal of Plankton Research* **10**: 735-747.

- Whomersley P & Picken GB (2003). Long-term dynamics of fouling communities found on offshore installations in the North Sea. *Journal of the Marine Biological Association of the United Kingdom* **83**: 897-901.
- Widdows J, Donkin P, Staff FJ, Matthiessen P, Law RJ, Allen YT, Thain JE, Allchin CR & Jones BR (2002). Measurement of stress effects (scope for growth) and contaminant levels in mussels (*Mytilus edulis*) collected from the Irish Sea. *Marine Environmental Research* **53**: 327-356.
- Wiese FK, Montevecchi WA, Davoren GK, Huettmann F, Diamond AW & Linke J (2001). Seabirds at Risk around Offshore Oil Platforms in the North-west Atlantic. *Marine Pollution Bulletin* **42**: 1285-1290.
- Wilding TA, Nickell LA, Gontyarek S & Sayer MDJ (2005a). Synthesis of information on the benthos of area SEA 6. Report for the Department of Trade and Industry.
- Wilding TA, Duncan J, Nickell LA, Hughes DJ, Gontyarek S, Black KD & Sayer MDJ (2005b). Synthesis of information on the benthos of SEA 6 Clyde Sea area. Report for the Department of Trade and Industry.
- Wilkinson M, Fuller IA, Telfer TC, Moore CG & Kingston PF (1988). A conservation-orientated survey of the intertidal seashore of Northern Ireland (Northern Ireland Littoral Survey). A report by Heriot Watt University, Institute of Offshore Engineering, Edinburgh. Report IOE/83/206, 431pp.
- Williams JM, Tasker ML, Carter IC & Webb A (1994). Method for assessing seabird vulnerability to surface pollutants. *Ibis* **137**: 147-152.
- Wilson B, Thompson PM & Hammond PS (1997). Habitat use by bottlenose dolphins: seasonal distribution and stratified movement patterns in the Moray Firth, Scotland. *Journal of Applied Ecology* **34**: 1365-1374.
- Wilson JB (1986). Faunas of tidal current and wave-dominated continental shelves and their use in the recognition of storm deposits. In: RJ Knight & JR McLean Eds. *Shelf Sands and Sandstones*. Canadian Society of Petroleum Geologists Memoir II, pp. 313-326.
- Witbaard R & Klein R (1993). A new approach in studying the long-term effects of bottom trawling. ICES CM 1993/K**16**: 8.