

REFERENCES

- Adams JA & Martin JHA (1986). The hydrography and plankton of the Moray Firth. *Proceedings of the Royal Society of Edinburgh* **91B**: 37-56.
- AFEN (2001). AFEN Coastal Protection Plan. Report to Atlantic Frontier Environmental Network from Cordah.
- Afonso-Dias IP & Hislop JRG (1996). The reproduction of anglerfish (*Lophius piscatorius* Linnaeus) from the north-west of Scotland. *Journal of Fish Biology* **49**: 18-39.
- Albert OT (1991). Distribution and trophic ecology of haddock (*Melanogrammus aeglefinus*) in the Norwegian Deep. *ICES. CM 1991/G* **45**: 15.
- Al-Dabbas MAM & McManus J (1987). Shell fragments as indicators of bed sediment transport in the Tay Estuary. *Proceedings of the Royal Society of Edinburgh* **92B**: 335-344.
- Andrew RK, Howe BM & Mercer JA (2002). Ocean ambient sound: Comparing the 1960s with the 1990s for a receiver off the California coast. *Acoustics Research Letters Online* **3**: 65–70.
- Andrews IJ, Long D, Richards PC, Thomson AR, Brown S, Chesher JA, & McCormac (1990). *United Kingdom Offshore Regional Report: The geology of the Moray Firth*. HMSO, London.
- Andrews JH & Standring KT (1979). *Marine pollution and birds*. Royal Society for the Protection of Birds, Sandy.
- Annotated Ramsar List of Wetlands of International Importance (UK)
The Ramsar Convention on Wetlands website (accessed July 2004)
http://www.ramsar.org/profiles_uk.htm
- Anwar NA, Richardson CA & Seed R (1990). Age determination, growth rate and population structure of the Horse Mussel *Modiolus modiolus*. *Journal of the Marine Biological Association of the UK* **70**: 441-457.
- Aquamedia website (accessed August 2004)
<http://www.industry.fo/Evnir/Eng-version/Aquaculture-Industry-Faroes.htm>
- Atkins SM, Jones AM & Garwood PR (1987). The ecology and reproductive cycle of a population of *Marenzelleria viridis* (*Annelida Polychaeta Spionidae*) in the Tay Estuary. *Proceedings of the Royal Society of Edinburgh* **92B**: 311–322.
- Austin GE, Jackson SF & Mellan HJ (2004). WeBS alerts 2000/2001: Changes in numbers of wintering waterbirds in the United Kingdom, its constituent countries, Special Protection Areas (SPAs) and Sites of Special Scientific Interest (SSSIs). BTO Research Report 349. British Trust for Ornithology.
- Axelsson MB (2003). The deep seabed environment of the UK continental margin – integration and interpretation of geological and biological data. Doctor of Philosophy thesis, University of Southampton, December 2003.
- Bailey RS (1975). Observations on diel behaviour patterns of North Sea gadoids in the pelagic phase. *Journal of the Marine Biological Association of the United Kingdom* **55**: 133-142.
- Balls PW, Owens RE & Muller FLL (1997). Dissolved trace metals in the Clyde, Forth and Tay Estuaries - a synopsis and comparison with other UK estuaries. *Coastal Zone Topics* **3**: 46-56.
- Barlow MJ & Kingston PF (2001). Observations on the effects of barite on the gill tissues of the suspension feeder *Cerastoderma edule* (Linné) and the deposit feeder *Macoma balthica* (Linné). *Marine Pollution Bulletin* **42**: 71-76.

- Barton C & Pollock C (2004). Review of divers, grebes and seaduck distribution and abundance in the SEA 5 area. Report to the DTI as part of SEA 5, 62pp plus appendices.
- Basford DJ, Eleftheriou A & Raffaelli D (1989). The epifauna of the northern North Sea (56-61°N). *Journal of the Marine Biological Association of the United Kingdom* **69**: 387-407.
- Basford DJ, Eleftheriou A & Raffaelli D (1990). The infauna and epifauna of the northern North Sea. *Netherlands Journal of Sea Research* **25**: 165-173.
- Basford DJ, Moore DC & Eleftheriou A (1996). Variations in benthos in the north-western North Sea in relation to the inflow of Atlantic water, 1980-1984. *ICES Journal of Marine Science* **53**: 957-963.
- Beaugrand G, Brander KM, Lindley JA, Soussi S & Reid PC (2003). Plankton effect on cod recruitment in the North Sea. *Nature* **426**: 661-664.
- Beaugrand G, Reid PC, Ibañez F, Lindley JA & Edwards M (2002). Reorganisation of North Atlantic marine copepod biodiversity and climate. *Science* **296**: 1692-1694.
- Becker GA & Pauly M (1996). Sea surface temperature changes in the North Sea and their causes. *ICES Journal of Marine Science* **53**: 887-898.
- Belderson RH, Kenyon NH & Stride AH (1971). Holocene sediments on the continental shelf west of the British Isles. Institute of Geological Sciences Report no. 70/14, pp. 157-170.
- Bell N & Smith J (1999). Coral growing on North Sea oil rigs. *Nature* **402**: 602.
- Bennett TL & Foster-Smith JL (1998). Benthic marine ecosystems in Great Britain: a review of current knowledge. Chap. 6, South-east Scotland & North-east England (MNCR Sector 5).
- Bergen Harbour Annual Report (accessed August 2004)
<http://www.bergenhavn.no/Eng-www.pdf>
- Bergstad OA (1990). Ecology of the fishes of the Norwegian Deep: distribution and species assemblages. *Netherlands Journal of Sea Research* **25 (1/2)**: 237-266.
- Berwickshire and North Northumberland Coast European marine site website (accessed July 2004) http://www.xbordercurrents.com/management_scheme.html
- BirdLife International website (accessed July 2004)
<http://www.birdlife.net/>
- Bjørge A & Øien N (1995). Distribution and abundance of harbour porpoise (*Phocoena phocoena*), in Norwegian waters. Reports of the International Whaling Commission (Special Issue 16), 89-98.
- Bjorke H & Saetre R (1994). Transport of larvae and juvenile fish into central and northern Norwegian waters. *Fisheries Oceanography* **3**: 106-119.
- Black K (2004). SEA 5 Analysis: Particle Size & Organic Matter. A report by Partrac Ltd for DTI.
- BODC (1998). An Atlas of Seas Around the British Isles, UKDMAP. 3rd Edition. Natural Environment Research Council.
- Borsani JF, Clark CW, Laoreti S, Spiga I & Tunesi L (2004). Preliminary assessment on the occurrence of fin whale (*Balaenoptera physalus*) sounds within the Pelagos Sanctuary 1999-2002. 56th annual IWC meeting SC/56/E16.
- Boyle PR & Pierce GJ (1994). Fishery biology of northeast Atlantic squid: an overview. *Fisheries Research* **21**: 1-15.
- Brander K (1992). A re-examination of the relationship between cod recruitment and *Calanus finmarchicus* in the North Sea. *ICES Journal of Marine Science Symposium* **195**: 393-401.
- Brander KM (1994). Spawning and life history information for North Atlantic cod stocks. *ICES Co-operative Research Report* **205**: 1-150.

- Branson A (1997). Cetaceans and sea life. *British Wildlife* **8(4)**: 250.
- Briggs Marine Environmental Services (2000). Moray Firth Shoreline Protection Strategy Plan. Report prepared for Talisman Energy (UK) Limited, Texaco North Sea UK Company and BG International.
- British Geological Survey (1996). Wind and water. In: JH Barne, CF Robson, SS Kaznowska, JP Doody & NC Davidson Eds. *Coasts and Seas of the United Kingdom. Region 3 North-east Scotland: Cape Wrath to St. Cyrus*. Joint Nature Conservation Committee, Peterborough, pp. 28-32.
- British Geological Survey (1998). Shetland 1:250,000 Map. Sea-Bed Sediments. British Geological Survey, Edinburgh, Scotland.
- British Geological Survey (2001). North Sea Geology. Technical report produced for Strategic Environmental Assessment - SEA 2 (TR_008). British Geological Survey.
- British Geological Survey (2002). North Sea Geology. Technical report produced for Strategic Environmental Assessment - SEA 2 & SEA 3 (TR_008_Rev1). British Geological Survey.
- British Geological Survey, Dales D & Gilbert K (1997). Wind and water. In: JH Barne, CF Robson, SS Kaznowska, JP Doody, NC Davidson & AL Buck Eds. *Coasts and Seas of the United Kingdom. Region 4 South-east Scotland: Montrose to Eyemouth*. Joint Nature Conservation Committee, Peterborough, pp. 27-30.
- British Geological Survey & Scott Wilson Resource Consultants (1997a). Wind and water. In: JH Barne, CF Robson, SS Kaznowska, JP Doody, NC Davidson & AL Buck Eds. *Coasts and seas of the United Kingdom. Region 1 Shetland*. Joint Nature Conservation Committee, Peterborough, pp. 27-30.
- British Geological Survey & Scott Wilson Resource Consultants (1997b). Wind and water. In: JH Barne, CF Robson, SS Kaznowska, JP Doody, NC Davidson & AL Buck Eds. *Coasts and seas of the United Kingdom. Region 2 Orkney*. Joint Nature Conservation Committee, Peterborough, pp. 26-29.
- Brown EG, Pierce GJ, Hislop JRG & Santos MB (2001). Interannual variation in the summer diets of harbour seals (*Phoca vitulina*) at Mousa, Shetland (U.K.). *Journal of the Marine Biological Association of the United Kingdom* **81**: 325-337.
- Brown J, Fernand L, Horsburgh KJ, Hill AE & Read JW (2001). Paralytic shellfish poisoning on the east coast of the UK in relation to seasonal density-driven circulation. *Journal of Plankton Research* **23**: 105-116.
- Buck AL (1993). *An inventory of UK estuaries. Volume 4: North and east Scotland*. Joint Nature Conservation Committee, Peterborough.
- Burns KA, Codi S, Furnas M, Heggie D, Holdway D, King B & McAllister F (1999). Dispersion and fate of produced formation water constituents in an Australian northwest shelf shallow water ecosystem. *Marine Pollution Bulletin* **38(7)**: 593-603.
- Bustamante P, Caurant F, Fowler SW & Miramand P (1998). Cephalopods as a vector for the transfer of cadmium to top marine predators in the northeast Atlantic Ocean. *The Science of the Total Environment* **220**: 71-80.
- Caldwell J (2002). Does air-gun noise harm marine mammals? *The Leading Edge* January 2002, pp. 75-78.
- Callaway R, Alsvåg J, de Boois I, Cotter J, Ford A, Hinz H, Jennings S, Kröncke I, Lancaster J, Piet G, Prince P & Ehrich S (2002). Diversity and community structure of epibenthic invertebrates and fish in the North Sea. *ICES Journal of Marine Science* **59**: 1199-1214.
- Camphuysen CJ (1998). Beached bird surveys indicate decline in chronic oil pollution in the North Sea. *Marine Pollution Bulletin* **36**: 519-526.

- Carr AF (1987). New perspectives on the pelagic stage of marine turtle development. *Conservation Biology* **1**(2): 103-121.
- Caurant F & Amiard-Triquet C (1995). Cadmium contamination in Pilot whales *Globicephala melas*: source and potential hazard to the species. *Marine Pollution Bulletin* **30**: 207-210.
- CEFAS (2001). Contaminant status of the North Sea. Technical report produced for DTI Strategic Environmental Assessment – SEA2.
- CEFAS (2001). North Sea fish and fisheries. Technical report TR_003. Technical report produced for DTI Strategic Environmental Assessment – SEA 2.
- CEFAS website (accessed July 2004)
<http://www.cefas.co.uk/sharks/default.htm>
- Chapman CJ (2004). Northern North Sea shellfish and fisheries. Strategic Environmental Assessment - SEA5. Technical Report for Department of Trade & Industry.
- Charlton JA, McNicoll W & West JR (1975). Tidal and freshwater induced circulation in the Tay Estuary. *Proceedings of the Royal Society of Edinburgh* **75B**: 11-27.
- Clerck de R & Buseyne D (1989). On the feeding of plaice (*Pleuronectes platessa* L.). *Journal du Conseil International pour l'Exploration de la Mer* **46**: 35-51.
- Coggan RA, Smith CJ, Atkinson RJA, Papadopoulou K-N, Stevenson TDI, Moore PG & Tuck ID (2001). Comparison of rapid methodologies for quantifying environmental impacts of otter trawls. DG XIV Study Project No. 98/017 Study Projects in support of the Common Fisheries Policy. Final Report June 2001.
- Collins MA, Boyle PR, Pierce GJ, Key LN, Hughes SE & Murphy J (1999). Resolution of multiple cohorts in the *Loligo forbesi* population from the west of Scotland. *ICES Journal of Marine Science* **56**: 500-509.
- Collins MA, Pierce GJ & Boyle PR (1997). Population indices of reproduction and recruitment in *Loligo forbesi* (Cephalopoda: Loliginidae) in Scottish and Irish waters. *Journal of Applied Ecology* **34**: 778-786.
- Coull KA, Johnstone R & Rogers SI (1998). *Fisheries Sensitivity Maps in British Waters*. UKOOA Ltd.
- European Commission Fisheries website (accessed July 2004)
<http://www.europa.eu.int/comm/fisheries>
- Craddock DM & Stroud DA (1996). Other breeding birds. In: JH Barne, CF Robson, SS Kaznowska, JP Doody, NC Davidson & AL Buck Eds. *Coasts and seas of the United Kingdom. Region 3 North-east Scotland: Cape Wrath to St Cyrus*. Joint Nature Conservation Committee, Peterborough, pp. 116-119.
- Craig S (1996). Total mercury concentration in the cephalopods, *Loligo forbesi* (Steenstrup), *Todaropsis eblanae* (Ball), and *Todarodes sagittatus* (Lamarck). Zoology Honours Thesis. University of Aberdeen.
- Cranford PJ & Gordon DC Jr (1992). The influence of dilute clay suspensions on sea scallop (*Placopecten magellanicus*) feeding activity and tissue growth. *Netherlands Journal of Sea Research* **30**: 107-120.
- Cranford PJ, Gordon DC Jr, Lee K, Armsworthy SL & Tremblay GH (1999). Chronic toxicity and physical disturbance effects of water- and oil-based drilling fluids and some major constituents on adult sea scallops (*Placopecten magellanicus*). *Marine Environmental Research* **48**: 225-256.
- Cranmer G (1988). Environmental survey of the benthic sediments around three exploration well sites. Aberdeen University Marine Studies Ltd. Report No 88/02 to the United Kingdom Offshore Operators Association, 33pp plus figures and appendices.
- Cranmer GJ (1986). The food of the haddock (*Melanogrammus aeglefinus*) in the North Sea. *ICES. CM 1986/G* **86**: 5.

- Cranmer GJ, Fry PD, & Dyer MF (1984). Further results from headline camera surveys in the North Sea. *Journal of the Marine Biological Association of the United Kingdom* **64**: 335–342.
- Crumpton CA & Goodwin MJ (1996). Marine aggregate extraction, dredging and solid waste disposal at sea. In: JH Barne, CF Robson, SS Kaznowska JP Doody, NC Davidson & AL Buck Eds. *Coasts and seas of the United Kingdom. Region 3 North east Scotland: Cape Wrath to St Cyrus*. Joint Nature Conservation Committee, Peterborough, pp. 192-195.
- Cummings J (2003). Seismic Surveys: What we don't know may hurt. Prepared for Greenpeace USA by Acoustics Ecology Institute.
- D'Amico A & Verboom WC (1998). Minutes Bioacoustics Panel, convened at SACLANTCEN, La Spezia, Italy, 15-17 June 1998. NATO-SACLANTCEN report M-133.
- Daan N (1978). Changes in cod stocks and cod fisheries in the North Sea. *Rapports et Proces-Verbaux des Reunions du Conseil International pour l'Exploration de la Mer* **172**: 39-57.
- Daan N, Bromley PJ, Hislop JRG & Nielsen NA (1990). Ecology of North Sea Fish. *Netherlands Journal of Sea Research* **26**: 343-386.
- Daan R & Mulder M (1996). On the short-term and long-term impact of drilling activities in the Dutch sector of the North Sea. *ICES Journal of Marine Science* **53**: 1036-1044.
- Daly HI, Pierce GJ, Santos MB, Royer J, Cho SK, Stowasser G, Robin J-P & Henderson S (2001). Cephalopod consumption by fish in UK waters. *Fisheries Research* **52**: 51-64.
- Dando PR & Southward AJ (1986). Chemoautotrophy in bivalve molluscs of the genus *Thyasira*. *Journal of the Marine Biological Association of the United Kingdom* **66**: 915–929.
- Dando PR (2001). A review of pockmarks in the UK part of the North Sea, with particular respect to their biology. Technical Report TR_001 produced for Strategic Environmental Assessment – SEA 2.
- Dando PR, Austen MC, Burke Jr RA, Kendall MA, Kennicutt II, Judd AG, Moore DC, O'Hara SCM, Schmaljohann R & Southward AJ (1991). Ecology of a North sea pockmark with an active methane seep. *Marine Ecology Progress Series* **70**: 49-63.
- Davies IM (1987). Trace metals and organohalogen compounds in the Forth, Scotland. *Proceedings of the Royal Society of Edinburgh* **93B**: 315-326.
- Davies JM, Bedborough DR, Blackman RAA, Addy JM, Appelbee JF, Grogan WC, Parker JG & Whitehead A (1989). The environmental effect of oil-based mud drilling in the North Sea. In: FR Engelhardt, JP Ray & AH Gillam Eds. *Drilling Wastes*. Elsevier Applied Science, London and New York, pp. 59-90.
- Davies, JM & Kingston PF Eds (1992). Sources of environmental disturbance associated with offshore oil and gas developments. In: *North Sea oil and the environment: developing oil and gas responses*. Elsevier, New York, pp. 417-440.
- Davis PG, Heffernan RE & Sieburth J (1979). Heterotrophic microbial populations in estuarine microcosms: influence of season and water – accommodated hydrocarbons. *Transactions of the American Microscopy Society* **98**: 152.
- Dean BJ, Webb A, McSorley CA & Reid JB (2003). Aerial surveys of UK inshore areas for wintering seaduck, divers and grebes: 2000/01 and 2001/02. JNCC Report, No. 333. Joint Nature Conservation Committee, Peterborough, 57pp plus appendices.
- DEFRA (2001). Shoreline Management Plans – A guide for coastal defence authorities. DEFRA website (accessed July 2004)
<http://www.defra.gov.uk/environ/fcd/pubs/smp/revisedsmpguidancefinal.pdf>
- DEFRA (2002). Climate Change Scenarios for the United Kingdom. The UKCIP02 Briefing Report. Tyndall Centre for Climate Change Research, School of Environmental Sciences, University of East Anglia, Norwich, UK. 120pp.

- DEFRA (2003). UK sea fisheries statistics 2002.
DEFRA website (accessed April 2004)
<http://statistics.defra.gov.uk/esg/publications/fishstat/uksfs02.pdf>
- DEH (2004). Draft Review of DEH Guidelines on the Application of the EPBC Act to Interactions between Offshore Seismic Operations and Larger Cetaceans. Prepared for Department of the Environment and Heritage Canberra ACT July 2004 by URS Australia Pty Ltd.
- DeLorenzo ME, Taylor LA, Lund SA, Pennington PL, Strozier ED & Fulton MH (2002). Toxicity and bioconcentration potential of the agricultural pesticide endosulfan in phytoplankton and zooplankton. *Archives of Environmental Contamination and Toxicology* **42**: 173-181.
- DETR (1999). Identification of Marine Environment High Risk Areas in the UK.
DEFRA website (accessed July 2004)
<http://www.defra.gov.uk/environment/consult/mehra/>
- DfT Maritime Statistics website (accessed July 2004)
<http://www.transtat.dft.gov.uk/tables/2002/mtime02/index.htm#Section1>
- Doody JP (1996). Introduction to the region. In: JH Barne, CF Robson, SS Kaznowska, JP Doody & NC Davidson Eds. *Coasts and seas of the United Kingdom. Region 3 North-east Scotland: Cape Wrath to St. Cyrus*. Joint Nature Conservation Committee, Peterborough, pp. 13-18.
- Dooley HD (1973). Currents off the north east of Scotland. *Scottish Fisheries Bulletin* **39**: 48-52.
- Dorsey EM & Pederson J Eds (1998). *Effects of fishing gear on the sea floor of New England*. Conservation Law Foundation, Boston, Massachusetts, USA.
- DTI (2001). Strategic Environmental Assessment of the Mature Areas of the Offshore North Sea SEA 2. Consultation Document. Report to the Department of Trade and Industry.
- DTI (2003). Petroleum prospectivity of the principal sedimentary basins on the United Kingdom Continental Shelf. UK Promote.
- DTI oil and gas website (accessed July 2004)
<http://www.og.dti.gov.uk/UKpromote/geoscientific.htm>.
- DTI (2003). Strategic Environmental Assessment of the Area North and West of Orkney and Shetland SEA 4. Consultation Document. Report to the Department of Trade and Industry.
- DTI Energy website (accessed July 2004)
<http://www.dti.gov.uk/energy/inform>
- DTI Oil and gas website (accessed July 2004)
<http://www.og.dti.gov.uk>
- DTI Renewables website (accessed July 2004)
<http://www.dti.gov.uk/energy/renewables/>
- DTI SEA website (accessed July 2004)
<http://www.offshore-sea.org.uk>
- Duineveld GCA & van Noort GJ (1990). Geographical variation in the epifauna of the southern North Sea and adjacent regions. *ICES. CM papers. CM 1990/m Mini*:9.
- Duineveld GCA, Kunitzer A, Niermann U, de Wilde PAJ & Gray JS (1991). The macrobenthos of the North Sea. *Netherlands Journal of Sea Research* **28**: 53–65.
- Dunn E & Steel C (2001). The impact of longline fishing on seabirds in the north-east Atlantic: recommendations for reducing mortality. Report for joint project between: Royal Society for the Protection of Birds, Norwegian Ornithological Society, Birdlife International & Joint Nature Conservation Committee, 66pp plus appendices.

- Dyer MF, Fry WG, Fry PD & Cranmer GJ (1982). A series of North Sea benthos surveys with trawl and headline camera. *Journal of the Marine Biological Association of the United Kingdom* **62**: 297–313.
- Dyer MF, Fry WG, Fry PD & Cranmer GJ, (1983). Benthic regions within the North Sea. *Journal of the Marine Biological Association of the United Kingdom* **63**: 683–693.
- E&P Forum (1994). North Sea Produced Water: Fate and effects in the marine environment. Exploration and Production Forum Report No. 2.62/204, May 1994, 48pp.
- Earll RC (1983). Shallow sublittoral ecosystems in the Moray Firth. A report to the Nature Conservancy Council. NW 169.
- Edwards M, Beaugrand G, Reid PC, Rowden AA & Jones MB (2002). Ocean climate anomalies and the ecology of the North Sea. *Marine Ecology Progress Series* **239**: 1-10.
- Edwards M, John AWG, Johns DG & Reid PC (2001). Case history of a non-indigenous diatom (*Coscinodiscus wailesii*) in the Northeast Atlantic. *Journal of Marine Biological Association UK* **81**: 207-211.
- EEMS (2003). Environmental Emissions Monitoring System Detailed Industry Report 2003.
- Eleftheriou A & Basford DJ (1989). The macrobenthic infauna of the offshore northern North Sea. *Journal of the Marine Biological Association of the United Kingdom* **69**: 123–143.
- Eleftheriou A & McIntyre AD (1976). The intertidal fauna of sandy beaches – a survey of the Scottish Coast. *Scottish Fisheries Research Report* **6**: 1–61.
- Eleftheriou A & Nicholson MD (1975). The effects of exposure on beach fauna. *Cahiers de Biologie (suppl)* **16(5)**: 695–710.
- Eleftheriou A & Robertson MR (1988). The intertidal fauna of sandy beaches, a survey of the East Scottish Coast. *Scottish Fisheries Research Report* **38**.
- Eleftheriou A, Basford D & Moore DC (2004). Synthesis of Information on the benthos of Area SEA 5. Report for the DTI.
- Elliott M & Griffiths AH (1986). Mercury contamination in components of an estuarine ecosystem. *Water Science Technology* **18**: 161-170.
- Elliott M & Griffiths AH (1987). Contamination and effects of hydrocarbons on the Forth ecosystem, Scotland. *Proceedings of the Royal Society of Edinburgh* **93B**: 327-342.
- Elliott M & Kingston PF (1987). The sublittoral benthos of the estuary and Firth of Forth, Scotland in The Natural Environment of the Estuary and Firth of Forth. *Proceedings of the Royal Society of Edinburgh* **93B**: 449–465.
- Eltink ATGW (1987). Changes in age-size distribution and sex ratio during spawning and migration of Western mackerel (*Scomber scombrus* L.). *Journal du Conseil International pour l'Exploration de la Mer* **44**: 10-22.
- Engelhardt FR, Ray JP & Gillam AH Eds (1989). *Drilling Wastes*. Elsevier Applied Science, London, 867pp.
- Eno NC, Clark RA & Sanderson WG Eds. *Non-native marine species in British waters: a review and directory*. Joint Nature Conservation Committee, Peterborough.
- Environment Agency (2003). Salmon, your part in their future.
- Environment Agency website (accessed July 2004)
<http://www.environmentagency.gov.uk/commanddata/103196/569995?referrer=/subjects/fish/569882/569967/>
- Environment Australia (2000). The potential sensitivity of marine mammals to mining and exploration in the Great Australian Bight Marine Park Marine Mammal Protection Zone. An independent review and risk assessment report to Environment Australia, June 2003.
- ERTSL (2001). Preliminary investigation of the acute toxicity of water based mud cuttings. ERTSL Report 00/228 to DNV (on behalf of UKOOA), August 2001.

- Etkin DS (1999). Historical overview of oil spills from all sources (1960-1998). Paper 169 at 1999 International Oil Spill Conference.
- ETS News website (accessed July 2004)
<http://www.ets-news.com/maritime.htm>
- European Commission Fisheries website (accessed July 2004)
<http://www.europa.eu.int/comm/fisheries>
- EU (2003). MARINA II Update of the MARINA Project on the radiological exposure of the European Community from radioactivity in North European marine waters. Report to the EU Directorate-General Environment Radiation Protection, Contract B3-4305/2000/304957/MAR/C4, Report No: Radiation Protection 132.
- European Environment Agency (2003). Annual European Community greenhouse gas inventory 1990-2001 and inventory report 2003. Technical report No 95.
- Evans DL & England GR Eds (2001). Joint Interim Report Bahamas Marine Mammal Stranding Event of 14-16 March 2000. Unpublished report to US Department of Interior. 61pp. http://www.nmfs.noaa.gov/prot_res/overview/Interim_Bahamas_Report.pdf
- Evans PGH & Nice H (1996). Review of the effects of underwater sound generated by seismic surveys on cetaceans. Sea Watch Foundation, Oxford. (Report commissioned by UKOOA.)
- Everett SJ (1997). Leisure and tourism. In: JH Barne, CF Robson, SS Kaznowska, JP Doody, NC Davidson & AL Buck Eds. *Coasts and seas of the United Kingdom. Region 4, South east Scotland: Montrose to Eyemouth*. Joint Nature Conservation Committee, Peterborough, pp. 206-212.
- Falk-Peterson IB (1979). Toxic effects of aqueous extracts of Ekofisk crude oil, crude oil fractions, and commercial oil products on the development of sea urchin eggs. *Sarsia* **64**: 161-169.
- Farmer ASD (1975). Synopsis of biological data on the Norway lobster. *FAO Fisheries Synopsis, Rome*, **112**: 97.
- Farrow GE, Allen NH & Akpan EB (1984). Bioclastic carbonate sedimentation on a high-latitude, tide-dominated shelf: northeast Orkney Islands, Scotland. *Journal of Sedimentology and Petrology* **54**: 373-393.
- Feely RA, Sabine CL, Lee K, Berelson W, Kleypas J, Fabry VJ & Millero FJ (2004). Impact of anthropogenic CO₂ on the CaCO₃ system in the oceans. *Science* **305**: 362-366
- Fernández A, Arbelo M, Deaville R, Patterson IAP, Castro P, Baker JR, Degollada E, Ross HM, Herráez P, Pocknell AM, Rodríguez E, Howie FE, Espinosa A, Reid RJ, Jaber JR, Martin V, Cunningham AA & Jepson PD (2004). Pathology: Whales, sonar and decompression sickness (reply). *Nature* **428**: 716.
- Finger JM & Smith JD (1987). Molecular association of Cu, Zn, Cd and ²¹⁰Po in the digestive gland of the squid *Nototodarus gouldi*. *Marine Biology* **95**: 87-91.
- Firth CR, Collins PEF & Smith DE (1997). Coastal processes and management of Scottish estuaries IV – The Firth of Forth. Scottish Natural Heritage Review Report No. 87.
- Fisheries Research Services (2003). Statistical bulletin Scottish salmon and sea trout catches 2002. Fisheries Series No. Fis/2003/1
- Fisheries Research Services (2003a). Scottish fish farm production survey 2002. Scottish Executive.
- Fisheries Research Services website (accessed July 2004)
<http://www.marlab.ac.uk/FRS.Web/Uploads/Documents/fishprodv9.pdf>

- Fisheries Research Services (2003b). Scottish shellfish farm production survey 2002. Scottish Executive.
- Fisheries Research Services website (accessed July 2004)
<http://www.marlab.ac.uk/FRS.Web/Uploads/Documents/shellfish%20prod%2002v6.pdf>
- Flemming NC (2002). The scope of Strategic Environmental Assessment of North Sea areas SEA 3 and SEA 2 in regard to prehistoric archaeological remains. SEA 3 Technical Report. Report to the DTI.
- Flemming NC (2003). The scope of Strategic Environmental Assessment of Continental Shelf area SEA 4 in regard to prehistoric archaeological remains. SEA 4 Technical Report. Report to the DTI.
- Flemming NC (2004). The scope of Strategic Environmental Assessment of North Sea area SEA5 in regard to prehistoric archaeological remains. Report to the DTI.
- Food Standards Agency website (accessed July 2004)
<http://www.foodstandards.gov.uk/foodindustry/shellfish/shellharvestareas/shellclassscot>
- Forteach GNR, Picken GB, Ralph R & Williams J (1982). Marine growth studies on the North Sea oil platform Montrose Alpha. *Marine Ecology Progress Series* **8**: 61-68.
- Forth Ports website (accessed July 2004)
<http://www.forthports.co.uk/index.htm>
- Frauenheim K, Neumann V, Theil H, & Türkay M (1989). The distribution of the larger epifauna during the summer and winter in the North Sea and its suitability for environmental monitoring. *Senckenbergiana Marit* **20**: 101– 118.
- Friedland KD, Hansen LP, Dunkley DA & MacLean JC (2000). Linkage between ocean climate, post-smolt growth, and survival of Atlantic salmon (*Salmo salar* L.) in the North Sea area. *ICES Journal of Marine Science* **57**: 419-429.
- Frodello JP, Romeo M & Viale D (2000). Distribution of mercury in the organs and tissues of five toothed-whale species of the Mediterranean. *Environmental Pollution* **108**: 447-452.
- Furness RW & Monaghan P (1987). *Seabird ecology*. Blackie & Son.
- Furness RW (1994). An estimate of the quantity of squid consumed by seabirds in the eastern North Atlantic and adjoining seas. *Fisheries Research* **21**: 165-177.
- Furness RW (2002). Management implications of interactions between fisheries and sandeel-dependent seabirds and seals in the North Sea. *ICES Journal of Marine Science* **59**: 261-269.
- Gamble JC, Davies JM, Hay SJ & Dow K (1987). Mesocosm experiments on the effects of produced water from offshore oil platforms in the northern North Sea. *Sarsia* **72**: 383-387.
- Gatliff RW, Richards PC, Smith K, Graham CC, McCormac M, Smith NJP, Long D, Cameron TDJ, Evans D, Stevenson AG, Bulat J & Ritchie JD (1994). United Kingdom Offshore Regional Report: The geology of the Central North Sea. HMSO, London.
- Gearing PJ, Gearing JN, Pruell RJ, Wade TL & Quinn JG (1980). Partitioning of No.2 fuel oil in controlled estuarine ecosystems: sediments and suspended particulate matter. *Environmental Science and Technology* **14**: 1129–1136.
- Gibbons DW, Reid JB & Chapman RA (1994). *The new atlas of breeding birds in Britain and Ireland: 1988-1991*. T & AD Poyser, London
- Gin KYH, Huda K, Lim WK & Tkalich P (2001). An oil spill – food chain interaction model for coastal waters. *Marine Pollution Bulletin* **42**: 590-597.
- Gislason H (1983). A preliminary estimate of the yearly intake of fish by saithe in the North Sea. *ICES. CM 1983/G* **52**:10.
- Glémarec, M (1973). The benthic communities of the European North Atlantic continental shelf. *Oceanography and Marine Biology Annual Review* **11**: 263-289.

- Godley B, Gaywood M, Law R, McCarthy C, McKenzie C, Patterson I, Penrose R, Reid R & Ross H (1998). Patterns of marine turtle mortality in British waters 1992-96 with reference to tissue contaminant levels. *Journal of the Marine Biological Association UK* **78**: 973-984.
- González AF, López A, Guerra A & Barriero A (1994). Diets of marine mammals on the north western Spanish Atlantic coast with special reference to Cephalopoda. *Fisheries Research* **21**: 179-191.
- Gordon JCD, Gillespie D, Potter J, Frantzis A, Simmonds M & Swift R (1998). The effects of seismic surveys on marine mammals. In: *Seismic and Marine Mammals Workshop*, 23-25 June 1998 (sponsored by AMJIG and IAGC).
- Gordon JDM (2003). Fish and fisheries in the SEA 4 area. Report for the DTI SEA 4 process. http://www.offshore-sea.org.uk/sea/dev/html_file/udsea4_fisheries.php
- Gordon JMG (1977). The fish populations in inshore waters of the West Coast of Scotland: The distribution, abundance and growth of the whiting (*Merlangius merlangus* L.). *Journal of Fish Biology* **10**: 587-596.
- Gorman M & Raffaelli D (1993). The Ythan Estuary, *Biologist* **40**: 10–13.
- Gray JS (2002). Perceived and real risks: produced water from oil extraction. *Marine Pollution Bulletin* **44**:1171-1172(2).
- Green Book, NMMP (2003) – UK National Marine Monitoring Programme Green Book. November 2003.
<http://www.marlab.ac.uk/FRS.Web/Uploads/Documents/GBMain%20Text%201103.pdf>
- Gregory RD, Eaton MA, Noble DG, Robinson JA, Parsons M, Baker H, Austin G & Hilton GM (2003). *The state of the UK's birds 2002*. The RSPB, BTO, WWT and JNCC, Sandy, 24pp.
- Griffiths AH (1987). Water quality of the estuary and Firth of Forth, Scotland. *Proceedings of the Royal Society of Edinburgh* **93B**: 303-314.
- Gubbay S & Earll R (1999). Proposed guidelines for dealing with cetaceans in the event of an oil spill in the Moray Firth. Report for Talisman Energy (UK) & Scottish Natural Heritage.
- Gundlach ER & Hayes MO (1978). Vulnerability of coastal environments to oil spill impacts. *Marine Technology Society Journal* **12**: 18-27.
- Hamer KC, Phillips RA, Wanless S, Harris MP & Wood AG (2000). Foraging ranges, diets and feeding locations of gannets *Morus bassanus* in the North Sea: evidence from satellite telemetry. *Marine Ecology Progress Series* **200**: 257-264.
- Hammond PS, Northridge SP, Thompson D, Gordon JCD, Hall AJ, Sharples RJ, Grellier K & Matthiopoulos J (2004). Background information on marine mammals relevant to Strategic Environmental Assessment 5. Report to DTI from Sea Mammal Research Unit.
- Hansom JD & Black DL (1996). Coastal processes and management of Scottish estuaries II: Estuaries of the Outer Moray Firth. Scottish Natural Heritage Review Report No. 51.
- Harden-Jones FR (1968). *Fish Migration*. Edward Arnold, London, 325pp.
- Harding-Hill R (1993). *The Moray Firth Review. North-west Region*. Scottish Natural Heritage, Inverness, 257pp.
- Harper DJ, Ridgway IM & Leatherland TM (1992). Concentrations of hexachlorobenzene, trichlorobenzenes and chloroform in the waters of the Forth Estuary, Scotland. *Marine Pollution Bulletin* **24(5)**: 244–249.
- Hartley JP (1996). Environmental monitoring of offshore oil and gas drilling discharges – a caution on the use of barium as a tracer. *Marine Pollution Bulletin* **32**: 727-733.
- Hastie LC, Joy JB, Pierce GJ & Yau C (1994). Reproductive biology of *Todaropsis eblanae* (Cephalopoda: Ommastrephidae) in Scottish waters. *Journal of the Marine Biological Association of the United Kingdom* **72**: 367-382.

- Heath M & Evans M (2000). *Important Bird Areas in Europe, Priority Sites for Conservation, Volume 1: Northern Europe*. BirdLife International.
- Heath MR, Adams RD, Brown F, Dunn J, Fraser S, Hay SJ, Kelly MC, Macdonald EM, Robertson MR, Robinson S & Wilson C (1999). Plankton monitoring off the east coast of Scotland in 1997 and 1998. Fisheries Research Services Report, No. 99
- Heip C, Basford DJ, Craeymeersch JA, Dewarumez J-M, Dörjes J, de Wilde P, Duineveld G, Eleftheriou A, Herman PMJ, Niermann U, Kingston P, Künitzer A, Rachor E, Rumohr H & Soetaert K (1992). Trends in biomass, density and diversity of North Sea macrofauna. *ICES Journal of Marine Science* **49**: 13–22.
- Her Majesty's Stationery Office website (accessed July 2004)
<http://www.hmsso.gov.uk/legislation/scotland/acts2003/30015--a.htm>
- Hildebrand J (2004). Introduction to Acoustics. International Whaling Commission, Scientific Committee (IWC-SC) Report Annex K: Standing Working Group on Environmental Concerns Report Submitted at the IWC56 meeting, July 2004, Annex K, Appendix 3.
- Hill M, Briggs J, Minto P, Bagnall D, Foley K & Williams A (2001). Guide to best practice in seascape assessment. Countryside Council for Wales, Brady Shipman Martin and University College Dublin. Maritime Ireland/Wales INTERREG Report No. 5.
- Hiscock K (1998). *Marine Nature Conservation Review. Benthic Marine Ecosystems of Great Britain and the North-East Atlantic*. Joint Nature Conservation Committee, Peterborough.
- Hiscock K, Southward A, Tittley I, Jory A & Hawkins S (2001). *The impact of climate change on subtidal and intertidal benthic species in Scotland*. Scottish Natural Heritage.
- Hislop JRG, Gallego A, Heath MR, Kennedy FM, Reeves SA & Wright PJ (2001). A synthesis of the early life history of anglerfish, *Lophius piscatorius L.*, in northern British waters. *ICES Journal of Marine Science* **58**: 70-86.
- Hislop JRG, Robb AP, Bell MA & Armstrong DW (1991). The diet and food consumption of whiting (*Merlangius merlangus*) in the North Sea. *ICES Journal of Marine Science* **48**: 139-156.
- Holand P (1996). Offshore blowouts, causes and trends. Doctoral Dissertation, Norwegian Institute of Technology Department of Production and Quality Engineering, Trondheim, Norway.
- Holmes R, Bulat J, Fraser J, Gillespie E, Holt J, James C, Kenyon N, Leslie A, Musson R, Pearson S & Stewart H (2004). Superficial Geology and Processes. British Geological Survey Commercial Report No. CR/04/064N. Report for DTI Strategic Environmental Assessment Area (SEA 5).
- HR Wallingford Ltd (1997). Coastal cells in Scotland. Scottish Natural Heritage Review Report No. 56.
- Hulme R (2002). *Birds of Britain*. Royal Society for the Protection of Birds.
- Hyland J, Hardin D, Steinhauer M, Coats D, Green R & Neff J (1994). Environmental impact of offshore oil development on the outer continental shelf and slope off Point Arguello, California. *Marine Environmental Research* **37**: 195-229.
- ICES 1999. Report of the Advisory Committee on the Marine Environment, 1998. International Council for the Exploration of the Sea. ICES Coop. Res. Report 233.
- ICES (2003). ICES Advisory Committee on Fishery Management report.
 ICES website (accessed July 2004)
<http://www.ices.dk/>
- International Maritime Organisation website (accessed July 2004)
<http://www.imo.org/home.asp>

- IPCC (2001). Climate Change 2001: The Scientific Basis. In: JT Houghton, Y Ding, DJ Griggs, M Noguer, PJ van der Linden & D Xiaosu Eds. *Contribution of Working Group I to the Third Assessment Report of the Intergovernmental Panel on Climate Change (IPCC)*. Cambridge University Press, UK, pp. 944.
- IWC-SC (2004). International Whaling Commission, Scientific Committee (IWC-SC) Report Annex K: Report of the Standing Working Group on Environmental Concerns (May 2004) Submitted at the IWC56 meeting, July 2004, Annex K, section 6.
- Jennings S & Kaiser MJ (1998). The effects of fishing on marine ecosystems. *Advances in Marine Biology* **34**: 201-352.
- Jennings S, Lancaster J, Woolmer A & Cotter J (1999). Distribution, diversity and abundance of epibenthic fauna in the North Sea. *Journal of the Marine Biological Association of the United Kingdom* **79**: 385–399.
- Jensen FB, Kuperman WA, Porter MB & Schmidt H (1994). *Computational Ocean Acoustics*. American Institute of Physics, Woodbury, New York.
- Jepson PD, Arbelo M, Deaville R, Patterson IAR, Castro P, Baker JR, Degollada E, Ross HM, Herráez P, Pocknell AM, Rodriguez E, Howie FE, Espinosa A, Reid RJ, Jaber JR, Martin V, Cunningham AA & Fernandez A (2003). Gas-bubble lesions in stranded cetaceans. *Nature* **425**: 575-576.
- JNCC website (accessed July 2004)
<http://www.jncc.gov.uk>
- Johns D (2004). Plankton Report for Strategic Environmental Assessment Area 5. Report for the DTI. The Sir Alister Hardy Foundation for Ocean Science (SAHFOS), 29pp.
- Johns DG & Reid PC (2001). An overview of plankton ecology in the North Sea. Technical report produced for Strategic Environmental Assessment – SEA 2. The Sir Alister Hardy Foundation for Ocean Science (SAHFOS).
- Johnson H, Richards PC, Long D & Graham CC (1993). United Kingdom Offshore Regional Report: The geology of the northern North Sea. HMSO, London.
- Johnson KA (2002). A review of national and international literature on the effects of fishing on benthic habitats. NOAA Technical memorandum NMFS-F/SPO-57, August 2002.
- Johnston C, Turnbull CG & Tasker M (2002). Natura 2000 in UK Offshore Waters: Advice to support the implementation of the EC Habitats and Birds Directives in UK offshore waters. JNCC Report No. 325.
- Johnston CM, Turnbull CG & Reid J (2003). *Marine Natura 2000*. JNCC 03 P01.
- Joint I, Lewis J, Aiken J, Proctor R, Moore G, Higman W & Donald M (1997). Interannual variability of PSP outbreaks on the north east UK coast. *Journal of Plankton Research* **19**: 937-956.
- Jones PH (1980). The effect on birds of a North Sea gas flare. *British Birds* **73**: 547-555.
- Joy JB (1989). The fishery biology of Ommastrephid squids in the Shetland waters. MSc Thesis, University of Aberdeen.
- Judd AG (2001). Pockmarks in the UK sector of the North Sea. Technical Report TR_002 produced for Strategic Environmental Assessment – SEA 2.
- Kaiser MJ & de Groot SJ Eds (2000). *Effects of fishing on non-target species and habitats: biological conservation and socio-economic issues*. Blackwell Science, Oxford.
- Kaiser MJ, Collie JS, Hall SJ, Jennings S & Poiner IR (2002a). Impacts of fishing gear on marine benthic habitats. In: M Sinclair & G Valdimarsson Eds. *Responsible fisheries in the marine ecosystem*. CABI Publishing, Wallingford, pp. 197-217.
- Kaiser MJ, Collie JS, Hall SJ, Jennings S & Poiner IR (2002b). Modification of marine habitats by trawling activities: prognosis and solutions. *Fish and Fisheries* **3(2)**: 114-133.

- Keddie RG (1996). Coastal protected sites. In: JH Barne, CF Robson, SS Kaznowska, JP Doody & NC Davidson Eds. *Coasts and seas of the United Kingdom. Region 3 North-east Scotland: Cape Wrath to St. Cyrus*. Joint Nature Conservation Committee, Peterborough, pp. 143-157.
- Kelly M & MacDonald E (1997). SOAEFD Toxic algal bloom monitoring report, 1 January to 31 December 1996. Marine Laboratory, Aberdeen, Fisheries Research Services Report 2/97.
- Kenyon NH & Stride AH (1970). The tide-swept continental shelf sediment between the Shetland Isles and France. *Sedimentology* **14**: 159-173.
- Ketten DR (1999). Marine mammal auditory systems: A summary of audiometric and anatomical data and its implications for underwater acoustic impacts. <http://swfsc.ucsd.edu/prd/dsweb/PDFs/TM256.PDF>
- Kingfisher Cable Awareness Charts: North Sea – North West Approaches, North and Central.
- Kingston PF & Harries D (2000). UKBenthos: Database of offshore Environmental benthic surveys in the UK sector of the North Sea. UKOOA Ltd.
- Kingston PF & Rachor E (1982). North Sea level bottom communities. *ICES CM papers 1982/L41*: 1–16.
- Kingston PF, Dixon IMT, Hamilton S & Moore DC (1995). The impact of the *Braer* oil spill on the macrobenthic infauna of the sediments off the Shetland Isles. *Marine Pollution Bulletin* **30**: 445-459.
- Klein R & Witbaard R (1995). Long-term trends in the effects of beam trawl fishery on the shells of *Arctica islandica*. NIOZ report 1995-3: 15pp.
- Klinkenberg G & Schumann R (1995). Abundance changes of autotrophic and heterotrophic picoplankton in the Zingster – Strom, a shallow, tideless estuary south of the Darss – Zingst Peninsula (Southern Baltic Sea). *Archiv fur Hydrobiologie* **134**: 359–377.
- Koyama J, Nanamori N & Segawa S (2000). Bioaccumulation of waterborne and dietary cadmium by oval squid, *Sepioteuthis lessoniana*, and its distribution among organs. *Marine Pollution Bulletin* **40**: 961-967.
- Kröncke I, Duineveld GCA, Raak A, Rachor E & Daan R (1992). Effects of a former discharge of drill cuttings on the macrofauna community. *Marine Ecology Progress Series* **91**: 277-287.
- Künitzer A, Basford DJ, Craeymeersch JM, Dewarmez JM, Dörjes J, Eleftheriou A, Heip C, Herman PM, Kingston P, Niermann U, Rumohr H & de Wilde PAJ (1992). The benthic infauna of the North Sea: species distribution and assemblages. *ICES Journal of Marine Science* **49**: 127–143.
- Laurenson C & Wishart M (1996). Preliminary investigations of the effects of the *Braer* oil spill. Fisheries Development Note 4, North Atlantic Fisheries College, UK.
- Lawson JW, Malme CI & Richardson WJ (2001). Assessment of noise issues relevant to marine mammals near the BP Clair Development. Report to BP from LGL Ltd., environmental research associates, and Eng. And Sci. Services.
- Leatherland TM (1987). The estuary and Firth of Forth, Scotland: Uses and aims. *Proceedings of the Royal Society of Edinburgh* **93B**: 285-297.
- Lindley JA & Batten SD (2001). Long-term variability in the diversity of North Sea zooplankton. *Journal of the Marine Biological Association of the United Kingdom* **81**: 1–10.
- Lloyd C, Tasker ML & Partridge K (1991). *The status of seabirds in Britain and Ireland*. The Nature Conservancy Council and the The Seabird Group. T & AD Poyser, London.
- Long D (1986). Seabed Sediments: Fladen Sheet 58°N-00°. British Geological Survey, 1:250,000 Series.

- Longva O & Thorsnes T Eds (1997). In: Skagerrak in the past and the present – an integrated study of geology, chemistry, hydrography and microfossil ecology. *Norges geologiske undersøkelser*. Special publication no 8. ISBN 82-7385-171-0, 100 pp.
- Lord Donaldson (1994). Safer Ships, Cleaner Seas. Report of Lord Donaldson's Inquiry into the Prevention of Pollution from Merchant Shipping. HMSO, London.
- Lum-Kong A, Pierce GJ & Yau C (1992). Timing of spawning and recruitment in *Loligo forbesi* Steenstrup (Cephalopoda: Loliginidae) in Scottish Waters. *Journal of the Marine Biological Association of the United Kingdom* **72**: 301-311.
- Mallinson JJ (1991). Stranded juvenile loggerheads in the United Kingdom. *Marine Turtle Newsletter* **54**: 14-16.
- Marine Laboratory, Aberdeen website (accessed August 2004)
<http://www.marlab.ac.uk/FRS.Web/Uploads/Documents/poster.pdf>
- Marquenie JM & van de Laar F (2002). Impacts on Biodiversity: Offshore drilling and production platforms and bird migration. Report for The Nederlandse Aardolie Maatschappij b.v. (NAM)
- Martin JH & Flegal AR (1975). High copper concentrations in squid livers in association with elevated levels of silver, cadmium and zinc. *Marine Biology* **30**: 51-55.
- Matthiopoulos J (2003a). Model-supervised kernel smoothing for the estimation of spatial usage. *Oikos* **102**: 367-377.
- Matthiopoulos J (2003b). The use of space by animals as a function of accessibility and preference. *Ecological Modelling* **159**: 239-268.
- Matthiopoulos J, McConnell B, Duck C & Fedak M (in press). Using satellite telemetry and aerial survey counts to estimate space use by grey seals around the British Isles. *Journal of Applied Ecology* **41**.
- Mavor RA, Parsons M, Heubeck M, Pickerell G & Schmitt S (2003). Seabird numbers and breeding success in Britain and Ireland, 2002. Joint Nature Conservation Committee, Peterborough. (UK Nature Conservation No. 27).
- May RT & Law AB (1997). Migrant and wintering waterfowl. In: JH Barne, CF Robson, SS Kaznowska, JP Doody, NC Davidson & AL Buck Eds. *Coasts and seas of the United Kingdom. Region 4 South-east Scotland: Montrose to Eyemouth*. Joint Nature Conservation Committee, Peterborough, pp. 118-122.
- May VJ & Hansom JD (2003). *Coastal Geomorphology of Great Britain*. Joint Nature Conservation Committee, Peterborough.
- McCauley RD (1994). Seismic surveys. In: JM Swan, JM Neff & PC Young Eds. *Environmental implications of offshore oil and gas developments in Australia. The findings of an independent scientific review*. Australian Petroleum Exploration Association, Sydney, NSW, 696pp.
- McCauley RD, Fewtrell J & Poppell AN (2003). High intensity anthropogenic sound damages fish ears. *Journal of the Acoustical Society of America* **113 (1)**: 638-642.
- McCauley RD, Fewtrell J, Duncan AJ, Jenner C, Jenner M-N, Penrose JD, Prince RIT, Adhitya A, Murdoch J & McCabe K (2000). Marine seismic surveys: analysis and propagation of air-gun signals; and effects of air-gun exposure on humpback whales, sea turtles, fishes and squid. Prepared for Australian Petroleum Production Exploration Association.
- McConnell BJ, Fedak MA, Lovell P & Hammond PS (1999). Movements and foraging areas of grey seals in the North Sea. *Journal of Applied Ecology* **36**: 573-590.
- McIntosh WC (1899). The resources of the sea as shown in the scientific experiments to test the effects of trawling and of the closure of certain areas off the Scottish shores
CJ Clay & Sons, London, 248pp plus tables.

- McIntyre AD (1958). The ecology of Scottish inshore fishing grounds. 1. The bottom fauna of east coast grounds. *Marine Research* **1**: 1-24.
- McKay DW & Smith SM (1979). *Marine mollusca of East Scotland*. Royal Scottish Museum, Edinburgh.
- McLusky DS (1987). Introduction in The Natural Environment of the Estuary and Firth of Forth. *Proceedings of the Royal Society of Edinburgh* **93B**: vii–x.
- McLusky D & Roddie K (1982). *Montrose Basin survey 1982*. Nature Conservancy Council, South-east (Scotland) Region. (Internal report, No. NC199 L.), Edinburgh.
- McManus J (1972). Estuarine development and sediment distribution, with particular reference to the Tay. *Proceedings of the Royal Society of Edinburgh* **71B**: 97-113.
- McManus J, Buller AT & Green CD (1980). Sediments of the Tay Estuary. VI. Sediments of the lower and outer reaches. *Proceedings of the Royal Society of Edinburgh* **78B**: s133-s153.
- McSorley CA, Dean BJ, Webb A & Reid JB (2003). Seabird use of waters adjacent to colonies: Implications for seaward extensions to existing breeding seabird colony Special Protection Areas. JNCC Report, No. 329. Joint Nature Conservation Committee Peterborough.
- Meek ER (1997). Other breeding birds. In: JH Barne, CF Robson, SS Kaznowska, JP Doody, NC Davidson & AL Buck Eds. *Coasts and seas of the United Kingdom. Region 1 Orkney*. Joint Nature Conservation Committee, Peterborough, pp. 114-116.
- Ministry of Defence (2004) Col 792 Map of coastal area. Submitted to Scottish Parliament Enterprise and Cultural Committee Inquiry Renewable Energy.
- Mitchell IP, Newton SF, Ratcliffe N & Dunn TE (2004). *Seabird populations of Britain and Ireland*. T & AD Poyser, London
- MMS (2004). Geological and Geophysical Exploration for Mineral Resources on the Gulf of Mexico Outer Continental Shelf Final Programmatic Environmental Assessment. U.S. Department of the Interior, Minerals Management Service, Gulf of Mexico OCS Region. New Orleans, July 2004
<http://www.gomr.mms.gov/homepg/regulate/envIRON/nepa/2004-054.pdf>
- Moray Firth Partnership website (accessed July 2004)
<http://www.morayfirth-partnership.org/TOP.html>
- MPMMG (1998). National Monitoring Programme. Survey of the Quality of UK coastal waters. MPMMG, Aberdeen, 80pp.
- National Audit Office (2002). Dealing with pollution from ships. Report by the Controller and Auditor General HC 879 Session 2001-2002: 12 June 2002.
 website (accessed July 2004)
http://www.nao.gov.uk/publications/nao_reports/01-02/0102879.pdf.
- National Trust for Scotland website (accessed July 2004)
<http://www.nts.org.uk>
- Neff JM, Bothner MH, Maciolek NJ & Grassle JF (1989). Impacts of exploratory drilling for oil and gas on the benthic environment of Georges Bank. *Marine Environmental Research* **27**: 77-114.
- NMFS (2004). Preliminary Report: Multidisciplinary investigation of harbor porpoises (*Phocoena phocoena*) stranded in Washington State from 2 May-2 June 2003 coinciding with the mid-range sonar exercises of the *USS Shoup*. National Marine Fisheries Service February 2004.
- NMP (1998). UK National Monitoring Programme – Scottish Regional Report. Marine Laboratory Aberdeen and Scottish Environment Protection Agency, 60pp.
- North Sea (West) Pilot (1997). NP 54, 4th Ed.

Northridge SP, Tasker ML, Webb A & Williams JM (1995). Distribution and relative abundance of harbour porpoises (*Phocoena phocoena* L), white-beaked dolphins (*Lagenorhynchus albirostris* Gray) and minke whales (*Balaenoptera acutorostrata* Lacepède) around the British Isles. *ICES Journal of Marine Science* **52**: 55-66.

Northridge SP, Tasker ML, Webb A, Camphuysen CJ, & Leopold MF (1997). White-beaked (*Lagenorhynchus albirostris*) and Atlantic white-sided dolphin (*L. acutus*) distributions in Northwest European and US North Atlantic waters. *Reports of the International Whaling Commission* **47**: 797-805.

Norway – the official site in the UK website (accessed August 2004)

<http://www.norway.org.uk>

O'Brien SH, Robinson RA, Taylor SJ & Gillon KW (1999). Variability in seabird density. JNCC Report, No. 297. Joint Nature Conservation Committee, Peterborough.

OLF (1998). Produced water discharges to the North Sea: Fate and effects in the water column. Summary Report, 39 pp.

Olsgard F & Gray JS (1995). A comprehensive analysis of the effects of offshore oil and gas exploration and production on the benthic communities of the Norwegian continental shelf. *Marine Ecology Progress Series* **122**: 277-306.

O'Riordan CE, Holmes JMC & Sleeman DP (1984). First recorded occurrence of the Hawksbill Turtle (*Eretmochelys imbricata* (L)) in Irish waters. *Irish Naturalists Journal* **21(6)**: 274-5.

OSPAR (1993). *North Sea quality status report 1993*. North Sea Task Force, Oslo and Paris Commissions. Olsen & Olsen, London, pp. 132.

OSPAR (2000). *Quality status report 2000, Region II - Greater North Sea*. OSPAR Commission, London, 136 plus xiii pp.

OSPAR (2001a). *Environmental aspects of on and off-site injection of drill cuttings and produced water*. ISBN 0-946956-69-3. OSPAR Commission, London.

OSPAR (2001b). *Background document on polycyclic aromatic hydrocarbons (PAHs)*. ISBN 0-946956-73-1, OSPAR Commission, London.

OSPAR (2002). *Background document concerning techniques for the management of produced water from offshore installations*. ISBN 0-946956-87-1, OSPAR Commission, London.

OSPAR (2003a). *Annual report, 2002-2003, Volume 1*. ISBN 1-904426-32-8, OSPAR Commission, London.

OSPAR (2003b). *OSPAR integrated report 2003 on the eutrophication status of the OSPAR maritime area based upon the first application of the comprehensive procedure*. ISBN 1-904426-25-5, OSPAR Commission, London.

OSPAR Commission (2004). Case reports for the initial list of threatened and/or declining species and habitats in the OSPAR maritime area. OSPAR Biodiversity Series. 138pp.

Pantin HM (1991). The sea-bed sediments around the United Kingdom: their bathymetric and physical environment, grain size, mineral composition and associated bedforms. British Geological Survey Research Report SB/90/1.

Pedersen J (1999). Diet comparison between pelagic and demersal whiting in the North Sea. *Journal of Fish Biology* **55**: 1096-1113.

Personal Communication Kate Douglas, Fisheries Research Services, Marine Laboratory, Aberdeen

Personal Communication Kevin O'Shea, Crown Estate

Personal Communication Peter Hayes, Fisheries Research Services, Marine Laboratory, Aberdeen

- Petersen CG (1914). Valuation of the sea. II. The animal communities of the sea bottom and their importance for marine zoogeography. *Report of the Danish Biological Station* **21**: 1-68.
- Petersen CG (1918). The sea bottom and its production of fish food. *Report of the Danish Biological Station* **25**: 1-62.
- PEXA Chart Q.6404. Flannen Islands to Clyth Ness. Admiralty Charts and Publications. UK Hydrographic Office.
- PEXA Chart Q.6405. Clyth Ness to Scarborough. Admiralty Charts and Publications. UK Hydrographic Office.
- Piantadosi CA & Thalmann ED (2004). Pathology: Whales, sonar and decompression sickness. *Nature* **428**: 716.
- Pierce GJ, Bailey N, Stratoudakis Y & Newton A (1998). Distribution and abundance of the fished population of *Loligo forbesi* in Scottish waters: analysis of research cruise data. *ICES Journal of Marine Science* **55**: 14-33.
- Pierce GJ, Boyle PR & Thompson PM (1990). Diet selection by seals. In: M Barnes & RN Gibson Eds. *Trophic Relations in the Marine Environment, Proceedings of the 24th European Marine Biology Symposium*. Aberdeen University Press, Aberdeen, pp. 222-238.
- Pierce GJ, Boyle PR, Hastie LC & Key LN (1994a). The life history of *Loligo forbesi* (Cephalopoda: Loliginidae) in Scottish waters. *Fisheries Research* **21**: 17-41.
- Pierce GJ, Hastie LC, Guerra A, Thorpe RS, Howard FG & Boyle PR (1994b). Morphometric variation in *Loligo forbesi* and *Loligo vulgaris*: regional, seasonal, sex, maturity and worker differences. *Fisheries Research* **21**: 127-148.
- Pierce GJ, Boyle PR, Hastie LC & Shanks AM (1994c). Distribution and abundance of the fished population of *Loligo forbesi* in UK waters: analysis of fishery data. *Fisheries Research* **21**: 193-216.
- Pierce GJ, Wang J, Zheng X, Bellido JM, Boyle PR, Denis V & Robin JP (2001). A cephalopod fishery GIS for the Northeast Atlantic: development and application. *International Journal of Geographical Information Science* **15**: 763-784.
- Pierpoint C & Penrose R (1999). TURTLE: A database of marine turtle records for the United Kingdom and Eire: Introduction, data summary and user notes.
- Pierpoint C (2000). Bycatch of marine turtles in UK and Irish waters. JNCC Report No 310.
- PILOT Task force website (accessed August 2004)
<http://www.pilottaskforce.co.uk/>
- Plaza J & Keddie RG (1997). Coastal protected sites. In: JH Barne, CF Robson, SS Kaznowska, JP Doody & NC Davidson Eds. *Coasts and seas of the United Kingdom. Region 4 South-east Scotland: Montrose to Eyemouth*. Joint Nature Conservation Committee, Peterborough, pp. 143-158.
- Plaza J & Keddie R (1997a). Coastal protected sites. In: JH Barne, CF Robson, SS Kaznowska, JP Doody & NC Davidson Eds. *Coasts and seas of the United Kingdom. Region 1 Shetland*. Joint Nature Conservation Committee, Peterborough, pp. 141-152.
- Plaza J & Keddie R (1997b). Coastal protected sites. In: JH Barne, CF Robson, SS Kaznowska, JP Doody & NC Davidson Eds. *Coasts and seas of the United Kingdom. Region 2 Orkney*. Joint Nature Conservation Committee, Peterborough, pp. 133-143.
- Radford A, Riddington G, Anderson J & Gibson H (2004). The economic impact of game and coarse angling in Scotland. Research Report. Prepared for Scottish Executive Environment and Rural Affairs Department, Scottish Executive.
- Raffaelli D (1992). Conservation of Scottish Estuaries. *Proceedings of the Royal Society of Edinburgh* **100B**: 55-76.
- Rahmstorf S (1997). Risk of sea-change in the Atlantic. *Nature* **388**: 825-826.

- Ramsay DL & Brampton AH (2000). Coastal cells in Scotland: Cell 2 – Fife Ness to Cairnbulg Point. Scottish Natural Heritage Research, Survey & Monitoring Report No. 144.
- Ray JP, Fucik KW, O'Reilley JE, Chai EY & LaMotte LR (1989). Drilling fluid toxicity test: Variability in US commercial laboratories. In: FR Engelhardt, JP Ray & AH Gillam Eds. *Drilling Wastes*. Elsevier Applied Science, London, pp. 731-755.
- Rehfishch MM, Austin GE, Armitage MJS, Atkinson PW, Holloway SJ, Musgrove AJ & Pollitt MS (2003). Numbers of wintering waterbirds in Great Britain and the Isle of Man (1994/1995-1998/1999): II. Coastal waders (Charadrii). *Biological Conservation* **112**: 329-341.
- Reid G & McManus J (1987). Sediment exchanges along the coastal margin of the Moray Firth, eastern Scotland. *Journal of the Geological Society* **144**: 179-185.
- Reid J, Evans PGH & Northridge S Eds (2003). *An atlas of cetacean distribution on the northwest European continental shelf*. Joint Nature Conservation Committee, Peterborough.
- Richardson WJ, Greene CR Jr, Malme CI & Thomson DH (1995). *Marine Mammals and Noise*. Academic Press.
- Ridgeway SH & Joyce PL (1975). Studies on seal brain by radiotelemetry. *Rapports et Proces-Verbaux des Reunions du Conseil International pour l'Exploration de la Mer* **169**: 81-91.
- Rijnsdorp AD (1989). Maturation of male and female North Sea plaice (*Pleuronectes platessa* L.). *Journal du Conseil International pour l'Exploration de la Mer* **46**: 35-51.
- Ritchie W & Kingham LV (1977). *The St Fergus Coastal Environment*. AURIS, 144pp.
- Roberts JM, Long D, Wilson JB, Mortensen PB & Gage JD (2003). The cold-water coral *Lophelia pertusa* (Scleractinia) and enigmatic seabed mounds along the north-east Atlantic margin: are they related? *Marine Pollution Bulletin* **46**: 7-20.
- Royal Society of Edinburgh (RSE) (2004). Inquiry into the future of the Scottish fishing industry.
- Royal Society of Edinburgh (RSE) website (accessed July 2004)
<http://www.ma.hw.ac.uk/RSE/enquiries/scottishfisheries/index.htm>
- RSPB website (accessed July and August 2004)
<http://www.rspb.org.uk>
- RSPB (2004). Wind Farms and birds. Information booklet, Royal Society for the Protection of Birds.
- Russell M, Webster L, Walsham P, Packer G, Dalgarno EJ, McIntosh AD & Moffat CF (2003). *The effects of oil exploration and production in the Fladen Ground: temporal trends in hydrocarbon composition and concentration between 1989 and 2001*. Poster presentation, Fisheries Research Laboratory, Aberdeen.
<http://www.marlab.ac.uk/FRS.Web/Uploads/Documents/poster.pdf>
- Sanders-Reed CA, Hammond PS, Grellier K & Thompson PM (1999). Development of a population model for bottlenose dolphins. Report No. 156. Scottish Natural Heritage, Edinburgh.
- Santos MB, Pierce GJ, Boyle PR, Reid RJ, Ross HM, Patterson IAP, Kinze CC, Tougaard S, Lick R, Piatkowski U & Hernández-García V (1999). Stomach contents of sperm whales (*Physeter macrocephalus*) stranded in the North Sea 1990-1996. *Marine Ecology Progress Series* **183**: 281-294.
- Santos MB, Pierce GJ, Garcia Hartmann M, Smeenk C, Addink MJ, Kuiken T, Reid RJ, Patterson IAP, Lordan C, Rogan E & Mente E (2002). Additional notes on stomach contents of sperm whales (*Physeter macrocephalus*) stranded in the NE Atlantic. *Journal of the Marine Biological Association of the United Kingdom* **82**: 501-507.

- Santos MB, Pierce GJ, Learmonth JA, Reid RJ, Ross HM, Patterson IAP, Reid DG & Beare D (2004). Variability in the diet of harbour porpoises (*Phocoena phocoena*) in Scottish waters 1992-2003. *Marine Mammal Science* **20**: 1-27.
- Santos MB, Pierce GJ, Ross HM, Reid RJ & Wilson B (1994). Diets of small cetaceans from the Scottish coast. *ICES CM 1994/N*:11.
- Santos MB, Pierce GJ, Wijnsma G, Ross HM & Reid RJ (1995). Diets of small cetaceans stranded in Scotland 1993-1995. *ICES CM 1995/N*:6.
- Schweder T, Skaug HJ, Dimakos XK, Langaas M & Øien N (1997). Abundance of northeastern Atlantic minke whales, estimates for 1989 and 1995. *Report of the International Whaling Commission* **47**: 453-483.
- Scientific Technical and Economic Committee for Fisheries (STECF) (2003). Review of scientific advice for 2004. Commission of the European Communities.
- SCOS (2003). Scientific Advice on matters related to the management of seal populations: 2003. Report of the Special Committee on Seals.
http://smub.st-and.ac.uk/pdfs/SCOS_03_v7.pdf.
- Scotland's Census 2001 website (accessed July 2004)
<http://www.gro-scotland.gov.uk/grosweb/grosweb.nsf/pages/censushm>
- Scott Wilson Resource Consultants (1997). Coastal landforms. In: JH Barne, CF Robson, SS Kaznowska, JP Doody, NC Davidson & Buck AL Eds. *Coasts and seas of the United Kingdom. Region 4 South-east Scotland: Montrose to Eyemouth*. Joint Nature Conservation Committee, Peterborough, pp. 36-38.
- Scottish Coastal Forum (2004). *A Strategy for Scotland's Coast and Inshore Waters*. SCF, Edinburgh.
- Scottish Environment Protection Agency (SEPA) website (accessed July 2004)
<http://www.sepa.org.uk/wfd/index.htm>
- Scottish Environment Protection Agency website (accessed August 2004)
National Water Quality Classification 2003
<http://www.sepa.org.uk/data/classification/index.htm>
- Scottish Executive (2002). Tourism Framework for Action 2002:2005. Scottish Executive, Edinburgh.
- Scottish Executive (2003a). A strategic framework for Scottish aquaculture.
- Scottish Executive website (accessed July 2004)
<http://www.scotland.gov.uk/library5/environment/sfsa-00.asp>
- Scottish Executive (2003b). The Renewables Obligation (Scotland), Technical Review. Scottish Executive website (accessed July 2004)
<http://www.scotland.gov.uk/consultations/enterprise/rostechrev.pdf>
- Scottish Executive website: News Item 16/02/04 "Protected area for rare seabird"
<http://www.scotland.gov.uk/pages/news/2004/02/SEEL793.aspx>
- Scottish Natural Heritage website (accessed July 2004)
<http://www.snh.org.uk>
- Scottish Natural Heritage. Forvie National Nature Reserve information booklet.
- Scottish Parliament website (accessed July 2004)
<http://www.scottish.parliament.uk/news/news-03/cent03-002.htm>
- Scottish Power website (accessed July 2004)
<http://www.scottishpower.com>
- Scottish Seabird Centre website (accessed July 2004)
<http://www.outercam.co.uk/ssc/bass1.html>

Scottish Wildlife Trust website (accessed July 2004)

<http://www.swt.org.uk>

SEA 3 Coastal Conservation Sites Report (accessed July 2004)

<http://www.offshore-sea.org.uk>

SEA 4 Conservation Report (accessed July 2004)

<http://www.offshore-sea.org.uk>

Seaward DR Ed (1982). *Sea area atlas of the marine molluscs of Britain and Ireland*. Conchological Society and Nature Conservancy Council, 53pp plus maps.

Skaug HJ, Øien N, Scweder T & Bøthun G (2003). Current abundance of minke whales in the northeastern Atlantic: variability in time and space. Paper SC/55/NAM1 presented to the Annual Meeting of the IWC Scientific Committee, Berlin, Germany.

Skov H, Durinck J, Leopold MF & Tasker ML (1995). *Important bird areas for seabirds in the North Sea*. Birdlife International, Cambridge.

Southgate T & Myers AA (1985). Mussel fouling on the Celtic Sea Kinsale gas platforms. *Estuarine, Coastal and Shelf Science* **20**: 651-659.

Stagg RM, Gore DJ, Whale GF, Kirby MF, Blackburn M, Bifield, S, McIntosh AD, Vance I, Flynn SA & Foster A (1996). Field evaluation of toxic effects and dispersion of produced water discharges from North Sea oil platforms: Implications for monitoring acute impacts in the environment. In: M Reed and S Johnson Eds. *Produced Water 2: Environmental Issues and Mitigation Technologies*. Plenum Press, New York, pp. 81-99.

Stapleton C & Pethick J (1996). Coastal processes and management of Scottish estuaries I: The Dornoch, Cromarty and Beaully/Inverness Firths. *Scottish Natural Heritage Review Report No. 50*.

Starczak VR, Fuller CM & Butman CA (1992). Effects of barite on aspects of the ecology of the polychaete *Mediomastus ambiseta*. *Marine Ecology Progress Series* **85**: 269-282.

Statistics Norway website (accessed August 2004) <http://www.ssb.no/english/>

Stephen AC (1923). Preliminary survey of the Scottish waters of the North Sea by the Petersen grab. *Fisheries Board for Scotland, Scientific Investigations, 1922 III*: 1–21.

Stephen AC (1930). Studies on the Scottish Marine Fauna. Additional observations on the fauna of the sandy and muddy areas of the tidal zone. *Transactions of the Royal Society of Edinburgh* **56 (22)**: 522–533.

Stoker MS, Hitchen K & Graham CC (1993). United Kingdom Offshore Regional Report: The geology of the Hebrides and West Shetland Shelves, and adjacent deep-water areas. HMSO for the British Geological Survey, London.

Stone CJ (2003). The effects of seismic activity on marine mammals in UK waters, 1998-2000. JNCC Report No. 323. Joint Nature Conservation Committee, Peterborough.

Stowasser G, Pierce GJ, Wang J & Santos MB (2004). An Overview of cephalopods relevant to the SEA 5 Area. Department of Zoology, University of Aberdeen. A review on behalf of the DTI.

Stowe TJ & Underwood LA (1983). Oil spillages affecting seabirds in the United Kingdom, 1966-1983. *Marine Pollution Bulletin* **15**: 147-152.

Strømngren T, Sorstrom SE, Schou L, Kaarstad I, Aunaas T, Brakstad OG and Johansen O, (1995). Acute toxic effects of produced water in relation to chemical composition and dispersion. *Marine Environment Research* **40**: 147-169.

Swaby SE & Potts GW (1996). Fish: other species. In: JH Barne, CF Robson, SS Kaznowska, JP Doody & NC Davidson Eds. *Coasts and seas of the United Kingdom. Region 3 North-east Scotland: Cape Wrath to St. Cyrus*. Joint Nature Conservation Committee, Peterborough, pp. 109-111.

- Swaby SE & Potts GW (1997a). Fish: other species. In: JH Barne, CF Robson, SS Kaznowska, JP Doody, NC Davidson & AL Buck Eds. *Coasts and seas of the United Kingdom. Region 1 Shetland*. Joint Nature Conservation Committee, Peterborough, pp. 105-107.
- Swaby SE & Potts GW (1997b). Fish: other species. In: JH Barne, CF Robson, SS Kaznowska, JP Doody, NC Davidson & AL Buck Eds. *Coasts and seas of the United Kingdom. Region 2 Orkney*. Joint Nature Conservation Committee, Peterborough, pp.99-100.
- Swaby SE & Potts GW (1997c). Fish: other species. In: JH Barne, CF Robson, SS Kaznowska, JP Doody, NC Davidson & AL Buck Eds. *Coasts and seas of the United Kingdom. Region 4 South-east Scotland: Montrose to Eyemouth*. Joint Nature Conservation Committee, Peterborough, pp.107-108.
- Tagatz ME & Tobia M (1978). Effect of barite (BaSO₄) on development of estuarine communities. *Estuarine and Coastal Marine Science* 7: 410-407.
- Talisman Energy (UK) Limited. Scotland's Renewable Energy Potential – beyond 2010: Perspective of Talisman Energy (UK) Limited.
- Tasker ML (1996). Seabirds. In: JH Barne, CF Robson, SS Kaznowska, JP Doody, NC Davidson & AL Buck Eds. *Coasts and seas of the United Kingdom. Region 3 North-east Scotland: Cape Wrath to St Cyrus*. Joint Nature Conservation Committee, Peterborough, pp. 112-115.
- Tasker ML (1997a). Seabirds. In: JH Barne, CF Robson, SS Kaznowska, JP Doody, NC Davidson & AL Buck Eds. *Coasts and seas of the United Kingdom. Region 1 Shetland*. Joint Nature Conservation Committee, Peterborough, pp. 108-113.
- Tasker ML (1997b). Seabirds. In: JH Barne, CF Robson, SS Kaznowska, JP Doody, NC Davidson & AL Buck Eds. *Coasts and seas of the United Kingdom. Region 2 Orkney*. Joint Nature Conservation Committee, Peterborough, pp. 101-105.
- Tasker ML (1997c). Seabirds. In: JH Barne, CF Robson, SS Kaznowska, JP Doody, NC Davidson & AL Buck Eds. *Coasts and seas of the United Kingdom. Region 4 South-east Scotland: Montrose to Eyemouth*. Joint Nature Conservation Committee, Peterborough, pp. 110-113.
- Tasker ML, Camphuysen CJ, Cooper J, Garthe S, Montevecchi WA & Blaber SJM (2000). The impacts of fishing on marine birds. *ICES Journal of Marine Science* 57: 531-547.
- Thompson D, Sjoberg M, Bryant ME, Lovell P & Bjorge A (1998). Behavioural and physiological responses of harbour (*Phoca vitulina*) and grey (*Halichoerus grypus*) seals to seismic surveys. Report No. MAS2 C7940098. Report to European Commission of BROMMAD project.
- Tollit DJ & Thompson PM (1996). Seasonal and between-year variations in the diet of harbour seals in the Moray Firth, Scotland. *Canadian Journal of Zoology* 74: 1110-1121.
- Tostensen A, Mæland S & Henriksen G (2004). Oil and gas activity 4th quarter 2003: Statistics and analysis. Division for Energy and Industrial production Statistics.
- Turtle Code website (accessed July 2004)
<http://www.tofino.ex.ac.uk/euroturtle/turtlecode/default.htm>
- Tyack PL, Wells R, Read A, Howald T & Spradlin T (1993). *Experimental playback of low frequency noise to bottlenose dolphins Tursiops truncatus*. 10th Biennial Conference on the Biology of Marine Mammals, Galveston Texas, November 1993.
- UK Parliament website (accessed July 2004)
<http://www.parliament.the-stationery-office.co.uk/pa/ld200304/ldbills/002/2004002.htm>
- UKBAP website (accessed July 2004) <http://www.ukbap.org.uk>

- UKBG (1999). UK Biodiversity Group Tranche 2 Action Plans. Volume V – maritime species and habitats. English Nature, Peterborough, 244pp.
- UKOOA (1999). Inventory of U.K. Offshore Oil & Gas Environmental Surveys 1975-99. UKOOA Ltd.
- UKOOA website (accessed July 2004) <http://www.ukooa.co.uk>
- UKTERG (1988). The effects of acid deposition on the terrestrial environment in the United Kingdom. United Kingdom Terrestrial Effects Review Group, First Report. HMSO.
- Van Gaever S, Vanreusel A, Hughes JA, Bett BJ & Kiriakoulakis K (2004). The macro- and micro-scale patchiness of meiobenthos associated with the Darwin Mounds (north-east Atlantic). *Journal of the Marine Biological Association of the UK* **84**: 547-556.
- Vauk G (1984). Oil pollution dangers on the German coast. *Marine Pollution Bulletin* **15**: 89-93.
- Visit Norway website (accessed August 2004) <http://www.visitnorway.com>
- Wallis A (1981). North Sea gas flares. *British Birds* **74**: 536-537.
- Waluda CM & Pierce GJ (1998). Temporal and spatial patterns in the distribution of squid *Loligo* spp. in United Kingdom waters. *South African Journal of Marine Science* **20**: 323-336.
- WeBS News. Newsletter of the Wetland Bird Survey. Issue number 17, winter 2002/03.
- Wetlands International website (accessed July 2004)
http://www.wetlands.org/RDB/Ramsar_Dir/UnitedKingdom/UK113D02.doc
- Whitehead H (2001). *Comments on U.S. Navy use of SURTASS LFA sonar*. Testimony to US House of Representatives, Subcommittee on Fisheries Conservation, Wildlife and Oceans. Published on the International Society for Marine Mammalogy *Marmam* web-discussion list. 20/11/01.
- Wiese FK, Montevecchi WA, Davoren GK, Huettmann F, Diamond AW & Linke J (2001). Seabirds at risk around offshore oil platforms in the North-west Atlantic. *Marine Pollution Bulletin* **42**: 1285-1290.
- Wild Scotland (2004). *Tourism Businesses bid to make Scotland top wildlife destination in Europe*. Wild Scotland press release, 18/08/04.
- Wild Scotland website (accessed August 2004) <http://www.wild-scotland.co.uk>
- Wilson B, Hammond PS & Thompson PM (1999). Estimating size and assessing trends in a coastal bottlenose dolphin population. *Ecological Applications* **9**: 288-300.
- Wilson B, Reid RJ, Grellier K, Thompson PM & Hammond PS (in press). Considering the temporal when managing the spatial: a population range expansion impacts protected areas based management for bottlenose dolphins. *Animal Conservation*.
- Wilson JB (1979). The distribution of the coral *Lophelia pertusa* (L.) [*L. prolifera* (Pallas)] in the north-east Atlantic. *Journal of the Marine Biological Association of the UK* **59**: 149-164.
- Witbaard R & Klein R (1993). A new approach in studying the long-term effects of bottom trawling. *ICES CM 1993/K16*: 8.
- Witbaard R, Duineveld GCA & de Wilde PAWJ (1997). A long-term growth record derived from *Arctica islandica* (Mollusca, Bivalvia) from the Fladen Ground (northern North Sea). *Journal of the Marine Biological Association of the UK* **77**: 801-816.
- Zühlke R (2001). Monitoring biodiversity of epibenthos and demersal fish in the North Sea and the Skagerrak. Monitoring Report 2001 to the CEC. EC Project No. 98/021, 31pp.
- Zuur A & Pierce GJ (2004). Common trends in northeast Atlantic squid time series. *Journal of Sea Research* **57**: 57-72.