

Safe roads, reliable journeys, informed travellers

M1 J39 to J42 Managed Motorway Consultation Document



Summary of the consultation

Topic of this consultation:	The implementation of variable mandatory speed limits (VMSL) between junctions 39 to 42 of the M1 motorway.
Scope of this consultation:	We are keen to have your comments on the implementation of variable mandatory speed limits for the M1 Managed Motorway scheme between junctions 39 and 42; specifically on how the proposal could affect your organisation or those you represent.
	It is important to note that this is not consultation on the actual policy of using variable mandatory speed limits or all lane running. Use of these traffic management features is already settled Government policy. We are therefore seeking views on the proposal set out below.
Geographical scope:	The proposed managed motorway scheme will enable proactive management of the M1 carriageway, including slip roads and motorway to motorway intersections between junctions 39 (the junction with the A636) and 42 (the interchange with the M62 motorway) on this major section of motorway.

General Information

То:	The consultation is aimed at any affected stakeholder groups or individuals.
Body/bodies responsible for the consultation:	The Highways Agency.
Duration:	The consultation will last for a period of 6 weeks commencing on 29 th July 2013. The consultation will close on 9 th September 2013. Please ensure responses arrive no later than that date.
Enquiries:	David Pilsworth Project Manager Highways Agency Lateral 8 City Walk Leeds LS11 9AT

	\sim 1 · · ·	The second secon
N/11 12() //2N/10000000N/10tom/10	$\mathcal{L}(\alpha)$ brahwar	ic act act tile
M1J39-42ManagedMotorwa	v william ivva v	A USI OUV UK
MITOGO IZIMANAGOAMOTOI WA	, Cingilita,	orgonigo trait

Have to	Disease and your somewhating response weight the
How to	Please send your consultation response using the
respond:	Consultation response form at Appendix A to:
	David Dilawarth
	David Pilsworth
	Project Manager
	Highways Agency
	Lateral
	8 City Walk
	Leeds
	LS11 9AT
	Or alternatively you can respond to the consultation by emailing:
	M1J39-42ManagedMotorway@highways.gsi.gov.uk
	When responding, please state whether you are responding as an individual or representing the views of an organisation. If responding on behalf of a larger organisation please make it clear who the organisation represents, and where applicable, how the views of members were gathered.
Additional ways to	The Highways Agency website will include a copy of this consultation pack at the following website address:
become involved:	http://www.highways.gov.uk/roads/road-projects/M1-Junctions- 39-42-Managed-Motorway
After the consultation:	All responses received from consultees within the consultation period will be considered and responded to as necessary. Following the consultation a summary report will be made available on the Highways Agency website. The summary report will provide an analysis of responses received and the Highways Agency response.
	Subject to the results of the consultation; we envisage that the managed motorways scheme will be operational by 2015/2016.

Compliance	This	consultation	complies	with	the	Government's
with the	Consu	ultation Princip	les.			
Government's						
Consultation						
Principles:						
-						

Background

Getting to this stage:

The M1 J39 to J42 Managed Motorway scheme was included in the review of motorway links identified in the "Advanced Motorway Signalling and Traffic Management Feasibility Study" (2008) as a potential priority for managed motorways. The scheme, along with managed motorway improvements between junctions 28 to 31 and 32 to 35a of the M1, was included in the programme of major strategic road schemes announced in October 2010 with an undertaking to commence construction before 2015.

This scheme continues the deployment of technology interventions onto the strategic road network to support an operational approach that maximises benefits and is part of an interconnecting network of capacity improvements to the M1 corridor.



CONTENTS

Sun	Summary of the consultationi			
COI	NTENTSiv			
Exe	cutive Summary1			
1.	How are we conducting the consultation2			
1.1	What is this consultation about?			
1.2	Why do we need the variable mandatory speed limits?2			
1.3	Comments on the introduction of variable mandatory speed limits2			
1.4	Sending your consultation response			
1.5	How we will act on your responses			
1.6	Further information			
1.7	Government consultation principles4			
•	Lautalatina ahanna			
2.	Legislative changes6			
2.1	Legislative changes for the implementation of variable mandatory speed limits6			
3.	General Information on the M1 J39 to J42 Managed Motorway scheme8			
3.1	Proposed extent of the M1 J39-42 scheme variable mandatory speed limits8			
3.2	Key features9			
3.3	Enforcement9			
4.	M1 J39 to J42 managed motorway scheme with variable mandatory speed limits10			
4.1	Normal operation			
4.2	Variable mandatory speed limits			
4.3	Incident management			
5.	Appendices14			

APPENDICES

Appendix A – Consultation response form

Appendix B – List of consultees

Appendix C - Q&A for M1 Junctions 39-42



Executive Summary

This consultation provides an opportunity for interested parties to comment on the proposal to introduce variable mandatory speed limits for the M1 motorway J39 to J42 Managed Motorway scheme.

The M1 J39 to J42 Managed Motorway scheme variable mandatory speed limits will, if approved, be set in response to the prevailing traffic conditions and will be clearly displayed on advanced motorway indicators signs above each lane of the main carriageway, mounted on overhead gantries, on verge mounted variable message signs and on post mounted advanced motorway indicators (where provided). Once in force, the Regulations will restrict driving at a speed exceeding that displayed on the signs. When no speed is displayed on the signs then the national speed limit will be in force.

We would welcome comments specifically on how the proposal could affect your organisation or those you represent.

Benefits of variable mandatory speed limits

The Highways Agency is committed to building upon the success of the existing managed motorways schemes which have been implemented on a number of busy motorway sections across the country. It is expected that the managed motorways scheme will:

- Increase motorway capacity and reduce congestion;
- Smooth traffic flows;
- Provide more reliable journey times;
- Increase and improve the quality of information for the driver.

1. HOW ARE WE CONDUCTING THE CONSULTATION

1.1 WHAT IS THIS CONSULTATION ABOUT?

We are consulting on the proposed implementation of variable mandatory speed limits within the M1 J39 to J42 Managed Motorway scheme.

1.2 WHY DO WE NEED THE VARIABLE MANDATORY SPEED LIMITS?

The M1 motorway is a strategic route for local, regional and international traffic and plays a major role as;

- (i) a national artery providing a direct motorway route between the North and the South of England; and
- (ii) a major inter-urban regional route connecting major conurbations and providing access to important international gateways. This section of the M1 carries in excess of 110,000 vehicles per day.

The M1 J39 to J42 Managed Motorway scheme is part of the Highways Agency's programme to add capacity to the existing strategic road network in order to support economic growth and maintain mobility. It is expected that the managed motorways scheme will:

- Increase motorway capacity and reduce congestion;
- Smooth traffic flows;
- Provide more reliable journey times;
- Increase and improve the quality of information for the driver.

The use of variable mandatory speed limits is an essential element in achieving the objectives above. Through the introduction of technology the aim is to make best use of the existing road space.

1.3 COMMENTS ON THE INTRODUCTION OF VARIABLE MANDATORY SPEED LIMITS

We would like to encourage any organisations, businesses or individuals affected by these proposals to make contact with us and communicate their views.

If you are responding on behalf of an organisation, it would be helpful if you could note this in your reply. Please also indicate the nature of the organisation,

how many individuals' views are included in the response and ways in which these views were gathered.

A response form has been included in Appendix A and a list of the consultees is contained in Appendix B.

1.4 SENDING YOUR CONSULTATION RESPONSE

All responses should be sent in writing (email or by post) to the address below. Please let us have your comments by 9th September 2013.

David Pilsworth
Project Manager
Highways Agency
Lateral
8 City Walk
Leeds
LS11 9AT

Email: M1J39-42ManagedMotorway@highways.gsi.gov.uk

1.5 HOW WE WILL ACT ON YOUR RESPONSES

After the consultation period, we will publish a 'Response to Consultation Report', which will be published on the Highways Agency website.

Information provided in response to this consultation, including personal information, may be subject to publication or disclosure in accordance with the access to information regimes (these are primarily the Freedom of Information Act 2000 (FOIA), the Data Protection Act 1998 (DPA) and the Environmental Information Regulations 2004).

If you would like the information that you provide to be treated as confidential, please be aware that under the FOIA, there is a statutory Code of Practice with which public authorities must comply and which deals, amongst other things, with obligations of confidence.

In view of this it would be helpful if you could explain to us why you regard the information you have provided as confidential. If we receive a request for disclosure of the information we will take full account of your explanation, but we cannot give an assurance that confidentiality can be maintained in all circumstances. An automatic confidentiality disclaimer generated by your IT system will not, of itself, be regarded as binding on the Highways Agency.

The Highways Agency will process your personal data in accordance with the DPA and in the majority of circumstances this will mean that your personal data will not be disclosed to third parties.

1.6 FURTHER INFORMATION

To receive further information on the M1 J39 to J42 Managed Motorway scheme you can contact the project team in writing at:

David Pilsworth Project Manager Highways Agency Lateral 8 City Walk Leeds LS11 9AT

M1J39-42ManagedMotorway@highways.gsi.gov.uk

Alternatively visit the Highways Agency website at:

http://www.highways.gov.uk/roads/road-projects/M1-Junctions-39-42-Managed-Motorway

1.7 GOVERNMENT CONSULTATION PRINCIPLES

We are conducting this consultation in accordance with the Government's Consultation Principles. The consultation criteria are listed below.

- **1) Subjects of Consultation –** The objectives of any consultation should be clear and will depend to a great extent on the type of issue and the stage in the policy-making process from gathering new ideas to testing options.
- **2) Timing of Consultation –** Engagement should begin early in policy development when the policy is still under consideration and views can genuinely be taken into account.
- **3) Making information useful and accessible –** Policy makers should think carefully about who needs to be consulted and ensure the consultation captures the full range of stakeholders affected. Information should be disseminated and presented in a way likely to be accessible and useful to the stakeholders with a substantial interest in the subject matter.
- **4)** Transparency and Feedback The objectives of the consultation process should be clear. To avoid creating unrealistic expectations, any aspects of the proposal that have clearly been finalised and will not be subject to change should be clearly stated.
- **5) Practical Considerations -** Consultation exercises should not generally be launched during local or national election periods.

If you have reason to believe this consultation document does not comply with these Consultation Principles, please write to our consultation co-ordinator at the address below, setting out the areas where you believe this paper does not meet the criteria:

Ian Sweeting Highways Agency, The Cube, 199 Wharfside Street, Birmingham, B1 1RN

Or alternatively ian.sweeting@highways.gsi.gov.uk

Further information about the Consultation Principles can be located on the Cabinet Office website:

https://www.gov.uk/government/publications/consultation-principles-guidance

2.1 LEGISLATIVE CHANGES FOR THE IMPLEMENTATION OF VARIABLE MANDATORY SPEED LIMITS

Subject to the outcome of this consultation, Regulations will need to be made under section 17(2) and (3) of the Road Traffic Regulation Act 1984 ('the 1984 Act') for the implementation of variable mandatory speed limits for the M1 J39 to J42 Managed Motorway scheme. The proposed Regulations will restrict drivers from driving within the area of the managed motorways scheme at a speed exceeding that displayed on the speed limit signs, or the national speed limit where no other speed limit sign is displayed.

The relevant legislative power in the 1984 Act permits the making of Regulations that regulate the manner in which, and the conditions subject to which, motorways may be used by traffic authorised to use such motorways.

Within the M1 J39 to J42 Managed Motorway scheme it will be an offence to use a motorway in contravention of Regulations applying to the scheme made under section 17(2) of the 1984 Act.

Drivers of vehicles that pass a speed limit sign indicating that a speed limit other than the national speed limit applies, should obey that sign until the vehicle passes another sign indicating either that a new speed limit or the national speed limit applies.

Where a speed limit changes less than ten seconds before a vehicle passes the sign, the Regulations allow a driver to proceed at a speed up to the maximum applicable before the change, and to continue to do so until the driver leaves the specified road, the national speed limit applies or until the next speed limit sign. The intention behind this 'ten second' rule is to protect the driver from being prosecuted if, on the approach to a speed limit sign; it changes to a lower speed. For example should a driver approach a speed limit sign and it changes from 60mph to 50mph and he/she is within ten seconds of passing that sign then the driver can legally continue beyond that sign at 60mph until a subsequent speed limit applies or until he/she leaves the specified road. If there was no ten second rule, the issue of safety arises, as the driver would be required to brake sharply in order to comply with the new lower speed limit.

Subject to the outcome of the consultation, the proposed Regulations when made will apply in relation to the M1 between junctions 39 and 42 and to the onslip and off-slip roads between junctions 39 and 42. The roads governed by the Regulations will be set out in the Regulations.

The proposed draft Regulations will not apply nationally – they will apply only to those parts of the motorway as specified in the Regulations (namely, the area

between and including Junctions 39 to 42 of the M1 motorway). As drafted, these Regulations would put in place the legislative framework required to operate the M1 J39 to J42 Managed Motorway scheme.

3. GENERAL INFORMATION ON THE M1 J39 TO J42 MANAGED MOTORWAY SCHEME

3.1 PROPOSED EXTENT OF THE M1 J39-42 SCHEME VARIABLE MANDATORY SPEED LIMITS

A map showing the M1 J39 to J42 Managed Motorway scheme is shown in Figure 3A, including the proposed coverage of the scheme. The precise configuration of the extent of the roads that are included within the scheme may be subject to variation. The M1 J39 to J42 Managed Motorway scheme will include the motorway and slip roads between junctions 39 and 42 of the M1.



Figure 3A: M1 J39 to J42 Managed Motorway scheme variable mandatory speed limits map

3.2 KEY FEATURES

Evaluation of the existing managed motorways schemes demonstrated that managed motorways are able to deliver clear benefits by providing:

- Improved journey time reliability through reduced congestion;
- A scheme at lower cost and with less environmental impact than conventional widening programmes.

The design features of the M1 J39 to J42 Managed Motorway scheme include:

- Variable mandatory speed limits with an associated enforcement/compliance system;
- Driver information, including lane availability, generally provided at intervals not exceeding 1500m. Information will be provided through a mixture of signs and signals capable of displaying appropriate combinations of: mandatory speed limits; lane closure wicket signs; red X's; pictograms; and text legends (see figures 4A to 4G below);
- A queue protection system and congestion management system;
- Comprehensive low light pan-tilt-zoom (PTZ) CCTV coverage;
- Refuge areas generally provided at maximum intervals of 2500m. A
 refuge area is defined as a place (or facility) where drivers can stop in an
 emergency and may include a motorway service area, a hard shoulder on
 an exit slip/link road or a bespoke facility, such as an emergency refuge
 area.
- Emergency roadside telephones (ERT) provided in all dedicated emergency refuge areas. Existing emergency roadside telephones elsewhere will be removed, apart from those within a junction where the existing hard shoulder is retained.

3.3 ENFORCEMENT

Obtaining an acceptable level of compliance with the variable mandatory speed limits (displayed on overhead gantries, verge mounted variable message signs and on post mounted Advanced motorway indicators (where provided)) is key to the successful and safe operation of the M1 J39 to J42 Managed Motorway scheme. No new offences or sanctions will be introduced as a result of the proposed changes to legislation.

Enforcement of variable mandatory speed limits is planned to be carried out using a combination of gantry-mounted and verge mounted speed enforcement equipment, and traditional enforcement by the Police.

4. M1 J39 TO J42 MANAGED MOTORWAY SCHEME WITH VARIABLE MANDATORY SPEED LIMITS

To signify that the speed limit is mandatory and enforceable, the speed shown will have a red circle around it, as is the case with all other mandatory speed limit signs. The operational regimes to be implemented within the M1 J39 to J42 Managed Motorway scheme are:

- Normal operation (no advanced motorway indicators or variable message signs on);
- Variable mandatory speed limits; and
- Incident Management

An overview of these operational regimes is provided in Sections 4.1, 4.2 and 4.3.

4.1 NORMAL OPERATION

During normal motorway operation the advanced motorway indicators and variable message signs will remain blank in respect of speed limits and the motorway will operate as shown in Figures 4A and 4B below. When there are no speed limits being displayed the national speed limit will apply.




Figure 4A: Illustrative M1 J39 to J42 Managed Motorway scheme section operating in normal motorway conditions with blank advanced motorway indicators and blank gantry mounted variable message sign



Figure 4B: Illustrative M1 J39 to J42 Managed Motorway scheme section operating in normal motorway conditions with a blank verge mounted variable message sign

4.2 VARIABLE MANDATORY SPEED LIMITS

When variable mandatory speed limits are operational clear instructions will be given to drivers via speed limit signs. These will be displayed on post mounted advanced motorway indicator signals (where provided), via speed limit signs displayed on the Advanced Motorway Indicator signals above the main carriageway and on the verge mounted variable message signs. This is illustrated in Figure 4C and 4D below. The speed limit displayed will take account of prevailing traffic conditions and will be automatically calculated from sensors buried in the road surface or alternatively set by the Regional Control Centre. The variable message signs located on gantries or on the verge will provide further information for drivers.



Figure 4C: Illustrative M1 J39 to J42 Managed Motorway scheme section operating with variable mandatory speed limits



Figure 4D: Illustrative M1 J39 to J42 Managed Motorway scheme section operating with variable mandatory speed limits and information for road users.

4.3 INCIDENT MANAGEMENT

During incident management the advanced motorway indicators and variable message signs can be set to protect the scene of an incident and assist the access of Emergency Services and other core responders.

On the Advance Motorway Indicators speed limits and lane availability will be indicated through the use of variable mandatory speed limits and lane divert arrow signals (with flashing amber lanterns) and Red X signals (with flashing red lanterns) as shown in Figure 4E below.




Figure 4E: Red X (STOP) aspect with flashing red lanterns and a lane divert signal shown on an advanced motorway indicator over any lane

Appropriate supporting information will be displayed on the variable message signs to further encourage compliant driver behaviour. Modifications to the signal control software will enable a single variable message sign to display three simultaneous elements: in addition to the speed restriction, (as enabled through the Regulations), and supporting text legend, the sign will also be able to display either a warning pictogram (typically a 'red triangle') or lane closure 'wicket' aspect, as indicated in the examples below.



Figure 4F: Variable message sign displaying queue caution information with a reduced mandatory speed limit



Figure 4G: Variable message sign warning of a closed lane ahead due to an accident



5. APPENDICES

APPENDIX A - CONSULTATION RESPONSE FORM

CONSULTATION RESPONSE FORM

M1 J39 to J42 Managed Motorway Scheme

Please complete this pro-forma and send to the address below

David Pilsworth
Highways Agency
M1 J39 to 42 Managed Motorway
Major Projects - 3 Calder
Lateral
8 City Walk
Leeds
LS11 9AT

Or alternatively you can respond to the consultation by email:

M1J39-42ManagedMotorway@highways.gsi.gov.uk

PART 1 - Information about you

Completion of this section is optional but helps with our analysis of results. A note at the end of this form explains that we may be obliged to release this information if asked to do so.

Name	
Address	
Postcode	
Email	
Company Name or	
Organisation	
(if applicable)	
Please tick one box fr	om the list below that best describes you/ your company or
organisation.	
	Small to Medium Enterprise (up to 50 employees)
	Large Company
	Representative Organisation
	Trade Union

		Interest Group		
		Local Government		
		Central Government		
		Police		
		Member of the public		
		Other (please describe	e):	
	members do you	nding on behalf of an organisa I have and how did you obtain to e your response or personal de	the views of your m	nembers:
PAF	RT 2 - Your comments			
1.	the managed motory between junctions 39	the proposal to introduce way scheme on the M1 and 42 will lead to an elling conditions on this mments:	Yes 🗌	No 🗌
2.	introduce the manage	ects of the proposal to ed motorway scheme on ctions 39 and 42 which	Yes 🗌	No 🗌

If yes, please give your comments:		
Are there any additional comments you would like to make about the proposal to introduce the managed motorway scheme on the M1 between Junctions 39 and 42?	Yes 🗌	No 🗌
If yes, please give your comments:		

Note on disclosure of information

Information provided in response to this consultation, including personal information, may be subject to publication or disclosure in accordance with the access to information regimes (these are primarily the Freedom of Information Act 2000 (FOIA), the Data Protection Act 1998 (DPA) and the Environmental Information Regulations 2004).

If you want any information that you provide to be treated as confidential, please be aware that, under the FOIA, there is a statutory Code of Practice with which public authorities must comply and which deals, amongst other things, with obligations of confidence.

In view of this, it would be helpful if you could explain to us why you regard the information you have provided as confidential. If we receive a request for disclosure of the information we will take full account of your explanation, but we cannot give an assurance that confidentiality can be maintained in all circumstances. An automatic confidentiality disclaimer generated by your IT system will not, of itself, be regarded as binding on the Highways Agency.

The Highways Agency will process your personal data in accordance with the DPA and in the majority of circumstances this will mean that your personal data will not be disclosed to third parties.

APPENDIX B - LIST OF CONSULTEES

Government / Local Government Bodies	
President ADEPT County Hall Glenfield Leicester LE3 8ST	Chief Executive Leeds City Council Merrion House 110 Merrion Way Leeds West Yorkshire LS2 8QB
DE&S Secretariat Ministry of Defence Maple 0a, #2043 MOD Abbey Wood, Bristol. BS34 8JH	Chief Executive Driving Standards Agency Axis Building, 112 Upper Parliament Street Nottingham NG1 6LP
Chief Executive Local Government Association Local Government House Smith Square London SW1P 3HZ	Chief Executive Wakefield MDC 1st Floor Municipal Offices Headlands Road Pontefract WF8 1BE
Chief Executive Barnsley MBC, Corporate Mail Room PO Box 634 Barnsley S70 9GG	Chief Executive Kirklees MC 2nd Floor Civic Centre 3 Market Street Huddersfield HD1 2YZ
Chairman The Crown Estate 6 Bell's Brae Edinburgh EH4 3BJ	Director General Metro (W. Yorkshire PTE) Wellington House 40 - 50 Wellington Street, Leeds LS1 2DE
Mary Creagh MP (Wakefield CC) 20-22 Cheapside Wakefield WF1 2TF	Ed Balls MP (Morley & Outwood CC) Albion Chambers Albion Street Morley LS27 8DT

Core Responders / Legal Chairman (Traffic Committee) ACPO ACPO 7th Floor 25 Victoria St Director Ambulance Service Network 29 Bressenden Place London	
ACPO Ambulance Service Network 7th Floor 29 Bressenden Place	
7th Floor 29 Bressenden Place	
20 11010114 01	
London SW1E 5DD	
SW1H 0EX	
OW IT OLK	
Chief Constable Central Council of Magistrates Cour	ts
British Transport Police Committee	
Force HQ 185 Marylebone Road,	
25 Camden Road London	
London NW1 5QB	
NW1 9LN	
The President The Honorary Secretary	
Chief Fire Officers Association District Courts Association	
9-11 Pebble Close P.O. Box 14	
Amington Civic Centre	
Tamworth Motherwell	
Staffordshire ML1 1TW	
B77 4RD	
Operations Manager and Chair Executive Director	
West Yorkshire Casualty Reduction Magistrates' Association	
Partnership Fitzroy Square	
Project Management Office London	
PO Box 1105 W1P 6DD	
Bradford	
BD1 4WA	
Chief Constable The Chairman	
Ministry of Defence Police Police Federation	
5th Floor, Zone A Federation House	
Main Building Highbury Drive	
Whitehall Leatherhead	
London Surrey	
SW1A 2HB KT22 7UY	
The President Regimental Secretary	
Police Superintendents Association of RHQ RMP	
England and Wales Defence Police College Policing and	
67a Reading Road Guarding	
Pangbourne Postal Point 38	
Berkshire Southwick Park	
RG8 7JD Fareham	
Hants	
PO17 6EJ	
Chief Fire Officer Chief Constable	
West Yorkshire Fire and Rescue Service West Yorkshire Police Headquarters	;
Oakroyd Hall PO Box 9	

Bradford Road	Wakefield
Birkenshaw	WF1 3QP
West Yorkshire	
BD11 2DY	01.75
Chief Executive	Chief Executive
Yorkshire Ambulance Service NHS Trust	VOSA
Headquarters	Berkeley House
Springhill	Croydon Street
Brindley Way	Bristol
Wakefield 41 Business Park	BS5 0DA
Wakefield	
WF2 0XQ	
Statutory Undertakers	
Chief Executive	Chief Executive
Aone+ Street Lighting	Northern Powergrid
Normanton House	FREEPOST NEA 1047
Tyler Close	Houghton le Spring
Normanton Industrial Estate	DH4 7BR
Normanton	UK
WF6 1RL	
Chief Executive	Chief Executive
Colt Plant Protection	Fisher German Chartered Surveyors
C/O McNicholas Construction	PO Box 7273
Lismirrane Industrial Estate	Ashbyde al Zouch
Elstree Road	Leicestershire
Elstree	LE65 2BY
WD6 3EA	
Chief Executive	Chief Executive
Northern Gas Works	Openreach
1 Emperor Way	National Notice Handling Centre
1st Floor	PP 404B Telecom House
Doxford International Business Park	Trinity Street
Sunderland	Hanley
SR3 3XR	Stoke-on-Trent
	ST1 5ND
Chief Executive	Chief Executive
Serco Infrastructure	Trafficmaster National Control Centre
3 Ridgeway	Martell House
Quinton Business Park	University Way
Quinton	Cranfield
Birmingham	Bedfordshire
B32 1AF	MK43 0TR

Chief Executive	
Yorkshire Water and Sewers	
Western House	
Halifax Road	
Bradford	
BD6 2SZ	
Environmental Organisations	
Chief Executive	Chief Executive
Campaign to Protect Rural England	English Heritage
National Office	1 Waterhouse Square
5-11 Lavington Street	138-142 Holborn
London	London
SE1 0NZ	EC1N 2ST
Chief Executive	The Chair
Environmental Agency	Friends of the Earth
National Customer Contact Centre	26-28 Underwood Street
PO Box 544	London
Rotherham	N1 7JQ
S60 1BY	·
Chief Executive	Waterway manager
Natural England	North East Waterways
Foundry House	Canal & River Trust
3 Millsands	Fearns Wharf
Riverside Exchange	Neptune Street
Sheffield	Leeds
S3 8NH	West Yorkshire
	LS9 8PB
Road User / Safety Organisations	
The Chairman	The Chairman
AIRSO	Association of British Drivers
68 The Boulevard	PO Box 2228
Worthing	Kenley
BN13 1LA	Surrey
	CR8 5ZT
Chief Executive	The Chairman
BRAKE	British Motorcycle Federation
PO Box 548	3 Oswin Road
Huddersfield	Brailsford Industrial Estate
HD1 2XZ	Braunstone
	Leicester
	LE3 1HR
Chief Executive	Defensive Driver Training Limited
Campaign for Better Transport	Tudor House
16 Waterside	2 Worcester Street
44-48 Wharf Road	Stourbridge
London	West Midlands
N1 7UX	DY8 1AN
111 1 0/1	D 10 1/114

The Chair	Chief Executive
Disabled Persons Transport Advisory	Disabled Motoring UK
Committee	National Headquarters
2/17 Great Minster House	Ashwellthorpe
33 Horseferry Road	Norwich
•	
London	NR16 1EX
SW1P 4DR	0.1.4.
Chief Executive	Chief Executive
Health and Safety Executive	Freight Transport Association
Rose Court,	Hermes House
2 Southwark Bridge	St John's Road
London	Tunbridge Wells
SE1 9HS	Kent
021 0110	TN4 9UZ
The Chairman	The Chairman
	Institute of Advanced Motorists
Institute of Road Safety Officers	
IRSO Head Office	IAM House
12 Haddon Close	510 Chiswick High Road
Wellingborough	London
Northamptonshire	W4 5RG
NN8 5ZB	
The Chair	The Chairman
Motorcycle Industry Trainers Association	Motorcycle Action Group
1 Rye Hill Office Park	Central Office
Birmingham Road	P.O. Box 750
Allesley	Warwick
	CV34 9FU
Coventry CV5 9AB	CV34 9F0
	The Chairman
Chief Executive	The Chairman
National Express Group PLC	PACTS
National Express House	Office F18
Mill Lane	The Media Centre
Digbeth	7 Northumberland Street
Birmingham	Huddersfield
B5 6DD	HD1 1RL
The Chairman	The Chairman
RAC Foundation	Road Haulage Association
89-91 Pall Mall	Framptons Transport Services Ltd
London	Crown Trading Estate
SW1Y 5HS	Shepton Mallet
	Somerset
The Chairman	BA4 5QQ The Pritich School of Matering
The Chairman	The British School of Motoring
Royal Society for the Protection of Accidents	Fanum House
RoSPA House	Basing View
28 Calthorpe Road	Basingstoke
Edgbaston	Hampshire

Birmingham B15 1RP	RG21 4EA
Vehicle Recovery Operators	
Chief Executive Association of Vehicle Recovery Operators AVRO House 1 Bath Street Rugby CV21 3JF Network Operations Manger	Managing Director Britannia Rescue Freepost RSJA-XLCX-BLCE Folly Hall Mills St Thomas Road Huddersfield HD1 3LT Chief Executive
Green Flag Green Flag House Cote Lane Pudsey Leeds LS28 5GF	Institute of Vehicle Recovery Operators Top Floor Bignell House Horton Road West Drayton Middlesex UB7 8EJ
Operations Director Mondial Assistance Mondial House 102 George Street Croydon Surrey CR9 1AJ	The Director National Tyre Distributors Association 8 Temple Square Aylesbury Buckinghamshire HP20 2QH
Operations Manager RAC Motoring Services RAC House Brockhurst Crescent Walsall WS5 4QZ	The President Road Rescue Recovery Association Hubberts Bridge Rd Kirton Holme Boston Lincolnshire PE20 1TW
Road Operations Director The Automobile Association Ltd Fanum House Basing view Basingstoke Hampshire RG21 4EA	
Business Organisations The Chairman	Fuggiting Director
The Chairman Association of British Insurers 51 Gresham Street London EC2V 7HQ	Executive Director Leeds, York and North Yorkshire Chamber of Commerce White Rose House 28a York Place Leeds LS1 2EZ

Chief Executive	Regional Director
British Insurance Brokers' Association	CBI Yorkshire and Humber
8th Floor	Arndale House
John Stow House	Crossgates
	Leeds
18 Bevis Marks	
London	LS15 8EU
EC3A 7JB	
Chief Executive	The Chairman
The Chartered Institution of Highways and	CECA (Yorkshire & Humberside)
Transportation	Conyngham Hall
119 Britannia Walk	Knaresborough
London	North Yorkshire
N1 7JE	HG5 9AY
Chief Executive	The President
English Tourist Board	Institution of Civil Engineers
Visit England	One Great George Street
1 Palace Street	Westminster
London	London
SW1E 5HX	SW1P 3AA
Executive Director	Chief Executive
Mid Yorkshire Chamber of Commerce	Oil and Pipelines Agency
	York House
New Commerce House	
168 Westgate	London
Wakefield	WC2B 6UJ
WF2 9SR	
Chief Executive	Centre Director
Ordnance Survey	Carr Gate Garden Centre
Adanac Drive	Old Bradford Road
Southampton	Carr Gate
Hants	Wakefield
SO16 0AS	West Yorkshire
30 10 0A3	
Object Foregorities	WF2 0SY
Chief Executive	Chief Executive
Local Enterprise partnerships	The Chartered Institute of Logistics and
Sheffield office	Transport
2 St Paul's Place	Earlstrees Court
125 Norfolk Street	Earlstrees Road
Sheffield	Corby, Northants
S1 2FJ	NN17 4AX
General Secretary	Chief Executive
Trade Union Congress	Paragon Business Park
Congress House	Chorley New Road
Great Russell Street	Horwich
London	Bolton
WC1B 3LS	Lancashire
	BL6 6HG

Chief Executive Peel Land & Property RE:Calder Park Wakefield The Peel Dome The Trafford Centre Manchester M17 8PL	IKEA Ltd RE; IKEA Leeds Customer Relations Kingston Park Peterborough PE2 9ET
Media Organisations	
Editor-in-Chief Wakefield Express Express House Southgate Wakefield West Yorkshire WF1 1TE	Editor-in-Chief Yorkshire Post Wellington Street Leeds LS1 1RF
Station Director Radio Leeds 2 St Peter's Square Leeds LS9 8AH	
Transport Organisations	Chief Everythie
Chief Executive Leeds Bradford International Airport Leeds LS19 7TU	Chief Executive Network Rail Kings Place 90 York Way London N1 9AG
Chief Executive West Yorkshire Integrated Transport Authority Wellington House 40-50 Wellington Street Leeds LS1 2DE Chief Executive Freight Transport Association Hermes House 2 Manor Road Horsforth Leeds LS18 4DX	Chief Executive British International Freight Association Redfern House Browells Lane Feltham Middlesex TW13 7EP Area Manager Road Haulage Association Roadway House, Little Wood Drive, West 26 Industrial Estate, Cleckheaton, BD19 4TQ,

APPENDIX C - Q&A FOR M1 JUNCTIONS 39-42

Q. What is happening?

- A. The M1 Motorway is a strategic route for local, regional and international traffic forming part of the Trans European Road Network and plays a major role as:
 - A direct motorway route between the North and the South
 - A major route connecting major conurbations and providing access to two important international gateways.

The M1 between Junctions 39 and 42 is part of the primary strategic link between Nottingham and Leeds and currently the link carries traffic in excess of design levels, resulting in congestion and delays to drivers being a major transport issue. The section for which variable mandatory speed limits are being consulted on is 10.6km (junction to junction) 12.3km (scheme extents) long and runs between junction 39 (A636) and junction 42 (M62 interchange). It was opened between 1967 and 1968 and was constructed to dual three lane motorway (D3M) standard. The carriageway has never been widened and remains as D3M standard.

The M1 between junctions 39 and 42 is congested during the weekday morning and evening peak hours and also at other times when traffic flows are heavy. The average two-way daily traffic flow on the scheme section exceeds 113,000 vehicles, which is over 25% higher than the Congestion Reference Flow (CRF) of around 90,000 vehicles per day. The CRF represents the daily flow level at which a road is likely to be congested during weekday peak hours.

The accident severity ratio of the scheme section is almost identical to the national average and the accident collision rate is lower than the five year national average for 'all motorway roads' 2005-2010.

Q. Why is the Highways Agency consulting?

A. This consultation will provide an opportunity for interested parties and individuals to comment on the legislative changes required to allow for the implementation of variable mandatory speed limits within a managed motorways scheme on this section of the M1.

Q. Who can respond to this?

A. This consultation is available for anyone to respond to, including organisations that would be affected by the implementation of variable mandatory speed limits. The consultation is aimed at any affected stakeholder groups.

Q. Is the introduction of variable mandatory speed limits likely to be effective?

The introduction of variable mandatory speed limits on sections of the M6 and M42 round Birmingham have shown a reduction in congestion and collisions and improved traffic flows resulting in more reliable journey times. Evidence also supports the safe operation of the hard shoulder as a traffic lane. A three-year safety report into the M42 Managed Motorway scheme showed that traffic collisions have reduced.

Experience from these schemes suggests that there is scope to further reduce both the capital and operating costs, whilst continuing to meet congestion reduction objectives and without compromising overall safety for road users and those who work on the road.

Q. Why have a variable speed limit? Why not have a fixed speed limit?

A. By varying the mandatory speed limit the Highways Agency can manage the flow of traffic more effectively. The speed limits displayed on the motorway will take account of prevailing traffic conditions with the aim of ensuring the smooth flow of traffic. Variable speed limits are a key feature of managed motorways - which is about modernising the operation of our motorways and finding the best solution for different parts of the network.

Q. How does it work?

A. The variable mandatory speed limits and messages shown on the variable message signs are automatically displayed in response to the level of congestion or traffic queues. Sensors in the road surface detect the speed, volume and flow of traffic which then calculate the optimum speed to keep traffic moving, reducing the level of 'stop-start' traffic which leads to congestion. Drivers see the current speed limit displayed on electronic signals on the overhead gantries and variable message signs located in the verge. The speed limits can also be set by control room operators if required.

Q. When are the variable speed limits likely to become mandatory?

A. We are hoping to implement the variable mandatory speed limits in 2015.

Q. So what is the point of the consultation?

A. The Highways Agency is committed to effective consultation and complies with the Government's Consultation Principles. Effective consultation with affected stakeholders brings to light valuable information which we are able to use to design effective solutions and mitigate any concerns.

Following the consultation period, responses will be issued where appropriate and a summary report compiled which will provide an analysis of the responses and provide justification for the selected option.

Enforcement Q&A

- Q: Are variable mandatory speed limits linked to enforcement cameras?
- A: Yes, and as the variable mandatory speed limits change, the enforcement cameras will be automatically adjusted to suit the currently signalled limits.
- Q: How are you going to enforce the speed limits?
- A: The speed limits are enforced by the Police.

There are cameras on the gantries and variable message signs for use in enforcement. As per the Highway Code, any sign in a red circle is mandatory so the speed limits are legally enforceable.

- Q: How will the speed limits be enforced during normal motorway conditions?
- A: Enforcement is a matter for the police, who will continue to enforce the national speed limits, as on all roads including motorways.
- Q: What happens if I travel past a signal/speed limit when it changes?
- A: When the cameras are in operation there is a built in time delay from the switching of the signal/speed limit to when the cameras will actually enforce once mandatory. When there is a change in the speed limit displayed on the speed limit sign and if the vehicle had passed that sign ten seconds earlier, then the speed limit applicable to the driver of the vehicle will be the speed limit displayed on that sign prior to it changing.