


Local summary of Legionnaires' disease in residents of England and Wales, 2010 – 2012

Surrey, Sussex and Kent

This report provides a short summary of Legionella activity in residents of Surrey, Sussex and Kent, with particular emphasis on cases with onset of symptoms during 2012. Data for years 2010 and 2011 and in some tables and graphs, for years 2003 to 2011, are presented for comparative purposes.

For a wider analysis of Legionella activity across England and Wales, please refer to the Legionnaires' disease annual report – 2012, available on the Public Health England website.

Figure 1: Number of cases of legionellosis (confirmed and presumptive) in residents of Surrey, Sussex and Kent by year of onset of symptoms; 2003 – 2012



Published: July 14

Table 1: Number of cases of legionellosis (confirmed and presumptive) in residents of Surrey, Sussex and Kent by disease type and year of onset; 2010 – 2012

	Number	Number of confirmed (presumptive*) cases						
	2010	2011	2012	Total (2010-2012)				
Legionnaires' disease	21	19	15	55				
Non-pneumonic Legionellosis	-	1	-	1				
Pontiac fever	-	-	-	0				
Total	21	20	15	56				

^{*} Presumptive cases with only a single high titre or PCR result

Table 2: Number & population rate per million of confirmed cases of Legionnaires' disease in residents of Surrey, Sussex and Kent by year of onset; 2010 – 2012

Region	20)10	20)11	2012		Total (2010-2012)	
	n	Rate	n	Rate	n	Rate	n	Rate
Surrey, Sussex and Kent	21	4.69	18	4.02	15	3.35	54	4.02
National	357	6.36	235	4.18	306	5.45	898	5.33

Figure 2: Number of confirmed Legionnaires' disease cases in residents of Surrey, Sussex and Kent by year of onset and category; 2003-2012




Table 3: Number and proportion of confirmed Legionnaires' disease cases in residents of Surrey, Sussex and Kent by likely exposure category; 2010 – 2012

Category	2010	2011	2012	Total (2010-2012)	National Total (2010-2012)
Community [∓]	14 (66.7)	6 (33.3)	7 (46.7)	27 (50.0)	497 (55.4)
Nosocomial	1 (4.8)	1 (5.6)	-	2 (3.7)	44 (4.9)
Travel abroad	6 (28.6)	11 (61.1)	8 (53.3)	25 (46.3)	357 (39.8)
Total	21	18	15	54	898

Ŧ includes travel UK cases

Table 4: Number and proportion of confirmed Legionnaires' disease cases in residents of Surrey, Sussex and Kent by age group and gender, with age specific case-fatality rates; 2010 – 2012

	Num	nber (%) of	cases	No.	Age Specific CFR (95% CI)	
Age Groups	Female	Male	Total (2010-2012)	Deaths		
Under 50 years	1 (12.5)	7 (87.5)	8 (14.8)	0	0 (0.0 - 36.9*)	
50-59 years	4 (33.3)	8 (66.7)	12 (22.2)	0	0 (0.0 - 26.5*)	
60-69 years	4 (26.7)	11 (73.3)	15 (27.8)	1	6.7 (0.2 - 31.9)	
70 years & over	4 (21.1)	15 (78.9)	19 (35.2)	5	26.3 (9.1 - 51.2)	
Total	13 (24.1)	41 (75.9)	54 (100.0)	6	11.1 (4.2 - 22.6)	

≠ one sided confidence interval

Figure 3: Number of confirmed Legionnaires' disease cases in residents of Surrey, Sussex and Kent by month and year of onset; 2010 – 2012




Table 5: Legionnaires' disease cases in residents of Surrey, Sussex and Kent by diagnostic test and year of onset; 2010 - 2012~

	2010	2011	2012	Total (2010-2012)	National Total (2010-2012)
Case Numbers [†]	21	18	15	54	898
Culture	8	3	2	13	180 (20.0)
Urine	20	18	15	53	881 (98.0)
Serology (SHT)	1	-	-	1	13 (1.5)
Serology (FFR)	-	-	-	-	3 (0.3)
PCR	5	2	5	12	145 (16.2)

[~] This table shows the investigations carried out on each confirmed case

[†] Please note that some cases have more than one diagnostic test carried out, therefore the sum of diagnostic tests does not equal the annual 'case number'.

Table 6: Number of confirmed Legionnaires' disease cases in residents of Surrey, Sussex and Kent by Local Authority (Upper-Tier) and year of onset; 2010 – 2012

Local Authority	2010	2011	2012	Total (2010-2012)
Arun	1	-	1	2
Ashford	1	1	1	3
Brighton and Hove	1	1	-	2
Canterbury	-	1	1	2
Chichester	-	1	1	2
Crawley	1	1	1	3
Dartford	-	-	1	1
Eastbourne	1	-	-	1
Gravesham	-	-	1	1
Guildford	1	1	1	3
Lewes	1	-	-	1
Medway Towns	1	2	2	5
Mid Sussex	2	1	-	3
Mole Valley	1	-	-	1
Reigate and Banstead	-	-	1	1
Sevenoaks	-	1	-	1
Shepway	2	-	-	2
Spelthorne	-	1	-	1
Surrey Heath	-	-	1	1
Swale	3	1	-	4
Tandridge	2	1	-	3
Thanet	1	1	1	3
Tonbridge and Malling	-	-	1	1
Tunbridge Wells	1	2	1	4
Waverley	1	2	-	3
Total	21	18	15	54

Table 7: Number and type of outbreaks/clusters with associated number of Surrey, Sussex and Kent cases of Legionnaires' disease; 2010 – 2012

Category	2	2010		2011		2012		Total (2010-2012)	
,	ОВ	Cases	ОВ	Cases	ОВ	Cases	ОВ	Cases	
Community	1	6(5^)	-	-	-	-	1	6(5^)	
Nosocomial	-	-	-	-	-	-	0	0	
Travel UK	1	3(1 [^])(1 [‡])	-	-	1	2	2	5(1 [^])(1 [‡])	
Total	2	9(6 [^])(1 [‡])	0	0	1	2	3	11(6 [^])(1 [‡])	

outbreak includes one or more cases with onset of symptoms in 2007 - 2009

First published: July 14 © Crown copyright 2014

Re-use of Crown copyright material (excluding logos) is allowed under the terms of the Open Government Licence, visit www.nationalarchives.gov.uk/doc/open-government-licence/version/2/ for terms and conditions.

t outbreak spanning across two or more years between 2010 - 2012 years; therefore only counted once