

Local summary of Legionnaires' disease in residents of England and Wales, 2010 – 2012

West Midlands

This report provides a short summary of Legionella activity in residents of West Midlands, with particular emphasis on cases with onset of symptoms during 2012. Data for years 2010 and 2011 and in some tables and graphs, for years 2003 to 2011, are presented for comparative purposes.

For a wider analysis of Legionella activity across England and Wales, please refer to the Legionnaires' disease annual report – 2012, available on the Public Health England website.




Figure 1: Number of cases of legionellosis (confirmed and presumptive) in residents of West Midlands by year of onset of symptoms; 2003 – 2012

Table 1: Number of cases of legionellosis (confirmed and presumptive) in residentsof West Midlands by disease type and year of onset; 2010 – 2012

	Number of confirmed (presumptive*) cases						
	2010	2011	2012	Total (2010-2012)			
Legionnaires' disease	37	22	51	110			
Non-pneumonic Legionellosis	1	-	1	2			
Pontiac fever	-	-	-	0			
Total	38	22	52	112			

* Presumptive cases with only a single high titre or PCR result

Table 2: Number & population rate per million of confirmed cases of Legionnaires' disease in residents of West Midlands by year of onset; 2010 – 2012

Region	20	010	20	011	2012		Total (2010-2012)	
	n	Rate	n	Rate	n	Rate	n	Rate
West Midlands	37	6.60	22	3.92	51	9.09	110	6.54
National	357	6.36	235	4.18	306	5.45	898	5.33

Figure 2: Number of confirmed Legionnaires' disease cases° in residents of West Midlands by year of onset and category; 2003-2012




Table 3: Number and proportion of confirmed Legionnaires' disease cases inresidents of West Midlands by likely exposure category; 2010 – 2012

Category	2010	2011	2012	Total (2010-2012)	National Total (2010-2012)
Community [∓]	27 (73.0)	10 (45.5)	38 (74.5)	75 (68.2)	497 (55.4)
Nosocomial	-	-	2 (3.9)	2 (1.8)	44 (4.9)
Travel abroad	10 (27.0)	12 (54.6)	11 (21.6)	33 (30.0)	357 (39.8)
Total	37	22	51	110	898

∓ includes travel UK cases

Table 4: Number and proportion of confirmed Legionnaires' disease cases in
residents of West Midlands by age group and gender, with age specific
case-fatality rates; 2010 – 2012

	Nur	nber (%) of	cases	No.	Age Specific CFR (95% CI)	
Age Groups	Female	Male	Total (2010-2012)	Deaths		
Under 50 years	3 (15.0)	17 (85.0)	20 (18.2)	0	0 (0.0 - 16.8*)	
50-59 years	7 (30.4)	16 (69.6)	23 (20.9)	0	0 (0.0 - 14.8*)	
60-69 years	11 (26.8)	30 (73.2)	41 (37.3)	4	9.8 (2.7 - 23.1)	
70 years & over	6 (23.1)	20 (76.9)	26 (23.6)	3	11.5 (2.4 - 30.2)	
Total	27 (24.6)	83 (75.4)	110 (100.0)	7	6.4 (2.6 - 12.7)	

≰ one sided confidence interval

Figure 3: Number of confirmed Legionnaires' disease cases in residents of West Midlands by month and year of onset; 2010 – 2012




 Table 5: Legionnaires' disease cases in residents of West Midlands by diagnostic test and year of onset; 2010 - 2012~

West Midlands	2010	2011	2012	Total (2010-2012)	National Total (2010-2012)
Case Numbers [†]	37	22	51	110	898
Culture	1	-	10	11	180 (20.0)
Urine	37	22	51	110	881 (98.0)
Serology (SHT)	-	-	-	-	13 (1.5)
Serology (FFR)	-	-	-	-	3 (0.3)
PCR	4	-	12	16	145 (16.2)

~ This table shows the investigations carried out on each confirmed case

^{*t*} Please note that some cases have more than one diagnostic test carried out, therefore the sum of diagnostic tests does not equal the annual 'case number'.

Local Authority	2010	2011	2012	Total (2010-2012)
Birmingham	8	3	8	19
Cannock Chase	-	1	-	1
Coventry	3	1	2	6
Dudley	1	-	4	5
East Staffordshire	1	-	1	2
Hereford	2	1	-	3
Lichfield	-	-	1	1
Malvern Hills	-	2	1	3
Newcastle under Lyme	-	-	5	5
North Warwickshire	-	-	1	1
Nuneaton and Bedworth	-	2	-	2
Redditch	1	-	-	1
Rugby	-	1	-	1
Sandwell	1	-	2	3
Shropshire UA	4	-	-	4
Solihull	3	1	-	4
South Staffordshire	1	-	-	1
Stafford	-	1	2	3
Staffordshire Moorlands	2	-	3	5
Stoke on Trent	1	-	14	15
Stratford on Avon	1	2	1	4
Tamworth	1	-	-	1
Telford and Wrekin	1	-	-	1
Walsall	2	4	1	7
Wolverhampton	3	-	1	4
Worcester	1	-	2	3
Wychavon	-	2	2	4
Wyre Forest	-	1	-	1
Total	37	22	51	110

Table 6: Number of confirmed Legionnaires' disease cases in residents of West
Midlands by Local Authority (Upper-Tier) and year of onset; 2010 – 2012

Table 7: Number and type of outbreaks/clusters with associated number of West

 Midlands cases of Legionnaires' disease; 2010 – 2012

Category	2	010	2	011	2012		Total (2010-2012)	
	OB	Cases	OB	Cases	OB	Cases	OB	Cases
Community	1	4(1^)	1	4(3^)	1	23	3	31(4^)
Nosocomial	-	-	-	-	-	-	0	0
Travel UK	-	-	-	-	-	-	0	0
Total	1	4(1 [^])	1	4(3 [^])	1	23	3	31(4^)

outbreak includes one or more cases with onset of symptoms in 2007 - 2009

First published: July 14

© Crown copyright 2014

Re-use of Crown copyright material (excluding logos) is allowed under the terms of the Open Government Licence, visit www.nationalarchives.gov.uk/doc/open-government-licence/version/2/ for terms and conditions.