



Local summary of Legionnaires' disease in residents of England and Wales, 2013

Surrey, Sussex and Kent

This report provides a short summary of Legionella activity in residents of Surrey, Sussex and Kent, with particular emphasis on cases with onset of symptoms during 2013. Data for years 2011 and 2012 and in some tables and graphs, for years 2004 to 2012, are presented for comparative purposes.

For a wider analysis of Legionella activity across England and Wales, please refer to the annual report, Legionnaires' disease in England and Wales; 2013, available on the Public Health England website at; <https://www.gov.uk/government/statistics/legionnaires-disease-in-england-and-wales-2013>

Figure 1: Number of cases of legionellosis (confirmed and presumptive) in residents of Surrey, Sussex and Kent by year of onset of symptoms; 2004 – 2013




Table 1: Number of cases of legionellosis (confirmed and presumptive) in residents of Surrey, Sussex and Kent by disease type and year of onset; 2011 – 2013


	Number of confirmed (presumptive*) cases			
	2011	2012	2013	Total (2011 - 2013)
Legionnaires' disease	19	15	24	58
Non-pneumonic Legionellosis	1	-	1	2
Pontiac fever	-	-	-	0
Total	20	15	25	60

* Presumptive cases with only a single high titre or PCR result

Table 2: Number & population rate per million of confirmed cases of Legionnaires' disease in residents of Surrey, Sussex and Kent by year of onset; 2011 – 2013

Region	2011		2012		2013		Total (2011 - 2013)	
	n	Rate	n	Rate	n	Rate	n	Rate
Surrey, Sussex and Kent	18	4.02	15	3.35	24	5.36	57	4.25
National	235	4.18	306	5.45	284	5.06	825	4.90

Figure 2: Number of confirmed Legionnaires' disease cases^o in residents of Surrey, Sussex and Kent by year of onset and category; 2004-2013



^o Confirmed LD case: diagnosis by culture, urinary antigen or FFR and evidence of pneumonia

Table 3: Number and proportion of confirmed Legionnaires' disease cases in residents of Surrey, Sussex and Kent by likely exposure category; 2011 – 2013

Category	2011	2012	2013	Total	National Total (2011 - 2013)
Community [‡]	6 (33.3)	7 (46.7)	13 (54.2)	26 (45.6)	466 (56.5)
Nosocomial	1 (5.6)	-	-	1 (1.8)	28 (3.4)
Travel abroad	11 (61.1)	8 (53.3)	11 (45.8)	30 (52.6)	331 (40.1)
Total	18	15	24	57	825

[‡] includes travel UK cases

Table 4: Number and proportion of confirmed Legionnaires' disease cases in residents of Surrey, Sussex and Kent by age group and gender, with age specific case-fatality rates; 2011 – 2013

Age Groups	Number (%) of cases			No. Deaths	Age Specific CFR (95%CI)
	Female	Male	Total (2011-2013)		
Under 50 years	2 (18.2)	9 (81.8)	11 (19.3)	1	9.1 (0.2 - 41.3)
50-59 years	5 (50.0)	5 (50.0)	10 (17.5)	0	0.0 (0.0 - 30.8 [‡])
60-69 years	6 (28.6)	15 (71.4)	21 (36.8)	1	4.8 (0.1 - 23.8)
70 years & over	3 (20.0)	12 (80.0)	15 (26.3)	3	20.0 (4.3 - 48.1)
Total	16 (28.1)	41 (71.9)	57 (100.0)	5	8.8 (2.9 - 19.3)

[‡] one sided confidence interval

Figure 3: Number of confirmed Legionnaires' disease cases in residents of Surrey, Sussex and Kent by month and year of onset; 2011 – 2013




Table 5: Legionnaires' disease cases in residents of Surrey, Sussex and Kent by diagnostic test and year of onset; 2011 - 2013~

	2011	2012	2013	Total (2011 - 2013)	National Total (2011 - 2013)
Case Numbers[†]	18	15	24	57	825
Culture	3 (16.7)	2 (13.3)	6 (25.0)	11 (19.3)	190 (23.0)
Urine	18 (100.0)	15 (100.0)	23 (95.8)	56 (98.3)	810 (98.2)
Serology (SHT)	-	-	-	0 (0.0)	5 (0.6)
Serology (FFR)	-	-	-	0 (0.0)	1 (0.1)
PCR	2 (11.1)	5 (33.3)	8 (33.3)	15 (26.3)	198 (24.0)

~ This table shows the investigations carried out on each confirmed case

[†] Please note that some cases have more than one diagnostic test carried out, therefore the sum of diagnostic tests does not equal the annual 'case number'.

Table 6: Number of confirmed Legionnaires' disease cases in residents of Surrey, Sussex and Kent by Local Authority (Upper-Tier) and year of onset; 2011 – 2013

Local Authority	2011	2012	2013	Total (2011-2013)
Arun	-	1	-	1
Ashford	1	1	1	3
Brighton and Hove	1	-	-	1
Canterbury	1	1	2	4
Chichester	1	1	1	3
Crawley	1	1	1	3
Dartford	-	1	-	1
Dover	-	-	1	1
Gravesham	-	1	-	1
Guildford	1	1	-	2
Horsham	-	-	4	4
Medway Towns	2	2	-	4
Mid Sussex	1	-	4	5
Reigate and Banstead	-	1	-	1
Rother	-	-	1	1
Runnymede	-	-	3	3
Sevenoaks	1	-	-	1
Spelthorne	1	-	1	2
Surrey Heath	-	1	-	1
Swale	1	-	1	2
Tandridge	1	-	-	1
Thanet	1	1	1	3
Tonbridge and Malling	-	1	-	1
Tunbridge Wells	2	1	-	3
Waverley	2	-	1	3
Worthing	-	-	2	2
Total	18	15	24	57

Table 7: Number and type of outbreaks/clusters with associated number of Surrey, Sussex and Kent cases of Legionnaires' disease; 2011 – 2013

Category	2011		2012		2013		Total (2011 - 2013)	
	OB	Cases	OB	Cases	OB	Cases	OB	Cases
Community	-	-	-	-	-	-	0	0
Nosocomial	-	-	-	-	-	-	0	0
Travel UK	2	5(2 [^])(1 [†])	1	2	-	-	3	7(2 [^])(1 [†])
Total	2	5(2[^])(1[†])	1	2	0	0	3	7(2[^])(1[†])

(^) outbreak includes one or more cases with onset of symptoms before 2011, (†) outbreak spanning across two or more years between 2011 - 2013 years; therefore only counted once

First published: October 2014

© Crown copyright 2014

Re-use of Crown copyright material (excluding logos) is allowed under the terms of the Open Government Licence, visit www.nationalarchives.gov.uk/doc/open-government-licence/version/2/ for terms and conditions.