



CIVIL NUCLEAR CONSTABULARY

[REDACTED]

Email: [REDACTED]

Our Ref: FOI 2014-021

The Executive Office

Civil Nuclear Constabulary
Building F6 Culham Science Centre
Abingdon
Oxon
OX14 3DB

Tel: 01235 466544

Website: <http://www.cnc.police.uk>

Dear [REDACTED]

I am writing in response to your request for information regarding the below information received on 30 May 2014. Your request has been handled under Section 1(1) of the Freedom of Information Act 2000. In accordance with Section 1(1)(a) of the Act I hereby confirm that the CNC/CNPA does not hold information of the type specified. No tasers have been lost between 01 April 2005 and the present day.

**How many tasers have been lost / stolen since 1 April 2005
Were they recovered?**

We take our responsibilities under the Freedom of Information Act seriously but, if you feel your request has not been properly handled or you are otherwise dissatisfied with the outcome of your request, you have the right to complain. We will investigate the matter and endeavour to reply within 3 – 6 weeks. You should write in the first instance to:

Martin Root
Information Assurance Manager
CNC
Culham Science Centre
Abingdon
Oxfordshire
OX14 3DB

E-mail: FOI@cnc.pnn.police.uk

If you are still dissatisfied following our internal review, you have the right, under section 50 of the Act, to complain directly to the Information Commissioner. Before considering your complaint, the Information Commissioner would normally expect you to have exhausted the complaints procedures provided by the CNPA.

The Information Commissioner can be contacted at:

FOI Compliance Team (complaints)
Wycliffe House

Water Lane
Wilmslow
Cheshire
SK9 5AF

If you require any further assistance in connection with this request please contact us at our address below:

Martin Root
Information Assurance Manager
CNC
Culham Science Centre
Abingdon
Oxfordshire
OX14 3DB

E-mail: FOI@cnc.pnn.police.uk

Yours sincerely

Martin Root

Martin Root
Information Assurance Manager
Civil Nuclear Constabulary