


## Local summary of Legionnaires' disease in residents of England and Wales, 2010 – 2012

## **East Midlands**

This report provides a short summary of Legionella activity in residents of East Midlands, with particular emphasis on cases with onset of symptoms during 2012. Data for years 2010 and 2011 and in some tables and graphs, for years 2003 to 2011, are presented for comparative purposes.

For a wider analysis of Legionella activity across England and Wales, please refer to the Legionnaires' disease annual report – 2012, available on the Public Health England website.

**Figure 1:** Number of cases of legionellosis (confirmed and presumptive) in residents of East Midlands by year of onset of symptoms; 2003 – 2012



Published: July 14

**Table 1:** Number of cases of legionellosis (confirmed and presumptive) in residents of East Midlands by disease type and year of onset; 2010 – 2012


	Number	Number of confirmed (presumptive*) cases						
	2010	2011	2012	<b>Total</b> (2010-2012)				
Legionnaires' disease	34	25	31	90				
Non-pneumonic Legionellosis	-	-	-	0				
Pontiac fever	-	-	-	0				
Total	34	25	31	90				

<sup>\*</sup> Presumptive cases with only a single high titre or PCR result

**Table 2:** Number & population rate per million of confirmed cases of Legionnaires' disease in residents of East Midlands by year of onset; 2010 – 2012

Region	20	10	2011		2012		<b>Total</b> (2010-2012)	
	n	Rate	n	Rate	n	Rate	n	Rate
East Midlands	34	8.85	25	6.50	30	7.81	89	7.72
National	357	6.36	235	4.18	306	5.45	898	5.33

**Figure 2:** Number of confirmed Legionnaires' disease cases in residents of East Midlands by year of onset and category; 2003-2012



**Table 3:** Number and proportion of confirmed Legionnaires' disease cases in residents of East Midlands by likely exposure category; 2010 – 2012


Category	2010	2011	2012	<b>Total</b> (2010-2012)	National Total (2010-2012)
Community <sup>∓</sup>	20 (54.1)	19 (76.0)	20 (66.7)	59 (66.3)	497 (55.4)
Nosocomial	1 (2.7)	-	-	1 (1.1)	44 (4.9)
Travel abroad	13 (35.1)	6 (24.0)	10 (33.3)	29 (32.6)	357 (39.8)
Total	34	25	30	89	898


Ŧ includes travel UK cases

**Table 4:** Number and proportion of confirmed Legionnaires' disease cases in residents of East Midlands by age group and gender, with age specific case-fatality rates; 2010 – 2012

	Num	nber (%) of	No.	Age Specific	
Age Groups	Female	Male	<b>Total</b> (2010-2012)	Deaths	<b>CFR</b> (95% CI)
Under 50 years	5 (33.3)	10 (66.7)	15 (16.9)	0	0 (0.0 - 21.8*)
50-59 years	2 (9.5)	19 (90.5)	21 (23.6)	1	4.8 (0.1 - 23.8)
60-69 years	7 (25.9)	20 (74.1)	27 (30.3)	0	0 (0.0 - 12.8*)
70 years & over	8 (30.8)	18 (69.2)	26 (29.2)	7	26.9 (11.6 - 47.8)
Total	22 (24.7)	67 (75.3)	89 (100.0)	8	9.0 (4.0 - 16.9)

≠ one sided confidence interval





**Table 5:** Legionnaires' disease cases in residents of East Midlands by diagnostic test and year of onset; 2010 - 2012~

	2010	2011	2012	<b>Total</b> (2010-2012)	National Total (2010-2012)
Case Numbers <sup>†</sup>	34	25	30	89	898
Culture	5	6	6	17	180 (20.0)
Urine	33	24	30	87	881 (98.0)
Serology (SHT)	1	-	-	1	13 (1.5)
Serology (FFR)	-	-	-	-	3 (0.3)
PCR	4	3	3	10	145 (16.2)

<sup>~</sup> This table shows the investigations carried out on each confirmed case

<sup>&</sup>lt;sup>†</sup> Please note that some cases have more than one diagnostic test carried out, therefore the sum of diagnostic tests does not equal the annual 'case number'.

**Table 6:** Number of confirmed Legionnaires' disease cases in residents of East Midlands by Local Authority (Upper-Tier) and year of onset; 2010 – 2012

Local Authority	2010	2011	2012	<b>Total</b> (2010-2012)
Amber Valley	-	1	-	1
Ashfield	1	1	2	4
Bassetlaw	1	1	-	2
Bolsover	-	2	-	2
Boston	-	1	1	2
Broxtowe	1	-	4	5
Charnwood	2	-	1	3
Chesterfield	3	-	-	3
Derby	-	1	1	2
Derbyshire Dales	-	1	-	1
East Lindsey	1	1	1	3
Erewash	2	-	1	3
Gedling	2	2	4	8
Harborough	-	-	1	1
High Peak	1	-	-	1
Leicester	2	1	-	3
Lincoln	3	-	-	3
Mansfield	1	1	2	4
Melton	1	-	1	2
Newark and Sherwood	2	1	-	3
North East Derbyshire	-	-	2	2
North Kesteven	3	-	-	3
North West Leicestershire	-	3	-	3
Nottingham	6	4	6	16
Oadby and Wigston	-	-	1	1
Rushcliffe	1	1	2	4
Rutland	-	1	-	1
South Holland	1	-	-	1

South Kesteven	-	1	-	1
West Lindsey	-	1	-	1
Total	34	25	30	89

**Table 7:** Number and type of outbreaks/clusters with associated number of East Midlands cases of Legionnaires' disease; 2010 – 2012

Category 2010		2011		2012		<b>Total</b> (2010-2012)		
0 )	ОВ	Cases	ОВ	Cases	ОВ	Cases	ОВ	Cases
Community	1	4(1^)	-	-	1	11	2	15(1 <sup>^</sup> )
Nosocomial	-	-	-	-	-	1	0	0
Travel UK	-	-	-	-	-		0	0
Total	1	4(1 <sup>^</sup> )	0	0	1	11	2	15(1 <sup>^</sup> )

outbreak includes one or more cases with onset of symptoms in 2007 - 2009

First published: July 14 © Crown copyright 2014

Re-use of Crown copyright material (excluding logos) is allowed under the terms of the Open Government Licence, visit www.nationalarchives.gov.uk/doc/open-government-licence/version/2/ for terms and conditions.

<sup>&</sup>lt;sup>‡</sup> outbreak spanning across two or more years between 2010 - 2012 years; therefore only counted once