

Eye problems.

Introduction to charts. Notes and further information. Acknowledgements.

Remote Health Advice

Syndromic Surveillance System: England

Week: 44 04 November 2015 Year: 2015 Key messages In This Issue: Data to: 01 November 2015 Key messages. Syndromic indicators at NHS 111 cough calls continued to rise during week 44 (figure 4) and a glance. remain higher than at the same time last year, particularly in young children (figure 4a). Data summary. Indicators by syndrome. Cold/flu. Fever. Cough. Difficulty Breathing. A Cold Watch System operates in England from 1 November to 31 March each year. As part of the Public Health Sore throat. England Cold Weather Plan for England the PHE Real-time Syndromic Surveillance team will be monitoring the Diarrhoea. impact of cold weather on syndromic surveillance data during this period. Cold weather alert level (current reporting week): Level 1 - Winter preparedness http://www.metoffice.gov.uk/weather/uk/coldweatheralert/ Vomiting.

Syndromic indicators at a glance:

Indicator	Trend	Level *
Cold/flu	No trend	Similar to baseline levels
Fever	No trend	Similar to baseline levels
Cough	Increasing	Above baseline levels
Difficulty breathing	No trend	Above baseline levels
Sore throat	No trend	Above baseline levels
Diarrhoea	Increasing	Similar to baseline levels
Vomiting	No trend	Below baseline levels
Eye problems	No trend	Above baseline levels

*Since week 47 2014 new baselines have been introduced for comparison with previous years. Baselines use historical data from the NHS Direct surveillance system to estimate seasonal trend but with levels adjusted to reflect changes since the switch to using NHS 111 data in September 2013.

Data summary:

Year	Week	Total calls
2015	44	204,086

鯋 Public Health England

04 November 2015

100000

90000

80000

70000 60000

50000

40000

30000

20000

10000

10

8

02/11/14

30/11/14

28/12/14

25/01/15

bank holiday

1: Total calls.


The total number of syndromic calls recorded each day by NHS 111.





Daily 'cold/flu' calls as a percentage of total calls. Baselines are constructed from historical data since 2010, including data from NHS 111 and NHS Direct.



Daily 'fever' calls as a percentage of total calls. Baselines are constructed from historical data since 2010, including data from NHS 111 and NHS Direct.







WW Public Health England

04 November 2015

4: Cough

Daily 'cough' calls as a percentage of total calls. Baselines are constructed from historical data since 2010, including data from NHS 111 and NHS Direct.

4a: Cough calls by age group

25

20

% of calls (within age group) 0

5

0 + 02/11/14

30/11/14

28/12/14

<1

25/01/15

1 to 4

22/02/15

5 to 14

22/03/15

19/04/15

15 to 44

17/05/15


45 to 64


14/06/15

Cough calls as a percentage of total calls within each age group, shown as a 7 day moving average.

5: Difficulty breathing

Daily 'difficulty breathing' calls as a percentage of total calls. Baselines are constructed from historical data since 2010, including data from NHS 111 and NHS Direct.





......

12/07/15


65 to 74

09/08/15 06/09/15 04/10/15

••••• All ages

>74

01/11/15



Remote Health Advice

With Public Health England

04 November 2015

5a: Difficulty breathing calls by age group


Difficulty breathing calls as a percentage of total calls within each age group, shown as a 7 day moving average.

6: Sore throat

Daily 'sore throat' calls as a percentage of total calls. Baselines are constructed from historical data since 2010, including data from NHS 111 and NHS Direct.



Daily 'diarrhoea' calls as a percentage of total calls. Baselines are constructed from historical data since 2010, including data from NHS 111 and NHS Direct.



Remote Health Advice

WWW Public Health England

04 November 2015

7a: Diarrhoea by age group

Diarrhoea calls as a percentage of total calls within each age group, shown as a 7 day moving average.

8: Vomiting


Daily 'vomiting' calls as a percentage of total calls. Baselines are constructed from historical data since 2010, including data from NHS 111 and NHS Direct.


8a: Vomiting by age group

Vomiting calls as a percentage of total calls within each age group, shown as a 7 day moving average.












Remote Health Advice

17/05/15 14/06/15 12/07/15 09/08/15 06/09/15 04/10/15

-

7 day average (adjusted for bank holidays)

6



22/03/15


eye problems

19/04/15

--- baseline 2010-2014

Intentionally blank

Intentionally blank



Daily 'eye problems' calls as a percentage of total calls. Baselines are constructed from historical data since 2010, including data from NHS 111 and NHS Direct.

30/11/14

weekend

28/12/14 25/01/15 22/02/15

bank holiday

9: Eye problems

01/11/15

Remote Health Advice

04 November 2015	Year: 2015 Week: 44
Introduction to charts:	 Weekends and bank holidays are marked by vertical grey lines (bank holidays darker grey). A 7-day moving average (adjusted for bank holidays) is overlaid on the daily data reported in each chart, unless specified. Baselines are constructed using historical data, including data from both NHS111 and the NHS Direct syndromic system (which was replaced by NHS 111 data in September 2013). Seasonal trends reflect the average over past years, with levels adjusted to reflect differences between NHS 111 and NHS Direct data.
	 This new syndromic surveillance system is still under development and further analyses at PHE Centre level will be included in future bulletins. NHS 111 call data are analysed on a daily basis to identify national and regional trends. A statistical algorithm underpins each system, routinely identifying activity that has increased significantly or is statistically significantly high for the time of year. Results from these daily analyses are assessed by the ReSST, along with analysis by age group, and anything deemed of public health importance is alerted by the team.
Notes and further information:	Further information about NHS 111 can be found at: http://www.nhs.uk/NHSEngland/AboutNHSservices/ Emergencyandurgentcareservices/Pages/NHS-111.aspx The Remote Health Advice Syndromic Surveillance bulletin can also be downloaded from the PHE Real-time Syndromic Surveillance website which also contains more information about syndromic surveillance: https://www.gov.uk/government/collections/syndromic-surveillance-systems- and-analyses
Acknowledgements:	We are grateful to NHS 111 and to HSCIC for their assistance and support in providing the anonymised call data that underpin the Remote Health Advice Syndromic Surveillance System.
Contact ReSST: syndromic.surveillance @phe.gov.uk	Produced by: PHE Real-time Syndromic Surveillance Team 6 th Floor, 5 St Philip's Place, Birmingham, B3 2PW Tel: 0344 225 3560 > Option 4 > Option 2 Fax: 0121 236 2215 Web: <u>https://www.gov.uk/government/collections/syndromic-surveillance-systems-and</u> -analyses 7