



## FULL LIST OF DATA INCLUDED IN 4 MAY 2016 PUBLICATION

Data for the indicators listed below has been added to the PHOF data tool as part of the May update - see [www.phoutcomes.info](http://www.phoutcomes.info). All indicators are at England and both tiers of local authorities unless otherwise stated.

*Note: Data in this release is a mixture of baseline data and various updates to data as required (where baselines have already been published but more recent/updated data is available) - details are provided below.*

	Short title / sub-indicator descriptions	Time period added	Baseline or updated data?	Already in public domain in exact format?
<b>0.1</b>	<b>Healthy life expectancy</b>			
0.1i	Healthy life expectancy at birth (males/females)	2012-14 and revised 2011-13	Updated data and revised historic data (baseline 2009-2011). England and upper tier LAs only.	Yes, published by ONS.
<b>0.2</b>	<b>Differences in life expectancy and healthy life expectancy between communities</b>			
0.2v	Slope index of inequality in healthy life expectancy at birth based on national deprivation deciles within England (males/females)	2012-14	Updated data (baseline 2009-11). England only.	Yes, published by ONS.
<b>1.01</b>	<b>Children in poverty</b>			
1.01i	Children in poverty (all dependent children under 20)	Revised 2013	Revised data (baseline 2010).	Yes, published by HMRC (PHE adds confidence limits)
1.01ii	Children in poverty (under 16s)	Revised 2013	Revised data (baseline 2010).	Yes, published by HMRC (PHE adds confidence limits)
<b>1.08</b>	<b>Employment for those with long-term health conditions including adults with a learning disability or who are in contact with secondary mental health services</b>			
1.08i	Gap in the employment rate between those with a long-term health condition and the overall employment rate	Addition of 2013/14 and 2014/15 data for lower tier LAs	Updated data (baseline period 2013/14). Addition of data for lower tier LAs only.	No, calculated by PHE from Nomis data
<b>1.09</b>	<b>Sickness absence rate</b>			
1.09i	Sickness absence - the percentage of employees who had at least one day off in the previous week	2011-2013	Updated data (baseline period 2009-11).	No, calculated by PHE

	<b>Short title / sub-indicator descriptions</b>	<b>Time period added</b>	<b>Baseline or updated data?</b>	<b>Already in public domain in exact format?</b>
1.09ii	Sickness absence - the percent of working days lost due to sickness absence	2011-2013	Updated data (baseline period 2009-11).	No, calculated by PHE
<b>1.11</b>	<b>Domestic abuse</b>			
1.11	Domestic abuse	2014/15	Updated data (baseline period 2010/11). England and upper tier LAs only.	No, calculated by PHE from data published by ONS
<b>1.12</b>	<b>Violent crime (including sexual violence)</b>			
1.12i	Violent crime (including sexual violence) - hospital admissions for violence	2012/13-2014/15	Updated data (baseline period 2009/10-2011/12).	No, calculated by PHE
<b>1.16</b>	<b>Utilisation of outdoor space for exercise / health reasons</b>			
1.16	Utilisation of outdoor space for exercise/health reasons	March 2014 – February 2015	Updated data (baseline period March 2011 – February 2012). England and upper tier LAs only	No, calculated by PHE from data published by Natural England
<b>2.04</b>	<b>Under 18 conceptions</b>			
2.04	Under 18 conceptions	2014	Updated data (baseline period 2010).	Yes, previously published by ONS and PHE in Sexual and Reproductive Health Profiles
2.04	Under 18 conceptions: conceptions in those aged under 16	2014	Updated data (baseline period 2010). England and upper tier LAs only	Yes, previously published by ONS and PHE in Sexual and Reproductive Health Profiles
<b>2.07</b>	<b>Hospital admissions caused by unintentional and deliberate injuries in children and young people aged 0-14 and 15-24 years</b>			
2.07i	Hospital admissions caused by unintentional and deliberate injuries in children (aged 0-14 years)	2014/15	Updated data (baseline 2010/11).	No, although data for upper tier LAs and higher geographies published by PHE in Child Health Profiles. Lower tier LA data calculated for PHOF by PHE
2.07i	Hospital admissions caused by unintentional and deliberate injuries in children (aged 0-4 years)	2014/15	Updated data (baseline 2010/11).	No, calculated for PHOF by PHE
2.07ii	Hospital admissions caused by unintentional and deliberate injuries in young people (aged 15-24 years)	2014/15	Updated data (baseline 2010/11).	No, although data for upper tier LAs and higher geographies

	<b>Short title / sub-indicator descriptions</b>	<b>Time period added</b>	<b>Baseline or updated data?</b>	<b>Already in public domain in exact format?</b>
				published by PHE in Child Health Profiles. Lower tier LA data calculated for PHOF by PHE
<b>2.08</b>	<b>Emotional well-being of looked after children</b>			
2.08	Emotional wellbeing of looked after children	2014/15	Updated data (baseline 2010/11). England and upper tier LAs only.	Yes, published by DfE
<b>2.11</b>	<b>Diet</b>			
2.11i	Proportion of the population meeting the recommended '5-a-day'	2015	Updated data (baseline 2014). Inequalities data by ethnicity, age and gender	No, calculated for the PHOF by PHE
2.11ii	Average number of portions of fruit consumed daily	2015	Updated data (baseline 2014). Inequalities data by ethnicity, age and gender	No, calculated for the PHOF by PHE
2.11iii	Average number of portions of vegetables consumed daily	2015	Updated data (baseline 2014). Inequalities data by ethnicity, age and gender	No, calculated for the PHOF by PHE
<b>2.18</b>	<b>Alcohol-related admissions to hospital</b>			
2.18	Admission episodes for alcohol-related conditions - narrow definition	2014/15	Updated data (baseline 2010/11). Inequalities data by gender	No, calculated for the PHOF by PHE (also to be published in LAPE on the same day)
<b>2.19</b>	<b>Cancer diagnosed at stage 1 and 2</b>			
2.19	Cancer diagnosed at early stage (experimental statistics)	2014	Updated data (baseline 2012). Inequalities data by ethnicity	No, calculated for the PHOF by PHE
<b>3.06</b>	<b>Public sector organisations with a board approved sustainable development management plan</b>			
3.06	NHS organisations with a board approved sustainable development management plan	2014/15	Updated data (baseline 2010/11). England and upper tier LAs only.	No, calculated for the PHOF by PHE
<b>4.03</b>	<b>Mortality rate from causes considered preventable</b>			
4.03	Mortality rate from causes considered preventable	2001-03 to 2012-14	Addition of data for ONS clusters and IMD15 deprivation deciles	No, calculated for the PHOF by PHE
<b>4.04</b>	<b>Under 75 mortality rate from cardiovascular diseases (including heart disease and stroke)</b>			
4.04i	Under 75 mortality rate from all cardiovascular diseases	2001-03 to 2012-14	Addition of data for ONS clusters and IMD15 deprivation deciles	No, calculated for the PHOF by PHE

	<b>Short title / sub-indicator descriptions</b>	<b>Time period added</b>	<b>Baseline or updated data?</b>	<b>Already in public domain in exact format?</b>
4.04ii	Under 75 mortality rate from cardiovascular diseases considered preventable	2001-03 to 2012-14	Addition of data for ONS clusters and IMD15 deprivation deciles	No, calculated for the PHOF by PHE
<b>4.05</b>	<b>Under 75 mortality rate from cancer</b>			
4.05i	Under 75 mortality rate from cancer	2001-03 to 2012-14	Addition of data for ONS clusters and IMD15 deprivation deciles	No, calculated for the PHOF by PHE
4.05ii	Under 75 mortality rate from cancer considered preventable	2001-03 to 2012-14	Addition of data for ONS clusters and IMD15 deprivation deciles	No, calculated for the PHOF by PHE
<b>4.06</b>	<b>Under 75 mortality rate from liver disease</b>			
4.06i	Under 75 mortality rate from liver disease	2001-03 to 2012-14	Addition of data for ONS clusters and IMD15 deprivation deciles	No, calculated for the PHOF by PHE
4.06ii	Under 75 mortality rate from liver disease considered preventable	2001-03 to 2012-14	Addition of data for ONS clusters and IMD15 deprivation deciles	No, calculated for the PHOF by PHE
<b>4.07</b>	<b>Under 75 mortality rate from respiratory diseases</b>			
4.07i	Under 75 mortality rate from respiratory disease	2001-03 to 2012-14	Addition of data for ONS clusters and IMD15 deprivation deciles	No, calculated for the PHOF by PHE
4.07ii	Under 75 mortality rate from respiratory disease considered preventable	2001-03 to 2012-14	Addition of data for ONS clusters and IMD15 deprivation deciles	No, calculated for the PHOF by PHE
<b>4.13</b>	<b>Health-related quality of life for older people</b>			
4.13	Health related quality of life for older people	2013/14	Updated data (baseline 2011/12). Inequalities data by ethnicity, religion, sexuality and gender	No, calculated for the PHOF by PHE
<b>Supporting information</b>				
	Percentage of the population aged under 18	2014	New supporting information	Yes, ONS data
	Percentage of the population aged 65 and over	2014	New supporting information	Yes, ONS data
	Percentage of the population from black and minority ethnic (BME) groups	2011	New supporting information	Yes, Census data

Note: Since the original 'Summary technical specifications of Public Health indicators' (Part 2) was produced in November 2012 there have been a number of policy updates. To view these policy changes please see the PHOF policy page:

<https://www.gov.uk/government/publications/healthy-lives-healthy-people-improving-outcomes-and-supporting-transparency>

Note: More details on the indicators and their sources can be found in the definitions tab of each indicator in the Public Health Outcomes Framework data tool ([www.phoutcomes.info](http://www.phoutcomes.info)).