

GP OOHSS

GP Out-of-Hours Surveillance System: England

Data to: 28 March 2016

30 March 2016 Year: 2016 Week: 12

In This Issue:

Key Messages.

Weekly summary.

Total contacts.

Syndromic indicators.

Notes and caveats.

Further information.

Acknowledgements.

Key messages

The proportion of GP out of hours consultations for acute respiratory infections and influenza like illness remained higher in week 12 than the same time last year (figures 2 & 3).

A Cold Watch System operates in England from 1 November to 31 March each year. As part of the Public Health England Cold Weather Plan for England the PHE Real-time Syndromic Surveillance team will be monitoring the impact of cold weather on syndromic surveillance data during this period.

Cold weather alert level (current reporting week): Level 1 Winter Preparedness and Action

http://www.metoffice.gov.uk/weather/uk/coldweatheralert/

Syndromic indicators at a glance:


Number of contacts and percentage of Read coded contacts.

Key indicator	No. of contacts	% Week 12	% Week 11	Trend*
All OOH contacts, all causes	259,378			
Acute respiratory infection	28,287	22.55	21.70	←→
Influenza-like illness	735	0.59	0.60	←→
Bronchitis/bronchiolitis	313	0.25	0.23	←→
Difficulty breathing/wheeze/asthma	2,819	2.25	2.20	←→
Pharyngitis	203	0.16	0.13	←→
Gastroenteritis	5,326	4.25	4.55	Ψ
Diarrhoea	1,194	0.95	0.92	←→
Vomiting	1,770	1.41	1.67	Ψ
Myocardial infarction	1,041	0.83	0.99	Ψ

*Trend: reports on the trend seen over previous weeks in the percentage of Read coded contacts.

1: Total out-of-hours contacts:

Daily total number of out-of-hours and unscheduled contacts and 7 day average (adjusted for bank holidays).





2: Acute Respiratory Infection daily contacts.


40


35

Percentage of Read coded contacts

5

Shown as a percentage of the total contacts with a Read code and as a 7 day average*.







30/03/15 27/04/15 25/05/15 22/06/15 20/07/15 17/08/15 14/09/15 12/10/15 09/11/15 07/12/15 04/01/16 01/02/16 29/02/16 28/03/16

3: Influenza-like illness daily contacts.

Shown as a percentage of the total contacts with a Read code and as a 7 day average*.












5: Difficulty breathing/ wheeze/asthma daily contacts.


Shown as a percentage of the total contacts with a Read code and as a 7 day average*.






Shown as a percentage of the total contacts with a Read code and as a 7 day average*.









7: Gastroenteritis daily contacts


Shown as a percentage of the total contacts with a Read code and as a 7 day average*.


8: Diarrhoea daily contacts.


Shown as a percentage of the total contacts with a Read code and as a 7 day average*.

9: Vomiting daily contacts.

Shown as a percentage of the total contacts with a Read code and as a 7 day average*.











9a: Vomiting contacts by age group.

Shown as a percentage of the total contacts with a Read code and as a 7 day average*.

10: Myocardial Infarction daily contacts.





Intentionally left blank.



Notes and caveats:

- This bulletin presents data from the Public Health England (PHE) GP Out-ofhours\Unscheduled Care Surveillance System (GP OOHSS).
- Fully anonymised data from GP out-of-hours (OOH) and unscheduled care service providers in England are being transferred to the PHE for analysis and interpretation by the PHE Real-time Syndromic Surveillance Team (ReSST).
- This new system supplements existing PHE syndromic surveillance systems by monitoring data on general practitioner consultations outside of routine surgery opening times (evenings, weekends and bank holidays) and unplanned contacts within NHS primary care.
- The key indicators presented within this bulletin are derived by grouping selected Read coded consultations.
- GP OOH consultation data are analysed on a daily basis to identify national and regional trends. A statistical algorithm underpins each system, routinely identifying activity that has increased significantly or is statistically significantly high for the time of year. Results from these daily analyses are assessed by the ReSST, along with analysis by age group, and anything deemed of public health importance is alerted by the team.

Further information:

The GP Out-of-Hours Surveillance System Bulletin can also be downloaded from the PHE Real-time Syndromic Surveillance website which also contains more information about syndromic surveillance:

https://www.gov.uk/government/collections/syndromic-surveillance-systems-and-analyses

Acknowledgements:

We are grateful to Advanced Health and Care and the GP out-of-hours and unscheduled care service providers who have kindly agreed to participate in this system.

PHE Out-of-Hours/Unscheduled Care Surveillance

Produced by: PHE Real-time Syndromic Surveillance Team 6th Floor, 5 St Philip's Place, Birmingham, B3 2PW

Tel: 0344 225 3560 > Option 4 > Option 2 Fax: 0121 236 2215

Web: https://www.gov.uk/government/collections/syndromic-surveillance-systems-and -analyses

Contact ReSST: