

Public Health Outcomes Framework

Indicators at a glance (February 2016)

Notes:

- Value cells are shaded red, amber or green where the England value can be benchmarked against a goal.
- In the change columns, prev refers to the change in value compared to the previous data point; base refers to the change in value compared to the baseline value.
- Changes are only shown if they are statistically significant. An upwards arrow (↑, ↑ or ↑) represents a significant increase in the indicator value, a downwards arrow (↓, ↓ or ↓) represents a significant decrease. A sideways arrow (↔) is displayed if there has been no significant change.
- The arrows are coloured **green** and **red** for those indicators where a change can be described as improving or worsening respectively.
- Indicators where data has been updated or revised in the latest update have been shaded in the tables.
- Indicators where the value is marked with * have a data note attached to them. See www.phoutcomes.info for full details
- Indicators where inequalities data is available in the webtool are marked with a ≠.

Summary for England

Domain: Overarching indicators					
Indicator	Period	Value	Unit	Change from prev	Change from base
0.1i - Healthy life expectancy at birth (Male) ≠	2011 - 13	63.3	Years	↔	↔
0.1i - Healthy life expectancy at birth (Female) ≠	2011 - 13	63.9	Years	↔	↔
0.1ii - Life Expectancy at birth (Male) ≠	2012 - 14	79.5	Years	↑	↑
0.1ii - Life Expectancy at birth (Female) ≠	2012 - 14	83.2	Years	↑	↑
0.1ii - Life Expectancy at 65 (Male) ≠	2012 - 14	18.8	Years	↑	↑
0.1ii - Life Expectancy at 65 (Female) ≠	2012 - 14	21.2	Years	↑	↑
0.2i - Slope index of inequality in life expectancy at birth based on national deprivation deciles within England (Male) ≠	2012 - 14	9.2	Years	↔	↔
0.2i - Slope index of inequality in life expectancy at birth based on national deprivation deciles within England (Female) ≠	2012 - 14	7.0	Years	↔	↔
0.2ii - Number of upper tier local authorities for which the local slope index of inequality in life expectancy (as defined in 0.2iii) has decreased (Male) ≠	2012 - 14	80.0	Count	↔	↔
0.2ii - Number of upper tier local authorities for which the local slope index of inequality in life expectancy (as defined in 0.2iii) has decreased (Female) ≠	2012 - 14	67.0	Count	↔	↔
0.2iii - Slope index of inequality in life expectancy at birth within English local authorities, based on local deprivation deciles within each area (Male) ≠	2012 - 14	-	Years		
0.2iii - Slope index of inequality in life expectancy at birth within English local authorities, based on local deprivation deciles within each area (Female) ≠	2012 - 14	-	Years		
0.2iv - Gap in life expectancy at birth between each local authority and England as a whole (Male) ≠	2012 - 14	0.0	Years	↔	
0.2iv - Gap in life expectancy at birth between each local authority and England as a whole (Female) ≠	2012 - 14	0.0	Years	↔	
0.2v - Slope index of inequality in healthy life expectancy at birth based on national deprivation deciles within England (Male) ≠	2011 - 13	19.2	Years	↔	↔
0.2v - Slope index of inequality in healthy life expectancy at birth based on national deprivation deciles within England (Female) ≠	2011 - 13	19.5	Years	↔	↔
0.2vi - SII in healthy life expectancy based within local authorities, based on deprivation within Middle Super Output Areas (Male) ≠	2009 - 13	-	Years		
0.2vi - SII in healthy life expectancy based within local authorities, based on deprivation within Middle Super Output Areas (Female) ≠	2009 - 13	-	Years		
0.2vii - Slope index of inequality in life expectancy at birth within English regions, based on regional deprivation deciles within each area (Male) ≠	2012 - 14	-	Years		
0.2vii - Slope index of inequality in life expectancy at birth within English regions, based on regional deprivation deciles within each area (Female) ≠	2012 - 14	-	Years		

Domain: Wider determinants of health

Indicator	Period	Value	Unit	Change from prev	Change from base
1.01i - Children in poverty (all dependent children under 20) ≠	2013	18.0	%	↓	↓
1.01ii - Children in poverty (under 16s) ≠	2013	18.6	%	↓	↓
1.02i - School Readiness: The percentage of children achieving a good level of development at the end of reception (Persons) ≠	2014/15	66.3	%	↑	↑
1.02i - School Readiness: The percentage of children achieving a good level of development at the end of reception (Male) ≠	2014/15	58.6	%	↑	↑
1.02i - School Readiness: The percentage of children achieving a good level of development at the end of reception (Female) ≠	2014/15	74.3	%	↑	↑
1.02i - School Readiness: The percentage of children with free school meal status achieving a good level of development at the end of reception (Persons) ≠	2014/15	51.2	%	↑	↑
1.02i - School Readiness: The percentage of children with free school meal status achieving a good level of development at the end of reception (Male) ≠	2014/15	42.6	%	↑	↑
1.02i - School Readiness: The percentage of children with free school meal status achieving a good level of development at the end of reception (Female) ≠	2014/15	60.3	%	↑	↑
1.02ii - School Readiness: The percentage of Year 1 pupils achieving the expected level in the phonics screening check (Persons) ≠	2014/15	76.8	%	↑	↑
1.02ii - School Readiness: The percentage of Year 1 pupils achieving the expected level in the phonics screening check (Male) ≠	2014/15	73.0	%	↑	
1.02ii - School Readiness: The percentage of Year 1 pupils achieving the expected level in the phonics screening check (Female) ≠	2014/15	80.8	%	↑	
1.02ii - School Readiness: The percentage of Year 1 pupils with free school meal status achieving the expected level in the phonics screening check (Persons) ≠	2014/15	64.7	%	↑	↑
1.02ii - School Readiness: The percentage of Year 1 pupils with free school meal status achieving the expected level in the phonics screening check (Male) ≠	2014/15	59.5	%	↑	
1.02ii - School Readiness: The percentage of Year 1 pupils with free school meal status achieving the expected level in the phonics screening check (Female) ≠	2014/15	70.1	%	↑	
1.03 - Pupil absence ≠	2013/14	4.5	%	↓	↓
1.04 - First time entrants to the youth justice system ≠	2014	409.1	Crude rate per 100,000	↓	↓
1.05 - 16-18 year olds not in education employment or training ≠	2014	4.7	%	↓	↓
1.06i - Adults with a learning disability who live in stable and appropriate accommodation (Persons) ≠	2014/15	73.3	%	↓	
1.06i - Adults with a learning disability who live in stable and appropriate accommodation (Male) ≠	2014/15	73.2	%	↓	
1.06i - Adults with a learning disability who live in stable and appropriate accommodation (Female) ≠	2014/15	73.1	%	↓	
1.06ii - Percentage of adults in contact with secondary mental health services who live in stable and appropriate accommodation (Persons) ≠	2014/15	59.7	%		
1.06ii - Percentage of adults in contact with secondary mental health services who live in stable and appropriate accommodation (Male) ≠	2014/15	58.4	%		
1.06ii - Percentage of adults in contact with secondary mental health services who live in stable and appropriate accommodation (Female) ≠	2014/15	61.3	%		
1.07 - People in prison who have a mental illness or a significant mental illness	2013/14	5.6	%	↑	↔
1.08i - Gap in the employment rate between those with a long-term health condition and the overall employment rate	2014/15	8.6	Percentage point		
1.08ii - Gap in the employment rate between those with a learning disability and the overall employment rate (persons) ≠	2014/15	66.9	Percentage point		
1.08ii - Gap in the employment rate between those with a learning disability and the overall employment rate (male) ≠	2014/15	71.8	Percentage point		
1.08ii - Gap in the employment rate between those with a learning disability and the overall employment rate (female) ≠	2014/15	62.3	Percentage point		
1.08iii - Gap in the employment rate for those in contact with secondary mental health services and the overall employment rate (persons) ≠	2014/15	66.1	Percentage point		
1.08iii - Gap in the employment rate for those in contact with secondary mental health services and the overall employment rate (male) ≠	2014/15	72.6	Percentage point		
1.08iii - Gap in the employment rate for those in contact with secondary mental health services and the overall employment rate (female) ≠	2014/15	59.3	Percentage point		
1.09i - Sickness absence - The percentage of employees who had at least one day off in the previous week ≠	2010 - 12	2.5	%	↑	↑
1.09ii - Sickness absence - The percent of working days lost due to sickness absence ≠	2010 - 12	1.6	%	↔	↔
1.10 - Killed and seriously injured (KSI) casualties on England's roads ≠	2012 - 14	39.3	Crude rate per 100,000	↔	↓
1.11 - Domestic Abuse	2013/14	19.4	Crude rate per 1,000	↑	↑
1.12i - Violent crime (including sexual violence) - hospital admissions for violence ≠	2011/12 - 13/14	52.4	DSR per 100,000	↓	↓
1.12ii - Violent crime (including sexual violence) - violence offences per 1,000 population ≠	2014/15	13.5	Crude rate per 1,000	↑	↑
1.12iii - Violent crime (including sexual violence) - Rate of sexual offences per 1,000 population ≠	2014/15	1.4	Crude rate per 1,000	↑	↑
1.13i - Re-offending levels - percentage of offenders who re-offend ≠	2013	26.4	%	↑	↔
1.13ii - Re-offending levels - average number of re-offences per offender ≠	2013	0.8	Crude rate per offender	↑	↑
1.14i - The rate of complaints about noise ≠	2013/14	7.4*	Crude rate per 1,000	↓	↓
1.14ii - The percentage of the population exposed to road, rail and air transport noise of 65dB(A) or more, during the daytime	2011	5.2	%		
1.14iii - The percentage of the population exposed to road, rail and air transport noise of 55 dB(A) or more during the night-time	2011	8.0	%		
1.15i - Statutory homelessness - homelessness acceptances ≠	2014/15	2.4	Crude rate per 1,000	↑	↑
1.15ii - Statutory homelessness - households in temporary accommodation ≠	2014/15	2.8	Crude rate per 1,000	↑	↑
1.16 - Utilisation of outdoor space for exercise/health reasons	Mar 2013 - Feb 2014	17.1	%	↑	↑
1.17 - Fuel Poverty ≠	2013	10.4	%	↔	↓
1.18i - Social Isolation: Percentage of adult social care users who have as much social contact as they would like ≠	2014/15	44.8	%	↔	↑
1.18ii - Social Isolation: Percentage of adult carers who have as much social contact as they would like ≠	2014/15	38.5	%	↓	↓
1.19i - Older people's perception of community safety - safe in local area during the day ≠	2014/15	97.6	%	↔	↔
1.19ii - Older people's perception of community safety - safe in local area after dark ≠	2014/15	67.6	%	↔	↔
1.19iii - Older people's perception of community safety - safe in own home at night ≠	2014/15	94.3	%	↔	↔

Domain: Health improvement						
Indicator	Period	Value	Unit	Change from prev	Change from base	
2.01 - Low birth weight of term babies ≠	2014	2.9	%	↔	↔	
2.02i - Breastfeeding - Breastfeeding initiation ≠	2014/15	74.3	%	↑	↑	
2.02ii - Breastfeeding - Breastfeeding prevalence at 6-8 weeks after birth ≠	2014/15	43.8	%	↓	↓	
2.03 - Smoking status at time of delivery ≠	2014/15	11.4*	%	↓	↓	
2.04 - Under 18 conceptions ≠	2013	24.3	Crude rate per 1,000	↓	↓	
2.04 - Under 18 conceptions: conceptions in those aged under 16 ≠	2013	4.8	Crude rate per 1,000	↓	↓	
2.06i - Excess weight in 4-5 and 10-11 year olds - 4-5 year olds ≠	2014/15	21.9	%	↓	↓	
2.06ii - Excess weight in 4-5 and 10-11 year olds - 10-11 year olds ≠	2014/15	33.2	%	↓	↔	
2.07i - Hospital admissions caused by unintentional and deliberate injuries in children (aged 0-14 years)	2013/14	112.2	Crude rate per 10,000	↑	↓	
2.07i - Hospital admissions caused by unintentional and deliberate injuries in children (aged 0-4 years)	2013/14	140.8	Crude rate per 10,000	↑	↔	
2.07ii - Hospital admissions caused by unintentional and deliberate injuries in young people (aged 15-24 years)	2013/14	136.7	Crude rate per 10,000	↑	↓	
2.08 - Emotional wellbeing of looked after children	2013/14	13.9	Score			
2.09i - Smoking prevalence at age 15 - current smokers (WAY survey) ≠	2014/15	8.2	%			
2.09ii - Smoking prevalence at age 15 - regular smokers (WAY survey) ≠	2014/15	5.5	%			
2.09iii - Smoking prevalence at age 15 - occasional smokers (WAY survey) ≠	2014/15	2.7	%			
2.09iv - Smoking prevalence at age 15 years - regular smokers (SDD survey)	2014	8.0	%	↔	↓	
2.09v - Smoking prevalence at age 15 years - occasional smokers (SDD survey)	2014	5.0	%	↓	↓	
2.11i - Proportion of the population meeting the recommended '5-a-day' ≠	2014	53.5	%			
2.11ii - Average number of portions of fruit consumed daily ≠	2014	2.6	Count			
2.11iii - Average number of portions of vegetables consumed daily ≠	2014	2.3	Count			
2.12 - Excess Weight in Adults ≠	2012 - 14	64.6	%			
2.13i - Percentage of physically active and inactive adults - active adults ≠	2014	57.0	%	↑	↑	
2.13ii - Percentage of physically active and inactive adults - inactive adults ≠	2014	27.7	%	↓	↓	
2.14 - Smoking Prevalence ≠	2014	18.0	%	↓	↓	
2.14 - Smoking prevalence - routine and manual ≠	2014	28.0	%	↔	↓	
2.15i - Successful completion of drug treatment - opiate users ≠	2014	7.4	%	↓	↑	
2.15ii - Successful completion of drug treatment - non-opiate users ≠	2014	39.2	%	↑	↑	
2.16 - People entering prison with substance dependence issues who are previously not known to community treatment	2012/13	46.9	%			
2.17 - Recorded diabetes ≠	2014/15	6.4	%	↑	↑	
2.18 - Admission episodes for alcohol-related conditions - narrow definition (Persons) ≠	2013/14	645.1	DSR per 100,000	↑	↓	
2.18 - Admission episodes for alcohol-related conditions - narrow definition (Male) ≠	2013/14	835.3	DSR per 100,000	↔	↓	
2.18 - Admission episodes for alcohol-related conditions - narrow definition (Female) ≠	2013/14	474.8	DSR per 100,000	↑	↔	
2.19 - Cancer diagnosed at early stage (Experimental Statistics) ≠	2013	45.7	%	↑	↑	
2.20i - Cancer screening coverage - breast cancer ≠	2015	75.4	%	↓	↓	
2.20ii - Cancer screening coverage - cervical cancer ≠	2015	73.5	%	↓	↓	
2.20iii - Cancer screening coverage - bowel cancer ≠	2015	57.1	%			
2.21i - Antenatal infectious disease screening – HIV coverage	2014/15	98.9*	%	↓	↓	
2.21ii - Antenatal screening for Hepatitis B - coverage	2013	97.9	%			
2.21iii - Antenatal screening for syphilis – coverage	2013	98.0	%			
2.21iiii - Antenatal Sickle Cell and Thalassaemia Screening - coverage	2014/15	98.9*	%	↔	↔	
2.21iv - Newborn bloodspot screening - coverage	2014/15	95.8	%	↑	↑	
2.21v - Newborn Hearing screening - Coverage	2013/14	98.5	%			
2.21vii - Access to non-cancer screening programmes - diabetic retinopathy	2012/13	79.1	%	↓	↔	
2.21viii - Abdominal Aortic Aneurysm Screening	2014/15	97.4	%	↑	↑	
2.22iii - Cumulative percentage of the eligible population aged 40-74 offered an NHS Health Check ≠	2013/14 - 14/15	37.9	%			
2.22iv - Cumulative percentage of the eligible population aged 40-74 offered an NHS Health Check who received an NHS Health Check ≠	2013/14 - 14/15	48.9	%			
2.22v - Cumulative percentage of the eligible population aged 40-74 who received an NHS Health check ≠	2013/14 - 14/15	18.6	%			
2.23i - Self-reported wellbeing - people with a low satisfaction score ≠	2014/15	4.8	%	↓	↓	
2.23ii - Self-reported wellbeing - people with a low worthwhile score ≠	2014/15	3.8	%	↓	↓	
2.23iii - Self-reported wellbeing - people with a low happiness score ≠	2014/15	9.0	%	↓	↓	
2.23iv - Self-reported wellbeing - people with a high anxiety score ≠	2014/15	19.4	%	↓	↓	
2.23v - Average Warwick-Edinburgh Mental Well-Being Scale (WEMWBS) score	2010 - 12	37.7	Score			
2.24i - Injuries due to falls in people aged 65 and over (Persons) ≠	2014/15	2124.6	DSR per 100,000	↑	↑	
2.24i - Injuries due to falls in people aged 65 and over (Male) ≠	2014/15	1739.8	DSR per 100,000	↑	↑	
2.24i - Injuries due to falls in people aged 65 and over (Female) ≠	2014/15	2509.5	DSR per 100,000	↑	↑	
2.24ii - Injuries due to falls in people aged 65 and over - aged 65-79 (persons) ≠	2014/15	1012.0	DSR per 100,000	↑	↔	
2.24ii - Injuries due to falls in people aged 65 and over - aged 65-79 (male) ≠	2014/15	825.7	DSR per 100,000	↑		
2.24ii - Injuries due to falls in people aged 65 and over - aged 65-79 (female) ≠	2014/15	1198.2	DSR per 100,000	↔		
2.24iii - Injuries due to falls in people aged 65 and over - aged 80+ (persons) ≠	2014/15	5351.3	DSR per 100,000	↑	↑	
2.24iii - Injuries due to falls in people aged 65 and over - aged 80+ (male) ≠	2014/15	4390.5	DSR per 100,000	↑		
2.24iii - Injuries due to falls in people aged 65 and over - aged 80+ (female) ≠	2014/15	6312.0	DSR per 100,000	↑		

Domain: Health protection					
Indicator	Period	Value	Unit	Change from prev	Change from base
3.01 - Fraction of mortality attributable to particulate air pollution ≠	2013	5.3	%		
3.02 - Chlamydia detection rate (15-24 year olds) (Persons) ≠	2014	2012.0	Crude rate per 100,000	↓	↓
3.02 - Chlamydia detection rate (15-24 year olds) (Male) ≠	2014	1355.3	Crude rate per 100,000	↓	↓
3.02 - Chlamydia detection rate (15-24 year olds) (Female) ≠	2014	2664.2	Crude rate per 100,000	↓	↔
3.03i - Population vaccination coverage - Hepatitis B (1 year old) ≠	2014/15	-	%		
3.03i - Population vaccination coverage - Hepatitis B (2 years old) ≠	2014/15	-	%		
3.03iii - Population vaccination coverage - Dtap / IPV / Hib (1 year old) ≠	2014/15	94.2	%	↔	↔
3.03iii - Population vaccination coverage - Dtap / IPV / Hib (2 years old) ≠	2014/15	93.2	%	↓	↓
3.03iv - Population vaccination coverage - MenC	2012/13	93.9*	%	↔	↑
3.03v - Population vaccination coverage - PCV ≠	2014/15	93.9	%	↓	↑
3.03vi - Population vaccination coverage - Hib / MenC booster (2 years old) ≠	2014/15	92.1	%	↓	↑
3.03vi - Population vaccination coverage - Hib / Men C booster (5 years old) ≠	2014/15	92.4	%	↑	↑
3.03vii - Population vaccination coverage - PCV booster ≠	2014/15	92.2*	%	↓	↑
3.03viii - Population vaccination coverage - MMR for one dose (2 years old) ≠	2014/15	92.3	%	↓	↑
3.03ix - Population vaccination coverage - MMR for one dose (5 years old) ≠	2014/15	94.4	%	↑	↑
3.03x - Population vaccination coverage - MMR for two doses (5 years old) ≠	2014/15	88.6	%	↑	↑
3.03xii - Population vaccination coverage - HPV	2013/14	86.7	%	↑	↑
3.03xiii - Population vaccination coverage - PPV ≠	2014/15	69.8	%	↑	↓
3.03xiv - Population vaccination coverage - Flu (aged 65+) ≠	2014/15	72.7	%	↓	↓
3.03xv - Population vaccination coverage - Flu (at risk individuals) ≠	2014/15	50.3	%	↓	↓
3.04 - HIV late diagnosis	2012 - 14	42.2	%	↓	↓
3.05i - Treatment completion for TB	2013	84.8	%	↔	↑
3.05ii - Incidence of TB ≠	2012 - 14	13.5	%	↓	↓
3.06 - NHS organisations with a board approved sustainable development management plan	2013/14	41.6	%		
3.07 - Comprehensive, agreed inter-agency plans for responding to health protection incidents and emergencies ≠	2014/15	95.2	%		

Domain: Healthcare and premature mortality

Indicator	Period	Value	Unit	Change from prev	Change from base
4.01 - Infant mortality ≠	2011 - 13	4.0	Crude rate per 1,000	↔	↓
4.02 - Tooth decay in children aged 5	2011/12	0.9	Mean dmft per child		
4.03 - Mortality rate from causes considered preventable (Persons) ≠	2012 - 14	182.7	DSR per 100,000	↓	↓
4.03 - Mortality rate from causes considered preventable (Male) ≠	2012 - 14	230.1	DSR per 100,000	↓	↓
4.03 - Mortality rate from causes considered preventable (Female) ≠	2012 - 14	138.4	DSR per 100,000	↓	↓
4.04i - Under 75 mortality rate from all cardiovascular diseases (Persons) ≠	2012 - 14	75.7	DSR per 100,000	↓	↓
4.04i - Under 75 mortality rate from all cardiovascular diseases (Male) ≠	2012 - 14	106.2	DSR per 100,000	↓	↓
4.04i - Under 75 mortality rate from all cardiovascular diseases (Female) ≠	2012 - 14	46.9	DSR per 100,000	↔	↓
4.04ii - Under 75 mortality rate from cardiovascular diseases considered preventable (Persons) ≠	2012 - 14	49.2	DSR per 100,000	↓	↓
4.04ii - Under 75 mortality rate from cardiovascular diseases considered preventable (Male) ≠	2012 - 14	74.1	DSR per 100,000	↓	↓
4.04ii - Under 75 mortality rate from cardiovascular diseases considered preventable (Female) ≠	2012 - 14	25.6	DSR per 100,000	↓	↓
4.05i - Under 75 mortality rate from cancer (Persons) ≠	2012 - 14	141.5	DSR per 100,000	↓	↓
4.05i - Under 75 mortality rate from cancer (Male) ≠	2012 - 14	157.7	DSR per 100,000	↓	↓
4.05i - Under 75 mortality rate from cancer (Female) ≠	2012 - 14	126.6	DSR per 100,000	↓	↓
4.05ii - Under 75 mortality rate from cancer considered preventable (Persons) ≠	2012 - 14	83.0	DSR per 100,000	↓	↓
4.05ii - Under 75 mortality rate from cancer considered preventable (Male) ≠	2012 - 14	90.5	DSR per 100,000	↓	↓
4.05ii - Under 75 mortality rate from cancer considered preventable (Female) ≠	2012 - 14	76.1	DSR per 100,000	↓	↓
4.06i - Under 75 mortality rate from liver disease (Persons) ≠	2012 - 14	17.8	DSR per 100,000	↔	↔
4.06i - Under 75 mortality rate from liver disease (Male) ≠	2012 - 14	23.4	DSR per 100,000	↔	↔
4.06i - Under 75 mortality rate from liver disease (Female) ≠	2012 - 14	12.4	DSR per 100,000	↔	↔
4.06ii - Under 75 mortality rate from liver disease considered preventable (Persons) ≠	2012 - 14	15.7	DSR per 100,000	↔	↔
4.06ii - Under 75 mortality rate from liver disease considered preventable (Male) ≠	2012 - 14	21.0	DSR per 100,000	↔	↔
4.06ii - Under 75 mortality rate from liver disease considered preventable (Female) ≠	2012 - 14	10.6	DSR per 100,000	↔	↔
4.07i - Under 75 mortality rate from respiratory disease (Persons) ≠	2012 - 14	32.6	DSR per 100,000	↔	↓
4.07i - Under 75 mortality rate from respiratory disease (Male) ≠	2012 - 14	38.3	DSR per 100,000	↔	↓
4.07i - Under 75 mortality rate from respiratory disease (Female) ≠	2012 - 14	27.4	DSR per 100,000	↔	↓
4.07ii - Under 75 mortality rate from respiratory disease considered preventable (Persons) ≠	2012 - 14	17.8	DSR per 100,000	↔	↑
4.07ii - Under 75 mortality rate from respiratory disease considered preventable (Male) ≠	2012 - 14	20.1	DSR per 100,000	↔	↔
4.07ii - Under 75 mortality rate from respiratory disease considered preventable (Female) ≠	2012 - 14	15.7	DSR per 100,000	↔	↑
4.08 - Mortality from communicable diseases (Persons) ≠	2012 - 14	63.2	DSR per 100,000	↓	↓
4.08 - Mortality from communicable diseases (Male) ≠	2012 - 14	74.0	DSR per 100,000	↓	↓
4.08 - Mortality from communicable diseases (Female) ≠	2012 - 14	56.4	DSR per 100,000	↓	↓
4.09 - Excess under 75 mortality rate in adults with serious mental illness ≠	2013/14	351.8	Indirectly standardised ratio	↔	↑
4.10 - Suicide rate (Persons) ≠	2012 - 14	8.9	DSR per 100,000	↔	↑
4.10 - Suicide rate (Male) ≠	2012 - 14	14.1	DSR per 100,000	↔	↑
4.10 - Suicide rate (Female) ≠	2012 - 14	4.0	DSR per 100,000	↔	↔
4.11 - Emergency readmissions within 30 days of discharge from hospital (Persons) ≠	2011/12	11.8	Indirectly standardised proportion	↔	↔
4.11 - Emergency readmissions within 30 days of discharge from hospital (Male) ≠	2011/12	12.1	Indirectly standardised proportion	↔	↔
4.11 - Emergency readmissions within 30 days of discharge from hospital (Female) ≠	2011/12	11.5	Indirectly standardised proportion	↔	↔
4.12i - Preventable sight loss - age related macular degeneration (AMD) ≠	2013/14	118.8	Crude rate per 100,000	↔	↓
4.12ii - Preventable sight loss - glaucoma ≠	2013/14	12.9	Crude rate per 100,000	↔	↑
4.12iii - Preventable sight loss - diabetic eye disease ≠	2013/14	3.4	Crude rate per 100,000	↔	↔
4.12iv - Preventable sight loss - sight loss certifications ≠	2013/14	42.5	Crude rate per 100,000	↔	↔
4.13 - Health related quality of life for older people ≠	2012/13	0.7	Score	↔	↔
4.14i - Hip fractures in people aged 65 and over (persons) ≠	2014/15	571.3	DSR per 100,000	↓	↔
4.14i - Hip fractures in people aged 65 and over (male) ≠	2014/15	425.1	DSR per 100,000	↔	↔
4.14i - Hip fractures in people aged 65 and over (female) ≠	2014/15	717.6	DSR per 100,000	↓	↔
4.14ii - Hip fractures in people aged 65 and over - aged 65-79 (persons) ≠	2014/15	239.2	DSR per 100,000	↔	↔
4.14ii - Hip fractures in people aged 65 and over - aged 65-79 (male) ≠	2014/15	166.8	DSR per 100,000	↔	↔
4.14ii - Hip fractures in people aged 65 and over - aged 65-79 (female) ≠	2014/15	311.6	DSR per 100,000	↔	↔
4.14iii - Hip fractures in people aged 65 and over - aged 80+ (persons) ≠	2014/15	1534.6	DSR per 100,000	↓	↔
4.14iii - Hip fractures in people aged 65 and over - aged 80+ (male) ≠	2014/15	1174.1	DSR per 100,000	↔	↔
4.14iii - Hip fractures in people aged 65 and over - aged 80+ (female) ≠	2014/15	1895.2	DSR per 100,000	↓	↔
4.15i - Excess Winter Deaths Index (Single year, all ages) (persons) ≠	Aug 2013 - Jul 2014	11.6	Ratio	↓	↓
4.15i - Excess Winter Deaths Index (Single year, all ages) (male) ≠	Aug 2013 - Jul 2014	10.0	Ratio	↓	↓
4.15i - Excess Winter Deaths Index (Single year, all ages) (female) ≠	Aug 2013 - Jul 2014	13.2	Ratio	↓	↓
4.15ii - Excess Winter Deaths Index (single year, age 85+) (persons) ≠	Aug 2013 - Jul 2014	15.8	Ratio	↓	↓
4.15ii - Excess Winter Deaths Index (single year, age 85+) (male) ≠	Aug 2013 - Jul 2014	16.4	Ratio	↓	↓
4.15ii - Excess Winter Deaths Index (single year, age 85+) (female) ≠	Aug 2013 - Jul 2014	15.5	Ratio	↓	↓
4.15iii - Excess Winter Deaths Index (3 years, all ages) (persons) ≠	Aug 2011 - Jul 2014	15.6	Ratio	↓	↓
4.15iii - Excess Winter Deaths Index (3 years, all ages) (male) ≠	Aug 2011 - Jul 2014	13.7	Ratio	↓	↔
4.15iii - Excess Winter Deaths Index (3 years, all ages) (female) ≠	Aug 2011 - Jul 2014	17.5	Ratio	↓	↔

4.15iv - Excess Winter Deaths Index (3 years, age 85+) (persons) ≠	Aug 2011 - Jul 2014	22.3	Ratio	↓	↔
4.15iv - Excess Winter Deaths Index (3 years, age 85+) (male) ≠	Aug 2011 - Jul 2014	21.8	Ratio	↔	↔
4.15iv - Excess Winter Deaths Index (3 years, age 85+) (female) ≠	Aug 2011 - Jul 2014	22.5	Ratio	↓	↔
4.16 - Estimated diagnosis rate for people with dementia	2013/14	52.5	%		