

## **GP OOHSS**

GP Out-of-Hours Surveillance System: England

Data to: 12 March 2017

13 March 2017 Year: 2017 Week: 10

#### In This Issue:

Key Messages.

Weekly summary.

Total contacts.

Syndromic indicators.

Notes and caveats.

Further information.

Acknowledgements.

### Key messages

Nothing new to report.

A Cold Watch System operates in England from 1 November to 31 March each year. As part of the Public Health England Cold Weather Plan for England the PHE Real-time Syndromic Surveillance Team will be monitoring the impact of cold weather on syndromic surveillance data during this period.

Cold weather alert level (current reporting week): Level 1 Winter preparedness

http://www.metoffice.gov.uk/weather/uk/coldweatheralert/

### Syndromic indicators at a glance:


Number of contacts and percentage of Read coded contacts.

Key indicator	No. of contacts	% Week 10	% Week 09	Trend*
All OOH contacts, all causes	173,868			
Acute respiratory infection	13,164	15.48	15.32	ullet
Influenza-like illness	126	0.15	0.16	ullet
Bronchitis/bronchiolitis	142	0.17	0.19	ullet
Difficulty breathing/wheeze/asthma	1,676	1.97	1.90	<b>←→</b>
Pharyngitis	94	0.11	0.09	<b>←→</b>
Gastroenteritis	4,090	4.81	4.69	<b>←→</b>
Diarrhoea	954	1.12	1.01	<b>←→</b>
Vomiting	1,443	1.70	1.68	<b>←→</b>
Myocardial infarction	883	1.04	1.20	<b>←→</b>

<sup>\*</sup>Trend: reports on the trend seen over previous weeks in the percentage of Read coded contacts.

### 1: Total out-of-hours contacts:

Daily total number of out-of-hours and unscheduled contacts and 7 day average (adjusted for bank holidays).







## 2: Acute Respiratory Infection daily contacts.

40

Shown as a percentage of the total contacts with a Read code and as a 7 day average\*.




# 2a: Acute respiratory infection weekly contacts by age group.




## 3: Influenza-like illness daily contacts.

Shown as a percentage of the total contacts with a Read code and as a 7 day average\*.






4a: Influenza-like illness weekly contacts by age group.




4: Bronchitis/ bronchiolitis daily contacts.

Shown as a percentage of the total contacts with a Read code and as a 7 day average\*.



4a: Bronchitis/ bronchiolitis weekly contacts by age group.





#### Intentionally left blank.


### 5: Difficulty breathing/ wheeze/asthma daily contacts.

6.0

5.0

Shown as a percentage of the total contacts with a Read code and as a 7 day average\*.

5a: Difficulty breathing/wheeze/ asthma weekly contacts by age group.






## 6: Acute pharyngitis and persistent sore

13 March 2017


throat.

Shown as a percentage of the total contacts with a Read code and as a 7 day average\*.




## 7: Gastroenteritis daily contacts

Shown as a percentage of the total contacts with a Read code and as a 7 day average\*.




7a: Gastroenteritis weekly contacts by age group.






### 8: Diarrhoea daily contacts.

Shown as a percentage of the total contacts with a Read code and as a 7 day average\*.




## 8a: Diarrhoea weekly contacts by age group.




## 9: Vomiting daily contacts.

Shown as a percentage of the total contacts with a Read code and as a 7 day average\*.






## 9a: Vomiting weekly contacts by age group.



## 10: Myocardial Infarction daily contacts.

Shown as a percentage of the total contacts with a Read code and as a 7 day average\*.



### Intentionally left blank.



#### Notes and caveats:

- This bulletin presents data from the Public Health England (PHE) GP Out
   -of-hours\Unscheduled Care Surveillance System (GP OOHSS).
- Fully anonymised data from GP out-of-hours (OOH) and unscheduled care service providers in England are being transferred to the PHE for analysis and interpretation by the PHE Real-time Syndromic Surveillance Team (ReSST).
- This system supplements existing PHE syndromic surveillance systems by monitoring data on general practitioner consultations outside of routine surgery opening times (evenings, weekends and bank holidays) and unplanned contacts within NHS primary care.
- The key indicators presented within this bulletin are derived by grouping selected Read coded consultations.
- GP OOH consultation data are analysed on a daily basis to identify
  national and regional trends. A statistical algorithm underpins each
  system, routinely identifying activity that has increased significantly or is
  statistically significantly high for the time of year. Results from these daily
  analyses are assessed by the ReSST, along with analysis by age group,
  and anything deemed of public health importance is alerted by the team.
- Baselines represent seasonally expected levels of activity and are constructed from historical data. Furthermore, they take into account any known substantial changes in data collection, population coverage or reporting practices. Baselines are refreshed using the latest data on a regular basis.

#### Further information:

The GP Out-of-Hours Surveillance System Bulletin can also be downloaded from the PHE Real-time Syndromic Surveillance website which also contains more information about syndromic surveillance:

https://www.gov.uk/government/collections/syndromic-surveillance-systems-and-analyses

#### **Acknowledgements:**

We are grateful to Advanced Health and Care and the GP out-of-hours and unscheduled care service providers who have kindly agreed to participate in this system.

#### PHE Out-of-Hours/Unscheduled Care Surveillance

**Produced by:** PHE Real-time Syndromic Surveillance Team 6<sup>th</sup> Floor, 5 St Philip's Place, Birmingham, B3 2PW

Tel: 0344 225 3560 > Option 4 > Option 2 Fax: 0121 236 2215

Web: <a href="https://www.gov.uk/government/collections/syndromic-surveillance-systems-and-analyses">https://www.gov.uk/government/collections/syndromic-surveillance-systems-and-analyses</a>