



# Ministry of Defence

31 March 2016

## Issued By:

Defence Statistics (Health)  
#6028  
Oak 0 West  
MOD Abbeywood (North)  
Bristol  
BS34 8JH

## Enquiries

Press Office:  
Tel: 020 721 83253

## Statistical Enquiries:

Deputy Head of Health  
Defence Statistics  
Tel: 030 679 84467  
[DefStrat-Stat-Health-PQ-FOI@mod.uk](mailto:DefStrat-Stat-Health-PQ-FOI@mod.uk)

## Internet:

<https://www.gov.uk/government/organisations/ministry-of-defence/about/statistics>

## Feedback is Welcome

If you have any comments or questions about this publication or about Defence Statistics in general, you can contact us as follows:

## E-mail:

[defstrat-stat-enquiries-mailbox.co.uk](mailto:defstrat-stat-enquiries-mailbox.co.uk)

The Background Quality Report for this publication can be found at:

<https://www.gov.uk/government/statistics/military-deaths-in-service-statistics-background-quality-reports>

## Updates

Would you like to be added to our contact list, so that we can inform you about updates to these statistics and consult you if we are thinking of making changes? You can subscribe to updates by emailing:

[DefStrat-Stat-Health-PQ-FOI@mod.uk](mailto:DefStrat-Stat-Health-PQ-FOI@mod.uk)

# ANNUAL UK REGULAR ARMED FORCES LAND TRANSPORT ACCIDENT DEATHS 1 JANUARY 2011 – 31 DECEMBER 2015

## INTRODUCTION

1. This annual Official Statistic is providing summary information on Land Transport Accident (LTA) deaths whilst in Service in the five-year period 2011-2015 among the UK regular Armed Forces. This report is being released to advise MOD and the public of the loss of life by LTA and has been developed in response to requests from the MOD road safety and health promotion areas for detailed analysis, and to contribute to MOD's commitment to release information where possible. The information shown has been compiled from data held by Defence Statistics on 17 February 2016.
2. This report provides information on demographics, Service, and vehicle types associated with Land Transport Accident deaths (LTA) and comparisons to the UK general population. In order to provide a balance between presenting analysis for a sufficient time period from which to provide meaningful data with the need to monitor the impact of MOD policy, this report presents time trend graphs since the start of data collection in 1984 and all tables and remaining graphs as numbers and rates aggregated for the latest 5 year period. A table presenting the number of LTA deaths since 1984 by year and duty status (Table A1) can be found in Annex A.
3. These data are presented for the Naval Service (Royal Navy and Royal Marines), the Army (including Gurkhas), the Royal Air Force, and on a Tri-Service basis. Non-regular members (for example Reservists) of the UK Armed Forces who died whilst deployed on operations are included in these data presented.

## KEY POINTS

- In the five year period 2011-2015, 85<sup>a</sup> deaths occurred among the UK regular Armed Forces as a result of Land Transport Accidents, the third largest cause of death among Armed Forces personnel after deaths as a result of cancer and hostile action.
- The rate of LTA deaths in the UK regular Armed Forces has shown a downward trend since 2004-2006 and is now at a low of 8 per 100,000 in 2015.
- The findings in this report are broadly consistent with those previously reported; there have been no significant changes in overall trends.
- Between 2011 and 2015, the rate of LTA deaths among Army personnel was significantly higher at 13 per 100,000 (n=68) than the Naval Service (4 per 100,000) and RAF (7 per 100,000).
- Between 2011 and 2015, for the regular UK Armed Forces:
  - 98% of LTA deaths were among males;
  - Off-duty accidents accounted for 85% of LTA deaths.
  - 93% of deaths occurred amongst other ranks.
  - 61% of deaths occurred among personnel previously deployed to Iraq and/or Afghanistan;
  - Motor Vehicle accidents were the single largest cause of LTA deaths (39%);
  - Motorcycle accidents were the second largest cause of LTA deaths (33%).
- Overall for the period 2011-2015 the UK regular Armed Forces were at a 74% statistically significant increased risk of dying as a result of a LTA compared to the UK general population. Further results show that Army personnel were at a statistically significant increased risk of dying in a motor vehicle accident or motorcycle accident compared to the UK general population (104% and 167% respectively).

<sup>a</sup> Five deaths have been excluded from this publication that are included in the annual UK armed forces deaths in service statistic. (See 6-9 for more information)

## DATA SOURCES & METHODS

### *Data Sources*

4. Defence Statistics receive weekly notifications of all regular Armed Forces deaths from the Joint Casualty and Compassionate Cell (formerly the single Service casualty cells). Defence Statistics also receive cause of death information from military medical sources in the single Services. At the end of each calendar year, Defence Statistics cross-reference the medical information it holds against publicly available death certificate information available from the NHS central registry.
5. Defence Statistics are currently working with NHS and ONS to access death certificate data, if there are any amendments to cause of death classifications they will be provided in the next release of this statistical publication.
6. To record information on cause and circumstances of death, Defence Statistics uses the World Health Organisation's International Statistical Classification of Diseases and Health-related Problems 10<sup>th</sup> revision (ICD-10). In addition, Defence Statistics also record the casualty reporting categories used by the Joint Casualty and Compassionate Cell, used for reporting to the Chain of Command and for notifying the next of kin.
7. In line with ICD-10 definition a land transport accident is defined as any accident involving a device that has been designed for, or is being used at the time for, the conveyance of either goods or people from one place to another on land, therefore the definition covers incidents that occur on and off the public highways and incidents that involve non-motorised forms of transport. The scope of this definition does NOT include any deaths occurring in a vehicle as a result of Hostile Action. Due to the ICD-10 definition, numbers in this report include all occupational specific vehicles (specific to the UK Armed Forces, for example; Military Land Rover, Ridgeback, Seddon Atkinson truck, Jackal). These incidents are presented as 'occupation specific' and NOT included with deaths as a result of motor vehicles.
8. The main purpose of this report is to provide evidence to internal stakeholders to monitor and measure the impact of road safety policy for UK Armed Forces personnel. The following are excluded from the analysis in this report since they are beyond the scope of road safety policy or the numbers are too small to provide meaningful analysis:
  - deaths related to vehicles that have been given either a suicide or open verdict by a coroner
  - deaths related to incidents on bicycles, animal riders and rail related incidents
  - deaths occurring in vehicles as a result of hostile action
9. The analysis presented in this report is presented by motor vehicle, motorcycle, pedestrian and occupation-specific related deaths.
10. Defence Statistics regularly check all deaths for information on coroner's verdicts (England & Wales) and the results of investigations by the Procurator Fiscal for Scotland where possible. For Northern Ireland, Defence Statistics liaise with the Northern Ireland Statistics and Research Agency (NISRA) who handle the official information on behalf of the Northern Ireland Office. These sources of information are referred to as 'coroner's verdicts'. There is an obligation for all accidental deaths and those resulting from violent action to be referred to these officials. Inquests are usually held within a few months of the death, but occasionally a few years may elapse. Therefore some recent vehicle incident deaths are included in this report until a coroner's verdict is received confirming cause of death as due to a suicide or open verdict when it will then be removed from this report. However, one UK Armed Forces death in 2003 returned as an open verdict by the Procurator Fiscal for Scotland has been classified as an LTA in this report as it was a vehicle related incident involving multiple deaths and a MOD Board of Inquiry found all the deaths to be the result of an operational accident.
11. Defence Statistics maintains a database of individual deployment records from November 2001. Data prior to April 2007 was derived from the single Services' Operation Location tracking (OPLOC) systems and data since April 2007 is obtained from the Joint Personnel Administration (JPA) system. The data covers deployments on Operation TELIC (Iraq) (2003-2011), and Operations VERITAS, HERRICK and TORAL (Afghanistan) (2001-present).

12. The deployment data presented in this report represent deployments to the wider theatre of operation and not deployment to a specific country i.e. deployment to Op TELIC includes deployment to Iraq and other countries in the Gulf region such as Kuwait and Oman. Therefore, this data cannot be compared to data on personnel deployed to a specific country such as Iraq.
13. Deployment markers were assigned using the criteria that an individual was recorded as being deployed to the Iraq and/or Afghanistan theatres of operation if they had deployed to these theatres prior to their death. Person level deployment data for Afghanistan was not available between 1 January 2003 and 14 October 2005. Therefore, it is possible that some UK Armed Forces personnel who were deployed to Afghanistan during this period and subsequently died have not been identified as having deployed to Afghanistan in this report but have been captured in the overall figures for LTA deaths. Please note: this report compares those who had been deployed before their death with those who have not been identified as having deployed before their death.
14. Operation TELIC is the name for UK operations in Iraq which started in March 2003 and finished on 21 May 2011. UK Forces were deployed to Iraq to support the Government's objective to remove the threat that Saddam posed to his neighbours and his people and, based on the evidence available at the time, disarm him of his weapons of mass destruction. The Government also undertook to support the Iraqi people in their desire for peace, prosperity, freedom and good government.
15. Operation VERITAS is the name for UK operations in Afghanistan which started in October 2001. The UK was involved in Afghanistan alongside Coalition forces, led by the US under Operation Enduring Freedom (OEF), from the first attacks in October 2001.
16. Operation HERRICK is the name for UK operations in Afghanistan which started in April 2006. UK Forces are deployed to Afghanistan in support of the UN authorised, NATO led International Security Assistance Force (ISAF) mission and as part of the US-led Operation Enduring Freedom (OEF).
17. Operation TORAL is the UK's post 2014 contribution to operations in Afghanistan under the NATO RESOLUTE SUPPORT MISSION.

### **Data Coverage**

18. The information on deaths presented here are for the regular Armed Forces, including all trained and untrained personnel. Non-regulars and reservists who died on deployment are also included since they are classified as 'regular' personnel for the duration of their overseas deployment.
19. Defence Statistics do not receive routine notifications of non-regular and reservist deaths that are off-duty. Therefore these data exclude the Home Service of the Royal Irish Regiment, full time reservists, Army Reserve and Naval Activated Reservists. See the annual UK armed forces deaths in service statistic<sup>b</sup> for numbers of non-regular and reservist on-duty deaths.

### **Methods**

20. Rates enable comparisons between groups and over time, taking account of the number of personnel in a group (personnel at risk) at a particular point in time. The number of events (i.e. deaths) is divided by the number of personnel at risk and multiplied by 100,000 to calculate the rate.
21. In order to compare time trends and to take into account the different age and gender structures of their respective single Service strengths, rates have been age and gender standardised. In order to facilitate comparisons with previously published reports data has been standardised to the 2015 Armed Forces population. For this direct standardisation process, Defence Statistics have estimated the rates that would have been observed if each study population (i.e. each of the single Services) had the same age and gender structure as the standard population (the 2015 Armed Forces population).

---

<sup>b</sup> <https://www.gov.uk/government/collections/uk-armed-forces-deaths-in-service-statistics-index>

22. Time trend analysis has been aggregated to give three year moving averages. This eliminates some of the random year on year variation that can occur and provides a clearer picture of possible trends. Due to the smaller numbers involved in sub-group analysis, five year moving averages have been presented.
23. In order to understand if a difference in rates is statistically significant, 95% confidence intervals are used. Statistical significance indicates that a finding is not due to chance. The 95% confidence interval for a rate provides the range of values within which we expect to find the real value of the indicator under study, with a probability of 95%. If a 95% confidence interval around a rate excludes the comparison value, then a statistical test for the difference between the two values would be significant at the 0.05 level. If two confidence intervals do not overlap, a comparable statistical test would always indicate a statistically significant difference. The small number of deaths in some of the sub-group analysis may result in wide confidence intervals in the corresponding rate or ratios. The impact of this is that the range in which we expect the true value of that statistics to lie is much larger, making it harder to interpret the true underlying trend.
24. The effects of standardisation may, on occasion, lead to unexpected results particularly where small numbers are involved. Standardised rates can also be strongly influenced by variations in the age and gender structure of the deaths concerned, even when totals may remain the same. With the recent changes to the Armed Forces population through redundancy programmes, changes in recruitment patterns and the move to the new employment model and the new structures required to meet Future Force 2020<sup>c</sup>, there will be an impact on the trends presented as the Armed Forces population shrinks and the age and gender profile of the serving population changes. As seen in 2012 for the RAF overall rate of deaths, caused by the reduction in recruitment of personnel under 20 years of age.
25. To enable comparisons with deaths in the UK population, Standardised Mortality Ratios (SMR), adjusted for age, gender and year, were calculated. An SMR is defined as the ratio of the number of deaths *observed* in the study population to the number of deaths *expected* if the study population had the same age- and gender-specific rates as the standard population in each specific year multiplied by 100 by convention. An SMR over (or under) 100 indicates a higher (or lower) number of observed deaths than expected (based on standard population rates). An SMR of 100 implies that there is no difference in rates when comparing the UK Regular Armed Forces population with the UK population.
26. The 95% confidence interval for a SMR provides the range of values within which we expect to find the real value of the indicator under study, with a probability of 95%. If the confidence interval for an SMR does not include 100, the result is deemed to be statistically significant. The small number of deaths in some of the sub-group analysis may result in wide confidence intervals in the corresponding rate or ratios. The impact of this is that the range in which we expect the true value of the statistics to lie is much larger, making it harder to interpret the true underlying trend.
27. Deaths data in England and Wales are supplied by and used with the permission of the Office for National Statistics (ONS). Deaths in Northern Ireland are supplied by and used with the permission of Northern Ireland Statistics and Research Agency (NISRA) and National Records of Scotland (NRS) supply deaths in Scotland.
28. In 2006 the ONS changed from reporting the number of deaths that occurred in each year to the number of deaths that were registered in each year. A major driver for this change was that for an annual extract of death occurrences to be acceptably complete, it must be taken some months after the end of the data year to allow for late death registrations. This change has little effect on annual totals but allows the output of more timely mortality data. The UK death figures reported are based on deaths registered in the data year and therefore the year in which a death is registered may not correspond to the year in which the death occurred. Therefore the UK death data used by Defence Statistics up to and including 2005 is based on deaths that occurred in the year. The UK death data used by Defence Statistics for 2007 onwards is based on deaths that were registered in the year. To produce the UK death data for 2006 Defence Statistics have followed advice provided by the ONS and used deaths that both occurred and were registered in the year. Using UK population deaths that both occurred and were registered in year resulted in an increased denominator population for the 2006 SMR calculation which resulted in a lower SMR

---

<sup>c</sup> [https://www.gov.uk/government/uploads/system/uploads/attachment\\_data/file/62487/Factsheet5-Future-Force-2020.pdf](https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/62487/Factsheet5-Future-Force-2020.pdf)

for 2006 (when compared with the 2006 SMR reported in publications before this change in methodology). Users should note that this revised corrected methodology has brought the 2006 SMR findings in line with the SMR findings for other years.

29. The UK population estimates used to calculate SMR refer to the usually resident population on 30 June of each year. The usually resident population is defined by the standard United Nations definition for population estimates and includes people who reside in the area for a period of at least 12 months whatever their nationality. ONS mid-year population estimates are based on updates from the most recent census, allowing for births, deaths, net migration and ageing of the population.
30. The UK general population data for 2015 was not available for this report to calculate standard mortality ratios (SMR), therefore, Defence Statistics has used the 2014 data as an estimate for the 2015 figures as there is little year on year variation for the UK figures. Thus, any patterns reported here may be subject to minor fluctuations when the 2015 data becomes available.

### ***Strengths and weaknesses of data presented in this notice***

31. A strength of this publication is that considerable validation is undertaken against military and public records to ensure that the information provided is complete and accurate and users of this publication should be confident that the numbers of fatalities presented are accurate. However, some causes of death require a Coroner's report before the cause of death can be formally classified and there is often a time lag between when the death occurred and when the Coroner's inquest takes place. This can result in final cause of death information not being timely and complete for recent years and these deaths are reported as Accidents whilst waiting for final cause of death to be determined. This can lead to revisions in the number of deaths as a result of LTA when these verdicts are returned (see paragraphs 35 and 36 for more information about the extent of these revisions).
32. In addition, death certificates for personnel who die overseas are issued by the MOD and if buried overseas, are not always subject to a coroner's inquest to certify cause of death. Users should be aware of this when using cause of death information.
33. The release of the information in this notice is controlled by the statistics code of practice as outlined in the Statistics and Registration Act, 2007<sup>d</sup>. This stipulates that statistics in their final form cannot be released prior to a publication. Thus because it can take many months or even years for a coroner's inquest, Defence Statistics do not update the numbers in between the publication of this notice, to ensure there is no breach of the code of practice. Therefore, any requests for information on deaths among the UK Armed Forces are provided using the underlying dataset used to compile this notice.
34. The information presented in this publication has been structured in such a way to release sensitive deaths information into the public domain in a way that contributes to the MOD accountability to the British public but which doesn't compromise the operational security of UK Armed Forces personnel by revealing detail on individual incidents such as mechanism or type of military vehicle involved; nor that risk inadvertently revealing individual identities and therefore breaching the rights of the families of the deceased personnel (for which the MOD has a residual duty of care). Defence Statistics are regularly asked to release information such as date of death, location of death, deaths within a unit or rank held by the deceased, however, these requests are assessed on a case by case basis to ensure the information presented is aggregated to a level to ensure individual's cannot be identified or that compromises operational security.

---

<sup>d</sup> [http://www.legislation.gov.uk/ukpga/2007/18/pdfs/ukpga\\_20070018\\_en.pdf](http://www.legislation.gov.uk/ukpga/2007/18/pdfs/ukpga_20070018_en.pdf)

### ***Changes to previously published data***

35. In preparing this document, Defence Statistics carried out a review of the data recorded on deaths to Service personnel to ensure the highest accuracy of information and that all cases previously recorded as 'awaiting verdict' have been followed up with the ONS and other authorities. There have been no amendments to the classifications given to the cause of death previously reported here. There are currently **eight** accidental deaths in the period 2011-2015 that are awaiting coroner's verdict, so figures may be subject to change when the results of these deaths are returned.
36. There has been **one** revision in this notice to Table 3. There was a processing error in last year's report where one death was incorrectly excluded from 2011.


## RESULTS

37. The National Statistic 'Deaths in the UK regular Armed Forces 2015' has shown Land Transport Accidents (LTA) accounted for 19% of all deaths among UK regular Armed Forces personnel<sup>e</sup> between 2011 and 2015. LTA's were the third largest cause of death during this period after deaths due to cancer and deaths due to hostile action.

38. Analysis of LTA deaths within the UK general population have identified certain demographic characteristics of being at risk for different vehicle types such as motor vehicles and motor cycles. Therefore, the analysis in this report provides demographic, Service and vehicle type breakdowns to support the identification of risk groups within the Armed Forces for targeting of road safety initiatives and campaigns.

### Overall numbers and rates

**Figure 1: UK regular Armed Forces: Causes of death, numbers<sup>1</sup> and percentages<sup>2</sup> 1 January 2011- 31 December 2015**



**Source: Defence Statistics (Health)**

1. The number of LTA deaths presented here includes five deaths which did not involve a motor vehicle, motorcycle or pedestrian (see paragraphs 6-9 for more information).
2. Percentages may not add up to 100% due to rounding.

<sup>e</sup> National Statistics Notice: "Deaths in the UK regular Armed Forces" available at [www.gov.uk/government/publications/mod-national-and-official-statistics-by-topic](http://www.gov.uk/government/publications/mod-national-and-official-statistics-by-topic)

39. In the latest 5 year period LTAs were the third largest cause of death in the UK regular Armed Forces, after Cancer and Hostile Action. LTAs have accounted for a varying proportion of all Armed Forces deaths in each year between 2011 and 2015; LTA were the single largest cause of death in 2014 and the second largest (after Cancer) cause of death in 2015.

40. **Table 1** presents the number and annualised rate of LTA deaths by Service and year.

**Table 1: UK regular Armed Forces LTA deaths by Service, number, age and gender standardised rate<sup>1</sup> per 100,000 personnel at risk per year 1 January 2011- 31 December 2015**

Year	All		Naval Service <sup>2</sup>		Army		RAF	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
<b>All</b>	<b>85</b>	<b>10</b>	<b>7</b>	<b>4</b>	<b>68</b>	<b>13</b>	<b>10</b>	<b>7</b>
2011	23	12	2	6	20	17	1	3
2012	15	8	2	6	12	10	1	8
2013	14	8	1	3	11	10	2	5
2014	21	13	0	0	15	15	6	19
2015	12	8	2	6	10	11	0	0

**Source: Defence Statistics (Health)**

1. Rates have been age and gender standardised to the 2015 UK Armed Forces population, expressed per 100,000 personnel at risk.

2. Naval Service includes Royal Navy and Royal Marines

41. For the period 2011-2015, the overall rate of LTA deaths for the UK Armed Forces was 10 per 100,000. The overall rate has fluctuated during this period and was 8 per 100,000 in the latest year.


42. During the latest five year period (2011-2015) the rate of LTA deaths among Army personnel was 13 per 100,000. This rate was significantly higher than the rates of Naval Service deaths (4 per 100,000) and RAF deaths (7 per 100,000).

43. In 2014 there was a peak in RAF deaths with a rate of 19 per 100,000. There was not a single incident that was attributable to these deaths. These separate incidents occurred at different times throughout the year by different modes of transport, of which four involved motorcycles. The MOD launched a poster campaign following the rise of motorcycle deaths in 2014 (see paragraph 45 for more information).

44. **Figure 2** illustrates changes in LTA mortality rates by Service since the start of data collection in 1984. Rates are presented as a three-year moving average to smooth out annual fluctuations and to highlight long term trends (see paragraph 22). The age and gender standardised rate for LTA deaths in the UK general population is also presented.



**Figure 2: UK regular Armed Forces, UK general population LTA deaths by Service<sup>1</sup>, three-year moving average<sup>2</sup> age and gender standardised rates per 100,000 personnel at risk<sup>3,4</sup> 1 January 1984 - 31 December 2015**



Source: Defence Statistics (Health)

1. Naval Service includes Royal Navy and Royal Marines.

2. The year shown is the mid-point of a three-year average, e.g. 1985 refers to the period 1984-1986.

3. Rates have been age and gender standardised to the 2015 UK Armed Forces population, expressed per 100,000 personnel at risk.

4. Change in how UK deaths collated, prior to 2006 includes deaths occurred in year, post 2006 includes deaths registered in year. (see paragraph 28).

45. Since 2004-2006, there has been a downward trend in the Tri-Service rate of LTA. For 2011-2013 the rate was at its lowest since 1984-1986 at 9 per 100,000, followed by a small increase in the latest period 2013-2015 to 10 per 100,000. The overall downward trend may in part have been due to safety improvements in vehicles and roads as well as an increase in campaigns on road safety<sup>f</sup> both within the UK general population and the Armed Forces. In 2000, the Government targeted a 40% reduction in people killed or seriously injured in road accidents to be achieved by 2010, with campaigns continuing to run<sup>g</sup>. In addition, the following MOD road safety campaigns were launched :

- 'Ride it Right' targeting motor cycle riders was launched in 2006 and again in 2007 following a rise in the number of off-duty motorcycle deaths
- 'Grim Reaper' video shown to personnel returning from operational deployment since 2007 who are shown to have an increased likelihood of being involved in an accident.
- 'You're tough but you're not invincible' series of British Forces Broadcasting Services (BFBS) television and radio commercials began in 2008 aimed at young soldiers returning from operational deployment with the message that whilst soldiers may have survived their tour of duty in Afghanistan, they are not invincible and are still at risk of being involved in a road traffic accident.
- A poster campaign aimed at militating against the risk of off-duty service personnel attempting to walk home after a night out by making taxi funds available was developed in 2012 following a number of Service personnel pedestrian deaths which occurred whilst walking home after a night out.
- 'Hidden Dangers' posters for motorcyclists were launched in 2014 following a rise in the number of off-duty motorcycle deaths.
- 'Driver Distractions' awareness campaign ran for mobile phone use and driver distractions in 2015.

<sup>f</sup> ROSPA - A History of Road Safety Campaigns: <http://www.rospa.com/road-safety/advice/road-users/campaign-history/>

<sup>g</sup> <http://think.direct.gov.uk/>

46. **Figure 2** shows the rate among Army personnel was higher throughout the whole period 1984-2015 than the Naval Service and RAF, with the exception of 1984-1986 when 20 RAF personnel lost their life in a coach crash. The loss of eight Army personnel in one incident in 1989 and the loss of a further 10 Army personnel during Op GRANBY (1990/91 Gulf conflict) contributed to the peak in the Army LTA rate of death at 38 per 100,000.
47. For the whole period 1984 to 2015, the overall rate of LTA deaths among the UK regular Armed Forces and each Service was higher than the rate for the UK general population, apart from the Naval Service which is slightly lower than the UK general population for the 3 year moving averages 2012-2014 and 2013-2015 (**Figure 2**). A study of UK military personnel<sup>n</sup> has shown those who join the military may be more likely to be risk-takers and 19% of personnel studied were defined as risky drivers. This study found risky driving as more common among Army personnel compared to Naval Service and RAF personnel. This suggests they exhibit the same behavioural factors such as reckless behaviour, aggressive driving and loss of control which play an important role in vehicle accident deaths within the UK<sup>i</sup>.

---

<sup>n</sup> Fear et al., (2008) Risky Driving Among UK Regular Armed Forces Personnel from the United Kingdom, *American Journal of Preventative Medicine*, 35, 230-236.

<sup>i</sup> Ward et al., (2007) *Road Safety Research Report No. 76, Trends in Fatal Car-Occupant Accidents*, Department of Transport: London. Available at : <https://www.gov.uk/government/publications/road-safety-research-and-statistical-reports> or <http://discovery.ucl.ac.uk/3494/1/3494.pdf>

48. **Table 2** provides a summary of the key characteristics for LTA deaths for the five-year period 2011-2015.

**Table 2: UK regular Armed Forces LTA deaths, key characteristics by Service, numbers and percentages<sup>1</sup>**  
1 January 2011- 31 December 2015

	All		Naval Service <sup>2</sup>		Army		RAF	
	n	%	n	%	n	%	n	%
<b>All</b>	<b>85</b>	<b>100</b>	<b>7</b>	<b>100</b>	<b>68</b>	<b>100</b>	<b>10</b>	<b>100</b>
<b>Gender</b>								
Male	83	98	6	86	67	99	10	100
Female	2	2	1	14	1	1	0	0
<b>Age Band</b>								
Under 20	8	9	0	0	7	10	1	10
20-24	34	40	3	43	26	38	5	50
25-29	14	16	1	14	12	18	1	10
30-34	13	15	2	29	11	16	0	0
35-39	6	7	1	14	5	7	0	0
40+	10	12	0	0	7	10	3	30
<b>Rank</b>								
Officers	6	7	1	14	5	7	0	0
Other Ranks	79	93	6	86	63	93	10	100
<b>Duty Status</b>								
On Duty	13	15	3	43	7	10	3	30
Off Duty	72	85	4	57	61	90	7	70
<b>Deployment History</b> <sup>3</sup>								
On deployment	0	0	0	0	0	0	0	0
Previously deployed	52	61	3	43	45	66	4	40
Not previously deployed	33	39	4	57	23	34	6	60
<b>Vehicle</b>								
Motor Vehicle	33	39	1	14	30	44	2	20
Motorcycle	28	33	4	57	19	28	5	50
Pedestrian	18	21	1	14	15	22	2	20
Occupation Specific <sup>4</sup>	6	7	1	14	4	6	1	10

**Source: Defence Statistics (Health)**

1. Percentages may not add to 100% due to rounding.

2. Naval Service includes Royal Navy and Royal Marines.

3. To Iraq and/or Afghanistan (see paragraphs 11 - 17).

4. Vehicles specific to the UK Armed Forces, for example; Military Land Rover, Ridgeback, Seddon Atkinson truck, Jackal.

49. During the five year period 2011-2015, of the 85 UK regular Armed Forces personnel who died as a result of a LTA:

- 98% (n=83) of LTA deaths occurred among males.
- 65% (n=56) of LTA deaths occurred among those aged under 30.
- 93% (n=79) of LTA deaths were among Other ranks
- 85% (n=72) of LTA deaths occurred whilst off duty.
- 61% (n=52) of LTA deaths occurred among personnel previously deployed to Iraq and/or Afghanistan
- 39% (n=33) of LTA deaths occurred as a result of a motor vehicle accident.

50. **Table 3** provides a breakdown of the number and an annualised rate of LTA deaths for the five-year period 2011-2015 by whether the deceased personnel had previously deployed to Iraq and/or Afghanistan and by year in which the death was registered.

**Table 3: LTA deaths in the UK regular Armed Forces, by deployment status to Iraq and/or Afghanistan<sup>1,2</sup>, numbers<sup>3</sup> and rates per 100,000 personnel at risk per year 1 January 2011- 31 December 2015**

Year of Death	Previously Deployed to Iraq and/or Afghanistan		Not Previously Deployed to Iraq and/or Afghanistan	
	number	rate	number	rate
<b>All</b>	<b>52</b>	<b>9</b>	<b>33</b>	<b>10</b>
2011	17 r	14	6	8
2012	10	8	5	7
2013	7	6	7	10
2014	12	10	9	14
2015	6	6	6	10

Source: Defence Statistics (Health)

1. Deployment to the wider theatre of operation (see paragraph 12).

2. Data for Afghanistan between 1 January 2003 and 14 October 2005 were not available for person level deployment (see paragraph 11).

3. Excludes one LTA death which occurred whilst on deployment.

r indicates a change in previously published data (see paragraph 36)

51. In 2011 and 2012, the rate of LTA deaths was higher among those previously deployed to Iraq and/or Afghanistan than those who had not previously deployed there. A study of UK military personnel<sup>n</sup> found one factor associated with risky driving in the Armed Forces was being previously deployed to Iraq. Defence Statistics have not investigated the period of time for which personnel returning from deployment are most at risk of LTA death.

52. As multiple deaths occurred in the same incident on several occasions during the five year period 2011-2015, **Table 4** provides details of the number of separate incidents and the number of individual deaths, by year of registration, for all Land Transport Accidents.

**Table 4: UK regular Armed Forces LTA deaths<sup>1</sup> by Service, numbers and incidents 1 January 2011- 31 December 2015**

Year	All		Naval Service <sup>3</sup>		Army		RAF	
	Deaths	Incidents <sup>2</sup>	Deaths	Incidents	Deaths	Incidents	Deaths	Incidents
<b>All</b>	<b>85</b>	<b>81</b>	<b>7</b>	<b>7</b>	<b>68</b>	<b>64</b>	<b>10</b>	<b>10</b>
2011	23	21	2	2	20	18	1	1
2012	15	15	2	2	12	12	1	1
2013	14	14	1	1	11	11	2	2
2014	21	19	0	0	15	13	6	6
2015	12	12	2	2	10	10	0	0

Source: Defence Statistics (Health)

1. Includes operational deaths as a result of LTA.

2. In some instances, personnel from more than one Service have been killed in the same incident, therefore, the data for single Services may not add up to the total provided in the 'All incidents' column.

3. Naval Service includes Royal Navy and Royal Marines.

53. For the period 2011-2015, there were 81 LTA incidents resulting in 85 deaths among UK Armed Forces personnel. The number of deaths and incidents in 2015 were the lowest in the five-year period (n=12).

### Numbers and rates by vehicle type

54. **Table 5** provides a breakdown of the number of deaths by vehicle type and year for the five-year period 2011-2015.

**Table 5: UK regular Armed Forces LTA deaths by vehicle type and year of death, numbers and percentages<sup>1</sup>**

1 January 2011- 31 December 2015

Year	All		Motor Vehicle deaths		Motorcycle deaths		Pedestrian deaths		Occupation Specific deaths <sup>2</sup>	
	n	%	n	%	n	%	n	%	n	%
<b>All</b>	<b>85</b>	<b>100</b>	<b>33</b>	<b>39</b>	<b>28</b>	<b>33</b>	<b>18</b>	<b>21</b>	<b>6</b>	<b>7</b>
2011	23	100	8	35	6	26	6	26	3	13
2012	15	100	4	27	6	40	4	27	1	7
2013	14	100	8	57	5	36	1	7	0	0
2014	21	100	10	48	8	38	2	10	1	5
2015	12	100	3	25	3	25	5	42	1	8

Source: Defence Statistics (Health)

1. Percentages may not add to 100% due to rounding.

2. Vehicles specific to the UK Armed Forces: Military Land Rover, Ridgeback, Seddon Atkinson truck, Jackal.

55. In 2013, motor vehicle accidents accounted for 57% (n=8) of all LTA deaths, the highest in the latest five year period, whilst the number of motor vehicle deaths rose in 2014, this accounted for a smaller proportion (48% (n=10)) of all LTA deaths. The lowest in the five year period is 3 deaths due to motor vehicle accidents in 2015 (25%). This decrease may be as a result of a MOD poster campaign, targeting 'Driver Distractions', to reduce off-duty service personnel motor vehicle deaths in 2015 (see paragraph 45).

56. The proportion of motorcycle deaths has fluctuated over the time period, and was at a low of 25% of all LTA deaths in the most recent year. This decrease may be as a result of a MOD poster campaign following the 8 motorcycle deaths in 2014 (see paragraph 45). It is likely that for Armed Forces personnel, motorcycles account for a small proportion of road traffic compared to other vehicle types as seen in the UK general population<sup>i</sup>, however there is currently no data source within MOD to quantify this.


57. In 2013 pedestrian deaths fell to 7% (n=1) from 27% (n=4) in 2012, this may be as a result of a MOD poster campaign to reduce off-duty service personnel pedestrian deaths (see paragraph 45). The percentage of pedestrian deaths rose to 42% in 2015 which accounts for the largest proportion of LTA deaths in 2015.

58. The number of deaths seen in occupation specific vehicles over the five-year period 2011-2015 was at its highest in 2011 (n=3) when one on duty incident involving a collision with two HGVs accounted for 2 deaths.

59. **Figures 3, 4 and 5** illustrate changes in LTA mortality rates by vehicle type and Service since the start of data collection in 1984. Due to the small numbers involved, occupation specific vehicles have been excluded and the remaining data has been aggregated to present five year moving averages (see paragraph 22). This eliminates some of the random year on year variation that can occur and provides a clearer picture of possible trends.

<sup>i</sup> ROSPA (2006) Motorcycling Safety Policy Paper available at : <http://www.rospace.com/roadsafety/policy/statements/motorcycling.aspx>

**Figure 3: UK regular Armed Forces motor vehicle accident deaths, by Service<sup>1</sup>, five-year moving average age and gender standardised rates per 100,000 personnel at risk<sup>2, 3, 4</sup> 1 January 1984 - 31 December 2015**



Source: Defence Statistics (Health)

1. Naval Service includes Royal Navy and Royal Marines.

2. Rates have been age and gender standardised to the 2015 UK Armed Forces population, expressed per 100,000 personnel at risk.

3. The year shown is the mid-point of a five-year average, e.g. 1986 refers to the period 1984-1988.

4. Change in how UK deaths collated, prior to 2006 includes deaths occurred in year, post 2006 includes deaths registered in year. (see paragraph 28).

60. The five-year moving average rates of motor vehicle accident deaths was consistently higher in the Army compared to the Naval Service and the RAF with the exception of 1984-1988 when one coach crash claimed the lives of 20 RAF personnel in Germany (**Figure 3**).

61. The Naval Service five year average motor vehicle rate peaked in 1989-1993 at 13 per 100,000, and in 2004-2008 at 11 per 100,000. Since 2004-2008 there has been a downward trend, falling to a low of 1 per 100,000 in the 5 year moving averages of the midpoints 2011, 2012 and 2013.

62. The Army rate peaked in 1988-1992 at 16 per 100,000, partly due to the loss of eight lives in one incident in 1989 and the loss of 10 lives on Op GRANBY in 1990/91. Following a further peak at 14 per 100,000 in 2003-2007, it has since fallen to a low of 6 per 100,000 in 2011-2015.


63. The RAF motor vehicle rate showed two peaks; in 1984-1988 the rate was 16 per 100,000 as a result of 20 RAF personnel dying in a coach crash and in 2000-2004 the rate was 13 per 100,000. It has decreased to 2 per 100,000 in 2011-2015. There was a small decrease in the rate of motor vehicle deaths in all three services and TRI service in the latest period 2011-2015.

64. During the last five years (using five-year moving averages):

- Among Naval Service personnel there was a decrease in the rate of motor vehicle accident deaths (from 5 per 100,000 in 2007-2011 to 1 per 100,000 in 2011-2015) (**Figure 3**).
- Among Army personnel there was a decrease in the rate of motor vehicle accident deaths (from 8 per 100,000 in 2007-2011 to 6 per 100,000 in 2011-2015) (**Figure 3**).
- Among RAF personnel there was a decrease in the rate of motor vehicle accident deaths (from 4 per 100,000 in 2005-2011 to 2 per 100,000 in 2011-2015 (**Figure 3**).

See paragraphs 72 and 73 for possible explanations behind these findings.

**Figure 4: UK regular Armed Forces motorcycle accident deaths, by Service<sup>1</sup>, five-year moving average age and gender standardised rates per 100,000 personnel at risk<sup>2,3,4</sup> 1 January 1984 - 31 December 2015**



**Source: Defence Statistics (Health)**

1. Naval Service includes Royal Navy and Royal Marines.

2. Rates have been age and gender standardised to the 2015 UK Armed Forces population, expressed per 100,000 personnel at risk.

3. The year shown is the mid-point of a five-year average, e.g. 1986 refers to the period 1984-1988.


4. Change in how UK deaths collated, prior to 2006 includes deaths occurred in year, post 2006 includes deaths registered in year. (see paragraph 28).

65. Since 2001-2005, with the exception of 2009-2013 and 2010-2014, the five year average rate of motorcycle deaths was higher among RAF personnel compared to the Naval Service and Army.

66. During the last five years (using five-year moving averages):

- Among Naval Service personnel there was a decrease in the rate of motorcycle accident deaths (from 4 per 100,000 in 2007-2011 to 2 per 100,000 in 2011-2015) (**Figure 4**).
- There was no change in the rate of motorcycle accident deaths among Army personnel (at 4 per 100,000) (**Figure 4**).
- Among RAF personnel there was a decrease in the rate of motorcycle accident deaths (from 5 per 100,000 in 2006-2010 to 4 per 100,000 in 2010-2014) (**Figure 4**).

**Figure 5: UK regular Armed Forces pedestrian accidental deaths, by Service<sup>1</sup>, five-year moving average age and gender standardised rates per 100,000 strength<sup>2,3,4</sup>**  
 1 January 1984- 31 December 2015




Source: Defence Statistics (Health)

1. Naval Service includes Royal Navy and Royal Marines.
2. Rates have been age and gender standardised to the 2015 UK Armed Forces population, per 100,000 personnel at risk.
3. The year shown is the mid-point of a five-year average, e.g. 1986 refers to the period 1984-1988.
4. Change in how UK deaths collated, prior to 2006 includes deaths occurred in year, post 2006 includes deaths registered in year. (see paragraph 28).

67. Since 1987-1991, the five-year moving average rate of pedestrian accidental deaths was higher among Army personnel than the Naval Service and the RAF (Figure 5).

68. Figure 6 shows the age-specific rates for deaths between 2011 and 2015 by age group and vehicle type. As the numbers of deaths by vehicle type were small, two age groups have been presented; those aged under 30 and those aged 30 and over.

**Figure 6: LTA deaths in the UK regular Armed Forces, by vehicle type and age group, age-specific rates<sup>1</sup> (95% CI) per 100,000 personnel at risk per year**  
 1 January 2011- 31 December 2015



Source: Defence Statistics (Health)

1. Rates have been gender standardised to the 2015 UK Armed Forces population, expressed per 100,000 personnel at risk.



69. **Figure 6** illustrates there was no evidence to suggest a statistically significant difference in the rates observed for motor vehicle deaths in those aged under 30 compared to those aged 30 years and over, in contrast to the previous 5 year period (2010-2014) where the rates observed for those aged under 30 were statistically significantly higher than those aged 30 years and over. The rate for deaths as a result of motor vehicle accidents for those aged under 30 years was 5 per 100,000 compared to 2 per 100,000 in those aged 30 years and over.
70. There was no statistical evidence to suggest a difference in the rate of motorcycle deaths in those aged under 30 and those aged 30 and over (3 per 100,000), a decrease of 1 per 100,000 compared to the previous 5 year period (2010-2014).
71. For pedestrian deaths, there was no evidence to suggest a statistically significant difference in the rates observed among those aged under 30 years (3 per 100,000) compared to those aged 30 and over (0.7 per 100,000), another contrast to the previous 5 year period (2010-2014) where the rates observed for those aged under 30 were statistically significantly higher than those aged 30 years and over
72. The findings for age-related risk of motor vehicle deaths reflect those seen in the UK general population<sup>r,k,l</sup>. Deaths in motor vehicles in the UK general population are predominately among young drivers aged between 16 and 29 years<sup>k</sup> (see **Table 6** for a more detailed comparison between Service personnel and UK general population). Ward<sup>l</sup> and ROSPA suggested that young male car drivers are more likely to choose higher speed, drive more recklessly, as well as have a lower seatbelt wearing rate and have a tendency to drive older cars. Conversely, motorcyclist deaths in the UK population are higher in those aged over 30 years<sup>l</sup> and may be a result of older drivers returning to the road on more powerful machines (see **Table 7** for a more detailed comparison between Service personnel and UK general population). Excessive speed and lack of judgement of their own path are related factors in UK general population motorcycle deaths. Defence Statistics do not currently have access to off-duty accident information which would enable identification of contributing factors in accidents involving Armed Forces personnel.
73. A study by Sheriff RJS, Forbes HJ, Wessely SC, et al<sup>m</sup> concludes that among a cohort of UK military personnel, the prevalence of risky driving reduced from 18% to 14%, over an average time period of 3.3 years (study was conducted between 2004 and 2009 – which is reflected in the decline in deaths due to motor vehicle accidents, see Figure 3). Risk factors for RTAs in military and general populations include being male, young, unmarried and of lower educational attainment, and within military populations, combat experience appears to confer a higher risk, although this diminishes with time after deployment. Those deployed after 2007 were less likely to become risky drivers following deployment, compared with those deployed before 2007 which suggests there is some evidence that the military's road safety campaign which started in 2007 may have reduced the risk of becoming a risky driver (see paragraph 45). However, changes in driving practices during deployments after 2007 may also be responsible for these changes in risky driving behaviours.

---

<sup>k</sup> <http://www.roadsafetyobservatory.com/KeyFacts/drivers/young>

<sup>l</sup> <http://www.roadsafetyobservatory.com/Summary/riders/motorcyclists>


<sup>m</sup> Sheriff RJS, Forbes HJ, Wessely SC, et al. Risky driving among UK regular armed forces personnel: changes over time, 2015.

**Comparisons with the UK general population**

74. To enable comparisons with LTA deaths in the UK population, Standardised Mortality Ratios (SMR), adjusted for age, gender and year, were calculated. An SMR is defined as the ratio of the number of deaths observed in the study population to the number of deaths expected if the study population had the same age- and gender-specific rates as the standard population in each specific year multiplied by 100 by convention. An SMR over (or under) 100 indicates a higher (or lower) number of observed deaths than expected (based on standard population rates). An SMR of 100 implies that there is no difference in rates when comparing the UK Regular Armed Forces population with the UK population. If the 95% confidence interval does not encompass 100, then this difference is statistically significant. The width of the confidence interval gives us some idea about how uncertain we are about the reported statistic. The small numbers in some of the sub-group analysis presented in **Figure 8** and **Tables 6, 7** and **8** may result in wide confidence intervals. The impact of this is that the range in which we expect the true value of that statistic to lie is large and there is a risk of misinterpreting a chance occurrence for a true finding

75. **Figure 7** illustrates changes in LTA Standardised Mortality Ratios by Service since the start of data collection in 1984. SMR are presented as a three-year moving average to eliminate some of the random year on year variation (see paragraph 22).

**Figure 7: UK regular Armed Forces LTA deaths by Service<sup>1</sup>, three-year moving average standardised mortality ratio<sup>2, 3, 4, 5</sup>**  
**1 January 1984- 31 December 2015**



Source: Defence Statistics (Health)

1. Naval Service includes Royal Navy and Royal Marines.
2. Standardised for age, gender and calendar year.
3. The black line indicates the value expected if the number of observed LTA deaths in the UK Armed Forces was the same as the number expected based on the age and gender structure of the UK population.
4. The year shown is the mid-point of a three-year average, e.g. 1985 refers to the period 1984-1986.
5. Change in how UK deaths collated, prior to 2006 includes deaths occurred in year, post 2006 includes deaths registered in year. (see paragraph 28).


76. Overall, in the last 30 years, the UK regular Armed Forces were at a greater risk of dying as a result of an LTA compared to the UK general population.

77. Before the period 2009-2011 personnel in each Service were at greater risk of dying as a result of an LTA than the UK population. Since 2009-2011 the Naval Service had the same or lower risk of dying in an LTA as the UK population and the RAF had the same or lower risk of dying in an LTA as the UK population for the periods 2010-2012 and 2011-2013.

78. With the exceptions of 1984-1986 and 1985-1987, the SMR for Army LTA deaths was higher than that of the RAF and Naval Service for all years.

79. **Figure 8** provides a comparison between each Service and the UK general population for the five-year period 2011-2015 by Service and vehicle type.

**Figure 8: UK regular Armed Forces LTA deaths, by Service<sup>1</sup> and vehicle type, standardised mortality ratio<sup>2,3</sup> (95% confidence interval)**  
1 January 2011- 31 December 2015



Source: Defence Statistics (Health)

1. Naval Service includes Royal Navy and Royal Marines.

2. Standardised for age, gender and calendar year.

3. The black line indicates the value expected if the number of observed LTA deaths in the UK Armed Forces was the same as the number expected based on the age and gender structure of the UK population.

80. **Figure 8** shows there was no statistical evidence to suggest that the Naval Service and RAF were at a greater risk of death compared to the UK general population for any vehicle type. Army personnel were at a statistically significantly higher risk of motor vehicle (SMR: 204, 95% CI: 142-291), motorcycle (SMR: 267, 95% CI: 161-417), and pedestrian accidents (SMR: 384, 95% CI: 215-632) compared to the UK general population.

81. **Table 6** provides a comparison of motor vehicle deaths between those aged under 30 years and those aged 30 years and over compared with the UK general population, by service, for the last five years. As the number of deaths by Service were small, and to enable comparison to UK general population results, two age groups have been presented; those aged under 30 and those aged 30 and over.

**Table 6: UK regular Armed Forces motor vehicle accident deaths, by Service and age, numbers and SMR<sup>1,2</sup> (95% CI)**  
1 January 2011- 31 December 2015

	All			Naval Service <sup>3</sup>			Army			RAF		
	n	SMR	(95%CI)	n	SMR	(95%CI)	n	SMR	(95%CI)	n	SMR	(95%CI)
2011-2015	33	137	(98-193)	1	21	(1-118)	30	204	(142-291)	2	44	(5-158)
Under 30	23	144	(91-216)	1	33	(1-185)	20	191	(117-295)	2	79	(10-286)
30+	10	125	(60-230)	0	0	-	10	235	(113-432)	0	0	-

Source: Defence Statistics (Health)

1. Standardised mortality ratios have been standardised for age, gender and calendar year.

2. Due to small numbers these findings should be viewed with caution.

3. Naval Service includes Royal Navy and Royal Marines.

82. Overall, for Armed Forces personnel aged under 30 (SMR: 144, 95% CI: 91-216) or over 30 (SMR: 125, 95% CI: 60-230) there was no statistical evidence to suggest a higher risk of dying as a result of a motor vehicle accident compared to the UK general population for the period 2011 to 2015.
83. During the last five years, there was no statistical evidence to suggest that the risk of dying in a motor vehicle accident for the Naval Service or RAF was any different than the UK general population.
84. During the last five years Army personnel in both age groups were at a significantly increased risk of dying as a result of a motor vehicle accident compared to the UK general population.
85. **Table 7** provides a comparison of motorcycle accident deaths between those aged under 30 years and those aged 30 years and over compared with the UK general population, by service, for the last five years.

**Table 7: UK regular Armed Forces motorcycle accident deaths, by Service and age, numbers and SMR<sup>1,2</sup> (95% CI)**  
1 January 2011- 31 December 2015

	All			Naval Service <sup>3</sup>			Army			RAF		
	n	SMR	(95% CI)	n	SMR	(95% CI)	n	SMR	(95% CI)	n	SMR	(95% CI)
<b>2011-2015</b>	<b>28</b>	<b>234</b>	<b>(155-338)</b>	<b>4</b>	<b>166</b>	<b>(45-424)</b>	<b>19</b>	<b>267</b>	<b>(161-417)</b>	<b>5</b>	<b>205</b>	<b>(66-478)</b>
Under 30	14	214	(117-360)	1	81	(2-452)	10	234	(112-431)	3	292	(60-853)
30+	14	257	(140-431)	3	254	(52-743)	9	315	(144-598)	2	141	(17-511)

Source: Defence Statistics (Health)

- Standardised mortality ratios have been standardised for age, gender and calendar year.
- Due to small numbers these findings should be viewed with caution.
- Naval Service includes Royal Navy and Royal Marines.

86. Overall, Armed Forces personnel were at a statistically significant higher risk of dying as a result of a motorcycle accident compared to the UK general population (SMR: 234, 95% CI: 155-338) for 2011 to 2015. See paragraph 72 for explanation of possible factors contributing to differences in risk by age group.
87. During the last five years Naval Service and RAF personnel risk of dying in a motor cycle accident was no different than the UK general population.
88. During the last five years Army personnel aged under 30 were at a 134% statistically significant increased risk of dying as a result of a motorcycle accident compared to the UK general population (SMR: 234; 95% CI: 112-431) and those aged 30 and over were at a 215% increased risk (SMR: 315; 95% CI: 144-598).
89. **Table 8** provides a comparison of pedestrian accident deaths between the different age groups of each Service and the UK general population for the last five years.

**Table 8: UK regular Armed Forces pedestrian accident deaths, by Service and age, numbers and SMR<sup>1,2</sup> (95% CI)**  
1 January 2011- 31 December 2015

	All			Naval Service <sup>3</sup>			Army			RAF		
	n	SMR	(95% CI)	n	SMR	(95% CI)	n	SMR	(95% CI)	n	SMR	(95% CI)
<b>2011-2015</b>	<b>18</b>	<b>271</b>	<b>(161-429)</b>	<b>1</b>	<b>75</b>	<b>(2-417)</b>	<b>15</b>	<b>384</b>	<b>(215-632)</b>	<b>2</b>	<b>144</b>	<b>(17-521)</b>
<b>Under 30</b>	15	441	(247-727)	1	155	(4-865)	13	588	(313-1005)	1	184	(5-1023)
<b>30+</b>	3	93	(19-271)	0	0	-	2	118	(14-425)	1	119	(3-662)

Source: Defence Statistics (Health)

- Standardised mortality ratios have been standardised for age, gender and calendar year.
- Due to small numbers these findings should be viewed with caution.
- Naval Service includes Royal Navy and Royal Marines.

90. Overall, UK Armed Forces personnel were at a 171% statistically significant increased risk of dying as a result of a pedestrian accident compared to the UK general population (SMR: 271; 95% CI 161-429) (**Table 8**). This is driven by pedestrian deaths among Army personnel aged under 30.
91. During the last five years, Service personnel aged under 30 were at a 341% statistically significant increased risk of dying as a result of a pedestrian accident compared to the UK general population (SMR: 441; 95% CI: 247-727). This was a result of a high number of Army deaths in this age group.
92. For all three services during the last five years, Service personnel aged over 30 years of age risk of dying as a result of a pedestrian accident was no different than the UK general population.

## ANNEX A – UK REGULAR ARMED FORCES LTA DEATHS 1984-2015, ADDITIONAL TABLES

**Table A1: UK regular Armed Forces LTA deaths by year and on/off duty, numbers  
1 January 1984- 31 December 2015**

Year	All <sup>1</sup>	On Duty	Off Duty
<b>All</b>	<b>1,864</b>	<b>427</b>	<b>1,437</b>
1984	120	19	101
1985	116	38	78
1986	79	21	58
1987	100	20	80
1988	74	19	55
1989	120	32	88
1990	101	24	77
1991	89	24	65
1992	84	24	60
1993	74	13	61
1994	60	14	46
1995	54	13	41
1996	42	4	38
1997	54	10	44
1998	62	29	33
1999	43	13	30
2000	44	6	38
2001	47	11	36
2002	63	10	53
2003	49	9	40
2004	57	13	44
2005	51	7	44
2006	60	10	50
2007	50	14	36
2008	26	8	18
2009	26	0	26
2010	34	9	25
2011	23	6	17
2012	15	1	14
2013	14	1	13
2014	21	4	17
2015	12	1	11

**Source: Defence Statistics (Health)**

1. Deaths classified as LTA in this notice exclude any deaths that did not involve a motor vehicle e.g. pedal cycles, animal riders and rail related incidents. Therefore the figures seen in this notice will differ from those presented in the 'Deaths in the UK Regular Armed Forces' National Statistic (see paragraphs 6-9).

2. Change in how UK deaths collated, prior to 2006 includes deaths occurred in year, post 2006 includes deaths registered in year. (see paragraph 28).

## REFERENCES AND USEFUL LINKS

Reported Road Casualties in Great Britain: Main Results 2014

[https://www.gov.uk/government/uploads/system/uploads/attachment\\_data/file/438040/reported-road-casualties-in-great-britain-main-results-2014-release.pdf](https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/438040/reported-road-casualties-in-great-britain-main-results-2014-release.pdf)

[https://www.gov.uk/government/uploads/system/uploads/attachment\\_data/file/62487/Factsheet5-Future-Force-2020.pdf](https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/62487/Factsheet5-Future-Force-2020.pdf)

Statistics and Registration Act, 2007:

[http://www.legislation.gov.uk/ukpga/2007/18/pdfs/ukpga\\_20070018\\_en.pdf](http://www.legislation.gov.uk/ukpga/2007/18/pdfs/ukpga_20070018_en.pdf)

National Statistics Notice: "Deaths in the UK regular Armed Forces" available at:

[www.gov.uk/government/publications/mod-national-and-official-statistics-by-topic](http://www.gov.uk/government/publications/mod-national-and-official-statistics-by-topic)

ROSPA - A History of Road Safety Campaigns:

<http://www.rospace.com/road-safety/advice/road-users/campaign-history/>

<http://think.direct.gov.uk/>

Fear et al., (2008) Risky Driving Among UK Regular Armed Forces Personnel from the United Kingdom, *American Journal of Preventative Medicine*, 35, 230-236.

Ward et al., (2007) *Road Safety Research Report No. 76, Trends in Fatal Car-Occupant Accidents*, Department of Transport: London. Available at :

<https://www.gov.uk/government/publications/road-safety-research-and-statistical-reports>

or <http://discovery.ucl.ac.uk/3494/1/3494.pdf>

ROSPA (2006) Motorcycling Safety Policy Paper available at:

<http://www.rospace.com/roadsafety/policy/statements/motorcycling.aspx>

<http://www.roadsafetyobservatory.com/KeyFacts/drivers/young>

<http://www.roadsafetyobservatory.com/Summary/riders/motorcyclists>

Sheriff RJS, Forbes HJ, Wessely SC, et al. Risky driving among UK regular armed forces personnel: changes over time. *BMJ Open* 2015