

# Notice of variation and consolidation with introductory note

The Environmental Permitting (England & Wales) Regulations 2010

A W Jenkinson (Woodwaste) Limited

Hespin Wood Todhills Carlisle Cumbria CA6 4BJ

Variation application number

EPR/YP3393ZL/V008

Permit number

EPR/YP3393ZL

# Permit number EPR/YP3393ZL

# Introductory note

#### This introductory note does not form a part of the notice.

Under the Environmental Permitting (England & Wales) Regulations 2010 (schedule 5, part 1, paragraph 19) a variation may comprise a consolidated permit reflecting the variations and a notice specifying the variations included in that consolidated permit.

Schedule 1 of the notice specifies the conditions that have been varied and schedule 2 comprises a consolidated permit which reflects the variations being made. All the conditions of the permit have been varied and are subject to the right of appeal.

The Industrial Emissions Directive (IED) was transposed in England and Wales by the Environmental Permitting (England and Wales)(Amendment) Regulations 2013 on 27 February 2013. This variation implements the changes brought about by the IED for "existing facilities operating newly prescribed activities" and completes the transition of this facility from a waste operation to an IED Installation.

The newly prescribed activity under IED comprises storage, physical treatment, composting and maturation of organic wastes. The activity takes place outdoors and also within a well-ventilated three-sided building on an impermeable surface with a sealed drainage system.

Most of the green waste received at the site is supplied through Cumbria Waste Recycling (who own the Hespin Wood site and operate the weighbridge). Most of the green waste received at the site is either from Council-run kerbside collections from households across Cumbria, or from household waste recycling centres throughout the County.

Windrows are formed outside using a loading shovel. They can contain around approximately 500 tonnes of material. A proportion of the organic waste can be shredded, prior to composting; The windrows are monitored regularly for temperature, moisture and oxygen content. The compost is then moved to the 'Maturation Shed' for the stabilisation period. Following this the compost is screened twice, firstly with a 40mm screen and secondly with a 10mm screen. This produces two finished products of 0-10mm soil conditioner and 10-40mm mulch. The green waste is PAS 100:2011 accredited.

The second activity taking place on site is the processing of wood wastes consisting only of sorting, separation, cutting, pulverising, shredding and chipping for recovery. The wood is stored in a separate area to the composting process area; the area being delineated by a surface water drain. The wood is stored in two separate piles, one for clean A grade wood and the other for low grade wood. The waste wood is loaded into a shredding machine at the entrance to the RCF preparation building; it then passes over various magnets (to remove any metals) and through screening equipment to produce the desired specification of wood chip required. The processing of wood on site remains as a waste operation.

The nearest human receptor is a waste management facility located adjacent to the site boundary. The nearest residential receptors are Blackrigg bungalow (NY365625) and residences at Todhills (NY371628). Both are located approximately 250m from the composting site, although the full permit site boundary covers an extended area which is approximately 70m from residences at Todhills at the closest proximity. Upper Solway Flats Marshes (SSSI) and River Eden and Tributaries (SSSI) are located within 2km distance of the site. A Local Wildlife Site (Rockcliffe Moss) is located around 240m from the south west site boundary.

The schedules specify the changes made to the permit.

The status log of a permit sets out the permitting history, including any changes to the permit reference number.

Status log of the permit			
Description	Date	Comments	
Licence EAWML 57541 Issued (EPR/YP3393ZL/A001)	23/02/04	Original permit issued to AW Jenkinson Woodwaste Limited	
Licence EAWML 57541 modified (EPR/YP3393ZL/V002)	20/03/08		
Variation issued (EPR/YP3393ZL/V003)	19/01/09	Environment Agency initiated variation to add waste types omitted from permit	
Surrender notice issued (EPR/YP3393ZL/S004)	14/03/11	Partial surrender	
Environment Agency initiated application (EPR/YP3393ZL/V005)	28/01/11	Environment Agency initiated variation to add bioaerosol monitoring requirements to permit	
Environment Agency initiated variation determined (EPR/YP3393ZL/V005)	01/04/11		
Application received (EPR/YP3393ZL/V006)	06/03/12	Application to vary the permit to include a chipping activity previously regulated under paragraph 13 exemption	
Additional information received	Duly made 23/03/12	Confirmation of wood chipping facility	
Variation determined EPR/YP3393ZL/V006	08/06/12		
Application received (EPR/YP3393ZL/V007)	16/09/13	Administrative variation to add a new EWC code 03 03 01	
Administrative variation determined (EPR/YP3393ZL/V007)	24/10/13		
Application EPR/YP3393ZL/V008 (variation and consolidation)	Duly made 29/11/14	Application to vary and update the permit to modern conditions and implement the changes introduced by IED	
Variation determined EPR/YP3393ZL Billing ref: TP3536WQ	22/03/16	Varied and consolidated permit issued in modern condition format.	

End of introductory note

# Notice of variation and consolidation

# The Environmental Permitting (England and Wales) Regulations 2010

The Environment Agency in exercise of its powers under regulation 20 of the Environmental Permitting (England and Wales) Regulations 2010 varies and consolidates

#### Permit number

EPR/YP3393ZL

#### Issued to

A W Jenkinson (Woodwaste) Limited ("the operator")

whose registered office is

Carriden Industrial Estate Bridgeness Road Bo'Ness West Lothian EH51 9LH

company registration number SC166685

to operate a regulated facility at

Hespin Wood Todhills Carlisle Cumbria CA6 4BJ

to the extent set out in the schedules.

The notice shall take effect from 22/03/2016

Name	Date
Rebecca Warren	22/03/2016

Authorised on behalf of the Environment Agency

#### Schedule 1

All conditions have been varied by the consolidated permit as a result of the application made by the operator.

# Schedule 2 – consolidated permit

Consolidated permit issued as a separate document.

# **Permit**

# The Environmental Permitting (England and Wales) Regulations 2010

#### Permit number

#### EPR/YP3393ZL

This is the consolidated permit referred to in the variation and consolidation notice for application EPR/YP3393ZL/V008 authorising,

A W Jenkinson (Woodwaste) Limited ("the operator"),

whose registered office is

Carriden Industrial Estate Bridgeness Road Bo'Ness West Lothian EH51 9LH

company registration number SC166685

to operate an installation and waste operation at

Hespin Wood Todhills Carlisle Cumbria CA6 4BJ

to the extent authorised by and subject to the conditions of this permit.

Name	Date
Rebecca Warren	22/03/2016

Authorised on behalf of the Environment Agency

# **Conditions**

# 1 Management

### 1.1 General management

- 1.1.1 The operator shall manage and operate the activities:
  - in accordance with a written management system that identifies and minimises risks of pollution, including those arising from operations, maintenance, accidents, incidents, non-conformances, closure and those drawn to the attention of the operator as a result of complaints; and
  - (b) using sufficient competent persons and resources.
- 1.1.2 Records demonstrating compliance with condition 1.1.1 shall be maintained.
- 1.1.3 Any person having duties that are or may be affected by the matters set out in this permit shall have convenient access to a copy of it kept at or near the place where those duties are carried out.
- 1.1.4 The operator shall comply with the requirements of an approved competence scheme.

### 1.2 Energy efficiency

- 1.2.1 For the following activities referenced in schedule 1, table S1.1 (A1 to A7) the operator shall:
  - (a) take appropriate measures to ensure that energy is used efficiently in the activities;
  - (b) review and record at least every four years whether there are suitable opportunities to improve the energy efficiency of the activities; and
  - (c) take any further appropriate measures identified by a review.

#### 1.3 Efficient use of raw materials

- 1.3.1 For the following activities referenced in schedule 1, table S1.1 (A1 to A7) the operator shall:
  - (a) take appropriate measures to ensure that raw materials and water are used efficiently in the activities;
  - (b) maintain records of raw materials and water used in the activities;
  - (c) review and record at least every four years whether there are suitable alternative materials that could reduce environmental impact or opportunities to improve the efficiency of raw material and water use; and
  - (d) take any further appropriate measures identified by a review.

# 1.4 Avoidance, recovery and disposal of wastes produced by the activities

- 1.4.1 The operator shall take appropriate measures to ensure that:
  - (a) the waste hierarchy referred to in Article 4 of the Waste Framework Directive is applied to the generation of waste by the activities; and
  - (b) any waste generated by the activities is treated in accordance with the waste hierarchy referred to in Article 4 of the Waste Framework Directive; and
  - (c) where disposal is necessary, this is undertaken in a manner which minimises its impact on the environment.

1.4.2 The operator shall review and record at least every four years whether changes to those measures should be made and take any further appropriate measures identified by a review.

# 2 Operations

#### 2.1 Permitted activities

- 2.1.1 The operator is only authorised to carry out the activities specified in schedule 1 table S1.1 (the "activities").
- 2.1.2 For the following activities referenced in schedule 1, table S1.1 (A1 to A7) waste authorised by this permit shall be clearly distinguished from any other waste on the site.

#### 2.2 The site

2.2.1 The activities shall not extend beyond the site, being the land shown edged in green on the site plan at schedule 7 to this permit.

### 2.3 Operating techniques

- 2.3.1 The activities shall, subject to the conditions of this permit, be operated using the techniques and in the manner described in the documentation specified in schedule 1, table S1.2, unless otherwise agreed in writing by the Environment Agency.
- 2.3.2 If notified by the Environment Agency that the activities are giving rise to pollution, the operator shall submit to the Environment Agency for approval within the period specified, a revision of any plan or other documentation ("plan") specified in schedule 1, table S1.2 or otherwise required under this permit which identifies and minimises the risks of pollution relevant to that plan, and shall implement the approved revised plan in place of the original from the date of approval, unless otherwise agreed in writing by the Environment Agency.
- 2.3.3 Any raw materials or fuels listed in schedule 2 table S2.1 shall conform to the specifications set out in that table.
- 2.3.4 Waste shall only be accepted if:
  - (a) it is of a type and quantity listed in schedule 2 table S2.2 or table S2.3; and
  - (b) it conforms to the description in the documentation supplied by the producer and holder.
- 2.3.5 The operator shall ensure that where waste produced by the activities is sent to a relevant waste operation, that operation is provided with the following information, prior to the receipt of the waste:
  - (a) the nature of the process producing the waste;
  - (b) the composition of the waste;
  - (c) the handling requirements of the waste;
  - (d) the hazardous property associated with the waste, if applicable; and
  - (e) the waste code of the waste.
- 2.3.6 The operator shall ensure that where waste produced by the activities is sent to a landfill site, it meets the waste acceptance criteria for that landfill.

# 2.4 Improvement programme

2.4.1 The operator shall complete the improvements specified in schedule 1 table S1.3 by the date specified in that table unless otherwise agreed in writing by the Environment Agency.

2.4.2 Except in the case of an improvement which consists only of a submission to the Environment Agency, the operator shall notify the Environment Agency within 14 days of completion of each improvement.

# 3 Emissions and monitoring

#### 3.1 Emissions to water, air or land

- 3.1.1 There shall be no point source emissions to water, air or land except from the sources and emission points listed in schedule 3 table S3.1.
- 3.1.2 The limits given in schedule 3 shall not be exceeded.

### 3.2 Emissions of substances not controlled by emission limits

- 3.2.1 Emissions of substances not controlled by emission limits (excluding odour) shall not cause pollution. The operator shall not be taken to have breached this condition if appropriate measures, including, but not limited to, those specified in any approved emissions management plan, have been taken to prevent or where that is not practicable, to minimise, those emissions.
- 3.2.2 The operator shall:
  - (a) if notified by the Environment Agency that the activities are giving rise to pollution, submit to the Environment Agency for approval within the period specified, an emissions management plan which identifies and minimises the risks of pollution from emissions of substances not controlled by emission limits;
  - (b) implement the approved emissions management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.
- 3.2.3 All liquids in containers, whose emission to water or land could cause pollution, shall be provided with secondary containment, unless the operator has used other appropriate measures to prevent or where that is not practicable, to minimise, leakage and spillage from the primary container.

#### 3.3 Odour

3.3.1 Emissions from the activities shall be free from odour at levels likely to cause pollution outside the site, as perceived by an authorised officer of the Environment Agency, unless the operator has used appropriate measures, including, but not limited to, those specified in any approved odour management plan, to prevent or where that is not practicable to minimise the odour.

#### 3.4 Noise and vibration

- 3.4.1 Emissions from the activities shall be free from noise and vibration at levels likely to cause pollution outside the site, as perceived by an authorised officer of the Environment Agency, unless the operator has used appropriate measures, including, but not limited to, those specified in any approved noise and vibration management plan to prevent or where that is not practicable to minimise the noise and vibration.
- 3.4.2 The operator shall:
  - (a) if notified by the Environment Agency that the activities are giving rise to pollution outside the site due to noise and vibration, submit to the Environment Agency for approval within the period specified, a noise and vibration management plan which identifies and minimises the risks of pollution from noise and vibration;
  - (b) implement the approved noise and vibration management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.

# 3.5 Monitoring

- 3.5.1 The operator shall, unless otherwise agreed in writing by the Environment Agency, undertake the monitoring specified in the following tables in schedule 3 to this permit:
  - (a) point source emissions specified in tables S3.1;
  - (b) process monitoring specified in table S3.2;
  - (c) bioaerosols monitoring specified in table \$3.3.
- 3.5.2 The operator shall maintain records of all monitoring required by this permit including records of the taking and analysis of samples, instrument measurements (periodic and continual), calibrations, examinations, tests and surveys and any assessment or evaluation made on the basis of such data.
- 3.5.3 Monitoring equipment, techniques, personnel and organisations employed for the emissions monitoring programme and the environmental or other monitoring specified in condition 3.5.1 shall have either MCERTS certification or MCERTS accreditation (as appropriate), where available, unless otherwise agreed in writing by the Environment Agency.
- 3.5.4 Permanent means of access shall be provided to enable sampling/monitoring to be carried out in relation to the emission points specified in schedule 3 table S3.1.

#### 3.6 Pests

- 3.6.1 The activities shall not give rise to the presence of pests which are likely to cause pollution, hazard or annoyance outside the boundary of the site. The operator shall not be taken to have breached this condition if appropriate measures, including, but not limited to, those specified in any approved pests management plan, have been taken to prevent or where that is not practicable, to minimise the presence of pests on the site.
- 3.6.2 The operator shall:
  - (a) if notified by the Environment Agency, submit to the Environment Agency for approval within the period specified, a pests management plan which identifies and minimises risks of pollution from pests;
  - (b) implement the pests management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.

# 3.7 Fire prevention

- 3.7.1 The operator shall take all appropriate measures to prevent fires on site and minimise the risk of pollution from them including, but not limited to, those specified in any approved fire prevention plan.
- 3.7.2 The operator shall:
  - (a) if notified by the Environment Agency that the activities are giving rise to a risk of fire, submit to the Environment Agency for approval within the period specified, a fire prevention plan which prevents fires and minimises the risk of pollution from fires;
  - (b) implement the fire prevention plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.

#### 4 Information

#### 4.1 Records

- 4.1.1 All records required to be made by this permit shall:
  - (a) be legible;
  - (b) be made as soon as reasonably practicable;
  - (c) if amended, be amended in such a way that the original and any subsequent amendments remain legible, or are capable of retrieval; and
  - (d) be retained, unless otherwise agreed in writing by the Environment Agency, for at least 6 years from the date when the records were made, or in the case of the following records until permit surrender:
    - (i) off-site environmental effects; and
    - (ii) matters which affect the condition of the land and groundwater.
- 4.1.2 The operator shall keep on site all records, plans and the management system required to be maintained by this permit, unless otherwise agreed in writing by the Environment Agency.

### 4.2 Reporting

- 4.2.1 The operator shall send all reports and notifications required by the permit to the Environment Agency using the contact details supplied in writing by the Environment Agency.
- 4.2.2 For the following activities referenced in schedule 1, table S1.1 (A1 to A7) a report or reports on the performance of the activities over the previous year shall be submitted to the Environment Agency by 31 January (or other date agreed in writing by the Environment Agency) each year. The report(s) shall include as a minimum:
  - (a) a review of the results of the monitoring and assessment carried out in accordance with the permit including an interpretive review of that data;
  - (b) the annual production /treatment data set out in schedule 4 table S4.2; and
  - (c) the performance parameters set out in schedule 4 table S4.3 using the forms specified in table S4.4 of that schedule.
- 4.2.3 Within 28 days of the end of the reporting period the operator shall, unless otherwise agreed in writing by the Environment Agency, submit reports of the monitoring and assessment carried out in accordance with the conditions of this permit, as follows:
  - (a) in respect of the parameters and emission points specified in schedule 4 table S4.1;
  - (b) for the reporting periods specified in schedule 4 table S4.1 and using the forms specified in schedule 4 table S4.4; and
  - (c) giving the information from such results and assessments as may be required by the forms specified in those tables.
- 4.2.4 The operator shall, unless notice under this condition has been served within the preceding four years, submit to the Environment Agency, within six months of receipt of a written notice, a report assessing whether there are other appropriate measures that could be taken to prevent, or where that is not practicable, to minimise pollution.
- 4.2.5 Within 1 month of the end of each quarter, the operator shall submit to the Environment Agency using the form made available for the purpose, the information specified on the form relating to the site and the waste accepted and removed from it during the previous quarter.

#### 4.3 Notifications

- 4.3.1 For the following activities referenced in schedule 1, table S1.1 (A1 to A7) in the event:
  - that the operation of the activities gives rise to an incident or accident which significantly affects
    or may significantly affect the environment, the operator must immediately—
    - (i) inform the Environment Agency,
    - take the measures necessary to limit the environmental consequences of such an incident or accident, and
    - (iii) take the measures necessary to prevent further possible incidents or accidents;
  - (b) of a breach of any permit condition the operator must immediately—
    - (i) inform the Environment Agency, and
    - (ii) take the measures necessary to ensure that compliance is restored within the shortest possible time;
  - (c) of a breach of permit condition which poses an immediate danger to human health or threatens to cause an immediate significant adverse effect on the environment, the operator must immediately suspend the operation of the activities or the relevant part of it until compliance with the permit conditions has been restored.
- 4.3.2 Any information provided under condition 4.3.1 (a)(i), or 4.3.1 (b)(i) where the information relates to the breach of a limit specified in the permit, shall be confirmed by sending the information listed in schedule 5 to this permit within the time period specified in that schedule.
- 4.3.3 For the following activities referenced in schedule 1, table S1.1 (A8), the Environment Agency shall be notified without delay following the detection of:
  - (a) any malfunction, breakdown or failure of equipment or techniques, accident, or emission of a substance not controlled by an emission limit which has caused, is causing or may cause significant pollution;
  - (b) the breach of a limit specified in the permit; or
  - (c) any significant adverse environmental effects.
- 4.3.4 Any information provided under condition 4.3.3 shall be confirmed by sending the information listed in schedule 5 to this permit within the time period specified in that schedule.
- 4.3.5 Where the Environment Agency has requested in writing that it shall be notified when the operator is to undertake monitoring and/or spot sampling, the operator shall inform the Environment Agency when the relevant monitoring and/or spot sampling is to take place. The operator shall provide this information to the Environment Agency at least 14 days before the date the monitoring is to be undertaken.
- 4.3.6 The Environment Agency shall be notified within 14 days of the occurrence of the following matters, except where such disclosure is prohibited by Stock Exchange rules:

Where the operator is a registered company:

- (a) any change in the operator's trading name, registered name or registered office address; and
- (b) any steps taken with a view to the operator going into administration, entering into a company voluntary arrangement or being wound up.

Where the operator is a corporate body other than a registered company:

- (c) any change in the operator's name or address; and
- (d) any steps taken with a view to the dissolution of the operator.

In any other case:

- (e) the death of any of the named operators (where the operator consists of more than one named individual):
- (f) any change in the operator's name(s) or address(es); and
- (g) any steps taken with a view to the operator, or any one of them, going into bankruptcy, entering into a composition or arrangement with creditors, or, in the case of them being in a partnership, dissolving the partnership.
- 4.3.7 Where the operator proposes to make a change in the nature or functioning, or an extension of the activities, which may have consequences for the environment and the change is not otherwise the subject of an application for approval under the Regulations or this permit:
  - (a) the Environment Agency shall be notified at least 14 days before making the change; and
  - (b) the notification shall contain a description of the proposed change in operation.
- 4.3.8 The Environment Agency shall be given at least 14 days notice before implementation of any part of the site closure plan.

### 4.4 Interpretation

- 4.4.1 In this permit the expressions listed in schedule 6 shall have the meaning given in that schedule.
- 4.4.2 For the following activities referenced in schedule 1, table S1.1 (A1 to A7) in this permit references to reports and notifications mean written reports and notifications, except where reference is made to notification being made "immediately", in which case it may be provided by telephone.
- 4.4.3 For the following activities referenced in schedule 1, table S1.1 (A8), in this permit references to reports and notifications mean written reports and notifications, except where reference is made to notification being made "without delay", in which case it may be provided by telephone.

# Schedule 1 – Operations

Activity reference	Activity listed in Schedule 1 of the EP Regulations	Description of specified activity and WFD Annex I and II operations	Limits of specified activity and waste types			
A1 (composting)	S5.4 A(1) (b) (i) Recovery or a mix of recovery and disposal of non hazardous waste with a capacity exceeding 75 tonnes per day involving biological treatment.	R3: Recycling/reclamation of organic substances which are not used as solvents	From receipt of waste through to composting and recovery of by-products.  Composting of waste under aerobic conditions in open turned windrows on impermeable surface with sealed drainage system.  Waste types suitable for acceptance are limited to those specified in Table S2.2.  The composting and maturation of wastes must not take place in any form of enclosed reactor vessel.  The composting and maturation of wastes under anaerobic conditions shall be prevented, or where that is not practicable, minimised.			
	Directly Associated Activity	Directly Associated Activity				
A2	Storage of waste pending recovery or disposal	R13: Storage of waste pending the R3 operation (excluding temporary storage, pending collection, on the site where it is produced)	From the receipt of waste to despatch for composting or despatch off site for recovery and/or disposal.  Storage of waste on an impermeable surface with sealed drainage.  Waste types suitable for acceptance are limited to those specified in Table S2.2.  No waste shall be stored on site prior to composting for longer than 5 days.			

Activity reference	Activity listed in Schedule 1 of the EP Regulations	Description of specified activity and WFD Annex I and II operations	Limits of specified activity and waste types
			The maximum quantity of waste being stored prior to composting, composted, and stored for maturation, shall not exceed a total of 10,000 tonnes at any on time.
			The storage of wastes mus not take place in any form of enclosed reactor vessel.
			The storage of wastes under anaerobic conditions shall be prevented, or where that is not practicable, minimised.
A3	Physical treatment for the purpose of recycling	R3: Recycling/reclamation of organic substances which are not used as solvents	From the receipt of waste t despatch for composting or despatch off site for recovery.
			Pre-treatment of waste price to composting on an impermeable surface including shredding and screening.
			Post-treatment of processed compost on an impermeable surface including screening to remove contraries.
			Waste types suitable for acceptance are limited to those specified in Table S2.2.
			The physical treatment, of wastes must not take place in any form of enclosed reactor vessel.
			The physical treatment of wastes under anaerobic conditions shall be prevented, or where that is not practicable, minimised.

Table S1.1 Ac	tivities			
Activity reference	Activity listed in Schedule 1 of the EP Regulations	Description of activity and N	WFD Annex I	Limits of specified activity and waste types
A4	Raw material storage	Storage of rav	v materials.	From the receipt of raw materials to despatch for use within the facility.
A5	Compost storage	Storage of procompost on a impermeable	n	From the receipt of processed compost produced at the facility to despatch for use off-site.
A6	Process water collection and storage	Collection and compost liquo two storage ta	r/leachate in	From the receipt of compost leachate produced at the facility to re-use within the facility or despatch off site for recovery or disposal.
A7	Surface water collection and storage	Drainage of uncontaminat site surface w catchpits and	ater via	From the collection of uncontaminated roof and site surface water from non operational areas only to reuse within the facility or discharge off-site.
Activity reference	Description of activities for operations	waste	Limits of acti	ivities
A8 (wood processing)	R13: Storage of waste pending any of the operations numbered R1 to R12 (excluding temporary storage, pending collection, on the site where it is produced)		table S2.3 cor	ment of wood wastes listed in nsisting only of sorting, utting, pulverising, shredding, for recovery.
	R3: Recycling/reclamation of organic substances which are not used as solvents		S2.3 at the plane Quantities of exceed 10,00 time.	ge of wastes listed in table ace where it is to be treated. wood waste stored shall not 0 tonnes in total at any one
			No waste mus months.	st be stored for more than 3

Table S1.2 Operating techniques			
Description	Parts	Date Received	
Application forms and supporting documents	Application Part C4	6 March 2012	
Email	Confirmation of woodchipping activity	23 March 2012	
Email	Confirmation of waste storage limits	15 May 2012	
Accident Management Plan	The licence holder shall:  (a) maintain and implement an accident management plan;		
	(b) review and record at least every 4 years or as soon as practicable after an accident, (whichever is the earlier) whether changes to the plan should be made;		
	(c) make any appropriate changes to the plan identified by a review.		

Table S1.2 Operating techniques			
Description	Parts	Date Received	
Response to Improvement Condition (IC1)	Dust Management Plan produced under Improvement Condition IC1 and subsequent amendments as approved by the Environment Agency		
Odour Management Plan	Odour Management Plan version 5 and subsequent amendments as approved by the Environment Agency	06/11/14	
Application	Section 3 of the application document in response to section 3a – technical standards and Appendix 5, Part C3 of the application form	29/11/14	

Table S1.3 Improvement programme requirements		
Reference	Requirement	Date
IC1	The operator shall submit a Dust Management Plan to the Environment Agency for approval in writing. The plan shall contain details of appropriate measures to be used for the prevention and suppression of dust. It shall also include details of monitoring and inspections by the operator and shall also contain dates for the implementation of the measures identified in the plan. Once approved in writing, the operator shall implement the agreed plan.	Completed

# Schedule 2 – Waste types, raw materials and fuels

Table S2.1 Raw materials and fuels	
Raw materials and fuel description	Specification
Fuel oil	Sulphur content not exceeding 0.1% by mass.

Maximum quantity	The total quantity of waste aggregated (Table S2.2 and S2.3) on the site shall be less than 100,000 tonnes a year.
Exclusions	Wastes having any of the following characteristics shall not be accepted:
	- consisting solely or mainly of dusts, powders, or loose fibres;
	- catering waste or other wastes containing animal by-products covered by the Animal By-Products Regulations);
	- wastes that are in a form which is either sludge or liquid;
	- wastes containing persistent organic pollutants, Japanese Knotweed;
	- hazardous wastes;
_	- odour producing or likely to be odour producing.
Waste code	Description
02	Wastes from agriculture, horticulture, aquaculture, forestry, hunting and fishing, food preparation and processing
02 01	wastes from agriculture, horticulture, aquaculture, forestry, hunting and fishing
02 01 03	plant-tissue waste
02 01 07	wastes from forestry (biodegradable only)
02 03	wastes from fruit, vegetables, cereals, edible oils, cocoa, coffee, tea and tobacco preparation and processing; conserve production; yeast and yeast extract production, molasses preparation and fermentation
02 03 04	materials unsuitable for consumption or processing (biodegradable only)
03	Wastes from wood processing and the production of panels and furniture, pulp, paper and cardboard
03 01	wastes from wood processing and the production of panels and furniture
03 01 01	waste bark and cork
03 01 05	sawdust, shavings, cuttings, wood and particle board other than those mentioned in 03 01 04 only
03 03	wastes from pulp, paper and cardboard production and processing
03 03 01	waste bark and wood
03 03 07	mechanically separated rejects from pulping of waste paper and cardboard
03 03 10	fibre rejects, fibre-, filler- and coating-sludges from mechanical separation
15	Waste packaging, absorbents, wiping cloths, filter materials and protective clothing not otherwise specified
15 01	packaging (including separately collected municipal packaging waste)
15 01 03	wooden packaging

Table S2.2 Permittee	d waste types and quantities for composting in open systems	
Maximum quantity	The total quantity of waste aggregated (Table S2.2 and S2.3) on the site shall be less than 100,000 tonnes a year.	
Exclusions	Wastes having any of the following characteristics shall not be accepted:	
	- consisting solely or mainly of dusts, powders, or loose fibres;	
	- catering waste or other wastes containing animal by-products covered by the Animal By-Products Regulations);	
	- wastes that are in a form which is either sludge or liquid;	
	- wastes containing persistent organic pollutants, Japanese Knotweed;	
	- hazardous wastes;	
	- odour producing or likely to be odour producing.	
Waste code	Description	
17	Construction and demolition wastes (including excavated soil from contaminated sites)	
17 02	wood, glass and plastic	
17 02 01	wood	
19	Wastes from waste management facilities, off-site waste water treatment plants and the preparation of water intended for human consumption and water for industrial use	
19 12	wastes from the mechanical treatment of waste (for example sorting, crushing, compacting, pelletising) not otherwise specified	
19 12 07	wood other than that mentioned in 19 12 06	
20	Municipal wastes (household waste and similar commercial, industrial and institutional wastes) including separately collected fractions	
20 01	separately collected fractions (except 15 01)	
20 01 38	wood other than that mentioned in 20 01 37	
20 02	garden and park wastes (including cemetery waste)	
20 02 01	biodegradable waste (plant matter only)	

Maximum quantity	The total quantity of waste aggregated (Table S2.2 and S2.3) on the site shall be less than 100,000 tonnes a year.
Exclusions	Wastes having any of the following characteristics shall not be accepted:
	- consisting solely or mainly of dusts, powders, or loose fibres;
	- wastes that are in a form which is either sludge or liquid;
	<ul><li>- wastes containing persistent organic pollutants, Japanese Knotweed;</li><li>- hazardous wastes;</li></ul>
	- odour producing or likely to be odour producing.
Waste code	Description
02	Wastes from agriculture, horticulture, aquaculture, forestry, hunting and fishing, food preparation and processing
02 01	wastes from agriculture, horticulture, aquaculture, forestry, hunting and fishing
02 01 03	wood and bark only
02 01 07	wood and bark
03	Wastes from wood processing and the production of panels and furniture, pulp, paper and cardboard
03 01	wastes from wood processing and the production of panels and furniture
03 01 01	waste bark and cork
03 01 05	sawdust, shavings, cuttings, wood and particle board other than those mentioned in 03 01 04 only
03 03	wastes from pulp, paper and cardboard production and processing
03 03 01	waste bark and wood
03 03 10	wood fibre rejects only
15	Waste packaging, absorbents, wiping cloths, filter materials and protective clothing not otherwise specified
15 01	packaging (including separately collected municipal packaging waste)
15 01 03	wooden packaging
17	Construction and demolition wastes (including excavated soil from contaminated sites)
17 02	wood, glass and plastic
17 02 01	wood
19	Wastes from waste management facilities, off-site waste water treatment plants and the preparation of water intended for human consumption and water for industrial use
19 12	wastes from the mechanical treatment of waste (for example sorting, crushing, compacting, pelletising) not otherwise specified
19 12 07	wood other than that mentioned in 19 12 06
20	Municipal wastes (household waste and similar commercial, industrial and institutional wastes) including separately collected fractions
20 01	separately collected fractions (except 15 01)
20 01 38	wood other than that mentioned in 20 01 37
20 02	garden and park wastes (including cemetery waste)
20 02 01	biodegradable waste (wood and bark only)

# Schedule 3 – Emissions and monitoring

Table S3.1 Point Source emissions to water (other than sewer) and land – emission limits and monitoring requirements						
Emission point ref. & location	Source	Parameter	Limit (incl. unit)	Reference Period	Monitoring frequency	Monitoring standard or method
W1 on site plan in schedule 7 emission to ground via interceptor and drainage ditch	Uncontaminated site surface water from roofs and non operational areas	No parameter set	No limit set		Weekly	Visual assessment – no visible oil or grease

Table S3.2 Process monitoring requirements					
Emission point reference or source or description of point of measurement	Parameter	Monitoring frequency	Monitoring standard or method	Other specifications	
Internal for each composting batch during	Temperature	At least daily	Temperature probe	Monitoring equipment shall be available on	
sanitisation stage	Moisture	None specified		site and used as required to maintain aerobic conditions and	
Internal for each composting batch during	Temperature	At least weekly	Temperature probe	ensure compliance with this permit.	
stabilisation stage	Moisture	None specified		Equipment shall be calibrated on a 4 monthly basis or as agreed in writing by the Environment Agency.	
Waste reception building; Storage tank(s); Maturation area	Odour	Daily	Olfactory monitoring	Odour detection at the site boundary.	
Storage tank(s)	Integrity checks	Weekly	Visual assessment		

Table S3.3 Bioaerosol emission limits and monitoring requirements					
Emission point ref. & location	Parameter	Bioaerosol threshold limits (CFU m <sup>-3</sup> )	Monitoring frequency	Monitoring standard or method	Other specifications
At a minimum Total bacteria	1000	Quarterly for	In accordance	As described in	
of three separate locations, as described in the Industry Standard Protocol	Aspergillus Fumigatus	500	the first year of operation and then twice a year if agreed in writing by the Environment Agency.	with the Industry Standard Protocol.	the Industry Standard Protocol, including all the additional data requirements specified therein.

# Schedule 4 – Reporting

Parameters, for which reports shall be made, in accordance with conditions of this permit, are listed below.

Table S4.1 Reporting of monitoring data					
Parameter	Emission or monitoring point/reference	Reporting period	Period begins		
Bioaerosol monitoring Parameters as required by condition 3.5.1	As specified in the Standardised Protocol and in agreement with the Environment Agency	Every 3 months or as agreed in writing by the Environment Agency	1 January, 1 April, 1 July, 1 October		

Table S4.2 Annual production/treatment			
Parameter Units			
Processed compost	tonnes		

Table S4.3 Performance parameters				
Parameter	Frequency of assessment	Units		
Water usage	Annually	m <sup>3</sup>		
Energy usage	Annually	MWh		
Total raw material used	Annually	tonnes		

Table S4.4 Reporting forms				
Media/parameter	Reporting format	Date of form		
Bioaerosols	As specified in the Industry Standard Protocol or other form as agreed in writing by the Environment Agency			
Water usage	Form water usage 1 or other form as agreed in writing by the Environment Agency	22/03/16		
Energy usage	Form energy 1 or other form as agreed in writing by the Environment Agency	22/03/16		
Other performance indicators	Form performance 1 or other form as agreed in writing by the Environment Agency	22/03/16		
Waste Returns	E-waste Returns Form			

# Schedule 5 - Notification

These pages outline the information that the operator must provide.

Units of measurement used in information supplied under Part A and B requirements shall be appropriate to the circumstances of the emission. Where appropriate, a comparison should be made of actual emissions and authorised emission limits.

If any information is considered commercially confidential, it should be separated from non-confidential information, supplied on a separate sheet and accompanied by an application for commercial confidentiality under the provisions of the EP Regulations.

# Part A

Permit Number	
Name of operator	
Location of Facility	
Time and date of the detection	
	any malfunction, breakdown or failure of equipment or techniques, ince not controlled by an emission limit which has caused, is pollution
To be notified within 24 hours of	detection
Date and time of the event	
Reference or description of the location of the event	
Description of where any release into the environment took place	
Substances(s) potentially released	
Best estimate of the quantity or rate of release of substances	
Measures taken, or intended to be taken, to stop any emission	
Description of the failure or accident.	
(b) Notification requirements for t	the breach of a limit
To be notified within 24 hours of	detection unless otherwise specified below
Emission point reference/ source	
Parameter(s)	
Limit	
Measured value and uncertainty	
Date and time of monitoring	
Measures taken, or intended to be taken, to stop the emission	

Parameter	Notification period
(c) Notification requirements for the detection of any s	
To be notified within 24 hours of detection	3
Description of where the effect on the environment was detected	
Substances(s) detected	
Concentrations of substances detected	
Date of monitoring/sampling	
Part B – to be submitted as soon a	s practicable
Any more accurate information on the matters for	s practicable
	s practicable
Any more accurate information on the matters for notification under Part A.  Measures taken, or intended to be taken, to prevent	s practicable
notification under Part A.  Measures taken, or intended to be taken, to prevent a recurrence of the incident  Measures taken, or intended to be taken, to rectify, limit or prevent any pollution of the environment	s practicable
Any more accurate information on the matters for notification under Part A.  Measures taken, or intended to be taken, to prevent a recurrence of the incident  Measures taken, or intended to be taken, to rectify, limit or prevent any pollution of the environment which has been or may be caused by the emission  The dates of any unauthorised emissions from the	s practicable
Any more accurate information on the matters for notification under Part A.  Measures taken, or intended to be taken, to prevent a recurrence of the incident  Measures taken, or intended to be taken, to rectify, limit or prevent any pollution of the environment which has been or may be caused by the emission  The dates of any unauthorised emissions from the	s practicable
Any more accurate information on the matters for notification under Part A.  Measures taken, or intended to be taken, to prevent a recurrence of the incident  Measures taken, or intended to be taken, to rectify, limit or prevent any pollution of the environment which has been or may be caused by the emission  The dates of any unauthorised emissions from the facility in the preceding 24 months.	s practicable
Any more accurate information on the matters for notification under Part A.  Measures taken, or intended to be taken, to prevent a recurrence of the incident  Measures taken, or intended to be taken, to rectify, limit or prevent any pollution of the environment which has been or may be caused by the emission  The dates of any unauthorised emissions from the facility in the preceding 24 months.	s practicable

<sup>\*</sup> authorised to sign on behalf of the operator

# Schedule 6 - Interpretation

"accident" means an accident that may result in pollution.

"application" means the application for this permit, together with any additional information supplied by the operator as part of the application and any response to a notice served under Schedule 5 to the EP Regulations.

"authorised officer" means any person authorised by the Environment Agency under section 108(1) of The Environment Act 1995 to exercise, in accordance with the terms of any such authorisation, any power specified in section 108(4) of that Act.

"bioaerosol threshold limits" means the maximum acceptable bioaerosol concentrations at the nearest sensitive receptor, or at an equivalent distance downwind of the composting operations, which are attributable to the composting operations. The maximum acceptable concentrations are respectively, 1000 and 500 CFU m<sup>-3</sup> for total bacteria and Aspergillus fumigatus.

"building" means a construction that has the objective of providing sheltering cover and minimising emissions of noise, particulate matter, odour and litter.

"compost" means solid particulate material that is the result of composting, which has been sanitised and stabilised, and which confers beneficial effects when added to soil, used as a component of growing media or used in another way in conjunction with plants.

"compostable plastics" means plastics that are certified to meet the standards of EN 13432, EN 14995 or equivalent.

"composting batch" means an identifiable quantity of material that progresses through the composting system and when fully processed has similar characteristics throughout. For composting systems that operate on a continuous or a plug-flow basis, batches will be taken to mean a series of "portions of production".

"composting" means the biological decomposition of organic materials, under conditions that are predominantly aerobic and that allow the development of thermophilic temperatures as a result of biologically produced heat and that result in compost.

"disposal" means any of the operations provided for in Annex I to Directive 2008/98/EC of the European Parliament and of the Council on waste.

"emissions of substances not controlled by emission limits" means emissions of substances to air, water or land from the activities, either from the emission points specified in schedule 3 or from other localised or diffuse sources, which are not controlled by an emission limit.

"emissions to land" includes emissions to groundwater.

"EP Regulations" means The Environmental Permitting (England and Wales) Regulations SI 2010 No.675 and words and expressions used in this permit which are also used in the Regulations have the same meanings as in those Regulations.

"groundwater" means all water, which is below the surface of the ground in the saturation zone and in direct contact with the ground or subsoil.

"impermeable surface" means a surface or pavement constructed and maintained to a standard sufficient to prevent the transmission of liquids beyond the pavement surface.

"Industrial Emissions Directive" means DIRECTIVE 2010/75/EU OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 24 November 2010 on industrial emissions.

"Industry Standard Protocol" means "A standardised protocol for the monitoring of bioaerosols at open composting facilities" published by the Association for Organics Recycling and developed in conjunction with the Environment Agency.

"MCERTS" means the Environment Agency's Monitoring Certification Scheme.

"pests" means Birds, Vermin and Insects.

"quarter" means a calendar year quarter commencing on 1 January, 1 April, 1 July or 1 October.

"recovery" means any of the operations provided for in Annex II to Directive 2008/98/EC of the European Parliament and of the Council on waste.

"sanitisation stage" means the actively managed and intensive stage of composting lasting for at least five days, characterised by high oxygen demand and temperatures of over 55 °C, during which biological processes, together with conditions in the composting mass, eradicate human and animal pathogens or reduce them to acceptably low levels.

"sealed drainage system" in relation to an impermeable surface, means a drainage system with impermeable components which does not leak and which will ensure that:

- (a) no liquid will run off the surface otherwise than via the system;
- (b) except where they may be lawfully be discharged to foul sewer, all liquids entering the system are collected in a sealed sump.

"stable, stabilised" means the degree of processing and biodegradation at which the rate of biological activity has slowed to an acceptably low and consistent level and will not significantly increase under favourable, altered conditions.

"stabilisation stage" means the stage of composting following sanitisation, during which biological conditions in the composting mass, give rise to compost that is nominally stable.

"treated wood" means any wood that has been chemically treated (e.g. to enhance or alter the performance of the original wood). Treatments may include penetrating oils, tar oil preservatives, water-borne preservatives, organic-based preservatives, boron and organo-metallic based preservatives, boron and halogenated flame retardants and surface treatments (including paint and venner).

"Waste code" means the six digit code referable to a type of waste in accordance with the List of Wastes and in relation to hazardous waste, includes the asterisk.

"Waste Framework Directive" or "WFD" means Waste Framework Directive 2008/98/EC of the European Parliament and of the Council on waste.

"year" means calendar year ending 31 December.

Where a minimum limit is set for any emission parameter, for example pH, reference to exceeding the limit shall mean that the parameter shall not be less than that limit.

Unless otherwise stated, any references in this permit to concentrations of substances in emissions into air means:

- in relation to emissions from combustion processes, the concentration in dry air at a temperature of 273K, at a pressure of 101.3 kPa and with an oxygen content of 3% dry for liquid and gaseous fuels, 6% dry for solid fuels; and/or
- in relation to emissions from non-combustion sources, the concentration at a temperature of 273K and at a pressure of 101.3 kPa, with no correction for water vapour content.

# Schedule 7 – Site plan



Permit Number:	EPR/YF	<sup>2</sup> 3393ZL	Operator:	(Woodwaste) Limited
Facility:	Hespin Wood		Form Number:	WaterUsage1 / 22/03/16
Reporting of Water Usag	ge for the yea	ar		
Water Source		Usage (m³/year)		Specific Usage (m³/unit output)
Mains water				
TOTAL WATER USAGE				
Operator's comments:				
Signed		Da	ite	
(authorised to sign as representative		Da		
(authorised to sign as representative	e oi Operator)			

Permit number EPR/YP3393ZL

1

		Operator:		Jenkinson odwaste) Limited
Facility:	Hespin Wood	Form Number:	Ener	gyUsage1 / 22/03/16
Reporting of Energy Usag	e for the year			
Energy Source	Energy Usage			Specific Usage (MWh/unit output)
	Quantity	Primary Energy (MWh)		
Electricity *	MWh			
Gas Oil	tonnes			
Recovered Fuel Oil	tonnes			
TOTAL	-			
Conversion factor for delivered electri	icity to primary energy = 2.4			
Operator's comments:				
Signed	Date			
Authorised to sign as representative o				

Permit Number:	EPR/YP3393ZL	Operator:	A W Jenkinson (Woodwaste) Limited
Facility:	Hespin Wood	Form Numbe	er: Performance1 / 22/03/16
Reporting of other perform	nance indicators for the peri	od DD/MM/YYY)	Y to DD/MM/YYYY
Parameter			Units
Total raw material used			tonnes
Operator's comments:			
Signed	Data		
Signed			
(Authorised to sign as representative of	Operator)		