

Public Health Outcomes Framework

Indicators at a glance (February 2017)

Notes:

- Value cells are shaded red, amber or green where the England value can be benchmarked against a goal.
- In the change columns, prev refers to the change in value compared to the previous data point; recent trend refers to the analysis done in the Fingertips tool which tests for a statistical trend. This is currently only available for certain indicator types, full details are available in the tool.
- Increases or decreases are only shown if they are statistically significant. An upwards arrow (↑, ↑ or ↑) represents a significant increase in the indicator value, a downwards arrow (↓, ↓ or ↓) represents a significant decrease. A sideways arrow (↔) is displayed if there has been no significant change.
- Statistically significant changes highlighted in the change from prev column have been calculated by comparing the confidence intervals for the respective time points. If the confidence intervals do not overlap, the change has been flagged as significant. Changes in the recent trend column are calculated using a chi-squared statistical test for trend.
- Where no arrow is shown, no comparison has been made. This may be due to the fact that the required data to make the comparison is not available for the time point, or that no confidence interval values are available for the indicator. Certain indicator types have not yet been included in the recent trend analysis.
- The arrows are coloured green and red for those indicators where a change can be described as improving or worsening respectively.
- Indicators where data has been updated or revised in the latest update have been shaded in the tables.
- Indicators where the value is marked with * have a data note attached to them. See www.phoutcomes.info for full details
- Indicators where inequalities data is available in the webtool are marked with a #.

Summary for England

Domain: Overarching indicators					
Indicator	Period	Value	Unit	Change from prev	Recent trend
0.1i - Healthy life expectancy at birth (Male) #	2013 - 15	63.4	Years	↔	
0.1i - Healthy life expectancy at birth (Female) #	2013 - 15	64.1	Years	↔	
0.1ii - Life Expectancy at birth (Male) #	2013 - 15	79.5	Years	↔	
0.1ii - Life Expectancy at birth (Female) #	2013 - 15	83.1	Years	↔	
0.1iii - Life Expectancy at 65 (Male) #	2013 - 15	18.7	Years	↔	
0.1iii - Life Expectancy at 65 (Female) #	2013 - 15	21.1	Years	↔	
0.2i - Slope index of inequality in life expectancy at birth based on national deprivation deciles within England (Male) #	2012 - 14	9.2	Years	↔	
0.2i - Slope index of inequality in life expectancy at birth based on national deprivation deciles within England (Female) #	2012 - 14	7.0	Years	↔	
0.2ii - Number of upper tier local authorities for which the local slope index of inequality in life expectancy (as defined in 0.2iii) has decreased (Male) #	2012 - 14	80	Count	↔	
0.2ii - Number of upper tier local authorities for which the local slope index of inequality in life expectancy (as defined in 0.2iii) has decreased (Female) #	2012 - 14	67	Count	↔	
0.2iii - Slope index of inequality in life expectancy at birth within English local authorities, based on local deprivation deciles within each area (Male) #	2012 - 14	*	Years		
0.2iii - Slope index of inequality in life expectancy at birth within English local authorities, based on local deprivation deciles within each area (Female) #	2012 - 14	*	Years		
0.2iv - Gap in life expectancy at birth between each local authority and England as a whole (Male) #	2013 - 15	0.0	Years		
0.2iv - Gap in life expectancy at birth between each local authority and England as a whole (Female) #	2013 - 15	0.0	Years		
0.2v - Slope index of inequality in healthy life expectancy at birth based on national deprivation deciles within England (Male) #	2012 - 14	19.0	Years	↔	
0.2v - Slope index of inequality in healthy life expectancy at birth based on national deprivation deciles within England (Female) #	2012 - 14	20.2	Years	↔	
0.2vi - SII in healthy life expectancy based within local authorities, based on deprivation within Middle Super Output Areas (Male) #	2009 - 13	-	Years		
0.2vi - SII in healthy life expectancy based within local authorities, based on deprivation within Middle Super Output Areas (Female) #	2009 - 13	-	Years		
0.2vii - Slope index of inequality in life expectancy at birth within English regions, based on regional deprivation deciles within each area (Male) #	2012 - 14	*	Years		
0.2vii - Slope index of inequality in life expectancy at birth within English regions, based on regional deprivation deciles within each area (Female) #	2012 - 14	*	Years		

Domain: Wider determinants of health

Indicator	Period	Value	Unit	Change from prev	Recent trend
1.01i - Children in low income families (all dependent children under 20) ≠	2014	19.9	%	↑	↓
1.01ii - Children in low income families (under 16s) ≠	2014	20.1	%	↑	↓
1.02i - School Readiness: The percentage of children achieving a good level of development at the end of reception (Persons) ≠	2015/16	69.3	%	↑	
1.02i - School Readiness: The percentage of children achieving a good level of development at the end of reception (Male) ≠	2015/16	62.1	%	↑	
1.02i - School Readiness: The percentage of children achieving a good level of development at the end of reception (Female) ≠	2015/16	76.8	%	↑	
1.02i - School Readiness: The percentage of children with free school meal status achieving a good level of development at the end of reception (Persons) ≠	2015/16	54.4	%	↑	
1.02i - School Readiness: The percentage of children with free school meal status achieving a good level of development at the end of reception (Male) ≠	2015/16	45.8	%	↑	
1.02i - School Readiness: The percentage of children with free school meal status achieving a good level of development at the end of reception (Female) ≠	2015/16	63.5	%	↑	
1.02ii - School Readiness: The percentage of Year 1 pupils achieving the expected level in the phonics screening check (Persons) ≠	2015/16	80.5	%	↑	↑
1.02ii - School Readiness: The percentage of Year 1 pupils achieving the expected level in the phonics screening check (Male) ≠	2015/16	76.9	%	↑	
1.02ii - School Readiness: The percentage of Year 1 pupils achieving the expected level in the phonics screening check (Female) ≠	2015/16	84.3	%	↑	
1.02ii - School Readiness: The percentage of Year 1 pupils with free school meal status achieving the expected level in the phonics screening check (Persons) ≠	2015/16	68.6	%	↑	↑
1.02ii - School Readiness: The percentage of Year 1 pupils with free school meal status achieving the expected level in the phonics screening check (Male) ≠	2015/16	63.6	%	↑	
1.02ii - School Readiness: The percentage of Year 1 pupils with free school meal status achieving the expected level in the phonics screening check (Female) ≠	2015/16	74.0	%	↑	
1.03 - Pupil absence ≠	2014/15	4.62	%	↑	↓
1.04 - First time entrants to the youth justice system ≠	2015	368.6	Crude rate per 100,000	↓	↓
1.05 - 16-18 year olds not in education employment or training ≠	2015	4.2	%	↓	↓
1.06i - Adults with a learning disability who live in stable and appropriate accommodation (Persons) ≠	2014/15	73.3	%	↓	
1.06i - Adults with a learning disability who live in stable and appropriate accommodation (Male) ≠	2014/15	73.2	%	↓	
1.06i - Adults with a learning disability who live in stable and appropriate accommodation (Female) ≠	2014/15	73.1	%	↓	
1.06ii - Adults in contact with secondary mental health services who live in stable and appropriate accommodation (Persons) ≠	2014/15	59.7	%		
1.06ii - Adults in contact with secondary mental health services who live in stable and appropriate accommodation (Male) ≠	2014/15	58.4	%		
1.06ii - Adults in contact with secondary mental health services who live in stable and appropriate accommodation (Female) ≠	2014/15	61.3	%		
1.07 - People in prison who have a mental illness or a significant mental illness - current method	2015/16	8.84	%		
1.08i - Gap in the employment rate between those with a long-term health condition and the overall employment rate	2015/16	8.8	Percentage point		
1.08ii - Gap in the employment rate between those with a learning disability and the overall employment rate (persons) ≠	2014/15	66.9	Percentage point		
1.08ii - Gap in the employment rate between those with a learning disability and the overall employment rate (male) ≠	2014/15	71.8	Percentage point		
1.08ii - Gap in the employment rate between those with a learning disability and the overall employment rate (female) ≠	2014/15	62.3	Percentage point		
1.08iii - Gap in the employment rate for those in contact with secondary mental health services and the overall employment rate (persons) ≠	2014/15	66.1	Percentage point		
1.08iii - Gap in the employment rate for those in contact with secondary mental health services and the overall employment rate (male) ≠	2014/15	72.6	Percentage point		
1.08iii - Gap in the employment rate for those in contact with secondary mental health services and the overall employment rate (female) ≠	2014/15	59.3	Percentage point		
1.08iv - Percentage of people aged 16-64 in employment (persons) ≠	2015/16	73.9	%	↑	↑
1.08iv - Percentage of people aged 16-64 in employment (male) ≠	2015/16	79.2	%	↑	↑
1.08iv - Percentage of people aged 16-64 in employment (female) ≠	2015/16	68.8	%	↑	↑
1.09i - Sickness absence - The percentage of employees who had at least one day off in the previous week ≠	2012 - 14	2.4	%	↔	
1.09ii - Sickness absence - The percent of working days lost due to sickness absence ≠	2012 - 14	1.5	%	↔	
1.10 - Killed and seriously injured (KSI) casualties on England's roads ≠	2013 - 15	38.5	Crude rate per 100,000	↓	
1.11 - Domestic Abuse	2014/15	20.4	Crude rate per 1,000	↑	
1.12i - Violent crime (including sexual violence) - hospital admissions for violence ≠	2012/13 - 14/15	47.5	DSR per 100,000	↓	
1.12ii - Violent crime (including sexual violence) - violence offences per 1,000 population ≠	2015/16	17.2	Crude rate per 1,000	↑	↑
1.12iii - Violent crime (including sexual violence) - Rate of sexual offences per 1,000 population ≠	2015/16	1.7	Crude rate per 1,000	↑	↑
1.13i - Re-offending levels - percentage of offenders who re-offend ≠	2014	25.4	%	↓	↓
1.13ii - Re-offending levels - average number of re-offences per offender ≠	2014	0.82	Crude rate per offender	↔	↑
1.13iii - First time offenders	2015	242.4	Crude rate per 100,000	↓	
1.14i - The rate of complaints about noise ≠	2014/15	7.1*	Crude rate per 1,000	↓	↓
1.14ii - The percentage of the population exposed to road, rail and air transport noise of 65dB(A) or more, during the daytime	2011	5.2	%		
1.14iii - The percentage of the population exposed to road, rail and air transport noise of 55 dB(A) or more during the night-time	2011	8.0	%		
1.15i - Statutory homelessness - eligible homeless people not in priority need ≠	2015/16	0.9	Crude rate per 1,000	↓	↓
1.15ii - Statutory homelessness - households in temporary accommodation ≠	2015/16	3.1	Crude rate per 1,000	↑	↑
1.16 - Utilisation of outdoor space for exercise/health reasons	Mar 2014 - Feb 2015	17.9	%	↔	
1.17 - Fuel Poverty ≠	2014	10.6	%	↑	
1.18i - Social Isolation: Percentage of adult social care users who have as much social contact as they would like ≠	2015/16	45.4	%	↔	
1.18ii - Social Isolation: Percentage of adult carers who have as much social contact as they would like ≠	2014/15	38.5	%	↓	

Domain: Health improvement						
Indicator	Period	Value	Unit	Change from prev	Recent trend	
2.01 - Low birth weight of term babies #	2014	2.9	%	↔	↓	
2.02i - Breastfeeding - Breastfeeding initiation #	2014/15	74.3	%	↑	↑	
2.02ii - Breastfeeding - breastfeeding prevalence at 6-8 weeks after birth - current method	2015/16	43.2*	%			
2.03 - Smoking status at time of delivery #	2015/16	10.6*	%	↓	↓	
2.04 - Under 18 conceptions #	2014	22.8	Crude rate per 1,000	↓	↓	
2.04 - Under 18 conceptions: conceptions in those aged under 16 #	2014	4.4	Crude rate per 1,000	↓	↓	
2.05ii - Proportion of children aged 2-2½yrs offered ASQ-3 as part of the Healthy Child Programme or integrated review	2015/16	81.3*	%			
2.06i - Child excess weight in 4-5 and 10-11 year olds - 4-5 year olds #	2015/16	22.1	%	↑	↓	
2.06ii - Child excess weight in 4-5 and 10-11 year olds - 10-11 year olds #	2015/16	34.2	%	↑	↑	
2.07i - Hospital admissions caused by unintentional and deliberate injuries in children (aged 0-14 years)	2015/16	104.2	Crude rate per 10,000	↓	↓	
2.07i - Hospital admissions caused by unintentional and deliberate injuries in children (aged 0-4 years)	2015/16	129.6	Crude rate per 10,000	↓	↓	
2.07ii - Hospital admissions caused by unintentional and deliberate injuries in young people (aged 15-24 years)	2015/16	134.1	Crude rate per 10,000	↔	↓	
2.08i - Average difficulties score for all looked after children aged 5-16 who have been in care for at least 12 months on 31st March	2015/16	14.0	Score			
2.08ii - Percentage of children where there is a cause for concern	2014/15	37.0	%			
2.09i - Smoking prevalence at age 15 - current smokers (WAY survey) #	2014/15	8.2	%			
2.09ii - Smoking prevalence at age 15 - regular smokers (WAY survey) #	2014/15	5.5	%			
2.09iii - Smoking prevalence at age 15 - occasional smokers (WAY survey) #	2014/15	2.7	%			
2.09iv - Smoking prevalence at age 15 years - regular smokers (SDD survey)	2014	8	%	↔		
2.09v - Smoking prevalence at age 15 years - occasional smokers (SDD survey)	2014	5	%	↓		
2.10ii - Emergency hospital admissions for intentional self-harm #	2014/15	191.4	DSR per 100,000	↓		
2.11i - Proportion of the population meeting the recommended '5-a-day' on a 'usual day' (adults) #	2015	52.3	%	↓		
2.11ii - Average number of portions of fruit consumed daily (adults) #	2015	2.51	Count	↓		
2.11iii - Average number of portions of vegetables consumed daily (adults) #	2015	2.27	Count	↔		
2.11iv - Proportion of the population meeting the recommended "5-a-day" at age 15	2014/15	52.4	%			
2.11v - Average number of portions of fruit consumed daily at age 15 (WAY survey) #	2014/15	2.39	Count			
2.11vi - Average number of portions of vegetables consumed daily at age 15 (WAY survey) #	2014/15	2.40	Count			
2.12 - Excess Weight in Adults #	2013 - 15	64.8	%	↔		
2.13i - Percentage of physically active and inactive adults - active adults #	2015	57.0	%	↔		
2.13ii - Percentage of physically active and inactive adults - inactive adults #	2015	28.7	%	↑		
2.14 - Smoking Prevalence in adults - current smokers (APS) #	2015	16.9	%	↓		
2.14 - Smoking Prevalence in adult in routine and manual occupations - current smokers (APS) #	2015	26.5	%	↓		
2.15i - Successful completion of drug treatment - opiate users #	2015	6.7	%	↓	↓	
2.15ii - Successful completion of drug treatment - non-opiate users #	2015	37.3	%	↓	↑	
2.15iii - Successful completion of alcohol treatment #	2015	38.4	%	↔	↑	
2.15iv - Deaths from drug misuse #	2013 - 15	3.9	DSR per 100,000	↑		
2.16 - Adults with substance misuse treatment need who successfully engage in community-based structured treatment following release from prison	2015/16	30.3	%			
2.17 - Recorded diabetes #	2014/15	6.4	%	↑	↑	
2.18 - Admission episodes for alcohol-related conditions - narrow definition (Persons) #	2014/15	641	DSR per 100,000	↔		
2.18 - Admission episodes for alcohol-related conditions - narrow definition (Male) #	2014/15	827	DSR per 100,000	↓		
2.18 - Admission episodes for alcohol-related conditions - narrow definition (Female) #	2014/15	474	DSR per 100,000	↔		
2.19 - Cancer diagnosed at early stage (Experimental Statistics) #	2014	50.7	%	↑		
2.20i - Cancer screening coverage - breast cancer #	2016	75.5	%	↑	↓	
2.20ii - Cancer screening coverage - cervical cancer #	2016	72.7	%	↓	↓	
2.20iii - Cancer screening coverage - bowel cancer #	2016	57.9	%	↑		
2.20iv - Abdominal Aortic Aneurysm Screening - Coverage	2015/16	79.9	%	↑		
2.20v - Diabetic eye screening - uptake	2015/16	83.0	%	↔		
2.20vii - Infectious Diseases in Pregnancy Screening - HIV Coverage	2015/16	99.1	%	↑		
2.20viii - Infectious Diseases in Pregnancy Screening - Syphilis Coverage	2014	97.4	%	↓		
2.20ix - Infectious Diseases in Pregnancy Screening - Hepatitis B Coverage	2014	97.4	%	↓		
2.20x - Sickle Cell and Thalassemia Screening - Coverage	2015/16	99.1	%	↑		
2.20xi - Newborn Blood Spot Screening - Coverage	2015/16	95.6*	%	↓		
2.20xii - Newborn Hearing Screening - Coverage	2015/16	98.7	%	↑		
2.20xiii - Newborn and Infant Physical Examination Screening - Coverage	2015/16	94.9	%	↑		
2.22iii - Cumulative percentage of the eligible population aged 40-74 offered an NHS Health Check #	2013/14 - 15/16	56.4	%			
2.22iv - Cumulative percentage of the eligible population aged 40-74 offered an NHS Health Check who received an NHS Health Check #	2013/14 - 15/16	48.6	%			
2.22v - Cumulative percentage of the eligible population aged 40-74 who received an NHS Health check #	2013/14 - 15/16	27.4	%			
2.23i - Self-reported wellbeing - people with a low satisfaction score #	2015/16	4.6	%	↔		
2.23ii - Self-reported wellbeing - people with a low worthwhile score #	2015/16	3.6	%	↔		
2.23iii - Self-reported wellbeing - people with a low happiness score #	2015/16	8.8	%	↔		
2.23iv - Self-reported wellbeing - people with a high anxiety score #	2015/16	19.4	%	↔		
2.24i - Injuries due to falls in people aged 65 and over (Persons) #	2014/15	2125	DSR per 100,000	↑		
2.24i - Injuries due to falls in people aged 65 and over (Male) #	2014/15	1740	DSR per 100,000	↑		
2.24i - Injuries due to falls in people aged 65 and over (Female) #	2014/15	2509	DSR per 100,000	↑		
2.24ii - Injuries due to falls in people aged 65 and over - aged 65-79 (persons) #	2014/15	1012	DSR per 100,000	↑		
2.24ii - Injuries due to falls in people aged 65 and over - aged 65-79 (male) #	2014/15	826	DSR per 100,000	↔		
2.24ii - Injuries due to falls in people aged 65 and over - aged 65-79 (female) #	2014/15	1198	DSR per 100,000	↔		
2.24iii - Injuries due to falls in people aged 65 and over - aged 80+ (persons) #	2014/15	5351	DSR per 100,000	↑		
2.24iii - Injuries due to falls in people aged 65 and over - aged 80+ (male) #	2014/15	4391	DSR per 100,000	↑		
2.24iii - Injuries due to falls in people aged 65 and over - aged 80+ (female) #	2014/15	6312	DSR per 100,000	↑		

Domain: Health protection

Indicator	Period	Value	Unit	Change from prev	Recent trend
3.01 - Fraction of mortality attributable to particulate air pollution ≠	2015	4.7	%		
3.02 - Chlamydia detection rate (15-24 year olds) (Persons) ≠	2015	1887	Crude rate per 100,000	↓	
3.02 - Chlamydia detection rate (15-24 year olds) (Male) ≠	2015	1276	Crude rate per 100,000	↓	
3.02 - Chlamydia detection rate (15-24 year olds) (Female) ≠	2015	2492	Crude rate per 100,000	↓	
3.03i - Population vaccination coverage - Hepatitis B (1 year old) ≠	2014/15	-	%		
3.03i - Population vaccination coverage - Hepatitis B (2 years old) ≠	2014/15	-	%		
3.03iii - Population vaccination coverage - Dtap / IPV / Hib (1 year old) ≠	2015/16	93.6	%	↓	↓
3.03iii - Population vaccination coverage - Dtap / IPV / Hib (2 years old) ≠	2015/16	95.2	%	↓	↓
3.03iv - Population vaccination coverage - MenC	2015/16	*	%		
3.03v - Population vaccination coverage - PCV ≠	2015/16	93.5	%	↓	↓
3.03vi - Population vaccination coverage - Hib / MenC booster (2 years old) ≠	2015/16	91.6	%	↓	↓
3.03vi - Population vaccination coverage - Hib / Men C booster (5 years old) ≠	2015/16	92.6	%	↑	↑
3.03vii - Population vaccination coverage - PCV booster ≠	2015/16	91.5	%	↓	↑
3.03viii - Population vaccination coverage - MMR for one dose (2 years old) ≠	2015/16	91.9	%	↓	↑
3.03ix - Population vaccination coverage - MMR for one dose (5 years old) ≠	2015/16	94.8	%	↑	↑
3.03x - Population vaccination coverage - MMR for two doses (5 years old) ≠	2015/16	88.2	%	↓	↑
3.03xii - Population vaccination coverage – HPV vaccination coverage for one dose (females 12-13 years old)	2014/15	89.4	%		
3.03xiii - Population vaccination coverage - PPV ≠	2015/16	70.1	%	↑	↑
3.03xiv - Population vaccination coverage - Flu (aged 65+) ≠	2015/16	71.0	%	↓	↓
3.03xv - Population vaccination coverage - Flu (at risk individuals) ≠	2015/16	45.1	%	↓	↓
3.03xvii - Population vaccination coverage - Shingles vaccination coverage (70 years old)	2015/16	54.9	%	↓	
3.03xviii - Population vaccination coverage - Flu (2-4 years old) ≠	2015/16	34.4*	%	↓	
3.04 - HIV late diagnosis ≠	2013 - 15	40.3	%	↓	
3.05i - Treatment completion for TB	2014	84.4	%	↔	↑
3.05ii - Incidence of TB ≠	2013 - 15	12.0	%	↓	
3.06 - NHS organisations with a board approved sustainable development management plan	2014/15	56.5	%	↑	↓
3.08 - Adjusted antibiotic prescribing in primary care by the NHS	2015	1.10	Rate per STAR-PU		

Domain: Healthcare and premature mortality					
Indicator	Period	Value	Unit	Change from prev	Recent trend
4.01 - Infant mortality ≠	2013 - 15	3.9	Crude rate per 1,000	↔	
4.02 - Proportion of five year old children free from dental decay	2014/15	75.2	%	↑	
4.03 - Mortality rate from causes considered preventable (Persons) ≠	2013 - 15	184.5	DSR per 100,000	↔	
4.03 - Mortality rate from causes considered preventable (Male) ≠	2013 - 15	232.5	DSR per 100,000	↔	
4.03 - Mortality rate from causes considered preventable (Female) ≠	2013 - 15	139.6	DSR per 100,000	↔	
4.04i - Under 75 mortality rate from all cardiovascular diseases (Persons) ≠	2013 - 15	74.6	DSR per 100,000	↓	
4.04i - Under 75 mortality rate from all cardiovascular diseases (Male) ≠	2013 - 15	104.7	DSR per 100,000	↔	
4.04i - Under 75 mortality rate from all cardiovascular diseases (Female) ≠	2013 - 15	46.2	DSR per 100,000	↔	
4.04ii - Under 75 mortality rate from cardiovascular diseases considered preventable (Persons) ≠	2013 - 15	48.1	DSR per 100,000	↔	
4.04ii - Under 75 mortality rate from cardiovascular diseases considered preventable (Male) ≠	2013 - 15	72.5	DSR per 100,000	↓	
4.04ii - Under 75 mortality rate from cardiovascular diseases considered preventable (Female) ≠	2013 - 15	25.0	DSR per 100,000	↔	
4.05i - Under 75 mortality rate from cancer (Persons) ≠	2013 - 15	138.8	DSR per 100,000	↓	
4.05i - Under 75 mortality rate from cancer (Male) ≠	2013 - 15	154.8	DSR per 100,000	↓	
4.05i - Under 75 mortality rate from cancer (Female) ≠	2013 - 15	123.9	DSR per 100,000	↓	
4.05ii - Under 75 mortality rate from cancer considered preventable (Persons) ≠	2013 - 15	81.1	DSR per 100,000	↓	
4.05ii - Under 75 mortality rate from cancer considered preventable (Male) ≠	2013 - 15	88.4	DSR per 100,000	↓	
4.05ii - Under 75 mortality rate from cancer considered preventable (Female) ≠	2013 - 15	74.5	DSR per 100,000	↓	
4.06i - Under 75 mortality rate from liver disease (Persons) ≠	2013 - 15	18.0	DSR per 100,000	↔	
4.06i - Under 75 mortality rate from liver disease (Male) ≠	2013 - 15	23.7	DSR per 100,000	↔	
4.06i - Under 75 mortality rate from liver disease (Female) ≠	2013 - 15	12.5	DSR per 100,000	↔	
4.06ii - Under 75 mortality rate from liver disease considered preventable (Persons) ≠	2013 - 15	15.9	DSR per 100,000	↔	
4.06ii - Under 75 mortality rate from liver disease considered preventable (Male) ≠	2013 - 15	21.4	DSR per 100,000	↔	
4.06ii - Under 75 mortality rate from liver disease considered preventable (Female) ≠	2013 - 15	10.6	DSR per 100,000	↔	
4.07i - Under 75 mortality rate from respiratory disease (Persons) ≠	2013 - 15	33.1	DSR per 100,000	↔	
4.07i - Under 75 mortality rate from respiratory disease (Male) ≠	2013 - 15	38.5	DSR per 100,000	↔	
4.07i - Under 75 mortality rate from respiratory disease (Female) ≠	2013 - 15	28.0	DSR per 100,000	↔	
4.07ii - Under 75 mortality rate from respiratory disease considered preventable (Persons) ≠	2013 - 15	18.1	DSR per 100,000	↔	
4.07ii - Under 75 mortality rate from respiratory disease considered preventable (Male) ≠	2013 - 15	20.3	DSR per 100,000	↔	
4.07ii - Under 75 mortality rate from respiratory disease considered preventable (Female) ≠	2013 - 15	16.1	DSR per 100,000	↔	
4.08 - Mortality rate from a range of specified communicable diseases, including influenza (Persons) ≠	2013 - 15	10.5	DSR per 100,000	↔	
4.08 - Mortality rate from a range of specified communicable diseases, including influenza (Male) ≠	2013 - 15	11.5	DSR per 100,000	↔	
4.08 - Mortality rate from a range of specified communicable diseases, including influenza (Female) ≠	2013 - 15	9.6	DSR per 100,000	↔	
4.09i - Excess under 75 mortality rate in adults with serious mental illness ≠	2014/15	370.0	Indirectly standardised ratio	↑	
4.09ii - Proportion of adults in the population in contact with secondary mental health services ≠	2014/15	5.4	%	↑	
4.10 - Suicide rate (Persons) ≠	2013 - 15	10.1	DSR per 100,000	↔	
4.10 - Suicide rate (Male) ≠	2013 - 15	15.8	DSR per 100,000	↔	
4.10 - Suicide rate (Female) ≠	2013 - 15	4.7	DSR per 100,000	↔	
4.11 - Emergency readmissions within 30 days of discharge from hospital (Persons) ≠	2011/12	11.8	Indirectly standardised proportion	↔	
4.11 - Emergency readmissions within 30 days of discharge from hospital (Male) ≠	2011/12	12.1	Indirectly standardised proportion	↔	
4.11 - Emergency readmissions within 30 days of discharge from hospital (Female) ≠	2011/12	11.5	Indirectly standardised proportion	↔	
4.12i - Preventable sight loss - age related macular degeneration (AMD) ≠	2014/15	118.1	Crude rate per 100,000	↔	↓
4.12ii - Preventable sight loss - glaucoma ≠	2014/15	12.8	Crude rate per 100,000	↔	↔
4.12iii - Preventable sight loss - diabetic eye disease ≠	2014/15	3.2	Crude rate per 100,000	↔	↓
4.12iv - Preventable sight loss - sight loss certifications ≠	2014/15	42.4	Crude rate per 100,000	↔	↔
4.13 - Health related quality of life for older people ≠	2015/16	0.733	Score	↔	
4.14i - Hip fractures in people aged 65 and over (persons) ≠	2014/15	571	DSR per 100,000	↓	
4.14i - Hip fractures in people aged 65 and over (male) ≠	2014/15	425	DSR per 100,000	↔	
4.14i - Hip fractures in people aged 65 and over (female) ≠	2014/15	718	DSR per 100,000	↓	
4.14ii - Hip fractures in people aged 65 and over - aged 65-79 (persons) ≠	2014/15	239	DSR per 100,000	↔	
4.14ii - Hip fractures in people aged 65 and over - aged 65-79 (male) ≠	2014/15	167	DSR per 100,000	↔	
4.14ii - Hip fractures in people aged 65 and over - aged 65-79 (female) ≠	2014/15	312	DSR per 100,000	↔	
4.14iii - Hip fractures in people aged 65 and over - aged 80+ (persons) ≠	2014/15	1535	DSR per 100,000	↓	
4.14iii - Hip fractures in people aged 65 and over - aged 80+ (male) ≠	2014/15	1174	DSR per 100,000	↔	
4.14iii - Hip fractures in people aged 65 and over - aged 80+ (female) ≠	2014/15	1895	DSR per 100,000	↓	
4.15i - Excess Winter Deaths Index (Single year, all ages) (persons) ≠	Aug 2014 - Jul 2015	27.7	Ratio	↑	
4.15i - Excess Winter Deaths Index (Single year, all ages) (male) ≠	Aug 2014 - Jul 2015	23.6	Ratio	↑	
4.15i - Excess Winter Deaths Index (Single year, all ages) (female) ≠	Aug 2014 - Jul 2015	31.6	Ratio	↑	
4.15ii - Excess Winter Deaths Index (single year, age 85+) (persons) ≠	Aug 2014 - Jul 2015	40.1	Ratio	↑	
4.15ii - Excess Winter Deaths Index (single year, age 85+) (male) ≠	Aug 2014 - Jul 2015	36.3	Ratio	↑	
4.15ii - Excess Winter Deaths Index (single year, age 85+) (female) ≠	Aug 2014 - Jul 2015	42.4	Ratio	↑	
4.15iii - Excess Winter Deaths Index (3 years, all ages) (persons) ≠	Aug 2012 - Jul 2015	19.6	Ratio	↑	
4.15iii - Excess Winter Deaths Index (3 years, all ages) (male) ≠	Aug 2012 - Jul 2015	16.6	Ratio	↑	
4.15iii - Excess Winter Deaths Index (3 years, all ages) (female) ≠	Aug 2012 - Jul 2015	22.4	Ratio	↑	

4.15iv - Excess Winter Deaths Index (3 years, age 85+) (persons) ≠	Aug 2012 - Jul 2015	28.2	Ratio	↑	
4.15iv - Excess Winter Deaths Index (3 years, age 85+) (male) ≠	Aug 2012 - Jul 2015	26.5	Ratio	↑	
4.15iv - Excess Winter Deaths Index (3 years, age 85+) (female) ≠	Aug 2012 - Jul 2015	29.2	Ratio	↑	
4.16 - Estimated diagnosis rate for people with dementia	2013/14	52.5	%		